

UMASS AMHERST



312066 0033 0321 3

LIBRARY

OF THE



MASSACHUSETTS
AGRICULTURAL
COLLEGE

SOURCE College funds

Per

Au4

Index

1-17

Merrill

INDEX

TO THE
BULLETIN
OF THE
NUTTALL ORNITHOLOGICAL CLUB
VOLUMES I-VIII—1876-1883

AND TO ITS CONTINUATION
THE AUK
VOLUMES I-XVII—1884-1900

COMPILED BY A COMMITTEE OF THE
AMERICAN ORNITHOLOGISTS' UNION

EDITED BY
JONATHAN DWIGHT, Jr., M.D.



NEW YORK
PUBLISHED BY THE AMERICAN ORNITHOLOGISTS' UNION
1907

INDEX

TO THE

BULLETIN

OF THE

NUTTALL ORNITHOLOGICAL CLUB

VOLUMES I-VIII—1876-1883

AND TO ITS CONTINUATION

THE AUK

VOLUMES I-XVII—1884-1900

COMPILED BY A COMMITTEE OF THE

AMERICAN ORNITHOLOGISTS' UNION

EDITED BY

JONATHAN DWIGHT, Jr., M.D.



NEW YORK

PUBLISHED BY THE AMERICAN ORNITHOLOGISTS' UNION

1907

PRESS OF
THE NEW ERA PRINTING COMPANY
LANCASTER PA

INTRODUCTION.

The entire eight volumes (1876-1883) of the 'Bulletin' and seventeen volumes (1884-1900) of its continuation, 'The Auk,' published by the Nuttall Ornithological Club and the American Ornithologists' Union respectively, are here indexed. The material was gathered by a committee and elaborated by the editor, who has introduced features which, it is hoped, will add to the simplicity and general usefulness of an index that, in a measure, is a guide to a large part of the ornithological literature of the last quarter of the nineteenth century. Primarily, authors, localities, genera, synonyms and miscellaneous items are combined in a strictly alphabetical index; secondarily, all references are discriminated, classified and arranged under the primary headings and each indicated by the year and the page of the volume containing it. A fuller explanation of the details of arrangement is as follows:

1. AUTHORS. Titles of papers are in chronological order and in condensed form. Reviews and notices are indicated by the abbreviation '(rev.)' which is used alone when the author is reviewed, and by the additional word 'see' prefacing the paragraph when the author is reviewer. Authors' names occurring in 'Minor Ornithological Publications' are indexed only under localities.

2. LOCALITIES. Names of authors in alphabetical order are placed under each.

3. GENERA. Species in alphabetical order are indexed under their respective genera, subspecies or races being, for indexing convenience, treated like species and the middle term of the trinomial dropped. Under species, the page references are arranged by states and countries in alphabetical order, and, set off by a dash, at the end of the localities are additional categories in which are put references to matters other than distribution. In the endeavor to bring all references to the same genus, species or subspecies under one name, a simple system of key lettering has been devised to obviate possible confusion. Each key letter corresponds to a name in parenthesis after the genus or species, and this name is the one which will be found on the page cited. Other names in parenthesis, without a

key letter, are the current vernacular or popular names of North American species. The scientific names adopted are those of the A. O. U. Check-List of 1895 with approved corrections to the end of 1900, and for foreign species, as a rule, partly those of Sharpe's 'Hand List' and partly those of Ridgway's 'Birds of Middle and North America' to date of 1902. An asterisk indicates an original description or a new name and an interrogation point a reference doubtfully placed.

4. SYNONYMS OR CROSS REFERENCES. Each refers directly to the name with which it is synonymised in this index and some are merely cross references rather than actual synonyms. Vernacular names in modern foreign languages have been discarded.

5. MISCELLANEOUS ITEMS. Everything not provided for in the other primary divisions is included in these items, such as notices of journals and the classified subject matter of body articles under various headings such as 'Distribution,' 'Migration,' 'New Species,' 'Nidification' and many others.

Uniformity and clearness have been sought in the use of type, punctuation, capitals and other details and a word of praise is due the printer and the compositor for their share in the work. In spelling, in adjective endings and in variants absolute uniformity has not been possible; nor will the information found in a single item always seem adequate, but every reference will, it is hoped, show the way to further knowledge.

The Council of the American Ornithologists' Union on November 13, 1899, appointed Dr. Jonathan Dwight, Jr., Chairman of the Index Committee, which was organized and began work the following winter, but many causes have contributed to delay the earlier completion of the index. The composition of the committee was as follows, the actual indexers being marked with an asterisk:—an editorial subcommittee consisting of the Chairman,* Dr. J. A. Allen, Mr. Clas. F. Batchelder and Dr. C. Hart Merriam, the other members being Mr. Wm. L. Baily,* Mr. Chester Barlow (since deceased), Mr. Paul Bartsch,* Mr. Arthur C. Bent,* Dr. Louis B. Bishop,* Dr. Wm. C. Braislin,* Mr. Wm. Brewster, Prof. Lawrence Bruner, Mr. M. Chamberlain,* Mr. Walter Deane,* Mr. Wm. Dutcher,* Dr. Walter Faxon, Dr. A. K. Fisher,* Mr. L. S. Foster* (since deceased), Mr. Ralph Hoffmann,* Mr. Arthur H. Howell,* Prof. Lynds Jones,* Mr. Gerrit S. Miller, Jr.,* Mr. Richard C. McGregor,* Mr. W. H. Osgood, Dr. Theo. S. Palmer, Mr. Chas. J.

Pennock,* Dr. Chas. W. Richmond,* Mr. Robt. Ridgway (resigned), Dr. Wm. C. Rives,* Dr. Thos. S. Roberts,* Mr. Jno. H. Sage,* Mr. B. A. Scudder,* Mr. J. D. Sornborger (resigned), Mr. Witmer Stone,* Mr. W. E. C. Todd* and Mr. Francis B. White.*

Each volume was indexed by two persons independently, the results were compared by a third member of the committee and later verified by the editor. An apt quotation discovered by Mr. Wm. Dutcher is a fitting tribute to the voluntary labors of the Index Committee.

"Y^e labour and y^e patience, y^e judgment and y^e penetration which are required to make a good index is only known to those who have gone through with this most necessary and painful but least praised part of a publication."—*William Oldys, 1687.*

The editor, as chairman of the Index Committee, herewith extends grateful acknowledgments to all who have assisted him, especially to Dr. Chas. W. Richmond for the synonymy of foreign species and valuable assistance in proof-reading; to Dr. A. K. Fisher and Dr. J. A. Allen for proof-reading and for advice; to Mr. Wilfred H. Osgood and Mr. Chas. F. Batchelder for revision and classification of localities; and to Dr. Walter Faxon for help in editing authors' titles. Mr. Ruthven Deane, Mr. Jno. H. Sage, Dr. Theo. S. Palmer and Dr. A. K. Fisher also assisted in obtaining full names of authors, and the arduous labors of the actual indexers is measured by the 33,742 cards and sheets in duplicate returned to the editor for verification and classification.

JONATHAN DWIGHT, JR.,

Chairman of the Index Committee and Editor.

NEW YORK, November 1, 1907.

ABBREVIATIONS.

An asterisk (*) denotes an original description or a new name.

<i>Alla.</i>	Alabama.	<i>Hud. B.</i>	Hudson Bay.
<i>Alas.</i>	Alaska.	<i>hyb.</i>	hybrid.
<i>alb.</i>	albino.	<i>I.</i>	Island.
<i>Am.</i>	America or American.	<i>Ia.</i>	Iowa.
<i>anat.</i>	anatomy.	<i>Ida.</i>	Idaho.
<i>Arctic R.</i>	Arctic regions.	<i>Ill.</i>	Illinois.
<i>Argent.</i>	Argentina.	<i>illust.</i>	illustration.
<i>Ariz.</i>	Arizona.	<i>Ind.</i>	Indiana.
<i>Ark.</i>	Arkansas.	<i>introd.</i>	introduced.
<i>B. C.</i>	British Columbia.	<i>Is.</i>	Islands.
<i>Boliv.</i>	Bolivia.	<i>I. T.</i>	Indian Territory.
<i>Braz.</i>	Brazil.	<i>Kamt.</i>	Kamtschatka.
<i>Bull.</i>	Bulletin.	<i>Kan.</i>	Kansas.
<i>Cal.</i>	California.	<i>Ky.</i>	Kentucky.
<i>cat.</i>	catalogue.	<i>La.</i>	Louisiana.
<i>Co.</i>	County.	<i>L. Cal.</i>	Lower California.
<i>coll.</i>	collection.	<i>mag.</i>	magazine.
<i>Colo.</i>	Colorado.	<i>Man.</i>	Manitoba.
<i>Colom.</i>	Colombia.	<i>Mass.</i>	Massachusetts.
<i>col. pl.</i>	colored plate.	<i>Md.</i>	Maryland.
<i>Conn.</i>	Connecticut.	<i>Me.</i>	Maine.
<i>corr.</i>	correction.	<i>meas.</i>	measurements.
<i>C. R.</i>	Costa Rica.	<i>melan.</i>	melanism.
<i>Del.</i>	Delaware.	<i>Mex.</i>	Mexico.
<i>descr.</i>	description.	<i>Mich.</i>	Michigan.
<i>ed.</i>	edition.	<i>mig.</i>	migration.
<i>Engl.</i>	England.	<i>Minn.</i>	Minnesota.
<i>fig.</i>	figure.	<i>misc.</i>	miscellaneous.
<i>Fla.</i>	Florida.	<i>Miss.</i>	Mississippi.
<i>Ga.</i>	Georgia.	<i>mlt.</i>	moult.
<i>Galap. Is.</i>	Galapagos Islands.	<i>Mo.</i>	Missouri.
<i>G. Br.</i>	Great Britain.	<i>Mont.</i>	Montana.
<i>g. dist.</i>	general distribution.	<i>Mts.</i>	Mountains.
<i>geog.</i>	geographical.	<i>N.</i>	North.
<i>Greenl.</i>	Greenland.	<i>nat. hist.</i>	natural history.
<i>Guat.</i>	Guatemala.	<i>N. B.</i>	New Brunswick.
<i>hbt.</i>	habits.	<i>N. C.</i>	North Carolina.
<i>Helg.</i>	Heligoland.	<i>N. D.</i>	North Dakota.
<i>H. I.</i>	Hawaiian Islands.	<i>N. E.</i>	New England.
<i>Hond.</i>	Honduras.	<i>Neb.</i>	Nebraska.

<i>Nev.</i>	Nevada.	<i>Que.</i>	Quebec.
<i>N. F.</i>	Newfoundland.	<i>rev.</i>	review.
<i>N. H.</i>	New Hampshire.	<i>Revill. Is.</i>	Revillagigedo Islands.
<i>Nicar.</i>	Nicaragua.	<i>R. I.</i>	Rhode Island.
<i>N. J.</i>	New Jersey.	<i>S. Am.</i>	South America.
<i>N. M.</i>	New Mexico.	<i>S. C.</i>	South Carolina.
<i>N. S.</i>	Nova Scotia.	<i>S. D.</i>	South Dakota.
<i>N. Y.</i>	New York.	<i>syn.</i>	synonymy.
<i>N. W. T.</i>	Northwest Territory.	<i>Tenn.</i>	Tennessee.
<i>O.</i>	Ohio.	<i>Tex.</i>	Texas.
<i>Okla.</i>	Oklahoma.	<i>Urug.</i>	Uruguay.
<i>Ont.</i>	Ontario.	<i>U. S.</i>	United States.
<i>Ore.</i>	Oregon.	<i>Va.</i>	Virginia.
<i>ornith.</i>	ornithological.	<i>Venez.</i>	Venezuela.
<i>Pa.</i>	Pennsylvania.	<i>vol.</i>	volume.
<i>P. E. I.</i>	Prince Edward Island.	<i>Vt.</i>	Vermont.
<i>P. I.</i>	Philippine Islands.	<i>Wash.</i>	Washington.
<i>pl.</i>	plate.	<i>Wis.</i>	Wisconsin.
<i>plm.</i>	plumage.	<i>W. Va.</i>	West Virginia.
<i>pt.</i>	part.	<i>Wyo.</i>	Wyoming.
<i>Proc.</i>	Proceedings.		

CONCORDANCE.

'76	= Vol. I	Bull. N. O. C.		'89	= Vol. VI	The Auk.
'77	" II	"		'90	" VII	"
'78	" III	"		'91	" VIII	"
'79	" IV	"		'92	" IX	"
'80	" V	"		'93	" X	"
'81	" VI	"		'94	" XI	"
'82	" VII	"		'95	" XII	"
'83	" VIII	"		'96	" XIII	"
'84	" I	The Auk.		'97	" XIV	"
'85	" II	"		'98	" XV	"
'86	" III	"		'99	" XVI	"
'87	" IV	"		1900	" XVII	"
'88	" V	"				

BULLETIN
OF THE
NUTTALL ORNITHOLOGICAL CLUB
AND
THE AUK.

TWENTY-FIVE-YEAR INDEX.

1876-1900.

ABACO.

- Abaco Island**, West Indies.
Cory, C. B., '91, 298, 348.
Ridgway, R., '86, 336, 337, '91, 333.
abba (*Ardea*), see *A. egretta*.
Abbot, John.
Drawings of the birds of Georgia
(rev.), '96, 204-215.
Abbott, Charles Conrad.
Birds about us (rev.), '95, 67-69.
Naturalist's rambles about home
(rev.), '85, 86-88.
abbotti (*Cinnyris*), see *Cinnyris*.
— (*Coccycus*), see *Coccycus*.
— (*Cyanecula*), see *Cyanecula*.
— (*Laniarius*), see *Laniarius*.
— (*Lybius*), see *Lybius*.
— (*Melanobucco*), see *Lybius*.
— (*Rougetius*), see *Rougetius*.
— (*Turtur*), see *Turtur*.
abbreviatus (*Buteo*), see *Buteo*.
abditivus (*Manacus*), see *Manacus*.
abeillii (*Coccothraustes*), see *Coccothraustes*.
— (*Guiraca*), see *Coccothraustes*.
— (*Hesperophona*), see *Coccothraustes*.
Abelorrhina, see *Cereba*.
aberti (*Anas*), see *Anas*.
— (*Pipilo*), see *Pipilo*.
Abia, see *Zamelodia*.
abieticola (*Ceophleus*), see *Ceophleus*.
Abrornis, '94, 233.
acadica (*Muscicapa*), see *Empidonax virescens*.
— (*Nyctala*), see *Nyctala*.
acadicus (*Empidonax*), see *E. virescens*.
Acanthidops, '83, 168.
 bairdi, *C. R.* '83, 168, '85, 291.
Acanthis (^b *Linaria*), '84, 145-156,
229^b, 361, '87, 30-35, 63, 144, '88,
444, '96, 73.

ACANTHIS LINARIA.

- brewsterii** (Brewster's Linnet,
^b *Ægiothrus*), *misc.* '76, 94^b, '81, 225^b,
'88, 401, '91, 105.
 cabaret (^b *rufescens*, ^c *Ægiothrus rufescens*), *Europe*, '87, 144; *g. dist.*
'84, 153; '87, 30; *G. Br.* '77, 51^c;
Helg. '87, 325^b.—*meas.* '87, 34, 145;
plm. '87, 31, 144; *syn.* '84, 153; '87,
30, 63^b, 144.
 cannabina (^b *Linota*), *Helg.* '95,
326; *N. Y.* 1900, 388 (cage); *Ont.*
'91, 303^b (cage).
 exilipes (Hoary Redpoll, ^b *Ægiothrus*,
^c *Ægiothrus canescens*, ^d *pallidescens*), *Alas.* '85, 63^b, 200^b; *g. dist.*
'84, 152, 153^a, '87, 30, '93,
124; *Helg.* '95, 335; *Man.* '86, 322;
Mass. '79, 121^b, '87, 163, 164; *N. E.*
'77, 14^c, 46^c; *Ont.* '84, 159^b; *Russia*,
'77, 51^b, '87, 62.—*fd.* '84, 159^b; *meas.*
'84, 154; *mig.* '85, 63^b; *plm.* '80, 27^c
(alb.); *syn.* '84, 145, 152, 153^a, '87,
30, 63, '88, 413.
 flavirostris, *Helg.* '95, 326.
 holbœllii (Holbœll's Redpoll,
^b *Ægiothrus*), *Alas.* '87, 12; *g. dist.* '84,
153, '87, 30, '93, 124, 327; *Ill.* '83,
239^b; *Me.* '97, 219; *Mass.* '87, 163,
164; *Minn.* '83, 99^b; *N. E.* '83, 95^b;
N. Y. '83, 99^b, 121^b; *Russia*, '87, 62,
—*lbt.* '83, 96^b; *meas.* '83, 98^b, '84,
154, '87, 35; *plm.* '83, 96^b, '87, 33;
syn. '83, 98^b, '84, 145, 153, '87, 30,
63.
 hornemannii (Greenland Redpoll),
g. dist. '84, 154, '87, 30; *Grenl.* '89,
294; *Helg.* '95, 335; *Hud. B.* '90,
322.—*meas.* '84, 154; *nst.* '89, 329;
syn. '84, 145, 152, '87, 30, 63, '88,
413.
 linaria (^a Lesser Redpoll, ^b *Ægi-*

othus, ^c Linota), *Ala.* '93, 205; *Alas.* '85, 200^b; *Colo.* '81, 90^b, '85, 16^b; *g. dist.* '84, 152, '87, 30, '93, 327; *G. Br.* '81, 174^c; *Greenl.* '89, 211^a, 293^a; *Helg.* '95, 326; *Ida.* '98, 15; *Ill.* '90, 239; *Ind.* '89, 24; *Japan.* '85, 291^b; *Ky.* '89, 314; *Labrador.* '85, 369^a; *Man.* '86, 322; *Mass.* '83, 96^a, '87, 163, 164; *Md.* '97, 219; *Mont.* '95, 216; *N. B.* '85, 294^a; *N. J.* '79, 82^b; *N. W. T.* 1900, 181; *N. Y.* '79, 33^b, '81, 229^b; *Ont.* '83, 144^a, '84, 159^b; *Orc.* '79, 164^b, '88, 358; *P. E. I.* '85, 264^a; *Que.* '82, 235^b, 255^b; *Russia.* '87, 62; *S. D.* '79, 187^b, '85, 279^b; *I'a.* '94, 333; *Wash.* '97, 177.—*fd.* '79, 164^b, '84, 159^b, '89, 293^a; *hbt.* '79, 187^b, '85, 264^a, '89, 293^a; *meas.* '83, 98^b, '84, 154; *nst.* '81, 174^c, '85, 99^b [= *Spinus pinus?*], 369^a, '89, 293^a; *plm.* '76, 21^b (alb.), '79, 121^b (mlt.), '82, 255^b, '83, 97^b, '89, 293^a (mlt.); *song.* '89, 295^a; *syn.* '81, 225^b, '84, 145, 152, '87, 30, 63; *misc.* '83, 2^b, 177^b, '95, 286^a.

rostrata (Greater Redpoll), *g. dist.* '84, 153, '87, 30, '93, 124, 327; *Mc.* '97, 219; *Mass.* '87, 163, 164; *Minn.* '93, 290; *Neb.* '96, 245; *N. Y.* '95, 70.—*meas.* '84, 154; *syn.* '84, 145, 153, '87, 30, 63.

Acanthorhynchus tenuirostris, *anat.* '94, 142, 144.

Acanthys, see *Acanthis*.

Accentor alpinus, *Helg.* '95, 333; *Italy.* '80, 68.

modularis, *Helg.* '95, 333.

Accentor, Aquatic, see *Sciurus noveboracensis*.

Golden-crowned, see *S. aurocapillus*.

Large-billed, see *Sciurus motacilla*.

Accentores, '84, 279.

Accipiter (^b *Nisus*), '79, 168, '84, 58, 110, '85, 205, '87, 40, '92, 252, '94, 233, 1900, 167^b.

atricapillus (^a American Goshawk, ^b Astur), *B. C.* 1900, 104; *Colo.* '81, 141^b, '94, 267; *Conn.* '93, 371^a, '95, 265; *g. dist.* '93, 126; *G. Br.* '80, 141^b; *Hud. B.* '90, 322; *Ida.* '97, 352; *Ky.* '85, 212, '89, 313; *Man.* '86, 154; *Mass.* '97, 216; *Mich.* '93, 223, '95, 191; *Minn.* '84, 247^b; *Mont.* '94, 302; *N. E.* '76, 73^b, '77, 74^c; *N. J.* '79, 83^b, '95, 171; *N. Y.* '81, 233^b, '83, 52^a, '90, 231, '93, 274, '95, 313, 1900, 70, 178; *O.* '95, 190; *Pa.* '97, 317; *P. E. I.* '85, 266^a; *Que.* '82,

237^b; *Scotland.* '77, 107; *S. D.* '85, 284^b; *Wash.* '82, 227^b, 231^b.—*anat.* '81, 201^b; *fd.* '85, 266^a, '92, 67^a, '93, 201^a, '95, 191, '96, 73^a, '97, 352; *hbt.* '83, 118^b; *nst.* '97, 317, 1900, 178; *plm.* '82, 231^b; *misc.* '79, 111^a, '97, 396^a (fig.), 1900, 112^a.

bicolor, *Braz.* '91, 161; *C. R.* '92, 328.

cooperi (^a Cooper's Hawk), *Ala.* '79, 11; *Alas.* '98, 127; *Ariz.* '83, 30, '86, 422, '90, 53; *Cal.* '86, 92, '89, 221; *Colo.* '81, 141, '83, 197, '85, 17, '94, 267; *Conn.* '95, 263, 265; *D. C.* '80, 20; *Fla.* '88, 271, '89, 247, '92, 212, '93, 337, '95, 364; *Ga.* '83, 41, '96, 212; *Ind.* '82, 21, '88, 350; *Ia.* '95, 121, 236; *Ky.* '89, 313; *Mich.* '93, 223; *Minn.* '84, 247; *Mo.* '79, 146; *N. B.* '82, 150, '89, 117; *N. H.* '87, 103; *N. J.* '79, 84, '94, 136; *N. M.* '86, 80, '98, 307; *N. Y.* '81, 233; *Orc.* '79, 196, '88, 145; *I'a.* '93, 44, '96, 293; *S. C.* '79, 216, '90, 36; *S. D.* '85, 284; *Tex.* '82, 174, '87, 188, '89, 237, '92, 233, 1900, 342.—*anat.* '81, 201, '94, 251; *fd.* '82, 174, '88, 246, 316^a, '93, 200^a, '96, 73^a; *hbt.* '88, 246, '91, 108^a, '92, 288; *meas.* '83, 30; *mig.* '95, 121, 128, 236, 263, 265; *nst.* '78, 41, '82, 174, '83, 30, 41, 235^a, '86, 422, '88, 20, 350, '91, 107, '94, 208^a; *plm.* '83, 30; *misc.* '79, 111^a, '83, 174^a, 177^a, '97, 396^a (fig.), 1900, 111^a.

fringilloides, *W. I.* '87, 41, '95, 279.—*meas.*, *plm.*, *syn.* '87, 41.

gundlachi, *W. I.* '87, 40, '92, 272.—*meas.*, *plm.*, *syn.* '87, 40.

ninus, *Helg.* '95, 329.

pallens, *Japan.* '94, 170.

palumbarius, *Helg.* '95, 329.

striatus (^a Western Goshawk,

^b Astur atricapillus, ^c Astur, ^d Astur henshawi), *Alas.* '81, 3^a, 6^a, '98, 127; *Ariz.* '90, 53; *B. C.* 1900, 104; *Colo.* '85, 17^c; *g. dist.* '84, 166^{ab}, '93, 126; *N. M.* '86, 80, '98, 308; *Orc.* '79, 196^b, '88, 145; *Tex.* '87, 183^a, 188; *Wash.* '82, 227^b.—*fd.* '87, 188; *plm.* '82, 232^c, '84, 252^c; *syn.* '82, 232^c, '84, 252^c, '85, 205^c.

velox (^a Sharp-shinned Hawk,

^b Nisus fuscus, ^c fuscus), *Alas.* '98, 127; *Ariz.* '85, 174^c, '86, 422, '90, 53; *Bahamas.* '87, 42; *Cal.* '86, 92; *Colo.* '81, 141^c, '83, 197^c, '85, 17^c, '94, 267; *Conn.* '83, 173^c, '95, 262, 263, 264, 265; *C. R.* '92, 328; *D. C.* '88, 20; *Fla.* '88, 271, '89, 247, '90, 309, '91, 137, '92,

212, '95, 364; *Ida*, '97, 352; *Ill*, '95, 394; *Ind*, '88, 350; *Ky*, '89, 313; *Me*, '82, 151^a, '96, 177; *Man*, '86, 154; *Mass*, '83, 149^a, '85, 311^a, '92, 74^a, '95, 88; *Mich*, '93, 223; *Minn*, '84, 247^c; *Mo*, '79, 146^c; *Mont*, '94, 302; *N. C.*, '86, 179; *N. B.*, '87, 264, '89, 117; *N. E.*, '76, 72^b, '77, 14^b; *N. F.*, 1900, 71; *N. H.*, '85, 311^c, '87, 103; *N. J.*, '79, 84^a, '94, 136; *N. M.*, '86, 80^c, '92, 361; *N. S.*, '79, 128^a; *N. Y.*, '79, 37^c, '81, 233^c, '90, 231; *Ore*, '79, 196^c, '86, 164, '88, 145; *Pa*, '93, 39, 44; *Que*, '84, 295^c; *S. C.*, '79, 216^c; *S. D.*, '85, 284^c; *Tex*, '82, 41^c, 174^c, '87, 188, '92, 233, 1900, 342; *Wash*, '82, 227^c, '92, 43, 354, '97, 173; *W. I.*, '81, 154^b.—*anat*, '81, 161^c, 201^c, '82, 126^c, '94, 251; *fd*, '87, 188, '90, 388, '92, 74^a, '93, 200^a, 223, '96, 73^a; *hbt*, '83, 149^a, '90, 82^a, 112, '94, 208^a; *mig*, '95, 262, 263, 264, 265, 394, '96, 177; *nst*, '79, 24^c, '83, 178^c, '85, 99^a [= *Falco sparverius?*], '88, 20; *plm*, 1900, 10^a; *syn*, '87, 42; *misc*, '86, 271^a, '97, 396^a (fig.), 1900, 111^a.

Accipitres, '78, 77, '81, 77, 83, 161, '82, 47, '95, 176, '97, 396.

accipitrina (*Strix*), see *Asio*.

accipitrinus (*Asio*), see *Asio*.

Acestrura astreans, *Colom*, 1900, 184.

achrusteria (*Dendroica*), see *Dendroica*.

Acreduila (^b *Ægithalus*), '84, 280, '87, 249^b.

caudata (^a Long-tailed Tit), *Helg*, '95, 336; *Germany*, '96, 308^a.—*nst*, '97, 335^a.

Acridotheres, '93, 182, '94, 233.

Acrocephalus, '94, 233.

agricola, *Helg*, '95, 333.

aquaticus, *Helg*, '95, 333.

dybowskii, *Siberia*, *syn*, '84, 82.

palustris, *Helg*, '95, 333.

phragmitis, *Helg*, '95, 333.

streperus, *Helg*, '95, 333.

turdoides, *Helg*, '95, 333.

Actenoides, '94, 234, 235.

Actidurus, see *Bartramia*.

Actitis, '84, 142, '87, 318, '96, 66, '97, 103, 133.

hypoleucus, *Borneo*, '91, 16; *Helg*, '95, 339.

macularia (^a Spotted Sandpiper, ^b *Tringoides*), *Ala*, '79, 13^b; *Alas*, '87, 12, '98, 126 [not 'Tringa bairdi']; *Ariz*, '86, 386, '90, 52; *Bahamas*, '91, 77, 295; *Braz*, '91, 163; *Colom*, 1900, 364; *Colo*, '81, 142^b, '83, 198^b, '85, 18^b, 143^b; *C. R.*, '90, 332, '92, 329; *D. C.*, '88, 20; *Eurofc*,

'77, 107, '80, 147^b; *Fla*, '88, 270, '89, 158, '90, 308, '91, 137, '92, 212, '95, 364; *Ga*, '96, 215; *Germany*, '80, 221^b; *Gozo I.*, '77, 70^b; *Helg*, '91, 300, '95, 339; *Hud. B.*, '90, 321; *Ida*, '97, 351; *Ill*, '88, 433; *Ind*, '88, 349; *Ia*, '95, 122; *Jamaica*, '92, 14, '94, 123; *Ky*, '89, 313; *La*, '82, 165^b, '87, 303^a, '97, 288; *Me*, '82, 151^b; *Malta*, '77, 70^b; *Man*, '86, 152; *Mass*, '81, 127^b, '88, 389, '89, 43, 99, '91, 119; *Mich*, '93, 223; *Minn*, '80, 18^b; *Miss*, 1900, 297; *Mont*, '82, 63^b, '94, 302, '95, 213; *Mo*, '79, 147^b, '98, 27; *N. B.*, '82, 151^b, '89, 117; *N. C.*, '86, 102, '89, 120, '99, 246^a; *N. F.*, 1900, 71; *N. H.*, '87, 103, '88, 149, 151, '89, 76, 78; *N. J.*, '79, 225^b, '90, 328, '94, 136; *N. M.*, '86, 80^b, '98, 307; *N. S.*, '87, 16, '91, 166^a, '95, 377; *N. Y.*, '81, 234^b, '82, 188^b, '84, 175^b, '89, 128, '91, 394; *O*, '95, 242; *Ore*, '88, 145; *Pa*, '93, 38, '96, 281, 291^a, 292; *P. E. I.*, '93, 8; *Que*, '82, 239^b, '89, 147, '98, 52; *Revill. Is.*, '98, 316; *R. I.*, '97, 204; *S. C.*, '79, 217^b; *S. D.*, '85, 286^b; *Tenn*, '86, 320, '87, 129; *Tex*, '87, 186, '89, 237, '92, 232; *Venez*, '97, 367; *Va*, '89, 53^a, 195^a; *Wash*, '92, 43; *W. I.*, '80, 169^b, '81, 154^b, '86, 502, '87, 180, 181, 318, '89, 31, 32, '90, 375, '91, 48; *W. Va*, '98, 134; *Wis*, '82, 188^b.—*fd*, '89, 128, '93, 223; *hbt*, '85, 298^b, '87, 340^b, '89, 158, '90, 83^a, '93, 293, '95, 312^a, '98, 52; *mig*, '84, 175^b, '91, 119, '95, 122, 242; *nst*, '79, 24^b, '83, 112^b, '89, 128, '93, 8, '97, 204, '98, 329^a; *plm*, '81, 162^b, 1900, 370, 371, 372, 374, 375 (mlt); *syn*, '87, 318.

Actiturus, see *Bartramia*.

Actodromas, see *Tringa*.

acuflavida (*Sterna*), see *Sterna*.

acuflavidus (*Thalasseus*), see *Sterna*.

aculeata (*Sitta*), see *Sitta*.

aculeatus (*Melanerpes*), see *M. bairdi* or *formicivorus*.

acuminata (*Tringa*), see *Tringa*.

acuminatus (*Actodromas*), see *Tringa*.

acuta (*Anas*), see *Dafila*.

— (*Dafila*), see *Dafila*.

— (*Chætura*), see *Chætura*.

acuteicaudatus (*Anumbius*), see *Anumbius*.

acuteicaudus (*Lamprocolius*), see *Lamprocolius*.

acutipennis (*Chordeiles*), see *Chordeiles*.

Adams, Charles F., obituary, '93, 385.

Adams, C. F., Jr., and Brewster, W.,

- see Brewster and Adams.
- Adams**, Edward.
Notes on birds of Alaska (rev.), '79, 52.
- Adams**, Zabdiel Boyleston.
Obituary of F. C. Browne, 1900, 194-196.
- adamsi** (*Colymbus*), see *Gavia*.
- (*Copsychus*), see *Copsychus*.
- (*Gavia*), see *Gavia*.
- (*Urinator*), see *Gavia*.
- adelaideæ** (*Dendroica*), see *Dendroica adelaida* or *delicata*.
- (*Sylvicola*), see *Dendroica*.
- Adney**, E. Tappan.
Cardinal Grosbeak breeding in Brooklyn, N. Y. '84, 390.
- Naturalization of *Carduelis elegans* in N. Y. City. '86, 409.
- adorabilis** (*Lophornis*), see *Lophornis*.
- adoxa** (*Euetheia*), see *E. olivacea*.
- (*Phonipara*), see *Euetheia olivacea*.
- (*Spermophila*), see *Euetheia olivacea*.
- adusta** (*Melospiza*), see *Melospiza*.
- (*Otocoris*), see *Otocoris*.
- Æchmophorus**, '93, 105, 130.
major, *Argent.*, *fd.* '84, 316.
occidentalis (*Western Grebe*, ^b *Podiceps*, ^c *Podiceps clarkii*), *B. C.* '92, 65 ('clarkii'); *Cal.* '85, 313^b, '86, 87; *g. dist.* '81, 214^b, 214^c, '88, 401 ('clarkii'); *Ida.* '97, 349; *Kan.* '88, 201, '89, 122; *Man.* '85, 314^b, '86, 147; *Mont.* '88, 15; *Ore.* '88, 140, '91, 366 (fossil), '93, 344; *Wash.* '92, 41, 314^b, '88, 201, '89, 123; *nst.* '89, 122; *meas.* '81, 215^b, 215^c, 216^b, 216^c, '85, 314^b, '88, 210, '89, 123; *nst.* '89, 122; *plm.* '81, 214^b, 214^c, '85, 313^b; *syn.* '81, 214^b, 214^c, '85, 313^b.
- Æchmoptila**, see *Leptotila*.
- Aëdon familiaris**, *Hulg.* '95, 331.
aëdon (*Troglodytes*), see *Troglodytes aëdon* or *aztecus*.
- Ægialeus**, see *Ægialitis*.
- Ægialitis**, '84, 48, '87, 228, '91, 236, '93, 108, 182, '97, 103.
albidipectus, *Chili.* '84, 83.
alexandrinus (^b *cantiana*), *Hulg.* '95, 338?—*syn.* '82, 179.
asiaticus, *Hulg.* '95, 338.
circumcincta (Belted Piping Plover, ^b *melodus*), *D. C.* '84, 397; *Fla.* '90, 309; *g. dist.* '93, 134; *Ill.* '77, 68^b; *Ind.* '98, 62; *La.* '97, 289; *Mc.* '86, 482, '89, 70; *Man.* '86, 152^b, '96, 256; *Mo.* '98, 27; *N. J.* '86, 482; *N. S.* '95, 377, 378; *N. Y.* '78, 94; *Que.* '79, 171, '86, 482; *S. C.* '86, 408; *S. D.* '85, 285; *Va.* '88, 147.—*meas.* '96, 256; *nst.* '96, 256; *plm.* '86, 408, 482; *syn.* '97, 103, 135, '99, 133.
collaris, *Argent.* '84, 313; *Braz.* '91, 163; *Venez.* '97, 367.
dubia (Little Ring Plover, ^b *minor*), *Hulg.* '95, 338?
falklandica, *Argent.* '84, 313.
hiaticula (^a Ring Plover), *Arctic R.* '78, 51, 86, '80, 91, 109, 1900, 310; *g. dist.* '93, 124; *Greml.* '89, 217; *Hulg.* '95, 338.—*nst.* '89, 217, '97, 335^a.
meloda (^a Piping Plover), *Bahamas*, '91, 351, 1900, 285; *Fla.* '81, 18, '89, 159, '92, 212; *g. dist.* '93, 133; *Jamaica*, '92, 15; *Mass.* '79, 63, '92, 306, '93, 370, '97, 402^a, '98, 76; *N. B.* '83, 9; *N. J.* '79, 224, '90, 328; *N. Y.* '85, 37; *Ont.* '85, 335; *P. E. I.* '93, 8; *Que.* '89, 147; *W. I.* '87, 230.—*hbt.* '79, 224, '93, 293; *mig.* '92, 306, '93, 370; *nst.* '79, 24, 224; *plm.* '79, 44; *syn.* '87, 230, '97, 103, 135, '99, 133.
mongola (Mongolian Plover, ^b *mongolicus*, ^c *Charadrius mongolicus*), *Alas.* '84, 78^b, '85, 240^b; *N. Am.* '85, 384^b; *Siberia*, '88, 197.—*nst.* '91, 100^c; *syn.* '88, 197.
montana (Mountain Plover, ^b *Podasocys*), *Cal.* '87, 91; *Colo.* '83, 197, '85, 18^b, 143^b, '90, 80; *g. dist.* '93, 134; *Mont.* '95, 213; *N. M.* '98, 307; *Tex.* '82, 41^b, '84, 121^b, '87, 186.—*anat.* '84, 184^b.
nivosa (Snowy Plover, ^b *cantiana*), *Cal.* '86, 92; *Fla.* '97, 402; *g. dist.* '93, 134; *I. T.* '86, 409, '87, 8, 344; *Kan.* '86, 409, '87, 8; *La.* '97, 289; *Ont.* '85, 335^b, '97, 412; *Tex.* '86, 409, '88, 110, 1900, 341; *W. I.* '87, 229.—*meas.* '86, 409, '87, 8; *nst.* '86, 409, '87, 8, '88, 110, '92, 192; *plm.* '85, 335^b, '86, 409; *syn.* '84, 384, '87, 229.
peronii, *Bornco.*, *syn.* '91, 16.
pamirensis, *Asia*, '96, 331.
thoracica, *Madagascar*, '96, 331, '97, 417.
semipalmata (^a Semipalmated Plover), *Alas.* '85, 201, 241, '87, 12, '98, 127; *Ariz.* '86, 387; *Bahamas*, '91, 298, 351, 1900, 286; *Cal.* '87, 91; *D. C.* '93, 92; *Fla.* '81, 18, '87, 219, '89, 159, '90, 309, '92, 212; *g. dist.* '93, 124; *Hud. B.* '90, 321; *Ill.* '95, 394; *Jamaica*, '92, 15; *La.* '97, 289; *Mc.* '81, 60; *Man.* '86, 152; *Mass.* '81, 127, '92, 147; *Mo.* '98, 27; *N. B.* '83,

9; N. C. '99, 246^a; N. J. '79, 224; N. S. '91, 165, '95, 377, 378; N. Y. '79, 32, '82, 256; Que. '82, 238, '89, 147; S. D. '85, 285; Tex. '82, 222; Wash. '92, 354; W. I. '80, 169, '86, 502, '87, 229, '89, 32, '90, 374, '91, 48; Wis. '88, 327.—hbt. '93, 293; mig. '88, 327; plm. '81, 162, '91, 190 (alb.), 236, 1900, 370, 375 (mlt.); syn. '87, 229.

vocifera (^a Killdeer Plover, ^b Oxyechus), Ala. '79, 12; Ariz. '83, 36, '86, 386, '90, 52; Bahamas, '91, 76, 296, 351, '92, 48; Cal. '86, 92, '89, 220, 222; Colo. '79, 96, '81, 142, '83, 197, '85, 18^b, 143^b, '87, 124, '95, 153^a; C. R. '90, 333, '92, 329; Cuba. '92, 272; D. C. '88, 20; Engl. '77, 107, '92, 290; Fla. '88, 270, '89, 159, '92, 212, '93, 337, '95, 364; G. Br. '80, 144; Ga. '83, 42^b, '96, 215; Ida. '97, 352; Ind. '88, 349; Ia. '95, 121, 236; Jamaica '92, 14; Ky. '89, 313; La. '82, 165^b, '92, 204, '97, 289; L. Cal. '95, 136; Mc. '89, 69; Man. '86, 152; Mass. '83, 148, '89, 274, '90, 295, 390^a; Mich. '93, 223; Minn. '80, 18, '84, 248^b; Miss. '82, 94^b; Mont. '94, 302; '95, 213; Mo. '98, 27; N. E. '89, 199, 255–263; N. H. '89, 275^a; N. M. '92, 360, '98, 307; N. Y. '81, 234^b, '83, 174, '91, 394, '93, 53^a; Ore. '79, 197, '86, 164, '88, 145; Pa. '92, 134, '96, 281, '97, 281; Que. '82, 238; Scilly Is. '85, 375; S. C. '79, 217, '94, 32^a, '99, 198; S. D. '85, 285^b; Tenn. '86, 319, '87, 128, 129; Tex. '82, 41^b, 222, '87, 186, '89, 237, '92, 233, 1900, 341; Va. '89, 195^a; Wash. '92, 354, '97, 172, 1900, 243; W. I. '81, 155, '87, 228, '90, 374, 375; Wis. '82, 188, —fd. '89, 260; hbt. '93, 293, 293, '94, 302; mig. '89, 69, 199, 255, '94, 32^a, '95, 121, 129^a, 236, '99, 198; plm. '90, 370 (mlt.); nst. '80, 18, '83, 42^b, 174, '87, 186; syn. '87, 228; misc. '91, 107^a, '99, 198.

wilsonia (^a Wilson's Plover, ^b Octothromus), Bahamas '91, 76, 339, 350, 351, '92, 48, 1900, 285; Conn. '82, 59; Fla. '81, 18, '87, 137^a, 274^a, 276^a, '89, 159, '92, 212; Ga. '83, 42^b; Jamaica '92, 15, '94, 123; La. '97, 289; Mass. '78, 139; N. E. '76, 72, '77, 13, 46; N. S. '81, 221^b; N. Y. '79, 175, 242; '80, 186, '85, 273^b, '86, 438, '89, 196, 331; Tex. '82, 222, 1900, 341; Ia. '76, 26, '89, 105; W. I. '87, 228, '90, 374, 375.—nst. '81,

18, '83, 42^b, '87, 276^a, '89, 159; syn. '87, 228; misc. '82, 114^b (corr.).

Ægiothoxus see Acanthis.

ægithaloïdes (Leptasthenura), see L. platensis.

Ægithalus, see Acredula.

Ægithina, '94, 233, 234.

leucoptera, N. Am. '77, 90?

ægyptiacus (Chenalopex), see Chenalopex.

ægyptius (Caprimulgus), see Caprimulgus.

— (Pluvianus), see Pluvianus.

ænea (Carpophaga), see Carpophaga.

— (Colomba), see Carpophaga.

— (Glaucis), see G. hirsuta.

æneus (Callothrhus), see Callothrhus æneus or robustus.

— (Molothrus), see Callothrhus.

— (Quiscalus), see Quiscalus.

æquatorialis (Amaurospiza), see Amaurospiza.

— (Ceryle), see Ceryle.

— (Dacnis), see Dacnis.

— (Dendronis), see D. erythropygia.

— (Erismatura), see Erismatura.

— (Falco), see Falco.

— (Lybius), see Lybius.

— (Rallus), see Rallus.

— (Sarcorhamphus), see S. gryphus.

— (Sittasomus), see Sittasomus.

— (Spermophila), see Sporophila.

— (Sporophila), see Sporophila.

æquinoctialis (Geothlypis), see Geothlypis.

— (Majaqueus), see Majaqueus.

Æpiornis, '96, 61.

Aéronautes, '93, 62, 68, 131.

melanoleucus (^a White-throated Swift, ^b Panyptila saxatilis, ^c Cypselus saxatilis, ^d Micropus), Ariz. '82, 211^c, '86, 430^d, '90, 255^d; Cal. '86, 180^d, '89, 223^d, '90, 297^d; Colo. '80, 231^b, '81, 143^c, '83, 196^c, '85, 17^c, '94, 268^d; g. dist. '93, 134; L. Cal. '95, 139; Mer. '99, 359^b; Mont. '82, 122^a; N. M. '86, 492^a, '92, 362^a, '94, 186, '98, 308; Wash. '97, 175, —anat. '86, 404^b, '89, 9^b, '90, 279^d; hbt. '86, 430^d, 492^d, '87, 170^d, '89, 223^d; nst. '80, 231^b; song. '80, 231^b; syn. '93, 62, 68; misc. '94, 186, '96, 159^a.

æruginosus (Circus), see Circus.

— (Conurus), see Conurus.

æsalon (Falco), see Falco.

æstiva (Dendroica), see D. æstiva, rubiginosa, sonorana or petechia.

— (Motacilla), see Dendroica.

- (Phoenicosoma), see *Piranga rubra*.
 — (Pyrranga), see *Piranga rubra*.
 — (Sylvicola), see *Dendroica aestiva* or *petechia*.
 — (Tangra), see *Piranga rubra*.
aestivalis (*Peucæa*), see *P. aestivalis* or *bachmani*.
aestivus (*Psittacus*), see *Amazona agilis*.
 — (*Rhimamphus*), see *Dendroica aestiva* or *gundlachi*.
Æstrelata, '88, 81, '96, 160.
 brevipes, *Japan*, syn. '94, 170.
 caribbæa (^b *jamaicensis*), *W. I.* '88, 81^b, '91, 355, '94, 119^b.—*hbt.* '91, 355; *meas.*; *plm.* syn. '88, 81^b.
 defilippiana, *Peru*, '81, 96.—*meas.*, *plm.* '81, 96, '95, 321; *syn.* '85, 292, '95, 321.
 fisheri (Fisher's Petrel), *Alas.* '84, 83, 108, '86, 389, '95, 319; *N. Am.* '84, 384.—*meas.* '95, 320, 321; *plm.* '95, 319 (col. pl.); *syn.* '85, 292, '86, 390, '95, 322.
 gularis (^b *Procællaria*), *plm.* '81, 93^b; *syn.* '81, 93^b, '86, 389, '87, 335, '95, 320.
 hasitata (^a Black-capped Petrel), *Cal.* '77, 97?; *France*, '80, 217; *G. Br.* '80, 217; *N. Y.* '89, 132*, '94, 162, '95, 70, 179; *O.* '99, 75; *Ont.* '94, 241; *I'a.* '93, 361; *W. I.* '88, 81, '91, 62.—*anat.* '93, 362; *meas.* '93, 362, '94, 163; *mlt.* '93, 362; *syn.* '88, 81.
 hypoleuca, *syn.* '94, 170.
 leucoptera, *syn.* '94, 170.
 longirostris, *Japan*, '94, 170.
 mollis, *meas.* '81, 94; *plm.* '81, 92, 96, '86, 390; *syn.* '95, 320.
 scalaris (Scaled Petrel, ^b *gularis*), *N. Am.* '82, 61^b, '84, 384^b; *N. Y.* '81, 91^b, '84, 83^b; *plm.* '81, 94^b; *syn.* '81, 95^b, '86, 392; *plm.* '81, 94^b; *syn.* '81, 91^b, '84, 83^b, '86, 392, '87, 335.
Æstrelata, '86, 390.
æthereus (*Phæthon*), see *Phaethon*.
Æthopyga, '94, 235.
 anomala, *Siam*, 1900, 305.
Æthyia, see *Aythya*.
Æx or **Aëx**, see *Aix*.
affinis (*Aythya*), see *Aythya*.
 — (*Campylorhynchus*), see *Heleodutes*.
 — (*Cardinalis*), see *Cardinalis*.
 — (*Crithagra*), see *Crithagra*.
 — (*Cyanocorax*), see *Cyanocorax*.
 — (*Eucometis*), see *Eucometis*.
 — (*Euphonia*), see *Euphonia*.
 — (*Fuligula*), see *Aythya*.
 — (*Fulix*), see *Aythya*.
 — (*Geococcyx*), see *Geococcyx*.
 — (*Heleodutes*), see *Heleodutes*.
 — (*Icterus*), see *Icterus*.
 — (*Larus*), see *Larus*.
 — (*Nyroca*), see *Aythya*.
 — (*Pardalotus*), see *Pardalotus*.
 — (*Penelopides*), see *Penelopides*.
 — (*Phœnicothraupis*), see *Phœnicothraupis*.
 — (*Platyparis*) see *P. aglaiae*.
 — (*Poecetes*), see *Poecetes*.
 — (*Pyrrhulagra*), see *Pyrrhulagra*.
 — (*Scoleopagrus*), see *Scoleopagrus*.
 — (*Sterna*), see *Gelochelidon nilotica*.
 — (*Tchitrea*), see *Terpsiphone*.
 — (*Terpsiphone*), see *Terpsiphone*.
 — (*Thamnophilus*), see *T. doliatus*.
Africa,
 Allen, J. A., 1900, 189–190.
 Biggar, E. B., '81, 113.
 Dalgleish, J. J., '84, 97.
 Oberholser, H. C., 1900, 186, 187.
 Richmond, C. W., '97, 154–164.
africana (*Nyroca*), see *Nyroca*.
 — (*Parra*), see *Metopidius*.
 — (*Sterna*), see *S. sandwichensis*.
africanus (*Metopidius*), see *Metopidius*.
 Agassiz Journal, '85, 391.
agassizi (*Cocornis*), see *Cocornis*.
Agelæus, see *Agelaius*.
Agelaius, '86, 220, '88, 413, 414, '90, 123.
 assimilis, *W. I.*—*meas.*, *plm.*, *syn.* '86, 221.
 bryanti (Bahaman Redwinged Blackbird, ^b *phœniceus*), *Bahamas*, '86, 221^b, '91, 71, 296, 334, 350, 350, 352, 1900, 293; *Fla.* '89, 320, '92, 213; *g. dist.* '87, 336, '88, 397.—*syn.* '86, 221^b.
 californicus (Bicolored, or Red-and-black-shouldered Blackbird, ^b *gubernator*), *Ariz.* '87, 22^b; *Cal.* '86, 181^b, '89, 220^b; *g. dist.* '93, 134^b, '97, 59*; *Ore.* '79, 165^b, '86, 167^b, '88, 139^b; *Wash.* '81, 128^b, '92, 45^b, 1900, 354; *Wyo.* '89, 341^b—*meas.* '97, 59, 60; *syn.* '97, 59, 128.
 flavus (^b *Xanthosomus*), *Urug.*—*hbt.*, *nst.* '83, 134^b.
 forbesi, *misc.* '87, 150.
 grandis, *Mex.* '97, 57*.
 floridanus (^a Florida Redwinged Blackbird), *Fla.* '97, 121.—*syn.* '81, 170^a, '97, 121.
 gubernator, *g. dist.*, *syn.* '97, 59.
 humeralis, *W. I.* '86, 220, '92, 272.—*meas.*, *plm.*, *syn.* '86, 220.

icterocephalus (^b *Xanthosomus*),
Braz. '90, 269^b.

longirostris (^a Sonoran Redwinged Blackbird, ^b *phoeniceus*, ^c *sonoriensis*), *B. C.* '93, 237^c, 1900, 106; *Cal.* '90, 297^b; *g. dist.* '87, 336^c, '88, 397^c, '93, 134^c, 1900, 125; *Ore.* '79, 165^b; *Tex.* '77, 85^a.—*meas.* 1900, 126; *plum.* '93, 237^c; *syn.* '97, 128; 1900, 125^c.

phœniceus (^a Redwinged, or Red-shouldered Blackbird), *Ala.* '79, 9; *Ariz.* '82, 200; *B. C.* 1900, 106; *Colo.* 79, 94^b, 80, 230, '83, 192, '85, 16, 142, '87, 124, '95, 153^a; *Conn.* '87, 256; *D. C.* '88, 22; *Engl.* '77, 107, '87, 162; *Fla.* '88, 272, '89, 320, '91, 132^a, 138, '95, 365; *Ga.* '83, 39, '96, 212; *g. dist.* '93, 133; *G. Br.* '80, 72; *Ia.* '84, 85^a [^c Redwinged Starling], '86, '88, 207, '95, 121, 236; *Ida.* '98, 14; *Ill.* '88, 207; *Ind.* '82, 18^a, '89, 24; *Italy.* '80, 72; *Ky.* '89, 314; *La.* '82, 163, '87, 302^b, '92, 205; *Man.* '86, 322; *Mass.* '76, 53, '84, 6^a, '88, 389, '89, 44, '90, 288, 368^a, '97, 100, '98, 76; *Me.* '82, 148; *Mich.* '95, 191 [not *Xanthocephalus* *x.*, see '98, 193]; *Minn.* '79, 153^a, '80, 15, '84, 245; *Miss.* '82, 92; *Mo.* '79, 145, '95, 4^a, 221^a, '96, 221; *Mont.* '95, 215; *N. B.* '85, 266^a; *N. C.* '86, 106, '87, 241^a; *N. D.* '99, 162^a; *N. H.* '88, 150, 152, 154, '89, 77, 78; *N. J.* '92, 204, '94, 138; *N. M.* '85, 238, '92, 364, '98, 309; *N. S.* '85, 266^a; *N. Y.* '79, 32, '81, 230, '82, 188, '89, 201; *O.* '95, 242; *Ore.* '86, 167, '88, 262; *Pa.* '89, 141^a, '92, 133^a, 136, '93, 39, '96, 291^a, 294; *P. E. I.* '85, 266^a; *Que.* '82, 236; *S. C.* '79, 215, '92, 30^a, 35^a, 38^a, '94, 37^a, '99, 197; *S. D.* '85, 282; *Tenn.* '86, 318; *Tex.* '77, 85^a, '82, 40, 166, '87, 290, '92, 237, 1900, 345; *Va.* '76, 25, '81, 118^a, '86, 161^a; *Wash.* '82, 227, '93, 17, 291, '97, 177, 1900, 354; *W. Is.* '82, 188; *Wyo.* '89, 341.—*fd.* '95, 221, '97, 421^a, '99, 197, 362^a; *hbt.* '76, 25, '81, 118^a, '83, 63, '87, 290; *mcas.* '82, 200; *mig.* '80, 152^a, '82, 166, '85, 249, '88, 207, '89, 141^a, 201, '91, 195, '92, 30, 35, 38, '94, 37^a, 114^a, '95, 121, 129^a, 236, 242, '98, 14, '99, 144^a [^c Swamp B.^a], 196^a, 197; *nst.* '79, 24, '80, 40, 230, '82, 166, '83, 39, '85, 210^a, '88, 262, 272, '92, 286; *plm.* '76, 22 (alb.), '78, 175, '85, 114^a (alb.), '88, 315^a (alb.), '96, 212 (alb.), 242 (mlt.); *song.* '84,

71^a, '85, 249, '97, 319^a; *syn.* '86, 221; *misc.* '85, 8, '90, 200.

tricolor (Tricolored Blackbird), *Cal.* '86, 181; *g. dist.* '93, 134; *Ore.* '86, 167, '88, 262.—*hbt.* '78, 137; *syn.* '99, 173; *misc.* '99, 172.

richmondi, *g. dist.* '97, 58^a*

thilius, *Urug.. hbt., song.* '83, 134; *xanthomus*, *W. I.* '86, 221, '92, 229.—*mcas., plm., syn.* '86, 221.

Agersborg, Gabriel Smith.

Novel nesting-sites of Woodpeckers (*C. auratus* and *M. erythrocephalus*), '81, 120.

Birds of southeastern Dakota, '85, 276-289.

agilis (Amazona), see Amazona.

— (Chrysotis), see Amazona.

— (Geothlypis), see Geothlypis.

— (Oporornis), see Geothlypis.

— (Parus), see Parus.

— (Psittacus), see Amazona.

— (Vireo), see Vireo.

aglaeus (Quiscalus), see Quiscalus.

Aglala, see Calliste.

aglaia (Platyparis), see Platyparis.

— (Pachyramphus), see Platyparis.

agnatus (Furnarius), see Furnarius.

agricola (Acrocephalus), see Acrocephalus.

— (Colaptes), see Colaptes.

Agriocharis, '97, 333.

ocellata (^a Ocellated Turkey, ^b meleagris), *plm.* '97, 275; *hbt.* '83, 238^b, '86, 144^a.

Agriornis maritima, *Urug.* '83, 137.

agrorum (Linaria), see Acanthis linaria.

Agyrtzia allenii, *Boliv.* '88, 263*.

chionipectus, *Venez.* '97, 366.

linnaei, *N. Am.* '82, 242.

tobaci (^b Amazilia erythronota), *Mass.* '92, 377; *W. I.* '93, 220^b.

Aiken, Charles Edward.

Seven new birds for Colorado, 1900, 298.

aikeni (Junco), see Junco.

— (Megascops), see Megascops.

Aimophila, '98, 226, '99, 80, 119.

cahooni, '88, 93*, see mcleodi.

carpalis (Rufous-winged Sparrow, ^b Peucæa), *Ariz.* '82, 195^b, '87, 203^b; *g. dist.* '93, 135^b; *Mex.* '85, 228^b.

— *hbt.* '83, 234^b, '87, 203^b; *meas.* '82, 195^b; *nst.* '83, 234^b; *plm.* '82, 195^b; *syn.* '99, 81, 119.

eremœca (^a Rock Sparrow, ^b Peucæa ruficeps, ^c Peucæa, ^d Peucæa boucardi), *g. dist.* '88, 40^d, 41^d, 42^d; *Tex.* '78, 188^b, '82, 26^a, 38^c, 122^c.

— *258*, '92, 73^c, 338^c, 341^a.—*hbt.* '82,

^{38e}; *meas.* '88, 42^d; *nst.* '92, 338^e; *plm.* '88, 41^d, 42^d; *song.* '82, 38^e; *syn.* '82, 26^e, '88, 40^d, 401^e, '99, 81, 120.

ferrariiperezi (^b *Amphispiza*), *Mex.* '86, 332*.

mcleodii (^b *cahooni*), *Mex.* '88, 92*, 93*, '94, 67.

pallida, *Mex.*, *meas.* '94, 43*.

petenica, *syn.* '98, 227.

quinquestriata (^b *Zonotrichia*), *syn.* '84, 386^b.

ruficeps (*Rufous-crowned Sparrow*, ^b *Peucæa*), *Cal.* '79, 47^b, '86, 182^b, '87, 93^b, '88, 40, 41; *g. dist.* '93, 135^b; *Tex.* '82, 122^b [= *eremœca*].—*hbt.* '79, 47^b; *mcas.* '77, 37^b, '88, 41; *nst.* '77, 37^b, '79, 47^b; *plm.* '79, 40^b, '82, 26^b, '88, 41; *syn.* '88, 40, '99, 81, 120.

rufescens, *Mex.*, *plm.* '94, 44.

sartorii, *g. dist.* '98, 227*.

scottii (*Boucard's or Mexican (Rufous-crowned Sparrow)*, ^b *Peucæa boucardi*, ^c *Peucæa*), *Ariz.* '80, 89^b, '82, 196^b, '85, 354^b, '86, 83^b, '87, 203^b, '90, 48^b, '94, 221^b; *g. dist.* '88, 41*, 42^c, 398^c; *N. M.* '80, 89^b, '92, 366^b—*fd.* '87, 203^b; *hbt.* '82, 196^b, '86, 83^b; *mcas.* '82, 196^b, '86, 84^b, '88, 42^c; *nst.* '86, 83^b; *plm.* '82, 196, '87, 203^b, '88, 42^c; *syn.* '88, 40^b, 412^c, '99, 81, 120.

sinaloae, *Mex.* '99, 254*.

sororia (*Laguna Sparrow*), *L. Cal.* '98, 226*; '99, 120.—*syn.* '99, 81, 120.

superciliosa, *Mex.* '94, 66, '95, 357.

Aithurus, '86, 352.

polytmus, *W. I.* '86, 352, '92, 277, '94, 125.—*meas.* '86, 352, '92, 277; *plm.*, *syn.* '86, 352.

Aix (*Ex.*, *Aëx*), '80, 101, '84, 46, 144, '88, 65, '99, 129.

sponsa (^a *Wood Duck*, ^b *Anas*), *Ala.* '79, 13; *Cal.* '86, 89; *Colo.* '85, 18; *Cuba*, '92, 272; *Europe*, '77, 107, '80, 66^b, 213; *Fla.* '78, 40, '81, 41^a, '88, 269, 379, '91, 129^a, 131^a, 137, '92, 211, '95, 364; *Ga.* '96, 215; *Ida.* '97, 350; *Ind.* '82, 22, '88, 346; *Jamaica*, '91, 364; *Ky.* '89, 312; *La.* '82, 165, '97, 286; *Man.* '86, 149, 329; *Mass.* '88, 389, '92, 74^a, '95, 88, '96, 199; *Me.* '82, 151, 1900, 208^a; *Mich.* '93, 222; *Minn.* '80, 19, '84, 249; *N. C.* '86, 102, 314; *N. D.* '99, 162^a; *N. J.* '89, 179^a, '94, 135; *N. Y.* '81, 234, '93, 54^a; *Ont.* '85, 372; *Ore.* '79, 198, '86, 163, '88, 142, '91, 367 (fossil), '93, 344 (fossil); *S. C.* '79, 210, '85, 193; *S. D.* '85, 288; *Tenn.* '86, 320;

Tex. '82, 225, '87, 184, '92, 232; *T. a.* '88, 18; *Wash.* '92, 42, '93, 17, 291; *W. I.* '88, 65.—*hbt.* '84, 187, '91, 391, '92, 384, 1900, 213^a; *nst.* '80, 19, '85, '88, '91, 391^a; *plm.* '81, 162, '99, 321; *syn.* '80, 101, '88, 65; *misc.* '85, 301^a, '89, 177^a, 179^a, '90, 390^a, '91, 390^a, '92, 66, '93, 295.

Ajaja, '87, 322, '93, 107.

ajaja (^a *Roseate Spoonbill*, ^b *Platalea*, ^c *rosea*), *Argent.* '84, 272^b; *Bahamas*, '91, 351; *Cal.* '77, 95^b?; *Fla.* '86, 262, 271^a, '87, 137^a, 143, 215, 222, 274, 280^a, 281^a, '88, 269, '89, 14, 275, '92, 211, '97, 99^a; *g. dist.* '93, 132; *Ill.* '80, 31^b, 32^b; *Jamaica*, '92, 9; *Kan.* 1900, 171^a; *La.* '87, 304; *Tex.* '82, 222^b, 1900, 339; *Urug.* '84, 272^b; *W. I.* '87, 322.—*hbt.* '82, 222^b, '84, 272^b, '87, 280^a; *syn.* '80, 178^c, '87, 322; *misc.* '87, 143, 222, '89, 14, 275.

ajaja (*Ajaja*). see *Ajaja*.

— (*Platalea*). see *Ajaja*.

Akhurst, John.

Capture of Egyptian Goose on Long Island, '77, 52.

Alabama.

Avery, W. C., '85, 213, '88, 314, '91, 390, 391, 392, '92, 383.

Bendire, C. E., '88, 351, 356.

Brown, N. C., '78, 168–174, '79, 7–13.

Park, F. T., '93, 205.

Ridgway, R., '80, 52.

Wise, C., '90, 85.

Alaska.

Adams, E., '79, 52–53.

Allen, J. A., '77, 82, '80, 89, 91, '83, 231, '86, 122–124, '88, 409–410, '89, 61–63, '99, 340–341, 1900, 184.

Bean, T. H., '82, 116, '83, 231.

Bendire, C. E., '95, 270–278.

Bishop, L. B., 1900, 113–120.

Chapman, F. M., 1900, 310.

Cantwell, G. G., '98, 49.

Coues, E., '84, 76–81.

Elliot, D. G., '96, 24–29.

Freke, P. E., '88, 373.

Grinnell, J., '98, 122–131.

Henshaw, H. W., '84, 250–252.

Mailliard, J., '98, 230, 233.

Murdoch, J., '85, 63, 200–201, '86, 122, '92, 289.

Nelson, E. W., '78, 38, '80, 33–36, '81, 1–6, 131–138, '84, 76–81, 165–

166, 218–221, '85, 239–241.

Oberholser, H. C., '97, 76–79, 1900,

25–26.

- Palmer, W., '94, 325, '97, 399-401, 1900, 74-76.
 Ridgway, R., '78, 37, '80, 160-163, 187-188, '82, 60, '85, 291, '86, 275, 276-277, 330-331, '87, 255, 256, '94, 169, '95, 319-322, '98, 319, 320, '99, 36, 1900, 29, 30.
 Stejneger, L., '84, 225-228, '88, 306-311.
 Stone, W., '98, 269.
 Townsend, C. H., '87, 11-13.
 Turner, L. M., '85, 154-159.
alascanus (*Haliaeetus*), see *Haliaeetus*.
alascensis (*Anorthura*), see *Anorthura*.
 —— (*Calcarius*), see *Calcarius*.
 —— (*Haliaeetus*), see *Haliaeetus*.
 —— (*Parus*), see *Parus*.
 —— (*Picoides*), see *Picoides*.
 —— (*Pinicola*), see *Pinicola*.
 —— (*Troglodytes*), see *Anorthura*.
Alauda arborea (^ Woodlark), *Helg.*, '95, 334; *N. Y.*, '80, 120^ (cage).
 —— (^a Skylark), *Germany*, '96, 303, 309^; *Helg.*, '95, 325; *Mass.*, '80, 120^; *N. Y.*, '80, 120^, '88, 180, '89, 177, '90, 388, '95, 390, '99, 191—*hbt.*, '96, 303, '99, 191; *ust.*, '88, 180, '95, 390; *plm.*, '76, 61; *song*, '96, 305^, 309^, '99, 191; *misc.*, '85, 301^.
 —— (*blakistoni*, *Kants.*) '85, 95.
alaudarius (*Falco*), see *F. alaudarius* or *tinnunculus*.
Alaudidae (^ Larks), '76, 61, '88, 207, '93, 110, '97, 105^, 341, 1900, 189, 190^.
alaudinus (*Ammodramus*), see *Ammodramus*.
 —— (*Passerulus*), see *Ammodramus*.
alba (*Ardea*), see *Ardea*.
 —— (*Chionis*), see *Chionis*.
 —— (*Ciconia*), see *Ciconia*.
 —— (*Gavia*), see *Pagophila*.
 —— (*Guara*), see *Guara*.
 —— (*Ibis*), see *Guara*.
 —— (*Leucibis*), see *Guara*.
 —— (*Motacilla*), see *Motacilla*.
 —— (*Scolopax*), see *Guara*.
 —— (*Pagophila*), see *Pagophila*.
Albatross. Black-footed, see *Diomedea nigripes*.
 Laysan, see *Diomedea immutabilis*.
 Short-tailed, see *Diomedea albatrus*.
 Sooty, see *Phoebetria fuliginosa*.
 Spectacled, see *Diomedea melanophrrys*.
 Wandering, see *Diomedea exulans*.
 Yellow-nosed, see *Thalassogeron culminatus*.
albatrus (*Diomedea*), see *Diomedea*.
albatus (*Anser*), see *Chen hyperborea*.
 —— (*Chen*), see *C. hyperborea*.
albellus (*Mergellus*), see *Mergus*.
 —— (*Mergus*), see *Mergus*.
albeola (*Anas*), see *Charitonetta*.
 —— (*Bucephala*), see *Charitonetta*.
 —— (*Charitonetta*), see *Charitonetta*.
 —— (*Clangula*), see *Charitonetta*.
***Alberta*.**
 Fannin, J., '97, 89.
albescens (*Certhia*), see *Certhia*.
 —— (*Synallaxis*), see *Synallaxis*.
albicapilla (*Muscicapa*), see *Elenia martinica*?
albicaudatus (*Buteo*), see *B. sennetti*.
albiceps (*Elenia*), see *Elenia albiceps* or *modesta*.
albicilla (*Haliaeetus*), see *Haliaeetus*.
albicollis (*Acanthylis*), see *Hemiprocne zonaris*.
 —— (*Contopus*), see *Contopus*.
 —— (*Dendroica*), see *D. gundlachi*.
 —— (*Hirundo*), see *Hemiprocne zonaris*.
 —— (*Legatus*), see *Legatus*.
 —— (*Motacilla*), see *Dendroica gundlachi*.
 —— (*Nytidromus*), see *N. albicollis* or *merrilli*.
 —— (*Saltator*), see *Saltator*.
 —— (*Saxicola*), see *Saxicola*.
 —— (*Xiphocolaptes*), see *Xiphocolaptes*.
 —— (*Zonotrichia*), see *Zonotrichia*.
albicrissus (*Formicarius*), see *Formicarius*.
 —— (*Thamnophilus*), see *Thamnophilus*.
albicauda (*Lybius*), see *Lybius*.
albidipectus (*Egialitis*), see *Egialitis*.
albifrons (*Æchmoptila*), see *Leptotila brachyptera*.
 —— (*Anser*), see *A. albifrons* or *gambeli*.
 —— (*Asturina*), see *Buteo brachyurus*.
 —— (*Buteo*), see *B. brachyurus*.
 —— (*Catherpes*), see *Catherpes*.
 —— (*Certhia*), see *Catherpes*.
 —— (*Enyptila*), see *Leptotila brachyptera*.
 —— (*Falco*), see *Buteo brachyurus*.
 —— (*Leptoptila*), see *L. brachyptera*.
 —— (*Manikup*), see *Manikup*.
 —— (*Nyctale*), see *Nyctala acadica*.
 —— (*Pteroptochos*), see *Pteroptochos*.
 —— (*Setophaga*), see *Setophaga*.
albigularis (*Certhiola*), see *C. martinicana*.
 —— (*Pipilo*), see *Pipilo*.
albigularis (*Ninox*), see *Ninox*.
albigularis (*Aramides*), see *Porzana*.
 —— (*Corethrura*), see *Porzana*.

- (Creciscus), see Porzana.
 — (Falco), see Falco.
 — (Laterallus), see Porzana.
 — (Porzana), see Porzana.
 — (Spermophila), see Sporophila.
 — (Sporophila), see Sporophila.
albilinea (*Columba*), see *Columba*.
 — (Tachycineta), see Tachycineta.
albilora (*Dendroica*), see *Dendroica*.
albiloris (*Polioptila*), see *Polioptila*.
Albinism (and abnormal coloration).
 Deane, R., '76, 20, '79, 27, '80, 25.
 Lawrence, G. N., '89, 47.
 Miller, G. S., Jr., '97, 275.
albinucha (*Dolichonyx*), see *Dolichonyx*.
 — (Metopidius), see Metopidius.
 — (*Pachyramphus*), see *Pachyramphus*.
 — (*Parra*), see Metopidius.
 — (*Thryothorus*), see *Thryothorus*.
albisquama (*Nasica*), see *Dendronnis sussurrans*.
albitorquis (*Spermophila*), see *Sporophila*.
 — (*Sporophila*), see *Sporophila*.
 — (*Tityra*), see *Tityra*.
albiventris (*Cyclorhis*), see *Cyclorhis*.
 — (*Elenia*), see *Elenia*.
 — (*Fluvicola*), see *Fluvicola*.
 — (*Hirundo*), see *Progne dominicensis*.
 — (*Margarops*), see *Allenia montana*.
 — (*Merula*), see *Merula*.
 — (*Myrmeciza*), see *Myrmeciza*.
 — (*Platysparis*), see *Platysparis*.
 — (*Polioptila*), see *Polioptila*.
 — (*Tachycineta*), see *Tachycineta*.
albocaudatus (*Buteo*), see *B. sennetti*.
albociliatus (*Phalacrocorax*), see *Phalacrocorax*.
albocristatus (*Corythaix*), see *Corythaix*.
 — (*Euplocamus*), see *Euplocamus*.
albogriseus (*Pachyramphus*), see *Pachyramphus*.
albogularis (*Tyrannus*), see *T. albogularis* or *melancholicus*.
albolarvatus (*Picus*), see *Xenopicus*.
 — (*Xenopicus*), see *Xenopicus*.
albonotatus (*Buteo*), see *B. abbreviatus*?
albus (*Endocimus*), see *Guara*.
 — (*Eudocimus*), see *Guara*.
 — (*Falco*), see *F. islandus*.
 — (*Lagopus*), see *Lagopus*.
 — (*Larus*), see *Pagophila*.
Alca, '85, 342, '92, 173.
 — *torda* (^a Razor-billed Auk, ^b Utamania), g. *dist.* '93, 125; *Helg.* '95, 325; *N. C.* '90, 203, '99, 249; *N. E.* '87, 158; *N. J.* '79, 228^b; *N. Y.* '85, 38^b; *Que.* '82, 242^b, '88, 134^a, 135^a, 281^a, '89, 145, '95, 289^a; *R. I.* '89, 184^a; *Va.* '87, 158.—*inst.* '79, 23, '88, 134^a, 135^a, '89, 145; *plm.* '80, 127^b (milt.), '81, 156; *syn.* '84, 385; *misc.* '88, 281^a, 382^a.
Alcæ, '92, 174.
Alcedinidae (^a Kingfishers), '81, 163, 163^a, '93, 68, 110^a, '96, 63^a, '97, 105^a.
Alcedinoideæ, '86, 406.
Alcedo, '94, 233.
 — *ispida*, *Helg.* '95, 336.—*plm.* '82, 178.
 — *meninting*, *Borneo*, *syn.* '91, 10.
Alcidae (^a Auks, Guillemots), '78, 86, '80, 126, 128, '81, 162^a, 163, '86, 127, '87, 81^a, 172^a, 342^a, '92, 174, '93, 105, 1900, 309^a.
alecyon (*Alcedo*), see *Ceryle*.
 — (*Ceryle*), see *Ceryle*.
aldabranus (*Dryolimnas*), see *Rougetius*.
 — (*Rallus*), see *Rougetius*.
 — (*Rougetius*), see *Rougetius*.
aldabrensis (*Caprimulgus*), see *Caprimulgus*.
 — (*Cinnyris*), see *Cinnyris*.
 — (*Zosterops*), see *Zosterops*.
Aldrich, Charles.
 Red-headed Woodpecker eating grasshoppers, '78, 189.
 A belated bird, '85, 308.
 Nest of House Wren, '82, 180.
aldunatus (*Emberiza*), see *Phrygilus*.
 — (*Phrygilus*), see *Phrygilus*.
Alectorides, '81, 83, '82, 47, '84, 383, '94, 242.
Alectoropodes, '94, 171.
Alecturus, '93, 182.
 — *guira-yetapa*, *Urug.*—*hbt.*, mlt., *plm.* '83, 140.
Alectryopelia, '97, 215.
aleutica (*Sterna*), see *Sterna*.
aleuticus (*Ptychoramphus*), see *Ptychoramphus*.
alexandri (*Trochilus*), see *Trochilus*.
alexandrinus (*Ægialitis*), see *Ægialitis*.
alfara (*Creciscus*), see *Porzana cinereiceps*.
alfari (*Porzana*), see *P. cinereiceps*.
alicie (*Amazilia*), see *Amazilia*.
 — (*Hylocichla*), see *Hylocichla*.
 — (*Turdus*), see *Hylocichla*.
Alle, '79, 244.
 — *alle* (^a Dovekie, ^b *Mergulus*, ^c *nigricans*), *Arctic R.* '78, 86^b, 1900, 309^a; *Greenl.* '89, 213; *Helg.* '95, 327; *Mich.* '83, 234^c; *N. J.* '79, 228^b; *N. Y.* '82, 61^c, '84, 35^c; *Pa.* '79, 236^b;

- Que.* '82, 241^c; *R. I.* '89, 183 ['Sea Dove'] ; *Va.* '93, 204, 1900, 293; *U.S.* '85, 211^c.—*plm.* '76, 23^b (alb.), '80, 127^b (milt.); *syn.* '79, 244^c, '80, 102^c; '84, 115^c.
- alle (Alle), see Alle.
- (Mergulus), see Alle.
- Allen**, Charles Andrew.
- Albino Anna Hummingbird, '78, 192.
- Pygmy Owl (*Glaucidium californicum*), '78, 193.
- Habits of Vaux's Swift, '80, 55.
- Allen**, Charles N.
- Songs of Western Meadow Lark (*Sturnella neglecta*), '81, 145-150.
- Allen**, Charles Slover.
- Breeding habits of Fish Hawk on Plum Island, New York, '92, 313-321, pl. iv and v.
- Nesting of Black Duck on Plum Island, '93, 53-59, pl. i and ii.
- Obituary, '94, 86.
- Allen**, Francis Henry.
- Tameness of Pine Siskin, '88, 426.
- Summer birds at Bridgewater and Moultonboro', New Hampshire, '89, 76-79.
- Summer birds of Bras d'Or region of Cape Breton I., Nova Scotia, '91, 164-166.
- Irregular abundance of birds in breeding season, '94, 334.
- Notes on Cape Breton summer birds, '95, 89.
- Summer birds of central Berkshire county, Mass. [see R. Hoffmann], '95, 87-89.
- see Webber, H. J., 'studies on dissemination' (rev.), '96, 167.
- Hudsonian Chickadee breeding in southern Vermont, '96, 345.
- Bicknell's Thrush on Mt. Ktaadn, Maine, '98, 60.
- Nature's Diary (rev.), '98, 71.
- Habits of Maryland Yellow-throat, '98, 75.
- Allen**, Glover Morrill.
- Bird notes from Massachusetts, '97, 326.
- Allen**, Joel Asaph.
- see Lawrence, G. N., 'new species of *Cyanocitta*, etc.' (rev.), '76, 47.
- see Lawrence, G. N., 'five new species, etc.' (rev.), '76, 47.
- see Snow, F. H., 'birds of Kansas' (rev.), '76, 47.
- see Kidder, J. H., 'Kerguelen I.' (rev.), '76, 48.
- see Marsh, O. C., 'extinct birds' (rev.), '76, 49.
- see Gentry, T. G., 'birds of Pennsylvania' (rev.), '76, 49.
- Breeding of Canada Goose in trees, '76, 50.
- Anser rossii* in Oregon, '76, 52.
- Decrease of birds in Massachusetts, '76, 53-60.
- see 'Field and Forest' (rev.), '76, 71.
- see Brewster, W., '*Sterna portlandica*' (rev.), '76, 71.
- see Brewster, W., 'Ritchie Co., W. Va.' (rev.), '76, 72.
- Geographical variation in number and size of eggs of birds, '76, 74.
- see Lawrence, G. N., 'southwestern Mex.' (rev.), '76, 93.
- see Jordan, D. S., 'manual of vertebrates' (rev.), '76, 93.
- Occurrence of Wood Ibis in Pennsylvania and New York, '76, 96.
- see Garrod, A. H., 'anatomy of *Aramus scolopaceus*' (rev.), '77, 23.
- see Garrod, A. H., 'anatomy of *Plotus anhinga*' (rev.), '77, 23.
- see Garrod, A. H., 'anatomical characters of passerine birds' (rev.), '77, 23.
- see Saunders, H., 'Jager Gulls' (rev.), '77, 23.
- see Saunders, H., 'Terns' (rev.), '77, 24.
- see Scaler and Salvin, 'neotropical Anatidae' (rev.), '77, 24.
- see Hudson, W. H., 'Rails of Argentina' (rev.), '77, 23.
- see Ridgway, R., 'American Falconidae' (rev.), '77, 70.
- Recent ornith. articles in American journals (rev.), '77, 73-76.
- see Cooper, J. G., 'new facts, California ornithology' (rev.), '77, 76.
- see McCauley, C. A. H., 'Texan ornithology' (rev.), '77, 76.
- Nest and eggs of the Alaskan Wren, '77, 82.
- Occurrence of Western Nonpareil and Berlandier's Wren at Fort Brown, Texas, '77, 109.
- [Cuckoo laying in nests of other birds]. '77, 110.
- An inadequate 'Theory of birds nests,' '78, 23-32.
- see Landgon, F. W., 'birds of Cincinnati' (rev.), '78, 34.
- see Rathbun and Fowler, 'birds of central New York' (rev.), '78, 34.
- see Harvie-Brown, J. A., 'birds in north Russia' (rev.), '78, 35.

- see Roosevelt and Minot, 'birds of Adirondacks' (rev.), '78, 36.
 see Nelson, E. W., 'birds of southern Illinois' (rev.), '78, 36.
 see Gentry, T. G., 'birds of Pennsylvania' (rev.), '78, 36.
 [*Pipilo erythrorthalmus* with spotted scapulars], '78, 42.
 [Note on Fish Crow], '78, 47.
 Lark Bunting (*Calamospiza bicolor*), in Massachusetts, '78, 48.
 see British Museum, 'catalogue of birds,' vols. i-iii (rev.), '78, 77.
 see Rowley, G. D., 'Pied Duck' (rev.), '78, 79.
 see Streets, T. H., 'Hawaiian and Fanning Islands and Lower California' (rev.), '78, 80.
 see Bendire, C. E., 'birds of Oregon,' '78, 81.
 see Ridgway, R., 'ornithology of 40th parallel' (rev.), '78, 81-83.
 see Barrows, W. B., 'Alcidæ' (rev.), '78, 86.
 see Fielden, H. W., 'birds in Smith Sound' (rev.), '78, 86.
 Late capture of Yellow-bellied Flycatcher in Massachusetts, '78, 101.
 Persistence in nest-building by a pair of city Robins, '78, 103.
 Birds of Massachusetts (rev.), '78, 138-140.
 see Maynard, C. J., 'birds of Florida' (rev.), '78, 145.
 see Jordan, D. S., 'manual of vertebrates,' 2d ed. (rev.), '78, 145.
 Occurrence of three species of sea Ducks at St. Louis, Missouri, '78, 148.
 The Carolinian fauna, '78, 149.
 [Note on Glossy Ibis], '78, 152.
 see Elliot, D. G., 'Ibidinæ' (rev.), '78, 182.
 see Ridgway, R., 'American Herodiones' (rev.), '78, 182.
 see Reichenow, A., 'Herons' (rev.), '78, 183-185.
 see Brewer, T. M., 'supplement to New Engl. Birds' (rev.), '78, 185.
 Rufous-headed Sparrow (*Peucaea ruficeps*), in Texas, '78, 188.
 Early nesting of Shore Lark near Indianapolis, Indiana, '78, 189.
 The Snow-Bird in summer on Mt. Wachusett [Mass.], '78, 192.
 Sabine's Gull in Maine, '78, 195.
 Nest and eggs of Cærulean Warbler, '79, 25-27.
 see Lawrence, G. N., 'new species from Dominica' (rev.), '79, 48.
 see Lawrence, G. N., 'seven new species from St. Vincent' (rev.), '79, 48.
 see Lawrence, G. N., 'new species from Grenada and Dominica' (rev.), '79, 49.
 see Lawrence, G. N., 'birds of St. Vincent' (rev.), '79, 49.
 see Lawrence, G. N., 'birds of Dominica' (rev.), '79, 49.
 see Coues, E., 'birds along 49th parallel' (rev.), '79, 49.
 see Coues, E., 'birds of Colorado valley' (rev.), '79, 54-57.
 see Aughey, S., 'food of birds of Nebraska' (rev.), '79, 110-112.
 see Dartt, M., 'on the plains, etc.' (rev.), '79, 113.
 Rare birds in Michigan, '79, 123.
 Notes on sea-birds of the Grand Banks, '79, 127.
 see Belding and Ridgway, 'birds of California' (rev.), '79, 167-171.
 see Cory, C. B., 'naturalist in Magdalene Is.' (rev.), '79, 171.
 see Roosevelt, T., 'birds of Oyster Bay, Long Island' (rev.), '79, 171.
 see Ingersoll, E., 'nests and eggs of Am. birds' (rev.), '79, 172.
 see Hallock, C., 'sportsman's gazetteer' (rev.), '79, 175.
 [Memorial to Coues's Bibliography of Ornithology], '79, 175.
 Odd behavior of a Robin and a Yellow Warbler, '79, 178-182.
 see Lawrence, G. N., 'birds of Antigua and Barbuda' (rev.), '79, 228.
 see Lawrence, G. N., 'birds of Grenada' (rev.), '79, 229.
 see Lawrence, G. N., 'birds of Martinique' (rev.), '79, 229.
 see Lawrence, G. N., 'birds of Guadeloupe' (rev.), '79, 229.
 see Lawrence, G. N., 'birds of Lesser Antilles' (rev.), '79, 229.
 see Elliot, D. G., 'Trochilidae' (rev.), '79, 230-232.
 see Brewer, T. M., 'the eight Empidonaces' (rev.), '79, 232.
 Evening Grosbeak in New Mexico, '79, 237.
 see Coues, E., 'second instalment of bibliography' (rev.), '80, 40.
 see Coues, E., 'status of *Passer domesticus*' (rev.), '80, 41.
 see Ridgway, R., 'Atthis ellioti' (rev.), '80, 41.
 see Ridgway, R., 'American species of *Scops*' (rev.), '80, 41.

- see Ridgway, R., 'new species and races' (rev.), '80, 41.
- see Ridgway, R., 'two new species from Costa Rica' (rev.), '80, 41.
- see Ridgway, R., 'new species of birds, and a synopsis of *Tyrannus*' (rev.), '80, 41.
- see McChesney, C. E., 'birds of Ft. Sisseton, Dak.' (rev.), '80, 42.
- see Minor Ornithological Papers (rev.), '80, 43-46, and later.
- Eastward range of Western Meadow Lark, '80, 53.
- King Eider at Buffalo, N. Y., '80, 62.
- Recent additions to ornithological fauna of North America, '80, 85-92.
- Obituary of Thomas Mayo Brewer, '80, 102-104.
- see Henshaw, H. W., 'collections in California, Nevada and Oregon' (rev.), '80, 105-107.
- see Cory, C. B., 'birds of Bahamas' (rev.), '80, 107.
- see Brewer, T. M., 'additional notes on New England birds' (rev.), '80, 108.
- see Kumlien, L., 'Arctic America' (rev.), '80, 109.
- see Gibbs, M., 'birds of Michigan' (rev.), '80, 109.
- see Harvie-Brown, J. A., 'Capercaillie in Scotland' (rev.), '80, 110.
- see Sennett, G. B., 'further notes on birds of Rio Grande of Texas' (rev.), '80, 111.
- see Minot, H. D., 'diary of a bird' (rev.), '80, 112.
- A cross-billed Horned Lark, '80, 115. [Note on Loggerhead Shrike at Canton, New York], '80, 119.
- Capture of escaped cage-birds having appearance of wild birds, '80, 119-121.
- Note on the Little Brown Crane (*Grus fraterculus*), '80, 123.
- Destruction of birds by light-houses, '80, 131-138.
- Origin of instinct of migration in birds, '80, 151-154.
- List of birds of island of Santa Lucia, West Indies, '80, 163-169.
- see Freke, P. E., 'birds found in Europe and North America' (rev.), '80, 173.
- ..
- see Brayton, A. W., 'birds of Indiana' (rev.), '80, 174.
- see Mearns, E. A., 'birds of the Hudson highlands' (rev.), '80, 175.
- see Harvie-Brown and Cordeaux, 'migration' (rev.), '80, 175-177.
- see Ridgway, R., 'revisions of nomenclature' (rev.), '80, 177-179.
- see Roberts, T. S., 'convolutions of trachea in Cranes' (rev.), '80, 179.
- First capture of the Blue Grosbeak in Massachusetts, '80, 184.
- see Cooper, J. G., 'migrations of west-coast birds' (rev.), '80, 232.
- see Langdon, F. W., 'field notes' (rev.), '80, 232.
- see Stearns, W. A., 'birds of Fishkill, N. Y.' (rev.), '80, 233.
- see Harvie-Brown, J. A., 'ornithological journal, etc.' (rev.), '80, 233.
- see Rathbun, F. R., 'bright feathers' (rev.), '80, 234.
- see Cory, C. B., 'beautiful birds of world,' pt. i (rev.), '80, 236.
- Capture of a South American Finch near Providence, R. I., '80, 240.
- Insectivorous birds in their relation to man, '81, 22-27.
- see Coues, E., 'third instalment of bibliography' (rev.), '81, 44-46.
- see Coues, E., 'fourth instalment of bibliography' (rev.), '81, 46.
- see Harvie-Brown, J. A., 'Capercaillie' (rev.), '81, 46.
- see Steere, J. B., 'birds of Ann Arbor, Michigan' (rev.), '81, 46.
- [Note on Scott's migration of birds], '81, 100.
- see Nehrling, H., 'observations in Texas' (rev.), '81, 109.
- see Nehrling, H., 'the Bluebird' (rev.), '81, 109.
- see Shufeldt, R. W., 'osteology of *Scopteryx cunicularia* var. *hypogaea*' (rev.), '81, 109.
- see Shufeldt, R. W., 'osteology of *Eremophila alpestris*' (rev.), '81, 110.
- see Forbes, S. A., 'food of birds' (rev.), '81, 110.
- see Reichenow and Schalow, 'zoologisches Jahresbericht für 1879' (rev.), '81, 111.
- see Reichenow and Schalow, 'Compendium' (rev.), '81, 111.
- The Connecticut Warbler (*Oporornis agilis*)—a correction, '81, 114 [see '80, 117].
- Supplementary list of birds of island of Santa Lucia, W. I., '81, 128.
- Winter birds of Fort Walla Walla, W. T., '81, 128.
- see Ridgway, R., 'nomenclature of N. Am. birds' (rev.), '81, 164-171.

see Ridgway, R., 'revised cat. of birds of Illinois' (rev.), '81, 171.
 see Mearns, E. A., 'birds of the Hudson highlands' (rev.), '81, 172.
 see Rathbun, F. R., 'bright feathers,' pt. ii (rev.), '81, 172.
 see Holterhoff, G., Jr., 'western birds' (rev.), '81, 173.
 see Ridgway, R., 'duck new to North America' (rev.), '81, 173.
 see Ridgway, R., 'Amazilia yucatanensis, etc.' (rev.), '81, 173.
 see Harvie-Brown, J. A., 'second report on Scottish ornithology' (rev.), '81, 174.
 see Godman and Salvin, 'biologia' pts. i-x (rev.), '81, 174-176.
 [Note on Red-bellied Woodpecker in Massachusetts], '81, 183.
 [Note on Larus glaucus in Texas], '81, 187.
 see Cory, C. B., 'beautiful birds of world,' pt. iii (rev.), '81, 240.
 Capture of *Plectrophanes lapponicus* in Chester, South Carolina, '82, 54.
 Sharp-tailed Finch in Kansas, '82, 55.
 Note on exceptions to law of increase in size northward among North American birds, '83, 80-82.
 see British Museum, 'cat. of birds,' vols. iv, v and vi (rev.), '83, 99-105.
 see Ridgway, R., 'the Tree-creepers (*Certhia*)' (rev.), '83, 113.
 see Ridgway, R., 'genus *Centurus*' (rev.), '83, 114.
 see Lawrence, G. N., 'new *Loxigilla*' (rev.), '83, 114.
 see Lawrence, G. N., 'new Swift, etc.' (rev.), '83, 114.
 see Lawrence, G. N., 'new birds from Yucatan' (rev.), '83, 114.
 see Lawrence, G. N., 'new species of the Cypselide' (rev.), '83, 114.
 see Freke, P. E., 'N. Am. birds crossing Atlantic' (rev.), '83, 114.
 see Freke, P. E., 'European birds in N. Am.' (rev.), '83, 114.
 Capture of Great Gray Owl in Massachusetts, '83, 123.
 Baird's Sandpiper on Long Island, N. Y.—A correction, '82, 123.
 see Ridgway, R., 'Costa Rican birds' (rev.), '83, 168.
 see Ridgway, R., 'new Sandwich I. birds' (rev.), '83, 168.
 see Ridgway, R., 'new Owl' (rev.), '83, 168.
 see Ridgway, R., 'two new Thrushes' (rev.), '83, 168.

see Ridgway, R., 'two additions by Belding' (rev.), '83, 168.
 see Ridgway, R., 'new races' (rev.), '83, 168.
 see Ridgway, R., 'genera *Harpornynchus*, *Methriopterus*, etc.' (rev.), '83, 168.
 see Ridgway, R., 'new N. Am. birds' (rev.), '83, 168.
 see Reichenow and Schalow, 'Compendium' (rev.), '83, 169.
 see Reichenow, A., 'Conspectus Psittacorum' (rev.), '83, 169.
 see Stejneger, L., 'new *Myadestes*' (rev.), '83, 170.
 see Stejneger, L., 'synopsis of W. I. *Myadestes*' (rev.), '83, 170.
 see Ridgway, R., 'species not in U. S. Nat. Museum' (rev.), '83, 170.
 see Ridgway, R., 'desiderata among N. Am. birds' (rev.), '83, 170.
 see Dubois, A., 'variabilité du genre *Loxia*' (rev.), '83, 170.
 Wood Ibis in Massachusetts, '83, 185.
 see Goss, N. S., 'birds of Kansas' (rev.), '83, 227.
 see Beckham, C. W., 'birds of Nelson Co., Ky.' (rev.), '83, 227.
 see Nutting and Ridgway, 'collection from Costa Rica' (rev.), '83, 228.
 see Harvie-Brown, Cordeaux and Kermode, 'report on migration, 1880' (rev.), '83, 228.
 see Harvie-Brown, Cordeaux and Newton, 'report on migration at lighthouses, etc., 1881' (rev.), '83, 228.
 see Harvie-Brown and others, 'report on migration, 1881' (rev.), '83, 229.
 see Harvie-Brown, J. A., 'migration upon British coasts' (rev.), '83, 229.
 see Blasius and others, 'Jahresbericht des Ausschusses für Beobachtungsstationen' (rev.), '83, 229.
 see Cooke, W. W., 'migration in Mississippi valley' (rev.), '83, 230.
 see Bean, T. H., 'birds collected in Alaska and Siberia' (rev.), '83, 231.
 see Ridgway, R., 'old world birds in U. S. National Museum' (rev.), '83, 231.
 see Stejneger, L., 'Cygnae' (rev.), '83, 231.
 see Turner, L. M., 'Lagopus mutus, etc.' (rev.), '83, 232.
 see Reichenow, A., 'Vögel der zoologischen Gärten' (rev.), '83, 232.

- see Reichenow, A., 'Entenvögel der zool. Gärten' (rev.), '83, 232.
 see Linden, C., 'domestication of wild ducks' (rev.), '83, 233.
 see Stejneger, L., 'natural history of Commander Islands, No. 1' (rev.), '84, 81.
 see Ridgway, R., 'birds undescribed from Commander Is.' (rev.), '84, 82.
 see Ridgway, R., 'new Warbler from Santa Lucia' (rev.), '84, 83.
 see Ridgway, R., 'new Plover from Chili' (rev.), '84, 83.
 see Ridgway, R., 'new Petrel from Alaska' (rev.), '84, 83.
 see Ridgway, R., 'genus *Tantalus*' (rev.), '84, 83.
 see Belding and Ridgway, 'collection made along coast of Lower California' (rev.), '84, 83.
 see Belding and Ridgway, 'collection made near southern extremity of Lower California' (rev.), '84, 83.
 see Ridgway, R., 'collection made in Costa Rica by Nutting' (rev.), '84, 84.
 see Brewster and Adams, 'birds of Morton's "New English Canaan"' (rev.), '84, 84.
 see Gill, T., 'scientific progress for 1881' (rev.), '84, 84.
 see Morden and Saunders, 'birds of Ontario' (rev.), '84, 85.
 [Necessity of trinomial nomenclature], '84, 102-104, 200-202.
 see Stejneger, 'American Turdidae' (rev.), '84, 181.
 see Coues, E., 'birds' ears' (rev.), '84, 182.
 see Jeffries, J. A., 'epidermal system of birds' (rev.), '84, 182.
 see Shufeldt, R. W., 'osteology of *Podasocys montanus*' (rev.), '84, 183.
 see Townsend, C. H., 'birds of Westmoreland Co., Pa.' (rev.), '84, 184.
 see British Museum, 'cat. of birds,' vols. vii and viii (rev.), '84, 278-281.
 see Coues, E., 'key to N. Am. birds, 2d ed.' (rev.), '84, 282.
 see Stearns, W. A., 'notes on Labrador' (rev.), '84, 284.
 see Belding, L., 'birds at Guaymas, Sonora' (rev.), '84, 284.
 see Belding and Ridgway, 'second catalogue of collection made near southern extremity of Lower California' (rev.), '84, 284 [see '84, 83].
 see Ridgway, R., 'new birds from Lower California' (rev.), '84, 284.
 see Ridgway, R., 'Anthus cervinus in L. Cal.' (rev.), '84, 284.
 see Cory, C. B., 'birds of Haiti and San Domingo' (rev.), '84, 285.
 [Letter on a proposed system of nomenclature], '84, 298-300.
 [Letter on a lay view of 'ornithophilologicalities'] '84, 302-304.
 Zoological nomenclature, '84, 338-353.
 see Brewster, W., 'birds in Gulf of St. Lawrence' (rev.), '84, 379.
 see Collins, J. W., 'sea-birds on the fishing banks off eastern N. Am.' (rev.), '84, 380.
 see Stejneger, L., 'trinomials in American ornith.' (rev.), '84, 381.
 see Baird, Brewer and Ridgway, 'water-birds of North America' (rev.), '84, 382-386.
 see Coues and Prentiss, 'Avifauna Columbiana' (rev.), '84, 386.
 see Ridgway, R., 'rare neotropical birds' (rev.), '84, 386.
 see Ridgway, R., 'Motacilla ocularis, etc.' (rev.), '84, 387.
 see Lawrence, G. N., 'new birds' (rev.), '84, 387.
 see Jouy, P. L., 'collections made in Japan' (rev.), '84, 387.
 [The name *Troglodytes*], '84, 400.
 see Abbott, C. C., 'naturalist's rambles' (rev.), '85, 86-88.
 see Seehoem, H., 'British birds' (rev.), '85, 88-91.
 see Ingersoll, E., 'country cousins' (rev.), '85, 91.
 see Stejneger, L., 'Untergattung *Anorthura*' (rev.), '85, 94.
 see Stejneger, L., 'Lagopodes of group *Attagen*' (rev.), '85, 94.
 see Stejneger, L., 'new species from Kamtschatka, etc.' (rev.), '85, 95.
 see Stejneger, L., 'Publicationen in 1883-84' (rev.), '85, 95.
 see Merriam, C. H., 'bird new to Bermudas, etc.' (rev.), '85, 95.
 see Shufeldt, R. W., 'osteology of *Ceryle alcyon*' (rev.), '85, 95.
 Sexual selection and nest-building of birds, '85, 129-139.
 see Newton, 'ornith. in Encyclopaedia Britannica' (rev.), '85, 205.
 see Ridgway, R., 'American Crossbills' (rev.), '85, 206.

- see Ridgway, R., 'Anas hyperboreus, etc.' (rev.), '85, 207.
- see Ridgway, R., 'type specimens of *Muscicapa fulvifrons*, etc.' (rev.), '85, 207.
- see Ridgway, R., 'earliest name for *Carpodacus haemorrhous*' (rev.), '85, 207.
- see Ridgway, R., 'new North American birds' (rev.), '85, 207.
- see Ridgway, R., 'new Kingfisher' (rev.), '85, 208.
- see Ridgway, R., 'Psaltriparus griseus' (rev.), '85, 208.
- see Ridgway, R., 'generic name *Calodromas*' (rev.), '85, 208.
- see Jordan, D. S., 'manual of vertebrates,' 4th ed. (rev.), '85, 208.
- see Shufeldt, R. W., 'osteology of *Numenius longirostris*' (rev.), '85, 208.
- see Rives, W. C., Jr., 'birds of Newport, R. I.' (rev.), '85, 208.
- see Bell, R., 'birds of Norway House, etc.' (rev.), '85, 209.
- see Willard, S. W., 'birds of Brown and Outagamie Counties, Wisconsin' (rev.), '85, 209.
- see Lawrence, G. N., 'new species' (rev.), '85, 209.
- see Ridgway, R., 'Japanese birds' (rev.), '85, 209.
- see Ridgway, R., 'Costa Rican birds' (rev.), '85, 209.
- see Ridgway, R., 'Selasphorus torridus' (rev.), '85, 209.
- see Ridgway, R., 'Melanetta fusca in Alaska' (rev.), '85, 209.
- see Ridgway, R., 'new Snow Bunting from Alaska' (rev.), '85, 209.
- see Ridgway, R., 'collection by Benedict and Nye of steamer Albatross' (rev.), '85, 209.
- see Ridgway, R., 'new Field Sparrow from New Mexico' (rev.), '85, 209.
- see Ridgway, R., 'new Coot from West Indies' (rev.), '85, 209.
- see Ridgway, R., 'new Red-shouldered Hawk from Florida' (rev.), '85, 209.
- see Ridgway, R., 'two unnamed Sparrows from Cal.' (rev.), '85, 209.
- see Ridgway, R., 'Oestrelata fisheri, etc.' (rev.), '85, 209.
- see Ridgway, R., 'Icterus cucullatus, etc.' (rev.), '85, 209.
- see Ridgway, R., 'new Contopus' (rev.), '85, 209.
- see Ridgway, R., 'Anser leucopareius' (rev.), '85, 209.
- see Ridgway, R., 'new Warbler from Yucatan' (rev.), '85, 209.
- see Ridgway, R., 'new birds from Costa Rica' (rev.) '85, 209.
- see Ridgway, R., 'three new Honey Creepers, synopsis, etc.' (rev.), '85, 209.
- see Ridgway, R., 'Cathartes burrovianus, etc.' (rev.), '85, 209.
- see Ridgway, R., 'Onychotus gruberi' (rev.), '85, 209.
- see Nutting and Ridgway, 'birds from Nicaragua' (rev.), '85, 209.
- see Stejneger, L., 'genus *Cephus*' (rev.), '85, 209.
- see Ridgway, R., 'new species from Cozumel I., Yucatan' (rev.), '85, 209.
- see Cory, C. B., 'birds of Haiti and San Domingo' (rev.), '85, 209.
- [Sharp-shinned Hawk in Cambridge, Mass., in winter]. '85, 311.
- Capture of escaped cage-birds. '85, 314.
- see British Museum, 'cat. of birds,' vol. x (rev.), '85, 365-368.
- see Turner, L. M., 'birds of Labrador' (rev.), '85, 368.
- see Zeledon, J. C., 'birds of Costa Rica' (rev.), '85, 370.
- see Ridgway, R., 'new Heron from Central America' (rev.), '85, 370.
- see Ridgway, R., 'new Hawk from Cozumel Island' (rev.), '85, 370.
- see Ridgway, R., 'golden Warblers' (rev.), '85, 370.
- see Ridgway, R., 'type of *Buteo oxypterus*' (rev.), '85, 371.
- see Ridgway, R., 'emended names' (rev.), '85, 371.
- Hawk Owl (*Surnia ulula caparoch*) at Chatham, Mass. '85, 383.
- Crested Auk on Massachusetts coast. '85, 388.
- see Murdoch, J., 'Point Barrow, Alaska, natural history' (rev.), '86, 122-124.
- see Stejneger, L., 'ornithological explorations in Commander Is. and Kamtschatka' (rev.), '86, 126-129.
- see Torry, B., 'birds in the bush' (rev.), '86, 129.
- see Holder, J. B., 'birds of Lynn,' 2d ed. (rev.), '86, 129.
- [Note on Turner's 'birds of Labrador'] '86, 141.
- [Annotations to Scott's 'avi-fauna of Arizona'] '86, 249, 383-389.

- 423-432, '87, 16-24, 196-205 *passim*.
 see Beckham, C. W., 'birds of Nelson Co., Ky.' (rev.), '86, 268.
 see Beckham, C. W., 'plumage of *Regulus calendula*' (rev.), '86, 268.
 see Lawrence, G. N., 'new *Engyptila*, etc.' (rev.), '86, 268.
 see Lawrence, G. N., 'two new species from Yucatan' (rev.), '86, 269.
 see Lawrence, G. N., 'birds new to Guadeloupe, etc.' (rev.), '86, 269.
 see Stejneger, L., 'preoccupied generic names' (rev.), '86, 269.
 see Ridgway, R., 'birds of Cozumel, Yucatan, etc.' (rev.), '86, 269.
 Capture of wild hybrid ducks (Mallard + Muscovy) on Long Island [N. Y.], '86, 274.
 Masked Bob-white (*Colinus ridgwayi*) in Arizona, '86, 275.
 [Abnormal plumage of *Sialia sialis*], '86, 282.
 [Remarks on A. O. U. Check-List], '86, 397.
 see Miller, O. T., 'bird-ways' (rev.), '86, 400.
 [Pallid specimens of *Ægialitis nitosa*], '86, 401.
 see Hoxie, W., 'aptoso-chromatism' (rev.), '86, 413.
 see Kingsley, J. S., 'standard natural history, vol. iv' (rev.), '86, 473.
 see Brewster, W., 'bird migration' (rev.), '86, 474.
 [Index to minor ornithological papers], '86, 475.
 see Edson, J. M., 'birds of Chautauqua Co., N. Y.' (rev.), '86, 479.
 see Shufeldt, R. W., 'osteology of *Corvus carolinensis*' (rev.), '86, 479.
 see Shufeldt, R. W., 'skeleton in *Geococcyx*' (rev.), '86, 479.
Ægialitis meloda circumcincta on Atlantic coast, '86, 482.
 Type specimen of *Colinus ridgwayi*, '86, 483.
 Three interesting birds in American Museum of Natural History. *Ammodramus leconteii*, *Helinaia swainsoni* and *Saxicola ananthe*, '86, 489.
 see Stejneger, L., 'Japanese birds, pt. i (rev.), '87, 63.
 see Stejneger, L., 'British Marsh-Tit' (rev.), '87, 64.
 see Stejneger, L., 'Brachyrhamphus perdix, etc.' (rev.), '87, 65.

- see Ferrari-Perez, F., 'birds of Mexico' (rev.), '87, 65.
 see Ridgway, R., 'melanistic Broad-winged Hawk' (rev.), '87, 66.
 see Ridgway, R., 'new *Empidonax* from Guatemala' (rev.), '87, 66.
 see Ridgway, R., '*Empidonax furcatus* and *Empidonax brunneus*' (rev.), '87, 66.
 see Ridgway, R., 'genus *Empidonax*' (rev.), '87, 66.
 see Cory, C. B., 'birds from little-known W. I. islands' (rev.), '87, 66.
 Further note on *Colinus ridgwayi*, '87, 74.
 [Peculiar specimen of *Dendroica discolor*], '87, 135.
 see British Museum, 'cat. of birds,' vol. xi (rev.), '87, 149.
 see Ridgway, R., 'nomenclature of colors' (rev.), '87, 152.
 see Bryant, W. E., 'ornithology of Guadalupe I.' (rev.), '87, 154.
 see Ralph and Bagg, 'birds of Oneida Co., N. Y.' (rev.), '87, 154.
 see Platt, F., 'birds of Meriden, Conn.' (rev.), '87, 154.
 see Maynard, C. J., 'five new birds from the Bahamas' (rev.), '87, 155.
 see Shufeldt, R. W., 'contributions to science' (rev.), '87, 155.
 see Stejneger, L., '*Synthliboramphus tenuisusume*' (rev.), '87, 155.
 see Ridgway, R., 'new *Myiarchus*, etc.' (rev.), '87, 156.
 see Ridgway, R., 'new *Picolaptes*, etc.' (rev.), '87, 156.
 see Ridgway, R., 'new *Cyclorhis*' (rev.), '87, 156.
 see Ridgway, R., 'probable hybrid *Dryobates*' (rev.), '87, 156.
 see Ridgway, R., 'new Plumed Partridge' (rev.), '87, 156.
 [*Acanthis hornemannii exilipes* in Massachusetts], '87, 164.
 [Evil of antedating papers and books], '87, 176.
 see Stejneger, L., 'genus *Pardalotus*' (rev.), '87, 249.
 see Stejneger, L., '*Turdus alpestris* and *T. torquatus*' (rev.), '87, 249.
 see Stejneger, L., 'Japanese birds,' pts. ii-iii (rev.), '87, 249.
 see Stejneger, L., 'collection made in Liu Kiu Islands, Japan, etc.' (rev.), '87, 250.
 see Blakiston, J. W., 'water-birds of Japan' (rev.), '87, 250.

- see Wells and Lawrence, 'birds of Grenada, W. I.' (rev.), '87, 250.
 see Lawrence, G. N., 'new Thrush from Grenada, W. I.' (rev.), '87, 251.
 Unusual nesting site of Song Sparrow,'87, 260.
 [Note on specimens of Bachman's Warbler], '87, 263.
 [Dating of publication of 'Proceedings of U. S. National Museum'], '87, 270.
 Pine Finch (*Spinus pinus*) breeding at Cornwall-on-Hudson, N. Y.'87, 284-286.
 see Ridgway, R., 'manual of North Am. birds' (rev.), '87, 333-336.
 [Withdraws from editorship of 'Auk,' '87, 359].
 see Coues, E., 'key to North American birds' (rev.), '88, 101-104.
 see Townsend, C. H., 'field notes on birds of California' (rev.), '88, 104.
 [Alleged 'discovery' in soaring of birds], '88, 126.
 see Seeböhm, H., 'geographical distribution of the Charadriidae' (rev.), '88, 189-194.
 see Ridgway, R., 'new *Cotinga* from Costa Rica' (rev.), '88, 194.
 see Ridgway, R., 'new form of *Spinialis zena*' (rev.), '88, 194.
 see Ridgway, R., 'Carpodectes antonia' (rev.), '88, 194.
 see Ridgway, R., 'new *Porzana* from Costa Rica' (rev.), '88, 194.
 see Ridgway, R., 'new Plumed Partridge from Sonora' (rev.), '88, 194.
 see Ridgway, R., 'new genus [*Berlepschia*], etc.' (rev.), '88, 194.
 see Ridgway, R., 'new *Phacellodomus*' (rev.), '88, 194.
 see Ridgway, R., 'two new forms of *Megascops*' (rev.), '88, 194.
 see Ridgway, R., 'new *Muscisaxicola* from Peru' (rev.), '88, 194.
 see Ridgway, R., 'Phrygilus gayi, etc.' (rev.), '88, 194.
 see Ridgway, R., 'genus *Dendrocincla*' (rev.), '88, 195.
 see Ridgway, R., 'Ardea wuerde-manni' (rev.), '88, 195.
 see Ridgway, R., 'Trogon ambiguus in Arizona' (rev.), '88, 195.
 see Stejneger, L., 'Japanese birds,' pts. iv-vi (rev.), '88, 195.
 see Stejneger, L., 'name of Japanese Carrion Crow' (rev.), '88, 196.

- see Stejneger, L., 'further contributions to avifauna of Liu Kiu Islands, etc.' '88, 196.
 see Stejneger, L., 'birds of Idzu, Japan' (rev.), '88, 196.
 see Stejneger, L., 'birds of Kaui, H. I., etc.' (rev.), '88, 196.
 see Stejneger, L., 'Psittirostra psit-tacus from Kaui' (rev.), '88, 197.
 see Stejneger, L., 'revised catalogue of birds of Commander Islands' (rev.), '88, 197.
 see Stejneger, L., 'the palearctic Bullfinches' (rev.), '88, 197.
 see Lucas, F. A., 'osteology of *Nothura maculosa*' (rev.), '88, 198.
 see Shufeldt, R. W., 'birds' sterna and skulls collected by Streets' (rev.), '88, 198.
 see Chamberlain, M., 'table of Canadian birds' (rev.), '88, 198.
 see Selater and Hudson, 'Argentine ornithology,' vol. i (rev.), '88, 199.
 [Interlocking' of primaries in soaring birds], '88, 223.
 Descriptions of two new subspecies of Seaside Sparrow (*Ammodramus maritimus*), '88, 284-287.
 Description of a new species of genus Tityra, from Ecuador, '88, 287.
 Notes on Louisiana birds, '88, 324.
 [Statistics of sale of plumes for millinery], '88, 334.
 see Turner, L. M., 'natural history of Alaska' (rev.), '88, 409.
 see British Museum, 'cat. of birds,' vol. xii (rev.), '88, 410-413.
 see Shufeldt, R. W., 'skeleton in *Sturnella*, etc.' (rev.), '88, 413.
 see Shufeldt, R. W., 'osteology of *Porzana carolina*' (rev.), '88, 414.
 Structure of birds in relation to flight with special reference to recent alleged discoveries in the mechanism of the wing (rev.), '88, 419-421.
 Note on correct name of *Sympetrum inornata* Brewst., '88, 423.
 Further notes on Seaside Sparrows, '88, 426.
 see Cooke, W. W., 'bird migration in Miss. valley' (rev.), '89, 58-61.
 see Nelson and Henshaw, 'collections made in Alaska' (rev.), '89, 61-63.
 see Jordan, D. S., 'manual of vertebrates,' 5th ed. (rev.), '89, 63.
 see Sharpe, R. B., 'birds in nature' (rev.), '89, 63.
 see American Ornithologists' Union,

- 'supplement to check-list' (rev.), '89, 168.
 see American Ornithologists' Union, 'abridged check-list' (rev.), '89, 169.
 see Ridgway, R., 'Catharus berlepschi' (rev.), '89, 171.
 see Ridgway, R., 'new birds from middle America' (rev.), '89, 171.
 see Ridgway, R., 'name *Uropsila*' (rev.), '89, 171.
 see Ridgway, R., 'new birds from lower Amazon' (rev.), '89, 172.
 see Ridgway, R., 'genus *Psittacula*' (rev.), '89, 172.
 see Ridgway, R., 'collection by Townsend on islands in Caribbean Sea and Honduras' (rev.), '89, 172.
 see Ridgway, R., 'new *Psaltriparus* from Arizona' (rev.), '89, 172.
 see Ridgway, R., 'type specimens of American Troglodytidae' (rev.), '89, 172.
 see Bendire, C. E., 'nest of *Polioptila californica*' (rev.), '89, 173.
 see Bendire, C. E., 'nests and eggs from Arizona' (rev.), '89, 173.
 see Lawrence, G. N., 'new *Catharus* from Ecuador' (rev.), '89, 173.
 see Stejneger, L., 'Japanese birds,' pt. vii (rev.), '89, 173.
 see Stejneger, L., 'type-specimen of *Euryzona euryzonoides*' (rev.), '89, 173.
 see Beckham, C. W., 'birds of southwestern Texas' (rev.), '89, 173.
 Note on the first plumage of *Colinus ridgwayi*, '89, 189.
 see Cory, C. B., 'birds of the West Indies' (rev.), '89, 265.
 see British Museum, 'cat. of birds,' vol. xiv (rev.), '89, 266-268.
 see Sclater and Hudson, 'Argentine Ornith., vol. ii' (rev.), '89, 268.
 see Gould, J., 'birds of New Guinea, etc.' (rev.), '89, 269.
 [Breeding of Florida Gallinule in Vermont], '89, 274.
 see Barrows, W. B., 'Passer domesticus in North America' (rev.), '89, 326-328.
 see Stone, W., 'Muscicapidae in collection of Philadelphia Academy' (rev.), '89, 330.
 see Bergtold, W. H., 'birds of Buffalo, N. Y.' (rev.), '89, 331.
 see Keyes and Williams, 'birds of Iowa' (rev.), '89, 332.
 see Taylor, W. E., 'birds of Nebraska' (rev.), '89, 332.
- see Shufeldt, R. W., 'osteology of Arctic water-birds' (rev.), '89, 333.
 see Shufeldt, R. W., 'osteology of *Anseres*' (rev.), '89, 333.
 see Shufeldt, R. W., 'osteology of *Tubinares* and *Steganopodes*' (rev.), '89, 333.
 see Shufeldt, R. W., 'osteological studies of Ardeinae' (rev.), '89, 333.
 see Gould, J., 'supplement to Trochilidae' (rev.), '89, 334.
 To what extent is it profitable to recognize geographical forms among North American birds? '90, 1-9.
 see Waterhouse, F. H., 'index generum avium' (rev.), '90, 71-73.
 see Blanchard, R., 'nomenclature des êtres organisés' (rev.), '90, 73.
 see Menzbier, M. A., 'ornithologie du Turkestan' (rev.), '90, 77.
 see Saunders, H., 'manual of British Birds' (rev.), '90, 195.
 see Rudolph (Crown Prince), 'notes on sport and ornithology' (rev.), '90, 196.
 see Ridgway, R., 'genus *Xiphocolaptes*' (rev.), '90, 271.
 see Ridgway, R., 'genus *Sclerurus*' (rev.), '90, 272.
 see Ridgway, R., 'birds collected on Galapagos Is.' (rev.), '90, 273.
 see Ridgway, R., 'birds collected on Santa Lucia, Abrolhos I., etc.' (rev.), '90, 274.
 see Chapman, F. M., 'genus *Xiphorhynchus*' (rev.), '90, 274.
 see Berlepsch, H. von, 'some neotropical birds' (rev.), '90, 275.
 see Stejneger, L., 'European Marsh Tits' (rev.), '90, 275.
 see Stejneger, L., 'European Crested Titmice' (rev.), '90, 275.
 see Stejneger, L., 'further contributions to the Hawaiian avifauna' (rev.), '90, 275.
 see Stejneger, L., 'third collection made in Kauai I.' (rev.), '90, 275.
 see Stejneger, L., 'Japanese birds,' pts. viii-ix (rev.), '90, 276.
 see Stejneger and Lucas, 'Pallas' Cormorant' (rev.), '90, 276.
 see Lucas, F. A., 'osteology of Thrushes and Wrens' (rev.), '90, 277.
 see Shufeldt, R. W., 'osteological studies of the Ardeinae' (rev.), '90, 277.

- see Shufeldt, R. W., 'position of *Chamaea*' (rev.), '90, 278.
 see Shufeldt, R. W., 'studies of Macrochires' (rev.), '90, 278.
 see Shufeldt, R. W., 'osteology of N. Am. Passeres' (rev.), '90, 278.
 see Shufeldt, R. W., 'anatomy of *Spectoptylo cunicularia hypogaea*', (rev.), '90, 280.
 see Maynard, C. J., 'eggs of North American birds' (rev.), '90, 280.
 see Anthony, A. W., 'new birds from Lower California' (rev.), '90, 281.
 see Sennett, G. B., 'bird legislation', (rev.), '90, 282.
 Description of a new species of *Icterus* from Andros Island, Bahamas, '90, 343-346.
 see British Museum, 'cat. of birds,' vol. xv (rev.), '90, 379.
 Notes on a collection of birds from Quito, Ecuador (rev.), '90, 380.
 List of birds collected in Bolivia by Dr. H. H. Rusby, with field notes by the collector (rev.), '90, 381.
 On *Cyclorhis viridis* (Vieill.) and its allies, with remarks on other species of the genus *Cyclorhis* (rev.), '90, 383.
 Descriptions of new species of South American birds with remarks on various other little known species (rev.), '90, 384.
 Remarks on individual and seasonal variation in a large series of *Elainea* from Chapada, Matto Grosso, Brazil, with a revision of the species of the restricted genus *Elainea* (rev.), '90, 385.
 Maximilian types of South American birds in American Museum of Natural History (rev.), '90, 386.
 see British Museum, 'cat. of birds,' vol. xiii (rev.), '91, 90-92; vol. xviii, '91, 92-95.
 see Merriam, C. H., 'biological survey of San Francisco Mountain, Arizona' (rev.), '91, 95-98.
 Description of a new species of *Mimocichla* from the island of Dominica, West Indies, '91, 217.
 see Century Dictionary, ornithology of (rev.), '91, 222-224.
 see Sundevall, C. J., 'Tentamen' (Nicholson's translation, 1889) (rev.), '91, 227.
 see Goss, N. S., 'birds of Kansas', (rev.), '91, 228-230.
 [Foreign trade in birds for millinery], '91, 247.

- see Gätke, H., 'Helgoland' (rev.), '91, 299.
 see Cory, C. B., 'birds of Bahamas' (rev.), '91, 300.
 see Grant, J. B., 'our common birds' (rev.), '91, 301.
 see Thompson, E. S., 'birds of Manitoba' (rev.), '91, 301.
 see Stone, W., 'birds collected in Yucatan and Mexico' (rev.), '91, 303.
 see Stone, W., 'Owls in collection of Phila. Acad.' (rev.), '91, 303.
 see Stone, W., 'genus *Psilorhinus*' (rev.), '91, 304.
 see Townsend, C. H., 'birds from coasts of western North America' (rev.), '91, 305.
 see Palmer, W., 'birds observed during cruise of schooner "Grampus"' (rev.), '91, 305.
 see Lucas, F. A., 'Funk Island, with history and anatomy of Great Auk' (rev.), '91, 306.
 Capture of *Geothlypis poliocephala palpebralis* in Cameron County, Texas, '91, 316.
 Note on *Mimocichla verrillorum*, '91, 317.
 see Sharpe, R. B., 'recent attempts to classify birds' (rev.), '91, 379-381.
 see Hornaday, W. T., 'taxidermy' (rev.), '91, 381-383.
 see Butler, A. W., 'birds of Indiana' (rev.), '91, 383.
 see Colburn and Morris, 'birds of Connecticut valley in Massachusetts' (rev.), '91, 384.
 see Merriam, C. H., 'birds observed in Idaho' (rev.), '91, 385.
 see Maynard, C. J., 'contributions to science' (rev.), '91, 385-387.
 see Chamberlain, M., 'handbook of ornith. of U. S. and Canada (Nuttall)' (rev.), '92, 59-61.
 see Shufeldt, R. W., 'myology of Raven' (rev.), '92, 62.
 see Bolles, F., 'land of the lingering snow' (rev.), '92, 62.
 see Keyser, L. S., 'bird-dom' (rev.), '92, 63.
 see Packard, A. S., 'Labrador coast' (rev.), '92, 171.
 see Lucas, F. A., 'osteology of Paridae, etc.' (rev.), '92, 172.
 see Lucas, F. A., 'the tongue in Hummingbirds' (rev.), '92, 172.
 see Lucas, F. A., 'skeletons collected

- at Abrolhos Is., Brazil, etc.' (rev.), '92, 172.
 see Cherrie, G. K., 'new birds from Costa Rica' (rev.), '92, 173.
 see Shufeldt, R. W., 'osteology of Arctic water-birds' (rev.), '92, 173.
 see Shufeldt, R. W., 'osteology of Columbidae' (rev.), '92, 174.
 see Shufeldt, R. W., 'classification of Pigeons' (rev.), '92, 174.
 see Shufeldt, R. W., 'osteological notes on N. Am. Kites' (rev.), '92, 174.
 see Shufeldt, R. W., 'saurognathism of Pici, etc.' (rev.), '92, 174.
 see Ridgway, R., 'new Whippoorwill from Costa Rica' (rev.), '92, 174.
 see Ridgway, R., 'birds from Honduras' (rev.), '92, 175.
 see Ridgway, R., two new forms of *Thamnophilus*' (rev.), '92, 175.
 see Ridgway, R., 'further notes on genus *Xiphocolaptes*' (rev.), '92, 175.
 see Ridgway, R., 'Pachyrhamphus albinucha' (rev.), '92, 175.
 see Ridgway, R., 'some Costa Rican birds' (rev.), '92, 175.
 see Ridgway, R., 'genus *Sittasomus*' (rev.), '92, 175.
 see Ridgway, R., 'Farralon Rail' (rev.), '92, 175.
 see Ridgway, R., 'new Sharp-tailed Sparrow from California' (rev.), '92, 175.
 see Ridgway, R., 'directions for collecting birds' (rev.), '92, 176.
 see Bendire, C. E., 'directions for collecting birds' eggs' (rev.), '92, 176.
 see Stejneger, L., 'Japanese birds in Science College museum' (rev.), '92, 176.
 see Stejneger, L., 'cubital coverts in Birds of Paradise and Bower Birds' (rev.), '92, 176.
 see Stone, W., 'summer birds of Harvey's Lake, Pa.' (rev.), '92, 176.
 North American species of genus *Colaptes* considered with special reference to the relationship of *C. auratus* and *C. cafer* (rev.), '92, 177-179.
 see Chapman, F. M., 'origin of avifauna of Bahamas' (rev.), '92, 179.
 see Newton, A., 'fossil birds' (rev.), '92, 183.
 see Selater, P. L., 'geographical distribution of birds' (rev.), '92, 183.
 see British Museum, 'cat. of birds,' vol. xix (rev.), '92, 184.
 see Hartert, E., 'cat. of birds in Senckenberg Museum' (rev.), '92, 185.
 see Leverkühn, P., 'fremde Eier im Nest' (rev.), '92, 185.
 see Jäckel and Blasius, 'Vögel Bayerns' (rev.), '92, 186.
 see British Museum, 'cat. of birds,' vol. xx (rev.), '92, 277-279.
 see Oustalet, E., 'oiseaux du Cap Horn' (rev.), '92, 281.
 see Stone, W., 'cat. of Crows, etc., in Phila. Acad.' (rev.), '92, 282.
 see Stone, W., 'birds collected by west Greenland expedition' (rev.), '92, 282.
 see Bendire, C. E., 'life histories of N. Am. birds' (rev.), '92, 375.
 see Ridgway, R., 'Humming Birds' (rev.), '92, 376.
 see Merriam, C. H., 'geog. dist. of life in N. Am.' (rev.), '92, 377-382.
 see Suchetet, A., 'oiseaux hybrides' (rev.), '92, 382.
 see British Museum, 'cat. of birds,' vols. xvi and xvii (rev.), '93, 66-68.
 see Cory, C. B., 'cat. of West Indian birds' (rev.), '93, 69.
 see Dixon, C., 'migration' (rev.), '93, 70-73.
 [Note on a neglected branch of Ornithology], '93, 94.
 Geographical origin and distribution of N. Am. birds, etc., '93, 97-150, pl. iii, iv (i. e., 2 maps).
 see Keeler, C. A., 'evolution of colors' (rev.), '93, 189-195.
 see Beddard, F. E., 'animal coloration' (rev.), '93, 195-199.
 see Fisher, A. K., 'Hawks and Owls of U. S.' (rev.), '93, 199-201.
 see Bolles, F., 'at the north of Bearcamp Water' (rev.), '93, 201.
 see Foster, L. S., 'ornith. writings of G. N. Lawrence' (rev.), '93, 202.
 see Fisher, A. K., 'Death Valley expedition' (rev.), '93, 285-288.
 [Note on faunal position of Lower California], '93, 306.
 see Shufeldt, R. W., 'fossil avifauna of Oregon desert' (rev.), '93, 343-345.
 see Shufeldt, R. W., 'osteological notes on *Icthyornis*' (rev.), '93, 345.
 see Shufeldt, R. W., 'classification of Longipennes' (rev.), '93, 345.

- see Shufeldt, R. W., 'Ridgway's anatomy of Hummingbirds and Swifts' (rev.), '93, 345.
 see Shufeldt, R. W., 'Ridgway's anatomy of Hummingbirds, etc.—a rejoinder' (rev.), '93, 345.
 see Shufeldt, R. W., 'notes on Swifts and Hummingbirds' (rev.), '93, 345.
 see Ridgway, R., 'Shufeldt's anatomy of Hummingbirds and Swifts' (rev.), '93, 345.
 see Lucas, F. A., 'Swifts and Hummingbirds' (rev.), '93, 345.
 see Ridgway, R., 'two new forms of *Basileuterus rufifrons* from Mexico' (rev.), '93, 346.
 see Ridgway, R., 'new *Odontophorus* from Mexico' (rev.), '93, 346.
 see Ridgway, R., 'two new Swifts' (rev.), '93, 346.
 see Stejneger, L., 'two additions to Japanese avifauna, etc.' (rev.), '93, 346.
 see Stejneger, L., 'status of Gray Shrike of Japan' (rev.), '93, 346.
 see Merriam, C. H., 'report of ornithologist and mammalogist for 1892' (rev.), '93, 347.
 see Barrows, W. B., 'economic ornithology' (rev.), '93, 347.
 see Beal, F. E. L., 'food habits of Cedarbird' (rev.), '93, 347.
 see Hasbrouck, E. M., 'evolution and dichromatism in *Megascops*' (rev.), '93, 347–351.
 see Cook, A. J., 'birds of Michigan' (rev.), '93, 351.
 see Averill, C. K., Jr., 'birds of Bridgeport, Conn.' (rev.), '93, 352.
 see Jacobs, J. W., 'summer birds of Greene Co., Pa.' (rev.), '93, 353.
 see Nutting, C. C., 'zoological explorations on Saskatchewan river' (rev.), '93, 353.
 see Newton, A., 'dictionary of birds' (rev.), '93, 357–360.
Careba versus Certhiola, '93, 369.
 [Reply to Keeler's letter defending his 'evolution of colors'] (rev.), '93, 377–380.
 see Newton, A., 'dictionary of birds,' pt. ii (rev.), '94, 56–60.
 see British Museum, 'cat. of birds,' vol. xxi (rev.), '94, 60–62.
 see Elliot, D. G., 'monograph of *Pittidae*' pt. i (rev.), '94, 62.
 see Sharpe, R. B., 'zoogeographical areas' (rev.), '94, 63–65.

- Venezuelan birds, collected by Mrs. H. H. Smith (rev.), '94, 66.
 Mammals and birds collected in Mexico, etc., on Lumholtz expedition (rev.), '94, 66.
 [Albinistic eggs], '94, 81.
 First plumages, '94, 91–93 (col. pl.).
 see Anthony, A. W., 'birds of San Pedro Martir, L. California' (rev.), '94, 167.
 see Short, E. H., 'birds of western New York' (rev.), '94, 168.
 see Ridgway, R., 'genus *Myiarchus*' (rev.), '94, 168.
 see Ridgway, R., 'birds from Costa Rica' (rev.), '94, 169.
 see Ridgway, R., 'collection of birds made in Alaska' (rev.), '94, 169.
 see Ridgway, R., 'new Storm Petrel from Mex.' (rev.), '94, 169.
 see Ridgway, R., 'genus *Formicarius*' (rev.), '94, 169.
 see Stejneger, L., 'Japanese birds in Science College museum' (rev.), '94, 170.
 see Richmond, C. W., 'birds from Nicaragua and Costa Rica' (rev.), '94, 170.
 see British Museum, 'cat. of birds,' vol. xxii (rev.), '94, 171–173.
 see Elliot, D. G., 'monograph of *Pittidae*' (rev.), pt. ii, '94, 173, pt. iii, '94, 243.
 see McIlwraith, T., 'birds of Ontario,' 2d ed. (rev.), '94, 240.
 see British Museum, 'cat. of birds,' vol. xxiii (rev.), '94, 242.
 see Wright, M. O., 'friendship of nature' (rev.), '94, 314.
 see Shufeldt, R. W., 'comparative oölogy of N. Am. birds' (rev.), '94, 314.
 see Shufeldt, R. W., 'scientific taxidermy for museums' (rev.), '94, 316.
 see Stone, W., 'genus *Anous*' (rev.), '94, 317.
 see Stone, W., 'old world Rallinae' (rev.), '94, 317.
 see Wallace, A. R., 'palearctic and nearctic regions compared' (rev.), '94, 318.
 [Birds in use for millinery], '94, 342.
 see Elliot, D. G., 'monograph of *Pittidae*' pt. iv (rev.), '95, 65.
 see Keyser, L. S., 'in bird land' (rev.), '95, 66.
 see Keyser, L. S., 'bird-dom' (rev.), '95, 66.

- see Parkhurst, H. E., 'birds' calendar' (rev.), '95, 67.
- see Ridgway, R., 'twenty-two new species from Galapagos Is.' (rev.), '95, 70.
- see Ridgway, R., 'new birds from Aldabra, Assumption, and Gloriosa Is.' (rev.), '95, 71.
- see Lucas, F. A., 'anatomy and affinities of Cerebidae' (rev.), '95, 71.
- see Rhoads, 'reprint of Ord's N. Am. zoölogy' (rev.), '95, 72.
- see Reichenow, A., 'Vögel Deutsch-Ost-Afrikas' (rev.), '95, 73.
- see Newton, A., 'dictionary of birds,' pt. iii (rev.), '95, 169.
- see Shutfeldt, R. W., 'osteology of certain Cranes, Rails and their allies' (rev.), '95, 172.
- see Grundtvig, F. L., 'birds of Shiocton, Wis.' (rev.), '95, 173.
- see Bourns and Worcester, 'preliminary notes on birds of Philippine Is.' (rev.), '95, 173.
- see Merriam, C. H., 'laws of temperature control of geographical distribution, etc.' (rev.), '95, 174.
- see Minot, H. D., 'land-birds and game-birds of New England,' 2d ed. [Brewster's] (rev.), '95, 284-286.
- see Clark, H. L., 'pterygraphy of certain N. Am. Goatsuckers and Owls' (rev.), '95, 287.
- see Sharpe and Wyatt, 'monograph of Hirundinidae' (rev.), '95, 373-375.
- see Beal, F. E. L., 'preliminary report on food of Woodpeckers' (rev.), '95, 380.
- see Lucas, F. A., 'tongues of Woodpeckers' (rev.), '95, 380.
- see Barrows and Schwarz, 'Common Crow of United States' (rev.), '95, 381-383.
- see Forbush, E. H., 'birds as protectors of orchards' (rev.), '95, 383.
- see Merriam, C. H., 'geographic distribution of animals and plants in N. Am.' (rev.), '95, 384.
- see Suchetet, A., 'oiseaux hybrides,' pt. v (rev.), '95, 384.
- see Chapman, F. M., 'handbook of birds of eastern N. Am.' 2d ed. (rev.), '95, 385.
- see Elliot, D. G., 'monograph of Pittidae,' pt. v (rev.), '96, 60.
- see American Ornithologists' Union, 'check-list,' 2d ed. (rev.), '96, 69.
- see Bendire, C. E., 'Cowbirds' (rev.), '96, 71.
- see Lucas, F. A., 'weapons and wings of birds' (rev.), '96, 72.
- see Fisher, A. K., 'Hawks and Owls from standpoint of farmer' (rev.), '96, 73.
- see Beddard, F. E., 'text-book of zoögeography' (rev.), '96, 73-75.
- [Note on Lucas's 'tongues of birds'], '96, 114.
- Gätke's 'Helgoland,' '96, 137-153.
- see Lydekker and Sclater 'royal natural history' [Birds] (rev.), '96, 156-160, 252.
- see British Museum, 'cat. of birds,' vol. xxv (rev.), '96, 160-162; vol. xxvii (rev.), '96, 162-164.
- Alleged changes of color in feathers without molting (rev.), '96, 166.
- see Loomis, L. M., 'California water birds. No. II' (rev.), '96, 168.
- [Some questions of nomenclature], '96, 187-190.
- [A question of nomenclature], '96, 191.
- see Stone, W., 'birds collected in north Greenland by Peary expeditions' (rev.), '96, 243.
- see Schalow, H., 'Vogelsammlung aus Westgrönland' (rev.), '96, 243.
- see Rhoads, S. M., 'zoölogy of Tennessee, No. 2, Birds' (rev.), '96, 244.
- see Rotzell, W. E., 'birds of Narberth, Pa.' (rev.), '96, 244.
- see Short, E. H., 'Birds of western New York' (rev.), '96, 245.
- see Cory, C. B., 'hunting and fishing in Florida including key to water birds' (rev.), '96, 246.
- see Howe, R. H., Jr., 'every bird' (rev.), '96, 247.
- see Witchell, C. A., 'evolution of bird song' (rev.), '96, 249.
- see Harvie-Brown and Buckley, 'vertebrate fauna of Moray Basin' (rev.), '96, 251.
- [Remarks on zoological nomenclature], '96, 269.
- see Sclater, P. L., 'divergencies between "Rules for naming animals" and the Stricklandian code' (rev.), '96, 325-328.
- see Swann, H. K., 'handbook of British birds' (rev.), '96, 328.
- see Lucas, F. A., 'osteological and pterylographical characters of the Procniatidae' (rev.), '96, 334.
- see Ridgway, R., 'characters of a

- new American family of passerine birds' (rev.), '96, 334.
 see Montgomery, T. H., Jr., 'extensive migration in birds as a check upon varieties' (rev.), '96, 335.
 see Judd, S. D., 'four common birds' (rev.), '96, 335.
 see Beal, F. E. L., 'Meadowlark and Baltimore Oriole' (rev.), '96, 336.
 see Forbush and Fernald, 'Gypsy Moth' (rev.), '96, 336.
 see Forbush, E. H., 'the Crow in Massachusetts' (rev.), '96, 337.
 see Merriam, F. A., 'how birds affect the farm and garden' (rev.), '96, 337.
 see British Museum, 'cat. of birds,' vol. xxiv (rev.), '97, 102-104.
 see Bendire, C. E., 'life histories of N. Am. birds,' vol. ii (rev.), '97, 104-106.
 see Merriam, F. A., 'a-birding on a broncho' (rev.), '97, 107.
 see Rood and Coues, 'papers presented to World's Congress' (rev.), '97, 108.
 see Chamberlain, M., 'handbook of ornith. of eastern U. S.' (Nuttall), 2d ed. (rev.), '97, 109.
 see Oberholser, H. C., 'birds of Wayne Co., Ohio' (rev.), '97, 112.
 see Wintle, E. D., 'birds of Montreal' (rev.), '97, 112.
 see Ridgway, R., 'manual of N. Am. birds,' 2d ed. (rev.), '97, 232.
 see Goode, G. B., 'published writings of P. L. Sclater' (rev.), '97, 233.
 see Bates, F., A., 'game birds of N. Am.' (rev.), '97, 244.
 see Butler, A. W., 'Indiana: a century of changes' (rev.), '97, 245.
 see Elliot, D. G., 'birds obtained by expedition into Somali-land' (rev.), '97, 245.
 see Anderson, R. M., 'birds of Winnebago and Hancock Counties, Iowa' (rev.), '97, 246.
 see Ricker, E. W., 'birds of Hull, Massachusetts' (rev.), '97, 246.
 see Howe, R. H., Jr., 'birds of Brookline, Mass.' (rev.), '97, 246.
 see Tegetmeier, W. B., 'Pheasants' (rev.), '97, 246.
 see Cory, C. B., 'birds of eastern N. Am.' (rev.), '97, 248.
 see Schalow, H., 'Anton Reichenow's writings' (rev.), '97, 248.
 Proper generic name of the Loons, '97, 312.

- see Ridgway, R., 'birds of the Galapagos archipelago' (rev.), '97, 329.
 see Cooke, W. W., 'birds of Colorado' (rev.), '97, 331.
 see Miller, W., 'scientific names' (rev.), '97, 332.
 see Cory, C. B., 'how to know the shore birds of N. Am.' (rev.), '97, 418.
 see Hartert, E., 'Podargidae, etc.' (rev.), '97, 419.
 see Chapman, F. M., 'handbook of birds of eastern N. Am.' 4th ed. (rev.), '97, 419.
 see Mearns, E. A., 'ornith. vocabulary of Moki Indians' (rev.), '97, 420.
 see Judd, S. D., 'methods in economic ornithology' (rev.), '97, 420.
 see Beal, F. E. L., 'the Blue Jay and its food' (rev.), '97, 421.
 see Beal, F. E. L., 'some common birds in their relation to agriculture' (rev.), '97, 421.
 see Palmer, T. S., 'extermination of noxious animals by bounties' (rev.), '97, 422.
 see Whitlock, F. B., 'migration' (rev.), '97, 422-424.
 see Suchetet, A., 'hybrides' (rev.), '97, 424.
 see Dixon, C., 'migration' (rev.), '98, 67-70.
 see Marsh, O. C., 'affinities of *Hesperornis*' (rev.), '98, 70.
 see Stone, W., 'genus *Sturnella*' (rev.), '98, 70.
 see Stone, W., 'proper name for Western Horned Owl' (rev.), '98, 71.
 see Allen, F. H., 'nature's diary' (rev.), '98, 71.
 see Baskett, J. N., 'story of the birds' (rev.), '98, 71.
 see Chapman, F. M., 'bird life,' colored ed. (rev.), '98, 72.
 see Montgomery, T. H., Jr., 'birds of West Chester, Pa.' (rev.), '98, 72.
 see Grinnell, J., 'birds of Santa Barbara Is., etc.' (rev.), '98, 73.
 see Audubon, M. R., and Coues, 'Audubon and his journals' (rev.), '98, 198-205.
 see Merriam, F. A., 'birds of village and field' (rev.), '98, 206.
 see Kingsley, J. S., 'hair and feathers' (rev.), '98, 207.
 see Baur, G., 'birds of Galapagos archipelago' (rev.), '98, 207.
 see Scott, W. E. D., 'bird studies' (rev.), '98, 275-277.

- see Apgar, A. C., 'birds of U. S.' (rev.), '98, 277.
 see Cory, C. B., 'how to know the Ducks, Geese and Swans of N. Am.' (rev.), '98, 278.
 see Worcester and Bourne, 'Philippine ornithology' (rev.), '98, 284.
 A defense of canon XL of the A. O. U. code, '98, 298-303.
 see Butler, A. W., 'birds of Indiana' (rev.), '98, 335.
 see Blanford, W. T., 'fauna of British India' (rev.), '98, 336.
 see Gurney, J. H., 'the economy of the Cuckoo' (rev.), '98, 337.
 see Eastman, C. R., 'remains of *Struthiolithus chersonensis*' (rev.), '98, 338.
 see Bangs, O., 'birds from Santa Marta, Colombia' (rev.), '98, 339.
 see Bangs, O., 'birds from Pueblo Viejo, Colombia' (rev.), '98, 339.
 see Nelson, E. W., 'new birds from Mexico' (rev.), '98, 340.
 see Nelson, E. W., 'new birds from Tres Marias Is.' (rev.), '98, 340.
 'Truth versus error,' '99, 46-51.
 see Torrey, B., 'a world of green hills' (rev.), '99, 86.
 see Maynard, L. W., 'birds of Washington [D. C.]' (rev.), '99, 87.
 see Blanchan, N., 'birds that hunt and are hunted' (rev.), '99, 88.
 see Huntington, L. W., 'in brush, sedge and stubble' (rev.), '99, 89, 372.
 see Oberholser, H. C., 'Wrens of genus *Thryomanes*' (rev.), '99, 89.
 see Bangs, O., 'birds from Colombia' (rev.), '99, 90.
 see Indiana Acad. of Science, Proceedings 1897 (rev.), '99, 91.
 see British Museum, 'cat. of birds,' vol. xxvi (rev.), '99, 198-203.
 see Evans, A. H., 'birds' (rev.), '99, 203.
 see Ihering, H. von, 'aves do Sao Paulo [Brazil]' (rev.), '99, 203.
 see Dearborn, N., 'birds of Belknap and Merrimac Counties, N. H.' (rev.), '99, 204.
 see Nash, C. W., 'birds of Ontario' (rev.), '99, 204.
 see Stejneger, L., 'birds of Kurile Is.' (rev.), '99, 205.
 see Clark, H. L., 'feather-tracts of N. Am. Grouse' (rev.), '99, 205.
 see Weed, C. M., 'winter food of Chickadee' (rev.), '99, 206.

- see Weed, C. M., 'feeding-habits of Chipping Sparrow' (rev.), '99, 206.
 see Whitman, C. H., 'birds of old English literature' (rev.), '99, 207.
 see Elliot, D. G., 'wild fowl of U. S.' (rev.), '99, 288.
 see Thompson, E. S., 'wild animals I have known' (rev.), '99, 289.
 see Stone, W., 'type specimens in Philadelphia Acad.' (rev.), '99, 290.
 see Bangs, O., 'new Barred Owl' (rev.), '99, 291.
 see Bangs, O., 'Labrador Spruce Grouse' (rev.), '99, 291.
 see Bangs, O., 'new Rail' (rev.), '99, 291.
 see Brewster, W., 'undescribed Clapper Rail' (rev.), '99, 291.
 see Osgood, W. H., '*Chamaea fasciata* and its subspecies' (rev.), '99, 291.
 see Bangs, O., 'subspecies of *Manacus manacus*' (rev.), '99, 292.
 see Schalow, H., 'Vögel der Sammlung Plate' (rev.), '99, 292.
 see Salvadori and Festa, 'uccelli di Darien' (rev.), '99, 292.
 see Harvie-Brown, J. A., 'colour code' (rev.), '99, 293.
 see Howe, R. H., Jr., 'on the birds' highway' (rev.), '99, 293.
 see Beal, F. E. L., 'economic relations of birds' (rev.), '99, 294.
 see Judd, S. D., 'birds as weed destroyers' (rev.), '99, 294.
 see Palmer, T. S., 'danger of introducing noxious animals and birds' (rev.), '99, 294.
 see Coues, E., 'generic and subgeneric names in A. O. U. check-list' (rev.), '99, 297.
 Republication of descriptions of new species and subspecies of N. Am. birds, '99, 338-350.
 see Montgomery, T. H., Jr., 'observations on Owls' (rev.), '99, 363.
 see Lantz, D. E., 'Kansas ornith.' (rev.), '99, 364.
 see Lantz, D. E., 'birds collected by Goss in Mexico, etc.' (rev.), '99, 365.
 see Cory, C. B., 'birds of eastern N. Am.—water birds' (rev.), '99, 366.
 see Knobel, E., 'field key to the land birds' (rev.), '99, 367.
 see Miller, O. T., 'first book of birds' (rev.), '99, 368.
 see Stone, W., 'birds from Bogota' (rev.), '99, 369.
 see Stone, W., 'a new species of *Coccycus*' (rev.), '99, 369.

- see Chapman, F. M., 'five new birds from Venezuela' (rev.), 199, 369.
 see Oberholser, H. C., 'untenable names' (rev.), 199, 370.
 see Farrington, O. C., 'fossil egg' (rev.), 199, 370.
 see Gurney, J. H., 'age to which birds live' (rev.), 199, 370-372.
 see Gill, T., 'longevity of birds and other vertebrates' (rev.), 199, 371.
 see Kellogg, V. L., 'new Mallophaga' (rev.), 199, 372.
 The Little Black Rail, 1900, 1-8 (col. pl.).
 see Merriam, C. H., 'biological survey of Mt. Shasta' (rev.), 1900, 73.
 see Palmer, W., 'avifauna of Pribilof Islands' (rev.), 1900, 74-76.
 see Howe and Sturtevant, 'birds of Rhode Island' (rev.), 1900, 76.
 see Newton, A., 'dictionary of birds,' reissue (rev.), 1900, 77.
 see Cory, C. B., 'birds of eastern N. Am.—land birds' (rev.), 1900, 78.
 see British Ornithologists' Club [Sharpe editor], 'avium generum index alphabeticus' (rev.), 1900, 78.
 see Sharpe, R. B., 'hand-list of genera and species' (rev.), 1900, 79-81.
 see Dubois, A., 'synopsis avium' (rev.), 1900, 81.
 see Salvadori and Festa, 'viaggio nell' Ecuador.—Uccelli,' pt. i (rev.), 1900, 81.
 see Bangs, O., 'birds from Colombia' (rev.), 1900, 82.
 see Pearson, T. G., 'birds of Chapel Hill, N. C.' (rev.), 1900, 82.
 see Kellogg, V. L., 'list of lice from birds and mammals' (rev.), 1900, 82-84.
 see Kellogg, V. L., 'problem in distribution' (rev.), 1900, 83.
 see Lange, D., 'our native birds, etc.' (rev.), 1900, 84.
 see Macpherson, H. A., 'history of fowling' (rev.), 1900, 85.
 see Wright, M. O., 'Wabeno, the magician' (rev.), 1900, 86.
 see Bumpus, H. C., 'elimination of the unfit' (rev.), 1900, 87.
 see Whitman, C. O., 'animal behavior' (rev.), 1900, 87.
 Chuck-will's-widow in Kansas, 1900, 175.
 see Keeler, C. A., 'bird notes afield' (rev.), 1900, 180.
 see Russell, F., 'explorations in the far north' (rev.), 1900, 181.

- see Loomis, L. M., 'California water birds, No. IV' (rev.), 1900, 182.
 see Stone, W., 'summer molting plumage of Ducks' (rev.), 1900, 183.
 see Stone, W., 'new race of Short-eared Owl' (rev.), 1900, 184.
 see Bangs, O., 'birds from San Sebastian, Colombia' (rev.), 1900, 184.
 see Bangs, O., 'the Gray-breasted Wood Wrens of Santa Marta' (rev.), 1900, 184.
 see Chapman, F. M., 'five new birds from Venezuela' (rev.), 1900, 185.
 see Chapman, F. M., 'two new subspecies of *Colymbus dominicus*' (rev.), 1900, 185.
 see Chapman, F. M., 'birds of Peary expeditions to Greenland' (rev.), 1900, 185.
 see Oberholser, H. C., 'Flammulated Screech Owls' (rev.), 1900, 186.
 see Oberholser, H. C., 'birds collected in Liberia' (rev.), 1900, 186.
 see Maynard, C. J., 'appendix to cat. of birds of West Indies' (rev.), 1900, 187.
 see Kopman, H. H., 'bird fauna of Louisiana' (rev.), 1900, 187.
 see Faxon and Hoffman, 'birds of Berkshire Co., Mass.' (rev.), 1900, 187.
 see Praeger, W. E., 'birds in horticulture' (rev.), 1900, 188.
 see Stark, A. C., 'birds of South Africa' (rev.), 1900, 189.
 see Rothschild and Hartert, 'ornithology of Galapagos Is.' (rev.), 1900, 300-303.
 see Salvadori and Festa, 'viaggio nell' Ecuador.—Uccelli,' pts. ii, iii (rev.), 1900, 303.
 see Oberholser, H. C., 'birds collected in central Asia' (rev.), 1900, 304.
 see Oberholser, H. C., 'birds from Madagascar' (rev.), 1900, 304.
 see Oberholser, H. C., 'birds from Santa Barbara Is., Cal.' (rev.), 1900, 304.
 see Van Denburg, J., 'birds of Santa Clara Co., Cal.' (rev.), 1900, 305.
 see Bonhote, J. L., 'birds collected in New Providence, Bahamas' (rev.), 1900, 305.
 see Richmond, C. W., 'new *Dendronnis*' (rev.), 1900, 305.
 see Richmond, C. W., 'three new birds from Siam' (rev.), 1900, 305.

see Bangs, O., 'new Dove from Colombia' (rev.), 1900, 306.
 see Dugmore, A. R., 'bird-homes' (rev.), 1900, 306.
 see Pearson, H. J., 'beyond Petsora eastward' (rev.), 1900, 307.
 see Collett and Nansen, 'birds of Norwegian North Polar expedition' (rev.), 1900, 308-310.
 see Farr, M. S., 'check list of New York birds' (rev.), 1900, 313.
 see Palmer, T. S., 'legislation for protection of birds' (rev.), 1900, 314.
 'Aptosochromatism,' 1900, 327-336.
 North American birds collected at Santa Marta, Colombia, 1900, 363-367.
 see Beyer, G. E., 'avifauna of Louisiana' (rev.), 1900, 392.
 see Burns, F. L., 'monograph of the Flicker' (rev.), 1900, 393.
 see Nash, C. H., 'check-list of birds of Ontario' (rev.), 1900, 394.
 see Macoun, J., 'catalogue of Canadian birds,' pt. i (rev.), 1900, 394.
 see Delaware Valley Ornith. Club, proc., No. III (rev.), 1900, 395.
 see Cooke, W. W., 'further notes on birds of Colorado' (rev.), 1900, 396.
 see Palmer, T. S., 'directory of State officials' (rev.), 1900, 396.
 see Palmer, T. S., 'protection and importation of birds' (rev.), 1900, 396.
 see Palmer, T. S., 'review of economic ornithology in U. S.' (rev.), 1900, 397.
 see Meyer and Wiglesworth, 'birds of Celebes' (rev.), 1900, 399.
 Allen, J. A., and Faxon, W., see Faxon and Allen.
Allen, J. A., and Brewster, W.
 Lists of birds observed in vicinity of Colorado Springs, Colorado, '83, 151-161, 189-198.
allenii (*Agyrrtria*) see *Agyrrtria*.
 — (*Buteo*), see *Buteo*.
 — (*Pipilo*), see *Pipilo*.
 — (*Lagopus*), see *Lagopus*.
 — (*Selasphorus*), see *Selasphorus*.
 — (*Spinus*), see *Spinus*.
 — (*Strix*), see *Syrnium*.
 — (*Syrnium*), see *Syrnium*.
 — (*Trochilus*), see *Selasphorus*.
 — (*Vireo*), see *Vireo*.
Allenia, '91, 42*.
montana (^b *Margarops*, ^c *Margarops rufus*, ^d *Margarops albiventris*).

H. I., '80, 166^b, '85, 15^b, '87, 95^b, 251^d, '88, 47^c, 157^c, 157^d, '91, 42, 47, 48, 49.—*meas.* '86, 16^b, '88, 47^c; *flm.* '86, 16^b, '88, 47^{c*}; *syn.* '86, 15^b, '91, 42.
Allidae, '92, 174.
Allison, Andrew.
 Sprague's Pipit near New Orleans, La., '99, 82.
 Sparrows of Mississippi, '99, 266-270.
 Cinnamon Teal in Louisiana, 1900, 170.
 Louisiana and Mississippi bird notes, 1900, 297.
almæ (*Hylocichla*), see *H. swainsoni*.
alnorum (*Empidonax*), see *Empidonax*.
 — (*Fringilla*), see *Acanthis holboellii*.
 — (*Linaria*), see *Acanthis holboellii*.
Alopochen, see *Chenalopex*.
alpestris (*Eremophila*), see *Otocoris alpestris*, *arenicola*, *merrilli* or *praticola*.
 — (*Otocoris*), see *O. alpestris* or *praticola*.
 — (*Turdus*), see *Turdus*.
alpina (*Tringa*), see *Tringa*.
 — (*Pelidna*), see *Tringa*.
 — (*Tringa*), see *T. alpina* or *pacifica*.
alpinus (*Accentor*), see *Accentor*.
 — (*Lagopus*), see *L. mutus* or *nelsoni*.
 — (*Pyrrhocorax*), see *Pyrrhocorax*.
alticola (*Catharus*), see *Catharus*.
 — (*Certhia*), see *C. alticola* or *albescens*.
 — (*Junco*), see *Junco*.
 — (*Sturnella*), see *Sturnella*.
 — (*Vireo*), see *Vireo*.
alticolus (*Heleodytes*), see *Heleodytes*.
altiloqua (*Vireosylvia*), see *Vireo calidris* or *barbatula*.
altiloquus (*Vireo*), see *V. calidris*.
altirostris (*Cyclorrhynchus*), see *C. ochrocephala*.
Aluco, see *Strix*.
aluco (*Strix*), see *Syrnium*.
 — (*Syrnium*), see *Syrnium*.
Aluconidae, 1900, 66.
amabilis (*Zenaida*), see *Zenaida*.
amaura (*Speotyto*), see *Speotyto*.
amauroptera (*Euryzona*), see *Euryzona*.
Amaurornis, '87, 250.
Amaurospiza axillaris, *Braz.* '88, 412.
aequatorialis, *Ecuador*, '88, 411.
Amazilia aliciae, *Venez.* '95, 368*, '96, 333.
cerviniventris, *syn.* '81, 173.
chalconota (Buff- or Rufous-bellied Hummingbird, ^b *cerviniventris*), *g. dist.* '93, 141, '98, 32*; *Tex.* '77, 26^b,

- '78, 144^b, '80, 90^b.—meas., '98, 32, 36; syn., '81, 173^b, '99, 112; misc., '98, 188 (corr.).
- erythronota*, *Venez.* '97, 362, 366, 371.—plm., syn., '97, 371.
- fuscicaudata* (Rieffler's Hummingbird, ^b *Pyrrophaena riefferi*), *C. R.* '90, 333, '92, 325; *gen. dist.* '93, 141; *Tex.* '76, 88^b, '80, 90.—meas., '92, 325; *nst.* '92, 325; plm., syn., '99, 324.
- lawrencei*, *Colom.* '89, 209*.
- saturatus*, *Mex.* '98, 340.
- sophiae*, *C. R.* '92, 325.
- yucatanensis*, syn., '81, 173.
- Amazona* (^b *Chrysotis*), '86, 458^b, '92, 278.
- agilis* (^b *Chrysotis*), *Jamaica*, hbt., meas., plm., '86, 460^b, '92, 128; syn., '86, 460^b.
- amazonica* (^b *Chrysotis domes-tica*), *W. I.* '93, 220; plm., '89, 50^b.
- bouqueti* (^b *Chrysotis*), *W. I.* '80, 164^b, 169^b, '81, 128^b, '86, 426^b.—meas., plm., syn., '86, 426^b.
- caymanensis* (^b *Chrysotis*), *W. I.* '86, 497^{*b}, 502^b, '88, 159^b.
- collaria* (^b *Chrysotis*), *W. I.* '86, 459^b, '92, 128.—hbt., '92, 128; meas., '86, 459^b; plm., '86, 459^b, '92, 128; syn., '86, 459^b.
- festiva*, *Braz.* '91, 160.
- guildingi* (^b *Chrysotis*), *W. I.* '79, 229^b, '86, 462^b.—meas., plm., syn., '86, 462^b.
- imperialis* (^b *Chrysotis augusta*), *W. I.* '86, 461^b.—meas., plm., '86, 461^b; syn., '86, 461^b, '99, 186.
- inornata*, *Panama*, '99, 293.
- leucocephala* (^b *Chrysotis*), *Ba-hamas*, '91, 351^b; *W. I.* '86, 459^b, '89, 31^b, 32^b.—meas., '86, 459^b; plm., '86, 459^b, '91, 188^b; syn., '86, 459^b.
- ochrocephala*, *Braz.* '91, 160.
- ochroptera* (^b *canifrons*, ^c *Chrysotis canifrons*), *W. I.* '84, 387^c, '93, 355^b.—syn., '93, 355^b, '94, 174^c.
- oratrix* (^b *Chrysotis levillanti*), *Mer.* '99, 287^b, 1900, 256.—hbt., '92, 288^b, '99, 287^b; mig., '99, 287^b; plm., 1900, 256.
- rothschildi*, *W. I.* '93, 355.
- saltuensis*, *Mex.* syn., '99, 296.
- tresmariae*, 1900, 256^b.
- ventralis* (^b *Chrysotis sallaei*), *W. I.* '81, 154^b, '86, 458^b.—meas., plm., syn., '86, 458^b.
- versicolor* (^b *Chrysotis*), *W. I.*—meas., plm., syn., '86, 463^b.
- vittata* (^b *Chrysotis*), *W. I.*—meas., plm., syn., '86, 458^b.
- amazona (Ceryle), see Ceryle.
- amazonica (Amazona), see Amazona.
- amazonicus (Chrysotis), see Amazona collaria.
- amazonus (Sittasomus), see Sittasomus.
- ambiguus (Haliastur), see Haliastur.
- (Trogen), see Trogon.
- Amblycercus holosericeus*, *C. R.* '92, 249.
- solitarius* (^b *Cassicus*), *Braz.* '90, 269; *Urug.* '83, 133^b.—song, '83, 133^b.
- Amblyornis subalaris*, *N. Guinea*, '86, 399.
- Amblyrhamphus holosericeus*, *Urug.* hbt., plm., song, '83, 135.
- Ameghino*, Florentino.
- Sur les oiseaux fossiles de Patagonie (rev.), '96, 61–63.
- American Association for Advancement of Science, '91, 124.
- American Entomologist.
- Titles in (Nos. 132–140), '81, 53.
- American Field.
- Titles (Nos. 544–569), '84, 186, (Nos. 816–845), '85, 212, (Nos. 1200–1286), '88, 312, (Nos. 2015–2112), '91, 387, (Nos. 2452–2465), '92, 383.
- American Journal of Psychology.
- Title (No. 2330), '92, 283.
- American Museum of Natural History, '87, 270, '88, 222, '94, 90.
- American Naturalist.
- Titles in, '77, 73, (Nos. 101–131), '81, 51, (Nos. 455–503), '84, 85, (Nos. 783–792), '85, 210, (Nos. 1037–1041); '86, 475, (Nos. 1389–1413), '89, 180, (Nos. 2221–2229), '92, 282.
- American Ornithologists' Union.
- By-Laws, '88, 221, ix–xvi, '90, 218, '91, 121, '93, 96, '97, 115.
- Check-List, date published, '86, 288; rev., '86, 393; supplement, '89, 81; suppl. rev., '89, 168; abridged edition, '89, 81; abr. ed. rev., '89, 169; second suppl., '90, 60–66; third suppl., '91, 83–90; fourth suppl., '92, 105–108; fifth suppl., '93, 59–63; sixth suppl., '94, 46–51; seventh suppl., '95, 163–169; eighth suppl., '97, 117–135; ninth suppl., '99, 97–133; second ed., '94, 87, '95, 96; second ed. rev., '96, 69.
- Committee on Bird Protection, '86, 143, '94, 87; *Bull.* 1, '86, 287, 496; *Bull.* 2, '87, 83; members, '97, 116, '98, 80; reports, '95, 97, '96, 98, '98,

81-114, 288, '99, 55-74, 1900, 51-58, 94-96, 198-200, 323.

Committee on Nomenclature (see also Check-List), '84, 107, 207, 404, '95, 96.

Committee on Migration, '84, 71-76, 107, 207, '85, 117-120, 223, 318.

Congress, first, 1883, '83, 221-226; second, 1884, '84, 369-379; third, 1885, '86, 115-122; fourth, 1886, '87, 56-61; fifth, 1887, '88, 95-100; sixth, 1888, '89, 55-58; seventh, 1889, '90, 66-71; eighth, 1890, '91, 80-83; ninth, 1891, '92, 56-59; tenth, 1892, '93, 63-65; eleventh, 1893, '94, 51-56; twelfth, 1894, '95, 60-65; thirteenth, 1895, '96, 55-59; fourteenth, 1896, '97, 82-86; fifteenth, 1897, '98, 43-48; sixteenth, 1898, '99, 51-55; seventeenth, 1899, 1900, 58-63.

Editorship of 'Auk,' '87, 359, '88, 126, '94, 88.

Fund for research, 1900, 92.

Incorporation, '89, 82.

Members, Oct. 1886, '86, x-xvi; Dec. 1887, '88, xx-xxvii; Dec. 1888, '89, x-xix; Dec. 1889, '90, x-xxi; Dec. 1890, '91, x-xxiii; Dec. 1891, '92, x-xxiv; Dec. 1892, '93, x-xxiv, 212; Dec. 1893, '94, x-xxv; Dec. 1894, '95, x-xxvii; Dec. 1895, '96, x-xxviii; Dec. 1896, '97, x-xxviii; Dec. 1897, '98, x-xxviii; Dec. 1898, '99, x-xxix; Dec. 1899, 1900, x-xxx.

Officers, '86, ix, '88, xix, '89, ix, '90, ix, '91, ix, '92, ix, '93, ix, '94, ix, '95, ix, '96, ix, '97, ix, '98, ix, '99, ix, 1900, ix.

American Osprey, '85, 391.

American Society of Bird Restorers, '99, 215.

American Sportsman.

Titles in, '76, 30.

americana (Ethya), see Aythya.
— (Aluco), see Strix pratincola.
— (Anas), see Mareca or Aythya.
— (Aythya), see Aythya.
— (Bucephala), see Clangula.
— (Certhia), see Certhia fusca, montana or occidentalis.
— (Ceryle), see Ceryle americana or septentrionalis.
— (Ciconia), see Mycteria.
— (Clangula), see Clangula.
— (Compsothlypis), see C. americana or usneæ.
— (Cupidonia), see Tympanuchus.
— (Euspiza), see Spiza.
— (Fulica), see Fulica.
— (Fuligula), see Aythya.

— (Fulix), see Aythya.
— (Glaucionetta), see Clangula.
— (Grus), see Grus.
— (Hirundo), see H. erythrogastera.
— (Loxia), see L. minor.
— (Mareca), see Mareca.
— (Meleagris), see M. fera.
— (Mycteria), see Mycteria.
— (Nyroca), see Aythya.
— (Oidemia), see Oidemia.
— (Parula), see Compsothlypis americana or usneæ.
— (Pelidna), see Tringa pacifica.
— (Recurvirostra), see Recurvirostra.
— (Rhea), see Rhea.
— (Spiza), see Spiza.
— (Sturna), see S. antillarum.
— (Strix), see S. pratincola.
— (Sylvia), see Compsothlypis.
— (Tringa), see T. pacifica.
— (Troglodytes), see T. parkmanii.
americanus (Asio), see A. wilsonianus.
— (Caprimulgus), see Siphonorhis.
— (Charadrius), see C. dominicus.
— (Chordeiles), see Siphonorhis.
— (Coccygus), see Coccyzus.
— (Coccyzus), see C. americanus or occidentalis.
— (Corone), see Corvus.
— (Corvus), see C. americanus or nasicus.
— (Cuculus), see Coccyzus.
— (Cygnus), see Olor columbianus.
— (Lagopus), see L. lagopus.
— (Merganser), see Merganser.
— (Nycticorax), see N. naevius.
— (Olor), see O. columbianus.
— (Parus), see Compsothlypis.
— (Phaethon), see Phaethon.
— (Picoides), see Picoides.
— (Picus), see Picoides.
— (Siphonorhis), see Siphonorhis.
— (Tympanuchus), see Tympanuchus.

Ames, J. H.

Rare birds taken in Toronto and vicinity, '97, 411.

amethystina (Phaboteron), see Phaboteron.

Amherst Record.

Title (No. 448), '83, 238.

amicta (Nyctornis), see Nyctornis.

amictus (Merops), see Nyctornis.

Amizilis, see Amazilia.

Ammodramus (^b Passerculus), '80, 97, '86, 211, '88, 412^b, '90, 194^b, '93, 111, 130, '97, 93.

alaudinus (^a Western Savanna Sparrow, ^b Passerculus), *Alas.* '81,

^{2^a}, '85, 201, 240^b; *Ariz.* '87, 199; *Cal.* '78, 66^b, '86, 182, '89, 222; *Colo.* '83, 161^b, '85, 16^b, '87, 122; *g. dist.* '93, 126; *Ida.* '98, 15; *Kan.* '86, 114^b; *L. Cal.* '95, 140; *Man.* '86, 323; *Minn.* '80, 14; *Miss.* '99, 267; *Mont.* '94, 305, '95, 216; *N. M.* '92, 365; *Ore.* '79, 164^b, '86, 168^b, '88, 358; *Tex.* '82, 38^b, '87, 259^a, 291, '92, 338; *Wash.* '82, 227^b, '92, 45, 355^b.—*hbt.* '81, 2^a; *nst.* '81, 3^a; *plm.* '86, 114^b, '88, 358; *syn.* '90, 191^b.

bairdii (^a Baird's Sparrow or Bunting, ^b Passerulus, ^c Centronyx, ^d *Centronyx ochrocephalus*), *Ariz.* '85, 198^c, 231^c, 333^c; *Colo.* '85, 16^c; *Man.* '85, 268^b, '86, 323; *Mo.* '95, 219-225^a; *Mont.* '79, 50^a; *N. Dak.* '79, 50^a; *Neb.* '84, 286^a; *N. M.* '85, 333^c, '92, 365; *N. Y.* 1900, 296; *Tex.* '87, 291; *Wash.* '97, 93, 178.—*fd.* '85, 268^b; *hbt.* '85, 268^b, '97, 93; *mig.* '85, 333^c; *plm.* '95, 222^a; *song.* '85, 268^b; *syn.* '78, 2^b (col. pl.); *misc.* '81, 168^c, '82, 242^c.

belldingi (Belding's Marsh Sparrow, ^b Passerulus, ^c Passerulus anthinus), *Cal.* '85, 212^c, 292^c, '86, 182, '89, 222; —*nst.* '85, 212^c; *misc.* '87, 251.

bryanti (Bryant's Marsh Sparrow, ^b Passerulus, ^c *brunnescens*), *Cal.* '85, 202^b; *g. dist.*, *meas.* '88, 265^{*c}.

brunnescens, '88, 265^{*c}; see *bryanti*.
caudacutus (^a Sharp-tailed Sparrow or Finch), *D. C.* '82, 253; *Fla.* '81, 15, '89, 322; *g. dist.* '96, 271; *Mass.* '98, 76; *Me.* '77, 27, '78, 98, 147^a, '80, 52, '87, 237, '97, 334; *Miss.* '99, 268; *N. H.* '87, 233; *N. J.* '79, 233, '88, 422, '89, 303, '93, 85, '94, 139; *Ont.* '89, 204; *R. I.* '97, 219, '99, 286; *Tex.* '82, 12.—*hbt.* '80, 52, '96, 277, '99, 286, 287^a; *meas.* '87, 234; *nst.* '91, 106^a; *plm.* '78, 119; '79, 28^a (alb.), '87, 235, '96, 273, 274; *syn.* '96, 271, '97, 334.

fisheri (Louisiana Seaside Sparrow, ^b *A. macgillivrayi* [of Ridgway]), *g. dist.* '97, 121^b, '99, 5^b, 10^b (col. pl.), 118.—*meas.* '99, 12; *plm.* '99, 5^b, 10^b, 11, 12; *syn.* '97, 121^b, 232^b, '99, 10, 118.

guttatus (St. Lucas Sparrow, ^b Passerulus, ^c *halophilus*), *L. Cal.* '78, 80^b, '90, 215^b, '98, 265^{*c}.—*meas.* '98, 266, 267; *nst.* '98, 267; *syn.* '98, 265^c, '99, 133^c.

halophilus, '98, 265^{*c}; see *guttatus*.

henslowii (^a Henslow's Sparrow, ^b Coturniculus), *Ala.* '79, 8^b; *Conn.*

'83, 174^b; *D. C.* '88, 22; *Fla.* '81, 16^b, '82, 121^b, '89, 322, '92, 213, '95, 365; *Ia.* '95, 122, 236; *Ill.* '83, 58^b, '90, 240; *Ind.* '95, 391^a; *Mass.* '84, 7^a, '85, 209^b, '88, 389, 390, '89, 44, '97, 220; *Md.* '93, 92; *Mich.* '97, 406^a; *Minn.* '90, 213, '93, 290; *Miss.* '99, 267; *Mo.* '79, 143^b; *N. C.* '93, 242, 243, '94, 332; *N. H.* '78, 39^b; *N. J.* '94, 139, '95, 189, '97, 326; *N. Y.* '87, 350; *O.* '95, 241; *Ont.* '99, 80; *R. I.* '89, 194 [not 'henslowi,' see '99, 356]; *S. C.* '85, 190^b, '88, 210, '92, 31^a, 39^a, '94, 34^a; *Tenn.* '86, 317; *Va.* '79, 238^b, '81, 57^b; *Vt.* '84, 7^a.—*hbt.* '79, 8^b, '85, 190^b, '99, 80; *meas.* '81, 57^b, '95, 189; *mig.* '85, 190^b, '92, 31^a, 39^a, '95, 122, 236, 241; *nst.* '81, 57^b, '83, 174^b, '95, 189, '97, 220; *plm.* '78, 118^b, '79, 46^b, '88, 210; *song.* '81, 57^b, '89, 44, '95, 391^a.

lecontei (^a Le Conte's Sparrow, ^b Coturniculus), *Ala.* '79, 8^b; *Fla.* '82, 121, '95, 365; *Ga.* '96, 207, 208, 214; *Ia.* '77, 26^b; *Ida.* '98, 16; *Ill.* '76, 40^b, '80, 32^b, 51^b, '83, 58^b, '90, 76, 241; *Ky.* '99, 356; *Man.* '85, 23^b, 268^a, '86, 323; *Minn.* '79, 152^b; *Miss.* '99, 268; *Mo.* '85, 381^b, '86, 489, '95, 3^a, 10^a, 219-225^a; *N. C.* '94, 332; *Neb.* '84, 286^a; *N. Y.* '98, 188; *Ont.* '97, 411; *S. C.* '82, 54^b, '85, 190-192^b, '86, 410, 486, '88, 210, '91, 50, 168, '94, 256; *S. D.* '85, 280^b.—*fd.* '85, 190^b; *hbt.* '82, 121^b, '83, 58^b, '85, 23^b, 190^b, 381^b; *meas.* '85, 24^b, 191^b; *mig.* '91, 50, 51, 52; *nst.* '85, 23^b, 280^b, '86, 323; *plm.* '79, 152^b, '94, 256 (mlt.), '85, 190^b; *song.* '85, 23^b, 381^b; *syn.* '97, 320; *misc.* '81, 168^b.

macgillivraii (Macgillivray's Seaside Sparrow), *Ga.* '83, 39 ('maritimus'); *g. dist.* '99, 6, 118.—*meas.* '99, 12; *nst.* '83, 39 ('maritimus'); *plm.* '99, 6, 11, 12; *syn.* '97, 321, '99, 6, 9, 118.

manimbe (^b Coturniculus), *Urug.* '83, 131^b; *Venez.* '97, 364.—*hbt.* '83, 132^b; *plm.* '97, 368; *song.* '83, 132^b.

maritimus (^a Seaside Sparrow or Finch), *Cuba.* '86, 213; *Fla.* '81, 15; *Ga.* '88, 426, '98, 174^a; *g. dist.* '99, 4; *Mass.* '78, 48, '90, 289, '97, 320, 322, '98, 189; *Me.* '85, 301^a; *Miss.* '99, 268; *N. J.* '79, 223, '89, 303, '93, 85, '94, 139; *N. S.* '80, 44; *N. Y.* '84, 176, '85, 272, '89, 130, 197; *R. I.* '97, 219, 323; *Va.* '76, 25, '94, 259.—*meas.* '99, 7, 12; *mig.* '84, 176; *nst.*

'76, 25, '91, 106^a, '94, 259, '97, 322; *plm.* '78, 119, '88, 285, 286, '99, 6, 7, 11, 12; *syn.* '80, 97, '86, 213, '99, 6, 6.
nelsoni (Nelson's Sparrow, ^b *becki*), *Cal.* '92, 175^b; *Conn.* '91, 115; *g. dist.* '96, 271-278; *Ia.* '99, 276; *Ill.* '76, 40, '77, 68 [*caudatus* ?], '80, 32, 89, '90, 241; *Kan.* '82, 55, '86, 115; *Man.* '93, 50; *Mass.* '86, 486, '87, 233, 238; *Mich.* 1900, 391; *Minn.* '89, 340, '93, 290; *N. D.* '99, 356; *Neb.* '96, 245; *N. J.* '88, 422, '93, 85; *N. Y.* '85, 306, '87, 236, '90, 56; *Ont.* '99, 277; *R. I.* 1900, 77; *S. C.* '85, 216; *Ia.* '94, 333.—*meas.* '87, 234, '99, 357; *mig.* '86, 137; *nst.* '99, 356; *plm.* '85, 306, '87, 235, '89, 340, '96, 273 (*col. pl.*), 274; *song.* '96, 277; *syn.* '92, 107, 107^b, '96, 272, 273^b, '97, 334, '99, 117.

nigrescens (Dusky Seaside Sparrow, ^b *melanoleucus*), *Fla.* '76, 30^b, '79, 115, '88, 285, '98, 270, '99, 2, 277; *g. dist.* '93, 141.—*hbt.* '98, 270; *meas.* '99, 3; *plm.* '88, 285, '99, 2; *syn.* '88, 284, '99, 2.

obscurus, *Mcx.* '97, 61^a.

occidentalis (Western Henslow's Sparrow), *g. dist.* '92, 106, '93, 134; *S. D.* '91, 145*—*meas.* '91, 145; *syn.* '92, 106.

passerinus (^a Grasshopper or Yellow-winged Sparrow, ^b *Coturniculus*, ^c *australis*), *Ala.* '79, 8^b; *Bahamas.* '86, 212, '87, 155^c, '91, 296; *D. C.* '88, 22; *Fla.* '81, 16^b, '82, 121^a, '85, 63^b, '88, 273, 274^c, '89, 321, '90, 311, '92, 213, '95, 365; *Ga.* '82, 99^a; *g. dist.* '88, 398^c; *Ia.* '91, 108, '95, 122, 236; *Ill.* '90, 240; *Ind.* '82, 17^b, '89, 25, '95, 391; *La.* '87, 304; *Mass.* '89, 40^a, 44; *Mich.* '81, 196^a; *Minn.* '80, 14^b; *Miss.* '99, 267; *Mo.* '79, 143^b; *N. C.* '86, 107; *New E.* '76, 73^b, 92^b, '77, 16^b, 47^b; *N. J.* '88, 274, '94, 139; *N. Y.* '79, 175^b, '84, 330^b, '95, 313, '97, 227, 1900, 178; *O.* '95, 241; *Ont.* '87, 248^a, '89, 204; *Pa.* '89, 198, '92, 137, '93, 37, 40, '96, 294; *S. C.* '79, 214^b, '86, 486^a, '91, 167, '92, 28^a, 31^a, 39^a, '94, 34^a; *S. D.* '85, 280^b; *Tenn.* '86, 317; *Tex.* '82, 12^b, 38^b, '92, 338; *Ilt.* '84, 7^a.—*meas.* '88, 274^c; *mig.* '82, 99^a, '85, 63^b, '91, 167, '92, 28^a, 31^a, 39^a, '95, 122, 236, 241, '99, 275; *plm.* '78, 119^b, '88, 274^c; *song.* '84, 330^b; *syn.* '81, 170^a, '85, 371^b, '88, 398^c; *misc.* '82, 113^b (*corr.*).

peninsulæ (Scott's Seaside Spar-

row), *Fla.* '88, 426, '89, 322, '91, 133, 138; *Ga.* '88, 426; *g. dist.* '88, 284*, 398, '99, 5; *S. C.* '90, 212 [=maegillivraii?], '94, 80 [=maegillivraii?].—*meas.* '88, 284, '99, 7, 12; *plm.* '88, 286, '99, 7, 11, 12; *syn.* '89, 322, '97, 321, '99, 9.

perpallidus (^a Western Grasshopper or Yellow-winged Sparrow, ^b *Coturniculus*), *Ariz.* '87, 199; *B. C.* 1900, 107; *Cal.* '87, 87; *Colo.* '85, 16^b; *g. dist.* '93, 134; *Mont.* '88, 15^a, '94, 305; *Tex.* '82, 12^b [*passerinus?*], 38^b [*passerinus?*], 127^b, '87, 291, '92, 338, 1900, 346.—*nst.* '87, 291; *syn.* '90, 191^b; *misc.* '91, 108^a.

princeps (^a Ipswich or Pallid Sparrow, ^b *Passerculus*), *Conn.* '76, 52^b, '80, 121^b, '89, 199; *Del.* '85, 105^b; *g. dist.* '93, 126; *Ga.* '90, 211, '93, 302; *Mass.* '79, 103-106^b, '83, 148^a; *Me.* '76, 31^b, '77, 27^b (error, see '96, 84^a), '82, 190^b, '86, 277^a; *N. B.* '76, 52^b, '83, 8^b; *N. E.* '76, 18^a; *N. J.* '81, 116^b, '92, 204; *N. S.* '84, 292^b, 390^b, '86, 135, '89, 64; *N. Y.* '77, 78, '78^b, 102^b, '84, 31^b, '85, 36^b, 97^a, 99^a, '86, 441, '95, 378^b, 378^b; *R. I.* '86, 272^a, '99, 190; *Tex.* '86, 135.—*fd.* '85, 36^b, '86, 442; *hbt.* '79, 103^b, '83, 8^b, '85, 36^b; *meas.* '79, 105^b, '84, 31^b, '85, 37^b; *mig.* '86, 441; *nst.* '84, 292^b, 390^b; *plm.* '78, 145^b; *song.* '83, 8^b; *syn.* '78, 3^b, '79, 105^b; *misc.* '93, 365^a (*corr.*), '95, 377^a, '96, 84^a (*corr.*).

rostratus (Large-billed Sparrow, ^b *Passerculus*), *L. Cal.* '84, 83^b; *Mcx.* '85, 198^b, 230^b.

sancitorum (San Benito Sparrow), *L. Cal.* '97, 92, 121, '98, 264.—*nst.* '98, 264; *plm.* '98, 264; *syn.* '97, 92, 121.

sandwichensis (Sandwich Sparrow, ^b *Passerculus*), *Alas.* '85, 157^b; *g. dist.* '93, 126; *Ore.* '88, 358; *Tex.* 1900, 346 [= savanna]; *Wash.* '92, 355, 1900, 355.—*syn.* '80, 97^b, '94, 66 [= savanna].

savanna (^a Savanna Sparrow, ^b *Passerculus*), *Ala.* '79, 8^b; *Bahamas.* '86, 211, '91, 334, 338, 339, 1900, 293; *Colo.* '85, 16^b; *Cuba.* '86, 211; *Fla.* '88, 273, '89, 321, '90, 311, '92, 213, '95, 365, '98, 270; *Ga.* '96, 214^b; *g. dist.* '93, 126; *Ia.* '95, 121; *Ill.* '90, 240; *Ind.* '89, 25; *La.* '80, 136^a, '82, 162^b, '87, 302^a, '99, 267; *Mass.* '84, 6^a, '87, 237, '89, 44, 101, '95, 188, '97, 100, '98, 76; *Mc.* '82, 148^b; *Mich.* '85, 65^b, 376^b; *Minn.* '79, 153^a; *Miss.* '99, 267; *Mo.* '79, 143^b; *N. B.* '82,

148^b, '83, 236^a, '87, 238^a, *N. H.* '88, 150, 152, 154, '94, 335; *N. J.* '92, 204; *N. S.* '87, 16; *N. Y.* '81, 229^b, '83, 236^a, '84, 176^b, 177^b, 178^b, 179^b, 329^b, '85, 97^a, 272^b, '99, 192; *Pa.* '92, 133^a, 137, '96, 283, 291, 292, 294, '99, 312; *P. E. I.* '93, 3^a, 6, 11; *Que.* '82, 235^b, '89, 148; *S. C.* '79, 214^b, '92, 33^a, 36^a, '99, 198; *S. D.* '85, 280^b; *Tenn.* '86, 317; *Tex.* '82, 12^b, 1900, 346 [*'sandwichensis'*]; *W's.* '88, 326.—*mig.* '80, 136^a, '84, 176^b, 177^b, 178^b, 179^b, 329^b, '85, 65^b, '88, 326, '92, 33^a, 36^a, '95, 121, '99, 198; *nst.* '96, 283; *plm.* '78, 118^a, '79, 28^a, (alb.) '84, 329^b, (mlt.) '89, 321, '96, 241, (mlt.); *song.* '84, 329^b; *syn.* '80, 97^b, '86, 211, 97, 93, '99, 130; *misc.* '82, 117^b, '94, 66^a, '99, 198.

savannarum, *H. I.* '86, 212, '93, 179, 356; *syn.* '86, 212.

sennetti (Texas Seaside Sparrow), *Tex.* '88, 286*, 398, 426, '99, 3 (col. pl.), 1900, 346.—*syn.* '99, 3, 130.

subvirgatus (^a Acadian Sharp tailed Sparrow, ^b caudacutus), *Conn.* '91, 115; *g. dist.* '87, 232–239*, '88, 397; '96, 271–278 (col. pl.); *Me.* '78, 48^b, '87, 261^b; *N. B.* '82, 104^b, 122^b, '85, 301^a; *N. J.* '93, 85; *P. E. I.* '77, 28^b, '93, 11; *Que.* '90, 387; *R. I.* 1900, 76; *S. C.* '90, 212.—*hbt.* '87, 238, '96, 277; *meas.* '87, 233, 234; *song.* '87, 239; *syn.* '96, 272, '97, 334, '99, 118.

Ammodromas, see Ammodramus. amœna (Emberiza), see Cyanospiza.

— (Cyanospiza), see Cyanospiza.

— (Passerina), see Cyanospiza.

Ampelide (^a Waxwings), '76, 61, '83, 236^a, '85, 365, '93, 111.

Ampelinus (Hypocolius), see Hypocolius.

Ampelis, '76, 61, '81, 156, '83, 48, '84, 43, '86, 192, 449, 450, '90, 278, '93, 111, 131, '96, 112.

cedrorum (^a Cedar Waxwing or Cedar-bird) *Ala.* '79, 7; *Ariz.* '82, 146, '88, 31; *Bahamas.* '91, 294, 295; *Cal.* '86, 183, '90, 297; *Colo.* '79, 93, '85, 15; *C. R.* '91, 395; *Cuba.* '86, 192; *D. C.* '88, 23; *Fla.* '88, 275, '89, 326, '91, 138, '92, 213, '95, 365; *Ga.* '82, 95^a, '90, 83, '96, 213; *G. Br.* '80, 70, 141^a, '81, 64^a; *Ia.* '82, 54, '95, 121; *Ida.* '98, 17, 1900, 245; *Ind.* '82, 18^a, 20, '89, 26; *Jamaica.* '86, 192, '93, 339; *Ky.* '89, 315; *La.* '82, 162, '87, 302^a; *Man.* '86, 325; *Mass.* '84, 6^b, '88, 389, '89, 45, 102, '90, 217; *Me.*

'80, 132, '82, 110, '89, 281^a; *Mich.* '82, 187, '93, 227; *Minn.* '84, 244; *Mo.* '79, 143, '95, 219^a, 350^a; *Mont.* '94, 307; *N. B.* '82, 110, '83, 235^a, '84, 294^a, '89, 118; *N. C.* '86, 111, '87, 244; *N. H.* '87, 105, '88, 150, 152, '89, 77, 78; *N. J.* '79, 81, '94, 139; *N. S.* '87, 16, '91, 165, '99, 253; *N. Y.* '79, 32, '81, 229, '82, 187, '84, 176, '89, 202, 1900, 68^a; *O.* '89, 201; *Ore.* '86, 170, '88, 360; *Pa.* '92, 138, '93, 45, '96, 284, 291^a, 295; *P. E. I.* '93, 6^a, 12; *Que.* '82, 235, '89, 144; *R. I.* '97, 277; *S. C.* '79, 213, '90, 125, '91, 329; *S. D.* '85, 279; *Tenn.* '87, 128, 131; *Tex.* '82, 11, 37, '87, 259^a, 294, 299^a, '92, 340, 1900, 347; *Wash.* '82, 227, '97, 179, 1900, 356; *W. I.* '89, 31; *W. Va.* '98, 136.—*anat.* '90, 278, '96, 114; *fd.* '82, 20, 54, '85, 279, '86, 183, '87, 294, '90, 86^a, '93, 347, '97, 318^a, 421^a, '99, 362^a, 1900, 68^a; *hbt.* '90, 290^a, '97, 318^a, 1900, 100^a, 101^a; *mig.* '80, 132, '84, 176, '95, 121; *nst.* '77, 110, '79, 24, '80, 179, '88, 23, '96, 295, '98, 17; *plm.* '76, 21 (alb.), '78, 64, 70, '87, 294, '97, 277; *syn.* '86, 192; *misc.* '90; '80^a.

garrulus (^a Bohemian Waxwing), *Colo.* '81, 89, '85, 15; *g. dist.* '93, 126; *Helg.* '95, 330; *Ia.* '84, 288^a; *Ida.* '98, 17; *Ill.* '80, 118; *Ind.* '89, 26, '97, 199; *Kan.* '99, 187; *Man.* '86, 325; *Mass.* '84, 10^a; *Minn.* '80, 183, '84, 244; *Mont.* '95, 217; *N. B.* '83, 235^a, '84, 294^a; *New E.* '76, 73; *N. J.* '95, 171; *N. Y.* '78, 46, '80, 118^a, 1900, 68; *Ont.* '84, 85^a, 158; *S. D.* '85, 279; *Wash.* '82, 227, '97, 179.—*fd.* '80, 118^a, '84, 158, '85, 279, '95, 217, 1900, 68; *hbt.* '80, 118^a, '97, 199; *plm.* '80, 183 (alb.); *misc.* '89, 184^a, '90, 82.

Amphispiza, '80, 92, '93, 131.

belli (^a Bell's Sparrow, ^b Poospiza, ^c clementæ), *Cal.* '80, 56^b, '86, 182, '87, 93, '94, 219, '98, 58, 230^{a*}, 234; *Colo.* '85, 16 [= nevadensis]; *g. dist.* '93, 135; *L. Cal.* '95, 141 [= cinerea?].—*meas.* '98, 230^a; *syn.* '92, 288^a, '98, 58, 190, '99, 132^a.

bilineata (^a Black-throated Sparrow), *g. dist.* '93, 135, 320; *Tex.* '89, 240, '92, 338.—*nst.* '92, 234^a; *syn.* '80, 92.

cinerea (Gray Sage Sparrow), *L. Cal.* '91, 86, 305, '95, 141 [*'belli'*].—*syn.* '91, 86, '98, 59.

clementæ, '98, 230^{a*}, see bellii.

deserticola (Desert Sparrow, ^b bilineata, ^c pacifica), *Ariz.* '82, 195^b,

'85, 226^b, '87, 202^b, '94, 18^b; g. dist. '98, 229^a, '99, 119; L. Cal. '95, 141^b; Mex. '85, 228^b, 1900, 267^{c*}; Tex. '87, 292^b.—hbt. '87, 292^b; meas. '98, 229, 1900, 267^c; nst. '87, 202^b, 292^b, '95, 141^b; plm. '82, 195^b, '87, 202^b; syn. '99, 119; misc. '87, 22^b.

grisea, Mex. '98, 340.

nevadensis ("Sage Sparrow, " Poospiza), Ariz.'87, 203; Cal. '90, 296, '98, 58, 190; Colo. '85, 16; N. M. '81, 116^b.—fd. '81, 116^b; hbt. '81, 116^b; meas. '81, 117^b; plm. '81, 116^b; syn. '92, 288^a, '98, 58, 190, '99, 132. pacifica, 1900, 267*, see deserticola.

amplus (Carpodacus), see Carpodacus. amurensis (Loxia), see Loxia.

Amydrus dubius, Africa, '97, 159*. tristrami, syn. '91, 92.

Anabazenops immaculatus, Bolivia, '90, 382.

anabeila (Sialia), see Sialia.

anæsthetæ (Sterna), see S. anæthæta.

anæthetæ (Sterna), see Sterna.

analis (Formicarius), see Formicarius.

Anas, '88, 61, '93, 99, 107, '96, 162, 164. aberti, Mex. '80, 42.

boschas ("Mallard Duck), Ala. '79,

13; Alas. '85, 158; Ariz. '86, 384, '90, 48, 50, '92, 198^a; Ark. '95, 354^a; Cal. '86, 89, '87, 93, 94^a; Colo. '81, 142, '83, 198, '85, 18, 144; Conn. '85, 98^a; Fla. '88, 268, 378, '92, 211, '95, 188^a, 364; Greenl. '89, 211^a, 215; Helg. '95, 340; Hud. B. '90, 320; Ia. '95, 121, 236; Ida. '97, 350, 1900, 242; Ind. '82, 19^a, 22, '88, 346; Jamaica '91, 363, 363 ("maxima"); Kan. '85, 112; Ky. '89, 312; La. '82, 165, '97, 285, 1900, 170; Man. '86, 148, '89, 179^a; Mass. '83, 186^a, '95, 310, '96, 200; Mich. '93, 222; Minn. '80, 19, '84, 188^a, 248, '88, 313^a; Mo. '95, 9^a, 224^a; Mont. '88, 17^a, '94, 301, '95, 212; N. B. '82, 105; N. D. '99, 161^a, 162^a, 164^a; N. Y. '81, 234; Ont. '85, 336^a, 372; Oreg. '79, 198, '86, 163, '88, 141, '91, 366 (fossil), '93, 344 (fossil); S. C. '79, 218; S. D. '85, 100^a, 288; Tex. '82, 224, '84, 122, '87, 184, '92, 231, 1900, 338; Wash. '92, 41, 354^a, '97, 171, 1900, 350; W. I. '88, 61, 61 [“maxima”].—hbt. '91, 390^a, '92, 383, '93, 294, '96, 200; mig. '95, 121, 129^a, 236; nst. '80, 19, '83, 118^a, '85, 100^a, '87, 94, '88, 17^a, 141, 313^a, '89, 215, '97, 285, '99, 165^a; plm. '76, 23 (alb.), '80, 30 (melan.), '84, 287^a

(hyb.), '85, 114^a (alb.), 336^a (hyb.), '86, 274^a (hyb.), '88, 312 (hyb.), 316 (hyb.), '89, 133 (hyb.), 179^a (mlt.), 179^a 179^a, '90, 389^a, '92, 161 (hyb.), 162 (hyb.), 165 (hyb.), 1900, 170 (hyb.); syn. '83, 62, '88, 61; misc. '88, 313^a, 314^a, 385.

breweri, plm. '92, 162 (hyb.).

chlorotis, syn. '96, 162.

diazi, Mex. '86, 332*—misc. '89, 264.

domestica, anat. '86, 475.

fulvigula ("Florida Black Duck), Fla. '86, 262, '87, 274, '88, 268^a, 378, '91, 137^a, '92, 211, 214; Kan. '86, 113, '88, 444; Mex. '88, 108^a; W. I. '88, 61?—meas. '88, 444^a, '90, 204; nst. '90, 204; plm. '89, 264.

glocitans, plm. '96, 176 (hyb.).

maculosa (Mottled Duck), g. dist. '90, 61; Kan. '90, 88; La. '97, 285; Tex. '89, 263*—meas. '89, 263, 264; nst. '97, 285; syn. '90, 61, '96, 162.

maxima, plm. '92, 165 (hyb.).

obscura ("Black, or Dusky Duck), Ala. '79, 13; Cal. '77, 96?; Colo. '85, 18; Fla. '88, 268, '95, 188^a, 364; Ind. '88, 346; Jamaica '91, 363; Ky. '89, 312; La. '97, 285; Man. '86, 148; Mass. '88, 389, 390, '92, 74, '95, 77, 88, 310, '96, 182, 199, '97, 206; Me. '82, 151; Minn. '84, 248; N. F. 1900, 71; N. J. '79, 226, '80, 134^a; N. S. '95, 89, 377, '99, 251; N. Y. '79, 33, '81, 234, '93, 53^a; Ont. '85, 336^a, 372; Ore. '77, 96; Pa. '99, 309; P. E. I. '93, 8; Que. '82, 239, '89, 146; Tex. '82, 42, 224, '87, 184, '92, 231; W. I. '88, 61.—hbt. '92, 223, '93, 53^a, 294; mig. '80, 134^a, '95, 77, '96, 182; nst. '88, 390, '89, 146, '93, 53 (pl.), 293^a; plm. '81, 162, '85, 336^a (hyb.), '88, 312 (hyb.), '89, 133 (hyb.), '92, 165 (hyb.), '93, 57, '96, 199; syn. '88, 61; misc. '83, 235^a, '86, 272^a, '89, 197, '90, 394, '92, 335.

scutulata, syn. '96, 162.

wyvilliana, H. I. '90, 275; plm. '80, 42.

Anastomus, '81, 156.

anatarius (Mergus), see Mergus.

Anatidæ ("Ducks"), '77, 23, 24, 64^a, '78, 17, '79, 111^a, '81, 7^a, 158^a, 161^a, 163, 194^a, '83, 127^a, 232, '86, 270^a, '87, 68^a, 339^a, 353^a, '96, 111^a, 162, '97, 230, '98, 278, 1900, 183^a.

Anatomy.

Coale, H. K., '87, 331.

- Jeffries, J. A., '81, 6, '82, 13, '83, 17.
 Kitchen, J. M. W., '85, 24.
 Lucas, F. A., '82, 86, '86, 444, '89, 8,
 '91, 218, '94, 141, '95, 155, '96, 109.
 Shufeldt, R. W., '80, 129, '81, 197,
 '82, 213, '85, 175, '87, 80, '87, 265,
 '88, 330.
 anatum (Falco), see Falco.
 anchite (Antichromus), see Antichro-
 mus.
 anchoreta (Henicorhina), see Heni-
 chorina.
 Aneylochilus, see Tringa.
 andinus (Blacicus), see Blacicus.
 — (Lichenops), see Lichenops.
 andria (Saurothera), see Saurothera.
Andros Island, West Indies.
 Allen, J. A., '90, 343-346.
 Cory, C. B., '79, 118.
 Miller, G. S., Jr., '94, 164-165.
 Northrop, J. I., '91, 64-80.
Anderson, Rudolph M.
 Annotated list of birds of Winnebago
 and Hancock Counties, Iowa (rev.),
 '97, 246.
Anegada Island, West Indies.
 Cory, C. B., '90, 374.
Anerportes,'93, 182.
 angele (Cyanolyca), see Cyanolyca.
 anglica (Gelochelidon), see G. nilotica.
 — (Laropis), see Gelochelidon ni-
 lotica.
 — (Sturna), see Gelochelidon nilotica.
 — (Viralva), see Gelochelidon ni-
 lotica.
 anglicus (Thalasseus), see Gelochelidon
 nilotica.
 anglorum (Puffinus), see P. puffinus.
 angolensis (Pitta), see Pitta.
Anguilla Island, West Indies.
 Cory, C. B., '91, 350, 352.
 anguina (Dendrocincla), see Dendro-
 cincta.
 angustifrons (Melanerpes), see Melan-
 erpes.
 angustipennis (Chlorostilbon), see Chlo-
 rostilbon.
 angustirostris (Picolaptes), see Pico-
 laptes.
 — (Todus), see Todus.
Anhinga,'78, 101, '88, 71, '94, 337, '96,
 164, '99, 202.
anhinga (^a Anhinga, Snake-bird or
 Water Turkey, ^b Plotus), *Ala.* '79,
 13^b; *Fla.* '81, 41^b, '88, 268, 377, '91,
 129^a, 137, 180, '92, 211, '95, 364; *Ga.*
 '83, 42^b; *Kan.* '82, 61^b; *Ky.* '89, 312;
N. C. '99, 248; *Tex.* '82, 42^b, 225^b, '84,
 121^b, '87, 184, '92, 231, 1900, 338;
W. I. '88, 71.—*anat.* '77, 23^b; *hbt.* '81,
 41^b, '92, 288; *nst.* '83, 42^b, '99, 248;
syn. '88, 71; *musc.* '92, 192^a.
 anhinga (Anhinga), see Anhinga.
 — (Plotus), see Anhinga.
 Anhinga, see Anhinga anhinga.
 Anhingidae, '93, 106, '94, 337.
 ani (Crotophaga), see Crotophaga.
 Ani, see Crotophaga ani.
 Groove-billed, see Crotophaga sul-
 cirostris.
 Mexican, see Crotophaga sulcirostris.
 Anis, see Crotophaginae.
 Anisodactylæ, '81, 161.
 anna (Calypte), see Calypte.
 — (Selasphorus), see Calypte.
 — (Trochilus), see Calypte.
 annæ (Euphonia), see Euphonia.
 annexens (Corvus), see Corvus.
 — (Cyanocitta), see Cyanocitta.
 — (Junco), see J. annexens or
 meansi.
 — (Passerella), see P. unalascensis.
 anestetha (Haliplana), see Sternia
 anaetheta.
 anomala (Æthopyga), see Æthopyga.
Anorrhinus galeritus, Borneo, ptn. '91,
 9.
Anorthura,'83, 104, '85, 94, '93, 112,
 '99, 90, 125.
alascensis (Alaskan Wren, ^b
 Troglodytes, ^c meligera), *Alas.* '85,
 157^b, '88, 410^b, 1900, 25^c.—*meas.*
 '77, 82^b, 1900, 25^c, 26^c; *nst.* '77, 82^b,
 '89, 329^b; *syn.* '85, 94^b, 99, 125;
musc. '93, 127^b.
hiemalis (^a Winter Wren, ^b Troglo-
 dytes). *Ala.* '78, 172; *Colo.* '85,
 15; *D. C.* '90, 291^b; *Fla.* '91,
 137^b, 138^b, '95, 365^b; *g. dist.* '93,
 127^b; *Ia.* '95, 122^b; *Ind.* '89, 29^b;
Ky. '89, 316^b; *Man.* '86, 327^b; *Mass.*
 '83, 119, '84, 12^a, 13^a, 15, '88, 388^a,
 389^a, 392^b, '89, 42^a, 105^b, '95, 89^b, '96,
 178^b; *Me.* '79, 37^a, '82, 109; *Mich.*
 '80, 110^a, '93, 229^b; *Mo.* '79, 141, '96,
 219^b; *N. B.* '81, 244, '82, 109, '83,
 174^a, '89, 119^b; *N. C.* '86, 99^a, 176^b,
 312^a, 314^b, '87, 244^b; *N. H.* '87, 103^a,
 106^a, '88, 153^b, 155^b; *N. J.* '91, 105^b,
 '95, 84^a; *N. S.* '84, 269^a, '98, 196; *N.*
Y. '78, 53, 194, '79, 34, '81, 227, '82,
 154^a, '83, 52^a, '84, 138, '89, 332^a, '90,
 232^b, 407^b; *Ont.* '85, 114; *Pa.* '92,
 132^a, 133^a, 134^b, 140^b, '93, 42^a, 43^b,
 46^b, '94, 182^a, '96, 291^a, 292^b,
 296^b; *P. E. I.* '93, 5^a, 14^b; *Que.* '85,
 113, '89, 149^b; *S. C.* '79, 211; *Tenn.*
 '86, 316^b; *T. A.* '89, 52^b; *T. I.* '83, 120;
W. *T. A.* '98, 137^b.—*hbt.* '79, 37^a, '83,

120; *meas.* '79, 39^a, '81, 245; *mig.* '95, 122^b; *nst.* '79, 37^a, '81, 244, '83, 174^a, '90, 82^a, 232^b, 407^b, '98, 196; *plm.* '78, 22^b; *song.* '84, 12^a, 138, '95, 84^a; *syn.* '85, 94^b, '99, 125; *misc.* '84, 88^a, '97, 333^a.

bergensis (^b *Troglodytes*), *syn.* '85, 94^b.

meligera, 1900, 25*, see *alascensis*.

pacifica (^a Western Winter Wren, ^b *Troglodytes*), *Alas.* '98, 130^b

Cal. '87, 93^b, '94, 181^b, '99, 160^a; *g. dist.* '93, 127^b; *Ida.* '98, 19^b; *Ore.* '86, 171, '88, 362^b, '91, 397^b;

Wash. '92, 47^b, 309^b, '97, 180^b, 1900, 357.—*mig.* '86, 162^b, '87, 93^b; *nst.* '99, 160^a; *plm.* '94, 169; *song.* '86, 171; *syn.* '85, 94^b, '99, 125, 185.

pallescens, *Siberia*, *syn.* '84, 82.

troglodytes (^b *Troglodytes*), *Engl.* '87, 163^b; *Germany*, '96, 301^b; *Helg.* '95, 326.—*song.* '96, 301^b; *syn.* '85, 94^b.

anosthæta (*Sterna*), see *S. anæthæta*.

Anous, '77, 24, 141, '84, 144, '88, 80, '94, 317.

stolidus (^a Noddy Tern), *Bahamas*, '91, 79; *Europe*, '80, 67, 220; *Fla.* '90, 306, '92, 211; *Gozo I.* '77, 70; *Jamaica*, '91, 358, '94, 120; *Malta*, '77, 70; *W. I.* '81, 128, 155, '88, 80, '91, 48.—*hbt.* '91, 358; *meas.* '91, 360; *nst.* '90, 303, '91, 358, '92, 289^a; *syn.* '78, 143, '88, 80.

atrocfuscus, *syn.* '94, 317.

ridgwayi, *Revill. Is.*, *nst.* '98, 36*, 316.

anoxantha (*Spermophila*), see *Loxi-*

passer.

— (Loxipasser), see *Loxipasser*.

— (Loxigilla), see *Loxipasser*.

Anser, '84, 143, '88, 58, '93, 99, 107.

albifrons, *Helg.* '95, 340.—*meas.*

'88, 311; *syn.* '83, 62, '88, 311, '96, 162.

anser (^b *cineraceus*), *Helg.* '95, 340.

—*syn.* '96, 164.

brachyrhynchus, *Helg.* '95, 340.

condoni (fossil sp.), *Ore.* '91, 366, '93, 344.

erythropus (^b *minutus*), *Helg.* '95, 340^b.—*syn.* '83, 62.

fabalis (Bean Goose, ^b *segetum*).

g. dist. '77, 96^b, '97, 118; *Greenl.* '96,

244^b; *Helg.* '95, 340^b.—*syn.* '97, 118.

gambeli (^a American White-fronted

Goose, ^b *frontalis*), *Alas.* '79, 53^a,

'81, 131^a, '85, 63, 158, 287, '87, 12;

B. C. '93, 291; *Cal.* '86, 90; *Cuba*, '88,

58; *g. dist.* '93, 123; *La.* '97, 287;

Man. '86, 149; *Minn.* '84, 248; *New E.* '76, 73, '77, 14, 46; *N. Y.* '93, 271;

Ore. '79, 198, '88, 142, '91, 367 (fos-

sil), '93, 344 (fossil); *Pa.* '99, 309;

Tex. '82, 224, '87, 185, '92, 345, 1900,

339; *Wash.* '93, 17, 291.—*fd.* '86, 90;

hbt. '92, 384; *meas.* '88, 311; *mig.* '85,

63, '88, 142; *syn.* '80, 88^b, '83, 62, '88,

58, 311, '96, 162.

sandvicensis, *syn.* '96, 162.

anser (*Anser*), see *Anser*.

Anseranus melanoleucus, *plm.* '99, 320.

Anseres, '81, 79, 83, '82, 47, '84, 383,

'93, 107.

Anseriformes, '88, 190.

Anserinæ (^a Geese), '79, 111^a, '87, 68^a,

339^a, 341^a, '98, 278.

antarctica (*Sterna*), see *S. anæthæta*.

— (Thalassoica), see *Thalassoica*.

Antarctic Region, see *Kerguelen I.*

antarcticus (*Buphagus*), see *Megalestris*.

— (*Megalestris*), see *Megalestris*.

— (*Rallus*), see *Rallus*.

Antenor, see *Parabuteo*.

anthinus (*Passerculus*), see *Ammo-*

dramus heldingi.

Anthocephala berlepschi, *Colom.* '99, 138.

floriceps, *Colom.* '99, 138.

Anthocinclæ, see *Pitta*.

anthoides (*Sylvia*), see *Sciurus nove-*

boracensis.

Anthony, Alfred Webster.

Notes on birds of Washington Co., Oregon, '86, 161–172.

Winter plumage of *Leucosticte aus-*

tralis, '87, 257.

New birds from Lower California (rev.), '90, 281.

Birds of Southwestern New Mexico, 92, 357–369.

Salpinctes obsoletus in Washington and Oregon, 93, 87.

Birds of San Pedro Martir, L. California (rev.), '94, 167.

Notes on the genus *Helcodytes*, with description of a new subspecies, '94, 210–214.

Oceanodroma townsendi off San Diego, California, '94, 321.

Icterus parisorum in western San Diego Co., California, '94, 327.

A new species of *Thryothorus* from the Pacific coast, '95, 51.

A new subspecies of *Harporhynchus* from Lower California, '95, 52.

Fulmars of southern California, '95, 100–109.

New *Pipilo* from southern and Lower California, '95, 109–112.

- Birds of San Fernando, Lower California, '95, 134-143.
 Pacific Kittiwake at San Diego, California, '95, 177.
 Albino Ruby-crowned Kinglet, '95, 181.
Junco hyemalis shufeldti in Lower California, '95, 183.
 Status of *Holcodytes affinis*, '95, 280.
 Probable occurrence of *Creagrus furcata* off San Diego, California, '95, 291.
 New races of *Colaptes* and *Passerella* from Pacific coast, '95, 347-349.
Oceanodroma socorroensis off San Diego, California, '95, 387.
 Scaled Partridge (*Callipepla squamata*) in Colorado, '95, 388.
 St. Lucas Flycatcher in California, '95, 390.
Puffinus tenuirostris off San Diego, California, '96, 171.
Clangula hyemalis at San Diego, California, '96, 172.
 Black-vented Shearwater (*Puffinus opisthomelas*), '96, 223-228.
 Roadrunner as a rat-killer, '96, 257.
 New birds from the islands and peninsula of Lower California, '97, 164-168.
 Nostrils of young Cormorants, '97, 205.
 Roadrunner a destroyer of caterpillars, '97, 217.
 Two new birds from the Pacific coast of America, '98, 36-38.
 Four sea birds new to the fauna of North America, '98, 38.
 New name for *Dryobates v. montanus*, '98, 54.
 Bird protection in California, '98, 108.
 Petrels of southern California, '98, 140-144.
 Pacific Kittiwake (*Rissa tridactyla-pollucaris*) in Lower California, '98, 267.
 Avifauna of the Revillagigedo Islands, '98, 311-318.
 Hybrid Grouse, '99, 180.
 Notes on genus *Micrurria*, 1900, 168.
 Nesting habits of Pacific coast species of genus *Puffinus*, 1900, 247-252 (pl.).
anthonyi (*Ardea*), see Ardea.
 — (*Lanius*), see Lanius.
Anthoscopus, '84, 280.
 Anthothreptes, see Anthreptes.
anthracina (*Urubitinga*), see Urubitinga.
anthracinus (*Falco*), see Urubitinga.
Anthracoceros, '94, 233.
 convexus, *Borneo*, plm., syn. '91, 9.
Anthreptes, '94, 235.
 idius, *Libchia*, 1900, 186.
 phoenicotis, *Borneo*, syn. '90, 354.
Anthropoides virgo, *Helg.*, '95, 337.
Anthus, '82, 215, '85, 365, 368, '93, 112, '94, 233.
 aquaticus, *Helg.*, '95, 334.
 arboreus, *Helg.*, '95, 324.
 campestris, *Helg.*, '95, 334.
 cervinus (a Red-throated Pipit), *Alas.* '88, 307, 410; *Helg.*, '95, 334; *L. Cal.* '84, 285.—*nst.* '89, 329, 1900, 307a.
 correndera, *Urug.*, syn. '83, 87.
 japonicus, syn. '85, 290.
 pensylvanicus (a American Pipit or Titlark, ^b ludovicianus), *Ala.* '78, 172^b; *Alas.* '81, 4^a, '85, 157, '87, 13, '98, 129; *Ariz.* '82, 82^b, '88, 159; *Cal.* '86, 183, '89, 222; *Colo.* '79, 92^b, '80, 226^b, '81, 88^b, '83, 155^b, '85, 15^b, '95, 152^b; *Fla.* '81, 15^b, '88, 276, '90, 114, '92, 214, '95, 365; *Ga.* '96, 214; *G. Br.* '80, 6^b; *g. dist.* '93, 124; *Helg.* '77, 107^b, '80, 69^b, '91, 300, '95, 334; *Ida.* '98, 19^b; *Hl.* '88, 434; *Ind.* '89, 28; *Labrador*, '84, 186^b; *Man.* '86, 327; *Mass.* '78, 194^b, '81, 127^b, 238^b, '83, 150^a, '85, 209^b; *Mc.* '82, 189^b; *Mo.* '95, 6; *Mont.* '94, 307, '95, 218; *N. B.* '83, 9^b; *N. E.* '76, 73^b, 92^b, '77, 17^b, '81, 238^b; *N. M.* '92, 367; *N. Y.* '78, 35^b, '81, 227^b, '84, 176^b, 209; *Ore.* '79, 164^b, '86, 171, '88, 362; *Pa.* '99, 313; *Que.* '82, 234^b; *S. C.* '79, 211^b, '92, 28^a, 33^a, 37^a; *S. D.* '85, 278^b; *Tenn.* '86, 316; *Tex.* '82, 8^b, 35^b, '84, 121^b, '87, 297, '89, 240, '92, 342, '94, 222; *Vt.* '82, 64^b; *Wash.* '82, 227^b, '92, 46, '97, 180, 1900, 245.—*anat.* '82, 218^b; *hbt.* '80, 226^b, '84, 186^b, '88, 276; *meas.* '82, 82^b, 218^b; *mg.* '82, 64^b, '84, 176^b, '88, 434, '92, 28^a, 33^a, 37^a; *nst.* '81, 88^b, '84, 89^b [= *Otocoris praticola*]; *plm.* '81, 88^b, '82, 82^b, '88, 150, '95, 6; *song.* '80, 226^b, '84, 209, '95, 7; *syn.* '84, 167, '85, 290^b, 368; *misc.* '83, 78^b.
 pratensis (Meadow Pipit), *Alas.* '84, 77, '88, 307 [= *cervinus*]; *Helg.* '95, 334.—*plm.* '80, 27 (alb.).
 richardi (a Richard's Pipit), *Helg.* '95, 334, *Scotland*, '92, 289^a.
 rufus, *Braz.* '90, 266.
 obscura, *Helg.* '95, 326.—*syn.* '80, 70.
 spinoletta, *syn.* '80, 69, 70, '85, 290.

spragueii (^a Sprague's Pipit or Missouri Skylark, ^b Neocorys), *Colo.* '87, 265; *La.* '94, 181, '99, 82; *Man.* '85, 269^b; '86, 153^a, 327, '93, 50; *Mex.* '87, 65; *Mont.* '82, 62^b, '88, 15; *N. D.* '79, 50^b; *Neb.* '84, 286^a; *S. C.* '94, 80; *Tex.* '78, 144^a, '82, 8^b, 35^b, '84, 121^b, '87, 297, '92, 342.—*hbt.* '82, 35^b; *song.* '82, 62^b, '85, 269^b, '88, 15; *syn.* '85, 368; *misc.* '85, 316^a.

trivialis (^a Tree Pipit), *nst.* '97, 335^a.

Antichromus, '99, 187.

anchitæ, *syn.* '99, 187.

minutus, *syn.* '99, 187.

Antigua Island, West Indies.

Lawrence, G. N., '79, 228–230.

antillarum (Falco), see *F. dominicensis*.
— (*Myiarchus*), see *Myiarchus*.

— (*Sterna*), see *Sterna*.

— (*Sternula*), see *Sterna*.

— (*Tinnunculus*), see *Falco caribbae-*
arum.

— (*Tyrannus*, see *Myiarchus*).

antiquus (*Synthliboramphus*), see *Synth-*
liboramphus.

antoniae (*Carpodectes*), see *Carpodectes*.

Antrostomus, '86, 341, 445, '91, 30, '93,
63, 68, 110, '94, 287, '95, 287.

arizonæ, '81, 69^a; see *macromystax*.

carolinensis (^a Chuck-will's-widow),

Ala. '79, 10; *Bahamas*, '91, 73; *Cuba*,
'98, 330; *Fla.* '81, 16, '88, 272, '89,

252, '90, 310, '91, 138, '92, 213, '95,
365; *Ga.* '82, 96^a, '83, 40, '96, 214; *g.*
dist. '93, 133; *Ill.* '78, 165; *Jamaica*,

'92, 276; *Kan.* '99, 187, 1900, 175;
La. '82, 163, '87, 303^a; *Mass.* '85, 220;

N. Atlantic, '99, 273; *N. C.* '86, 105^a;
S. C. '79, 215, '85, 211^a, '90, 38^a, '92,

35^a; *Tenn.* '86, 319; *Tex.* '82, 169, '92,
235, 1900, 344; *W. I.* '81, 153, '86,
341; *W. Va.* '98, 61.—*fd.* '87, 74, '91,

73, '98, 330, '99, 275^a; *hbt.* '85, 211^a,
'87, 303^a, '99, 273; *mig.* '91, 135, '92,

35^a, '99, 273; *nst.* '82, 169, '83, 40, '89,
252; *syn.* '86, 341; *misc.* '90, 80^a.

chiapensis, *Mex.* 1900, 261*.

cabanensis, *W. I.*—*meas.*, *plm.*, *syn.*

'86, 342.
goldmani, *Mex.* '99, 296.

macromystax (Stephen's Whip-
poor-will, ^b *arizonæ*), *Ariz.* '81, 69^b*,
'82, 211^b, 258^b, '86, 429^b; *Cal.* '77,
93; *N. M.* '99, 188; *g. dist.* '93, 134.—*hbt.*

'81, 71^b; *meas.* '81, 70^b, '82, 212^b;
nst. '81, 71^b, '82, 212^b, '99, 188; *plm.* '82,
212^b; *song.* '86, 429^b; *syn.* '93, 68, '94, 48.

nigrescens, *g. dist.* '77, 93.

oaxacæ, *Mex.* 1900, 260*.

parvulus, *Argent.*, *Urug.* '84, 24.

ridgwayi, *Mex.* '97, 50*.

rufus (^b *rutillus*), *W. I.* '80, 169^b,
'86, 341.—*meas.*, *plm.*, *syn.* '86, 341.

salvini, *syn.* '93, 68.

rufomaculatus, *C. R.* '92, 174;
syn. '94, 169.

vociferus (^a Whip-poor-will, ^b
Caprimulgus), *Canada*, '84, 89^a;

Cent. Am. '81, 70; *D. C.* '88, 21,
'92, 307; *Fla.* '88, 272, '92, 213,

218, '93, 337; *g. dist.* '93, 133; *Ia.* '95,
122, 236; *Ind.* '89, 22; *Ky.* '89,

314; *Man.* '86, 156; *Mass.* '88, 389,
'89, 44, 99; *Mc.* '82, 149^b; *Mex.* '81,
70; *Mich.* '83, 175; *Minn.* '84, 246^b;

Mo. '79, 146; *N. C.* '86, 104; *N. H.* '88,
149, 151, '89, 77, 78; *N. J.* '79,
223, '94, 137; *N. S.* '95, 89; *N. Y.* '81,
231^b, '85, 257^b, 272^b, '90, 231,
'98, 332; *O.* '95, 241; *Pa.* '93, 37, 39,
43, 44, '96, 282; *S. C.* '79, 215, '90,
38, '92, 35, 201^a, '93, 152, 205; *S. D.* '85,
283^b; *Tex.* '81, 70, '82, 40^b, '87,
191, '92, 235; *Vt.* '94, 253; *W. I.* '89,
276.—*anat.* '89, 10 (fig.), '90, 279; *fd.*

'91, 190; *meas.* '81, 70; *mig.* '83, 175,
'92, 35^a; '95, 122, 236, 241; *nst.* '85,
272^b; *plm.* '91, 190, (alb.), '93, 152;

song. '85, 257^b, '90, 199, '91, 33^a;
misc. '84, 88^a, '90, 83^a.

Anumbius acuticaudatus, *Urug.*, *nst.* '83, 211.

onalaschkae (*Hylocichla*), see *Hylo-*
cichla.

— (*Turdus*), see *Hylocichla*.

Apatornis, '80, 235.

Apgar, Austin Craig.

Pocket key of birds of northern
United States (rev.) '94, 65.

Birds of United States (rev.) '98,
277.

Aphalus, '88, 292.

Aphelocoma, '80, 99.

arizonæ (Arizona Jay), *Ariz.* '81,
73, '82, 201, '85, 356, '86, 81–83, 256,

'87, 20, '90, 48, '94, 220; *g. dist.* '93,
134.—*fd.* '82, 201, '86, 81; *meas.* '82,
202, '86, 81, 82; *nst.* '82, 201, '85, 323,
'86, 81, '89, 173; *plm.* '82, 201, '87, 20,
'90, 192; *syn.* '85, 371, '90, 192.

californica (^a California Jay), *Ariz.* '94,
220^a; *Cal.* '86, 87^a, 181, '89, 221, '96, 120; *g. dist.*

'93, 134; *Ore.* '86, 167; *Wash.* '92,
301.—*hbt.* '96, 120; *syn.* '80, 99^b, '90,
192.

colimæ, *Mex.* '99, 27*.

couchi, *Mex.*, *syn.* '90, 192.

cyanaea (Florida Jay, ^b floridana), *Ila.* '89, 319^b, '92, 213^b; *g. dist.* '93, 133^b; *Ky.* '94, 244^b.—*syn.* '99, 84, 112.
cyanotis (Blue-eared Jay), *g. dist.* '95, 165; *Mex.* '94, 154; *Tex.* '94, 327.—*syn.* '90, 192, '95, 165.
gracilis, *Mex.* '96, 34*.
grisea, *Mex.* '99, 296.
hypoleuca (Xantus's Jay), *L. Cal.* '87, 335, '88, 397.—*nst.* '89, 329.
insularis (Santa Cruz Jay), *Cal.* '86, 452^b, '87, 329, '88, 396.—*hbt.* '87, 329; *nst.* '87, 329.
obscura (Belding's Jay), *L. Cal.* '90, 63, 281, '92, 188.—*syn.* '90, 63.
potosina, *Mex.* '99, 27*.
sieberi (^b *Cyanocitta sordida*), *Mex.* '95, 358.—*misc.* '80, 87^b.
sumichrasti, *Mex.*, *syn.* '90, 192.
ultramarina (^b *Cyanocitta*), *g. dist.* '77, 93^b; *Mex.* '90, 192.—*syn.* '90, 192.
woodhousei (^a *Woodhouse's Jay*), *Ariz.* '82, 201, '87, 20, '90, 48; *Colo.* '81, 140, '83, 193, '85, 16, '94, 268; *g. dist.* '93, 134, 320; *N. M.* '92, 364, '98, 309, '99, 189; *Tex.* '87, 183^a, 290.—*nst.* '87, 290; *syn.* '90, 192.
Aphriza, '84, 45, '93, 108, '97, 102.
virgata (Surf Bird), *Alaska.* '98, 127.—*anat.* '89, 195.
apiaster (*Merops*), see *Merops*.
apivorus (*Pernis*), see *Pernis*.
Aploelia larvata, *syn.* '94, 61.
Apodinae, '97, 419.
apolites (*Tyrannus*), see *Tyrannus*.
Apple-bird, see *Ampelis cedrorum*.
Apponath or *Apponat*, see *Plautus im-pennis* (old name).
approximans (*Vireo*), see *Vireo*.
apricarius (*Charadrius*), see *Charadrius*.
Aptenodytes, '85, 96, '86, 450.
patachonica, *Kerguelen I.*, *hbt.*, *nst.* '94, 280 (pl.).
Apteryges, '81, 82, 83, '81, 108, '83, 172.
Apteryx, '85, 26, '87, 173, '95, 156.
australis, *misc.* '81, 111.
Apus, see *Cypselus*.
apus (*Cypselus*), see *Cypselus*.
——— (*Micropus*), see *Cypselus*.
aquatica (*Sayornis*), see *Sayornis*.
aquaticus (*Acrocephalus*), see *Acrocephalus*.
——— (*Anthus*), see *Anthus*.
——— (*Cinclus*), see *C. merula*.
——— (*Rallus*), see *Rallus*.
——— (*Seiurus*), see *S. noveboracensis*.
——— (*Turdus*), see *Seiurus noveboracensis*.
Aquila, '84, 140, '93, 99.

chrysaëtos (^a Golden Eagle, ^b *canadensis*, ^c *fulva*), *Alas.* '84, 79^b, '85, 157^b; *Ariz.* '86, 423, '90, 48, 53, '92, 201^a; *Bavaria*, '92, 186^c; *Cal.* '85, 98^a, '87, 91; *Colo.* '81, 141, '83, 197, '85, 17^b, '93, 297, '94, 267; *Conn.* '83, 178^a, '87, 341^a, '93, 207, '97, 89, 215; *Helg.* '95, 329; *Ida.* '97, 353, 1900, 244; *Ind.* '88, 350; *Kan.* '86, 115; *L. Cal.* '95, 138; *Man.* '86, 154; *Mass.* '84, 10^a, '87, 75; *Minn.* '84, 247^b, '97, 317^a; *Mont.* '94, 303, '95, 214; *N. B.* '81, 58; *N. J.* '95, 179, '96, 81, '98, 54; *N. M.* '86, 80^b, 103, '98, 308; *N. S.* '88, 313^a; *N. Y.* '78, 100^a, '79, 189, '81, 233^b, '83, 123^a, '91, 113^a, '93, 274, '97, 227; *O.* '82, 123^b, '83, 235^a, '92, 200; *Ore.* '88, 145; *Pa.* '82, 58^b, '83, 178^a, '92, 200^a, '99, 311; *P. E. I.* '93, 8; *Que.* '82, 238; *R. I.* '89, 175^a; *S. D.* '85, 285^b; *Tex.* 1900, 342; *Va.* '94, 77, '96, 236^a; *Wash.* '92, 43, '97, 174; *Wis.* '88, 315^a—*fd.* '86, 103, '92, 201^a, '97, 317^a; *meas.* '79, 189, '91, 113^a, '94, 77, '97, 317^a; *nst.* '83, 197, 235^a, '85, 98^a, '91, 108^a, '92, 201^a, '92, 287^a, '97, 174, '98, 308; *plm.* '80, 29 (all.); *syn.* '78, 78, '85, 205; *misc.* '85, 10^b, '90, 196^a, '91, 108^a, '94, 69, 69^a.
fusca, *anat.* '82, 14.
pomarina, *Hclg.* '95, 329.
pliogryps (fossil sp.), *Ore.* '91, 368, '93, 344.
sodalis (fossil sp.), *Ore.* '91, 368, '93, 344.
 aquila (*Fregata*), see *Fregata*.
——— (*Tachypetes*, see *Fregata*).
 aquilinus (*Buteo*), see *B. borealis*.
——— (*Faleo*), see *Buteo borealis*.
 aquilus (*Pelicanus*), see *Fregata*.
Ara, '86, 454.
arauna, *Braz.* '91, 150.
chloroptera, *Braz.* '91, 150.
hyacinthina, *Braz.* '90, 131, '91, 150.—*fd.* '90, 131.
maracana, *Braz.* '91, 150.
militaris, *W. I.* '86, 455.
tricolor, *Jamaica*, '92, 129; *W. I.* '86, 454.—*meas.*, *plm.*, *syn.* '86, 454.
aracari (*Pteroglossus*), see *Pteroglossus*.
Arachnothera, '94, 235.
chrysogenys, *Borneo.* '90, 355.
flavigastra, *Borneo*, *syn.* '90, 355.
Aramide, '94, 242.
Aramides cavanea (^b *cavannensis*), *Braz.* '91, 163^b; *W. I.* '94, 243.
chiricote, *W. I.*, *plm.* '94, 243.

- gutturalis*, *plm.* '94, 243.
ypecaha, *Argent.*, *Urug.*, *hbt.* '84,
 276.
Aramus, '81, 81, '88, 50, '93, 107, 182.
giganteus (^a Limpkin, Crying-bird
 or Courlan, ^b *pictus*, ^c *scolopaceus*),
Argent. '84, 277^c; *Fla.* '81, 20^b, 38^b,
 42^b, '89, 152, '91, 180, '92, 212, '93,
 337, '95, 364, 366; *Ga.* '83, 42^b; *g.*
dist. '93, 141; *Jamaica*, '92, 11, '94,
 122; *Urug.* '84, 277^c; *W. I.* '81, 155,
 '88, 50; *anat.* '77, 23^c, '95, 172; *fd.*
 '81, 20^b, 42^b, '84, 277^c, '95, 364; *hbt.*
 '81, 42^b, '84, 277^c, '89, 152; *nst.* '83,
 42^b, '95, 366; *syn.* '80, 38^a, 101^b, '88,
 50; *song.* '81, 38^b, 42^b.
aranea (*Gelochelidon*), see *G. nilotica*.
 —— (*Sterna*), see *Gelochelidon nilotica*.
ararauna (*Ara*), see *Ara*.
arausiacus (*Psittacus*), see *Amazona*
 bouqueti.
Arbelorhina, see *Cæroba*.
arborea (*Alauda*), see *Alauda*.
 —— (*Anas*), see *Dendrocygna*.
 —— (*Dendrocygna*), see *Dendrocygna*.
arboreus (*Anthus*), see *Anthus*.
Arboricola, '94, 174.
Arboriphila charltoni, *Borneo*, *syn.* '91,
 15.
Archæopteryx, '80, 235, '81, 8, 9, 11,
 107, 203, '84, 84, '96, 72.
Archibuteo ferrugineus (^a Ferruginous
 Rough-legged Buzzard or Hawk), *As-*
siniboa, '86, 154; *Cal.* '87, 91; *Colo.*
 '83, 197, '85, 17; *g. dist.* '93, 134; *Ill.*
 '77, 26; *Man.* '86, 154, '93, 49; *Tex.*
 '87, 189; *Wash.* '82, 227, '97, 173.—
fd. '77, 26, '93, 200 [*'Squirrel*
Hawk']; *nst.* '97, 173, '96, 350*;
misc. '82, 113 (corr.), '90, 83^a.
lagopus (European Rough-legged
 Hawk, *Alas.* '87, 12; *Arctic R.* 1900,
 309; *G. Brit.* '80, 143 [not '*sancti-*
johannis']; *g. dist.* '80, 87; *Helg.* '95,
 326.—*nst.* 1900, 307^a; *syn.* '78, 78,
 '82, 179; *misc.* '82, 113 (corr.).
sancti-johannis (^a American
 Rough-legged Hawk, ^b *Falco spadi-*
ceus), *Alas.* '84, 79; *Cal.* '86, 93; *Colo.*
 '85, 17; *Conn.* '80, 114, '95, 266; *D. C.*
 '84, 397; *G. Br.* '80, 143 [= *lagopus*];
g. dist. '93, 126; *Hud. B.* '78, 105^b,
 '90, 322; *Ia.* '83, 240^a; *Ida.* '97, 353;
Ind. '88, 350; *Man.* '86, 154; *Mass.*
 '83, 140^a, '85, 295, '95, 188, '97, 216;
Mc. '85, 96^a; *Minn.* '84, 247; *N. C.*
 '93, 242; *Neb.* '99, 353^a; *N. F.* 1900,
 72; *N. J.* '79, 84; *N. Y.* '81, 233; *O.*
 '99, 284; *Ore.* '88, 145; *Que.* '82, 237;
S. D. '85, 285; *Wash.* '82, 227, '97,
 173.—*anat.* '81, 201; *fd.* '88, 145, '93,
 200^a; *hbt.* '82, 184^a, '90, 395; *mig.*
 '82, 237, '95, 266, '99, 353^a; *plm.* '81,
 209, '85, 295 (melan.), 1900, 112^a;
syn. '78, 78; *misc.* '90, 389, '97, 396^a
 (fig.).
Arctica, see *Alle*.
arctica (*Fratercula*), see *Fratercula*.
 —— (*Gavia*), see *Gavia*.
 —— (*Sialia*), see *Sialia*.
 —— (*Sterna*), see *Sterna*.
Arctic Regions.
 Allen, J. A., 1900, 307–310.
 Coues, E., '84, 76–81.
 Feilden, H. W., '78, 86.
 Harting, J. E., '85, 375.
 Kumlein, L., '80, 109.
 Merriam, C. H., '85, 312–313.
 Murdoch, J., '99, 146–155.
 Nelson, E. W., '84, 76–81.
 Rae, J., '92, 283.
 Ridgway, R., '80, 188, '82, 60.
 Schalow, H., '84, 291–292.
 Stejneger, L., '88, 306–311.
arcticus (*Bubo*), see *Bubo*.
 —— (*Colymbus*), see *Gavia*.
 —— (*Falco*), see *F. rusticolus*.
 —— (*Picoides*), see *Picoides*.
 —— (*Picus*), see *Picoides*.
 —— (*Pipilo*), see *Pipilo*.
 —— (*Urinator*), see *Gavia*.
Arctonetta, '93, 107.
fischeri (^a Spectacled Eider Duck,
^b *Lampronetta*), *Alas.* '79, 53^b, '84,
 80^b, '85, 63^b, 158, 201^b; *gen. dist.* '93,
 123.—*mig.* '85, 63^b; *plm.* 1900, 183^a
 (milt.); *syn.* '84, 385.
arctous (*Leucosticte*), see *Leucosticte*.
arcuata (*Pitta*), see *Pitta*.
Ardea, '78, 183, '82, 245, '87, 323, '93,
 99, '99, 202.
anthonyi (Anthony's Green Heron),
g. dist. '95, 257*, '97, 119.—*mcas.* '95,
 259; *syn.* '97, 119, '99, 105.
bahamensis, *Bahamas*, '88, 83*,
 '91, 78, 296, 337, 338, '95, 258, 1900,
 287.—*meas.* '88, 84; *plm.* '91, 78.
cærulea (^a Little Blue Heron, ^b
Florida), *Ala.* '79, 13; *Bahamas*, '91,
 77; *Conn.* '83, 176^a, '97, 402, '99, 351;
C. R. '90, 332, '92, 329; *Cuba*, '92,
 272; *Fla.* '81, 20, 41, '87, 136,
 138, 142, 220, 281^a, '88, 268^a,
 269, '89, 18, '90, 308, '91, 129^a, 130^a,
 137, 180, '92, 211, '95, 364; *Ga.* '83,
 42^b, '96, 215; *g. dist.* '93, 132; *Jamaica*,
 '92, 10, '94, 121; *La.* '90, 392; *Labrador*,
 1900, 386; *Me.* '82, 123^b, '83, 113^b; *N. C.* '93, 243, '99, 246^a; *N. E.* '76,
 73^b; *N. H.* '97, 316; *N. J.*

'90, 327; *N. S.* '89, 64, '98, 195; *N. Y.* '85, 272, '93, 271; *O.* '92, 397; *Que.* '90, 387; *R. L.* '80, 123^a; *S. C.* '79, 217; *Tex.* '78, 145, '82, 223^b, '87, 185, '92, 232, 1900, 340; *W. L.* '80, 169, '81, 155, '87, 140, 325, '90, 374, '91, 47.—*hbt.* '92, 286; *nst.* '82, 223^b, '83, 42^b, '87, 136, 220, 281^a, '89, 18, '92, 10, '94, 121, '99, 246^a, 1900, 386; *plm.* '81, 20, '82, 3, '87, 142, '92, 10, 1900, 386; *syn.* '87, 325; *misc.* '87, 214^a, '92, 194^a.

candidissima (^a Snowy Heron or Little White Egret, ^b Garzetta), *Ala.* '79, 13; *Argent.* '84, 271; *Ariz.* '86, 385; *Bahamas*, '91, 351; *Braz.* '91, 161; *Cal.* '86, 91, '89, 223; *Colo.* '77, 74, '79, 114^b, '85, 17^b, '94, 183; *Fla.* '87, 136, 138, 142, 215, 220, '88, 268^a, 269, '89, 18, '90, 221, '91, 137, '92, 211, '95, 364; *Ga.* '83, 42^b; *Jamaica*, '92, 10, '94, 121; *Ky.* '89, 312; *Mass.* '82, 251^b; *Mo.* '80, 191; *N. E.* '76, 73^b; *N. M.* '92, 360; *N. Y.* '81, 248^b, '84, 32^b, '85, 299, '86, 435, '90, 395^a, 1900, 69; *Ont.* '87, 247; *S. C.* '86, 246^a; *Tex.* '78, 145, '82, 223^b, '87, 185, 1900, 340; *Urug.* '84, 271; *Va.* '76, 27; *W. L.* '81, 155, '87, 281^a, 282^a, 324.—*nst.* '82, 223^b, '83, 42^b, '87, 136, 220, 281^a, 282^a, '89, 18, '94, 121; *syn.* '87, 324, '99, 202; *misc.* '87, 143, 214^a, 217^a, 222^a, '89, 18.

cinernea (European Blue Heron), *Helg.* '95, 337.—*plm.* '78, 183; *misc.* '83, 236.

cocoi, *Argent.*, *Urug.*, *hbt.* '84, 271; *plm.* '78, 183.

egretta (^a American or Great White Egret, ^b Herodias), *Argent.* '84, 271; *Ariz.* '83, 36^b, '86, 385; *Braz.* '91, 161; *Cal.* '86, 91; *Colo.* 1900, 298; *Conn.* '83, 237, 85, 96^b, '87, 78, 1900, 294; *C. R.* '90, 332, '92, 329; *Cuba*, '91, 294; *D. C.* '87, 339^a; *Fla.* '87, 136, 138, 142, 159, 215^a, '88, 268^a, 269, 280^a, 281^a, '89, 17, '90, 221, '91, 137, 180, '92, 211, '95, 364; *Ga.* '83, 42^b, '96, 215; *Ind.* '87, 348, '99, 91; *Jamaica*, '92, 10, '94, 121; *Ky.* '83, 172^b, '89, 312; *La.* '82, 165^b; *Man.* '93, 49; *Mass.* '83, 242^b, 243^b, '89, 183^b, '91, 120; *Mc.* '76, 31^b, '83, 113^b; *Miss.* '82, 94^b; *Mo.* '80, 101, '95, 355; *N. B.* '79, 63, '80, 63^a; *N. E.* '76, 73^b; *N. J.* '77, 74^a, '79, 226, '85, 296^a, '98, 51; *N. Y.* '79, 62, '84, 32^b, 50^b, '85, 290^b, '90, 230, '96, 178, '99, 193, 1900, 69; *Ont.* '85, 110^b, 336, '87, 247; *Orc.* '79, 197^b, '87, 143; *Pa.* '85,

100^a; *Que.* '82, 239; *S. C.* '85, 192^b; *Tex.* '78, 145, '82, 223^b, 1900, 340; *Urug.* '84, 271; *Va.* '88, 19; *W. L.* '81, 153 [*l. luce*]^a, '87, 324.—*hbt.* '80, 181; *meas.* '87, 159, '93, 49; *nst.* '82, 223^b, '83, 42^b, '87, 136, 281^a, '94, 121, '95, 355; *syn.* '80, 88 [*californica*]^a, '84, 384^b, '87, 324; *misc.* '87, 143, 214^a, 217^a, '91, 107^a, '95, 355.

frazari (Frazar's Green Heron), *L. Cal.* '88, 83^a, 394.

herodias (^a Great Blue Heron), *Ala.* '79, 13; *Alas.* '98, 126; *Ariz.* '83, 36, '86, 385; *Bahamas*, '91, 77, 294, 295, 296, 297; *Cal.* '86, 91, '87, 329; *Colo.* '85, 17, 143; *C. R.* '90, 332, '92, 329; *Europe*, '80, 66; *Fla.* '87, 136, 215, 219^a, 220^a, 281^a, '88, 183, 268^a, 269, '90, 337, '91, 233; *Ga.* '83, 42; *Ind.* '88, 347: *Jamaica*, '92, 9, '94, 121; *Ky.* '89, 312; *La.* '82, 165; *Man.* '86, 150; *Mass.* '81, 127, '83, 149^a, '90, 409; *Me.* '82, 151; *Mich.* '93, 223; *Minn.* '80, 18, '84, 247; *Miss.* '82, 93; *Mo.* '79, 147; *Mont.* '94, 302, '95, 213; *N. B.* '81, 58; *N. C.* '86, 179; *N. H.* '89, 76, 78; *N. J.* '79, 226, '94, 135; *N. S.* '87, 16, '91, 165, 1900, 73; *N. Y.* '78, 53, '81, 233; *Orc.* '79, 197, '83, 235^a, '86, 164, '88, 143; *P. E. I.* '85, 221^a, '93, 8; *Que.* '82, 239; *Revill.* *Is.* '98, 316, 318; *S. C.* '79, 217, '85, 190, '90, 35; *S. D.* '85, 287; *Tex.* '82, 41, 223, '87, 185, '89, 236, '92, 232, 1900, 339; *Va.* '76, 27; *Vt.* '86, 272^a; *Wash.* '92, 42, 1900, 351; *W. L.* '87, 323; *Wis.* '82, 188.—*anat.* '90, 277; *fd.* '85, 221^a, '86, 385; *hbt.* '85, 221^a, 90, 337; *mig.* '90, 397; *nst.* '76, 27, '80, 181, 187, '82, 223, '83, 42, 235^a, 236^a, '87, 136, 219^a, 220^a, 281^a, '88, 347, '91, 107, 109; *plm.* '78, 183, '82, 345; *syn.* '87, 323; *misc.* '77, 64, '87, 214^a, 283^a, '90, 388^a, '91, 107, '92, 286, '97, 25^a.

occidentalis (^a Great White Heron, ^b wurdemannii, ^c Audubonia), *Cal.* '77, 95^c? '96, 172; *Cuba*, '92, 272; *Fla.* '80, 122, 122^a, '81, 41^a, '86, 408, 408^b, '87, 159, 159^b, '89, 16, 16^b, '90, 222, '92, 211, 211^b; *g. dist.* '88, 394^b, '93, 141; *Ill.* '95, 379^b; *Jamaica*, '92, 9; *Orc.* '77, 95; *W. L.* '87, 324, 324^b.—*nst.* '87, 159^b, '89, 16, 16^b; *plm.* '78, 183, 183^b, '82, 1^b, 3^b, 5^b, '88, 195^b, '97, 232, 232^b; *syn.* '80, 122, 122^b, '87, 324, '97, 232; *misc.* '82, 243^b, '87, 272^b, '89, 16^b. *paloccidentalis* (fossil sp.), *Orc.* '91, 367, '93, 344.

purpurea, *Helg.* '95, 337.—*syn.* '88, 196.

rufescens (Reddish, or Peale's Egret, ^b rufa, ^c *Dichromonassa rufa*, ^d pealei, ^e *Demiegretta peali*), *Bahamas*, '91, 77, 296, 335, 335^d; *Fla.* '81, 20^b, 204, '87, 137^a, 138^b, 138^c, 139^a, 143^a, 144^b, 144^c, 215^a, 216^a, 218^a, 221^a, 281^a, '88, 184, 184^b, '89, 14, 14^b, 18, '91, 233^a, '92, 211; *g. dist.* '93, 132; *Ill.* '76, 40^b, '80, 32^c, '95, 379; *Jamaica*, '92, 10; *Tex.* '78, 145, '88, 184, 1900, 340; *W. I.* '81, 154^b, 325^b—*hbt.* '82, 1^a; *nst.* '81, 20^b, '87, 137^a, 281^a, '88, 184, '89, 18; *plm.* '81, 20^b, 20^c, '82, 3^c, 3^d, '87, 143^a, 215^a, '88, 184, 184^b; *syn.* '80, 88^c, 123, 123^d, '87, 325^b, 335; *misc.* '80, 88^c, '87, 143^b, 214^b, 217^a, '88, 401^a.

ruficollis (^a Louisiana Heron, ^b *Demiegretta ludoviciana*, ^c *Hydranassa tricolor*, ^d *leucoprymnna*, ^e *Hydranassa ludoviciana*, ^f *tricolor*), *Bahamas*, '91, 77, 295, 297, 337, '92, 48; *Fla.* '81, 20^d, 41^a, '87, 136, 138^f, 139^a, 142, 215^a, 216^a, 220^a, 280^a, 281^a, 282^a, '88, 268^a, 269, '89, 18, '91, 130^a, 137, 233, '92, 211; *Ga.* '83, 42^c, '96, 215; *g. dist.* '93, 132; *Ind.* '77, 51^b; *Jamaica*, '92, 10, '94, 121; *N. C.* '99, 247; *Tex.* '78, 145^c, '82, 223^a; *W. I.* '80, 107^d, '86, 502, '87, 180, 181, 327, —*nst.* '82, 223^e, '83, 42^e, '87, 136, 216^a, 220^a, 281^a, 282^a, '89, 18, '91, 77, '92, 10, '94, 121, '99, 247; *plm.* '80, 107^d, '81, 20^d; *syn.* '80, 178^c, '87, 327, '99, 202; *misc.* '87, 143, 214^a.

tricolor, *syn.* '99, 202.

sibilatrix, *Argent.*, *Urug.*, *hbt.* '84, 271.

virescens (^a Green Heron, ^b *Butorides*), *Assiniboia*, '86, 150^a; *Ariz.* '86, 385, '90, 48; *Bahamas*, '91, 295, 350, 351, '92, 48; *Cal.* '86, 91; *Colom.* 1900, 364^b; *C. R.* '90, 332, '92, 329; *Cuba*, '92, 272; *D. C.* '88, 19; *Engl.* '92, 290, 290; *Fla.* '87, 136, 215, 280, '88, 269, '89, 18, '90, 308, '91, 129^a, 137, '92, 211, '95, 364; *Ga.* '83, 42^b, '96, 215; *Ia.* '95, 123; *Ind.* '82, 18^b, 22^b, '88, 348; *Jamaica*, '92, 10, '94, 121; *Ky.* '89, 312; *La.* '82, 165^b, '87, 303; *Mass.* '81, 127, '95, 88; *Minn.* '95, 259; *Mo.* '79, 147; *N. B.* '83, 176^a; *N. C.* '86, 102; *N. H.* '89, 76; *N. J.* '79, 226, '90, 327, '94, 136; *N. Y.* '81, 233, '95, 259; *O.* '82, 46^b; *Ont.* '99, 351; *Ore.* '88, 144; *Pa.* '92, 134, '96, 281, 291^a, 292; *S. C.* '79, 217, '90, 35,

'91, 232; *S. D.* '85, 287^b; *Tenn.* '86, 319, '87, 129; *Tex.* '82, 223^b, '92, 232, 1900, 340; *Va.* '76, 27, '86, 160, '89, 53^a; *Venez.* 1900, 364^b; *W. I.* '80, 169^b, '81, 155, '86, 502, '87, 96, 180, 181, 326, '89, 32, '90, 374, 374, 375, '91, 47, 48, 48, '93, 220; *Wis.* '82, 188.—*meas.* '95, 259; *mig.* '95, 123; *nst.* '76, 27, '82, 18^c, 22^b, '83, 42^a, '87, 136, 215, '88, 269, 348, '89, 18, '94, 121, '99, 351; *syn.* '87, 326, '99, 202^b.

wardi (^a Ward's Heron), *Fla.* '82, 5^a, 258, '84, 161, '87, 143, 272, '88, 183, '89, 17, '90, 308, '91, 128^a, 135, 137, '92, 211, '95, 364; *N. Am.* '84, 384.—*hbt.* '91, 128^a; *meas.* '82, 6, '84, 162, '91, 135; *nst.* '88, 183, '89, 17, '91, 128^a; *plm.* '84, 161, 163, '88, 195, '89, 17, '97, 232; *misc.* '87, 143, 272.

Ardeidae (^a Herons), '78, 17, 182, 183,

184, '79, 111, '81, 163, '85, 212^a, '86,

270^a, '87, 167^a, '88, 196^a, '90, 388^a,

'96, 63^a, 173, 1900, 95^a.

Ardeinae, '78, 183, '89, 333, '90, 277.

ardens (Piranga), see Piranga.

Ardetta, '88, 49, '92, 108, '99, 297.

eutrythma, *syn.* '88, 196.

exilis (^a Least Bittern, ^b *Botaurus*), *Cal.* '87, 87^b; *Colo.* '94, 183^b; *D. C.* '88, 19^b; *Fla.* '81, 21, '86, 262, '89, 16^b, '92, 211^b, '95, 364; *Ga.* '83, 42; *Jamaica*, '92, 9^b, '94, 121; *Man.* '86, 150^b; *Mass.* '76, 76, '83, 243^a, '95, 87^b; *Minn.* '81, 186, '84, 248; *N. B.* '82, 205, 176^a, '83, 234^a; *N. F.* '84, 188^a; *N. J.* '79, 226, '85, 296^a; *N. S.* '98, 195^b; *N. Y.* '79, 175, '84, 288^a, '94, 163, '97, 227, 1900, 178; *Pa.* '99, 310^b; *R. I.* '81, 186; *Tex.* '82, 223, '87, 185^b, 1900, 339; *W. I.* '88, 50; *Wis.* '81, 186.—*fd.* '76, 76, '94, 121; *hbt.* '81, 186, '85, 99^a; *meas.* '81, 186; *nst.* '81, 186, '82, 223, '83, 42, 243^a, '85, 101^a, '87, 338^a, '89, 16^b, '92, 9^b, '94, 121; *plm.* '96, 11; *syn.* '88, 50, '93, 61.

involucris, *Argent.*, *Urug.*, *hbt.* '84, 271.

minuta, *Hclg.* '95, 337.

neoxena (Cory's Least Bittern, ^b *Botaurus*), *Fla.* '86, 262^a, 408, '88, 304, '89, 317^b, '91, 309, 309^b, '92, 141^b, 211^b, 214^b; *g. dist.* '96, 11–19 (col. pl.); *Mich.* '95, 77; *Ont.* '93, 363, '97, 411.—*hbt.* '91, 309^b; *meas.* '86, 262, '89, 318^b, '93, 363; *nst.* '91, 309^b, '96, 14; *plm.* '89, 317^b, '92, 141^b, '93, 363, '96, 11, '97, 411; *syn.* '93, 61; *misc.* '96, 16.

ardosiaca (*Mimocichla*), see *Mimocichla*.
 —— (*Tyrannula*), see *Contopus*.
 ardosiaeae (*Mimokitta*), see *Mimocichla*.
 ardosiaeaeus (*Turdus*), see *Mimocichla*
 ardosiaeaeus or *plumbea*.
 ardosiacus (*Contopus*), see *Contopus*.
 —— (*Horizopus*), see *Contopus*.
 arenacea (*Spizella*), see *Spizella*.
 arenaceus (*Mimus*), see *Mimus*.
Arenaria, '84, 229, '87, 230, '96, 65,
 1900, 75.
interpreps (^a Turnstone, ^b *Strepsilas*, ^c *morinella*), *Alas.* '85, 63^b,
 157; *Arctic Am.* '78, 86^b; *Bahamas*,
 '91, 337, 351, 352, '92, 48; *Cal.*'87, 298, 51; *D. C.* '84, 397^b, '88,
 147; *Fla.* '81, 18^b, '87, 219, 276^b, '89,
 159, '92, 212; *g. dist.* '93, 124,
 1900, 75, 75^e; *Gulf of Mex.* '81, 252^a;
H. I. 1900, 204; *Helg.* '95, 339; *Hud.*
 '90, 321; *Ill.* '77, 68^b, '96, 181;
Jamaica, '92, 15, '94, 123; *Kan.* '99,
 187; *La.* '97, 289; *Malta*, '77, 70^b;
Man. '86, 153; *Mass.* '92, 147, 306,
 '93, 28, 294, '94, 226; *Md.* '88, 147;
Minn. '89, 340, '99, 76; *Mo.* '98, 27;
N. Atlantic, '79, 128^b, '84, 399^b; *N.*
C. '99, 246^a; *Neb.* '95, 297^b; *N. J.* '79,
 224^b; *N. S.* '87, 16; *N. Y.* '86, 438^a,
 '89, 129; *Que.* '82, 238^b; *Recill. Is.*
 '98, 318; *Tex.* '78, 145^b, '79, 51^a, '82,
 222^b, '88, 110, 1900, 341; *Va.* '88,
 147; *Wash.* '93, 17; *W. I.* '80, 169^b,
 '86, 502, '87, 231, '89, 32.—*hbt.* '92,
 15, '93, 293, 293; *mig.* '81, 252^b, '85,
 63^b, '87, 276^b, '89, 159, '92, 306, '93,
 247, 1900, 205; *plm.* '81, 162^b, '86,
 413^a (*mlt.*); 1900, 76^b, 370 (*mlt.*);
 372 (*mlt.*); *syn.* '84, 229, '87, 231,
 1900, 76; *misc.* '84, 173^b, '87, 276^a,
 '90, 395, '93, 294^a, 294^a, 1900, 70^a.
melanocephala (^a Black Turnstone, ^b *Strepsilas*), *Alas.* '80, 36^b,
 '81, 5^a, '87, 12, '98, 127; *Cal.* '87,
 329; *g. dist.* '93, 124; *Wash.* '92,
 354.—*syn.* '84, 229.
arenaria (*Calidris*), see *Calidris*.
 —— (*Tringa*), see *Calidris*.
arenicola (*Otocoris*), see *Otocoris*.
 —— (*Harporhynchus*), see *Harporhynchus*.
argentata (*Ceyx*), see *Ceyx*.
argentatooides (*Larus*), see *L. delawarensis*.
argentatus (*Larus*), see *L. argentatus*,
smithsonianus or *schistisagus*.
argentea (*Sterna*), see *S. antillarum*.

argentifrons (*Scytalopus*), see *Scytalopus*.
Argentina.
 Barrows, W. B., '83, 82–94, 129–143,
 198–212, '84, 20–30, 109–113, 270–
 278, 313–319.
argentina (*Cyanocompsa*), see *Cyano-*
compsa.
 —— (*Guiraca*), see *Cyanocompsa*.
argentinus (*Thamnophilus*), see *T.*
ruficapillus.
Argusianus grayi, *Borneo*, '91, 14.
ariel (*Ramphastos*), see *Ramphastos*.
arizelia (*Geothlypis*), see *G. occidentalis*.
arizelus (*Dendromus*), see *Dendromus*.
Arizona.
 Allen, J. A., '80, 89, 90, 91, '86, 275–
 276, '87, 74–75, '89, 189, '91, 95–
 99.
 Bendire, C. E., '78, 39, '83, 234.
 Breninger, G. F., '97, 403, '99, 352.
 Brewer, T. M., '79, 123.
 Brewster, W., '81, 65–73, 103, 252,
 '82, 65–86, 135–147, 193–212, '83,
 21–36, '85, 84–85, 196–200, '98,
 186.
 Brown, H., '87, 68, 69, 341, '88, 109,
 116–118, '99, 270, 272, 1900, 31–34.
 Bryant, W. E., '81, 176–177.
 Coale, H. K., '94, 217–221.
 Coues, E., '79, 54–57, '81, 183, 248,
 '82, 52–53, '92, 198–201.
 Chapman, F. M., '97, 310.
 Dwight, J., Jr., '90, 148.
 Fisher, A. K., '92, 394, '94, 325–326.
 Grinnell, G. B., '85, 297.
 Holterhoff, G., Jr., '84, 85.
 Ingersoll, E., '80, 122.
 Ladd, S. B., '91, 314–315.
 Mearns, E. A., '86, 60–73, 289–307,
 '90, 45–55, 243–264.
 Merriam, C. H., '95, 54–60.
 Nelson, E. W., 1900, 120, 255.
 Poling, O. C., '90, 402–403, '91, 313–
 314.
 Price, W. W., '88, 385–386, 425, '95,
 17–19.
 Ridgway, R., '85, 343–345, '87, 69,
 161–162, '98, 230, 325–326.
 Scott, W. E. D., '85, 1–7, 159–165,
 172–174, 242–246, 296, 321–326,
 348–356, '86, 81–86, 249–258, 383–
 389, 421–432, '87, 16–24, 196–205,
 '88, 29–36, 159–168.
 Scott, W. E. D., and Allen, J. A., '86,
 249–258, 383–389, 421–432, '87,
 16–24, 196–205, '88, 29–36, 159–
 168.
 Stephens, F., '78, 92–94, '85, 225–231.

- Swinburne, J., '88, 113-114, 321-322,
'90, 97-98.
arizone (*Antrostomus*), see *A. arizonæ*
or *macromystax*.
 — (*Aphelocoma*), see *Aphelocoma*.
 — (*Astragalinus*), see *Astragalinus*.
 — (*Caprimulgus*), see *Antrostomus*
macromystax.
 — (*Chrysomitris*), see *Astragalinus*.
 — (*Coturniculus*), see *Peucea*.
 — (*Dryobates*), see *Dryobates*.
 — (*Peucæa*), see *Peucæa*.
 — (*Picus*), see *Dryobates*.
 — (*Spinus*), see *Astragalinus*.
 — (*Spizella*), see *Spizella*.

Arkansas.

- Coues, E., '79, 238.
 Hay, O. P., '82, 89-94.
 Mitchell, R. H., '94, 327.
 Pleas, C. E., '90, 85.
 Ragsdale, G. H., '89, 224.
 Reynolds, H. S., '77, 74.
 Weir, D. B. ('Byrne'), '84, 285.
 Widmann, O., '96, 264.
armillata (*Fulica*), see *Fulica*.
 — (*Muscicapa*), see *Myadestes*.
armillatus (*Myadestes*), see *M. armil-*
latus or *solitarius*.
 — (*Ptilogonyx*), see *Myadestes armil-*
latus or *solitarius*.
armoricana (*Fratercula*), see *F. arctica*.
Armstrong, Edward Henry.
 White-winged Crossbills in Rhode
Island, 1900, 175.
Arquatella, see *Tringa*.
 couesi, '80, 160*, see *Tringa*.
arquatella (*Tringa*), see *T. couesi* or
maritima.
arquatus (*Numenius*), see *Numenius*.
 — (*Pitta*), see *Pitta*.
arra (*Lomvia*), see *Uria*.
 — (*Uria*), see *Uria*.

Arremon, '98, 223.

- aurantiirostris*, *C. R.* '92, 173.
saturatus, *C. R.*, syn. '92, 173.
nigrirostris, misc. '87, 150.
Arremonops, '97, 129, 232.
 caneus, *Colom.* '98, 339.
chloronota, *Mex.* '98, 157.
crassirostris (^b *Embernagra*), *Mex.*
'80, 41^b.
 richmondi, g. *dist.* '98, 228*.
rufivirgata (Texas Sparrow, ^b
Embernagra), g. *dist.* '93, 141^b; *Tex.*
'76, 89^b, '80, 46^b.—*hbt.*, *meas.* '76,
80^b; *nst.* '76, 89^b, '88, 352^b; *syn.* '97,
120, 232.
sinaloæ, *Mex.* '99, 296.
striaticeps (^b *Embernagra*). *nst.*
'94, 171^b.

- sumichrasti*, *Mex.*, *syn.* '98, 157.
venezuelensis (^b *Embernagra coni-*
rostris), *Venez.* '97, 364^b, '98, 228*.
verticalis (^b *Embernagra*), *Yucatan.*
'80, 42^b.
Artamides, '94, 234.
Artamus, '94, 233.
Aruba Island, West Indies.
 Chapman, F. M., '93, 355-357.
arubensis (*Conurus*), see *Conurus*.
Arundinicola leucocephala, *Braz.* '90,
133, 269.—*inst.* '90, 269.
arvensis (*Alauda*), see *Alauda*.
Asarcia, see *Jacana*.
Asarcornis, '96, 162.
asiatica (*Ægialitis*), see *Ægialitis*.
Asio, '77, 64, '79, 168, '86, 466.
accipitrinus (^a Short-eared Owl,
^b *Brachyotus cassini*, ^c *Brachyotus*
palustris, ^d *mcilhennyi*), *Alas.* '79,
53^a, '81, 6^a, '85, 157, 201, 241, '87, 12,
1900, 184^d, 310^d; *Argent.* '84, 29;
Cal. '97, 404, '98, 234; *Colo.* '85, 143,
'87, 264, '94, 183^a; *Conn.* '83, 183;
Cuba, '86, 468; *D. C.* '90, 91 [not
'Surina caparoch,' see '90, 400];
Helg. '95, 330; *Hud. B.* '90, 322;
Ida. '97, 353; *Ill.* '89, 175^a; *Ind.*
'88, 350; *Ky.* '89, 313; *Man.* '86,
155, 329; *Mass.* '79, 19^a, '81, 242^a, '83,
148^a, '93, 370, '95, 88, '96, 88, 257,
'97, 388, '98, 75-77^a, 210-213^a; *Minn.*
'84, 246^a; *Mont.* '95, 214; *N. E.* '76,
72^b, '77, 14^b; *N. J.* '79, 83^c, 223^c,
'85, 87^a, '94, 136; *N. Y.* '82, 128, '93,
301^a; *O.* '89, 201; *Ore.* '88, 146; *Que.*
'82, 237, '89, 147; *R. I.* '96, 257; *S. C.*
'79, 216^c, '85, 189, '94, 38^a; *S. D.*
'85, 284; *Tex.* '82, 172^c, '87, 189, '92,
234, 1900, 343; *Wash.* '82, 227, 229,
'92, 355, 1900, 244.—*fd.* '79, 10^c,
'85, 93^a, '88, 146, '93, 301^a, '99,
363; *hbt.* '84, 29, '85, 99^a, 189,
'92, 234, 355, '94, 71; *mag.* '92,
234, '94, 38^a; *inst.* '81, 242^a, '85,
100^a, '86, 270^a, '93, 301^a, '96, 88, '97,
404, 1900, 244; *plm.* '82, 229, '83,
183 (alb.), '95, 287, '98, 212^a; *song.*
'92, 355, '93, 301^a; *syn.* '78, 78, '83,
168, '84, 115, '86, 468; *misc.* '97, 306^a
(fig.), 1900, 112^a.
galapagoensis, *syn.* '83, 168.
mexicanus, *Venez.* '97, 366.
otus, *Helg.* '95, 330.—*anat.* '82, 87.
portoricensis, *W. I.*, *meas.*, *plm.*
syn. '86, 468.
stygius, *W. I.*, *meas.*, *plm.*, *syn.*
'86, 466.
wilsonianus (^a American Long-
eared Owl, ^b *Otus*, ^c *americanus*), *B.*

C. '93, 291, 382; *Cal.* '86, 87^a, 93; *Colo.* '81, 141^b, '83, 197, '85, 17^c; *Conn.* '93, 207; *D. C.* '88, 20; *Ida.* '83, 177^c, '97, 353, 1900, 244; *Ind.* '88, 350; *Man.* '86, 155, 329; *Mass.* '81, 185^a, '95, 88; *Minn.* '80, 17^b, '84, 246^a; *Mont.* '94, 303, '95, 214; *N. C.* '93, 243, '94, 333; *N. E.* '76, 72^b, '77, 14^b; *N. J.* '79, 85^a; *N. M.* '92, 361, '98, 308; *N. Y.* '81, 232^c, '99, 285; *Ore.* '79, 195^b, '83, 177^c, '88, 146; *Que.* '82, 237; *S. C.* '85, 192; *S. D.* '85, 284^c; *Tex.* '87, 189, '92, 234; *Wash.* '82, 227^c, '93, 17, 291, 382, '97, 174.—*fd.* '99, 363; *meas.* '83, 235^c; *nst.* '81, 185^a, '83, 236^a, '85, 99^a, '86, 93, '88, 146, '89, 299, '90, 86^b, '91, 108^a, '97, 174, '99, 285; *misc.* '94, 303, '97, 396^a (fig.), 1900, 112^a.

asio (*Megascops*), see *M. asio*, *maxwellie* or *floridana*.

— (*Scops*), see *Megascops asio* or *floridana*.

aspersus (*Megascops*), see *M. trichopsis*.
asserriensis (*Chordeiles*), see *Chordeiles*.

assimilis (*Agelaius*), see *Agelaius*.

— (*Callothrush*), see *Callothrush*.

— (*Geospiza*), see *Geospiza*.

— (*Pardalotus*), see *Pardalotus*.

— (*Puffinus*), see *Puffinus*.

Astragalinus, '80, 96, '84, 361, '99, 79, 115.

arizoneæ (^a Arizona Goldfinch, ^b *Chrysomitrис*, ^c *Spinus*), *Ariz.* '82, 104^b, '87, 198^c, '94, 218^a; *Tex.* '92, 337^c.—*syn.* '80, 96, 84, 362^c, '87, 198^c, '99, 79, 116.

jouyi, *Yucatan*, '98, 320*.

lawrencei (^a Lawrence's Goldfinch, ^b *Chrysomitrис*, ^c *Spinus*), *Ariz.* '87, 199^c; *Cal.* '78, 66^b, '86, 87^a, 182^c, '89, 223^c; *nst.* '86, 182^c; *syn.* '80, 96, '84, 362^c, '99, 80, 116.

mexicanus (^a Mexican Goldfinch, ^b *Chrysomitrис*, ^c *Spinus*), *Colo.* '99, 187; *C. R.* '92, 249^c; *Cuba*, '86, 208^c; *Tex.* '92, 337^c, 341^a; *plm.* '79, 46^b; *syn.* '80, 96, '84, 362^c, '99, 79, 116.

pallidus (Pale Goldfinch, ^b *Spinus tristis*, ^c *Spinus*), *Ariz.* '87, 197^b, '90, 245^{c*}, '92, 106^c; *Colo.* 1900, 298; *g. dist.* '99, 115.—*fd.* '87, 197^b; *meas.* '90, 245^c, 246^c; *plm.* '87, 197^b; *syn.* '91, 89^c, '92, 106^c, '99, 79, 115.

psaltria (Arkansas Goldfinch, ^b *Chrysomitrис*, ^c *Spinus*), *Ariz.* '82, 194^b, '87, 198^c, '90, 49^c, 258^c; *Cal.* '86, 182^c, '89, 222^c, '90, 297^c, '98, 235^c; *Colo.* '81, 90, '83, 161^b.

'85, 16, 141, '87, 124^c; *g. dist.* '93, 134^c; *N. M.* '92, 365^c, '98, 309^c; *Ore.* '88, 358^c; *Tex.* '87, 291^c.—*fd.* '87, 198^c; *hbt.* '98, 309^c; *meas.* '82, 194^b; *plm.* '79, 46^b, '82, 194^b; *syn.* '80, 96, '84, 362^c, '99, 79, 116; *misc.* '94, 69^c.

salicamans (Willow Goldfinch, ^b *Chrysomitrис tristis*, ^c *Spinus tristis*, ^d *Spinus*), *B. C.* 1900, 106^d; *Cal.* '78, 66^b, '86, 182^c, '89, 222^c; *g. dist.* '97, 397^{a*}, '99, 79, 115; *Ore.* '79, 164^b, '86, 168^c, '88, 358^c; *Wash.* '82, 227^b.—*fd.* '86, 168^c; *hbt.* '97, 397^d; *meas.* '97, 397^d; *nst.* '97, 397^d; *plm.* '97, 397^d (mlt.); *syn.* '99, 79, 115.

tristis (^a American Goldfinch, Yellow-bird or Thistle-bird, ^b *Chrysomitrис*, ^c *Spinus*), *Ala.* '79, 7^b; *Colo.* '81, 90, '83, 161^b, '85, 16, 141, '87, 124^c, '95, 153^a, 1900, 298; *Conn.* '94, 181^a; *D. C.* '88, 22^c; *Fla.* '88, 273^c, '89, 321^c, '91, 127^a, 138^c, '92, 213^c, '95, 365^c; *Ga.* '96, 213^c; *g. dist.* '99, 115; *Ida.* '98, 15^c; *Ill.* '90, 239^c; *Ind.* '89, 24^c; *Kan.* '94, 215^a; *Ky.* '89, 314^c; *Man.* '86, 322^c; *Mass.* '83, 149^a, '84, 6^a, '88, 207^c, 389^c, '89, 44^c, 100^c, '90, 229^c, '95, 182^a; *Mc.* '82, 147; *Mich.* '93, 226^c; *Minn.* '80, 14^b, '84, 244; *Mo.* '79, 143^b, '95, 221^a, '96, 218^c; *Mont.* '94, 305^c, '95, 216^c; *N. B.* '82, 147, '84, 294^a, '89, 118^c; *N. C.* '86, 107^c, 314^c, '89, 119^c; *N. F.* 1900, 72^c; *N. H.* '87, 105^c, '88, 150^c, 152^c, 154^c, '89, 77^c, 78^c; *N. J.* '94, 139^c; *N. S.* '87, 16^c; *N. Y.* '79, 35^b, '81, 229, '82, 188^b, '83, 58^b, '84, 329, '87, 188^b, '90, 231^c, 1900, 295^a; *Ore.* '88, 358^c [*salicamans?*]; *Pa.* '92, 137^c, '93, 40^c, 44^c, '96, 283^a, 291^a, 294^c; *P. E. I.* '85, 264^c, '93, 6^a, 11^c; *Que.* '82, 235; *S. C.* '79, 214^b, '90, 124^c, '91, 328; *S. D.* '85, 27^a; *Tenn.* '86, 317^c, '87, 131^c; *Tex.* '82, 12, 37, '87, 291^c, '92, 237^c; *Va.* '86, 159^c, '89, 53^c; *I. t.* '98, 239-243^c; *Wash.* '92, 356^c, '97, 177^c, 1900, 354^c; *Wis.* '82, 188^b; *W. Va.* '98, 136^c.—*fd.* '82, 12, '98, 239^a, '99, 362^a; *hbt.* '98, 239^a; *meas.* '90, 246^c, '97, 397^c; *mig.* '81, 98^b; *nst.* '87, 264^a, '88, 22^c, '98, 239^a; *plm.* '77, 73^b, '78, 117^b, '79, 28^a (alb.), 35^b (mlt.), 46^b, '84, 329 (mlt.), '96, 241^c (mlt.); *song.* '84, 64^a, 329, '90, 199^c; *syn.* '80, 96, '84, 362^c, '99, 79, 115; *misc.* '77, 74^b, '83, 119^c, '90, 80^a, 82^c, '94, 69^c.

Astrapia nigra, *misc.* '83, 55.

Astrarchia, '86, 308.

astreans (*Acestrura*), see *Acestrura*.

- Astur, '94, 236, 1900, 167.
 — henshawi, '84, 166*. see *Accipiter striatus*.
 — poliogaster, syn. '81, 210.
- Asturina, '93, 132.
 — nitida, *Braz.* '91, 161.
 — plagiata (Mexican Goshawk), *Ariz.* '83, 31, '86, 423.—*fd.*, *meas.*, *inst.*, *flm.*, *song.* '83, 31; *syn.* '85, 205; *misc.* '83, 178.
- atactus (*Dicrurus*), see *Dicrurus*.
 Atagen, see *Fregata*.
 ater (*Hæmatopus*), see *Hæmatopus*.
 — (*Milvus*), see *Milvus*.
 — (*Molothrus*), see *Molothrus*.
 — (*Parus*), see *Parus*.
 — (*Quiscalus*), see *Q. niger*.
 — (*Scaphidurus*), see *Cassidix oryzivora*.
 — (*Totanus*), see *Totanus*.
 aterritus (*Glaucopis*), see *Platysmurus*.
 — (*Microglossus*), see *Microglossus*.
 — (*Pachyrhynchus*), see *Platyparsis niger*.
 — (*Platysmurus*), see *Platysmurus*.
Athene noctua, *Helg.* '95, 329.
Atlapetes, '88, 412.
 — dilutus, *Mex.* '98, 228*.
 atkhensis (*Lagopus*), see *Lagopus*.
Atkins, Harmon Albro.
 The Snowbird (*Junco hyemalis*) in southern Michigan in summer, '79, 238.
 Obituary of, '85, 391.
- Atkins**, John W.
Columba corensis at Key West, Florida, '99, 272.
- atkinsi (Sitta), see *Sitta*.
- Atkinson**, George Francis.
 Preliminary cat. of birds of North Carolina (rev.), '88, 311.
- Atlantic** Monthly.
 Titles (No. 268), '83, 173, (No. 975), '85, 373 (Nos. 1645-1669), '90, 199.
- Atlantic Ocean.**
 Brown, J. C., '96, 176.
 D'Urban, W. S. M., '92, 289.
 Jeffries, W. A., '86, 131-132.
 Lucas, F. A., '87, 1-6.
 Ridgway, R., '85, 386-387.
 Thayer, G. H., '99, 273-276.
 Young, C. J., '84, 398-399.
atlantica (*Symphearia*), see *S. semipalmata*.
- atra* (*Fulica*), see *F. atra* or *americana*.
 — (*Schistochlamys*), see *Schistochlamys*.
- atrata* (*Catharista*), see *Catharista*.
- (*Certhiola*), see *Cereba*.
 — (*Cereba*), see *Cereba*.
 — (*Chenopsis*), see *Chenopsis*.
 — (*Leucosticte*), see *Leucosticte*.
 — (*Parra*), see *Metopidius indicus*.
atratus (*Cathartes*), see *Cathartista urubu*.
 — (*Cathartes*), see *Cathartista urubu*.
 — (*Pipilo*), see *P. megalonyx*.
 — (*Vultur*), see *Cathartista urubu*.
atricapilla (*Chlorophanes*), see *Chlorophanes*.
 — (*Cereba*), see *Chlorophanes*.
 — (*Culicivora*), see *Polioptila californica* or *plumbea*.
 — (*Daenis*), see *Chlorophanes*.
 — (*Emberiza*), see *Zonotrichia coronata*.
 — (*Muscicapa*), see *Muscicapa*.
 — (*Pitta*), see *P. atricapilla* or *sordida*.
 — (*Sylvia*), see *Sylvia*.
atricapillus (*Accipiter*), see *Accipiter*.
 — (*Astur*), see *Accipiter atricapillus* or *striatus*.
 — (*Brachyurus*), see *Pitta sordida*.
 — (*Donacobius*), see *Donacobius*.
 — (*Lanio*), see *Lanio*.
 — (*Lanius*), see *Thamnophilus cirratus*.
 — (*Megascops*), see *Megascops*.
 — (*Orchilus*), see *Orchilus*.
 — (*Pachyrhampus*), see *Pachyrhampus*.
 — (*Parus*), see *Parus*.
 — (*Scops*), see *Megascops*.
 — (*Vireo*), see *Vireo*.
atriceps (*Chlorospingus*), see *C. postocularis*.
 — (*Colinus*), see *Colinus*.
 — (*Empidonax*), see *Mitrephanes*.
 — (*Mitrephanes*), see *Mitrephanes*.
 — (*Phrygilus*), see *Phrygilus*.
Atrichia, '81, 32, 36, '93, 184.
Atrichornis, see *Atrichia*.
atricilla (*Chroicocephalus*), see *Larus*.
 — (*Chroicocephalus*), see *Larus*.
 — (*Larus*), see *Larus*.
 — (*Nema*), see *Larus*.
atricollis (*Parra*), see *Metopidius albinucha*.
 — (*Trogon*), see *Trogon*.
atricristatus (*Lophophanes*), see *Parus*.
 — (*Parus*), see *Parus*.
atrigularis (*Spizella*), see *Spizella*.
 — (*Cacopitta*), see *Turdinus*.
 — (*Turdinus*), see *Turdinus*.
 — (*Turdus*), see *Turdus*.
atripes (*Lepidocolaptes*), see *Picolaptes angustirostris*.

atriostris (*Cyclorhis*), see *Cyclorhis*.
 atrofuscus (*Anous*), see *Anous*.
 atronitens (*Molothrus*), see *Molothrus*.
 atrovioletaceus (*Chaleophanes*), see *Quiscalus*.
 — (*Dives*), see *Quiscalus*.
 — (*Quiscalus*), see *Quiscalus*.
 — (*Scaphidurus*), see *Quiscalus*.
 — (*Scolecephagus*), see *Quiscalus*.
 Attagen, see *Lagopus*.

Atthis,'84, 57.

elliotti, *Guatemala*, '80, 41.
 heiloisa (^b *Trochilus*), *L. Cal.* '90,
 215; *Mex.* '92, 377; *Tex.* '91, 115^b
 [= *Stellula calliope*].—*syn.* '91, 88^b,
 115^b; *misc.* '99, 111^b.
 morcomi (*Morcom's Humming-*
 bird), *Ariz.* '98, 325*, '99, 111; *syn.*
 '99, 111.

Atticora cyanoleuca, *Urug.* '83, 90;
Venez. '97, 364.—*mig.* '83, 90.
montana, *Bolivia*, '90, 382; *C. R.*
 '92, 22.—*hbt.*, *nst.* '92, 22.

Attila citriniventris, *Braz.*, *plm.* '91, 25.
cozumelæ, *Yucatan*, '85, 295.
viridescens, *Braz.* '89, 172, '91, 25.

Attwater, Henry Philemon.

List of birds observed in vicinity of
 San Antonio, Texas, '92, 229–238,
 337–345.

Birds destroyed by a ‘norther,’ '92,
 303.

attwateri (*Tympanuchus*), see *Tympan-*
uchus.

audax (*Myiodynastes*), see *Myiodynastes*.

Audubon, John James.

Last portrait of, '94, 309–311, (pl.);
 letter of, '94, 311–313; monument
 to, '87, 359, '88, 123, 221, 336,
 448, '91, 322, '92, 207, '93, 211, 308,
 '94, 88, '97, 432; ornith. biography,
 vol. i, '91, 230; photograph of, '95,
 93.

Audubon, Maria Rebecca.

Audubon and his journals (rev.), '98,
 78, 198–205.

Audubon, M. R., and Shufeldt, R. W.,
 see *Shufeldt* and *Audubon*.

Audubon, Ornithological Club of Chi-
cago, '89, 284.

Audubon Magazine, '87, 175.

Audubon Society.

Founding, '86, 288; magazine, '87,
 175; of Connecticut, '98, 288; of
 New York, '97, 257, 343, '98, 78,
 '99, 216.

auduboni (*Dendroica*), see *Dendroica*.

— (*Dryobates*), see *Dryobates*.

— (*Hylocichla*), see *Hylocichla*.
 — (*Icterus*), see *Icterus*.
 — (*Polyborus*), see *P. cheriway*.
 — (*Puffinus*), see *Puffinus*.
 — (*Turdus*), see *Hylocichla*.

Aughey, Samuel.

Notes on Food of Birds of Nebraska
 (rev.), '79, 110–112.

augusta (*Chrysotis*), see *Amazona imperialis*.

augusti (*Phaethornis*), see *Phaethornis*.
augustus (*Amazona*), see *A. imperialis*.
 — (*Oenochrus*), see *Amazona imperialis*.
 — (*Psittacus*), see *Amazona imperialis*.
 — (*Psittacus*), see *Psittacus*.
Auk, Black-throated, see *Synthliboramphus antiquus*.

Crested, see *Simorhynchus cristatellus*.

Great, see *Plautus impennis*.

Paroquet, see *Cyphorhynchus psittacula*.

Razor-billed, see *Alca torda*.

Whiskered, see *Simorhynchus cristatellus*.

Auklet, Cassin's, see *Ptychoramphus aleuticus*.

Crested, see *Simorhynchus cristatellus*.

Least, see *Simorhynchus pusillus*.

Paroquet, see *Cyphorhynchus psittacula*.

Rhinoceros, see *Cerorhinca monocerata*.

Whiskered, see *Simorhynchus pygmaeus*.

Auks, see *Alcidae*.

Aulacorhamphus calorhynchus, *Colom.*,
Venez. '99, 137.

dimidiatus, *Venez.* '86, 333*.

Iautus, *Colom.* '99, 91.

aura (*Cathartes*), see *Cathartes*.

— (*Rhinogryphus*), see *Cathartes*.

— (*Vultur*), see *Cathartes*.

aurantia (*Merula*), see *Merula*.

— (*Mimocichla*), see *Merula*,

— (*Semimerula*), see *Merula*.

aurantiacus (*Peucedramus*), see *Peucedramus*.

auranticollis (*Pyrrhula*), see *Pyrrhula portoricensis*.

aurantiifrons (*Hylophilus*), *Hylophilus*.

aurantiirostris (*Arremon*), see *Arremon*.

— (*Catharus*), see *Catharus*.

— (*Saltator*), see *Saltator*.

- aurantiiventris (Mitraphanes), see Mitraphanes.
 aurantio-atro-cristatus (Tyrannus), see Tyrannus.
 aurantius (Catharus), see Merula.
 — (Turdus), see Merula.
 auratus (Colaptes), see C. auratus, luteus or chrysocaulosus.
 — (Cuculus), see Colaptes.
 — (Eulampis), see E. jugularis.
 — (Phalacrocorax), see P. dilophus.
 — (Picus), see Colaptes.
 — (Trochilus), see Eulampis jugularis.
 aurea (Eriocnemis), see Eriocnemis.
 aureinucha (Dacnis), see Dacnis.
 aureiventris (Pseudochloris), see Pseudochloris.
 aureola (Dendroica), see Dendroica.
 — (Emberiza), see Emberiza.
 aureoventris (Chlorostilbon), see Chlorostilbon.
 aureus (Conurus), see Conurus.
 auricapilla (Pipra), see Pipra.
 auricapillus (Icterus), see Icterus.
 — (Siurus), see Seiurus.
 auricularis (Geothlypis), see Geothlypis.
 — (Ototyphlops), see Ototyphlops.
 — (Puffinus), see Puffinus.
 — (Vultur), see Ototyphlops.
 aurifrons (Centurus), see Melanerpes.
 — (Melanerpes), see Melanerpes.
Auriparus, '84, 280, '93, 112, 131.
 flavigeeps (^a Verdin, ^b ornatus).
Ariz. '78, 93, '82, 81, '88, 166, '94, 219; *Cal.* '84, 354, '90, 296, '92, 287^b; *g. dist.* '93, 135, '97, 393, 394; *L. Cal.* '95, 143; *Mex.* '85, 229; *N. M.* '78, 93, '92, 368; *Tex.* '80, 46^b [*'flavifrons*]. '92, 344, 1900, 348.—*hbt.* '95, 143; *meas.* 97, 394; *nst.* '78, 93, '82, 81, '83, 175, '88, 166, '90, 296, '92, 344, '94, 219, '95, 143; *plm.* '97, 393; *syn.* '97, 390, 391^b; *misc.* '83, 76.
lamprecephalus, *g. dist.* '97, 391*;
L. Cal. '99, 126.—*meas.* '97, 391, 394; *syn.* '97, 390, '99, 126.
 auripectus (Sycalis), see S. flaveola.
 auritus (Colymbus), see Colymbus.
 — (Dutes), see Colymbus.
 — (Podicipes), see Colymbus.
 auropapilla (Dendroica), see Dendroica.
 — (Ficedula), see Seiurus.
 — (Henicocichla), see Seiurus.
 — (Motacilla), see Seiurus.
 auropapillus (Accentor), see Seiurus.
 — (Sciurus), see Seiurus.
- (Sciurus), see Seiurus.
 — (Siurus), see Seiurus.
 — (Sylvia), see Seiurus.
 — (Turdus), see Seiurus.
 aurulenta (Lampornis), see L. dominicus.
 — (Margarochrysis), see Lampornis dominicus.
 aurulentus (Eulampis), see Lampornis dominicus.
 — (Trochilus), see Lampornis dominicus.
- Australia.**
 Coues, E., '84, 87.
 australis (Ammodramus), see A. passerinus.
 — (Apteryx), see Apteryx.
 — (Falco), see Falco.
 — (Leucosticte), see Leucosticte.
 — (Peucæa), see Peucæa.
 — (Senex), see Senex.
- Austria.**
 Allen, J. A., '90, 196–197.
 Dalgleish, J. J., '80, 68, 144, 215, 219.
 Stejneger, L., '87, 144–145.
Automolus pectoralis, *Mex.* '97, 54*.
rufipectus, *Colom.* '98, 339.
 autumnalis (Anas), see Dendrocygna.
 — (Dendrocygna), see D. autumnalis or aborea?
 — (Plegadis), see Plegadis.
 — (Tringa), see Plegadis.
- Averill**, Charles Ketchum, Jr.
 Feeding habits of *Sitta canadensis*, '88, 118.
 Yellow Rail in Connecticut, '88, 319.
 Loggerhead Shrike at Bridgeport, Connecticut, '89, 74.
Tringa bairdii on Long Island Sound, '89, 189.
 Evening Grosbeak in Connecticut, '90, 211.
 Brünnich's Murre in Connecticut, '91, 307.
 List of birds of Bridgeport, Conn. (rev.), '93, 352.
- Avery**, William Cushman.
 Obituary of, '94, 190, 263.
 Avicula (magazine), '97, 257.
 Avocet. American, see Recurvirostra americana.
 Avocets, see Recurvirostridae.
 avocetta (Recurvirostra), see Recurvirostra.
 axillaris (Amaurospiza), see Amaurospiza.
 ayresii (Colaptes), see C. cafer.
Aythya, '88, 65, '95, 293–295, '96, 162, '97, 133.

affinis (^a Lesser Scaup or Black-headed Duck, ^b Fuligula, ^c Fulix), *Ariz.* '86, 385; *Bahamas*, '91, 294, 296; *Cal.* '86, 90; *Colo.* '81, 142^b, '85, 18^c; *Engl.* '77, 107^c; *Fla.* '88, 269, 379, '91, 128, 137, '92, 211, '95, 188^a, 364; *Ga.* '96, 215; *G. Brit.* '80, 213^b; *g. dist.* '93, 125; *Holland*, '80, 213^b; *Ill.* '77, 68^c, '81, 124^b; *Ind.* '88, 346; *Jamaica*, '91, 364; *La.* '97, 286; *Man.* '86, 149; *Mass.* '92, 304, '94, 225, '96, 202; *Mich.* '80, 62^c; *Minn.* '84, 249^c; *Mo.* '78, 149^a; *Mont.* '95, 212; *N. D.* '99, 161^a, 162^a, 163^a, 164, 165^a; *N. F.* 1900, 71; *N. Y.* '82, 257^b; *Ore.* '79, 198^b, '86, 163, '88, 142; *Que.* '82, 239^b; *S. C.* '85, 193, '88, 203^a; *S. D.* '85, 288^c; *Tex.* '82, 225, '87, 184, '92, 232, 1900, 339; *Wash.* '92, 42, '97, 171; *W. I.* '81, 128^c, '88, 65, '90, 373; *W. Va.* '98, 134.—*nst.* '99, 164^a; *plm.* '76, 23^b (alb.), '79, 30^a (alb.); *syn.* '83, 62^c, '86, 127, '88, 65; *misc.* '83, 174^c.

americana (^a Redhead Duck, ^b Fuligula, ^c Fulix), *Ariz.* '86, 184; *B. C.* '93, 291; *Cal.* '86, 89, 401, 403; *Colo.* '85, 18; *g. dist.* '93, 125; *Ida.* 1900, 242; *Jamaica*, '91, 364; *La.* '97, 286; *Man.* '86, 149; *Mass.* '81, 127^b, '92, 304, '96, 201; *Mich.* '80, 61; *Minn.* '80, 19^b, '84, 188^a, 249, '96, 79^a; *Mont.* '95, 212; *N. Dak.* '99, 161^a, 162^a, 165^a; *N. Y.* '82, 257^b; *Ont.* '84, 185^a, '85, 372^b; *Ore.* '88, 142, '91, 366^c (fossil); *Pa.* '99, 309; *S. C.* '85, 193^b; *S. D.* '85, 288; *Tenn.* '89, 312; *Tex.* '87, 184, '92, 232, 1900, 339; *Wash.* '93, 17, 291; *W. I.* '88, 66; *hbt.* '92, 384; *meas.* '80, 62; *nst.* '80, 61, '87, 94, '90, 83, '99, 165^a; *plm.* '83, 126^c (alb.), '98, 50; *song.* '80, 61; *syn.* '88, 66; *misc.* '93, 384.

collaris (^a Ring-necked Duck, ^b Fuligula, ^c Fulix), *Alas.* '85, 158^c; *Colo.* '85, 18^c; *Engl.* '77, 107^c; *Fla.* '81, 21^b, '88, 269, 379, '92, 211; *Ga.* '96, 215; *G. Br.* '80, 213^b; *g. dist.* '93, 125; *Ida.* '97, 350; *Ill.* '77, 68^c; *Jamaica*, '91, 364; *La.* '97, 286; *Man.* '86, 149; *Mass.* '92, 74, '96, 202; *Me.* '82, 190^c; *Minn.* '80, 61^b, '84, 249^c; *N. D.* '99, 161^a, 162^a; *N. Y.* '93, 270, '99, 191; *Ore.* '86, 163^a, '88, 142, '97, 206^b; *Que.* '82, 239^b; *S. C.* '85, 193^b; *S. D.* '85, 288^c; *Tex.* '82, 42^c, '87, 185, '92, 232; *W. I.* '88, 66.—*hbt.* '92, 384; *meas.* '80, 61^b; *nst.* '80, 61^b, '99, 162^a; *plm.* '87, 24, '92, 162 (hyb.), '97, 206^b; *syn.* '88, 66.

cristata, *Hclg.* '95, 326.

ferina (^b Fuligula), *Hclg.* '95, 326; *plm.* '92, 162^b (hyb.).

marila (^a American Scaup or Greater Black-headed Duck, ^b Fuligula, ^c Fulix, ^d *nearctica*), *Alas.* '85, 158^c, '98, 126^d; *Ariz.* '86, 384^d, '92, 198^a; *Bahamas*, '91, 337^d; *Cal.* '86, 90^d; *Colo.* '81, 142^b, '85, 18^c; *Conn.* '95, 293–295; *Fla.* '87, 141^d [*affinis?*], '88, 379^d [*affinis?*]; *g. dist.* '93, 125^d, '99, 104; *Hclg.* '95, 326; *Ky.* '89, 312^d; *La.* '97, 286^d; *Man.* '86, 149^a, 329^d; *Mass.* '92, 304^d, '94, 225^d, '95, 310^d, '96, 202, '97, 228, '98, 189^d; *Mich.* '80, 62^c; *Minn.* '84, 249^c; *N. Dak.* '99, 162^a, 163; *N. J.* '79, 226^b; *N. Y.* '82, 256^b, '84, 178^c; *Ore.* '88, 142^a, '91, 367^d (fossil), '93, 344^d (fossil); *Tex.* '82, 225^c, '92, 345^d; *Va.* '88, 18^d; *Wash.* '92, 42^d, '97, 171^d—*hbt.* '92, 384^d; *meas.* '80, 62^c; *mig.* '84, 178^c; *nst.* '80, 62^c, '88, 18^d; *plm.* '95, 293; *syn.* '83, 62^c, '86, 127, '95, 293, '96, 162^d, '97, 135, '99, 104; *misc.* '88, 379^d (corr.).

mariloides, *Kamts.*, *syn.* '86, 127; *vallisneria* (^a Canvas-back Duck, ^b Fuligula), *Ariz.* '86, 384, '92, 198^a; *Cal.* '86, 90; *Colo.* '85, 18; *g. dist.* '93, 125; *Jamaica*, '91, 364; *Ky.* '89, 312; *La.* '97, 286; *Man.* '86, 149; *Mass.* '96, 201, '97, 206; *Minn.* '80, 19^b; *N. B.* '82, 106; *N. D.* '79, 50^a, '99, 161^a, 162, 164, 165^a; *N. Y.* '82, 257^b, '99, 285; *Ore.* '88, 142^a; *Pa.* '99, 309; *S. D.* '85, 288; *Tex.* '82, 225, '87, 184, '92, 232, 1900, 339; *Wash.* '92, 42, 1900, 350; *W. I.* '88, 66.—*hbt.* '92, 384; *mig.* '80, 137^a; *nst.* '99, 164; *plm.* '76, 23^b (alb.), '92, 162 (hyb.); *syn.* '88, 66.

azare (*Cyanotis*), see *Cyanotis*.

azteca (*Cyanocitta*), see *Cyanocitta*.

aztecus (*Regulus*), see *R. olivaceus*.

— (*Troglodytes*), see *T. aztecus* or *parkmannii*.

azurea (*Calocitta*), see *Calocitta*.

— (*Dendroica*), see *D. rara*.

— (*Hypoythymis*), see *H. occipitalis*.

— (*Sialia*), see *Sialia*.

B

Babcock, Charles Almonzo.

Bird-day in schools of Oil City, Pa., 94, 341.

bacatus (*Picoides*), see *Picoides*.

bachmani (*Fringilla*), see *Peucæa*.

- (Hæmatopus), see Hæmatopus.
- (Helinaia), see Helminthophila.
- (Helminthophaga), see Helminthophila.
- (Peucæa), see Peucæa.
- (Sylvia), see Helminthophila.
- brachyotus (*Strix*), see *Asio portoricensis*.
- Badger**, George Bergen.
Histrionicus histrionicus on Long Island, New York, '89, 67.
- badiosus (*Micropternus*), see *Micropternus*.
- (Meiglyptes), see *Micropternus*.
- (Phæopicus), see *Micropternus*.
- (Picus), see *Micropternus*.
- badius (*Molothrus*), see *Molothrus*.
- Bagg**, Egbert, Jr.
 Cuckoo's egg in a Cedar-Bird's nest, '77, 110.
- Lincoln's Finch (*Melospiza lincolni*) breeding in Hamilton Co., New York, '78, 197.
- Nesting of *Certhia familiaris*, '79, 183.
- Loggerhead Shrike in central New York, '79, 237.
- Nest of *Dendraca ceruleascens*, '80, 238.
- Melospiza lincolni* breeding in New York again, '81, 246.
- Turkey Buzzard in central New York, '85, 109.
- Birds of Oneida Co., New York, '94, 162-164.
- New records for central New York, '97, 226.
- Bird news from central New York, 1900, 177.
- Bagg, E., and Ralph W. L., see Ralph and Bagg.
- Bahama Islands**, W. I. (see also separate islands).
- Allen, J. A., '80, 107, '87, 155, '91, 300, '92, 179-180, 1900, 187.
- Bangs, O., 1900, 283-293.
- Chapman, F. M., '92, 283.
- Cory, C. B., '80, 107, '86, 1-59, 187-245, 337-381, 454-472, '87, 37-51, 108-120, 223-232, 311-328, '91, 292-298.
- Maynard, C. J., '87, 155.
- Ridgway, R., '86, 334-337.
- bahamensis (*Anas*), see *Pæcilonitta*.
- (*Ardea*), see *Ardea*.
- (*Blacicus*), see *Blacicus*.
- (*Centurus*), see *Centurus*.
- (*Certhia*), see *Cæreba*.
- (*Certhiola*), see *Cæreba*.
- (*Cæreba*), see *Cæreba*.

- (*Chamæpelia*), see *Columbigallina*.
- (*Colinus*), see *Colinus*.
- (*Columbigallina*), see *Columbigallina*.
- (*Contopus*), see *Blacicus*.
- (*Dafila*), see *Pæcilonitta*.
- (*Dendroica*), see *D. bahamensis* or *acrusteria*.
- (*Empidonax*), see *Blacicus*.
- (*Fringilla*), see *Spindalis zena*.
- (*Loxigilla*), see *Pyrrhulagra violacea*.
- (*Mimus*), see *M. gundlachi*.
- (*Pæcilonitta*), see *Pæcilonitta*.
- (*Parus*), see *Cæreba*.
- (*Pitangus*), see *Pitangus*.
- (*Psittacus*), see *Amazona leucocephala*.
- (*Saurothera*), see *Saurothera*.
- (*Scotiomimus*), see *Mimus gundlachi*.
- (*Speotopto*) [of Cory], see *Speotopto*.
- (*Speotopto*) [of Maynard], see *S. cavigola*.
- (*Trochilus*), see *Doricha evelynæ*.
- Bailey**, Harry Balch.
 Notes on birds found breeding on Cobbs, I., Virginia, '76, 24-28.
 Occurrences of Leconte's Bunting (*Coturniculus lecontei*) in Iowa, '77, 26.
 Occurrence of *Passerculus princeps* in New York, '77, 78.
 Occurrence for first time in England of the Robin (*Turdus migratorius*), '77, 110.
 New traits for Red-headed Wood-pecker (*Melanerpes erythrocephalus*), '78, 97.
 'Forest and Stream' bird notes (rev.), '82, 175.
 Memoranda of a collection of eggs from Georgia, '83, 37-43.
 Breeding habits of Everglade Kite, '84, 95.
 [Egg collection of], '85, 318.
 Cardinal Grosbeak and Tufted Titmouse breeding in New Jersey, '86, 410.
 Singular nesting site of Wilson's Thrush, '86, 489.
 Brown Thrush laying in nest of Wood Thrush, '87, 78.
 bailloni (*Porzana*), see *Porzana*.
- Baily**, William Lloyd.
 Western Sandpiper (*Ereunetes occidentalis*) more abundant than

- Semipalmated (*E. pusillus*), '96, 174.
 Summer birds of northern Elk Co., Pa., '96, 289-297.
 Disgorge of cherry stones again noted, '97, 412.
 Dovekie (*Alle alle*) on coast of Virginia, 1900, 293.
- Bain**, Francis.
 Migration of the Swallows, '85, 216.
 A Blue Heron's meal, '85, 221.
 Winter birds of Prince Edward Island, '85, 262-267.
 Wild Swan in Prince Edward Is., '86, 131.
- Baird**, Spencer Fullerton.
 Occurrence of *Puffinus borealis* at Gayhead, Mass., '87, 71.
 Obituary of, '87, 358.
 Spencer, Fullerton Baird [A memorial address], '88, 1-14.
- Baird**, S. F., **Brewer**, T. M., and **Ridgway**, R.
 Water birds of North America (rev.), '84, 382-386; corrections, '86, 124-126, 266-268, 401-404.
- bairdi** (Acanthidops), see Acanthidops.
 — (Actodromas), see Tringa.
 — (Ammodramus), see Ammodramus.
 — (Buteo), see B. swainsoni.
 — (Campethilus), see Campethilus.
 — (Centronyx), see Ammodramus [*or A. princeps*, '78, 3].
 — (Certhiola), see Cereba bahamensis.
 — (Coecyzus) see C. americanus.
 — (Cereba), see C. bahamensis.
 — (Coturniculus), see Ammodramus.
 — (Dryobates), see Dryobates.
 — (Emberiza), see Ammodramus.
 — (Empidonax), see Empidonax.
 — (Geothlypis), see Geothlypis.
 — (Graculus), see Phalacrocorax resplendens.
 — (Icterus), see Icterus.
 — (Junco), see Junco.
 — (Melanerpes), see M. bairdi or formicivorus.
 — (Myiodynastes), see Myiodynastes.
 — (Oreomyza), see Oreomyza.
 — (Passerculus), see Ammodramus.
 — (Saurophagus), see Myiodynastes.
 — (Sialia), see Sialia.
 — (Thryothorus) see Thryomanes leucogaster.
 — (Tringa), see Tringa.
 — (Vireo), see Vireo.
- Balaeniceps**, '96, 63.
- Balaenicipide, '78, 184.
Baker, Charles Fuller.
 An important factor in study of western bird-life, '96, 20.
- Baldamus**, Auguste Karl Eduard.
 [Collection of nests and eggs], '85, 116.
 Obituary of, '95, 94.
- Bald-head, see *Perisoreus capitalis*.
 Baldpate, see *Mareca americana*. *Columba leucocephala* or *Fulica americana*.
- Balearica pavonina** (* Crowned Crane), *anat.*, '91, 386^a.
- Ball**, Forrest.
Colaptes auratus in Calif. '85, 383.
- Ball**, Helen Augusta.
 Peculiar nest of Chipping Sparrow, '95, 305.
- Pinicola enucleator* at Worcester, Mass., '96, 259.
- A Mockingbird at Worcester, Mass., '97, 324.
- balthica* (*Gelochelidon*), see *G. nilotica*.
 — (*Sylochelidon*), see *Sterna caspia*.
baltimore (*Hyphantes*), see *Icterus galbula*.
 — (*Icterus*), see *I. galbula*.
 — (*Oriolus*), see *Icterus galbula*.
 — (*Yphantes*), see *Icterus galbula*.
- Bambusicola**, '94, 172.
- Banana-bird, see *Cereba bahamensis*
Icterus leucopteryx, or *Spindalis nigriceps*.
bananivora (*Certhiola*), see *Cereba*.
 — (*Cereba*), see *Cereba*.
 — (*Motacilla*), see *Cereba*.
bancrofti (*Trochilus*), see *Eulampis jugularis*.
- Bangs**, Edward Appleton, and Outram.
 White-winged Gull (*Larus leucopterus*) in Mass., '81, 124.
- Bangs**, Outram.
 Another record of breeding of Saw-whet Owl (*Nyctale acadica*) in eastern Mass., '94, 77.
- Distribution of Hudsonian Chickadee, '94, 81.
- New races of birds from eastern N. Am., '98, 173-183.
- Cairns's Warbler (*Dendroica cernuolescens cairnsii*) in Georgia in migration, '98, 192.
- Birds from Santa Marta, Colombia (rev.), '98, 339.
- Birds from Pueblo Viejo, Colombia (rev.), '98, 339.
- Birds from the Sierra Nevada de Santa Marta, Colom. (rev.), '99, 90.

- Hummingbirds of the Santa Marta region of Colombia, '99, 135-139.
 New Barred Owl from Texas (rev.), '99, 291.
 Labrador Spruce Grouse (rev.), '99, 291.
 New Rail from southern California (rev.), '99, 291.
 Subspecies of *Manacus manacus* (rev.), '99, 292.
 New or rare birds from the Sierra Nevada de Santa Marta, Colombia (rev.), 1900, 82.
 Review of the Three-toed Wood-peckers of North America, 1900, 126-142 (2 figs.).
 The Gray-breasted Wood Wrens of the Sierra Nevada de Santa Marta (rev.), 1900, 184.
 A small collection of birds from San Sebastian, Colom. (rev.), 1900, 184.
 Notes on a collection of Bahama birds, 1900, 283-293 (2 figs.).
 New Dove from the Sierra Nevada de Santa Marta, Colombia (rev.), 1900, 306.
 Occurrence of Little Blue Heron in Labrador, 1900, 386.
 Bank-bird, Brown, see *Crymophilus fulicarius*.
 White, see *Phalaropus lobatus*.
Banks, James W.
 Nesting of Broad-winged Hawk (*Buteo pennsylvanicus*), '84, 95.
 The Great Horned Owl (*Bubo virginianus*), in confinement, '84, 194.
 Nest and eggs of Rusty Grackle (*Scolecophagus ferrugineus*), '85, 106.
 Barbacous, '90, 72.
 barbadensis (*Cæreba*), see *Cæreba*.
 — (*Certhiola*), see *Cæreba*.
 — (*Dendroica*) see *D. capitalis*.
 — (*Elenia*), see *Elenia*.
 — (*Loxigilla*), see *Pyrrhulagra*.
 — (*Pyrrhulagra*), see *Pyrrhulagra*.
 (Vireo), see *Vireo*.
Barbadoes, West Indies.
 Cory, C. B., '86, 382, '88, 47.
 Lawrence, G. N., '79, 228-230.
 barbarus (*Megascops*), see *Megascops*.
 — (*Scops*), see *Megascops*.
 barbata (*Chrysomitris*), see *Spinus*.
 barbatulus (*Phylloptanes*), see *Vireo*.
 — (*Vireo*), see *Vireo*.
 barbatus (*Spinus*), see *Spinus*.
 barbirosiris (*Tyrannula*), see *Myiarchus barbirostris*.
 barbirostris (*Elacicus*), see *Myiarchus*.
 — (*Myiarchus*), see *Myiarchus*.
Barbour, Erwin Hinckley.
 Bird fatality along Nebraska railroads, '95, 187.
 Lincoln Salt Lake and occurrence of *Strepsilas interpres*, '95, 297.
 Occurrence in Nebraska of *Lirco flavoviridis*, '96, 263.
 barita (*Gracula*), see *Quiscalus jamaiicensis*.
 — (*Quiscalus*), see *Q. inflexirostris* or *niger*.
 baritus (*Chalcolephanes*), see *Quiscalus gundlachii*.
 — (*Holoquiscalus*), see *H. crassirostris*.
 — (*Quiscalus*), see *Q. major* or *jamaicensis*.
Barlow, Chester.
 Some notes on nesting habits of White-tailed Kite '97, 14-21.
 Occurrence of *Zonotrichia albicollis* in California, '97, 221.
 The story of the Farallones (rev.), '97, 334.
 Nesting of Hermit Warbler in Sierra Nevada Mts., Calif. '99, 156-161.
Barratt, Joseph.
 ['Black Egyptian Ibis,' recorded in Conn.], '87, 253.
Barrington, Richard Manliffe, Harvie-Brown and others, see Harvie-Brown, Cordeaux, Kermode, etc.
barrovianus (*Larus*), see *Larus*.
Barrows, Walter Bradford.
 Cat. of Alcide in Boston Society of Nat. History (rev.), '78, 86.
 Birds of the lower Uruguay, '83, 82-94, 129-143, 198-212, '84, 20-30, 109-113, 270-278, 313-319.
 Abnormal coloration in caged Robin, '84, 90.
 Another black Robin, '85, 303.
 [Accipitres in 'Standard Natural History'], '86, 473.
 Sense of smell in *Cathartes aura*, '87, 172-174.
 A protest, '87, 357.
 English Sparrow (*Passer domesticus*) in N. Am., etc. (rev.), '89, 326-328.
 Economic ornith.—Food of Horned Larks (*Otocoris*) (rev.), '93, 347.
 Brünnich's Murre in Michigan, '95, 387.
Barrows, W. B., and Schwarz, Eugene Amandus.
 The Common Crow of the U. S. (rev.), '95, 381-383.
bartholemica (*Cæreba*), see *Cæreba*.

- (Certhia), see Cereba.
 — (Certhiola), see Cereba.
 bartramii (Vireo), see Vireo agilis.
Bartramia (^b Actidurus), '80, 100, '84,
 142^b, 229, '87, 319, '88, 331, '93, 108,
 130.
 longicauda (^a Bartramian Sand-piper, Upland or Field Plover, ^b Actiturus), Ala. '79, 13^b; Alas. '87, 12;
 Argent. '84, 315; Bahamas, '92, 48;
Cal. '77, 95^b? [^a bartramius] *Colombia*, 1900, 364; *Colo.* '83, 198, '85,
 18; *C. R.* '90, 332, '92, 329; *D. C.* '93,
 92; *Engl.* '85, 375^a, '92, 289; *Europe*,
 '77, 107, '80, 149^b; *Fla.* '88, 270, '89,
 158, '92, 212; *Gozo I.* '77, 70^b; *G. Brit.* '81, 64^b; *Ida.* '97, 351; *Jamaica*,
 '92, 14; *La.* '97, 288; *Malta*, '77, 70^b;
Man. '86, 152; *Mass.* '88, 389, '92,
 305, '97, 229; *Md.* '93, 92; *Minn.* '80,
 18^b, '85, 297^a; *N. C.* '93, 243; *Neb.*
 '81, 62^b, '99, 353; *N. Y.* '82, 256, '85,
 273; *Ont.* '97, 411; *Ore.* '88, 145; *Pa.*
 '96, 291^a; *Que.* '85, 315; *S. C.* '79,
 217^b, '92, 31^a; *S. D.* '85, 286; *Tex.*
 '81, 62^b, '82, 42, 222^b, '87, 186, '89,
 237, '92, 232, 1900, 341; *W. I.* '87,
 319; *Wis.* '82, 188^b.—*fd.* '79, 111^a;
hbt. '80, 181^b, '84, 315, '85, 212^b, '89,
 237, '93, 293; *mig.* '92, 31^a, '97, 351,
 '99, 353^a; *nst.* '80, 18^b, '97, 229, '98,
 328^a; *plm.* 1900, 370 (mlt.); *song.*
 '92, 305; *syn.* '80, 100, '87, 319;
misc. '91, 24^a, '93, 294^a, 296^b, 297^a,
 297^b, '94, 68^a.
 bartramia (Euligia), see Bartramia
 longicauda.
 bartramius (Actiturus), see Bartramia
 longicauda.
 — (Tringoides), see Bartramia longi-
 cauda.
Bartsch, Paul.
Uria lomvia, an addition to the avifauna columbiana, '97, 312.
 A few notes on the avifauna columbiana, '97, 326.
Xema sabini and *Chordeiles virginianus sennetti*—two additions to the Iowa avifauna, '99, 86.
Ammodramus nelsoni in Iowa, '99, 276.
 barytus (Chalcophanes), see Quiscalus
 gundlachi.
 — (Quiscalus), see Q. gundlachi.
 basilanica (Penelopides), see Penelopides.
Basileuterus, '85, 365, '93, 111.
 bellii (Bell's Warbler), *Mex.* '98,
 159.—*meas.* 1900, 268.
caudatus (^b rufifrons), *Mex.* '94
 67^b, '99, 296.—*syn.* '93, 346^b.
 culicivorus (Brasher's Warbler,
^b *Muscicapa brasieri*), *g. dist.* '93,
 141; *Guat.* '88, 450; *Mex.* '98, 159.—
meas. '88, 450; *syn.* '80, 238^b.
 delattrii, *C. R.* '92, 22, 173.—*meas.*
nst. '92, 22; *syn.* '92, 173.
 dugesi, *Mex.* '93, 346.
 flavigaster, *Mex.* '97, 67^a.
 godmani, *Colom.*, *C. R.*, *meas.* '88,
 450^b.
 jouyi, *Mex.* '93, 346, '94, 245.
 olivascens, *Trinidad*, '93, 343*;
Venz. '97, 362, 363, 368.
 salvinii, *Guat.*, *syn.* '92, 173.
 scitulus, *g. dist.* 1900, 268*.
 basilicus (Buarremón), see Buarremón.
Basilinna, '79, 231.
 leucotis (White-eared Hummingbird), *Ariz.* '94, 325; *g. dist.* '95, 164;
Mex. '95, 357.—*plm.* '99, 324; *syn.*
 '95, 164; '99, 324.
 xantusi (Nantus's Hummingbird),
g. dist. '93, 142; *L. Cal.* '93, 315.—
fd. '93, 315.
Baskett, James Newton.
 Intergradation in song of *Sturnella magna* and *S. m. neglecta* in Missouri, '96, 258.
 Story of the birds (rev.), '98, 71.
 The A. O. U. check-list, '97, 340.
 Sanitary habits of birds, 1900, 299.
 bassana (Sula), see Sula.
Batchelder, Charles Foster.
 Spurious primaries in Red-eyed Vireo, '78, 97.
 Nesting of Yellow-bellied Flycatcher (*Empidonax flaviventris*), '79, 241.
 Bald Eagle (*Haliaeetus leucocephalus*) as a hunter, '81, 58–60.
 Strange nesting habits of a pair of Chats, '81, 114.
 Notes on summer birds of the upper St. John, '82, 106–111, 147–152.
 see Knowlton, F. H., 'birds of Brandon, Vt.' (rev.), '82, 113.
 Summer Tanager (*Pyranga cæsiva*) in New Brunswick, '82, 249.
 Unusual 'wave' of birds during spring migration of 1882, '82, 252.
 Description of first plumage of Clarke's Crow, '84, 16.
 Buffon's Skua in western Vermont, '84, 97.
 Winter notes from New Mexico, '85, 121–128, 233–239.
Junco annectens—a correction, '85, 306.

- North Carolina mountains in winter, '86, 307-314.
 see Clark, H. L., 'birds of Amherst' (rev.), '88, 105.
 see Warren, B. H., 'birds of Pennsylvania' (rev.), '89, 170.
 An undescribed subspecies of *Dryobates pubescens*, '89, 253-255.
 see minor ornithological publications (rev.), '90, 79-86, 198-201, 388-398, '91, 106-110, 387-392.
 see Doan, W. D., 'birds of West Virginia' (rev.), '90, 197.
 [Method of recording the numbers of birds observed], '90, 216-218.
 see Bryant, W. E., 'birds of L. California' (rev.), '90, 281.
 Snow Goose (*Chen hyperborea nivalis*) on coast of Maine, '90, 284.
 Notes on several birds in the Catskill Mountains, '90, 295.
 Observations on Robin roosts, '90, 372.
 see Dionne, C. E., 'oiseaux de Québec' (rev.), '90, 387.
 see Linnaean Society of N. Y., Proceedings (rev.), '90, 387-388.
Helminthophila chrysoptera in Manitoba, '90, 404.
 see Warren, B. H., 'Birds of Pa.' 2d ed. (rev.), '91, 101-103.
 see Belding, L., 'land birds of the Pacific district' (rev.), '91, 104.
 see Rives, W. C., 'birds of the Virginias' (rev.), '91, 105.
 see Chapman, F. M., 'birds from B. C.' (rev.), '91, 224-226.
 see Hagerup and Chamberlain 'birds of Greenland' (rev.), '91, 226.
 see MacFarlane, R., 'notes on Arctic birds' (rev.), '92, 64.
 see Fannin, J., 'check list of British Columbia birds' (rev.), '92, 65.
 see Chapman, F. M., 'birds of Corpus Christi' (rev.), '92, 65.
 see Chapman, F. M., 'color-pattern of tail-coverts in *Colaptes auratus*' (rev.), '92, 66.
Thyrothorus ludovicianus in Massachusetts, '92, 73.
 see Allen, J. A., 'North American *Colaptes*' (rev.), '92, 177-179.
 see Chapman, F. M., 'Grackles of subgenus *Quiscalus*' (rev.), '92, 180-182.
 see Torrey, B., 'the foot-path way' (rev.), '93, 74.
 see 'Canadian Institute ornith. report' (rev.), '93, 74.
- see Rhoads, S. N., 'British Columbia and Washington birds' (rev.), '93, 290-292, 383.
Firco olivaceus in British Columbia and Washington, '93, 395.
 see Apgar, A. C., 'pocket key of birds of northern U. S.' (rev.), '94, 65.
 Nesting of *Mimus polyglottos* in eastern Massachusetts, '95, 308.
Bates, Abby Frances C.
 A swallow roost at Waterville, Maine, '95, 48-51.
Bates, Frank Amasa.
 Game birds of North America (rev.), '97, 244.
Batrachostomus, '94, 233, 234.
baudi (*Brachyurus*), see Pitta.
 — (*Pitta*), see Pitta.
baueri (*Limosa*), see Limosa.
Baur, George.
 [Expedition to Galapagos Is.], '91, 402.
 Birds of Galapagos archipelago (rev.), '98, 207.
 Obituary of, '98, 286.
Bay State Oölogist (mag.), '88, 224; titles (Nos. 1508-1518), '90, 80.
Beach-robin, see *Tringa canutus*.
Beal, Foster Ellenborough Lascelles.
Amphelis cedrorum as a sap-sucker, '82, 54.
 Food habits of the Cedarbird (rev.), '93, 347.
 A demand for English names [letter], '95, 192-194.
 Preliminary report on food of Woodpeckers (rev.), '95, 380.
 The Meadowlark and Baltimore Oriole (rev.), '96, 336.
 Recent investigations of food of European birds, '97, 8-14.
 The Blue Jay and its food (rev.), '97, 421.
 Some common birds in their relation to agriculture (rev.), '97, 421.
 Economic relations of birds and their food (rev.), '99, 294.
Bean, Tarleton Hoffman.
 Notes on birds collected during summer of 1880 in Alaska and Siberia (rev.), '83, 231.
beani (*Troglodytes*), see Troglodytes.
beauperthuysi (*Nasica*), see *Dendroornis sussurrans*.
Becard, Xantus's, see *Platyparis albiventris*.
beccariiana (*Siphia*), see *Siphia*.
Beckham, Charles Wickliffe.

- Short notes on birds of Bayou Sara, Louisiana, '82, 159-165.
 Black-throated Bunting in Florida, '82, 250.
 List of birds of Bardstown, Nelson Co., Kentucky (rev.), '83, 227.
 Western Semipalmed Sandpiper on coast of Virginia, '85, 110.
 Birds of Pueblo, Colorado, '85, 139-144.
 White-winged Junco in Maryland, '85, 306.
 List of birds of Nelson Co., Kentucky (rev.), '86, 268.
 Remarks on plumage of *Regulus calendula* (rev.), '86, 268.
 Changes in plumage of *Geothlypis trichas*, '86, 279-281.
 First plumage of Summer Tanager, '86, 487.
 Red-breasted Nuthatch in Kentucky in summer, '86, 489.
 Scarcity of adult birds in autumn, '87, 79.
 Additional notes on birds of Pueblo, Co., Colorado, '87, 120-125.
 Additions to avifauna of Bayou Sara, Louisiana, '87, 299-306.
 Occurrence of Florida Blue Jay (*Cyanocitta cristata florincola*) in southwestern Texas, '88, 112.
 A Philadelphia Vireo and a cobweb, '88, 115.
 Obituary of, '88, 445.
 Observations on birds of southwestern Texas (rev.), '89, 173.
beckhami (*Pyrrhuloxia*), see *P. sinuata*.
becki (*Ammodromus*), see *A. nelsoni*.
Beddard, Frank Evers.
 Animal coloration (rev.), '93, 195-199.
 Text-book on zoögeography (rev.), '96, 73-75.
 Bee-bird, see *Merops bicolor*, *M. philippinus* or *Piranga rubra*.
beecheyi (*Cyanocitta*), see *Cyanocitta*.
 Bee-martin, see *Tyrannus tyrannus*.
 Beetle-head, see *Squatatorola squatatorola*.
belcheri (*Larus*), see *Larus*.
Belding, Lyman.
 Nesting-habits of *Parus montanus*, '78, 102.
 List of birds found at Guaymas, Sonora (rev.), '84, 284.
 Land birds of the Pacific district (rev.), '91, 104.
 Songs of the western Meadowlark, '96, 29.
- Song of the western Meadowlark, '98, 57.
Belding, L., and **Ridgway**, R.
 Partial list of birds of central California (rev.), '79, 167-171.
 Cat. of collection of birds made along western coast of L. California, etc. (rev.), '84, 83.
 Cat. of collection of birds made near southern extremity of L. California (rev.), '84, 83.
 Second cat. of collection of birds made near southern extremity of L. California (rev.), '84, 284.
beldingi (*Ammodramus*) see *Ammodramus*.
 — (*Geothlypis*), see *Geothlypis*.
 — (*Passerculus*), see *Ammodramus*.
 — (*Rallus*), see *Rallus*.
belgica (*Limosa*), see *Limosa*.
Belgium.
 Dalgleish, J. J., '80, 69, 73, 149, 215-216.
Bell, John G.
 Obituary of, '90, 98.
Bell, Robert.
 List of birds from the region between Norway House and Forts Churchill and York (rev.), '85, 209.
 Bell-bird, see *Chasmorhynchus variegatus*.
belli (*Amphispiza*), see *Amphispiza*.
 — (*Basileuterus*), see *Basileuterus*.
 — (*Poospiza*), see *Amphispiza*.
 — (*Vireo*), see *Vireo*.
bellicosus (*Pitangus*) see *Pitangus*.
Bellona, '86, 356.
cristata (^b*Orthorhynchus emigrans*), *W. I.* '79, 229. '80, 168^b, '86, 356. '87, 96, '89, 218.—*meas.*, *plm.*, *syn.* '86, 356.
exilis (^b*Orthorhynchus*), *W. I.* '80, 167^b, '86, 357, '89, 218, '90, 374, 375, '91, 47, 48.—*meas.*, *plm.* '86, 357 : *syn.* '80, 167, '86, 357.
ornata, *W. I.* '89, 218.
Bendire, Charles Emil.
 Notes on breeding habits of Clarke's Crow (*Picicorvus columbianus*), etc., '76, 44.
 Breeding habits of *Geococcyx californianus*, '78, 39.
 Notes on some birds found in southeastern Oregon, etc. (rev.), '78, 81.
 Notes on seventy-nine species of birds observed in neighborhood of Camp Harney, Oregon (rev.), '78, 81.
 Nesting of Kennicott's Owl, '81, 185.

Snowy Owl at Fort Walla Walla. W. T. '82, 58.
 Descr. of nest and young of Pygmy Owl (*Glaucidium gnoma*), '83, 242. [Egg collection of], '84, 307.
 Eggs of Ivory Gull (*Gavia alba*), '88, 202.
 Notes on the habits, nests and eggs of genus *Sphyrapicus*, '88, 225-240.
 Notes on nest and eggs of *Peucæa ativalis bachmani*, '88, 351-356.
 Notes on the habits, nests and eggs of genus *Glaucidium*, '88, 366-372.
 Notes on the habits, nests and eggs of *Dendragapus obscurus fuliginosus*, '89, 32-39.
Sphyrapicus ruber breeding in coniferous trees, '89, 71.
 A peculiar nest of *Cinclus mexicanus*, '89, 75.
 Notes on general habits, nests and eggs of genus *Passerella*, '89, 107-116.
 Descr. of supposed nest and eggs of *Zonotrichia querula*, '89, 150-152.
 Descr. of nest and eggs of *Polioptila californica* (rev.), '89, 173.
 Notes on a collection of nests and eggs from southern Arizona (rev.), '89, 173.
Picicorvus columbianus, Clarke's Nutcracker, its nest and eggs, etc., '89, 226-236.
 Descr. of nest and eggs of *Megascops asio maxwelliae*, the Rocky Mountain Screech Owl, '89, 298-302.
 Notes on *Pipilo fuscus mesoleucus* and *aberti*, their habits, nests and eggs, '90, 22-29.
 [Food of] *Megascops asio maxwelliae*, '90, 91.
 Second nest and eggs of *Picicorvus columbianus* taken in Colorado, '90, 92.
 Directions for collecting, preparing and preserving birds' eggs and nests (rev.), '92, 175.
 Life histories of North American birds (rev.), '92, 375, '97, 104-106.
 An attractive addition to avifauna of United States.—*Icterus gularis yucatanensis*, '93, 366.
Tympanuchus americanus attwateri. Attwater's or Southern Prairie Hen, '94, 130-132.
 American Barn Owl breeding at Washington, D. C., in winter, '95, 180.
 Notes on Ancient Murrelet (*Synthli-*

boramphus antiquus) by Chase Littlejohn, '95, 270-278.
 The Cowbirds (rev.), '96, 71.
 Obituary of, '97, 253, '98, 1-6 (portrait).
bendirei (*Harporrynchus*), see Harporrhynchus.
 — (*Loxia*), see *L. stricklandi*.
 — (*Megascops*), see *Megascops*.
 — (*Scops*), see *Megascops*.
Benedict, James Everard, and **Nye**, W., Jr.
 [Birds collected by], '84, 307.
benedicti (*Spindalis*), see *Spindalis*.
bengalensis (*Bubo*), see *Bubo*.
 — (*Picus*), see *Picus*.
Benner, Franklin, see Roberts and Benner.
Bennett, A. L.
 Surf Scoter (*Oidemia perspicillata*) in Kansas, '88, 203.
bensonii (*Callipepla*), see *Callipepla*.
Bent, Arthur Cleveland.
Coccothraustes vespertina in Taunton, Massachusetts, '90, 289.
 Black Gyrfalcon, *Falco rusticolus obsoletus* in Rhode Island, '98, 54.
 Mockingbird, *Mimus polyglottos*, at Taunton, Mass., '98, 59.
Bergen, Thomas B.
 Early arrival of Kingbird at Cambridge, Mass., '98, 268.
bergensis (*Troglodytes*), see *Anorthura*.
bergii (*Sterna*), see *S. maxima*.
Bergtold, William Harry.
 List of birds of Buffalo and vicinity (rev.), '89, 331.
Coccothraustes vespertina in Erie Co., N. Y., '90, 209.
Strix pratincola in western New York, '90, 400.
Berier, de Lagnel.
 Capture of European Widgeon in North Carolina, '79, 190.
 Interesting birds found on Long Island, N. Y., '80, 46.
 Note on Giraud's *Muscicapa brasiliensis*, '80, 238.
 Notes on a few birds observed at Fort Hamilton, Long Island, N. Y., '81, 11-13.
 Notes on birds rare or accidental on Long Island, N. Y., '81, 125.
Colaptes auratus + *C. mexicanus*, '81, 247.
 Further notes on Labrador Gyrfalcon taken on Long Island, N. Y., '81, 247.

- Unseasonable birds on Long Island, '86, 281.
- The Pine Grosbeak (*P. cinnamomeus*) in New Jersey, '96, 175.
- berlandieri* (*Thryothorus*), see *Thryothorus berlandieri* or *lomitensis*.
- Berlepsch**, Hans von.
Descr. of new species and subspecies of birds from the neotropical region, '88, 449-460.
- Notes on some neotropical birds belonging to U. S. Nat. Museum (rev.), '90, 275.
- Berlepsch**, Hans von, and **Peters**, Ernst. Die Vögel der Insel Curaçao (rev.), '93, 355.
- berlepschi* (*Anthocephala*), see *Anthocephala*.
— (*Catharus*), see *Catharus*.
— (*Myiarchus*), see *Myiarchus*.
— (*Phyllosmyias*), see *P. incanescens*.
- Bermuda Islands**.
Allen, J. A., '85, 95.
Jones, J. M., '85, 297.
Prentiss, D. W., '96, 237-240.
- Bernicla*, see *Branta*.
bernicla (*Branta*), see *Branta*.
bernieri (*Rougetius*), see *Rougetius*.
- Berry Islands**, West Indies.
Cory, C. B., '91, 295.
- Berry**, Mabel C.
First occurrence of Blue Grosbeak in new Hampshire, '96, 342.
- Betty-bird, see *Ceophleus pileatus*.
- betularum* (*Fringilla*), see *Acanthis linnaria*.
— (*Linaria*), see *Acanthis linnaria*.
bewickii (*Cygnus*), see *Olor*.
— (*Olor*), see *Olor*.
— (*Thryomanes*), see *Thryomanes*.
— (*Thryothorus*), see *Thryomanes bewickii* or *leucogaster*.
— (*Troglodytes*), see *Thryomanes*.
- Beyer**, George Eugene.
Ivory-billed Woodpecker in Louisiana, 1900, 97-99.
- An interesting hybrid, 1900, 170.
- Louisiana herpetology and the avifauna, with list of birds of the State (rev.), 1900, 392.
- biarcuatum* (*Pyrgisoma*), see *Pyrgisoma*.
biarmicus (*Panurus*), see *Panurus*.
bacinellus (*Bucco*), see *Bucco*.
Bicknell, Eugene Pintard.
Evidence of Carolinian fauna in lower Hudson valley, N. Y., etc., '78, 128-132.
- Capture of two rare birds at Riverdale, N. Y., '79, 60.
- Carolina Wren (*Thryothorus ludovicianus*) breeding in New York, '79, 183.
- Remarks on nidification of *Loxia curvirostra americana*, etc., '80, 7-11.
- Dendræca palmarum palmarum* in New York, '80, 182.
- A sketch of the home of *Hylocichla alicia bicknelli*, with remarks on allies of this new race, '82, 152-159.
- A study of the singing of our birds, '84, 60-71, 126-140, 209-218, 322-332, '85, 144-154, 249-262.
- see Chapman, F. M., 'handbook of birds of eastern N. Am.' (rev.) '95, 282-284.
- Prothonotary Warbler near New York City, '95, 306.
- bicknelli* (*Hylocichla*), see *Hylocichla*.
— (*Turdus*), see *Hylocichla*.
bicolor (*Accipiter*), see *Accipiter*.
— (*Calamospiza*), see *C. melanocorys*.
— (*Drymophilà*), see *Drymophilà*.
— (*Eutheia*), see *Eutheia*.
— (*Fringilla*), see *Eutheia bicolor* or *Calamospiza melanocorys*.
— (*Hirundo*), see *Tachycineta*.
— (*Iridoprocne*), see *Tachycineta*.
— (*Larus*), see *Sterna hirundo*.
— (*Lophophanes*), see *Parus*.
— (*Merops*), see *Merops*.
— (*Parus*), see *Parus*.
— (*Petrochelidon*), see *Tachycineta*.
— (*Phonipara*), see *Eutheia*.
— (*Spermophilà*), see *Eutheia*.
— (*Tachycineta*), see *Tachycineta*.
— (*Thalurania*), see *Thalurania*.
— (*Trochilus*), see *Thalurania*.
bicristatus (*Phalacrocorax*), see *P. urile*.
Biddy-biddy, see *Porzana jamaicensis*.
bidentata (*Phoenicosoma*), see *Piranga sanguinolenta*.
— (*Piranga*), see *Piranga*.
bidentatus (*Lybius*), see *Lybius*.
bifasciata (*Loxia*), see *Loxia*.
bifasciatus (*Platyrhynchus*), see *Platyrhynchus*.
bilineata (*Amphispiza*), see *A. bilineata* or *deserticola*.
— (*Polioptila*), see *Polioptila*.
bilineatus (*Spindalis*), see *S. nigricephala*.
biliniata (*Emberiza*), see *Amphispiza bilineata*.

bimaculata (*Oidemia*), see *O. deglandi*.
 bimaculatus (*Empidonax*), see *Empidonax*.
Bimini Island, West Indies.
 Cory, C. B., '91, 296.
 bindloe (*Camarhynchus*), see *Camarhynchus*.
Biographies of birds.
 Allen, J. A., 1900, 1.
 Anthony, A. W., '95, 100, '96, 223.
 Bates, A. F. C., '95, 48.
 Bicknell, E. P., '82, 152.
 Boëles, F., '90, 101, '91, 256, '92, 109.
 Bond, F., 1900, 325.
 Brewster, W., '76, 63-70, '77, 1-8,
 '78, 153, '79, 13, 47, 199, '80,
 1, '81, 38, '82, 23, 94, '83, 12, '85,
 65, 80, '90, 360, '91, 1, 149, '93,
 231.
 Brewster and Chapman, '95, 201.
 Bruce, M. E., '98, 239.
 Butler, A. W., '92, 49.
 Cherrie, G. K., '93, 278.
 Coues, E., '78, 105, '79, 65, 193.
 Davis, W. T., '94, 228.
 Deane, R., '96, 234.
 Dwight, J., Jr., '87, 232, '96, 271, '97,
 259.
 Hardy, F. P., '88, 380.
 Hay, O. P., '87, 193.
 Herrick, F. H., 1900, 100.
 Hoffman, R., '96, 297.
 Howley, J. P., '84, 309.
 Kennard, F. H., '94, 270.
 Knight, O. W., '96, 21.
 Kobbé, W. H., 1900, 8.
 Langille, J. H., '84, 268.
 Lucas, F. A., '87, 1, '88, 129, 278.
 Mackay, G. H., '90, 315, '91, 17, 279,
 '92, 143, 221, 330, 345, '93, 25.
 Mearns, E. A., '86, 60, 289.
 Merriam, C. H., '95, 54.
 Miller, F., '79, 109.
 Mortimer, D., '90, 337.
 Murdock, J., '99, 146.
 Nelson, E. W., '77, 38, '80, 33, '81, 1,
 131, '84, 218, '98, 115, 217.
 Norton, A. H., '96, 229.
 Nowotny, Dr., '98, 28.
 Owen, D. E., '97, 1, '99, 221.
 Reed, J. H., '97, 374.
 Richmond, C. W., '95, 19, '98, 7.
 Roberts, T. S., '99, 236, 1900, 272.
 Roddy, J. H., '88, 244.
 Scott, W. E. D., '90, 221, '91, 249.
 Torrey, B., '89, 1.
 Warren, O. B., '99, 12.
 Widmann, O., '95, 1, 112, 219, 350,
 '96, 216, '98, 22.

Biological Survey [establishment of]
 '90, 414.
 Bird, Apple, see *Ampelis cedrorum*.
 Banana, see *Cereba bahamensis*.
 Bo-son, see *Phaethon aethereus*.
 Brown Bank, see *Crymophilus fulicarius*.
 Buffalo, see *Calamospiza melanocorys*.
 Butcher, see *Lanius borealis*.
 Cardinal, see *Cardinalis cardinalis*.
 Cedar, see *Ampelis cedrorum*.
 Chapparal, see *Geococcyx californicus*.
 Cherry, see *Ampelis cedrorum*.
 Chipping, see *Spizella socialis*.
 Cocoa-nut, see *Icterus northropi*.
 Crying, see *Aramus giganteus*.
 Egg, see *Sterna fuliginosa*.
 Frigate, see *Fregata aquila*.
 Gulf, see *Crymophilus fulicarius*.
 Inca, see *Gymnostinops montezumæ*.
 Kennedy, see *Zonotrichia albicollis*.
 Lettuce, see *Astragalinus tristis*.
 Man-o'-war, see *Fregata aquila*.
 Masked Weaver, see *Hyphantornis velatus*.
 May, see *Coccyzus americanus*.
 Mocking, see *Mimus polyglottos*.
 Mountain Mocking, see *Oreoscopetes montanus*.
 Myrtle, see *Dendroica coronata*.
 of Washington, see *Haliaeetus leucocephalus*.
 Palmetto, see *Geothlypis ignota*.
 Phœbe, see *Sayornis phœbe*.
 Piñon, see *Cyanocephalus cyanocephalus*.
 Qua, see *Nycticorax nœvius*.
 Red-billed Tropic, see *Phaethon aethereus*.
 Reed, see *Dolichonyx oryzivorus*.
 Rice, see *Dolichonyx oryzivorus*.
 Summer Red, see *Piranga rubra*.
 Surf, see *Aphriza virgata*.
 Thistle, see *Astragalinus tristis*.
 Tortoise-shell, see *Ardetta exilis*.
 Tropic, see *Phaethon americanus*.
 Whale, see *Prion turtur* or *Crymophilus fulicarius*.
 White Bank, see *Phalaropus lobatus*.
 Yellow-billed Tropic, see *Phaethon americanus*.
 Bird-biographies, see Biographies.
 Bird Call (mag.), '87, 175.
 'Bird Day,' '96, 349.
 Bird-destruction, see Destruction.
 Bird-Lore (mag.), '99, '04, 212, 1900, 93.
 Bird-protection, see Protection.

- Birds (mag.), '97, 255.
 Birds of Prey, see Raptore.
Birtwell, Francis Joseph.
 Another example of curious nesting of American Redstart, '99, 184.
 Example of apotosochromatism, as influenced by diet in *Megascops asio*, '99, 313-318.
Bishop, Louis Bennett.
 Notes on birds of Magdalen Islands, '89, 144-150.
Helminthophila pinus, *chrysoptera*, *leucobronchialis*, and *lawrencei* in Connecticut in spring of 1888, '89, 192.
Hydrochlidon nigra surinamensis in Connecticut, '94, 74.
Olor columbianus in Connecticut, '94, 74.
Helminthophila leucobronchialis, '94, 79, 80.
 Remarks on nest of *Cistothorus palustris*, '94, 80.
dythya marila or *A. m. nearctica*? '95, 293-295.
 An apparently undescribed plumage of *Oidemia perspicillata*, '95, 295-297.
 Descr. of a new horned Lark and a new Song Sparrow, with remarks on Sennett's Nighthawk, '96, 129-135.
 Descr. of three new birds from Alaska, 1900, 113-120.
bishopi (Catharopeza), see Catharopeza.
 — (Leucopeza), see Catharopeza.
bitorquatus (*Pteroglossus*), see *Pteroglossus*.
 Bittern, see *Botaurus lentiginosus*.
 American, see *Botaurus lentiginosus*.
 Black or Brown, see *Ardetta neoxena*.
 Cory's least, see *Ardetta neoxena*.
 European, see *Botaurus stellaris*.
 Least, see *Ardetta exilis*.
Blacicus, '86, 241, '99, 330, 334.
andinus (^bContopus depressirostris), *Nicar.* '85, 294^b.—g. dist., plm., syn. '99, 336.
bahamensis (^bContopus), *Bahamas*, '86, 235^b, '91, 72, 294^b, 334^b, 335^b, 336^b, 350^b, 351^b, '99, 335, 1900, 288.—meas., plm. '86, 235^b; syn. '86, 235^b, '99, 335.
blancoi (^bContopus), *W. I.* '86, 242, '92, 229^b, '99, 335.—meas., plm. '86, 242; syn. '86, 242, '99, 335.
brachytarsus (^bContopus), *C. R.* '92, 251^b; *Venez.* '97, 365^b.—g. dist., syn. '99, 336.
brunneicapillus, *W. I.* '79, 49, '86, 242, '91, 49, '99, 334.—meas., plm. '86, 242: syn. '86, 242, '99, 334.
caribaeus, *Cuba*, '86, 241, '92, 272, '99, 334.—meas., plm. '86, 241; syn. '86, 241, '99, 334.
cinereus, *Braz.*, syn. '99, 337.
flaviventris, *W. I.* '87, 251, '88, 158, '99, 335.—plm., syn. '99, 335.
hispaniolensis (^bContopus, ^cContopus frazari, ^dSayornis dominicensis), *W. I.* '83, 94^{c*}, 95^{d*}, '86, 236^b, '99, 335.—meas. '83, 94^c, 95^d, '86, 236^b; plm. '86, 236^b; syn. '86, 236^b, '99, 335.
latirostris (^bContopus), *W. I.* '80, 166^b, '86, 235^b, '99, 334.—meas. '86, 235^b; plm. '86, 235^b, '99, 334; syn. '86, 235^b.
martinicensis, *W. I.* '87, 96*, '88, 158, '99, 334.—meas. '87, 96; plm., syn. '99, 334.
nigrescens, *Ecuador*, syn. '99, 337.
palidus (^bContopus), *Jamaica*, '86, 234^b, '93, 178^b, '99, 335.—meas., plm. '86, 234^b; syn. '86, 234^b, '99, 335.
pileatus (^bContopus), *dist.?* '85, 292^b, '99, 337.—syn. '99, 337.
punensis, *Ecuador*, syn. '99, 336.
Black, Eli Whitney.
 Nesting habits of Empidonax insulicola, '97, 405.
 Black-back, see *Cereba flaveola*.
 Blackbird (of West Indies), see *Crotophaga ani*.
 (of Europe), see *Merula merula*.
 Bahaman Red-winged, see *Agelaius bryanti*.
 Barbadoes, see *Quiscalus jamaicensis*.
 Bicolored, see *Agelaius californicus*.
 Boat-tailed, see *Quiscalus major*.
 Brewer's see *Scolecopagrus cyanocephalus*.
 Bronzed, see *Quiscalus aeneus*.
 Cow, see *Molothrus ater*.
 Crow, see *Quiscalus quiscula* or *aeneus*.
 Marsh, see *Agelaius phoeniceus*.
 Red-and-black-shouldered, see *Agelaius californicus*.
 Red-and-buff-shouldered, see *Agelaius phoeniceus*.
 Red-shouldered, see *Agelaius phoeniceus*.
 Red-vented, see *Galeoscoptes carolinensis*.
 Red-winged, see *Agelaius phoeniceus* or *floridanus*.

Rusty, see *Scolecophagus carolinus*.
 Savanna, see *Crotophaga ani*.
 Swamp, see *Agelaius phœniceus*.
 Tricolored, see *Agelaius tricolor*.
 Western Red-winged, see *Agelaius californicus*.
 White-winged, see *Calamospiza melanocorys*.
 Yellow-headed, see *Xanthocephalus xanthocephalus*.
 Yellow-headed Swamp, see *Xanthocephalus xanthocephalus*.
 Blackbirds, see *Icteridae*.
blackburniae (*Dendroica*), see *Dendroica*.
 — (*Motacilla*), see *Dendroica*.
 — (*Sylvicola*), see *Dendroica*.
 Black-cap, Wilson's, see *Wilsonia pusilla*.
 Blackcock, see *Lyrurus tetrix*.
 Black-head, Greater, see *Aythya marila*.
 Lesser, see *Aythya affinis*.
 Ring-billed, see *Aythya collaris*.
 Blackheart, see *Tringa pacifica*.
 Black Jack, see *Aythya affinis*.
 Black-warrior, see *Buteo harlani*.
Blacops, '99, 186.
gymnophthalmus, syn. '99, 186.
Blackwelder, Eliot.
 A note on Kirtland's Warbler (*Dendroica kirtlandi*), '99, 359.
Blake, Eli Whitney, Jr.
 Summer birds of Santa Cruz Island, California, '87, 328-330.
blakiei (*Centurus*), see *Centurus*.
Blakiston, Thomas Wright.
 Water-birds of Japan (rev.), '87, 250.
 Obituary of, '92, 75.
blakistoni (*Alauda*), see *Alauda*.
 — (*Bubo*), see *Bubo*.
Blanchan, Neltje, see *Doubleday, N. B. De G.*
Blanchard, Raphaël.
 Nomenclature des êtres organisés (rev.), '90, 73.
blancoi (*Blacicus*), see *Blacicus*.
 — (*Contopus*), see *Blacicus*.
blanda (*Helmintherus*), see *Teretistris fernandinae*.
Blanford, William Thomas.
 Fauna of British India—Birds (rev.), '98, 336.
Blasius, Rudolph, Müller, Adolf, and Rohweder, J.
 Jahresbericht (1880) des Ausschusses für Beobachtungstationen der Vögel Deutschland (rev.), '83, 229.
Blasius, R., and Jäckel, A. J., see Jäckel and Blasius.

Blasius, Wilhelm.
 [Memoir on *Alca impennis*] (rev.), '85, 115.
Blax, see *Blacops*.
Bleda, '99, 183.
canicapilla; syn. '99, 184.
eximia, syn. '99, 184.
notata, syn. '99, 184.
poliocephala, syn. '99, 184.
syndactyla, syn. '99, 183.
xavieri, syn. '99, 184.
 Blue-bill, Big, see *Aythya marila*.
 Little, see *Aythya affinis*.
 Marsh, see *Aythya collaris*.
 Bluebird, see *Sialia sialis* or *Junco hyemalis*.
 Arctic, see *Sialia arctica*.
 Azure, see *Sialia azurea*.
 Californian, see *Sialia occidentalis*.
 Chestnut-backed, see *Sialia bairdi*.
 Eastern, see *Sialia sialis*.
 Florida, see *Sialia [grata =] sialis*.
 Mexican, see *Sialia occidentalis* or *azurea*.
 Mountain, see *Sialia arctica*.
 Rocky Mountain, see *Sialia arctica*.
 San Pedro, see *Sialia anabele*.
 Western, see *Sialia occidentalis*.
 Wilson's, see *Sialia sialis*.
 Bluejay, see *Cyanocitta cyanæ*.
 Blue-legs, see *Numenius hudsonicus* (local name, N. E.).
 Blue-Peter, see *Fulica americana*.
 Blue-quit, see *Euphonia jamaica*.
 Bluethroat, Red-spotted, see *Cyanecula suecica*.
Boardman, Edith Jenney.
 [Bird protection in Maine], '98, 82.
Boardman, George Augustus.
 Caspian Tern probably breeding in Florida, '80, 64.
 Capture of Stonechat [*i. e.*, Wheatear] near Eastport, Maine, '80, 115.
 Winter change of plumage of Black Guillemot, '80, 190.
 Capture of Avocet in New Brunswick, '80, 241.
 Golden Eagle in New Brunswick, '81, 58.
 Bobolink, see *Dolichonyx oryzivorus*.
 Western, see *Dolichonyx [albinucha =] oryzivorus*.
 Bob-white, see *Colinus virginianus*.
 Black-breasted, see *Colinus pectoralis*.
 Black-headed, see *Colinus atriceps*.
 Cocolcos, see *Colinus cocolcos*.
 Cuban, see *Colinus cubanensis*.
 Florida, see *Colinus floridanus*.
 Godman's, see *Colinus godmani*.

Grayson's, see *Colinus graysoni*.
 Guatemalan, see *Colinus insignis*.
 Masked, see *Colinus ridgwayi*.
 Nassau, see *Colinus bahamensis*.
 Puebla, see *Colinus nigripectus*.
 Ridgway's, see *Colinus ridgwayi*.
 Salvin's, see *Colinus salvini*.
 Spotted-bellied, see *Colinus maculatus*.
 Texan, see *Colinus texanus*.
 Boagia, see *Antichromus*.
Boeck, Eugen von.
 Obituary of, '86, 496.
Bogdanow, Modest Nikolaevich.
 Obituary of, '88, 333.
bogotensis (*Tyrannula*), see *Contopus richardsonii*.
 —— (*Zenaida*), see *Z. ruficauda*.
 Bogtrot, see *Hylocichla mustelina*.
 boiei (*Campephilus*), see *Campephilus*.
Bolborhynchus monachus, *Argent.*,
hbt., *nst.* '84, 28.
Bolivia.
 Elliott, D. G., '88, 263-264.
 Ridgway, R., '90, 381-382.
boliviiana (*Calliste*), see *Calliste*.
boliviiana (*Cheiroxiphia*), see *Cheiroxiphia*.
 —— (*Chrysomitrus*), see *Spinus*.
 —— (*Leptasthenura*), see *Leptasthenura*.
 —— (*Poospiza*), see *Poospiza*.
bovianus (*Empidonax*), see *Empidonax*.
 —— (*Scytalopus*), see *Scytalopus*.
 —— (*Spinus*), see *Spinus*.
boliviensis (*Cymindis*), see *Regerhinus uncinatus*.
Bolles, Frank.
 Barred Owls in captivity, '90, 101-114.
 Snake skins in nests of *Myiarchus crinitus*, '90, 288.
 Young Cedar Birds and Great Crested Flycatchers in captivity, '90, 290.
 Yellow-bellied Woodpeckers and their uninvited guests, '91, 256-270.
 Land of the lingering snow (rev.), '92, 62.
 At the north of Bearcamp Water (rev.), '93, 201.
 Young Sapsuckers in captivity, '92, 109-119.
 [Memorial of], '94, 184.
Bombycilla, see *Ampelis*.
Bonaire Island, West Indies.
 Chapman, F. M., '93, 355-357.
bonana (*Icterus*), see *Icterus*.
 —— (*Oriolus*), see *Icterus*.

— (Pendulinus), see *Icterus*.
 — (Xanthornus), see *Icterus*.
Bonaparte, Charles Lucien, and *Wilson*, Alexander.
 American Ornithology [popular ed. Porter and Coates] (rev.), '79, 53.
bonapartii (*Actodromas*), see *Tringa fuscicollis*.
 — (Cichlherminia, see *herminieri*).
 — (Myiodictes), see *Wilsonia canadensis*.
 — (Tringa), see *T. fuscicollis*.
bonariensis (*Molothrus*), see *Molothrus*.
 — (Tanagra), see *Molothrus*.
Bonasa, '93, 131.
sabini (Oregon Ruffed Grouse),
Cal. '86, 491; *g. dist.* '93, 126; *Ore.* '86, 164, '88, 145; *Wash.* '82, 227, 232, '92, 43, 1900, 351.—*fd.* 1900, 351; *hbt.* '86, 164, '92, 43; *plm.* '82, 232, 1900, 145 (mlt.); *syn.* '95, 169.
togata (* Canadian Ruffed Grouse,
^b *umbellus*), *g. dist.* '93, 126; *Ida.* '97, 352?; *Mass.* '95, 88; *Mc.* '94, 70; *N. B.* '89, 117; *N. S.* '85, 40^a, '87, 16, '91, 165, '99, 251; *N. Y.* '81, 233^b; *P. E. I.* '93, 8; *Que.* '82, 238^b; *Wash.* '97, 173?.—*fd.* '92, 194^a [*Partridge*]; *hbt.* '97, 173; *nst.* '85, 40^a; *plm.* '99, 181^a, 1900, 145 (mlt.); *misc.* '90, 393, 393, '93, 295.
umbelloides (Gray Ruffed Grouse),
Colo. '85, 17; *Man.* '85, 270, '86, 153; *g. dist.* '93, 126; *Mont.* '82, 63, '94, 302; *Ore.* '79, 197.—*plm.* '85, 270, 1900, 145.
umbellus (* Ruffed Grouse or Partridge), *C. R.* '85, 297; *D. C.* '88, 20; *Ind.* '88, 349; *Man.* '85, 271; *Mass.* '84, 9^a, '88, 389, '89, 44, 99, '90, 390^a; *Md.* '88, 20; *Mc.* '82, 151; *Mich.* '93, 230 [= *togata*?]; *Minn.* '84, 247; *N. B.* '82, 151; *N. C.* '86, 102, 314; *N. H.* '87, 103, '88, 149, 151, 153, '89, 76; *N. J.* '94, 136; *Ont.* '87, 246^a [= *togata*?]; *Pa.* '92, 134, '93, 38, 44, '96, 281, 292; *S. C.* '86, 483, '90, 36, '91, 326; *Tenn.* '82, 192, '86, 319, '87, 129; *Va.* '82, 48^a, '88, 20, '89, 52; *Wis.* '82, 188; *IV. Va.* '98, 134.—*fd.* '84, 186, '90, 36; *hbt.* '77, 75^a, '86, 102, 313, '88, 314^a, '91, 326, 388^a, '92, 67^a, 68^a, 69^a, 385^a, 386^a, 387^a, '93, 292^a, 292, 295^a; *mig.* '93, 295; *nst.* '87, 246^a [= *togata*?], '90, 392, 392^a; *plm.* '76, 22 (alb.), '85, 300^a, '90, 390, 394^a, '91, 387^a, '92, 134, '99, 181^a, 1900, 145 (mlt.); *syn.* '94, 172; *misc.* '84, 288^a,

'87, 338^a, 342^a, '89, 175^a, 177^a, '90, 389^a, 390 (4 items), 391^a, 393, 394 (6 items), 395 (3 items), 396 (3 items), 397^a, 398, '91, 387, 388^a (11 items), 390^a, 390^a, '92, 67 (4 items), 69^a (5 items), 384, 385^a (5 items), 386^a (4 items), '93, 295 (7 items), 296, 297^a (3 items), '94, 67, 67, 68, 69^a, 69, 71^a, '96, 126^a (photos).

Bond, Frank.

Myiadestes townsendii apparently wintering in Wyoming, '89, 193. Notes from Wyoming, '89, 341. Mockingbird in Wyoming, '94, 258. More Wyoming Mockingbirds, '95, 309. A nuptial performance of the Sage Cock (pl.), 1900, 325-327. Capture of Brown Pelican in Wyoming, '99, 351.

bonellii (*Phylloscopus*), see *Phylloscopus*.

Bonhote, John Lewis.

List of birds collected on island of New Providence, Bahamas (rev.), 1900, 305.

Booby, see *Sula sula*.

Blue-faced, see *Sula cyanops*.

Blue-footed, see *Sula nebulosus*.

Brewster's, see *Sula brewsteri*.

Dry-land, see *Astrelata caribbea*.

Red-footed, see *Sula piscator*.

Webster's, see *Sula websteri*.

boothii (*Orthorhynchus*), see *Calypte helena*.

borealis (*Buteo*), see *Buteo*.

— (*Collurio*), see *Lanius*.

— (*Contopus*), see *Contopus*.

— (*Cypseloides*), see *Cypseloides*.

— (*Cypselus*), see *Cypseloides niger*.

— (*Dryobates*), see *Dryobates*.

— (*Falco*), see *Buteo*.

— (*Fringilla*), see *Acanthis exilipes*.

— (*Lanius*), see *Lanius*.

— (*Linaria*), see *Acanthis linaria*.

— (*Mniotilia*), see *M. [borealis =] varia*.

— (*Nephocetes*), see *Cypseloides*.

— (*Numenius*), see *Numenius*.

— (*Nuttallornis*), see *Contopus*.

— (*Parus*), see *Parus*.

— (*Phylloptene*), see *Phylloptenes*.

— (*Phyllopseustes*), see *Phyllopseustes*.

— (*Phylloscopus*), see *Phyllopseustes*.

— (*Picus*), see *Dryobates*.

— (*Puffinus*), see *Puffinus*.

— (*Scolopax*), see *Numenius*.

— (*Somateria*), see *Somateria*.

— (*Troglodytes*), see *Troglodytes*.

— (*Tyrannus*), see *Contopus*.

boreus (*Myiarchus*), see *M. crinitus*.

Borneo.

Elliot, D. G., '90, 346-359, '91, 7-16, '92, 218-221.

borneonensis (*Orthotomus*), see *O. cinereus*.

boscas (*Anas*), see *Anas boschas*.

— (*Anas*), see *Anas*.

boschi (*Eucichla*), see *Eucichla*.

Bo-son Bird, see *Phaethon aethereus*.

Boston Society of Natural History, Proceedings, '84, 207; titles (No. 451), '76, 31, '83, 238, '84, 207 (No. 976), '85, 373 (Nos. 2204-2205), '92, 187.

Boston Zoological Journal, titles (Nos. 365-371), '83, 233, (Nos. 1446-1459), '89, 182.

Botaurus, '84, 143 '88, 49, '93, 131.

lentiginosus (^a American Bittern, ^b minor, ^c mugitans), *Ariz.*, '86, 385, '90, 51; *Cal.*, '86, 91; *Colo.*, '85, 18; *D. C.*, '93, 77; *Engl.*, '77, 107, '85, 374, 374^a, 374^b; *Fla.*, '88, 268^a, 269, '89, 16, '92, 211, '93, 337, '95, 364^a; *Ga.*, '96, 215; *Germany*, '77, 107, '80, 211; *G. Br.*, '80, 210; *Hud. B.*, '90, 320; *Ida.*, '97, 351; *Ind.*, '88, 347; *Ireland*, '92, 290^a, 290^b; *Jamaica*, '92, 9; *Ky.*, '89, 312; *Man.*, '86, 150; *Mass.*, '89, 1-8, '91, 151, '97, 228; *Me.*, '82, 151, '89, 187; *Mich.*, '93, 223; *Minn.*, '80, 18^a, '84, 247; *Mo.*, '79, 147^b, '95, 222^a; *Mont.*, '94, 302; *N. B.*, '82, 151; *N. D.*, '99, 162^a, 165^a; *N. F.*, 1900, 71; *N. J.*, '79, 226^b; *N. M.*, '98, 307; *N. S.*, '91, 166; *N. Y.*, '79, 32, '81, 234, '83, 177^a; *Ore.*, '79, 197, '88, 143; *Pa.*, '99, 309; *P. E. I.*, '93, 8; *Que.*, '82, 239^c, '89, 146; *S. C.*, '79, 217^b; *S. Dak.*, '85, 287; *Tex.*, '82, 223, '87, 185, '92, 232; *Wash.*, '92, 42; *W. I.*, '88, 49; *Wis.*, '88, 328—*anat.*, '91, 386; *fd.*, '89, 187^a; *hbt.*, '80, 181, 181^b, '89, 1, 187, '92, 383, '93, 77, '95, 222^a; *mig.*, '88, 328; *nst.*, '80, 18^b, '85, 287, '89, 146, '91, 107; *plm.*, '79, 30^a (alb.); *song.*, '89, 1, 187; *syn.*, '80, 178^a, '88, 49; *misc.*, '84, 87, '94, 70.

stellaris (^a European Bittern).

Helg., '95, 337—*hbt.*, *song.*, '89, 5^a, 6.

botterii (*Aimophila*), see *Peucæa arizonæ*.

— (*Peucæa*), see *P. arizonæ*.

- boucardi (*Drymophila*), see *Drymophila*.
 —— (*Granatellus*), see *Granatellus*.
 —— (*Peucæa*), see *Aimophila scottii* or *eremœca*.
 —— (*Zonotrichia*), see *Aimophila eremœca*.
 bouqueti (*Amazona*), see *Amazona*.
 —— (*Chrysotis*), see *Amazona*.
 —— (*Psittacus*), see *Amazona*.
- Bourns**, Frank S., and **Worcester**, Dean Conant.
 Preliminary notes on birds and mammals collected by Menage expedition to Philippine Is. (rev.), '95, 173.
 Contributions to Philippine ornithology (rev.), '98, 284.
- Bowditch**, Beecher Scoville.
 Yellow-legs (*Totanus flavipes*) breeding in Ontario Co., N. Y. '91, 394.
 Turkey Vulture (*Cathartes aura*) in Ontario Co., N. Y. '91, 394.
 Breeding of Mourning Warbler in Ontario Co., N. Y. '91, 396.
- Bower-bird, Tooth-billed, see *Scenopœtes dentirostris*.
- Bowles**, Charles Wilson, and John Hooper.
 Nesting habits of Anthony's Vireo, '98, 138-140.
- bowmani (*Phlegopsis*), see *Phlegopsis*.
 boyssi (*Sterna*), see *S. sandwichensis*.
 bracei (*Sporadinus*), see *Sporadinus ricordi*.
 brachydactyla (*Calandrella*), see *Calandrella*.
 —— (*Certhia*), see *Certhia*.
 —— (*Geothlypis*), see *G. trichas*.
 —— (*Trichas*), see *Geothlypis trichas*.
- Brachygalba fulviventris**, *syn.* '92, 184.
 brachyotus (*Otus*), see *Asio accipitrinus*.
 brachyponus (*Dissemurus*), see *Dissemurus*.
 —— (*Edolius*), see *Dissemurus*.
 Brachypodinae, '83, 104.
 brachyptera (*Leptotila*), see *Leptotila*.
 —— (*Homoptila*) see *Leptotila*.
 —— (*Peristera*), see *Leptotila*.
 —— (*Speotyto*), see *Speotyto*.
 brachypterus (*Brachyrhamphus*), see *Synthliboramphus antiquus*.
 —— (*Chalcophanes*), see *Quiscalus*.
 —— (*Colymbus*), see *C. dominicus*.
 —— (*Holochalcophanes*), see *Quiscalus*.
 —— (*Quiscalus*), see *Quiscalus*.
 Brachypus, see *Cypselus*.
- brachypus (*Sterna*), see *S. paradisaea*.
Brachyrhamphus, '80, 127, '99, 202, 370.
 brevirostris, *syn.* '87, 65.
 craveri (Craveri's Murrelet, ^b *Micrurria*, ^c *Endomychura*), *nst.* '78, 81; *plm.* 1900, 168^b; *syn.* '99, 202, 370^c, 1900, 168^b.
 hypoleucus (Xantus's Murrelet, ^b *Micrurria*, ^c *Endomychura*), *Cal.* '84, 396, '86, 126, '87, 87, 93, '95, 379, '98, 197; *L. Cal.* 1900, 168^b—*hbt.*, *meas.*, *nst.* 1900, 168^b; *plm.* '84, 396, 1900, 168^b; *syn.* '99, 202, 370^c, 1900, 168^b.
 kittlitzii (Kittlitz's Murrelet), *Alas.* '84, 81, '88, 410.—*nst.* '89, 329; *syn.* '99, 202.
 marmoratus (^a Marbled Murrelet, ^b *wrangeli*), *Alas.* '95, 276, '98, 49, 124; *B. C.* '93, 291; *Cal.* '87, 87, '94, 96^a; *Wash.* '92, 35, '93, 17, 291.—*hbt.* '84, 396; *meas.*, *nst.*, *plm.* '98, 49; *mig.* '94, 96^a; *syn.* '80, 88^b, '87, 65.
 perdix, *syn.* '87, 65.
 brachyrhynchus (*Anser*) see *Anser*.
 —— (*Colymbus*), see *Colymbus*.
 —— (*Contopus*), see *Contopus*.
 —— (*Horizopus*), see *Contopus*.
 —— (*Larus*), see *Larus*.
Brachyspiza, '99, 224*.
 canicapilla, *Patagonia*, '98, 321.
 capensis (^b *Zonotrichia pileata*), *Braz.* 1900, 299^b; *g. dist.*, '98, 321; *Urug.* '83, 131^b; *Fenz.* '97, 361^b, 364^b.—*hbt.*, *nst.* '83, 131^b.
 chilensis, *Chili*, '98, 321.
 insularis, *W. I.*, *meas.* '98, 321*.
 peruviana (^b *Zonotrichia costaricensis*), *C. R.* '92, 248^b; *g. dist.* '98, 321.—*hbt.*, *meas.*, *nst.* '92, 248^b; *syn.* '98, 321, 321^b.
 strigiceps (^b *Zonotrichia*), *syn.* '88, 412^b.
 brachytarsa (*Pagophila*), see *P. alba*.
 brachytarsus (*Blacicus*), see *Blacicus*.
 —— (*Contopus*), see *Blacicus*.
 —— (*Empidonax*), see *Blacicus*.
 brachyura (*Astur*), see *Buteo*.
 —— (*Asturina*), see *Buteo*.
 —— (*Buteola*), see *Buteo*.
 —— (*Chætura*), see *Chætura*.
 —— (*Diomedea*), see *D. albatrus*.
 —— (*Pionopsitta*), see *Pionopsitta*.
 —— (*Pitta*), see *Pitta*.
 Brachyurus, see *Pitta*.
 brachyurus (*Buteo*), see *Buteo*.

- (Campylorhynchus), see *Ramphocinclus*.
 — (Cinclocerthia), see *Ramphocinclus*.
 — (Formicarius), see *Ramphocinclus*.
 — (Phoneus), see *Lanius cristatus*.
 — (*Ramphocinclus*), see *Ramphocinclus*.
 — (*Turdus*), see *Ramphocinclus*.

Brackett, Foster H.

Blue-winged Warbler (*Helminthophila pinus*) in eastern Massachusetts, '98, 59.

Belted Piping Plover in Massachusetts, '96, 256.

Redheaded Woodpecker in eastern Massachusetts, '96, 258.

Obituary of, 1900, 197.

Bradypteri, '84, 279.**Braislin**, William Coughlin.

Golden Eagle in New Jersey, '96, 81.
 Notes on Long Island birds, '96, 87.
 Record of two birds rare on Long Island, N. Y., '97, 99.

Starling (*Sturnus vulgaris*) on Long Island, '98, 55.

White-crowned Sparrow (*Zonotrichia leucophrys*) on Long Island, N. Y., '98, 58.

Notes on Long Island birds, '99, 190-193.

Notes on birds of Long Island, 1900, 69-71.

Occurrence of *Tringa fuscicollis* in Virginia in autumn, 1900, 172.

Brambling, see *Fringilla montifringilla*.
 Brant, see *Branta bernicla* [or *Anser albifrons*], '88, 143].

Black, see *Branta nigricans*.

Blue, see *Chen caerulescens*.

Gray, see *Anser gambeli*.

Speckled, see *Anser gambeli*.

White, see *Chen hyperborea*.

White-bellied, see *Branta glauco-gaster*.

Branta (^b *Bernicla*), '80, 101, '84, 143^b, '88, 59, '93, 99.

bernicla (^a Brant or Brant Goose, ^b *Bernicla branta*), *Arctic Am.* '78, 86^b; *Colo.* '87, 264; *g. dist.* '93, 125; *Hclg.* '95, 326; *Man.* '86, 150, 329; *Mass.* '90, 392, '92, 305, '93, 77, 294, 370, '94, 224; *Mich.* '90, 391; *Minn.* '84, 248^b; *N. J.* '79, 226; *Que.* '82, 239^b; *R. I.* '80, 133^a; *S. D.* '85, 288^b.

— '93, 370; *mig.* '80, 133^a, '93, 246, '94, 224; *plm.* '76, 23 (alb.); *syn.* '97, 207; *misc.* '93, 293^a, 294^a, 295^a, 296^a, 296^a.

canadensis (^a Canada or Wild Goose, ^b *Bernicla*, ^c *Anser*), *Ala.* '79, 13; *Ariz.* '86, 385; *B. C.* '94, 322, '95, 76^b; *Cal.* '86, 91; *Colo.* '77, 51, '85, 18^b; *Europe.* '80, 66^c; *France.* '80, 212^c; *G. Brit.* '80, 212^c; *g. dist.* '93, 125; *Ia.* '85, 214^a, '95, 121, 236^b; *Ida.* '97, 350, 1900, 243; *Ill.* '94, 215^a; *Ind.* '88, 347; *Jamaica.* '91, 365; *Ky.* '89, 312; *La.* '97, 287; '86, 150; *Mass.* '93, 77, '94, 84, 226, '95, 77; *Me.* '94, 70; *Minn.* '84, 188^a, 248^b; *Mo.* '79, 147; *Mont.* '83, 124^b, '88, 17, '94, 302, '95, 213; *N. B.* '90, 392; *N. C.* '86, 179; *N. E.* '83, 163^a; *N. F.* '84, 309-313^b, 1900, 71; *N. J.* '79, 226; *N. S.* '85, 42^a, '99, 251; *N. Y.* '81, 234^b; *Ore.* '79, 198, '86, 163, '88, 143, '91, 367 (fossil), '93, 344 (fossil); *P. E. I.* '93, 77; *Que.* '82, 239^b; *S. C.* '85, 193^b; *S. D.* '85, 287^b; *Tenn.* '86, 320, 481; *Tex.* '82, 224^b, '87, 185, '92, 232, 1900, 339; *Wash.* '92, 42; *W. I.* '88, 59—*anat.* '96, 111^a; *fd.* '84, 87^a, 309^b, '85, 94^a, '86, 163; *hbt.* '84, 309^b; '92, 384; *mig.* '84, 309^b, '85, 42^a, 287^b, '90, 396, '92, 385^a, '94, 226, '95, 77, 121, 129^a, 236^b, '96, 92; *nst.* '76, 50, '78, 24^a, '83, 124^b, '84, 309^b, '85, 111^b, 214^a, 287^b, '86, 481, '88, 143, '94, 322, '97, 350; *plm.* '83, 126^b (alb.); '84, 309^b, '85, 111^b; *syn.* '83, 62^b, '88, 59; *misc.* '90, 391, 395^a, '91, 341^a, '92, 386^a.

glaucoptera (White-bellied Brant), *g. dist.* '97, 207, '99, 105.—*syn.* '97, 207, '99, 105; *plm.* '97, 208.—*hutchinsi* (^a Hutchins's Goose, ^b *Bernicla*, ^c *Anser*), *Alas.* '79, 53^a, '81, 131^a, '84, 80^b, '85, 158; *Colo.* '85, 18^b; *Kamt.* '88, 311; *Man.* '86, 150; *N. E.* '77, 14^a, 46^b, '83, 163^a; *N. Y.* '99, 193; *O.* '87, 69^c; *Ore.* '86, 163, '88, 143; *S. D.* '85, 287^b; *Tex.* '90, 339; *Wash.* '93, 17.—*fd.* '86, 163; *mig.* '85, 287^b, '88, 143, '92, 385^a; *syn.* '83, 62^b, '84, 80^b; '96, 162; *misc.* '93, 292^a.

hypsicatus (fossil sp.), *Ore.* '91, 367, '93, 344.

leucopsis (^a Barnacle Goose, ^b *Bernicla*), *Hclg.* '95, 340^b; *N. Am.* '80, 180^a; *N. Y.* '77, 18^b.—*syn.* '84, 385.

minima (Cackling or White-collared Goose, ^b *Bernicla leucoparia*, ^c *leucoparia*), *Alas.* '84, 80^b, '87, 12; *Cal.* '86, 91; *Colo.* '99, 187; *Ill.* '76, 41^c; *Orc.* '88, 143; *Wash.* '93, 17.—

fd. '86, 91; *plm.* '88, 143; *syn.* '85, 293, '96, 162.

nigricans (^a Black Brant, ^b Bernicla, ^c *Bernicla nigrescens*), *Alas.* '79, 53^a, '81, 131-138^a, '84, 187^b, '85, 63^b; *Cal.* '84, 187^a, '87, 87; *Mass.* '84, 96^b; *Minn.* '93, 289; *N. J.* '79, 226; *N. Y.* '93, 266, 271, '94, 163; *Ore.* '79, 198, '86, 162^c, 163, '88, 143^c; *Tex.* '87, 185; *Wash.* '85, 301^a, '92, 42, 354^a.—*hbt.* '81, 131^a, '84, 187^a; *mig.* '81, 131^a, '85, 63^b; *nst.* '81, 131^a; *plm.* '97, 208; *song.* '81, 131^a.

occidentalis (White-cheeked Goose, ^b Bernicla), *Alas.* '84, 80^b; *g. dist.* '93, 125; *Ore.* '88, 143^c; *Wash.* '93, 17, '97, 87, 172.—*nst.* '97, 87; *syn.* '83, 62^b, '96, 162.

propinquua (fossil sp.), *Ore.* '91, 367, '93, 144.

Brasher, Reginald Ignatius.

Northern Phalaropes off New Hampshire coast, '94, 250.

brasheri (*Basileuterus*), see *B. culicivorus*.

brasieri (*Muscicapa*), see *Basileuterus culicivorus*.

brasilianus (*Megascops*), see *Megascops*.

— (*Scops*), see *Megascops*.

brasiliense (*Tigrisoma*), see *Tigrisoma*.

brasiliensis (*Cathartes*), see *Cathartista urubu*.

— (*Coragyps*), see *Cathartista urubu*.

— (*Crithagra*), see *Sicalis flaveola*.

— (*Emberiza*), see *Sicalis flaveola*.

— (*Fringilla*), see *Sicalis flaveola*.

— (*Parra*), see *Jacana nigra*.

— (*Phalacrocorax*), see *P. vigua*.

— (*Polyborus*), see *P. cheriway*.

— (*Querquedula*), see *Querquedula*.

— (*Sycalis*), see *Sicalis flaveola*.

— (*Trochilus*), see *Glaucis hirsuta*.

Bray, R. A.

[Diurnal migration of birds seen through a telescope], '95, 397.

Brayton, Alembert Winthrop.
Catalogue of birds of Indiana (rev.), '80, 174.

Brazil.

Allen, J. A., '87, 156, '99, 203-204.

Berlepsch, H. von, '88, 457-460.

Chapman, F. M., '90, 131-137, 265-271, '91, 24-31, 158-164, '93, 309-311.

Nehrling, H., 1900, 298-299.

Ridgway, R., '87, 156, '99, 37.

Riker, C. B., '90, 131-137, 265-271, '91, 24-31, 158-164.

Breese, William Lawrence.

Obituary of, '89, 81.

Breninger, George Frank.

Buteo albicaudatus in Arizona, '97, 403.

White-tailed Hawk in Arizona, '99, 352.

brenta (*Bernicla*), see *Branta bernicla*.
brevicaudus (*Thryomanes*), see *Thryomanes*.

— (*Thryothorus*), see *Thryomanes*.

Brevipennes, '83, 232.

brevipennis (*Falco*), see *Falco*.

— (*Myiarchus*), see *Myiarchus*.

brevipes (*Æstrelata*), see *Æstrelata*.

— (*Arbelorhina*), see *Cæreba*.

— (*Cæreba*), see *Cæreba*.

— (*Conurus*), see *Conurus*.

— (*Cyanerpes*), see *Cæreba*.

— (*Procellaria*), see *Æstrelata*.

brevirostris (*Brachyrhamphus*), see *B. brevirostris* or *kittlitzi*.

— (*Cactornis*), see *Cactornis*.

— (*Campylorhynchus*), see *Heleodutes*.

— (*Cæreba*), see *Cæreba cæruleus*.

— (*Fringilla*), see *Acanthis linalia*.

— (*Heleodutes*), see *Heleodutes*.

— (*Rissa*), see *Rissa*.

Brewer, Thomas Mayo.

Cat. of birds of New England, etc. (rev.), '76, 72.

Birds of New England, '76, 89-93.

see Venner, H. G., 'Our birds of prey, Canada' (rev.), '77, 24.

A defence of his cat. of birds of New England, '77, 44-48.

see Salvin, O., 'Procellariidae' (rev.), '77, 69.

see Salvin, O., 'new Petrels,' '77, 70.

see Ogilvie-Grant, W. R., 'cat. of birds of Malta and Gozo,' '77, 70.

A new bird to Massachusetts, '77, 78.

A new form of *Surnia* to New England, '77, 78.

Breeding of Leach's Petrel on coast of Maine, '77, 80.

see D'Hamonyville, J. C. L. T., 'cat. des Oiseaux d'Europe, etc.' (rev.), '77, 106.

Nest and eggs of *Zonotrichia coronata*, '78, 42.

Seaside Finch (*Ammodramus maritimus*), in eastern Mass. '78, 48.

Changes in our North American fauna, '78, 49-52.

Notes on *Junco caniceps* and the closely allied forms, '78, 72-75.

Note on eggs of *Myiarchus erythrocercus*, '78, 100.

- see Allen, J. A., 'birds of Mass.' '78, 138-140.
- Blue-gray Gnatcatcher (*Polioptila caerulea*) in Mass. '78, 146.
- Apologetic [to N. C. Brown regarding *Ammodramus caudacutus*]. '78, 147.
- The Stilt Sandpiper (*Micropalama himantopus*), '78, 148.
- Interesting captures [in Mass.], '78, 151.
- Two birds [*Vireo flavoviridis*, *Sturnella mexicana*] new to fauna of N. Am. '78, 152.
- Notes on certain species of New England birds, with additions to his catalogue (rev.), '78, 185.
- see Saunders, H., 'Larinæ' (rev.), '78, 185-187.
- Skua Gull (*Stercorarius catarractus*) on coast of Mass. '78, 188.
- Song of Hepburn's Finch (*Leucosticte litoralis*), '78, 189.
- Black-throated Bunting [nesting in Mass.], '78, 190.
- Wilson's Thrush, with spotted eggs and nesting on a tree, '78, 193.
- Carolina Wren in Massachusetts, '78, 193.
- Titlark (*Anthus ludovicianus*) in Massachusetts, in June, '78, 194.
- White-crowned Sparrow breeding in Vermont, '78, 195.
- Eggs of Solitary Sandpiper (*Rhyacophilus solitarius*), '78, 197.
- see Adams, E., 'birds of Alaska,' '79, 52.
- Notes on New England birds, '79, 63.
- Fulmarus glacialis* on the Massachusetts coast, '79, 64.
- American Brown Creeper, '79, 87.
- Nest and eggs of Golden-crowned Kinglet (*Regulus satrapa*), '79, 96-99.
- Eggs of Redstart (*Setophaga ruticilla*), '79, 118.
- Loggerhead Shrike (*Collurio ludovicianus*) breeding in northern New England, '79, 119.
- Great Northern Shrike in New England, '79, 120.
- Cow Blackbird of Texas and Arizona (*Molothrus obscurus*), '79, 123.
- Rocky Mountain Golden Eye (*Bucephala islandica*), '79, 148-152.
- Eggs of Curlew Sandpiper (*Tringa subarquata*), '79, 190.
- Booby Gannet (*Sula dactylatra*) in Massachusetts, '79, 191.
- A word in defense, '79, 191-192.
- [Note to Loomis's 'Birds of South Carolina'], '79, 209.
- Nests and eggs of the eight North American species of Empidonaces (rev.), '79, 232.
- Vireo gilvus* and *Vireo flavifrons* in northern New England, '79, 237.
- Rocky Mountain Whisky Jack (*Perisoreus canadensis capitalis*), '79, 239.
- Black Skimmer in Massachusetts, '79, 243.
- Nest and eggs of *Parus montanus*, '80, 47.
- Blue-winged Yellow Warbler in New England, '80, 48.
- Redstart in Washington Territory, '80, 50.
- Nesting of Common Crossbill, '80, 50.
- Eggs of *Picus albolavatus*, '80, 56.
- Obituary of, '80, 102-104.
- Some additional notes upon birds observed in New England, etc. (rev.), '80, 108.
- The Blue-Jay family (rev.), '95, 383.
- Brewer, T. M., Baird, S. F., and Ridgway, R., see Baird, Brewer and Ridgway.
- breweri (Anas), see Anas.
- (Spizella), see Spizella.
- Brewster, Edward Everett.
- Apparatus for preparing birds' eggs, '95, 196-198 (fig.).
- Brewster, William.
- Descr. of a new species of *Helminthophaga*, '76, 1 (col. pl.).
- Occurrence of certain birds in New England States, '76, 17-20.
- Occurrence of Curlew Sandpiper in Massachusetts, '76, 51.
- Ipswich Sparrow in New Brunswick, '76, 52.
- Yellow-bellied Woodpecker (*Sphyrapicus varius*), '76, 63-70.
- see Henshaw, H. W., 'report upon ornith. west of 100th meridian—Wheeler' (rev.), '76, 70, '78, 136-138.
- Additional light on the so-called *Sterna portlandica* (rev.), '76, 71.
- Observations on birds of Ritchie Co., West Virginia (rev.), '76, 72.
- Singular food of Least Bittern, '76, 76.
- Capture of Orange-crowned Warbler in Massachusetts, '76, 94.

- The Black and Yellow Warbler (*Dendroica maculosa*), '77, 1-7.
 Northern range of Sharp-tailed Finch (*Ammodramus caudacutus*), '77, 28.
 Two undescribed nests of California birds, '77, 37.
 An undescribed hybrid between two N. Am. Grouse, '77, 66-68.
 see Nelson, E. W., 'birds of Illinois' (rev.), '77, 68.
 The Yellow-throated Warbler (*Dendroica dominica*), '77, 102-106.
 see Merriam, C. H., 'birds of Connecticut' (rev.), '77, 107.
 Note on nest and eggs of *Carpodacus purpureus californicus*, '78, 10.
 Descriptions of first plumage in various species of N. Am. birds, '78, 15-23, 56-64, 115-123, 175-182, '79, 39-46.
 Occurrence of a second specimen of Swainson's Buzzard (*Buteo swainsoni*) in Mass., '78, 39.
 Breeding of Hooded Merganser (*Mergus cucullatus*) in Florida, '78, 40.
 Note on *Dendroica dominica*, '78, 43.
 White-throated Warbler (*Helminthophila leucobronchialis*) in Conn., '78, 99.
 Nesting of Large-billed Water-thrush (*Siurus motacilla*), '78, 133-135.
 Note on Woodcock breeding in Florida, '78, 151.
 Note on *Phalaropus hyperboreus*, '78, 152.
 The Prothonotary Warbler (*Protonotaria citrea*), '78, 153-162.
 Short-tailed Tern (*Hydrochelidon fissipes*) in Mass., '78, 190.
 Occurrence of Whistling Swan (*Cygnus americanus*) in Mass., '78, 198.
 Capture of fifth specimen of White-throated Warbler (*Helminthophaga leucobronchialis*), '78, 199.
 Terns of the New England coast, '79, 13-22.
 Notes on the habits and distribution of Rufous-crowned Sparrow (*Perognathus ruficeps*), '79, 47-48.
 see Merrill, J. C., 'notes on ornithology of southern Texas' (rev.), '79, 50-52.
 Habits and nesting of certain rare birds in Texas, '79, 75-80.
 Notes on distribution, habits and nesting of Black-capped Vireo (*Vireo atricapillus*), '79, 99-103.
- A spotted egg of *Empidonax minimus*, '79, 124.
 A second specimen of the Yellow-crowned Night Heron (*Nyctiardea violacea*) in Mass., '79, 124.
 Additional notes on the Whistling Swan (*Cygnus americanus*) in New England, '79, 125.
 Breeding habits of American Brown Creeper (*Certhia familiaris americana*), '79, 199-209.
 Notes on habits and distribution of Philadelphia Vireo (*Vireo philadelphicus*), '80, 1-7.
 Nesting of Blue Yellow-backed Warbler in southern Georgia, '80, 48.
 Prowess of Bald Eagle (*Haliaëtus leucocephalus*), '80, 57.
 With the birds on a Florida river, '81, 38-44.
 Second occurrence of Hudsonian Titmouse (*Parus hudsonicus*) in Mass., '81, 54.
 Another capture of Loggerhead Shrike in Massachusetts, '81, 55.
 Third capture of Philadelphia Vireo (*Vireo philadelphicus*) in Mass., '81, 56.
 Recent occurrence of Baird's Sandpiper (*Tringa bairdi*) in Maine, '81, 60.
 Second Massachusetts specimen of Clapper Rail (*Rallus longirostris*), '81, 62.
 Notes on some birds from Arizona and New Mexico, with descr. of a supposed new Whip-poor-will, '81, 65-73.
 Critical notes on a Petrel new to North America, '81, 91-97.
 Affinities of certain Polioptile, with descr. of a new species, '81, 101-107.
 see Cory, C. B., 'beautiful and curious birds of world,' pts. i, ii (rev.), '81, 111.
 Short-tailed Tern (*Hydrochelidon nigra*) in New England, '81, 124.
 Notes on Leach's Petrel (*Cymochorea leucorhhoa*), '81, 125.
 Breeding of Acadian Owl (*Nyctale acadica*) in Mass., '81, 143-145.
 Singular cage plumage of Rose-breasted Grosbeak, '81, 180.
 Carnivorous propensities of Crow Blackbird, '81, 180.
 Three-toed Woodpecker (*Picoides arcticus*) in Mass., '81, 182.

- Second Massachusetts specimen of Red-bellied Woodpecker (*Centurus carolinus*), '81, 183.
 Early arrival in New England of Least Bittern, '81, 186.
 Occurrence of Purple and Florida Gallinules near St. John, New Brunswick, '81, 186.
 Yellow Rail (*Porzana novaeboracensis*) in Mass., '81, 186.
 Ivory Gull (*Pagophila eburnea*) at St. John, New Brunswick, '81, 187.
 Relationship of *Helminthophaga leucobronchialis* and *H. lawrencei*, etc., '81, 218-225.
 see Stearns and Coues, 'New England bird life' (rev.), '81, 236-240.
 see Minot, H. D., 'land and game birds of New England' (rev.), '81, 241-244.
 Additions to avifauna of United States, '81, 252.
 Notes on habits and changes of plumage of Acadian Owl (*Nyctale acadica*), with additional records of breeding in Mass., '82, 23-25.
 Kennicott's Owl and some allies, with descr. of a proposed new race, '82, 27-33.
 see Freke, P. E., 'birds in Amelia Co., Virginia' (rev.), '82, 48.
 see Langdon, F. W., 'notes on Louisiana birds' (rev.), '82, 48.
 see Krider, J., 'forty years notes' (rev.), '82, 49.
 see Langdon, F. W., 'zoölogical miscellany' (rev.), '82, 50.
 see Hoffman, W. J., 'birds of Nevada' (rev.), '82, 51.
 An erroneous record of Orange-crowned Warbler (*Helminthophaga cincta*) in New Hampshire, '82, 53.
 [Cuckoos laying in nests of other birds], '82, 57.
 Remarkable specimen of Pinnated Grouse (*Cupidonia cupido*), '82, 59.
 Collection of birds made by Stephens in Arizona, '82, 65-86, 135-147, 193-212, '83, 21-36.
 Impressions of some southern birds, '82, 94-104.
 see Coues, E., 'check list of N. Am. Birds,' 2d ed. (rev.), '82, 111, 242-246.
Coturniculus lecontei, *C. henslowi*, and *Cistothorus stellaris* in Florida, '82, 121.
 Notes on habits of Kittiwake Gull, '82, 125.
Sterna forsteri breeding off the eastern shore of Virginia, '82, 126,
 see Chamberlain, M., 'cat. of birds of New Brunswick' (rev.), '82, 176.
 An owl's egg laid in confinement, '82, 183.
 Notes on birds collected by Bendire, at Fort Walla Walla, Washington Territory, '82, 225-233.
 Nest and eggs of *Setophaga picta*, '82, 249.
Lomvia arra brunnichi and *L. troile* in New England, '82, 251.
 Notes on birds and eggs from Magdalén Is., Gulf of St. Lawrence, '82, 253-256.
 Bicknell's Thrush (*Turdus alicia bicknelli*) in New England, '83, 12-17.
 see Linnaean Society of N. Y., Transactions, vol. i. (rev.), '83, 50-54.
 see Saunders, H., 'Laridae from Peru and Chili' (rev.), '83, 54.
 see Hoffman, W. J., 'birds observed at Fort Berthold, D. T.' (rev.), '83, 54.
 see Cory, C. B., 'beautiful birds of world,' pts. iv, v (rev.), '83, 55.
 see Southwick and Jencks, 'checking-list of N. Am. birds' (rev.), '83, 56.
 see Shufeldt, R. W., 'contributions to anatomy of birds' (rev.), '83, 56.
 see Bendire's Thrasher (*Harporhynchus bendirei*) in Colorado, '82, 57.
 An interesting flight of Pine Finches, '83, 57.
 Crows fishing, '83, 59.
 Holbœll's Red-poll (*Egiothus linaria holbœlli*) in New England, '83, 95-99.
 Probable breeding of Winter Wren (*Anorthura troglodytes hiemalis*) in eastern Massachusetts, '83, 119.
 Second instance of probable wintering of Pine Warbler in Massachusetts, '83, 120.
 Unusual influx of Three-toed Wood-pecker (*Picoides arcticus* and *P. americanus*) into eastern Massachusetts, '83, 122.
 Recent occurrence of Flammulated Owl in Colorado, '83, 123.
Larus glaucescens in the Bay of Fundy, '83, 125.
 White-winged Gull (*Larus leucopterus*) in Maine, '83, 125.

see Stearns and Coues, 'New England bird life' (rev.), '83, 161-164.
see Smith, E., 'birds of Maine' (rev.), '83, 164-166.
Third Massachusetts specimen of Labrador Gyrfalcon (*Falco gyrfalco obsoletus*), '83, 184.
Scarlet Ibis in Florida, '83, 185.
Common Cormorant on coast of South Carolina, '83, 186.
An apparently new Gull from eastern North America, '83, 214-219.
The movements of certain water birds, '83, 245.
Summer birds of Berkshire Co., Mass., '84, 5-16.
see Cory, C. B., 'beautiful birds of world,' pt. vii. (rev.), '84, 81.
An example of *Helminthophila leuco-brachialis* from Connecticut, '84, 91.
Occurrence of Black-backed Three-toed Woodpecker in Massachusetts, '84, 93.
Singular specimen of Black-and-white Creeper, '84, 190-192.
Lesser Glaucous-winged Gull in New York, '84, 196.
An ornithological swindler, '84, 295-297.
Birds observed during a summer cruise in Gulf of St. Lawrence (rev.), '84, 379.
Swainson's Warbler, '85, 65-80, 105.
Heath Hen of Massachusetts, '85, 80-84.
Preliminary notes on birds obtained in Arizona by Stephens, '85, 84.
Peucaea astivalis and its subspecies *illinoensis*, '85, 105.
Hawk Owls in New England, '85, 108.
Eider Ducks of the New England coast, '85, 111.
Common Cormorant in Massachusetts, '85, 112.
Rock Ptarmigan of Newfoundland, '85, 193-195.
Additional notes on birds collected in Arizona and Sonora, Mexico, by Stephens, with description of a new species of *Ortyx*, '85, 196-200.
Nelson's Sharp-tailed Finch (*Ammodramus caudacutus nelsoni*) on Atlantic coast, '85, 216.
The Ptarmigan of Anticosti—a correction, '85, 220.
Additional notes on nest and eggs of Swainson's Warbler (*Helinaia swainsoni*), '85, 346-348.

Oyster-catcher (*Hæmatopus palliatus*) in Massachusetts, '85, 384.
Ornithological reconnaissance in western North Carolina, '86, 94-112, 173-179.
Sterna anachetus in South Carolina, '86, 131.
Additions to avifauna of Texas, '86, 139.
Remarks on North American Red Crossbills, '86, 260.
New wrinkle in taxidermy (rev.), '86, 271.
Junco hyemalis nesting in bush, '86, 277.
Helminthophila ecclata in eastern Massachusetts, '86, 278.
Additional notes on Peale's Petrel, '86, 389-393.
Egialitis meloda circumcineta in South Carolina, '86, 408.
Ammodramus lecontei in South Carolina, '86, 410.
Vireo solitarius alticola in South Carolina, '86, 410.
Protonotaria citrea in Massachusetts, '86, 410.
An interesting specimen of *Helminthophila*, '86, 411.
Bird migration (rev.), '86, 474.
Yellow-billed Tropic Bird in Florida, '86, 481.
Breeding of White-faced Glossy Ibis in Florida, '86, 481.
A red-headed Black Vulture, '86, 483.
Two additional Massachusetts Prothonotary Warblers, '86, 487.
Nest and eggs of Swainson's Warbler (rev.), '87, 68.
Golden Eagle in eastern Massachusetts, '87, 70.
Black Gyrfalcon in eastern Maine, '87, 75.
Three new forms of N. Am. birds, '87, 145-149.
Uria troile and *Alca torda* on New England coast, '87, 158.
Further notes on *Colinus ridgwayi*, '87, 159.
Capture of third specimen of *Buteo brachyurus* in Florida, '87, 160.
Third New England specimen of *Buteo swainsoni*, '87, 160.
Capture of *Corvus ossifragus* in Massachusetts, '87, 162.
Redpolls of Massachusetts, '87, 163.
Overlooked specimen of Bachman's Warbler, '87, 165.

- Discovery of nest and eggs of *Dendroica occidentalis*, '87, 166.
 Humming birds feeding their young on insects, '87, 255.
 Scarcity of adult birds in autumn, '87, 268.
 Descr. of supposed new birds from L. California, Sonora, Chihuahua, and the Bahamas, '88, 82-95.
 Prairie Horned Lark (*Otocoris alpestris praticola*) on coast of Massachusetts, '88, 111.
 Three apparently new subspecies of Mexican birds, '88, 136-139.
 [Annotations of J. C. Merrill's 'notes on birds of Fort Klamath, Oregon'], '88, 139-146.
Quiscalus quiscula aglaea at Charleston, South Carolina, '88, 208.
 Breeding of Golden-crested Kinglet (*Regulus satrapa*) in Worcester Co., Massachusetts, with descr. of nest and eggs, '88, 337-344.
 Notes on birds of Winchendon, Worcester Co., Massachusetts, '88, 386-393.
 Second Maine specimen of Swainson's Hawk (*Buteo swainsoni*), '88, 424.
Cistothorus palustris marianæ on coast of Georgia, '88, 432.
 Present status of Forster's Tern as a bird of New England, '89, 66.
 Western Sandpiper (*Ereunetes occidentalis*) in numbers on coast of Massachusetts, '89, 69.
 Krider's Hawk (*Buteo borealis krideri*) on coast of Georgia, '89, 70.
 Second occurrence of Prairie Horned Lark in Eastern Mass., '89, 71.
 Descr. of supposed new birds from western N. Am. and Mexico, '89, 85-98.
Dendroica coronata feeding upon oranges, '89, 279.
 Present status of Wild Pigeon (*Ectopistes migratorius*) as a bird of the United States, etc. '89, 285-291.
 see Merriam, F. A., 'birds through an opera glass' (rev.), '89, 330.
 Nesting habits of Parrakeet (*Conurus carolinensis*), '89, 336.
Melanerpes carolinus eating oranges, '89, 337.
 Little Brown Crane (*Grus canadensis*) in Rhode Island, '90, 89.
 Capture of Canada Jay (*Perisoreus canadensis*) near Cambridge, Mass., '90, 91.
 Bullock's Oriole in Maine, '90, 92.

- Recent occurrence of Turkey Vulture in eastern Mass. '90, 204.
 Capture of third specimen of Barn Owl in Mass. '90, 205.
 Food of young Hummingbirds, '90, 206.
 Purple Grackle at Charleston, South Carolina, '90, 208.
 Acadian Sharp-tailed Sparrow and Scott's Seaside Sparrow on coast of South Carolina, '90, 212.
 Summer Robin roosts, '90, 360-373.
 New subspecies of Solitary Sandpiper, '90, 377-379.
 Breeding of Pileated Woodpecker in Worcester Co., Mass. '90, 400.
 A study of Florida Gallinules, with notes on nest found at Cambridge, Mass., '91, 1-7.
 Descr. of seven supposed new N. Am. birds, '91, 139-149.
 Notes on Bachman's Warbler (*Helminthophila bachmani*), '91, 149-157.
 Whistling Swan in Massachusetts, '91, 232.
Megascops asio macfarlanei—a correction, '91, 237.
 Additional eastern records of Swainson's Hawk, '93, 82.
 Descr. of new Hummingbird from northern Mexico, '93, 214.
 Descr. of new Marsh Wren, with critical notes on *Cistothorus mari-*
ana, '93, 215-219.
 A brood of young Flickers (*Colaptes auratus*) and how they were fed, '93, 231-236, 365.
 Occurrence of certain birds in British Columbia, '93, 236.
 Ipswich Sparrow (*Ammodramus princi-*
ps) on coast of Georgia, '93, 302, 365.
 Capture of another *Ardeota neoxena* at Toronto, Ontario, '93, 364.
 Two corrections, '93, 364.
 Notes and song-flights of Woodcock (*Philohela minor*), '94, 291-298.
 Breeding of Prairie Horned Lark (*Otocoris alpestris praticola*) near Pittsfield, Mass. '94, 326.
 Note on habits of Northern Shrike (*Lanius borealis*), '94, 329.
 A remarkable plumage of Prairie Hen (*Tympanuchus americanus*), '95,
 99 (col. pl.).
 Notes on certain Flycatchers of genus *Empidonax*, '95, 157-163.

- White Gyrfalcon in New England, '95, 180.
 Second occurrence of Harris's Sparrow (*Zonotrichia querula*) in British Columbia, '95, 182.
 A ground nest of Black-throated Green Warbler, '95, 184.
 A remarkable flight of Pine Grosbeaks (*Pinicola enucleator*), '95, 245-256 (two maps).
 Descr. of new Warbler and new Song Sparrow, '96, 44-47.
 Occurrence of Wood Ibis (*Tantalus loculator*) in Bristol Co., Massachusetts, '96, 341.
 Nomenclature of certain forms of Downy Woodpecker (*Dryobates pubescens*), '97, 80-82.
 Lesser Snow Goose in New England, '97, 207.
 Bahaman Swallow in Florida, '97, 221.
Gcotrygon chrysia again at Key West, '98, 185.
 Occurrence of Spotted Screech Owl (*Megascops aspersus*) in Arizona, '98, 186.
 Lewis's Woodpecker storing acorns, '98, 188.
 Revival of sexual passion in birds in autumn, '98, 194.
 Short-eared Owls of Muskeget Island, '98, 211-213.
 The spelling of names, '99, 209.
 Undescribed Clapper Rail from Georgia and east Florida (rev.), '99, 291.
 Notes on breeding habits of American Golden-eyed Duck or Whistler (*Clangula clangula americana*), 1900, 207-216 (two pl.).
 Brewster, W., and Allen, J. A., see Allen and Brewster.
Brewster, W., and Adams, Charles Francis, Jr.
 Birds of Morton's 'New English Canaan' (rev.), '84, 84.
Brewster, W., and Chapman, F. M.
 Notes on birds of the Lower Suwanee river, '91, 125-138.
 Notes on birds observed in Trinidad, '95, 201-211 (col. pl.).
Brewster, W., and Minot, H. D.
 Land-birds and Game-birds of New England, 2d ed. (rev.), '95, 284-286.
 brewsteri (Acanthis), see Acanthis.
 — (Egioithos), see Acanthis.
- (Cupidonia), see *Tympanuchus cupido*.
 — (Sula), see Sula.
 Brewsteria, see Archibuteo.
 Bride, see *Aix sponsa*.
 bridgesi (Drymornis), see Drymornis.
 — (Thamnophilus), see Thamnophilus.
Brimley, Clement Samuel.
 Nesting of Yellow-throated Warbler at Raleigh, N. C. '90, 323-326.
 Breeding habits of *Dendroica vigorsii* at Raleigh, N. C. '91, 199.
 Bachman's Warbler (*Helminthophila bachmani*) at Raleigh, N. C. '91, 316.
 Additions to avifauna of North Carolina, with notes on other species, '93, 241-244.
 Notes from Raleigh, N. C., '94, 332.
Brimley, Herbert Hutchinson.
Paroncella pugnax in North Carolina, '92, 299.
 Brin-blanc, see *Phaethornis guyi*.
British Columbia.
 Batchelder, C. F., '91, 224-226, '92, 395-396, '93, 290-292.
 Brewster, W., '89, 89-90, '91, 141-142, '93, 236-237, '95, 182.
 Brooks, A., 1900, 104-107.
 Fannin, J., '87, 341, '95, 76, 305, '97, 89.
 Forbush, E. H., '90, 391.
 Macoun, J. M., '92, 284.
 Rhoads, S. N., '93, 16-24, 238-241.
British Museum, Catalogue of Birds.
 vol. i, Accipitres, Sharpe (rev.), '78, 77-79.
 vol. ii, Striges, Sharpe (rev.), '78, 77-79.
 vol. iii, Passeriformes (Coliomorphæ), Sharpe (rev.), '78, 77-79.
 vol. iv, Passeriformes (Cichlomorphæ), Sharpe (rev.), '83, 99-105.
 vol. v, Passeriformes (Cichlomorphæ), Seeböhm (rev.), '83, 99-105.
 vol. vi, Passeriformes (Cichlomorphæ), Sharpe (rev.), '83, 99-105.
 vol. vii, Passeriformes (Cichlomorphæ), Sharpe (rev.), '84, 278-283.
 vol. viii, Passeriformes (Cichlomorphæ), Gadow (rev.), '84, 278-283.
 [vol. ix, Passeriformes (Cinnymorphæ), Gadow (not rev.)].
 vol. x, Passeriformes (Fringilliformes), Sharpe (rev.), '85, 365-368.
 vol. xi, Passeriformes (Fringilliformes), Selater (rev.), '87, 149.

- vol. xii, Passeriformes (Fringilliformes), Sharpe (rev.), '88, 410-413.
- vol. xiii, Passeriformes (Sturniformes), Sharpe (rev.), '91, 90-92.
- vol. xiv, Passeriformes (Oligomysodæ), Scaler (rev.), '89, 266-268.
- vol. xv, Passeriformes (Tracheophonæ), Scaler (rev.), '90, 379.
- vol. xvi, Picariæ (Upupæ and Trochilæ), Salvin and (Coraciæ), Hartert (rev.), '93, 66-68.
- vol. xvii, Picariæ (Coraciæ and Halcyones), Sharpe and Ogilvie-Grant (rev.), '93, 66-68.
- vol. xviii, Picariæ (Scansores), Hargitt (rev.), '91, 92-95.
- vol. xix, Picariæ (Scansores and Coccyges), Scaler and Shelley (rev.), '92, 184.
- vol. xx, Psittaci, Salvadori (rev.), '92, 277-279.
- vol. xxi, Columbæ, Salvadori (rev.), '94, 60-62.
- vol. xxii, Game-birds, Ogilvie-Grant (rev.), '94, 171-173.
- vol. xxiii, Fulicariæ and Alectorides, Sharpe (rev.), '94, 242.
- vol. xxiv, Limicolæ, Sharpe (rev.), '97, 102-104.
- vol. xxv, Gaviæ, Saunders, and Tubinares, Salvin (rev.), '96, 160-162.
- vol. xxvi, Plataleæ, Herodiones, Steganopodes, Pygopodes, Alcæ and Impennæ, Sharpe and Ogilvie-Grant (rev.), '99, 198-203.
- vol. xxvii, Chenomorphe, Crypturi and Ratitæ, Salvadori (rev.), '96, 162-164.
- British Museum, collection of birds, '85, 392; collection of eggs, '97, 432; Henshaw collection, '88, 447.
- British Ornithologists' Club, '93, 96. Bulletin, XLIX (rev.), '98, 208. Avium generum index alphabeticus (rev.), 1900, 78.
- britannica (Certhia), see Certhia.
- britanicus (Parus), see Parus.
- Broadbill, see Aythya marila, or Rynchops nigra.
- Brock, Henry Herbert.**
King Rail again in Maine, '96, 79.
Crymophilus fulicarius in Maine, '96, 173.
Crex crex in Maine, '96, 173.
Recent occurrence of Florida Galinule in southern Maine, '96, 255.
Recent capture of Golden Eagle near Portland, Maine, '96, 256.
- Brittain, John, and Cox, Philip, Jr. Notes on summer birds of Restigouche valley, New Brunswick, '89, 116-119.
- Brockport Republic (newspaper), title (No. 815), '85, 12.
- Brockway, Arthur William.**
Turkey Vulture in Connecticut, '98, 53.
- Carolina Wren at Lyme, Conn., in winter, '98, 192.
- Carolina Wren at Lyme, Conn., in December, '98, 274.
- Little Blue Heron (*Ardea carulea*) in Connecticut, '99, 351.
- Odd nesting of Maryland Yellow-throat, '99, 360.
- Broderipus, '94, 234, 235.**
- Brodie, William.**
Bird notes from Toronto, '88, 211.
- Brontornis, '96, 61, 62.**
- Brokaw, Louis W.**
Obituary of, '97, 431.
- Brooks, Allan.**
Notes on some birds of British Columbia, 1900, 104-107.
- Brooks, William Edwin.**
Stray ornithological notes (rev.), '87, 63.
- Notes on genus Acanthis (rev.), '87, 63.
- Obituary of, 1900, 194.
- Brookville Society of Natural History, Bulletin, '85, 320.
- Brotogeris jugularis** (^b *Psittovius subcærulus*, *Panama*, plm. '89, 47^b). *tirica*, Braz. 1900, 299.
tui, Braz. '91, 160.
tuipara, Braz. '91, 160.
virescens, Braz. '90, 133, '91, 160.
- Brotogerys, see Brotogeris.
- Brown, Edward Johnson.**
Alle alle in Virginia, '93, 204.
Black Tern at Washington, D. C. '94, 73.
- Dendroica striata* in summer at Washington, D. C. '94, 79.
- Bird notes from Virginia, '94, 259.
- Brown, Herbert.**
Ionornis martinica in Arizona, '88, 109.
Nesting of Palmer's Thrasher, '88, 116-118.
- Scarlet Ibis (*Guara rubra*) in Arizona, '99, 270.
- California Vulture in Arizona, '99, 272.
- Conditions governing bird life in Arizona, 1900, 31-34.

Brown, Hubert Hatfield.

Capture of another *Ardetta neoxena* at Toronto, Ontario, '93, 363.

Brown, Nathan Clifford.

Variable abundance of birds at same localities in different years, '76, 95.

Notes on birds new to fauna of Maine, '77, 27-28.

Sharp-tailed Finch (*Ammodramus caudacutus*) in Maine, '78, 98.

Stilt Sandpiper (*Micropalama himantopus*) at Portland, Maine, '78, 102.

List of Birds observed at Coosada, central Alabama, '78, 168-174, '79, 7-13.

Notes on a few birds occurring in vicinity of Portland, Maine, '79, 106-108.

Ammodramus caudacutus a summer resident in southern Maine, '80, 52.

New bird (*Polioptila caerulea*) for Maine, '80, 236.

Exceptional abundance of Shoveller at Portland, Me., '81, 187.

Deser. of a new race of *Peucaea ruficeps* from Texas, '82, 26.

A reconnaissance in southwestern Texas, '82, 33-42.

Barn Owl in Maine: a retraction, '82, 58.

An addition to Maine fauna, '82, 60.

Early arrival of the Yellow-rump in southern Maine, '82, 119.

Canada Jay at Portland, Maine, '82, 122.

Little Blue Heron in Maine, '82, 123.

King Rail in New England, '82, 124.

Supplementary notes on two Texas birds, '82, 127.

Rapacious birds in confinement, '82, 184.

Remarks on five Maine birds, '82, 189. Immaturity *vs.* individual variation, '83, 46-48.

The prescient power of birds, '83, 63.

Cat. of birds in vicinity of Portland, Me. (rev.), '83, 112.

Individual variation in color in European Crossbill, '83, 121.

Glaucous Gull (*Larus glaucus*) at Portland, Maine, '83, 186.

Baird's Sandpiper at Scarborough, Maine, '83, 243.

Winter distribution of Swamp Sparrow and Yellow-rump, '86, 136.

A second season in Texas, '84, 120-124.

Widgeon in Maine in February, '84, 394.

Swamp Sparrows and Yellow-rumps —A question of evidence, '85, 307.

Great Marbled Godwit at Portland, Maine, '85, 385.

Carpodacus purpureus at Portland, Maine, in winter, '88, 209.

Early appearance of *Empidonax minimus* at Portland, Maine, '89, 71.

Unusual nesting site of *Dendroica virens*, '89, 74.

Winter notes from Portland, Maine, '89, 280.

Remarkable flight of Killdeer (*Ægialitis vocifera*) near Portland, Maine, '89, 69.

Note on *Ægialitis meloda circumcincta*, '89, 70.

Yellow-breasted Chat in Maine, '94, 331.

Baird's Sandpiper in Maine, '96, 80.

The Ipswich Sparrow—a correction,

'96, 84.

American Crossbill at sea, '96, 176.

Second occurrence of Blue-gray Gnatcatcher in Maine, '96, 264.

Mockingbird at Portland, Maine, in winter, '97, 224.

Reappearance of Mockingbird at Portland, Maine, '97, 324.

Red Crossbill unusually common at Portland, Maine, in summer, 1900, 175.

Marbled Godwit at Pine Point, Maine, 1900, 386.

Browne, Francis Charles.

Zonotrichia albicollis nesting in eastern Massachusetts, '80, 52.

Distribution of birds as influenced by increase of water area, '81, 126.

Late stay (probable wintering) of *Dendræca pinus* in Massachusetts, '82, 119.

Lark Finch again in Massachusetts, '83, 181-182.

Loggerhead Shrike again in Massachusetts, '84, 291.

Geothlypis trichas wintering in eastern Massachusetts, '84, 389.

Red Crossbill breeding in eastern Massachusetts, '85, 105.

Hawk Owl in eastern Massachusetts, '85, 220.

Another Richardson's Owl in Massachusetts, '85, 384.

New England Glossy Ibises of 1850, '87, 97-100.

- Clapper Rail again in Massachusetts, '87, 344.
 Scott's Oriole in California, '91, 238.
 A belated Mockingbird in eastern Massachusetts, '95, 84.
 Obituary of, 1900, 194-196.
- Browne**, Montagu.
 Artistic and scientific taxidermy and modelling (rev.), '96, 247-249.
- Brownell**, Charles Leonard.
 Nesting of *Cardinalis cardinalis* at Nyack, N. Y., '97, 406.
- browni (Conopophaga), see Conopophaga.
 — (Elenia), see Elenia.
 — (Sicalis), see Sicalis.
 bruennichi (Alca), see Uria lomvia.
- Bruce**, Mary Emily.
 A month with the Goldfinches, '98, 239-243.
- Bruner**, Lawrence.
 Notes on Nebraska birds. A list of species found in the State (rev.), '96, 245.
- Tireo flavoviridis* in Nebraska—a correction, '97, 323.
- brunneicapillus (Blacicus), see Blacicus.
 — (Campylorhynchus), see Heleodrytes.
 — (Heleodytes), see Heleodrytes.
- brunneicollis (Troglohydotes), see Troglohydotes.
- brunneitorques (Chætura), see Cypseloides.
- brünnichi (Alca), see Uria lomvia.
 — (Lomvia), see Uria lomvia.
- brunnescens (Ammodramus), see A. bryanti.
 — (Ardea), see Butorides.
 — (Butorides), see Butorides.
 — (Colaptes), see Colaptes.
 — (Linaria), see Acanthis holboellii.
 — (Lophortyx), see L. californica.
 — (Margarornis), see Margarornis.
 — (Oeniscus), see Butorides.
- brunneus (Empidonax), see E. bimaculatus.
- Bryan**, William Alanson.
Melanerpes erythrocephalus wintering in Chicago, '99, 273.
- Pinicola enucleator canadensis* and *Tryngites subruficollis* in Illinois, '99, 276.
- Bryant**, John A.
 Clarke's Nutcracker in western Missouri, '95, 82.
 Clarke's Nutcracker, '95, 181.
- Bryant**, Walter [Pierce]E.
- Notes on habits of *Rallus obsoletus*, with descr. of its eggs, '80, 124.
 Nest and eggs of Painted Flycatcher (*Sctophaga picta*), '81, 176.
 Nest and eggs of *Myadestes townsendi*, '84, 91.
 Relationship of *Podiceps occidentalis* and *P. clarkii*, '85, 313.
Piranga rubriceps and *Tringa fuscicollis* in California, '87, 78.
 Additions to ornithology of Guadalupe I. (rev.), '87, 154.
 Cat. of birds of Lower California (rev.), '90, 281.
- bryanti (Agelaius), see Agelaius.
 — (Ammodramus), see Ammodramus.
 — (Dendroica), see D. bryanti or castaneiceps.
 — (Euthebia), see Euthebia.
 — (Heleodytes), see Heleodrytes.
 — (Mimocichla), see M. plumbea.
 — (Passerculus), see Ammodramus.
- Buarremon**, '87, 149, '98, 223.
 basilicus, *Colom.* '98, 339.
 gutturalis (**Chrysopogon typica*), C. R., '92, 25; Cal., '77, 92^b?—*hbts.* '92, 25; *meas.*, *nst.*, *plm.* '92, 26.
- Bubo**, '80, 172, '84, 57, '93, 99, '94, 233.
 arcticus (* Arctic Horned Owl,
^b *virginianus*, ^c *subarcticus*, ^d *occidentalis*, ^e *pallescens*), *Alas.* '84, 79^c; *Ariz.* '83, 26^c, '86, 424^c, '90, 48^c, 54^c; *B. C.* '93, 16, 18, 18^c, 291^c, 382, 1900, 105^c; *Colo.* '79, 95^b, '85, 17, 143^c, '94, 268^c; *g. dist.* '93, 126, '96, 155^{*b}; *Ida.* '97, 353^c; *Man.* '85, 21, '86, 155; *Mont.* '95, 214^c; *N. M.* '86, 79^c, 155, 155^c, '92, 361^c, '94, 217^a; *Ore.* '79, 195^c, '86, 165^c, '88, 146^c, '91, 368^c (fossil); *S. D.* '85, 284; *Tex.* '87, 190^c, '89, 238^c, '92, 234^c, '99, 341^c, 1900, 343^c; *Wash.* '93, 291^c, 382.—*fd.* '83, 26^c, '85, 21, '87, 190^c; *gst.* '85, 21, '86, 424^c, '87, 190^c; *meas.* '83, 26^c, '99, 341^c; *plm.* '96, 156, '99, 341^c; *song.* '89, 238^c; *syn.* '93, 18, 18^c, '96, 153, '97, 132^a, 134^c, '98, 71, 71^c, '99, 133^c.
 bengalensis, *anat.* '82, 86.
 blackistoni, *syn.* '91, 100.
 ignavus, *anat.* '82, 86.
 occidentalis, '96, 155^{*}, see arcticus.
 pacificus (Pacific Horned Owl,
^b *subarcticus*), *Cal.* '86, 93^b, '96, 117^b, 155; *g. dist.* '97, 119.—*meas.* '96, 156; *gst.* '96, 117^b; *plm.* '96, 156; *syn.* '82, 229, '96, 153, '97, 119, '98, 71, '99, 110.
- saturatus** (* Dusky Horned Owl),

Alaska, '81, 6^a?; *B. C.* '93, 18, '97, 89, 1900, 105; *g. dist.* '93, 126; *Ida.* '97, 353; *Labrador*, '96, 257 [= *virginianus?*]; *Orc.* '86, 165; *Wash.* '82, 227, 229, '92, 355, '97, 174.—*nst.* '96, 257 [= *virginianus?*]; *plm.* '82, 229, '96, 155; *syn.* '82, 229, '93, 18, '96, 153, '98, 71; *misc.* '82, 243.
virginianus (Great Horned Owl).
Ala. '79, 11; *Argent.* '84, 29; *B. C.* '93, 16, 18 [= *saturatus?*]; *Fla.* '88, 271, '89, 249, '95, 364; *Ga.* '83, 41; *Hudson Bay*, '90, 322; *Ia.* '97, 318; *Ind.* '88, 351; *Ky.* '85, 212, '89, 313; *La.* '82, 164; *Labrador*, '96, 257 [not '*saturatus?*']; *Mass.* '88, 389, '95, 88; *Md.* '88, 18; *Me.* '82, 150; *Mich.* '93, 230; *Minn.* '80, 16; *Mo.* '79, 146; *N. B.* '82, 150, '89, 117; *N. C.* '86, 104; *N. F.* 1900, 72; *N. J.* '79, 85^a, '94, 136; *N. S.* '99, 251; *N. Y.* '81, 232, '95, 313^a; *Ont.* '87, 247; *Ore.* '93, 344 (fossil); *Pa.* '96, 293; *P. E. I.* '85, 266^a; *Que.* '82, 237; *S. C.* '79, 216; *S. Dak.* '85, 284; *Tenn.* '87, 127^a, 128, 129; *Tex.* '82, 172, '83, 235^a; *Urug.* '84, 29; *Wash.* '93, 16, 18 [= *saturatus?*]; *W. I.* '86, 464.—*anat.* '80, 130, '82, 87 (fig.); *fd.* '77, 80, '84, 194, '87, 67^a, '93, 201^a, '97, 318; *hbt.* '82, 172, '84, 194, '88, 313^a; *nst.* '80, 16, 114^a, '82, 172, '83, 41, 175, 235^a, '84, 194, '85, 99^a, '86, 271^a, '87, 247^a, '89, 240, '90, 83^a, 84, 391^a, '91, 109^a, '95, 88, '97, 318; *plm.* '96, 155; *song.* '84, 194, '87, 127^a; *syn.* '96, 153, '98, 71; *misc.* '85, 298, '90, 81^a, 83^a, 84^a, 395, '97, 396^a (fig.).

Bubonidae, '78, 78, '82, 86, 87.
buccinator (*Cygnus*), see *Olor*.
 — (Olor), see *Olor*.

Bucco bicinctus, *L'encz.* *nst.* '96, 332.
cayennensis, *W. I.* '86, 367.
maculatus, *Braz.* '91, 158.
tectus, *Braz.* '91, 158.
tamatia, *Braz.* '91, 158.

Buceros, '90, 72, '94, 234.
rhinoceros, *Borneo*, *hbt.*, *plm.* '91, 8.

Bucerotes, '93, 68.
Buchanga, '94, 233, 234.

Buckley, Thomas Edward, and *Harvie-Brown*, J. A., see *Harvie-Brown* and *Buckley*.

Bucorvus, '96, 173.
Budytes, '85, 368, 193, 112.
flava (b *Motacilla*), *Helg.* '95, 334^b.
 — *plm.* '80, 27^b (all.); *syn.* '86, 127^b; *misc.* '83, 115^b.

leucostratiatus (Siberian Yellow

Wagtail, b *flava*, c *Motacilla flava*).
Alaska, '78, 38^b, '79, 53^c, '80, 34^b, '81, 4^b, '84, 77^b, '85, 157^b.—*hbt.* '80, 34^b, '81, 4^b; *song.* '80, 34^b; *syn.* '86, 127.

Buffalo-bird see *Calamospiza melanocorys*.

Buffalo Courier (newspaper), title (No. 236), '83, 171.

Buffalo Naturalists' Field Club, *Bulletin*, titles (Nos. 595-607), '84, 184, 189; (No. 971), '85, 372.

Buffalo Society of Natural Sciences, *Bulletin*, titles (Nos. 2206-2209), '92, 187.

Buffle-head, see *Charitonetta albeola*.

buffoni (*Stercorarius*), see *S. longicaudus*.

Bull-bat, see *Chordeiles virginianus* or *chapmani*.

Bulldoo, see *Fulica americana*.

bulleri (*Puffinus*), see *Puffinus*.

Bulley, Reginald H.

Immature dress of *Melospiza palustris*, '86, 277.

Bullfinch, see *Pyrrhula pyrrhula*.

Black, see *Pyrrhulagra violacea*.

Cassin's, see *Pyrrhula cassini*.

Mountain, see *Spindalis nigricepsphala*.

Bull-Head, see *Squatatorola squatatorola*.

bullocki (*Icterus*), see *Icterus*.

— (*Yphantes*), see *Icterus cucullatus*.

bulweri (*Bulweria*), see *Bulweria*.

Bulweria bulweri (*Bulwer's Petrel*), *Japan*, '92, 176; *syn.* '84, 385.

Bumpus, Hermon Carey.

The elimination of the unfit (rev.), 1900, 87.

Bunting, Baird's, see *Ammodramus bairdii*.

Bay-winged, see *Pooecetes gramineus*.

Beautiful, see *Cyanospiza pulchra*.

Black-throated, see *Spiza americana*.

Chapman's Golden, see *Sicalis chapmani*.

Chestnut-collared, see *Calcarius ornatus*.

Clay-colored, see *Spizella pallida*.

Cow, see *Molothrus ater*.

Henslow's, see *Ammodramus henslowii*.

Indigo, see *Cyanospiza cyanea*.

Lark, see *Calamospiza melanocorys*.

Lazuli, see *Cyanospiza amœna*.

Leconte's, see *Ammodramus leconteii*.

Painted, see *Passerina ciris* or *Calcarius pictus*.

Painted Lark, see *Calcarius pictus*.

Reed, see *Emberiza schoeniclus*.

- Shattuck, see *Spizella pallida*.
 Snow, see *Passerina nivalis*.
 Towhee, see *Pipilo erythrophthalmus*.
 Townsend's, see *Spiza townsendii*.
 Varied, see *Cyanospiza versicolor*.
 Yellow-winged, see *Ammodramus passerinus*.
 Buphus, see *Syrigma*.
 Burgomaster, see *Larus glaucus*.
Bureau, Louis.
 Mue du bec et des ornament palpébraux du macareux arctique (*Fratercula arctica*) (rev.), '78, 87-91.
Burmeister, Hermann.
 Obituary of, '92, 399.
Burns, Franklin Lorenzo.
 Notes from southern New Jersey, '95, 189.
 The American Crow (*Corvus americanus*), with special reference to nest and eggs (rev.), '95, 287.
 Monograph of the Flicker (*Colaptes auratus*) (rev.), 1900, 393.
Burroughs, John.
 Wake-Robin (rev.), '77, 48.
 Bird enemies (rev.), '86, 142.
burrovianus (*Cathartes*), see *Cathartes*.
Burtsch, Verdi.
 Acadian Sparrow in Yates County, N. Y., '97, 93.
 Curious nesting of American Red-start, '98, 332.
Busarellus nigricollis, *Braz.* '90, 133, '91, 161.
 Bush-Tit, see *Psaltriparus minimus*.
 Californian, see *Psaltriparus californicus*.
 Grinda's, see *Psaltriparus grindae*.
 Lead-colored, see *Psaltriparus plumbeus*.
 Least, see *Psaltriparus minimus*.
 Lloyd's, see *Psaltriparus lloydii*.
 Plumbeous, see *Psaltriparus plumbeus*.
 Santa Rita, see *Psaltriparus santaritae*.
Butilis griseistica, *Siberia*, '88, 197.
Butastur, '94, 233.
indicus, *Borneo*, syn. '91, 13.
 Butcher-bird, see *Lanius borealis*.
Buteo, '77, 64, '84, 140, '86, 134, '87, 39, '93, 99, '97, 397, 1900, 167.
abbreviatus (Zone-tailed Hawk, ^b *zonocercus*), *Ariz.* '83, 30, '86, 423; *g. dist.* '86, 60-69; *N. M.* '79, 189^b, '92, 361; *Tex.* '79, 80^b, '82, 42, '87, 188.—*fd.* '83, 30; *hbt.* '86, 63; *meas.* '83, 30, '86, 64, 67, 68, 69; *nst.* '79, 80^b, '89^b, '83, 30, '86, 63, '89, 173; *plm.* '81, 209, '83, 30, '86, 63; *syn.* '86, 60, 63.
aleni (* Florida Red-shouldered Hawk, ^b *lineatus*), *Fla.* '85, 292, '89, 247, '90, 309, 339, '91, 129^b, 137^b, '92, 212, '95, 364^b; *S. C.* '91, 240; *Tex.* '92, 234, 1900, 342.—*hbt.* '90, 339; *plm.* '85, 292, '89, 247; *syn.* '85, 292.
borealis (* Red-tailed Hawk, ^b *aquilinus*), *Ariz.* '85, 174 [= *calurus*?]; *Bahamas*, '91, 350; *Colo.* '81, 141 [= *calurus*?], '94, 267 [= *calurus*?]; *Conn.* '95, 262^a, 265; *Fla.* '88, 271, '89, 247, '91, 137, '92, 212, '95, 364, 366; *Ga.* '83, 41; *Ia.* '95, 236; *Ill.* '85, 109; *Ind.* '82, 18^a, '88, 350; *Jamaica*, '92, 126; *Ky.* '89, 313; *L. Cal.* '94, 168^a [= *lucasanus*?]; *Man.* '86, 154; *Mass.* '88, 389, '89, 44, 99; *Md.* '88, 18; *Me.* '82, 151; *Mich.* '93, 224; *Minn.* '80, 17, '84, 247; *Mo.* '79, 146^b, '95, 221^a; *Mont.* '82, 63 [= *calurus*?]; *N. B.* '82, 151, '89, 117; *N. C.* '86, 179, '87, 241; *N. Dak.* '99, 165^a; *N. F.* 1900, 72; *N. H.* '88, 149; *N. J.* '79, 84, '94, 136; *N. Y.* '81, 233, '93, 57^a; *Pa.* '83, 126, '93, 30, '96, 293; *S. C.* '79, 216, '90, 36, '91, 327, '92, 28^a, 30^a, '93, 151; *S. Dak.* '85, 285; *Tenn.* '87, 129^a?; *Tex.* '84, 123, '92, 234, 1900, 342; *W. I.* '87, 39, '91, 48.—*anat.* '81, 201; *fd.* '83, 172; *hbt.* '90, 395; *mig.* '88, 350, '92, 28^a, 30^a, '95, 236, 262^a, 265; *nst.* '83, 41, '84, 123, '88, 350, '90, 84, '96, 293; *plm.* '76, 22 (alb.), '80, 26^a (alb.), '81, 209, '83, 126 (alb.), 171 (alb.), '84, 123, '93, 151; *syn.* '79, 84^b, 242^b, '87, 39; *misc.* '88, 223, '90, 85^a, '97, 396^a (fig.).
brachyrurus (Short-tailed, or Little Black Hawk, ^b *fuliginosus*), *C. R.* '92, 328; *Fla.* '82, 116^b, 184, '87, 160, '88, 185^b, '89, 243-245, 248, 275, '90, 56, '91, 90, '92, 212; *g. dist.* '81, 207-214, '93, 141; *N. Am.* '82, 61, '88, 401^b; *hbt.* '89, 243; *meas.* '81, 210-212^b, '90, 57; *nst.* '89, 243, '90, 56; *plm.* '81, 207, 210, 212^b, '85, 204 (melan.), '87, 160; *syn.* '81, 207, 210, 212^b, '89, 243, '90, 64^b, 90, '91, 90; *misc.* 1900, 198^a.
buteo (European Buzzard, ^b *vulgaris*), *Hdg.* '95, 326; *Mich.* '76, 2-6^b; —*anat.* '81, 202^b; *meas.* '76, 35^b, 36^b, 39^b; *plm.* '76, 32^b, 36^b, '80, 29^b (alb.); *syn.* '76, 32^b.
calurus (Western or Black Red-tailed Hawk), *Ariz.* '85, 356, '86, 422,

'90, 53; *Cal.* '86, 93, '90, 297, '98, 234; *Colo.* '81, 141, '85, 17, '94, 267; *g. dist.* '93, 134; *Ida.* 1900, 243; *Ill.* '76, 40; *L. Cal.* '95, 138 [= *lucasanus?*]; *Mont.* '94, 302; *N. M.* '86, 80, '92, 361, '98, 308; *Ont.* '88, 205, 1900, 386; *Orc.* '86, 164, '88, 145; *Tex.* '87, 188; *Wash.* '82, 227, '92, 354, '97, 173.—*anat.* '86, 133, fig.; *fd.* '87, 188, '88, 145; *mig.* '92, 361; *nst.* '86, 422; *plm.* '86, 422 (mlt.), '93, 151.

cooperi (Cooper's Henhawk), *Cal.* '77, 89, '84, 253, '85, 166; *Colo.* '84, 253, '85, 17; *N. Am.* '88, 401.—*meas.*, *plm.*, *syn.* '84, 254, '85, 166.

colonus, *W. I.* '93, 355.

elegans (Red-bellied Hawk), *B. C.* 1900, 105; *Cal.* '86, 93; *g. dist.* '93, 134.

erythronotus, *Argent.*, *Urug.*, *hbt.* '84, 109.

ferox, *Asia*, *meas.*, *plm.* 1900, 304.

fumosus, *Mex.* '98, 340.

harlani (Harlan's Hawk or Buzzard, ^b *Falco*), *Colo.* '85, 166; *Fla.* '97, 247; *g. dist.* '93, 134; *Ia.* '90, 205; *Ill.* '80, 31, '97, 200; *Ind.* '97, 200; *La.* '80, 203^b, '87, 304; *Minn.* '96, 342; *Tex.* '80, 59, '85, 166.—*meas.* '80, 59, '84, 254, '85, 166, '96, 342; *plm.* '80, 58, 203^b, '84, 253, '85, 165, 166, '90, 205; *syn.* '84, 253, '85, 165, '90, 205, 285, '91, 88; *misc.* '80, 201^b, '86, 420^a.

kriderii (Krider's Hawk), *Ga.* '89, 70; *Ill.* '85, 109; *Kan.* '84, 100, '86, 114; *Minn.* '80, 17, '95, 11–16; *Tex.* 1900, 342.—*meas.* '85, 110, '95, 12, 13, 14, 15, 16; *nst.* '95, 11; *plm.* '80, 17.

latissimus (^a Broad-winged Hawk, ^b *pennsylvanicus*), *Colombia*, 1900, 364; *Conn.* '95, 262, 263, 264, 265; *C. R.* '90, 333, '92, 328; *D. C.* '88, 20; *Fla.* '89, 248, '92, 212, '95, 364, 366; *Ga.* '83, 41^b; *g. dist.* '93, 133; *Ia.* '87, 66; *Ill.* '87, 332, '95, 394; *Ind.* '88, 350; *Man.* '86, 154; *Mc.* '82, 151^b; *Mich.* '93, 224; *Minn.* '80, 17^b; *N. B.* '82, 151^b; '84, 95^b; *N. C.* '86, 103; *N. J.* '94, 136; *N. Y.* '81, 233^b; *Tex.* '82, 174^b; *W. I.* '80, 169^b, '87, 40, 96, '91, 47, '93, 220.—*anat.* '82, 87^b; '87, 332 (fig.); *fd.* '84, 95^b, 188, '87, 332, '88, 247, '95, 394; *hbt.* '88, 247, '90, 395; *meas.* '84, 96^b, '87, 332; *mig.* '95, 262, 263, 264, 265, 394; *nst.* '83, 41^b, '84, 95^b, '91, 107^b,

'95, 265; *plm.* '81, 161^b, '87, 66 (melan.), 332; *syn.* '87, 40; *misc.* '97, 396^a (fig.), '99, 169^a.

lineatus (^a Red-shouldered Hawk), *Ala.* '79, 11; *Conn.* '95, 265; *D. C.* '88, 20; *Fla.* '88, 271, '89, 247; *Ga.* '83, 41, '96, 212; *G. Br.* '80, 143; *g. dist.* '93, 133; *Ind.* '82, 18^a, 21, '88, 350; *Ky.* '89, 313; *Man.* '86, 328; *Mass.* '94, 197–210, 270–280; *Mich.* '93, 224; *Miss.* '82, 93; *Mo.* '79, 146, '95, 115^a, '96, 222; *N. C.* '87, 241; *N. J.* '79, 84; *N. Y.* '79, 31, '81, 233; *Pa.* '92, 135; *S. C.* '79, 216; *Tenn.* '87, 129^a; *Tex.* '87, 188, '89, 237.—*anat.* '82, 87; *fd.* '94, 197, 270; *hbt.* '90, 392, '94, 197, 270; *mig.* '94, 197, '95, 265; *nst.* '83, 41, 235^a, '87, 188, '88, 20, 350, '89, 183^a, '90, 84, '94, 197, '95, 265; *plm.* '94, 197; *misc.* '84, 186^a, '90, 82^a, '97, 396^a (fig.), 1900, 112^a.

lucasanus (St. Lucas Red-tailed Hawk), *syn.* '96, 342.

pterocles, *Argent.*, *Urug.*, *hbt.* '84, 109.

sennetti (Sennett's White-tailed Hawk, ^b *albicaudatus*), *Ariz.* '97, 403^b, '99, 352; *g. dist.* '93, 141^b, '94, 48; *Tex.* '79, 51^b, '80, 46^b, 91^b, '87, 26^b, 188^b, 1900, 342.—*nst.* '97, 403^b, '99, 352; *plm.* '87, 26^b; *syn.* '94, 48.

socorroensis, *Socorro I.* '98, 316.—*misc.* '81, 171, '85, 205.

swainsoni (^a Swainson's Hawk, ^b *bairdi*), *Ariz.* '85, 226, '86, 423; *B. C.* 1900, 105; *Cal.* '87, 91; *Colo.* '83, 197, '85, 17, '94, 267; *C. R.* '90, 333, '92, 328; *Ida.* '97, 352; *Ill.* '76, 42; *Ky.* '89, 313; *Man.* '86, 154, '93, 50^a; *Mass.* '78, 39, '87, 160, '93, 82; *Mc.* '88, 424, '93, 82, 83^a; *Mich.* '97, 216; *Minn.* '80, 17, '84, 247; *Mont.* '94, 302, '95, 214; *Neb.* '99, 353; *N. M.* '92, 361, '98, 308; *N. Y.* '93, 82, 83^a; *Orc.* '79, 196, '88, 145; *S. D.* '85, 285; *Tex.* '82, 174, '87, 189, '89, 237, '92, 234, 1900, 342; *Wash.* '82, 227; *W. I.* '98, 61.—*fd.* '82, 174, '90, 300; *hbt.* '77, 74, '87, 189; *meas.* '80, 17, '93, 84^a; *mig.* '86, 423, '92, 361, '99, 353; *nst.* '80, 17, '82, 174, '85, 285, '86, 154, '87, 189, '89, 173 (melan.); *plm.* '81, 209, '85, 285 (melan.), '86, 66, 154, '87, 160 (melan.), 189, '93, 82; *syn.* '76, 33, '85, 371; *misc.* '80, 87^b, '97, 396^a (fig.).

buteo (Buteo), see Buteo.

- Buteola**, '85, 204.
Buteones, '77, 71, '81, 161.
Buteoninae, '77, 70.
Butchraupis cæruleigularis, *C. R.* '94, 169.
Butler, Amos William.
 New subspecies of *Ammodramus sandwichensis* from Mexico, '88, 264-266.
 Birds of Indiana (rev.), '91, 383.
 Notes on range and habits of Carolina Parakeet, '92, 49-56.
 Notes concerning Evening Grosbeak, '92, 238-247.
 Further notes on Evening Grosbeak, '93, 155-157.
 Unusual occurrence of Brünnich's Murre (*Uria lomvia*) far inland, with notes on other rare birds, '97, 197-200.
 Indiana: a century of changes in the aspects of nature (rev.), '97, 245.
 Birds of Indiana (rev.), '98, 335.
 Some Indiana Crow roosts (rev.), '99, 91.
 Brünnich's Guillemot (*Uria lomvia*), an addition to birds of Indiana (rev.), '99, 91.
 Notes on Indiana heronries (rev.), '99, 91.
 Recent occurrence of Raven in Indiana (rev.), '99, 91.
Butler, Arthur Gardiner.
 [Foreign Finches in captivity, prospectus], '94, 264.
Butorides, '77, 64, '78, 183, '82, 245, '93, 131, see also Ardea.
brunnescens (b Ardea), *W. I.*, *meas.*, *plm.*, *syn.* '87, 327^b; *misc.* '80, 88.
robinsoni, *Venez.* '96, 333.
saturatus (b Ardea), *W. I.* '89, 172.—*misc.* '95, 258^b.
cyanurus (b Ardea), *Argent.*, *Urug.* '84, 271; *Braz.* '91, 161^b; *Venez.* '97, 367^b.—*hbt.* '84, 271.
 Butterbird, see *Charitonetta alboalba*.
 Butterbird, see *Dolichonyx oryzivorus*.
butyracea (*Crithagra*), see *C. flavigularis*.
 Buzzard, see *Cathartes aura*.
 Common, see *Buteo buteo*.
 European, see *Buteo buteo*.
 European Rough-legged, see *Archibuteo lagopus*.
 Ferruginous Rough-legged, see *Archibuteo ferrugineus*.
 Harlan's, see *Buteo harlani*.
 Krider's, see *Buteo krideri*.
- Mexican, see *Polyborus cheriway*.
 Red-bellied, see *Buteo elegans*.
 Rough-legged, see *Archibuteo sanctijohannis*.
 Short-tailed, see *Buteo brachyurus*.
 Swainson's, see *Buteo swainsoni*.
 Turkey, see *Cathartes aura*.
 White-tailed, see *Buteo sennetti*.
- C**
- cabanisi* (*Ceryle*), see *C. septentrionalis*.
 — (*Molothrus*), see *Molothrus*.
 — (*Pyrgisoma*), see *Pyrgisoma*.
cabaret (*Acanthis*), see *Acanthis*.
 — (*Fringilla*), see *Acanthis*.
Cabot, Samuel.
 Obituary of, '86, 144.
caboti (*Cæreba*), see *Cæreba*.
 — (*Passerculus*), see *Melospiza georgiana*.
cacalott (*Corvus*), see *C. sinuatus*.
Cacatoes, '90, 72.
Cacatua, '94, 233.
Caccabis chukar, *Ill.* '94, 70 (introduced species).
cachinnans (*Larus*), see *L. cachinnans*, *schistisagus* or *vegae*.
Cacicus, 1900, 167.
Cacky-quaw, see *Porzana jamaicensis*.
Cacomantis, '94, 233.
cacozela (*Merula*), see *Merula*.
Cactornis, '95, 71, '98, 208, 1900, 303.
brevirostris, *Galap. Is.* '90, 273.
scandens, syn. '96, 75.
cactorum (*Melanerpes*), see *Melanerpes*.
 — (*Picus*), see *Melanerpes*.
Cæreba, see *Cæreba*.
cærulea (*Arhelorhina*), see *Cæreba*.
 — (*Brachyurus*), see *Pitta*.
 — (*Certhia*), see *Cæreba*.
 — (*Cæreba*), see *Cæreba*.
 — (*Cotinga*), see *Cotinga*.
 — (*Culicivora*), see *Polioptila*.
 — (*Dendroica*), see *D. rara*.
 — (*Egretta*), see *Ardea*.
 — (*Eucephala*), see *Eucephala*.
 — (*Florida*), see *Ardea*.
 — (*Goniapheca*), see *Guiraca*.
 — (*Guiraca*), see *G. cærulea* or *lazula*.
 — (*Herodias*), see *Ardea*.
 — (*Loxia*), see *Guiraca*.
 — (*Motacilla*), see *Polioptila*.
 — (*Myiothera*), see *Pitta*.
 — (*Neornis*), see *Glossiptila ruficolis*.
 — (*Pitta*), see *Pitta*.
 — (*Polioptila*), see *P. cærulea* or *obscura*.

- (Sylvia), see *Dendroica rara*.
 — (Tanagra), see *Cyanospiza cyanaea*.
cæruleiceps (*Momotus*), see *Momotus*.
 — (*Thaumatias*), see *Chrysuronia sonone*.
cæruleigularis (*Buthraupis*), see *Buthraupis*.
cæruleocephala (*Xanthoura*), see *Xanthoura*.
cæruleocollis (*Sialia*), see *S. occidentalis*.
cæruleoscens (*Anas*), see *Chen*.
 — (*Anser*), see *Chen*.
 — (*Chen*), see *Chen*.
 — (*Chlorophanes*), see *Chlorophanes*.
cæruleoscens (*Dendroica*), see *Dendroica*.
 — (*Geranospiza*), see *Geranospiza*.
 — (*Melanotis*) see *Melanotis*.
 — (*Motacilla*), see *Dendroica*.
 — (*Porphyrospiza*), see *Porphyrospiza*.
 — (*Spermophilus*), see *Sporophila*.
 — (*Sylvia*), see *Dendroica*.
 — (*Thamnophilus*), see *Thamnophilus*.
cæruleus (*Coccoborus*), see *Guiraca*.
 — (*Cyanerpes*), see *Cæreba*.
 — (*Rhiamphus*), see *Dendroica rara*.
cærilifrons (*Psittacus*), see *Amazona bouquetii*.
cæsia (*Emberiza*), see *Emberiza*.
cæsiogaster (*Polioptila*), see *Polioptila*.
cafer (*Colaptes*), see *C. cafer* or *saturator*.
cahirica (*Hirundo*), see *H. savignyi*.
Cahoon, John C.
 Seaside Sparrows at Monomoy Is., Cape Cod, '90, 289.
 Obituary of, '91, 320.
cahooni (*Aimophila*), see *A. meleodii*.
 — (*Troglodytes*), see *Troglodytes*.
Caiaca, '90, 72.
Caicos Island, West Indies.
 Cory, C. B., '91, 296-297.
Cairina moschata (^a Muscovy Duck), *Braz.*, '91, 161; *W. I.*, '88, 63.—*plm.* '86, 274^a (*hyb.*), '92, 165 (*hyb.*); *misc.* '80, 66.
Cairns, John S.
 Obituary of, '95, 315.
cairnsi (*Dendroica*), see *Dendroica*.
Calamospiza, '88, 413, 440, 442, 444, '93, 131.
 — *melanocorys* (^a Lark Bunting, ^b bicolor). *Ariz.* '82, 200^b, '85, 226^b, '87, 205, '94, 219; *Cal.* '77, 92^b, '84, 293^b, '90, 215^b; *Colo.* '83, 191^b, '85, 16^b, '90, 80, '95, 153^a, 154^a; *g. dist.* '93, 135; *L. Cal.* '95, 141; *Man.* '86, 324; *Mass.* '78, 48^b; *Minn.* '80, 12^b, 15^b, '85, 32^b; *Mont.* '95, 217; *Neb.* '84, 286^a; *N. M.* '92, 366; *N. Y.* '89, 192; *S. C.* '95, 305^a; *S. D.* '85, 281^b; *Tex.* '82, 13^b, 39^b, '84, 121, '87, 294, '92, 339, 1900, 346.—*anat.* '88, 440, 442; *fd.* '82, 200^b; *hbt.* '80, 15^b, '85, 226^b (*mlt.*), '87, 205, 294, '94, 219; *nst.* '85, 281^b; *plm.* '80, 27^b (*alb.*), '82, 200^b; *syn.* '85, 49, '97, 429.
calandra (*Melanocorypha*), see *Melanocorypha*.
Calandrella, '81, 34.
 — *pisoletta*, *Helg.* '95, 334.
 — *brachydactyla*, *Helg.* '95, 334.
calandria (*Mimus*), see *M. modulator*.
Calcarius (^b *Centrophanes*), '82, 179, 179^b, '84, 118, '88, 440, 444, '93, 131.
 — *alascensis* (^a Alaskan Longspur, ^b *lapponicus*, ^c *Centrophanes lapponicus*), *Alas.* '81, 4^a, '85, 63^c, 157^b, '87, 12^b; *g. dist.* '98, 320^a, '99, 117.—*hbt.* '81, 4^a; *mig.* '85, 63^c; *syn.* '99, 117.
 — *coloratus*, *Kamts.* '98, 320^a.
 — *lapponicus* (^a Lapland Longspur, ^b *Plectrophanes*, ^c *Centrophanes*), *Ark.* '79, 238^c; *Colo.* '85, 16^c; *D. C.* '87, 347; *g. dist.* '93, 124; *Greenland.* '89, 211^a, 296, '92, 282^a; *Helg.* '95, 335; *Hud. B.* '90, 322; *Ia.* '95, 121; *Ida.* '98, 15; *Ill.* '90, 239; *Ind.* '89, 278; *I. T.* '94, 105^a; *Man.* '85, 23^b, '86, 323; *Mass.* '96, 86, '99, 80; *Mich.* '94, 180; *N. C.* '93, 242; *N. Y.* '81, 229^c, '86, 440, '88, 181, '89, 137, 190; *Ont.* '84, 89^a, '85, 334^b; *Pa.* '79, 235^b, '90, 395; *Que.* '82, 235^c; *S. C.* '82, 54^b, '85, 190^c, '87, 347; *S. Dak.* '85, 280^c.—*anat.* '88, 440; *fd.* '94, 180; *hbt.* '86, 440; *mig.* '94, 105^a, 249, '95, 121; *nst.* '89, 296; *song.* '89, 296; *syn.* '80, 97^c; *misc.* '83, 2^b.
 — *ornatus* (^a Chestnut-collared Longspur, ^b *Plectrophanes*, ^c *Centrophanes*, ^d *Plectrophanes melanomus*), *Ariz.* '87, 199, '88, 321; *Colo.* '83, 161^c, '85, 16^c; *Dak.* '80, 43^b; *g. dist.* '93, 134; *Man.* '85, 23^b, '86, 323; *Mass.* '77, 78^b; *Mc.* '87, 77; *Minn.* '80, 12^b, 14^b, '89, 340^a; *Mo.* '79, 143^b; *Mo. River.* '95, 227 ('Emberiza'); *Mont.* '79, 50^b, '88, 14^a; *N. D.* '79, 50^b; *N. M.* '85, 333^c, '92, 365, '94, 217; *N. Y.* '89, 190; *S. D.* '85, 280^c; *Tex.* '78,

- 92^b, '82, 37^c, '92, 337.—*hbt.* '80, 14^b; *meas.* '80, 14^b; *mig.* '80, 43^b, '85, 280^c; *nest.* '80, 14^b; *plm.* '78, 118^b; *syn.* '80, 97^c; *misc.* '80, 87^d.
- pictus** (^a Smith's Longspur, Painted Lark Bunting, ^b Plectrophanes, ^c Centrophanes), *Dak.* '80, 43^b; *g. dist.* '93, 124; *Ia.* '95, 121, 236; *Ill.* '76, 42^b, '90, 240; *Man.* '85, 23^b, '86, 323; *Mo.* '95, 7; *S. C.* '81, 115^b, '85, 190^c, '91, 51, 167, '93, 152; *S. D.* '85, 280^c; *Tex.* '78, 92^b.—*hbt.* '81, 115^b, '90, 240, '95, 7; *mig.* '80, 43^b, '86, 137, '91, 51, '92, 236^a, '95, 121, 236; *plm.* '93, 152, '95, 7; *song.* '95, 7; *syn.* '80, 97^c.
- calendula** (Regulus), see Regulus.
- Calidris**, '84, 142, '87, 315, '88, 331, '96, 65.
- arenaria** (^a Sanderling), *Arctic Am.* '78, 86; *Argent.* '99, 292; *Cal.* '86, 91; *Colo.* '94, 183; *D. C.* '84, 397; *Fla.* '87, 219, 276, 279^a, '89, 157, '90, 308, '92, 212; *Ga.* '96, 212, 215; *g. dist.* '93, 123; *H. I.* 1900, 204; *Helg.* '95, 326; *Hud. B.* '90, 321; *Ill.* '77, 68; *Jamaica*, '92, 13, '94, 122; *La.* '97, 288; *Man.* '86, 152; *Mass.* '81, 127, '90, 294, '91, 119, '92, 72, '94, 225; *Minn.* '79, 182; *N. C.* '99, 246^a; *N. J.* '79, 225; *N. Y.* '82, 128, '87, 350, '88, 179, '99, 285; *Pa.* '99, 310; *Que.* '82, 239; *Tex.* 1900, 340; *W. I.* '87, 315, '90, 374.—*hbt.* '93, 293; *mig.* '87, 279^a, '89, 157, '91, 119, '99, 292; *plm.* '80, 29 (alb.), '86, 413, '89, 157, '96, 150^a (mlt.), 164 (mlt.), '97, 109 (mlt.), 1900, 370, 371, 372, 374, 379 (mlt.); *syn.* '87, 315, '96, 65 [^a *Arenaria calidris*].
- calidris** (Arenaria), see Calidris.
- (Motacilla), see Vireo.
- (Phyllosmanes), see Vireo.
- (Totanus), see T. totanus.
- (Vireo), see Vireo.
- (Vireosylvia), see Vireo.
- California.**
- Allen, C. A., '80, 55-56, '83, 174.
- Allen, J. A., '80, 89, 105-107, 136, 232, '81, 173, '91, 305, '98, 73, '99, 340, 342-343, 348, 350, 1900, 73-74, 182-183, 304, 305.
- Anthony, A. W., '92, 288, '94, 321-322, 327-328, '95, 51-52, 100-112, 177, 291, 348, 387, 390, '96, 171, 172, '98, 140-144.
- Ball, F., '85, 383.
- Barlow, C., '97, 221, '99, 156-161.
- Belding, L., '78, 102, '79, 167-171, '92, 188, 288.
- Blake, E. W., Jr., '87, 328-330.
- Brewer, T. M., '78, 42-43, '80, 47, 56.
- Brewster, W., '77, 37-38, '87, 166-167, '81, 103-105.
- Browne, F. C., '91, 238.
- Bryant, W. E., '77, 78-79, 339, '80, 124-125, '84, 91-92, '87, 78-79, 339, '88, 316, '92, 188, 287, 288.
- Coues, E., '79, 117, 167-171.
- Cooper, J. G., '77, 73, 76, 88-97, '78, 8-10, 68-69, 96, '79, 86-87, '80, 232, '86, 124-126, 401-402, '87, 85-94.
- Chapman, F. M., '98, 283.
- Edmiston, J. L., '90, 82.
- Emerson, W. O., '83, 235, 237, '85, 98, 100, '92, 187, 287.
- Evermann, B. W., '83, 174, 237, '86, 86-94, 179-186.
- Fiske, E. H., '90, 83.
- Gault, B. T., '85, 212, 213, 309-311.
- Gaylord, H. A., '96, 258-260.
- Goss, N. S., '84, 396, '85, 217.
- Grinnell, J., '97, 294-296, 397-399, '98, 58-59, 233-239.
- Hatch, J. M., '96, 172, 347.
- Henshaw, H. W., '77, 53-58, '79, 176, '80, 105, 112, 189, '81, 215, '84, 267, '85, 231-232, '86, 452-453.
- Holterhoff, G., '81, 173, '84, 85, 293, 294, 393, '85, 311-312.
- Jeffries, J. A., '88, 168-169.
- Jeffries, W. A., '89, 220-223.
- Jencks, F. T., '85, 313.
- Johnson, F. O., '89, 280.
- Keeler, C. A., '91, 108, '92, 287, 288, 289.
- Lawrence, R. H., '93, 300-301, 362, '94, 76-77, 181.
- Loomis, L. M., '93, 47-48, '95, 378-379.
- Mailliard, J., '81, 119, '98, 51, 196-198.
- McGregor, R. C., '97, 91-92, '99, 78-79.
- McLain, R. B., '98, 185, 190, 191, 267.
- Mearns, E. A., '98, 258-264.
- Merriam, C. H., '94, 258, '95, 54-60.
- Merriam, F. A., '96, 115-124.
- Miller, F., '79, 109-110.
- Miller, G. S., Jr., '94, 178.
- Nelson, E. W., '97, 59.
- Oberholser, H. C., '97, 300-303, '99, 23-25, 1900, 304.
- Orcutt, C. R., '85, 211.
- Palmer, E. D., '94, 78.

- Parkhurst, A. L., '85, 100.
 Price, W. W., '88, 210, '97, 182-186.
 Ridgway, R., '78, 64-68, '79, 167-171,
 '80, 139, '81, 124, '85, 292, '92,
 302, '98, 230, '99, 35-36, 254-255.
 Rhoads, S. N., '93, 238-241.
 Shields, A. M., '90, 80.
 Southwick, J. M., '85, 313.
 Stearns, R. E. C., '77, 74, '84, 87.
 Stembeak, W., '85, 98.
 Stephens, F., '78, 42, '83, 188, '84,
 353-358, '90, 159-160, 296-297,
 '92, 392-393, '93, 298-300, '95,
 81-82, 371-372.
 Taylor, H. R., '90, 81.
 Thurber, E. C., '96, 265.
 Townsend, C. H., '85, 215-216, '86,
 490-491.
 Van Dyke, T. S., '84, 187, '85, 213.
 Wadham, J. E., '84, 286.
 Wall, E., '93, 204.
 Wicks, M. L., Jr., '97, 404.
 California Academy of Sciences.
 Bulletin, titles (Nos. 2210-2214), '92,
 187; officers of, '89, 208; Proceedings, titles (Nos. 2215-2223), '92,
 187; section of ornith., '98, 216.
 California Ornithological Club, '89, 207.
 californiana (Saurothera), see Geococcyx.
 californianus (Geococcyx), see Geococcyx.
 — (Pseudogryphus), see Pseudogryphus.
 — (Vultur), see Pseudogryphus.
 californica (Aphelocoma), see Aphelocoma.
 — (Callipepla), see Lophortyx.
 — (Cyanocitta), see Aphelocoma.
 — (Herodias), see Ardea egretta.
 — (Pinicola), see Pinicola.
 — (Polioptila), see Polioptila.
 — (Uria), see Uria.
 californicum (Glaucidium), see Glaucidium.
 californicus (Agelaius), see Agelaius.
 — (Carpodacus), see Carpodacus.
 — (Colymbus), see Colymbus.
 — (Dytes), see Colymbus.
 — (Larus), see Larus.
 — (Lophortyx), see L. californicus.
 or vallicola.
 — (Pelecanus), see Pelecanus.
 — (Phakanoptilus), see Phakanoptilus.
 — (Podiceps), see Colymbus.
 — (Podicipes), see Colymbus.
 — (Psaltriparus), see Psaltriparus.
 — (Tetrao), see Lophortyx.

- (Vireo), see V. vicinior.
 caligata (Hypolais), see Hypolais.
 caligatus (Trogon), see Trogon.
 Call, Aubrey Brendon.
 Breeding habits of Terns, '95, 178.
 Callichelidon, '86, 59, '91, 87.
 cyanoevridis (Bahaman Swallow),
 Bahamas, '86, 59, '91, 294, 295, 334,
 350, 350, 352, 1900, 288; Fla., '90,
 265, 312, '97, 221; g. dist., '91, 87;
 W. I., '91, 70.—meas., '86, 59; plm.,
 '86, 59, '97, 221; syn., '86, 59, '91, 87.
 calliope (Stellula), see Stellula.
 — (Trochilus), see Stellula.
 Callipepla, '93, 130, '97, 215.
 bensoni, Mex., '87, 156, '88, 194,
 '89, 175, '94, 66.
 castanogastris (Chestnut-bellied
 Scaled Partridge, ^b pallida), Ariz., '81,
 72^{b*}; g. dist., '83, 34*; Tex., '86, 388,
 '87, 25, '92, 233.—plm., '86, 388, '87,
 25, 1900, 47 (mlt.).
 deserticola, '95, 371*, see Lophortyx
 gambeli.
 fulvipectus, Mex., '99, 26*.
 pallida, '81, 72*, see castanogastris.
 squamata (^a Scaled Partridge),
 Ariz., '81, 72, '83, 33, '85, 226, '86,
 387, '94, 221, 1900, 32^a; Cal., '90,
 216; Colo., '95, 298, 388; g. dist., '83,
 34, '93, 134; Mex., '85, 228; N. Mex.,
 '90, 89, '92, 360, '99, 188; Tex., '87,
 187.—hbt., '86, 387; meas., '83, 34;
 nst., '86, 387, '87, 187, '92, 360; plm.,
 '81, 72, '83, 33, '86, 387, 1900, 47
 (mlt.); song., '85, 226, '86, 387; syn.,
 '81, 72, '83, 33; misc., '85, 213, '91,
 389.
 Callista, see Calliste.
 Calliste (^b Calospiza), '86, 195, '87,
 149, '95, 385^b.
 desmaresti, Venez., '97, 364.
 guttata, Venez., '97, 364.
 versicolor, W. I., '79, 49.
 boliviiana, Braz., plm., '90, 267.
 cayana, Braz., '90, 267; Venez., '97,
 364.
 cucullata, W. I., '86, 195, '88, 157.
 —meas., plm., syn., '86, 195.
 Calloocalia, '93, 99, '96, 83.
 Callothrush, misprint, see Callothrus.
 Callothrus, '91, 344, '96, 71.
 æneus (^b Molothrus, syn., '90, 192^b).
 assimilis, Mex., 1900, 266*.
 robustus (Red-eyed Cow bird,
 ^b Molothrus æneus, ^c Molothrus),
 C. R., '90, 334, '92, 25-27, 250; g.
 dist., '96, 71; Tex., '76, 88^b, '77, 85^b,
 '78, 144^b, '79, 51^b, '80, 90^b, '92, 237;

- Yucatan*, '85, 211^b.—*hbt.* '77, 85^b, '85, 211^b; *meas.* '77, 87^b, '92, 26; *nst.* '77, 85^b, '92, 25, 237; *plm.* '77, 85^b; *syn.* '87, 335^b, '90, 192^c.
- Calocitta azurea*, *g. dist.* '97, 55*.
 collie, *Columbia River*, '77, 93*.
- Calodromas*, '85, 208.
 elegans, *Argent.*, *hbt.*, *nst.* '84, 318.
- Caloenas*, '94, 233.
- Calopezus*, see *Calodromas*.
- calopterus* (*Mecocerculus*), see *Mecocerculus*.
- calophonous* (*Thryomanes*), see *T. spilurus*.
- Calopsittacus novæ-hollandiæ* (b)
 Nymphicus), *Cal.* '85, 314^b (*cage*); *N. Y.* '83, 116 (*cage*).
- Calorhamphus fuliginosus*, *Bornco*, *syn.* '91, 8.
- calorhynchus* (*Aulacorhamphus*), see *Aulacorhamphus*.
- Calornis*, '94, 233.
- Calospiza*, see *Calliste*.
- Calothorax*, '93, 62.
 lucifer (*Lucifer* Humming bird,
 b *Trochilus coahuatl*, c *Doricha enicura*), *Ariz.* '77, 108^c, '80, 90.—*plm.* '77, 108^c, '99, 323^b; *syn.* '77, 108^c, '93, 62, '99, 323^b.
- calurus* (*Buteo*), see *Buteo*.
- calvus* (*Otogypus*), see *Otogypus*.
- Calyptophilus*, '86, 354, '93, 62.
 anna (^Anna's Humming Bird,
 b *Trochilus*, c *Selasphorus*), *Ariz.* '86, 431^b; *Cal.* '86, 180^b, '89, 221^b, '98, 235; *g. dist.* '93, 134.—*fd.* '93, 312^a; *nst.* '77, 73^a, '83, 235^a; *plm.* '78, 192 (*alb.*), '79, 29^a (*alb.*), '80, 28^c (*alb.*), '88, 168^b; *syn.* '93, 62.
 costæ (*Costa's Humming Bird*,
 b *Trochilus*), *Ariz.* '82, 210, '86, 430^b; *Cal.* '83, 188 [*sp.?*], '84, 354, '85, 309, '86, 180^b, '87, 86^b, '97, 92; *L. Cal.* '93, 314, '95, 140; *Mex.* '85, 230, '85, 309.—*fd.* '93, 314; *hbt.* '85, 309, '86, 430^b; *meas.* '82, 210, '85, 310; *nst.* '85, 309, '86, 430^b; *plm.* '82, 210; *syn.* '93, 62.
 helenæ, *Cuba*, '91, 187, '86, 354.—*meas.* '86, 354; *plm.*, *syn.* '86, 354, '91, 187.
- Calyptophilus*, '84, 3*, '86, 201.
 frugivorus, *W. I.* '84, 3, '86, 201, '95, 279.—*meas.*, *plm.*, *syn.* '84, 3, '86, 201.
- Camarhynchus*, '77, 64, '95, 71, '97, 330, 1900, 303.
 bindloeii, *Galap. Is.* '96, 330.
- compressirostris, *Galap. Is.* '96, 330.
- incertus, *Galap. Is.* '96, 330.
- pauper, *Galap. Is.* '90, 273.
- townsendi, *Galap. Is.* '90, 273.
- camelus* (*Struthio*), see *Struthio*.
- Campañero*, see *Chasmorhynchus variegatus*.
- Camp-bird, see *Perisoreus capitalis*.
- Campephilus*, '86, 373.
 bairdi, *W. I.*, *meas.*, *plm.*, *syn.* '86, 373.
 boiei, *Argent.*, *hbt.* '84, 25.
 guatemalensis, *C. R.* '92, 327.
 imperialis, *C. R.* '77, 94?; *g. dist.* '98, 217–223; *Mex.* '87, 161, '94, 66, 1900, 122.—*hbt.* '98, 217; *meas.* '87, 161; *nst.* '98, 217, 221; *song.* '98, 217, 219; *misc.* '80, 88.
 principalis (^Ivory-billed Wood-pecker), *Ala.* '84, 286?; *Ark.* '87, 68^a; *Fla.* '81, 16, 41^a, '87, 68^a, 68^a, 338, '88, 185, 186, '89, 251, '91, 136, 137, '92, 212, 218, '93, 338, '95, 364, 366; *Ga.* '83, 40?, '96, 213; *g. dist.* '91, 174–186 (*map*); *Ind.* '97, 245^a; *Ky.* '89, 313; *La.* 1900, 97–99; *Miss.* '82, 92; *Tex.* '82, 170.—*anat.* '92, 67; *hbt.* '81, 41^a, '91, 174, '93, 338, 1900, 97; *meas.* '83, 40, '91, 176, 1900, 99; *nst.* '81, 16, '83, 40, '88, 186, '91, 174, '93, 338, 1900, 97; *plm.* '86, 374, '88, 186; *song.* '81, 41^a; *misc.* '87, 68^a (4 items), '92, 68.
- campestris* (*Anthus*), see *Anthus*.
- (*Glossiptila*), see *G. ruficollis*.
- (*Leucosticte*), see *L. littoralis* or *tephrocotis*.
- (*Motacilla*), see *Glossiptila ruficollis*.
- (*Pediocætes*), see *Pediocætes*.
- Campophagidae*, '83, 99.
- Camp-rober, see *Nucifraga columbiana*, *Perisoreus capitalis* or *P. obscurus*.
- Camptolæmus*, see *Camptolaimus*.
- Camptolaimus*, '93, 107.
- labradorius* (^Labrador or Pied Duck, b *Somateria*), *g. dist.* '91, 201–216, '93, 125, '94, 4–12; *Labrador*, '92, 389; *Mass.* '84, 207; *Mich.* '77, 75; *N. E.* '76, 73, '77, 46^a; *N. J.* '95, 171; *N. S.* '89, 64^a; *N. Y.* '93, 270, '95, 69; *Pa.* '95, 171; *Que.* '94, 176.—*meas.* '94, 176; *nst.* '98, 203; *plm.* '94, 176; *syn.* '94, 176; *misc.* '77, 74, '78, 79^b, '80, 180^a, '83, 55, '85, 209^a, '86, 264^a, '87, 343^a, '89, 178, '90, 199, '92,

- 194^a, '93, 294^a, 296, 363, '94, 175^a
(corr.), '97, 87.
camitatica (Pica), see Pica.
Campylopterus, '86, 447, 449.
 ensipennis, *Icnez.* '97, 366; *W. I.*
 '93, 220.
 hemileucus, *C. R.* '92, 324.—
 anat. '95, 157.
 phainopeplus, *Colom.* '99, 138.
Campylorhynchus, see *Heleodetes*.
 costaricensis, '88, 449*, see *Heleodetes*.
camtschaticus (*Simorphynchus*), see *S.*
 pygmaeus.
cana (*Tanagra*), see *Tanagra*.
Canace, see *Canachites*.
Canachites (^b*Canace*), '85, 372^b, '86,
269, '98, 64, '99, 107.
 canadensis (^a*Canada Grouse* or
Spruce Partridge, ^b*Tetrao*, ^c*Canace*,
^d*Dendragapus*, ^e*osgoodi*, ^f*labradorius*), *Alaska*, '87, 12^d; *g. dist.* '93,
125^a, '99, 291^f, 340^f, 1900, 114^{e*}; *Hud. B.* '90, 321^d; *Man.* '86, 153^d; *Mc.* '82, 151^a, '98, 61^d; *Minn.* '84,
247^c; *N. H.* '87, 103^d; *N. S.* '87, 16^d,
'91, 165^a, '99, 251; *N. Y.* '78, 53^b,
'81, 233^c, '83, 52^a; *Ont.* '89, 204^d; *P.*
E. I. '93, 8^a; *Que.* '82, 238^c.—*hbt.*
'87, 15^a, '92, 190^a; *meas.* 1900, 114^e;
plm. '79, 29^a (*all.*), 43^b, '99, 340^f,
1900, 114^c, 144^d (*mlt.*); *syn.* '86,
269^a, '99, 107, 291^f, 340^f; *misc.* '88,
317^d, '90, 397^a.
 franklinii (*Franklin's Grouse*,
^b*Tetrao*, ^c*Dendragapus*), *g. dist.* '93,
125^c; *Ida.* '97, 352^c, 1900, 243; *Mont.*
'82, 61^b; *Wash.* '93, 17^c, '97, 173^c.—*hbt.* 1900, 243; *meas.* '97, 173^c; *nst.*
'97, 173^c; *plm.* 1900, 145 (*mlt.*);
syn. '99, 107.
 osgoodi, 1900, 114*, see *canadensis*.
Canada (see also Provinces of).
Allen, J. A., 1900, 394–395.
Bell, R., '85, 209, '92, 188, 188, 189.
Brewer, T. M., '77, 24.
Chamberlain, M., '84, 186.
Chambers, E. T. D., '93, 297.
Coues, E., '82, 113, '83, 55.
Couper, W., '81, 48, '84, 88, 88, 88.
Dwight, J., Jr., '96, 344.
Kells, W. L., '84, 89.
McIlwraith, T., '84, 87.
Macoun, J., '82, 113.
Macoun, J. M., '92, 189.
Morden, J. A., '90, 85.
Paine, F. F., '92, 189.
Rae, J., '92, 283.
Scott, W. L., '84, 89.
Smith, E., '84, 185.
Thompson, E. E., '89, 174.
Vennor, H. G., '77, 24.
Wintle, E. D., '84, 185.
canadensis (*Anas*), see *Branta*.
— (*Anser*), see *Branta*.
— (*Aquila*), see *A. chrysaëtos*.
— (*Ardea*), see *Grus*.
— (*Bernicla*), see *Branta*.
— (*Branta*), see *Branta*.
— (*Canace*), see *Canachites*.
— (*Canachites*), see *Canachites*.
— (*Dendragapus*), see *Canachites*.
— (*Dendreeca*), see *Dendroica cærulescens*.
— (*Ectopistes*), see *E. migratorius*.
— (*Grus*), see *G. canadensis* or *mexicana*.
— (*Motacilla*), see *Seiurus aurocapillus*.
— (*Muscicapa*), see *Wilsonia*.
— (*Myioictes*), see *Wilsonia*.
— (*Perisoreus*), see *P. canadensis* or *capitalis*.
— (*Pinicola*), see *P. californica*.
— (*Rhimamphus*), see *Dendroica cærulescens*.
— (*Sitta*), see *Sitta*.
— (*Surnia*), see *Surnia*.
— (*Sylvania*), see *Wilsonia*.
— (*Sylvicola*), see *Dendroica cærulescens*.
— (*Tetrao*), see *Canachites*.
— (*Wilsonia*), see *Wilsonia*.
Canadian Geological Survey (Reports).
Titles (Nos. 2225–2227), '92, 188.
Canadian Institute, '93, 74.
Titles (Nos. 2228–2231), '92, 189.
Canadian Sportsman and Naturalist, '84,
206, '91, 302, '93, 74.
Titles (Nos. 504–522), '84, 88; (Nos.
523–543), '84, 185; (Nos. 773–
775), '85, 209.
Canadian Record of Science.
Titles (Nos. 2331–2335), '92, 283.
canagica (*Chloëphaga*), see *Philacte*.
— (*Philacte*), see *Philacte*.
canaria (*Serinus*), see *Serinus*.
canariensis (*Fringilla*), see *Fringilla*.
Canary, see *Serinus canaria*.
Wild, see *Astragalinus tristis*.
Cancromia zelodon, *Central Am., Mex.,*
plm., *syn.* '85, 370.
Cancromidae, '78, 183.
candicans (*Hierofalco*), see *Falco islandus*.
— (*Falco*), see *F. islandus* or *ruficulus*.

- (Thalasseus), see *Sterna sandvicensis*.
candida (*Alle*), see *Alle alle*.
candidissima (*Ardea*), see *Ardea*.
 — (*Egretta*), see *Ardea*.
 — (*Garzetta*), see *Ardea*.
 — (*Herodias*), see *Ardea*.
candidus (*Himantopus*), see *Himantopus*.
 — (*Leuconerpes*), see *Melanerpes*.
 — (*Melanerpes*), see *Melanerpes*.
canens (*Arremonops*), see *Arremonops*.
canescens (*Acanthis*), see *A. horneemannii*.
 — (*Ægiothos*), see *Acanthis exilipes* or *hornemannii*.
 — (*Fringilla*), see *Acanthis exilipes*.
 — (*Linaria*), see *Acanthis linaria*.
 — (*Sterna*), see *S. sandvicensis*.
 — (*Thalasseus*), see *Sterna sandvicensis*.
 — (*Totanus*), see *T. nebularius*.
 — (*Vireo*), see *Vireo*.
 — (*Vireosylvia*), see *Vireo*.
- Canfield, J. B.**
 Red Phalarope at Bridgeport, Conn., '95, 77.
- canicapilla* (*Bleda*), see *Bleda*.
 — (*Brachyspiza*), see *Brachyspiza*.
canicaudus (*Cardinalis*), see *Cardinalis*.
caniceps (*Cardinalis*), see *Cardinalis*.
 — (*Columba*), see *Geotrygon*.
 — (*Geotrygon*), see *Geotrygon*.
 — (*Juncos*) see *Juncos*.
 — (*Linaria*), see *Cyanospiza ciris*.
 — (*Phrygilus*), see *Phrygilus*.
 — (*Sitta*), see *S. pusilla*.
 — (*Trichophorus*), see *Criniger phæocephalus*.
canifrons (*Amazona*), see *A. ochropeta*.
 — (*Chrysotis*), see *Amazona ochropeta*.
caninucha (*Geothlypis*), see *Geothlypis*.
canipileus (*Chlorospingus*), see *Chlorospingus*.
Cannabina, see *Acanthis*.
cannabina (*Acanthis*), see *Acanthis*.
 — (*Linota*), see *Acanthis*.
canora (*Euethia*), see *Euetheia*.
 — (*Loxia*), see *Euetheia*.
 — (*Phonipara*), see *Euetheia*.
canorus (*Cuculus*), see *Cuculus*.
Cantabrigia Club, '97, 343.
cantiaca (*Sterna*), see *S. sandvicensis* or *acuflavida*.
cantiacus (*Actochelidon*), see *Sterna sandvicensis*.

- (*Thalasseus*), see *Sterna sandvicensis*.
cantiana (*Ægilialis*), see *Ægilialis alexandrina* or *nivosa*.
canticus (*Cyclorhis*), see *Cyclorhis*.
Cantores, '81, 201.
Cantwell, George G.
 [Proposed list of birds of Minnesota], '89, 207.
 Notes from Minnesota, '89, 340.
 Shrikes of Minnesota, '90, 213.
 Notes on the egg of the Marbled Murrelet, '98, 49.
canus (*Larus*), see *Larus*.
canutus (*Tringa*), see *Tringa*.
 Canvas-back, see *Aythya vallisneria*.
caparoch (*Surnia*), see *Surnia*.
 Cape Breton Island, see *Nova Scotia*.
capella (*Vanellus*), see *V. vanellus*.
Capen, Elwin A.
 Oölogy of New England (rev.), '86, 400.
capensis (*Aphalus*), see *Microparra*.
 — (*Brachyspiza*), see *Brachyspiza*.
 — (*Daption*), see *Daption*.
 — (*Microparra*), see *Microparra*.
 — (*Phyllostrephus*), see *P. terrestris*.
 Capercaillie, see *Tetrao urogallus*.
capistrata (*Saxicola*), see *Saxicola*.
capistratoides (*Drymocataphus*), see *Drymocataphus*.
 — (*Goldana*), see *Drymocataphus*.
 — (*Myiothera*), see *Drymocataphus*.
capistratus (*Campylorhynchus*), see *Heleodytes*.
 — (*Heleodytes*), see *Heleodytes*.
capitalis (*Chrysomitris*), see *Spinus*.
 — (*Dendroica*), see *Dendroica*.
 — (*Henicorhina*), see *Henicorhina*.
 — (*Leptotila*), see *Leptotila*.
 — (*Perisoreus*), see *Perisoreus*.
 — (*Ramphocelus*), see *Ramphocelus*.
 — (*Spinus*), see *Spinus*.
capitaneus (*Spinus*), see *Spinus*.
capitata (*Paroaria*), see *Paroaria*.
Capito salvini, misc. '92, 184.
Caprimulgus, '86, 414, '94, 287, '95, 287, '97, 105.
Caprimulgidae (* Goatsuckers), '81, 37, '84, 187, '86, 404, 444, '87, 339*, '93, 67, '97, 419.
Caprimulgus, '80, 178, '86, 404, '89, 10, '92, 68, '93, 110, '94, 234, 235.
 — *ægyptius*, *Helg.* '95, 337.
 — *aldabrensis*, *Aldabra I.* '95, 71.
 — *europæus*, *Helg.* '95, 337; *anat.* '87, 81.
Capsiempis flaveola, *L'encez.* '97, 365.

- capucinus (*Turdus*), see *Merula jamaiensis*.
- Caracara, Audubon's, see *Polyborus cheriway*.
- Guadalupe, see *Polyborus lutosus*.
- Carbo**, 1900, 167.
- carbo (*Cephus*), see *Cephus*.
- (*Graculus*), see *Phalacrocorax*.
- (*Oidemia*), see *O. carbo*.
- (*Phalacrocorax*), see *Phalacrocorax*.
- (*Procellaria*), see *Oceanodroma cryptoleucura*.
- (*Uria*), see *Cephus*.
- carbonata (*Dendroica*), see *Dendroica*.
- (*Helminthophila*), see *Dendroica*.
- (*Perissoglossa*), see *Dendroica*.
- Cardellina**, '93, 112.
- rufrifrons** (* Red-faced or Red-fronted Warbler), *Ariz.* '80, 89, '81, 68, '85, 353, '86, 256^a, '88, 36, 385, '90, 50, 261; *N. M.* '81, 68; *Tex.* '80, 89.—*hbt.* '85, 353; *meas.* '88, 386, '90, 262; *nst.* '88, 385, '90, 261; *plm.* '85, 353; *song.* '85, 353.
- Cardinal, see *Cardinalis cardinalis*.
- Arizona, see *Cardinalis superbus* or *Pyrrhuloxia sinuata*.
- Brazilian, see *Paroaria cucullata*.
- Coast, see *Cardinalis littoralis*.
- Florida see *Cardinalis floridanus*.
- Gray-tailed, see *Cardinalis canicaudus*.
- Saint Lucas, see *Cardinalis igneus* or *C. superbus* or *Pyrrhuloxia peninsulæ*.
- Texan, see *Pyrrhuloxia texana*.
- Yellow, see *Gubernatrix cristatella*.
- Cardinal-bird, see *Cardinalis cardinalis*.
- Cardinalis**, '84, 171.
- affinis**, *Mcr.* '99, 296.
- canicaudus** (* Gray-tailed Cardinal), *Mex.* '92, 106; *Tex.* '82, 39 ('virginianus'), '92, 65, 106, '94, 222^{a?}, 1900, 346.—*syn.* '92, 65, 106.
- cardinalis** (* Cardinal, Cardinal Grosbeak or Redbird, ^b *virginianus*), *Ala.* '79, 9^b; *Ark.* '82, 91^b; *Bermuda*, '96, 238; *Colo.* '85, 16^b; *Conn.* '77, 108^b; *Cuba*, '86, 206^b?; *D. C.* '85, 98^a, '88, 22; *Fla.* '85, 61^b, '88, 274, '89, 324, '91, 127, 138, '92, 213, '95, 365; *Ga.* '82, 96^a, '83, 39^b, '96, 213; *g. dist.* '93, 133, 135; *Ill.* '90, 243; *Ind.* '82, 18^b, 21^b, '89, 25; *Kan.* '85, 307^b, '94, 215^a; *Ky.* '89, 315; *La.* '82, 163^b, '87, 302^a; *Mass.* '83, 59^b, 233^b; *Md.* '85, 97^a; *Mich.* 1900, 391; *Miss.* '82, 91^b; *Mo.* '79, 144^b, '95, 351^a, '96, 218; *N. C.* '86, 110, 314, '87, 244, '89, 120; *N. J.* '79, 82^b, '86, 410^a, '88, 421, '92, 204, '94, 139; *N. Y.* '78, 131^b, '83, 117^b, '84, 390^b, '85, 151^b, 300^a, '87, 338^a, '97, 406; *O.* '82, 46^b; *Ont.* '84, 85^a; *Pa.* '84, 289^a, '93, 38, 40; *S. C.* '79, 214^b, '85, 72^a, '90, 125, '91, 329, '92, 31^a, '94, 101^a, '99, 198^a, 278; *Tenn.* '86, 318, '87, 131; *Tex.* '82, 13^b [= *canicaudus?*], '87, 293, '88, 119^a, '89, 240, '92, 339, '94, 222^a [= *canicaudus?*].—*hbt.* '88, 119^a, 1900, 300^a; *meig.* '85, 61^b, '92, 31^a, '94, 101^a, '99, 198^a; *nst.* '88, 18^b, 163^b, '83, 39^b, '84, 390^b, '85, 98^a, '87, 293, '88, 22, 274, '90, 84^a, '97, 406; *plm.* '79, 46^b, '82, 39^b, 131^a, '86, 413^a; *song.* '84, 189^a, '85, 151^b, 307^b, '87, 131, '96, 238, '99, 278 (table); *syn.* '84, 171^a; *misc.* '89, 24^a, '90, 82^a, 200, '91, 107^a, '99, 198^a.
- coccineus**, *syn.* '90, 191.
- floridanus** (Florida Cardinal), *Fla.* '81, 40 [*'virginianus?*], '97, 122.—*syn.* '97, 122, 232.
- igneus** (St. Lucas Cardinal), *Ariz.* '81, 69 [= *superbus*]; *L. Cal.* '85, 345, '90, 215.—*meas.* '85, 345.
- littoralis**, *Mex.* '97, 64*.
- mariæ**, *Tres Marias Is.* '98, 340.
- phœnicurus** (^b *granadensis*), *Venez.* '97, 359, 364.—*meas.* '95, 371; *plm.* '95, 370, 371; *syn.* '99, 78^b.
- robinsoni**, *Venez.* '95, 370*, '96, 333.
- saturatus**, *Yucatan*, '85, 295.
- sinaloensis**, *Mex.* '99, 296.
- superbus** (* Arizona Cardinal, ^b *igneus*), *Ariz.* '81, 69^b, '82, 199^b, '85, 344*, '86, 68^a [*not* 'St. Lucas Cardinal?'], '87, 204.—*meas.* '82, 199^b, '85, 344, 345; *plm.* '82, 199^b.
- cardinalis (Cardinalis), see *Cardinalis*.
- Carduelis**, '80, 97, '84, 145, 361.
- caniceps**, *plm.* '93, 282 (hyb.).
- carduelis** (* European Goldfinch, ^b *elegans*), [introduced, *N. Am.*], *Bermuda*, '96, 238; *Conn.* '92, 301^b; *Helg.* '95, 335; *Mass.* '80, 109^b, 120^b, '91, 314, '95, 182, '99, 196^a; *N. J.* '86, 410^b; *N. Y.* '86, 409^b, '87, 339; *Ont.* '88, 211^b; *W. I.* '86, 213^b; *nst.* '86, 410^b, '91, 314; *plm.* '93, 282 (hyb.); *syn.* '80, 96^b.
- carduelis** (Carduelis), see *Carduelis*.
- Cariama**, '81, 77, '96, 63.
- caribæa** (*Columba*), see *Columba*.
- (*Fulica*), see *Fulica*.
- (*Muscipeta*), see *Blacicus*.

— (Patagioenas), see *Columba*.
caribaeus (*Blacicus*), see *Blacicus*.
 — (*Rallus*), see *Rallus*.
 — (*Æstrelata*), see *Æstrelata*.
 — (*Pterodroma*), see *Æstrelata*.
caribbearum (*Falco*), see *Falco*.
 — (*Tinnunculus*), see *Falco*.
caribbeus (*Turdus*), see *Merula gymnophthalma*.
Carinatæ, '96, 62, '98, 338.
carinatus (*Ramphastos*), see *Ramphas-tos*.
caripensis (*Steatornis*), see *Steatornis*.
carmani (*Pipilo*), see *Pipilo*.
carmioli (*Phœnicothraupis*), see *Phœ-nicothraupis*.
 — (*Vireo*), see *Vireo*.
carneipes (*Cœreba*), see *Cœreba*.
 — (*Cyanerpes*), see *Cœreba*.
carnivorus (*Corvus*), see *C. principalis*,
 sinuatus or *caurinus*.
carolæ (*Pipilo*), see *P. crissalis*.
carolina (*Porzana*), see *Porzana*.
 — (*Crex*), see *Porzana*.
 — (*Ortygometra*), see *Porzana*.
carolinensis (*Ampelis*), see *A. cedrorum*.
 — (*Anas*), see *Nettion*.
 — (*Antrostomus*), see *Antrostomus*.
 — (*Bombycilla*), see *Ampelis cedro-rum*.
 — (*Caprimulgus*), see *Antrostomus*.
 — (*Coccycus*), see *C. americanus*.
 — (*Columba*), see *Zenaidura ma-croura*.
 — (*Colymbus*), see *Podilymbus podi-ceps*.
 — (*Conuropsis*), see *Conurus*.
 — (*Conurus*), see *Conurus*.
 — (*Falco*), see *Pandion*.
 — (*Galeoscoptes*), see *Galeoscoptes*.
 — (*Junco*), see *Junco*.
 — (*Lanius*), see *Tyrannus tyrannus*.
 — (*Lucar*), see *Galeoscoptes*.
 — (*Mimus*), see *Galeoscoptes*.
 — (*Muscicapa*), see *Galeoscoptes*.
 — (*Nettion*), see *Nettion*.
 — (*Pandion*), see *Pandion*.
 — (*Parus*), see *P. carolinensis* or
 agilis.
 — (*Perissura*), see *Zenaidura macroura*.
 — (*Picus*), see *Centurus radiolatus*.
 — (*Podilymbus*), see *P. podiceps*.
 — (*Psittacus*), see *Conurus*.
 — (*Querquedula*), see *Nettion*.
 — (*Sitta*), see *S. carolinensis* or *at-kinsi*.
 — (*Sylboecyclus*), see *Podilymbus podiceps*.

— (*Turdus*), see *Galeoscoptes*.
 — (*Tyrannus*), see *T. tyrannus*.
 — (*Zenaidura*), see *Z. macroura*.
carolinus (*Centurus*), see *Melanerpes*.
 — (*Melanerpes*), see *Melanerpes*.
 — (*Picus*), see *Melanerpes*.
 — (*Rallus*), see *Porzana*.
 — (*Scolecopagus*), see *Scoleco-pagus*.
carpalis (*Aimophila*), see *Aimophila*.
 — (*Peucea*), see *Aimophila*.
Carpenter, Frederick H.
 Nest of Saw-Whet Owl, '84, 94.
Carcopoccyx, '97, 91.
Carpodacus, '84, 48, '93, 131.
 amplus (*Guadalupe House Finch*),
Guadalupe I., '77, 60.—*anat.* '91, 220;
meas. '77, 61; *plm.* '77, 60, 62.
 californicus (*California Purple Finch*), *Ariz.* '87, 196; *Cal.* '86, 181; *g. dist.* '93, 126; *Ore.* '86, 168, '88, 357; *Wash.* '92, 355, 1900, 354.—*fd.* '87, 196; *hbt.* '87, 196; *meas.* '77, 37; *nst.* '77, 37, '78, 8; 1900, 354; *plm.* '87, 196; *misc.* '82, 243.
 cassini (*Cassin's Purple Finch*), *Ariz.* '85, 173, '85, 349, '87, 197, '90, 49, 258; *Cal.* '78, 66, '87, 88; *Colo.* '79, 93, '80, 229, '81, 89, '83, 160, '85, 16, '94, 269; *g. dist.* '93, 126; *Ida.* '98, 15; *N. M.* '85, 333; *Ore.* '79, 164, '88, 357; *Wash.* '97, 177.—*fd.* '87, 197; *mlt.* '87, 197; *nst.* '88, 357; *song.* '80, 229, '81, 89; *misc.* '84, 288.
 clementis (*San Clemente House Finch*, ^b *rhodocolpus*), *Cal.* '86, 453^b, '87, 330^b, '98, 258*; *g. dist.* '99, 114.—*fd.* '98, 258; *hbt.* '98, 258; *meas.* '98, '99, 259, 260, 261; *nst.* '87, 330^b, '98, 258; *syn.* '99, 114.
 erythrinus, *Helg.* '95, 336.
 frontalis (^a *House Finch*, ^b *rhodo-colpus*), *Ariz.* '82, 193, '87, 197, '90, 48, '94, 218^a, 220^a; *Cal.* '84, 355, '86, 181^b, '89, 220, '90, 296, '94, 255, '96, 120, '98, 235; *Colo.* '84, 289, '85, 16, 141, '87, 124, '94, 216^a; *g. dist.* '93, 134; *Kan.* '94, 260; *L. Cal.* '77, 60, '95, 140; *Mex.* '95, 357; *N. M.* '92, 364, '98, 309; *Wyo.* '89, 341.—*fd.* '98, 235; *hbt.* '87, 197, '94, 216^a; *meas.* '77, 61; *nst.* '86, 181^b, '87, 197, '89, 341, '94, 255; *plm.* '77, 60; *syn.* '85, 207, '87, 335, 336^b, '88, 401, '99, 186; *misc.* '84, 288, '92, 287.
 mccgregori (*McGregor's House Finch*), *L. Cal.* '97, 165*, '98, 265, '99, 114.—*meas.* '97, 165; *nst.* '98, 265; *plm.* '98, 265; *syn.* '99, 114.

mexicanus (^b haemorrhous). *syn.* '92, 196^b, '85, 207; *misc.* '80, 88^b, '88, 412^b.

purpureus (^a Purple Finch). *Ala.* '79, 7; *Fla.* '88, 273; *Ga.* '96, 214; *g. dist.* '93, 126; *Ia.* '95, 122; *Ill.* '90, 239; *Ind.* '89, 24; *Ky.* '89, 314; *Man.* '86, 322; *Mass.* '83, 149^a, '84, 6^a, '88, 389, '89, 44, 100; *Me.* '82, 147, '86, 270^a, '88, 209; *Mich.* '89, 280, '93, 225; *Minn.* '97, 223^a; *Mo.* '79, 143, '95, 224^a, '96, 222; *Mont.* '82, 62; *N. B.* '82, 147, '83, 7^a, '84, 294^a, '87, 212^a, '89, 118; *N. C.* '86, 107; *N. H.* '87, 103^a, 105, '88, 150, 152, 154, '89, 77, 78; *N. J.* '79, 82^a; *N. S.* '87, 16, '89, 174, '99, 252; *N. Y.* '79, 32, 35, '81, 229, '82, 157^a, '84, 327; *Ont.* '91, 302, '94, 1-3; *Pa.* '92, 137, '94, 182, '96, 283, 292, 294; *P. E. I.* '85, 263^a, '93, 6^a, 10; *Que.* '82, 235, '89, 147; *S. C.* '79, 214, '92, 29^a, '94, 38^a; *S. Dak.* '85, 279; *Tenn.* '86, 317; *Tex.* '87, 291; *Vt.* '96, 342—*fd.* '86, 317, '88, 209, '96, 342; *hbt.* '79, 35, '83, 181, '90, 394, '96, 342; *meas.* '94, 2; *mig.* '92, 29^a, '94, 38^a, '95, 122, 128^a; *nst.* '79, 122; *plm.* '78, 116, '79, 28^a (*alb.*), '83, 181 (*mlt.*), '86, 414 '94, 1 (*col. pl.*, *hyb.*), 1900, 330 (*mlt.*); *song.* '84, 63^a, 69^a, 327; *misc.* '81, 179^a, '84, 288, '88, 12.

roseipectus, *syn.* '88, 412.

roseus, *Helg.* '95, 336.

ruberrimus (St. Lucas House Finch). *L. Cal.* '87, 336. '88, 397.—*nst.* '89, 329; *syn.* '87, 336.

Carpodectes antoniae, *C. R.* '85, 291, '88, 194.

Carpophaga, '94, 61, 233.

aenea, *Bornco.* '91, 14; *P. I.* '94, 239.—*hbt.*, *syn.* '91, 14.

carri (*Synallaxis*), see *Synallaxis*.

Carroll, James J.

Notes on birds of Refugio Co., Texas, 1900, 337-348.

Cary, Merritt.

Phenomenal flight of Hawks, '99, 352. *caryocatactes* (*Nucifraga*), see *Nucifraga*.

Casarca, '97, 118.

casarca (Ruddy Sheldrake), *g. dist.* '97, 118; *Greenl.* '96, 243; *syn.* '97, 118.

casarca (*Casarca*), see *Casarca*.

— (*Tadorna*), see *Casarca*.

Case, Clifford Mills.

Solitary Vireo (*Vireo solitarius*) nesting in Connecticut, '96, 343.

Cashew-bird, see *Spindalis nigriceps*. *caspia* (*Ægilialis*), see *Æ. asiatica*.

— (*Sterna*), see *Sterna*.

caspica (*Hydroprogne*), see *Sterna caspia*.

— (*Sterna*), see *Sterna caspia*.

— (*Sylochelidon*), see *Sterna caspia*.

casius (*Helopus*), see *Sterna caspia*.

— (*Thalasseus*), see *Sterna*.

Cassicus persicus, *Braz.* '90, 132, 269; *Venez.* '97, 364.—*nst.* '90, 269.

Cassidix oryzivora (^b *Scaphidurus ater*), *Braz.* '90, 269; *Urug.* '83, 133^b.

cassini (*Brachyotus*), see *Asio accipitrinus* or *portoricensis*.

— (*Gymnostinops*), see *Gymnostinops*.

— (*Lanivireo*), see *Vireo*.

— (*Megascops*), see *Megascops*.

— (*Molothrus*), see *M. cabanisi*.

— (*Peuæa*), see *Peuæa*.

— (*Pyrrhula*), see *Pyrrhula*.

— (*Scops*), see *Megascops*.

— (*Simorhynchus*), see *S. pygmæus*.

— (*Vireo*), see *Vireo*.

Cassique, Yellow-tailed, see *Gymnostinops montezumæ*.

castanea (*Dendroica*), see *Dendroica*.

— (*Rallina*), see *Porzana concolor*.

— (*Zenaida*), see *Z. martinicana*.

castaneiceps (*Dendroica*), see *Dendroica*.

castaneifrons (*Parus*), see *P. atricristatus*.

castaneiventris (*Sporophila*), see *Sporophila*.

castaneopectus (*Icterus*), see *I. wagleri*.

— (*Campylorhynchus*), see *Heleodrytes capistratus*.

castaneus (*Hylactes*), see *Hylactes*.

castanogastris (*Callipepla*), see *Callipepla*.

castanoptera (*Dendrocincta*), see *Dendrocincta*.

castanotus (*Thryophilus*), see *T. euamanensis*.

castor (*Merganser*), see *M. merganser*.

castro (*Oceanodroma*), see *Oceanodroma*.

— (*Procellaria*), see *Oceanodroma*.

— (*Thalassidroma*), see *Oceanodroma*.

castro or *cryptoleucura*.

Casuarii (* *Cassowaries*), '81, 83, '86, 270^a.

Casuarius casuarius, *syn.* '96, 164.

casuarini (*Casuarius*), see *Casuarius*.

catarractes (*Stercorarius*), see *Megalestris skua*.

Catbird, see *Galeoscoptes carolinensis*.

Catharista, '80, 78, 80, 81, '87, 51, '93, 130.

urubu (^a Black Vulture, ^b atrata, ^c Cathartes atratus), *Ala.* '79, 12^c; *Argent.* '84, 113^c; *Ark.* '84, 285^b; *C. R.* '90, 333^b, '92, 328^b; *Cuba*, '91, 294^b; *Fla.* '81, 40^b, '88, 270^b, '89, 246, '91, 129^a, 137^b, '92, 212^b, '95, 364^b; *Ga.* '82, 103^a, '83, 41^b, '96, 212^b; *g. dist.* '77, 94^b, '93, 133^b; *Ill.* '78, 166^b [^a *Cathartes atratus*]; *Ind.* '97, 245^b; *Jamaica*, '92, 126^b; *Kan.* '85, 311^b; *Ky.* '89, 313; *La.* '82, 164^b, '87, 303^a [^a *Carrion Crow*]; '92, 204^b; *Mc.* '93, 82^b; *Mex.* '95, 356^b; *Miss.* '82, 93^b; *N. B.* '80, 63^a; *N. Dak.* '84, 286^b; *N. S.* '98, 196^b; *N. Y.* '80, 116^b, '81, 126^c, '99, 195; *O.* '77, 109^c, '85, 109^b; *Que.* '98, 53^b; *S. C.* '79, 216^c, '86, 245^a, 483^a, '90, 36^b; *Tenn.* '82, 192^b, '86, 319^b; *Tex.* '82, 41^b, 174^b, '87, 188^b, '89, 237^b, '92, 233^b, 1900, 341; *Urug.* '84, 113^c; *Venez.* '97, 366^b; *U. S.* '86, 271^a; *W. I.* '87, 51^b; *anat.* '82, 46^b; *fd.* '80, 116^c, '81, 40^a, '87, 188^a [^a *Carrion Crow*]; 214^a, '95, 356^b; *hbt.* '82, 103^a, '84, 285^c, '86, 245^a, '91, 129^a; *nst.* '79, 12^c, '82, 174^b, '83, 41^b, '86, 246^b, '87, 188^b, '89, 246; *plm.* '86, 483^a, '87, 25^b; *syn.* '80, 80, '87, 51^b, '99, 84, 109.

Cathartes, see Catharista.

Catharopeza, '86, 41.

bishopi, *W. I.* '79, 49, '86, 41.—*meas.*, *plm.*, *syn.* '86, 41.

Cathartes, '80, 78, 79, 80, '87, 50.

aura (^a Turkey Vulture or Buzzard, ^b Rhinogryphus), *Ala.* '79, 11; *Ariz.* '83, 31, '85, 356, '86, 422, '90, 53; *Bahamas*, '91, 76, 298; *Braz.* '91, 161; *Cal.* '86, 92, '87, 92, '89, 221, '96, 116; *Colo.* '81, 141, '83, 197, '85, 17, 143, '94, 267; *Conn.* '83, 235^a, '98, 53; *C. R.* '90, 333, '92, 328; *Cuba*, '91, 294, '92, 272; *D. C.* '97, 326^a, 1900, 53^a; *Fla.* '81, 40^a, '88, 248, 270, '89, 246, '90, 223, '91, 129, 137, '92, 212, '95, 364; *Ga.* '82, 102^a, '83, 41, '96, 212; *Ia.* '95, 236; *Ida.* '97, 352; *Ill.* '95, 394; *Ind.* '88, 350; *Jamaica*, '92, 125, '94, 124; *Ky.* '89, 313; *La.* '82, 164, '87, 303^a, '92, 204; *L. Cal.* '95, 137; *Man.* '86, 153; *Mass.* '89, 70, '90, 204, '92, 397, '94, 250, '99, 181; *Md.* '88, 18; *Me.* '83, 113, '84, 286^a, '93, 82; *Minn.* '80, 17, '84, 247; *Miss.* '82, 93; *Mo.* '79, 147, '96, 222; *Mont.* '94, 302, '95, 214; *N. B.* '87, 209, 210^a, 1900, 177; *N. C.* '86, 100,

103, 314; '89, 121; *N. H.* '82, 184; *N. J.* '79, 224, '92, 204, '94, 136, '95, 80, 1900, 70; *N. M.* '86, 80, '92, 361, '98, 307; *N. Y.* '84, 293, '85, 109, 212, '86, 439, '87, 340^a, '88, 179, '90, 392^a, '91, 394, '92, 203, '93, 301, '96, 341, '97, 227, '99, 195, 1900, 70; *O.* '83, 127^a; *Ont.* '84, 85^a; *Ore.* '79, 196^b, '86, 164, '88, 145; *Pa.* '86, 475^a, '99, 310; *S. C.* '79, 216, '86, 246^a, '90, 36, '91, 327; *S. D.* '85, 285; *Tenn.* '86, 319, '87, 129; *Tex.* '82, 41, 174, '87, 188, '89, 237, '92, 233, 1900, 341; *Va.* '86, 160, '89, 52; *Venez.* '97, 366; *Wash.* '93, 17, 291, '97, 173; *W. I.* '87, 50; *W. Va.* '98, 134.—*anat.* '87, 51, 172; *fd.* '87, 51, 188, 208^a, 214^a, '88, 245, '92, 125, '94, 250, '96, 116; *hbt.* '82, 103^a, '86, 245-247^a, '87, 51, 172, '88, 245, 248, '91, 129^a, '92, 125, 190; *meas.* '80, 82, 83, 1900, 70; *mig.* '95, 236; *nst.* '79, 24, '82, 174, '83, 41, '86, 160, 422, 475^a, '87, 188, '88, 350, '90, 83^a, 84, '91, 109, '97, 326^a; *plm.* '80, 29 (alb.), '91, 190 (alb.); *syn.* '80, 77, 80, '87, 50; *misc.* '84, 87, 187^a, 187^b, '85, 213^a, '89, 183^a, '90, 81^a, 390^a, '91, 391^a, 1900, 53^a, 95^a.

burrovianus, *Mex.* '80, 83.—*plm.* '80, 83; *syn.* '80, 80, 83, '85, 293; *misc.* '80, 88.

pernigra, *meas.*, *plm.*, *syn.* '80, 84.
urubitinga, *syn.* '80, 83.

Cathartidae, '77, 70, '80, 78, '81, 77, '82, 46, '83, 56, 167, '84, 86, 87, '86, 495, '96, 62.

Catharus, '84, 182.

altilcola, *Mex.*, *syn.* '98, 161.

aurantiirostris, *Venez.* '97, 363, 367; *song.* '97, 367.

berlepschi, *Ecuador*, '89, 173; *syn.* '89, 171.

clarus, *Mex.* '94, 245.

fulvescens, *Mex.* '97, 75^a.

fumosus, *Colom.*, *C. R.* '89, 171.

melpomene, *C. R.*, *hbt.*, *meas.*, *nst.*, *plm.* '91, 273.

olivascens, *Mex.* '99, 296.

catherinae (Trochilus), see Mellisuga minima.

Catherpes, '76, 50, '83, 81, '84, 41, '93, 112, 131, 132.

albifrons (^a White-throated Wren,

^b mexicanus), *Ariz.* '94, 218^a; *g. dist.*

'93, 135^b, '99, 124; *Mex.* '98, 160.—

syn. '98, 160, '99, 124.

conspersus (^a Cañon Wren), *Ariz.* '85, 350, '88, 162, '90, 48 [^a punctu-

latus 'l; *Colo.* '80, 181, 225, '83, 155, '85, 15, '94, 269, '95, 152^a; *N. M.* '85, 233^a, '98, 310; *Tex.* '82, 35, '89, 240, '92, 342.—*hbt.* '80, 225, '85, 233^a [*I. mexicanus* 'l], 350, '92, 287; *meas.* '80, 182, 226; *nst.* '80, 181, 225, '85, 350, '88, 162; *plm.*, *song.* '80, 225, '85, 233^a [*I. mexicanus* 'l], 350; *syn.* '81, 175, '83, 81.

mexicanus, *g. dist.* '98, 160.—*syn.* '83, 81, '98, 160, '99, 124.

punctulatus (Dotted Cañon Wren, ^b *consersus*), *Ariz.* '90, 48; *Cal.* '78, 65, '82, 257, '86, 185^b, '90, 296; *L. Cal.* '95, 143; *N. M.* '92, 368 [= *consersus*?].—*syn.* '83, 81.

Cat Island, West Indies.

Ridgway, R., '91, 336.

caudacuta (*Fringilla*), see *Ammodramus lecontei*.

— (*Acredula*), see *Acredula*.

— (*Chiroxiphia*), see *Chiroxiphia*.

— (*Drymophila*), see *Drymophila*.

caudacutus (*Ammodramus*), see *A. caudacutus*, *nelsoni* or *subvirgatus*.

— (*Basileuterus*), see *Basileuterus*.

caudatus (*Mimus*), see *M. polyglottos*.

caudifasciatus (*Pitangus*), see *Pitangus*.

— (*Tyrannus*), see *Pitangus*, *caudifasciatus* or *bahamensis*.

caurina (*Melospiza*), see *M. rufina*.

caurinum (*Syrnium*), see *Syrnium*.

caurinus (*Corvus*), see *Corvus*.

cavicola (*Speotyto*), see *Speotyto*.

cayana (*Calliste*), see *Calliste*.

— (*Cotinga*), see *Cotinga*.

— (*Daenis*), see *Daenis*.

— (*Piaya*), see *Piaya*.

— (*Sterna*), see *S. maxima*.

— (*Tityra*), see *Tityra*.

cayanea (*Aramides*), see *Aramides*.

cayanus (*Caprimulgus*), see *Stenopsis cayennensis*.

— (*Cyanocorax*), see *Cyanocorax*.

— (*Thalasseus*), see *Sterna maxima*.

cayennensis (*Antrostomus*), see *Stenopsis*.

— (*Aramides*), see *A. cayanea*.

— (*Ardea*), see *Nycticorax violaceus*.

— (*Bucco*), see *Bucco*.

— (*Caprimulgus*), see *Stenopsis*.

— (*Corethrura*), see *Porzana color*.

— (*Cypselus*), see *C. phoenicobius*.

— (*Falco*), see *Pandion carolinensis*.

— (*Gelochelidon*), see *Sterna maxima*.

— (*Hirundo*). see *Panyptila*.

— (*Leptodon*), see *Leptodon*.

— (*Myiozetetes*), see *Myiozetetes*.

— (*Panyptila*), see *Panyptila*.

— (*Porzana*), see *Porzana*.

— (*Psittacus*), see *Amazona agilis*.

— (*Stenopsis*), see *Stenopsis*.

— (*Sterna*), see *S. maxima*.

— (*Thalasseus*), see *Sterna maxima*.

— (*Vanellus*), see *Vanellus*.

Cayman Brac Island, West Indies.

Cory, C. B., '89, 30–32.

Ridgway, R., '98, 322.

Cayman, Little, see Little Cayman I.

caymanensis (*Amazona*), see *Amazona*.

— (*Centurus*), see *Centurus*.

— (*Chrysotis*), see *Amazona*.

— (*Quiscalus*), see *Quiscalus*.

— (*Vireo*), see *Vireo*.

Cazique, Blue-throated, see *Celigena clemenciae*.

cearensis (*Cyphorhinus*), see *C. viridis*.

Cedar-bird, see *Ampelis cedarorum*.

cedrorum (*Ampelis*), see *Ampelis*.

— (*Bombycilla*) see *Ampelis*.

celanops (*Merula*), see *Merula*.

— (*Turdus*), see *Merula*.

celata (*Helminthophila*), see *Helminthophila*.

celebensis (*Pitta*), see *Pitta*.

Celebes.

Allen, J. A., 1900, 399–401.

Celeomorphæ, '81, 203.

Celeus citrinus, *Braz.* syn. '91, 31.

ochraceus, *Braz.* '91, 31.

cenchris (*Falco*) see *Falco*.

Central America.

Brewster, W., '81, 105–107.

Goss, N. S., '88, 27–29.

Oberholser, H. C., '99, 31–37, 331, 333, 334, 336.

Richmond, C. W., '98, 7–10.

Ridgway, R., '85, 370, '90, 189–195.

Centrites niger, *Urug.* *hbt.*, *mig.*, *plm.*, *song.* '83, 142.

Centrocercus, '82, 44, 45, 221, '93, 109, 130.

urophasianus (Sage Grouse or Cock-of-the-Plains), *Colo.* '79, 96, '85, 17; *Mont.* '94, 302, '95, 214; *Ore.* '79, 197, '88, 367; *Wash.* '97, 181.—*hbt.* '89, 33, '95, 214, 1900, 325 (pl.); *plm.* 1900, 165 (mlt.), 325 (fig.); *misc.* '84, 288 ['Pintail Grouse'].

Centrococcyx, '94, 234.

Centrophanes, see *Calcarius*.

Centropodium, '97, 91.

Centropus insularis, *Alabdra I.* '95, 71.
purpureus, *misc.* '92, 184.

Centurus, '83, 114, '86, 378.

bahamensis, *Bahamas*, '92, 270*.
blakei, *Bahamas*, '86, 337*, '88, 159, '91, 334, 350.
caymanensis, *W. I.* '86, 499*, 502, '88, 158.
dubius, *syn.* '83, 114.
frontalis (^b *Melanerpes*), *Mer.* 1900, 257^b*.
fumosus (^b *Melanerpes*), *Mer.* 1900, 258^b*.
hoffmanni, *C. R.*, *meas.*, *nst.* '92, 327; *syn.* '83, 114.
leei, *Yucatan*, '85, 295.
nyeanus, *Bahamas*, '86, 336*, '88, 159, '91, 273.
pauper, *Honduras*, '89, 172.
pygmæus, *Yucatan*, '86, 269.
radiolatus, *Jamaica*, '86, 378, '92, 275, 374, '94, 124.—*fd.* '92, 375, '94, 124; *hbt.* '94, 124; *meas.* '86, 378, '92, 375; *nst.* '92, 375; *plm.*, *syn.* '86, 378.
rubriventris, *misc.* '83, 114.
sancæ-martæ (^b *Melanerpes*), *Colom.* '98, 339^b.
santacruzi, *syn.* '83, 114.
superciliosus, *Cuba*, '86, 379, '92, 272.—*meas.* '86, 379; *plm.* '86, 379, '91, 190 (alb.); *syn.* '86, 379.
terricolor (^b *Melanerpes*, ^c *Melanerpes subelegans*), *Vencz.* '97, 366*; *W. I.* '93, 220^b;—*syn.* '83, 114.
wagleri (^b tricolor), *misc.* '83, 114^b.
veræcrucis (^b *Melanerpes*), *Mer.*, *meas.*, *plm.* 1900, 259^b*.

Century Dictionary.

Ornithology of, '91, 222–224.

Century Magazine.

Titles, No. 267, '83, 173; No. 449, 238; Nos. 1636–1644, '90, 198.

Ceophlœus, '85, 52, '91, 95.

abieticola (^a Northern Pileated Woodpecker, ^b *Hylotomus*, ^c *pileatus*), *Colo.* '81, 140^a; *Conn.* '93, 371^c, '95, 311; *g. dist.* '98, 176*, '99, 110; *Ida.* '97, 354^c; *Ill.* '81, 122^b; *Ind.* '89, 22^c; *Ky.* '89, 313^c; *Man.* '86, 156^c; *Mass.* '76, 54^b, 55^c, '84, 9^a, 12^a, '88, 111^c, 389^c, 390^c, '89, 99^c, '90, 400^a, '96, 346^c; *Me.* '82, 150^b; *Mich.* '93, 224^c; *Minn.* '84, 246^b; *N. B.* '82, 150^b; *N. C.* '89, 119^c; *N. H.* '87, 104^c, '88, 149^c; *N. J.* '89, 303^c, '94, 137^c; *N. Y.* '78, 53^b, '79, 6^b, '81, 126^b, 232^b, '93, 275^c; *Ont.* '87, 248^a; *Ore.* '86, 165^c, '88, 240^c; *Pa.* '92, 135^c, '99, 311^c; *P. E. I.* '93, 9^c; *Que.* '82, 236^b; *S. Dak.* '85, 283^b; *Vt.* '82, 63^b; *Wash.* '92, 355^c, '97,

175^c.—*hbt.* '84, 9^a, '88, 313^a; *meas.* '90, 401^a, '98, 176; *nst.* '90, 400^a; *song.* '84, 9^a; *syn.* '85, 51^a, '98, 176; '99, 110.

lineatus (^b *Picus*), *Braz.* '91, 30; *Venez.* '97, 366; *Ore.* '77, 93^b?.
melanoleucus, *Braz.* '91, 30.
tracheolopyrrhus, *Braz.* '91, 30.
scapularis (^b *Dryotomus delattrii*), *N. Am.*, *W. coast*, '77, 94^b.
pileatus (^a Pileated Woodpecker, ^b *Hylotomus*), *Ala.* '79, 11^b; *Fla.* '81, 41^a, '88, 271, '89, 251, '90, 339, '91, 127^a, 138, '92, 213, 218, '95, 365; *Ga.* '83, 40^a; *La.* '82, 164^b; *Md.* '83, 177^a; *Mo.* '79, 146^b, '95, 351^a, '96, 220; *N. C.* '86, 104, 310^a, 314; *S. C.* '79, 216^b, '90, 37, '91, 327, '93, 152, '96, 213; *Tenn.* '86, 319, '87, 130; *Tex.* '82, 170^b; '89, 238; *W. Va.* '98, 135.—*fd.* '87, 130, '95, 380; *hbt.* '82, 170^b, '90, 339; *meas.* '98, 176; *nst.* '82, 170^b, '83, 40^b, '92, 218; *plm.* '87, 130, '93, 152, '94, 174^a; *song.* '87, 130, '90, 339, '91, 127^a; *syn.* '85, 51^a, '91, 95^b, '98, 176, '99, 110; *misc.* '85, 101^a, '87, 68^a, '90, 81^a, 389^a, '92, 286^a.

cephalatra (*Ornismya*), see *Aithurus polytmus*.

— (*Polytmus*), see *Aithurus polytmus*.

Cepphi, '92, 174.

Cepphus, '85, 294, '99, 202.

carbo (^b *Uria*), *syn.* 1900, 80^b; *misc.* '85, 294, '87, 155.

columba (^a Pigeon *Guillemot*, ^b *Uria*), *Alas.* '85, 159, '98, 124; *Cal.* '86, 88, '87, 86, 93, 328, '94, 96^a; *Greece*, '77, 107^b?; *Wash.* '93, 17.—*mig.* '94, 96^a; *nst.* '98, 124; *syn.* '84, 385, '85, 294, 1900, 80^b.

grylle (Black *Guillemot*, ^b *Uria*), *Arctic Am.* '78, 86^b; *Conn.* '90, 283; *g. dist.* '93, 125; *Greenl.* '89, 213; *Helg.* '95, 327; *Mass.* '83, 150^a; *P. E. I.* '93, 6; *Que.* '82, 241^b, '89, 145.—*nst.* '79, 23^b, '89, 145, 213, '93, 6; *plm.* '76, 23^b (alb.), 24^b (melan.), '80, 190^b, '89, 213 (milt.); *syn.* '84, 385^b, '85, 294.

mandtii (Mandt's *Guillemot*, ^b *Uria*, ^c *Uria grylle*), *Alas.* '85, 63^c; *Arctic R.* 1900, 310^a; *g. dist.* '93, 123; *Helg.* '95, 341; *N. Pacific Ocean*, '88, 311.—*mig.* '85, 63^c; *syn.* '84, 385, '85, 294, '96, 266^b.

motzfeldi, *g. dist.* '88, 401.—*plm.*, *syn.* '85, 294.

- snowi*, *Kurile Is.* '97, 201*.—*syn.* 1900, 80.
cepphus (*Stercorarius*), see *S. parasiticus*.
Cerchneis, see *Falco*.
Cercomacra hypomelæna (misprinted *hypolæna*), *misc.* '90, 380.
Cercomorphæ '86, 127.
Cercomorphus, '91, 93.
Cerorhina monocerata (*Rhinoceros Auklet*, ^b *Ceratorhina*, ^c *Cerorhina suckleyi*), *Alas.* '98, 124; *Cal.* '85, 387^b; '86, 88, '87, 93.—*plm.* '80, 127^b, 128^b; '85, 387^b; *syn.* '80, 127^b, 128^b, '80, 88^c.
cerroensis (*Thryomanes*), see *Thryomanes*.
 —— (*Thryothorus*), see *Thryomanes*.
Cerroes Island.
 Bryant, W. E., '87, 340.
Certhia, '83, 113, '89, 173, '90, 277, '93, 113.
albescens (Mexican Creeper, ^b *mexicana*), *Ariz.* '82, 81^b, '85, 197^b, 350^b, '88, 165^b; *g. dist.* '96, 314–318; *Mex.* '88, 450*.—*meas.* '82, 81^b, '88, 450, '96, 315; *plm.* '82, 81^b, '85, 350^b, '96, 315; *syn.* '79, 90^b, '81, 175^b, '83, 113^b, '85, 350^b, '95, 168^b, 185^b, '96, 315, '97, 132.
altilcola, *g. dist.* '96, 316; *Mex.* '95, 358.—*meas.*, *plm.* '96, 316; *syn.* '95, 168, 186, '96, 316.
brachydyctyla, *nst.* '79, 89; *syn.* '79, 90.
brittanica, *syn.* '83, 113.
costæ, *syn.* '77, 90, '83, 113.
familiaris (^a European Brown Creeper), *Germany*, '96, 306^a; *Helg.* '95, 336.—*nst.* '79, 89; *syn.* '79, 90, '83, 113, '89, 173.
fusca (^a Brown Creeper, ^b *familiaris*, ^c *americana*, ^d *rufa*), *Ala.* '78, 171^b; *D. C.* '88, 19^c; *Fla.* '93, 337^c, '95, 365^c; *Ga.* '96, 213^c; *g. dist.* '79, 87–90^b, '93, 127^c; *Ia.* '95, 121^c; *Ind.* '89, 29^c; *Ky.* '89, 316^c, '94, 244^b; *Man.* '86, 327^c; *Mass.* '78, 139^b, '89, 42^b, 105^c, '96, 346^c; *Me.* '82, 109^b; *Mich.* '93, 229^c; *Mo.* '79, 141^b, '95, 350–355^a, '96, 220^c; *N. B.* '82, 109^b, '84, 294^a; *N. C.* '86, 176^c, 314^c, '87, 244^c; *N. E.* '81, 238^b; *N. H.* '87, 106^c, '88, 153^c; *N. Y.* '79, 32^b, '81, 12^b, 227^d, '84, 136^a, '90, 232^c, '95, 70^c; *Ont.* '83, 145^a, '84, 157^d; *Pa.* '92, 134^c, 140^c, '96, 292^a, 296^c; *P. E. I.* '85, 265^a; *S. C.* '79, 211^b, '92, 29^c, '94, 38^a; *S. D.* '85, 277^d; *Tenn.* '86, 316^c; *Tex.* '82, 35^a, '84, 121^a, '87, 298^c; '89, 241^c, '92, 343^c; *Va.* '89, 52^c; *W. Va.* '98, 137^c—*fd.* '84, 157^a; *hbt.* '79, 87^a, 199^c, '91, 151^a; *meas.* '79, 89^b, 183^b; *mig.* '85, 98^c, '92, 29^a, '94, 38^a, '95, 121^c; *nst.* '79, 87^a, 183^b, 199^c, '86, 176^c, '87, 244^c, '90, 83^a, 232^c, '95, 350^a; *song.* '84, 136^a, '95, 350^a; *syn.* '83, 113^a, '97, 216, '99, 126, 185; *misc.* '93, 193^a, 376^a.
montana (^a Rocky Mountain Creeper, ^b *familiaris*, ^c *americana*), *Ariz.* '90, 49, 262; *B. C.* '93, 16; *Colo.* '81, 88^b, '83, 154, '85, 15, '87, 123^c, '94, 270, '95, 152^a; *g. dist.* '82, 257, '93, 127; *Ida.* '98, 20; *Mont.* '94, 307; *N. M.* '85, 126^b, '98, 311; *Tex.* '87, 298^c—*fd.* '85, 127^a; *syn.* '83, 113.
occidentalis (California Creeper, ^b *americana*), *Alas.* '98, 130; *Cal.* '87, 88^b; *g. dist.* '82, 257, '93, 127; *Ore.* '88, 362; *Wash.* '92, 47, 310.—*nst.* '88, 362; *syn.* '83, 113, '88, 363.
scandulaca, *syn.* '89, 173.
certhia (*Dendrocolaptes*), see *Dendrocolaptes*.
Certhidea, '77, 64, '95, 71, 72, '97, 330, '98, 208.
cinerascens, *Galap. Is.* '90, 273.
Certhiidae (^a Creepers), '84, 281, '89, 173^a, 1900, 189.
Certhiola, see *Cereba*.
godmani, '89, 219*. see *Cereba luteola*.
sharpei, '86, 497*, see *Cereba*.
wellsi, '89, 219*, see *Cereba*.
certhiola (*Locustella*), see *Locustella*.
cervicalis (*Paroaria*), see *Paroaria*.
cerviniventris (*Amazilia*), see *A. chalconota*.
 —— (*Rhynchocyclus*), see *Blacicus pallidus*.
cervinus (*Anthus*), see *Anthus*.
Ceryle, '83, 59, '86, 367.
æquatorialis, *Ecuador*, *syn.* '93, 69.
alcyon (^a Belted Kingfisher, ^b *Alcedo*), *Ala.* '79, 11; *Alas.* '87, 12, '98, 127; *Ariz.* '83, 25, '86, 425, '94, 220; *Ark.* '82, 93; *Bahamas*, '91, 75, 294, 295, 296, 298, 339, '92, 48; *Bermuda*, '96, 239; *Cal.* '86, 93, '87, 329, '94, 96^a, '98, 234; *Colo.* '79, 95, '81, 143, '83, 196, '85, 17; *Conn.* '90, 388^a; *Cuba*, '91, 294; *D. C.* '88, 21; *Fla.* '87, 138^a, 275^a, '88, 271, '89, 250, '90, 223, 310, '91, 129^a, 137, '92, 212, '95, 364; *Ga.* '83, 40; *G. Br.* '80, 73; *Hud. B.* '90, 322; *Ia.* '95, 122; *Ida.* '97, 353, 1900, 244; *Ind.* '89, 22; *Ireland*,

- '77, 107^b; *Jamaica*, '92, 274, 373; *Ky.*, '89, 313; *La.*, '82, 164, '87, 302^a; *Man.*, '86, 155; *Mass.*, '81, 127, '83, 150^c, '89, 44, '90, 388^a; *Me.*, '82, 150, '85, 311; *Mich.*, '81, 196^a, '90, 388^a, '93, 224; *Minn.*, '80, 16, '84, 246; *Miss.*, '82, 93; *Mo.*, '79, 146; *Mont.*, '94, 303, '95, 214; *N. B.*, '82, 150, '89, 117; *N. C.*, '86, 104; *N. F.*, 1900, 72; *N. H.*, '88, 149, 151, 153, '89, 76; *N. J.*, '90, 328, '94, 136; *N. M.*, '85, 238, '86, 79, '92, 362, '98, 308; *N. S.*, '87, 16, '91, 166^a; *N. Y.*, '79, 31, 36, '81, 232, '84, 179, '85, 260, '89, 129, '90, 388^a, '93, 53^a; *Ore.*, '79, 195, '88, 251; *Pa.*, '92, 135, '93, 39, '96, 281, 293; *P. E. I.*, '93, 9; *Que.*, '82, 236, '89, 147; *R. I.*, '97, 204; *S. C.*, '79, 215, '90, 37, '91, 327, '93, 151; *S. D.*, '79, 188, '85, 283; *Tenn.*, '86, 319, '87, 130; *Tex.*, '82, 41, 171, '87, 190, '89, 238, '92, 234, 1900, 344; *Wash.*, '82, 227, '92, 44, '97, 174, 1900, 244, 352; *W. I.*, '80, 169, '81, 154, '86, 368, '87, 181, '91, 46, 48, 48; *Wis.*, '82, 188.—*anat.*, '85, 95; *fd.*, '78, 92, '85, 311, '86, 79, 425, '96, 239, '98, 308; *hbt.*, '78, 92, '83, 176^a, '85, 238, 1900, 102^c; *meas.*, '83, 25; *mig.*, '81, 196^a, '84, 179, '85, 212^a, '94, 96^a, '95, 122, 128^a; *nst.*, '82, 164, 236, '83, 40, '87, 302^a, '89, 22, 147, '90, 328, '97, 204; *plm.*, '79, 29^a (alb.), '81, 161, '83, 25, 60, '93, 152; *song.*, '85, 260; *syn.*, '83, 60, '86, 368.
amazona, *Argent.*, '84, 26; *Braz.*, '91, 158; *Ienes.*, '97, 366.—*hbt.*, '84, 26; *plm.*, *syn.*, '83, 60.
americana, *Argent.*, '84, 26; *Braz.*, '91, 158; *Venez.*, '97, 366; *W. I.*, '93, 220.—*fd.*, *hbt.*, *song.*, '84, 26; *plm.*, *syn.*, '83, 60.
inda, *plm.*, *syn.*, '83, 60.
septentrionalis (*Texan Kingfisher*, ^b*americana*, ^c*cabanisi*), *Colo. River*, '77, 94^b?; *C. R.*, '90, 333^c, '92, 323^c; *Tex.*, '79, 79^c, '87, 190^c, '92, 234^c.—*meas.*, '79, 80^c; *nst.*, '79, 79^c; *plm.*, '83, 60^b, '92, 323^c; *syn.*, '83, 60^b, '93, 61, 69.
stictipennis, *W. I.*, '86, 269, 367, '87, 96.—*meas.*, *plm.*, '86, 367; *syn.*, '86, 269, 367.
stictoptera, *g. dist.*, '93, 69; *Yucatan*, '85, 208.—*syn.*, '85, 208, '93, 69.
superciliosa, *Braz.*, '91, 158; *S. Am.*, '93, 69.—*plm.*, '83, 60; *syn.*, '83, 60, '93, 69.
torquata (*Ringed Kingfisher*), *Ar-*
- gent.*, '84, 26; *Braz.*, '91, 158; *g. dist.*, '95, 164; *Tex.*, '94, 177; *Urug.*, '84, 26.—*hbt.*, '84, 26; *plm.*, '83, 60; *syn.*, '83, 59, 60, '86, 269, 367, 368, '95, 164.
ceylonensis (*Ketupa*), see *Ketupa*.
—(*Strix*), see *Ketupa ketupa*.
Ceyx, '94, 236, 237, 1900, 167.
argentata, *P. I.*, '94, 237.
cyanopectus, *P. I.*, '94, 237.
melanura, *P. I.*, '94, 237.
Chachalaca, see *Ortalis macalli*.
Chadbourne, Arthur Patterson.
Oporornis agilis and *Dendroica palmarum palmarum* at Shelburne, New Hampshire, '85, 104.
Wintering of Swamp Sparrow in eastern Massachusetts, '85, 216.
Swamp Sparrows and Yellow-rumps, '85, 380.
New race of Field Sparrow from Texas, '86, 248.
Sciurus ludovicianus in Maine—a correction, '86, 278.
List of summer birds of Presidential Range of White Mts., New Hampshire, '87, 100–108.
Puffinus borealis at Gardiner's Bay, N. Y., '88, 202.
Molothrus ater again in Massachusetts in winter, '88, 207.
An unusual flight of Kildeer Plover (*Egialitis vocifera*) along New England coast, '89, 255–263.
Song of the female Butcher Bird, '90, 290.
Evidence suggestive of occurrence of individual dichromatism in *Megascops asio*, '96, 321–325, '97, 33–39 (fig. and col. pl.).
Hudsonian Chickadee (*Parus hudsonicus*), Red-breasted Nuthatch (*Sitta canadensis*) and Golden-crowned Kinglet (*Regulus satrapa*) in Plymouth Co., Mass., in summer, '96, 346.
Iridescence of feathers, as explained by an old author, '96, 347.
Spring plumage of Bobolink, with remarks on 'color-changes' and 'moultling', '97, 137–149 (col. pl.).
Desirable substitutes for carbon disulphide as an insecticide, '97, 231.
Chætura, '86, 346, 444–451, '87, 80, 171, '89, 9, 11, '93, 110, '94, 233, '95, 156, '96, 83.
acuta (^b*colardeaui*, ^c*dominicana*), *W. I.*, '81, 128^c, '86, 346^c, '91, 48^c.

59^{b*}.—*meas.* '86, 346^c, '91, 60^b; *plm.* '86, 346; *syn.* '86, 346^c.
brachyura, *W. I.* '88, 158.
brunneitorques, *C. R.* '92, 324.
cinereiventris, *W. I.* '88, 158.
colardeau, '91, 59*, see *acuta*.
gaumeri (^b*peregrinator*, ^c*yucatanica*), *Yucatan*, '83, 114, '85, 290^c, '86, 268, 269^b.
lawrencei, *W. I.* '93, 346.
pelagica (^a*Chimney Swift or Swallow*), *Alla.* '79, 11; *Conn.* '81, 188; *D. C.* '88, 21, '92, 307; *Fla.* '88, 272, '89, 252, '91, 138, '92, 213, '95, 365; *Ga.* '83, 40, '96, 214; *Ia.* '95, 122, 235; *Ill.* '89, 339^a; *Ind.* '89, 22; *Ky.* '89, 314; *La.* '82, 163, '87, 303^a, '92, 205; *Man.* '86, 156; *Mass.* '84, 13^a, '88, 389, '89, 44, 99; *Me.* '82, 150, '87, 351^a; *Mich.* '93, 224; *Minn.* '80, 16, '84, 246; *Miss.* '82, 92; *Mo.* '79, 146; *N. B.* '82, 150, '89, 117; *N. C.* '86, 105, '89, 120; *N. H.* '87, 104, '88, 149, 151, '89, 77, 78; *N. J.* '94, 137; *N. S.* '87, 15^a, 16; *N. Y.* '79, 31, '81, 231, '82, 188, '85, 257, '95, 314; *O.* '95, 242; *Ont.* '84, 161; *Pa.* '89, 142^a, '92, 136, '93, 39, 44, '96, 282, 293; *P. E. I.* '93, 9; *Que.* '82, 236; *S. C.* '79, 215, '90, 38, '91, 328; *S. D.* '85, 283; *Tenn.* '86, 319, '87, 130; *Tex.* '82, 169, '92, 235, 1900, 344; *Va.* '89, 53; *W. Va.* '98, 135.—*anat.* '89, 9, 10 (fig.), 11, '90, 279, '95, 157 (fig.), '96, 82; *hbt.* '85, 86^a, 257, '86, 105, '90, 38, '91, 110, '92, 285, '93, 71, '97, 217^a; *meas.* '89, 11; *mig.* '84, 161, '87, 351^a, '89, 142^a, '90, 391^a, 392^a, '91, 135, '94, 32^a, '95, 122, 235, 242; *nst.* '82, 150, '83, 40, 178, '88, 21, '89, 22, '90, 84^a, '93, 9, '95, 314^a; *plm.* '79, 29 (alb.), '81, 160; *song.* '85, 257; *syn.* '80, 37, 98; *misc.* '81, 188, '84, 189^a, '85, 297^a.
vauxii (Vaux's Swift), *Ariz.* '86, 429; *Cal.* '80, 55, '87, 92; *g. dist.* '93, 134; *Ida.* '97, 354; *Ore.* '86, 165, '88, 256; *Wash.* '93, 291, 382, 384, '97, 175.—*fd.* '88, 256; *hbt.* '80, 55, '86, 165, '88, 256; *mig.* '87, 92, '97, 354; *nst.* '80, 55, '86, 165, '97, 175; *plm.* '88, 256; *song.* '80, 55, '88, 256.
Chaturime, '89, 8, 13.
Chaffinch, see *Fringilla cœlebs*.
chalcuchenia (*Leptotila*), see *Leptotila*.
chalcocephala (*Galbula*), see *Galbula*.
Chalcococcyx, '94, 233.
chalconota (*Amazilia*), see *Amazilia*.

Chalcophaps, '94, 233.
Chalcosar, '91, 92.
chalcopterus (*Larus*), see *L. glaucescens* or *kumlienii*.
Chalcostetha, '94, 233.
chalybea (*Progne*), see *Progne*.
Chamæa, '90, 277, 278, '92, 172, '93, 112, 131.
fasciata (Wren-Tit, ^b*phœa*), *Cal.* '86, 186; *g. dist.* '93, 135.—*plm.* '80, 37; *syn.* '80, 37, '99, 291, 291^b; *misc.* '78, 193.
henshawi (Pallid Wren-Tit), *Cal.* '82, 257, '89, 221, '96, 122, '98, 58.—*hbt.* '96, 122; *nst.* '96, 122; *song.* '96, 122; *syn.* '99, 291.
Chamaeæ, '84, 279.
Chamaeidae, '94, 59.
Chamæospiza torquata, *Mer.* '95, 357.
Chamepelia, see *Columbigallina*.
Chamæpelia, see *Columbigallina*.
Chamæthlypis, see *Geothlypis*.
Chamberlain, Montague.
Notes on some of the rarer birds of southern New Brunswick, '82, 104-106.
Catalogue of birds of New Brunswick (rev.), '82, 176.
New Brunswick notes, '83, 6-11.
Development of a brood of Black-and-yellow Warblers (*Dendroica maculosa*), '83, 121.
Winter birds in New Brunswick, '83, 126.
Nest and eggs of Ruby-crowned Kinglet (*Regulus calendula*), '84, 90.
Prehensile feet of Crow (*Corvus frugivorus*), '84, 92.
A woodpecker destroying cocoons, '84, 93.
Are trinomials necessary? '84, 101, 198-200.
New Brunswick winter notes, '84, 294.
Crow (*Corvus frugivorus*) as a fisherman, '84, 391.
Nesting habits of Cape May Warbler (*Dendroica tigrina*), '85, 33-36.
Albino Robins (*Turdus migratorius*), '85, 102.
A white Crow (*Corvus frugivorus*), '85, 107.
Kingbird in a new rôle, '85, 108.
Non-appearance of Juncos at Montreal, '85, 380.
Florida Gallinule in Nova Scotia, '87, 253.

- Baltimore Oriole (*Icterus galbula*) in Nova Scotia, '87, 256.
- Song Sparrow in New Brunswick in winter, '87, 260.
- Ammodramus caudacutus* in a freshwater marsh, '87, 261.
- Nesting of *Parus hudsonicus*, '87, 261.
- New species of winter birds in New Brunswick, '87, 264.
- Yellow-nosed Albatross (*Thalassogeron culminatus*) in Gulf of St. Lawrence, '88, 107.
- Catalogue of Canadian birds (rev.), '88, 189.
- Systematic table of Canadian birds (rev.), '88, 198.
- Account of birds of southern Greenland, from MSS. of A. Hagerup, '89, 211-218, 291-297.
- Birds of Greenland (rev.), '91, 226, correction, '91, 319.
- Popular handbook of ornithology of United States and Canada, based on Nuttall's manual (rev.), '92, 59-61; 2d ed. '97, 109.
- Some Canadian birds (rev.), '96, 67.
- chapadensis* (*Sittasomus*), see *Sittasomus*.
- Chapman**, Bertha L., and **Kellogg**, V. L., see Kellogg and Chapman.
- Chapman**, Frank Michler.
- Chondestes grammacus* in New Jersey, '86, 136.
- Barn Owl at Englewood, New Jersey, '86, 485.
- Additional capture of *Helminthophila leucobronchialis*, '87, 348-349.
- Observations on nocturnal migration of birds, '88, 37-39.
- List of birds observed at Gainesville, Florida, '88, 267.
- see Atkinson, G. F., 'cat. of birds of North Carolina' (rev.), '88, 311.
- Oidemia perspicillata* in Florida, '88, 319.
- Birds at Aiken, S. C. '88, 324.
- List of additions to N. Am. avifauna and of eliminations and changes in nomenclature proposed since A. O. U. check-list, '88, 393-402.
- Helminthophila bachmani* on the east coast of Florida, '89, 278.
- A suggestion to A. O. U. committee on revision of check-list of N. Am. birds, '89, 281.
- Notes on birds observed in vicinity of Englewood, New Jersey, '89, 302-305.
- see Davie, O., 'nests and eggs' 3d ed. (rev.), '89, 328.
- The eastern forms of *Gecothlypis trichas*, '90, 9-14.
- Winter distribution of Bobolink (*Dolichonyx oryzivorus*) with remarks on its routes of migration, '90, 39-45.
- see Ridgway, R., 'ornithology of Illinois' (rev.), '90, 74-77, '95, 379.
- Note on *Cyanocitta stelleri littoralis*, '90, 91.
- Obituary of J. G. Bell, '90, 98.
- Changes of plumage in Bobolink (*Dolichonyx oryzivorus*), '90, 120-124.
- Review of genus *Xiphorhynchus* (rev.), '90, 274.
- Song of *Helminthophila leucobronchialis*, '90, 291.
- see Nelson, J., 'cat. of birds of N. J.' (rev.), '91, 104.
- Note on *Junco hyemalis thurberi*, '91, 115.
- Collection of birds made by Streator in British Columbia (rev.), '91, 224-226.
- Two birds new to Louisiana, '91, 318.
- Former occurrence of *Spiza americana* in northern New Jersey, '91, 395.
- Birds observed near Corpus Christi, Texas (rev.), '92, 65.
- Color-pattern of upper Tail-Covets in *Colaptes auratus* (rev.), '92, 66.
- Origin of avifauna of the Bahamas (rev.), '92, 179.
- Preliminary study of Grackles of subgenus *Quiscalus* (rev.), '92, 180-182.
- see Miller, O. T., 'little brothers of the air' (rev.), '92, 279.
- see Cheney, S. P., 'wood notes wild' (rev.), '92, 280.
- Breeding of *Helminthophila pinus* with *H. leucobronchialis* at Englewood, New Jersey, '92, 302.
- Melanism in a caged Wood Thrush, '92, 303.
- Carolina Wren in lower Hudson valley, '93, 87.
- Changes of plumage in Bobolink (*Dolichonyx oryzivorus*), '93, 309-311 (col. pl.).
- Ornithology at the World's Fair, '93, 315-321.
- Preliminary descriptions of one new species and two new subspecies

from island of Trinidad, '93, 342-343.
 see Berlepsch and Peters, 'Vögel der Insel Curaçao' (rev.), '93, 355.
 see Hartert, E., 'birds of Aruba, Bonaire, and Curaçao' (rev.), '93, 355-357.
 Remarks on origin of bird migration, '94, 12-17.
 Notes on birds and mammals observed near Trinidad, Cuba, with remarks on origin of West Indian bird life (rev.), '94, 67.
 see Richmond, C. W., 'birds from Nicaragua' (rev.), '94, 170.
 Birds of island of Trinidad (rev.), '94, 173.
 see Miller, O. T., 'a bird-lover in the West' (rev.), '94, 243.
 see Garman, H., 'vertebrate animals of Kentucky' (rev.), '94, 244.
 see Cherrie, G. K., 'exploraciones en Costa Rica. Aves' (rev.), '94, 245.
 see Jouy, P. L., 'birds of central Mexico' (rev.), '94, 245.
 see Verrill, G. E., 'notes on fauna of Dominica' (rev.), '94, 246.
 [Note on tarsal scutella in Accipiter cooperii], '94, 252.
 see Shufeldt, R. W., 'scientific taxidermy' (rev.), '94, 316.
 Visitors' guide to birds in Am. Museum—with annotated list of birds known to occur within fifty miles of New York city (rev.), '95, 69.
 see Stone, W., 'birds of eastern Pa. and N. J.' (rev.), '95, 170.
 see Robinson, W., 'a flying trip to the tropics' (rev.), '95, 172.
 see Wright, M. O., 'birdcraft' (rev.), '95, 281.
 Handbook of birds of eastern N. Am. (rev.), '95, 282-284, 2d ed. 385, 4th ed. '97, 419.
 see Degen, E., 'evolution of the bird's wing' (rev.), '95, 286.
 see Jones, L., 'Mniotiltidae' (rev.), '95, 286.
 see Burns, F. L., 'the American Crow (*Corvus americanus*)' (rev.), '95, 287.
 see Verrill, G. E., 'birds and eggs of Gough, Kerguelen and South Georgia' (rev.), '95, 288.
 History of a Wandering Albatross, '95, 291.
 see Standard Dictionary, ornithology in (rev.), '95, 375-377.

see Dwight, J., Jr., 'Ipswich Sparrow' (rev.), '95, 377.
 see Loomis, L. M., 'California water birds, No. I' (rev.), '95, 378.
 see Stone W., 'priority of names *Calliste*, *Aglaja*, and *Calospiza*' (rev.), '95, 385.
 Standing of *Ardetta neoxena*, '96, 11-19 (col. pl.).
 see Chamberlain, M., 'some Canadian birds' (rev.), '96, 67.
 see Kirkwood, F. C., 'birds of Maryland' (rev.), '96, 67.
 see Headley, F. W., 'structure and life of birds' (rev.), '96, 68.
 see Hudson, W. H., 'British birds' (rev.), '96, 70.
 see Townsend, C. H., 'birds from Cocos and Malpelo Is.' (rev.), '96, 75.
 Changes of plumage in Dunlin and Sanderling (rev.), '96, 164.
 Changes of plumage in Snowflake (*Plectrophenax nivalis*) (rev.), '96, 165.
 see Bruner, L., 'some notes on Nebraska birds' (rev.), '96, 245.
 see Browne, M., 'artistic and scientific taxidermy and modelling' (rev.), '96, 247-249.
 see Loomis, L. M., 'California water birds, No. III' (rev.), '96, 329.
 see Oberholser, H. C., 'two new subspecies of *Dryobates pubescens*' (rev.), '96, 330.
 see Richmond, C. W., 'birds collected at Alta Mira, Mexico, by Armstrong' (rev.), '96, 330.
 see Ridgway, R., 'new Ground Warbler from Mexico' (rev.), '96, 330.
 see Ridgway, R., 'new birds from Galapagos archipelago' (rev.), '96, 330.
 see Ridgway, R., 'new subspecies of *Peucedramus*' (rev.), '96, 330.
 see Richmond, C. W., 'new Plover from Madagascar' (rev.), '96, 331.
 see Richmond, C. W., 'new Ant Thrush from Nicaragua' (rev.), '96, 331.
 see Richmond, C. W., 'collection made by Abbott in Kashmir, etc., with descr. of a new *Cyanecula*' (rev.), '96, 331.
 see Richmond, C. W., 'collection made by Abbott in Turkestan, etc.' (rev.), '96, 331.
 see Ridgway, R., 'birds collected by Abbott in the Seychelles [and other] islands' (rev.), '96, 331.

- see Robinson and Richmond, 'birds observed on Margarita, etc., Venezuela' (rev.), '96, 382.
- see Cherrie, G. K., 'contribution to ornithology of San Domingo' (rev.), '96, 333.
- see Warren, B. H., 'how to collect, skin, preserve and mount birds' (rev.), '96, 334.
- Wild Pigeon at Englewood, N. J. '96, 341.
- Turkey Vulture in the Catskills, '96, 341.
- Feeding-habits of Purple Finches, '96, 342.
- Dendroica palmarum* in New York city, '96, 343.
- see Thompson, E. S., 'studies in art anatomy of animals' (rev.), '97, 106.
- Remarks on spring moult of Bobolink, '97, 149-154.
- Murres in western New York, '97, 202.
- see Lee, O. A. Jr., 'among British birds in their nesting haunts,' pts. i-iv (rev.), '97, 106, 247, 334.
- see Cory, C. B., 'birds of Florida' (rev.), '97, 247.
- Preliminary descriptions of new birds from Mexico and Arizona, '97, 310, 311.
- Notes on birds observed in Yucatan' (rev.), '97, 333.
- see Miller, O. T., 'upon the tree tops' (rev.), '97, 333.
- see Barlow, C., 'the story of the Farallones' (rev.), '97, 334.
- see Norton, A. H., 'Sharp-tailed Sparrows of Maine' (rev.), '97, 334.
- see Morse, A. P., 'birds of Wellesley' (rev.), '97, 335.
- Bird-Life (rev.), '97, 336-338, '98, 72.
- Critical notes and descriptions of two new species (see W. H. Phelps, 'birds observed on trip to Venezuela'), '97, 357-371.
- see Wright and Coues, 'citizen bird' (rev.), '97, 413.
- see Knight, O. W., 'birds of Maine' (rev.), '97, 414.
- see Jones, L., 'the Oberlin summer Grackle roost' (rev.), '97, 417.
- see Lane, A. A., 'field-notes on birds of Chili' (rev.), '97, 417.
- see Richmond, C. W., 'collection by Abbott in Madagascar, with descr.
- of three new species' (rev.), '97, 417.
- Golden Eagle in New Jersey, '98, 54.
- see Gibson, W. H., 'studio neighbors' (rev.), '98, 65.
- see Wright, M. O., 'birdcraft.' 2d ed. (rev.), '98, 66.
- see Blanchan, N., 'bird neighbors' (rev.), '98, 66.
- Bird-Life, col. ed. (rev.), '98, 72.
- Probable polygamy of Great-tailed Grackle (*Quiscalus macrorhynchos*), '98, 269.
- Notes on Black Seaside Finch (*Ammodramus nigrescens*), '98, 270.
- Nesting instincts of Swallows, '98, 271.
- Birds observed at Jalapa and Las Vegas, Mexico (rev.), '98, 279.
- see Silway, P. M., 'sketches of some common birds' (rev.), '98, 281.
- see Jacobs, J. W., 'oölogical abnormalities' (rev.), '98, 281.
- see Rowley, J., 'art of taxidermy' (rev.), '98, 282.
- see Grinnell, J., 'birds of Los Angeles Co., Cal.' (rev.), '98, 283.
- see Sage, J. H., 'birds at Portland, Conn.' (rev.), '98, 284.
- Kirtland's Warbler (*Dendroica kirtlandi*), '98, 289-293 (col. pl.).
- see Davie, O., 'nests and eggs of N. Am. birds,' 5th ed. (rev.), '98, 334.
- see Lee, O. A. Jr., 'among British birds in their nesting haunts,' pt. v (rev.), '98, 334.
- see Cooke, W. W., 'further notes on birds of Colorado' (rev.), '98, 340.
- see Delaware Valley Ornith. Club, Proceedings (rev.), '98, 341.
- see Kearton, R., 'with nature and a camera' (rev.), '98, 341.
- Distribution and relationships of *Ammodramus maritimus* and its allies, '99, 1-12 (col. pl.).
- Further notes on *Dendroica kirtlandi*, '99, 81.
- see Stickney and Hoffman, 'bird world' (rev.), '99, 92.
- [Prospectus of 'bird-lore'], '99, 94.
- see Nelson, E. W., 'natural history of Tres Marias Is., Mexico' (rev.), '99, 296.
- see Nelson, E. W., 'new birds from Mexico,' '99, 296.
- Five apparently new birds from Venezuela (rev.), '99, 369.
- Proper function of binomials and trinomials, '99, 376.

- Descr. of five apparently new birds from Venezuela (rev.), 1900, 185.
- Descr. of two new subspecies of *Colymbus dominicus* (rev.), 1900, 185.
- Report on birds received through the Peary expeditions to Greenland (rev.), 1900, 185.
- see Stone, W., 'report on birds and mammals obtained by the McIlhenny expedition to Pt. Barrow, Alaska' (rev.), 1900, 310.
- see Jones, L., 'songs of Warblers,' 1900, 311.
- see 'Nebraska Ornithologists' Union, Proceedings' (rev.), 1900, 311.
- Bird studies with a camera (rev.), 1900, 312.
- Description of nestling plumage of *Falco islandus*, 1900, 386.
- Proper name for Florida Yellow-throat, 1900, 389.
- Chapman, F. M., and Brewster, W.**
Notes on birds of the Lower Suwannee river, '91, 125-138.
- Notes on birds observed in Trinidad, '95, 201-211 (col. pl.).
- chapmani** (*Chordeiles*), see *Chordeiles*.
— (*Sicalis*), see *Sicalis*.
- charienturus** (*Thryomanes*), see *T. spiritus*.
- Chapparal-bird**, see *Geococcyx californianus*.
- Chapparal-cock**, see *Geococcyx californianus*.
- Chaptia malayensis**, *Bornco*, syn. '90, 351.
- Charadriidae** (*Plovers*), '77, 64^a, '79, 111^a, '81, 163, '88, 189-194, '93, 108, '96, 97, '97, 102, 338^a, 396^a, 1900, 110^a.
- Charadriiformes**, '88, 190.
- Charadrius**, '87, 227, '93, 99, 108, '96, 65.
apricarius (^a European Golden Plover, ^b *pluvialis*), *Greenl.* '89, 217; *Helg.* '95, 338^b.—*anat.*, '84, 184^c; *mig.*, '96, 146^b; *mlt.* 1900, 384^b, 385^a; *nst.*, '97, 335^a.
dominiculus (^a American Golden Plover, ^b *virginicus*), *Alas.* '85, 63, '98, 127; *Argent.* '84, 313^b; *Colo.* '85, 18; *Conn.* '87, 78, '92, 384; *C. R.* '90, 332, '92, 329; *Fla.* '81, 18^b, '89, 159, '92, 212; *g. dist.* '88, 308, '93, 123; *Helg.* '77, 107^b, '80, 144^b, '91, 300, '95, 338; *Hud. B.* '90, 321; *Ia.* '90, 397^a; *Ida.* '97, 352; *Jamaica*, '92, 14; *La.* '97, 289; *Man.* '86, 152; *Mass.* '81, 127^b, '91, 17-24, 119, '92, 147, 199, '93, 79-82, '94, 75, '95, 78, '96, 80, 91^a, '97, 212-214, '98, 52, '99, 180; *Minn.* '84, 248; *Mo.* '95, 8^a; *N. C.* '92, 389; *N. E.* '83, 162^a, 163^a, '92, 17-20; *N. S.* '85, 41^a; *N. Y.* '82, 256, '84, 179, '90, 389^a; *P. E. I.* '92, 200, '93, 82; *Que.* '82, 238; *Rettill Is.* '98, 318; *R. I.* '89, 258; *Scotland*, '92, 289^a; *S. C.* '79, 217^b; *S. D.* '85, 285; *Tex.* '82, 41, '87, 186, '92, 232, 1900, 341; *Wash.* '82, 227; *W. I.* '87, 227, —*fd.* '92, 199; *hbt.* '84, 313^b, '91, 17, '93, 293, '95, 8^a; *mig.* '84, 179, '85, 41, 63, '86, 152, '88, 309, '91, 21, 119, '92, 17-19, 20, 199, '93, 79, 247, 249, '94, 75, 102^a, 109^a, '95, 78, 260, '96, 80, 91^a, 142, 144, '97, 212, 352, '98, 52, '99, 180; *plm.* '76, 22^b (alb.), '81, 162 [^a *fulvus*'], '92, 144, '95, 8^a, '96, 150^a, 165^a, 1900, 370, 371, 383 (mlt.); *syn.* '80, 178^a, '87, 227, '88, 192; *misc.* '89, 180^a, '91, 24, 107, '93, 296, '94, 68^a, 1900, 70^a.
fulvus (Pacific Golden Plover), *Alas.* '81, 5^a, '84, 78, '85, 157; *B. C.* '93, 16; *g. dist.* '88, 308, '93, 124; *Helg.* '95, 338; *H. I.* 1900, 205; *Malta*, '77, 107, '80, 144 (corr.).— *meas.* '88, 309; *mig.* '88, 309, 1900, 205; *plm.* '81, 162 [= *dominiculus*]; *syn.* '97, 103.
- Charitonetta**, '86, 127, '88, 67, '93, 107, '96, 163.
- albeola** (^a *Bufle-head Duck*, ^b *Anas*, ^c *Clangula*, ^d *Bucephala*), *Alas.* '85, 158^c; *Ariz.* '86, 385; *Cal.* '86, 90; *Colo.* '85, 18^c; *Eng.* '77, 107^c; *Fla.* '81, 21^c, '88, 379, '92, 211; *Ga.* '96, 215; *G. Br.* '80, 213^c; *g. dist.* '93, 125; *Hud. B.* '90, 320; *Ida.* '97, 350; *Ind.* '88, 347; *Ky.* '89, 312; *La.* '97, 286; *Man.* '86, 149; *Mass.* '94, 84, '96, 202; *Mich.* '93, 222; *Minn.* '84, 249^c; *Mont.* '95, 212; *N. C.* '94, 333; *N. Y.* '79, 33^a, '81, 235^c; *Ont.* '85, 337^d; *Ore.* '79, 198^a, '88, 142; *Que.* '82, 240^c; *S. C.* '85, 193^c, '88, 203^c; *S. D.* '85, 288^c; *Tex.* '82, 225^a, '87, 185, '92, 232, 1900, 339; *Wash.* '92, 42, '97, 172; *W. I.* '88, 67.—*plm.* '76, 23^b (alb.), '85, 337^d (alb.); *syn.* '80, 101^c, '86, 127^a, '88, 67.
- charltoni** (*Arboricola*), see *Arboriphila*.
— (*Arboriphila*), see *Arboriphila*.
— (*Perdix*), see *Arboriphila*.
- Chasiempis sclateri** (^b *dolei*), *H. I.* '83, 168, '88, 197^b.
- Chasmorhynchus niveus**, *song.* '95, 205.

variegatus, *Trinidad*, hbt., song, '95, 204.

Chat, see *Icteria virens*.

Long-tailed, see *Icteria longicauda*.

Yellow-breasted, see *Icteria virens*.

Chaulelasmus, '96, 162, '99, 103.

cousesi, *Fanning Is.* '76, 46*; *H. I.* '78, 81.

streperus (^a Gadwall Duck, ^b *Anas*). *Ariz.* '86, 384^b, '90, 48^b, 50^b, '92, 191, 198^a; *Cal.* '86, 89^b; *Colo.* '81, 142, '85, 18, 144; *Fla.* '88, 268^b; *Helg.* '95, 340; *Kan.* '85, 112; *La.* '97, 285^b; *Man.* '86, 148^b; *Mass.* '96, 201^b; *Minn.* '80, 19; *Mont.* '95, 212^b; *N. D.* '99, 161^a, 162^a; *N. E.* '83, 162^a, 163^a; *N. Y.* '82, 256, '88, 173^b, '93, 270^b; *Orc.* '86, 163^b, '88, 141; *Que.* '90, 387; *R. I.* '83, 234^a; *S. D.* '85, 288; *Tex.* '82, 42, 224, '87, 184^b, '92, 231^b; 1900, 339; *Wash.* '92, 42^b; *W. I.* '88, 61^b.—hbt. '86, 89^b, '88, 173^b, '93, 294^b; meas. '80, 19; *nst.* '80, 19, '99, 165^a; *plm.* '92, 162^b (hyb.); *syn.* '88, 61^b, '99, 103.

Chauna, '96, 63.

chavaria, *Argent.*, *Urug.*, hbt. '84, 272.

chavaria (*Chauna*), see *Chauna*.

Chebec, see *Empidonax minimus*.

Chelidon, see *Hirundo*.

Chelidoptera tenebrosa, *Braz.* '91, 159. *chemungensis* (*Collyrio*), see *Lanius ludovicianus*.

Chen, '88, 58, '93, 107, '99, 104, 229. **cærulescens** (^a Blue Goose), *g. dist.* '88, 394; *La.* '97, 287; *Mass.* '89, 68; *Mc.* '97, 207; *Minn.* '93, 289; *N. C.* '88, 311; *N. Y.* '93, 270, '95, 70; *R. I.* '94, 69^a; *S. D.* '85, 287; *W. I.* '88, 59.—*plm.* '82, 117^a, '84, 240; *syn.* '88, 59.

hyperborea (^a Lesser Snow Goose, ^b *Anser*, ^c *Anser albatus*, ^d *Chen albatus*), *Alas.* '79, 53^a, '85, 63^d; *Cal.* '86, 90; *Colo.* '85, 18, '87, 264; *G. Br.* '80, 212^c [= *nivalis*?]; *g. dist.* '93, 123; *Helg.* '95, 340; *Jamaica.* '91, 365; *La.* '97, 287; *Mass.* '97, 207; *Mc.* '97, 207; *Minn.* '93, 289; *Ore.* '79, 198, '88, 142; *Ore.* '91, 367 (fossil), '93, 344 (fossil); *S. D.* '85, 287; *Tex.* '82, 224^b, '87, 185, '92, 232; *Va.* '89, 195; *W. I.* '88, 58.—hbt. '80, 181^b, '85, 287, '92, 384; *mig.* '85, 63^d, '92, 385^a; *plm.* '84, 240; *syn.* '84, 386, '85, 207^d, '88, 58; *misc.* '92, 196^c, '96, 193.

nivalis (^a Greater Snow Goose, ^b

^b *hyperborea*, ^c *Anser hyperboreus*), *Cal.* '86, 90; *Decl.* '82, 117^a; *Fla.* '88, 183, 379, '92, 211; *g. dist.* '82, 117^c; *Grenl.* '96, 243; *La.* '97, 287; *Man.* '86, 149; *Mass.* '76, 54^c, '78, 146^c; *Mc.* '90, 284; *N. B.* '82, 105^b; *N. E.* '76, 73^c; *N. Y.* '82, 128^b, 251^b, '84, 34^b; *Que.* '82, 239^b; *Tex.* 1900, 339.—*nst.* '96, 243; *syn.* '85, 207, '96, 162; *misc.* '92, 196^c, '96, 193.

rossii (Ross's Snow Goose, ^b *Anser*), *Cal.* '79, 126^b, '86, 90; *g. dist.* '93, 123; *Mont.* '86, 274, '92, 385, '95, 212; *Ore.* '76, 52^b, '79, 126^b.—*fd.* '86, 274; *hbt.* '86, 274; *song.* '86, 90; *syn.* '99, 104.

Chenalopex, '93, 184.

ægyptiacus, *Md.* 1900, 64; *N. Y.* '77, 52.

Cheney, Simeon Pease.

Some bird songs, '91, 32-37.

Wood notes wild (rev.), '92, 280.

Chenomorphe, '96, 162.

Chenopsis, '83, 231, '99, 226.

atrata, *hbt.* '83, 172.

cheriway (*Falco*), see *Polyborus*.

— (Polyborus), see *Polyborus*.

Cherrie, George Kruck.

Notes on nesting habits of several birds of Costa Rica, '90, 233-237.

Notes on habits and nesting of *Vireo flavoviridis*, '90, 329-331.

North American birds found at San José, Costa Rica, with notes on their migration, '90, 331-337.

Description of a new species of *Rhamphocelus* from Costa Rica, '91, 62-64.

Description of a new *Myrmeciza*, '91, 191-193.

Preliminary list of birds of San José, Costa Rica, '91, 271-279, '92, 21-27, 247-251, 322-329.

Cedar Waxwing and American Dipper in Costa Rica, '91, 395.

Descriptions of new genera, species and subspecies from Costa Rica (rev.), '92, 173.

Notes on Costa Rican birds (rev.), '92, 173.

Notes on two Costa Rican birds, '93, 278-280.

Exploraciones zoológicas en la parte meridional de Costa Rica. Aves (rev.), '94, 245.

[Note on his zoological work in Costa Rica], '94, 340.

North American bird notes from Costa Rica, '95, 87.

- [Notice of his expedition to San Domingo], '95, 318.
Ardetta neoxena from Wisconsin, '96, 79.
 An apparently new *Chordeiles* from Costa Rica, '96, 135.
 Contribution to ornithology of San Domingo (rev.), '96, 333.
Egialitis niveosa in Florida, '97, 402.
cherriei (*Cypseloides*), see *Cypseloides*.
 — (Elenia), see *Elenia*.
 Cherry-bird, see *Ampelis cedrorum*.
chersonensis (*Struthiolithus*), see *Struthio*.
Chersophilus, '91, 92.
 — *duponti*, *syn.* '91, 92.
 Chewink, see *Pipilo erythrorththalmus*.
Chiapas, Mexico.
 Nelson, E. W., '97, 45, 55, 61, 67, 70,
 74, '99, 30, 1900, 257-258, 261,
 266, 268.
chiapensis (*Antrostomus*), see *Antrostomus*.
 — (*Dactylortyx*), see *Dactylortyx*.
 — (*Guiraca*), see *Guiraca*.
Chibia, '84, 340.
 Chickadee, see *Parus atricapillus*.
 Alaskan, see *Parus [evura =] hudsonicus*.
 Black-capped, see *Parus atricapillus*.
 Californian, see *Parus neglectus*.
 Carolina, see *Parus carolinensis*.
 Chestnut-backed, see *Parus rufescens*.
 Columbian, see *Parus columbianus*.
 Hudsonian, see *Parus hudsonicus*.
 Hudson's Bay, see *Parus hudsonicus*.
 Kowak, see *Parus stoneyi*.
 Long-tailed, see *Parus septentrionalis*.
 Mexican, see *Parus sclateri*.
 Mountain, see *Parus gambeli*.
 Oregon, see *Parus occidentalis*.
 Plumbeous, see *Parus agilis*.
 Siberian, see *Parus alsaceensis*.
 White-browed, see *Parus gambeli*.
 Yukon, see *Parus [evura =] hudsonicus*.
 Chicago Field, titles (Nos. 49-54), '80,
 180; (Nos. 161-164), '82, 115.
 Chicken, Mother Carey's, see *Oceanites oceanicus*, also *Fulica americana*.
 Prairie, see *Tympanuchus americanus*.
 Chicken-bird, see *Galeoscoptes carolinensis*.
 Chief-bird, see *Dendrogapus obscurus*.
Chihuahua, Mexico.
 Allen, J. A., '94, 66.
 Brewster, W., '88, 87-90, 92, '89, 86,
 93-96.
- Emmet, R. T., '88, 108.
 Ridgway, R., '94, 66, '98, 228.
Childs, John Lewis.
 Tree Swallows by the million, 1900,
 67.
 Intelligence of Shrike, 1900, 68.
 Mockingbird at Barnegat, N. J., and
 on Long Island, N. Y. 1900, 390.
chilensis (*Brachyspiza*), see *Brachyspiza*.
 — (Parra), see *Vanellus*.
 — (*Vanellus*), see *Vanellus*.
Chili.
 Allen, J. A., '93, 354, '99, 292.
 Ridgway, R., '80, 81.
 Saunders, H., '83, 54.
chimango (*Milvago*), see *Milvago*.
Chim-chim, see *Cereba flaveola* or *Dendroica petechia*.
chinensis (*Diomedea*), see *D. nigripes*.
Chionidae, '97, 102.
Chionidide, '93, 158-165.
chionipectus (*Agyrtaria*), see *Agyrtaria*.
Chionis, '76, 48, '89, 333, '93, 158.
 — *minor*, *Kerguelen I.*, '76, 48, '94,
 281.—*anat.*, '93, 158, 160, 165; *inst.*
 '77, 74, '94, 282; *syn.* '76, 49, '93,
 158-165.
 — *alba*, *anat.* '93, 159, 160; *syn.* '76,
 49, '93, 158-165.
Chionomorphae, '76, 49.
chionoptera (*Diomedea*), see *Diomedea*.
 Chipping-bird, see *Spizella socialis*.
 Chippy, see *Spizella socialis*.
 Chip-the-red-oak-white-oak, see *Antrostomus carolinensis*.
chiricote (*Aramides*), see *Aramides*.
chiriquensis (*Geothlypis*), see *Geothlypis*.
chiroleuca (*Gymnophichla*), see *Gymnophichla*.
Chiromachærus, see *Manacus*.
Chiroxiphia boliviana, *Boliv.* '90, 382.
 — *caudata*, *Braz.*, *fd.*, *hbt.* 1900, 299.
 — *lanceolata*, *Venez.* '97, 365.
 — *linearis*, *C. R.* '92, 322.
 — *pareola*, *Braz.* '91, 25; *W. I.* '93,
 220.
chirurgus (*Hydrophasianus*), see *Hydrophasianus*.
 — (Parra), see *Hydrophasianus*.
 — (*Tringa*), see *Hydrophasianus*.
chivi (*Vireo*), see *Vireo*.
Chloëphaga magellanica, *Argent.*,
Urug. '84, 273.
 — *poliocephala*, *anat.* '88, 198.
Chloris, see *Ligurinus* or *Compsothlypis*.
chloris (*Chloris*), see *Ligurinus*.
 — (*Haleyon*), see *Haleyon*.

- (Ligurinus), see Ligurinus.
 chlorocephalus (Chloropicus), see Chloroperes flavigularis.
 chlorokæmus (Anthracothorax), see Eulampis holosericeus.
 — (Eulampis), see E. holosericeus.
 — (Lampornis), see Eulampis holosericeus.
 — (Sericotes), see Eulampis holosericeus.
 chlorolophus (Orthorhynchus), see Bellona exilis.
Chloroperes flavigularis, *Braz.* '91, 30.
rubicinosus, *Venez.* '97, 366; *W. I.* '93, 220.
selysi, *Braz.* '91, 30.
striatus (^b *Centurus*), *W. I.* '81, 154^b, '86, 378^b, '96, 333.—*meas.*, *plm.*, *syn.* '86, 378^b.
 chloronota (Arremonops), see Arremonops.
Chloropeta similis, *Africa*, '97, 163*.
 chlorophaea (Rhinortha), see Rhinortha.
 chlorophaeus (Cuculus), see Rhinortha.
Chlorophanes, '86, 55.
atricapilla, *W. I.*, *meas.*, *plm.*, *syn.* '86, 55; *misc.* '82, 134 ('atrocristatus').
cærulescens, *syn.* '90, 381.
guatemalensis, *syn.* '90, 381.
spiza, (^b *Merops*), *misc.* '96, 266^b.
Chloropsis, '94, 235.
zosterops, *Borneo*, '90, 349.
 chloroptera (Ara), see Ara.
 — (Conurus), see Conurus.
 — (Psittaceae), see Conurus gundlachi.
 chloropus (Gallinula), see G. chloropus or galeata.
 chloropyga (Cæreba), see Cæreba.
 chloropygius (Totanus), see Helodromas solitarius.
 chlororrhyncha (Diomedea), see Thalassogeron.
 — (Thalassogeron), see Thalassogeron.
Chlorospingus, '87, 149.
atriiceps, '97, 65*, see postocularis.
canipileus, *Venez.* 1900, 185, 370.
leotaudi, *W. I.* '93, 342*, '97, 362^b.
nigrifrons, *Ecuador*, '76, 47.
olivaceus, *Mex.* '98, 157.
postocularis (^b *atriiceps*), *g. dist.* '98, 157; *Mex.* '97, 65^{b*}.—*syn.* '98, 157.
Chlorostilbon angustipennis, *C. R.* '92, 325.
aureoventris (^b *splendens*), *Argent.*, *Urug.* *hbt.*, *meas.*, *nst.* '84, 22^b.

- forficatus*, *Yucatan*, '85, 295.
salvini, *C. R.* '92, 325.
 chlorotica (Euphonia), see Euphonia.
 chlorotis (Anas), see Anas.
 chlorura (Fringilla), see Oreospiza.
 — (Oreospiza), see Oreospiza.
 chlorurus (Pipilo), see Oreospiza.
Chondestes, '88, 40.
grammacus (^a Lark Sparrow or Finch, ^b Emberiza), *Ala.* '91, 390; *D. C.* '78, 43, '80, 112, '86, 487; *Fla.* '86, 139, '87, 133, '88, 186, '89, 322, '92, 213; *g. dist.* '93, 133; *Ia.* '95, 122, 236; *Ill.* '78, 164, '90, 76, 241; *Ind.* '82, 16, 20, '89, 25; *Ky.* '89, 314; *Man.* '86, 323; *Mass.* '78, 44, '80, 53, '83, 181; *Miss.* '99, 268; *Mo.* '79, 144; *Mo. River*, '95, 227^b; *N. C.* '87, 241, '93, 243; *N. J.* '86, 136, '89, 303; *N. Y.* '81, 58, 1900, 296; *O.* '92, 397; *Pa.* '99, 312; *S. D.* '85, 281; *Tex.* '82, 12, 38, '84, 121, '91, 108^a, '92, 338, 1900, 346; *Va.* '96, 84, 179. —*mig.* '91, 52, '95, 122, 236; *nst.* '82, 12, '85, 281, '91, 108^a, '93, 243; *plm.* '78, 121; *song.* '83, 181; *syn.* '80, 97, '87, 251, '90, 191; *misc.* '82, 117.
strigatus (^a Western Lark Sparrow, ^b *grammica*), *Ariz.* '87, 199, '90, 259; *B. C.* '93, 16, 1900, 107; *Cal.* '78, 66^b, '86, 182, '89, 220, '90, 296, '96, 120; *Colo.* '81, 139^b, '83, 191, '85, 16, 141, '95, 153^a; *g. dist.* '93, 134; *Mont.* '94, 306, '95, 217; *N. M.* '92, 365, '99, 309; *Tex.* '86, 139, '87, 291, '89, 240, '92, 338, '94, 222; *Wash.* '97, 178.—*hbt.* '94, 222; *nst.* '87, 291, '92, 338, '96, 120; *song.* '96, 120; *syn.* '81, 171, '87, 251, '90, 191; *misc.* '82, 243.
Chordeiles, '86, 340, 445, 447, 448, 449, 450, '95, 287.
acutipennis, *Venez.* '96, 333, '97, 366.—*hbt.* '96, 333; *syn.* '93, 68.
aserriensis, *C. R.* '96, 136*.
chapmani (Florida Nighthawk, ^b *minor*), *Fla.* '80, 54^b, '88, 186, 272, '89, 183^b, 252, '90, 310, '92, 213, '93, 337, '95, 365; *g. dist.* '88, 37*, 396; *W. I.* '92, 276.—*hbt.* '80, 54^b; *meas.* '80, 54^b, '88, 186; *nst.* '88, 186, '89, 329; *plm.* '88, 186; *song.* '80, 54^b; *syn.* '85, 182^b, '88, 396.
henryi (Western Nighthawk), *Ariz.* '86, 429, '90, 48, 254; *Cal.* '86, 180, '87, 86; *Colo.* '79, 95, '81, 140, '83, 196, '85, 17, 143, '94, 268; *g. dist.* '88, 37, '93, 134; *Ill.* '76, 40;

Man., '86, 156; *Mont.*, '82, 62, '94, 303, '95, 215; *Minn.*, '93, 290; *N. M.*, '92, 362, '98, 308; *Ore.*, '86, 165; *S. D.*, '85, 283; *Tex.*, '87, 299, '89, 239, '92, 235, 1900, 344; *Wash.*, '92, 309, '97, 175.—*fd.*, '89, 239, '90, 254; *meas.*, '79, 95; *nst.*, '79, 95, '86, 165, '90, 254; *plm.*, '88, 37, '92, 235; *syn.*, '85, 182.

minor, *Bahamas*, '91, 72, 350, 350, 1900, 288; *Jamaica*, '94, 125; *W. I.*, '86, 340, '92, 276.—*meas.*, '86, 340; *nst.*, '94, 125; *plm.*, '86, 340; *song*, '91, 72; *syn.*, '80, 54, '85, 182 [= *chapmani*], '86, 340.

sennetti (Sennett's Nighthawk), *g. dist.*, '88, 37*, 396, '97, 121; *Ia.*, '99, 86; *Minn.*, '98, 54; *N. D.*, '96, 134.—*fd.*, '98, 54; *meas.*, '96, 135, '98, 54; *nst.*, '96, 134; *plm.*, '96, 134; *syn.*, '88, 396, '97, 121.

texensis (Texan Nighthawk), *Ariz.*, '83, 21, '86, 429; *Cal.*, '87, 92; *C. R.*, '90, 333, '92, 324; *g. dist.*, '93, 134, 286; *L. Cal.*, '95, 139; *N. M.*, '92, 362; *Tex.*, '79, 51, '82, 170, '87, 191, 1900, 344.—*anat.*, '87, 81; *hbt.*, '82, 170, '92, 362; *meas.*, '87, 92; *nst.*, '87, 191; *plm.*, '87, 27; *song*, '92, 362; *syn.*, '94, 51, '95, 167.

virginianus (^a Nighthawk, ^b pope-tue), *Ala.*, '79, 11; *Argent.*, '84, 24; *B. C.*, 1900, 106; *D. C.*, '88, 21, '92, 308; *Ga.*, '83, 40^b, '96, 215; *g. dist.*, '88, 37; *Hud. B.*, '90, 322; *Ia.*, '95, 124, 235; *Ida.*, '97, 354, 1900, 244; *Ind.*, '82, 17^b, '89, 22; *Ky.*, '89, 314; *La.*, '82, 164^b, '87, 303^a, '92, 205; *Mass.*, '88, 389, '89, 44, 99; *Me.*, '82, 150^b, '87, 351^a; *Mich.*, '93, 224; *Minn.*, '80, 16, '84, 246^b; *Miss.*, '82, 92^b; *Mo.*, '79, 146; *N. B.*, '82, 150^b, '89, 117; *N. C.*, '86, 105; *N. D.*, '96, 134; *N. H.*, '88, 149, 151, 154^b, '89, 77, 78; *N. J.*, '94, 137; *N. S.*, '87, 15^a, 16; *N. Y.*, '79, 31^b, '81, 231^a, '85, 257, '93, 53^a; *O.*, '89, 201, '95, 241; *Ore.*, '79, 195^b, '88, 256; *Pa.*, '92, 136, '93, 44, '96, 282; *P. E. I.*, '86, 272^a, '93, 9; *Que.*, '82, 236^b; *S. C.*, '79, 215, '90, 38, '94, 32^a; *S. D.*, '85, 283^b; *Tenn.*, '86, 319, '87, 130; *Tex.*, '82, 170^b; *Urug.*, '84, 24; *Va.*, '86, 161^a, '88, 314; *Wash.*, 1900, 244; *W. I.*, '86, 340, '92, 276; *W. Va.*, '98, 135.—*mig.*, '85, 55^b, '87, 351^a, '94, 32^a, '95, 124, 235, 241, '97, 354; *nst.*, '80, 16, '83, 40^b, 118^b, '87, 68^a; *plm.*, '78, 178, '85, 181^a, '88, 37, 256, 314

(alb.); *song*, '85, 257; *syn.*, '85, 178, '86, 340; *misc.*, '80, 192^a, '96, 159.

Chordiles, see Chordeiles.

Chræcocephalus, see Larus.

Chroicocephalus, see Larus.

chrysaetos (Aquila), see Aquila.

chrysaëtus (Aquila), see Aquila.

chrysia (Geotrygon), see Geotrygon.

chrysocalous (Colaptes), see Colaptes.

Chrysococcyx, '94, 233.

Chrysocolaptes, '94, 234.

xanthocephalus, *P. I.*, '94, 239.

chrysogenys (Arachnothera), see Arachnothera.

chrysoides (Colaptes), see Colaptes.

chrysolæma (Eremophila), see Otocoris chrysolæma, adusta, giraudi, or arenicola.

— (Otocoris), see Otocoris.

Chrysolampis moschatus, *W. I.*, '93, 220.

chrysomelas (Trogon), see Trogon.

Chrysomitis, see Astragalinus or Spinus.

chrysonotus (Loriculus), see Loriculus.

chrysoparia (Dendroica), see Dendroica.

Chrysophlegma malaccensis, *Borneo*, *syn.*, '91, 7.

mentalis, *Borneo*, *syn.*, '91, 7.

chrysoptera (Gracula), see Gracula.

— (Helinaia), see Helminthophila.

— (Helminthophila), see Helminthophila.

— (Motacilla), see Helminthophila.

chrysopterus (Agelaius), see *A. xanthomus*.

Chrysoptilus cristatus, *Argent.*, *Urug.*, *hbt.*, '84, 25.

guttatus (^b punctipectus, ^c speciosus), *Braz.*, '91, 30.—*meas.*, '91, 31, 31^b, 31^c; *plm.*, *syn.*, '91, 30.

punctigula, *meas.*, *plm.*, '91, 30.

Chrysotis, see Amazona.

caymanensis, '86, 497*, see Amazona.

Chrysuronia œnone (^b Thaumatius caeruleiceps), *Colom.*, '88, 264^b, '89, 210; *Uenz.*, '97, 366.

Chubb, Samuel Harmstead.

Rough-winged Swallows (*Stelgidopteryx serripennis*) in Green and Ulster Counties, New York, '97, 408.

Chuck, see Melanerpes carolinus.

Chuckle-head see Squatarola squatarola.

Chuck-will's-widow, see Antrostomus carolinensis.

- chukar (*Caccabis*), see *Caccabis*.
 chucor (*Caccabis*), see *Caccabis chukar*.
 chunchotombo (*Dendronnis*), see *Dendronnis*.
Churchill, George B.
 Great Gray Owl in Worcester Co., Mass. '91, 313.
 European Goldfinch (*Carduelis carduelis*) breeding in Worcester Co., Mass. '91, 314.
cia (*Emberiza*), see *Emberiza*.
Cichlherminia, '84, 182, '86, 7.
densirostris, *W. I.* '91, 43, 46, 47, 49.—*plm.*, *syn.* '91, 43.
dominicensis, *W. I.* '86, 8, '91, 44.—*meas.*, *plm.* '86, 8; *syn.* '80, 165, '86, 8; *syn.* '80, 165, '86, 8, '91, 44.
herminieri, *W. I.* '86, 7, '91, 43, 49; *meas.* '86, 7; *plm.* '80, 165, '86, 7; *syn.* '80, 165, '86, 7, '91, 43.
lawrencei, *W. I.* '91, 44*.
sanctæ-luciae^b (*Margarops*), *W. I.* '86, 8, '91, 44.—*meas.* '86, 8; *plm.* '80, 165^b, '86, 8; *syn.* '80, 164^b, 165^b, '86, 8, '91, 44.
Cicinnurus regius, *misc.* '81, 111, '82, 178.
Ciconia, '81, 78, 156, '96, 173.
alba, *Helg.* '95, 337.
maguari, *Argent.*, *Urug.*, *hbt.* '84, 271.
nigra, *Helg.* '95, 337.
Ciconiidae (^a Storks), '78, 182, 183, 184, '81, 156^a, 163, '88, 196^a, '93, 107.
cincinnatensis (*Helminthophila*), see *Helminthophila*.
 Cincinnati Society of Natural History. Titles in Journal of (Nos. 241–258), '83, 171; (No. 812), '85, 211; (Nos. 2232–2243), '92, 189.
cincinatus (*Phalacrocorax*), see *Phalacrocorax*.
Cinelidæ, '83, 105.
Cinclodes fuscus, *Urug.*, *hbt.* '83, 205.
rivularis, *Boliv.* '90, 382.
Cinclocerthia, '86, 17.
gutturalis, *W. I.* '79, 229, '86, 18, '87, 95.—*meas.*, *plm.*, *syn.* '86, 18.
macrorhyncha, *W. I.* '80, 166, '86, 17.—*meas.*, *plm.*, *syn.* '86, 17.
ruficauda, *W. I.* '86, 17, '91, 48, 49.—*meas.*, *plm.*, *syn.* '86, 17.
cinclopus (*Zoothera*), see *Rhamphocinclus brachyurus*.
Cinclus, '82, 213–221, '83, 104, '93, 112.
melanogaster, *Helg.* '95, 333.
merula (^a European Water Ouzel), *Germany*, '96, 310^a.—*syn.* '82, 179.
mexicanus (^a American Dipper or

- Water Ouzel), *Alas.* '85, 157; *Ariz.* '82, 76; *Cal.* '78, 65, '86, 185, '87, 86, '94, 258; *Colo.* '79, 91, '80, 224, '81, 86, '83, 154, '85, 15, 140, '89, 75, '94, 269; *C. R.* '91, 395; *g. dist.* '93, 127; *Ida.* '98, 19; *Mont.* '82, 61, 118, '94, 307; *N. M.* '85, 234–236, 330, '98, 310; *Ore.* '88, 362, '91, 397, '92, 386^a; *Wash.* '92, 46, '97, 180.—*anat.* '82, 213 (fig.); *fd.* '82, 76; *hbt.* '80, 224, '81, 86, '82, 76, '85, 234; *meas.* '82, 76, 218, '89, 75; *nst.* '80, 224, '81, 86, '82, 118, '85, 330, '89, 75, '98, 310; *plm.* '79, 39, '81, 86, '82, 76; *song.* '80, 224, '81, 86, '85, 234, 236; *misc.* '92, 386^a, '94, 69.
pallasi, *Helg.* '95, 333.
rivularis, *Coiom.* 1900, 82.
cinctus (*Parus*), see *P. alascensis*.
cineracea (*Megascops*), see *Megascops*.
—— (*Pyrrhula*), see *Pyrrhula*.
—— (*Sayornis*), see *Sayornis*.
cinerascens (*Certhidea*), see *Certhidea*.
—— (*Circus*), see *Circus*.
—— (*Myiarchus*), see *Myiarchus*.
—— (*Ornithion*), see *Ornithion*.
—— (*Orthotomus*), see *Orthotomus*.
cineraceus (*Lophophanes*), see *Parus*.
—— (*Orthotomus*), see *Orthotomus*.
—— (*Parus*), see *Parus*.
cinerea (*Amphispiza*), see *Amphispiza*.
—— (*Ardea*), see *Ardea*.
—— (*Clivicola*), see *Clivicola*.
—— (*Emberiza*), see *Emberiza*.
—— (*Fringilla*), see *Melospiza*.
—— (*Lathrix*), see *Lathrix*.
—— (*Melospiza*), see *Melospiza*.
—— (*Peristera*), see *Peristera*.
—— (*Procellaria*), see *Prioferus*.
—— (*Scotiaptex*), see *Scotiaptex*.
—— (*Strix*), see *Scotiaptex*.
—— (*Sylvia*), see *Sylvia*.
—— (*Ulula*), see *Scotiaptex*.
—— (*Vireosylvia*), see *Vireo*.
—— (*Zonotrichia*), see *Melospiza*.
cinereiceps (*Creciscus*), see *Porzana*.
—— (*Porzana*), see *Porzana*.
cinereiventris (*Chætura*), see *Chætura*.
—— (*Myrmotherula*), see *Myrmotherula*.
—— (*Pachyramphus*), see *Pachyramphus*.
cinerescens (*Elenia*), see *Elenia*.
—— (*Myiarchus*), see *M. nuttingi*.
cinereum (*Syrnium*), see *Scotiaptex*.
—— (*Todirostrum*), see *Todirostrum*.
cinereus (*Anser*), see *Anser*.
—— (*Blacicus*), see *Blacicus*.
—— (*Circus*), see *Circus*.

- (Coccyzus), see Coccyzus.
 — (Crypturus), see Crypturus.
 — (Harporynchus), see Harporhynchus.
 — (Junco), see J. palliatus, phaeonotus or dorsalis.
 — (Myadestes), see Myadestes.
 — (Pachyramphus), see Pachyramphus.
 — (Platyrhynchus), see Blacicus.
 — (Priofinus), see Priofinus.
 — (Puffinus), see Priofinus.
 — (Thryophilus), see Thryophilus.
 — (Tyrannus), see Tænioptera nengeta.
 — (Vireo), see Vireo.
cineritius (*Empidonax*), see *Empidonax*.
cinnamomea (*Synallaxis*), see *Synallaxis*.
cinnamomeiventris (*Piaya*), see *Heterornis pluvialis*.
cinnamomeus (*Helodromas*), see *Helodromas*.
 — (*Totalis*), see *Helodromas*.
cinnamominus (*Falco*), see *Falco*.
Cinnicertia, '90, 278.
Cinnyris, '94, 236.
 abbotti, *Assumption I.* '95, 71.
 aldabrensis, *Aldabra I.* '95, 71.
 jugularis, *Borneo*, syn. '90, 354.
 nectarinoides, *Africa*, '97, 158*.
Circaetus, '85, 205.
 gallicus, *Helg.* '95, 329.
circia (*Querquedula*), see *Q. querquedula*.
circumcincta (*Ægilialis*), see *Ægilialis*.
Circus, '87, 38, '97, 396, 1900, 167.
 æruginosus, *Helg.* '95, 329.
 cinerascens, *Helg.* '95, 329.
 cinereus, *Argent.*, *plm.* '84, 30.
 cyaneus, *Helg.* '95, 329.
 gouldi, *anat.* '82, 87.
 ludsonius (* Marsh Hawk or Harrier), *Alas.* '85, 157, '87, 12; *Ariz.* '86, 422; *B. C.* '93, 291, 382; *Cal.* '86, 92, '90, 296; *Colo.* '81, 141, '83, 197, '85, 17, '87, 121, '94, 267; *Conn.* '95, 265; *C. R.* '90, 333, '92, 328; *Fla.* '88, 271, '89, 247, '92, 212, '95, 364; *Ga.* '96, 212; *Hud. B.* '90, 322; *Ia.* '95, 121, 236; *Ida.* '97, 352; *Ind.* '88, 350; *Ky.* '89, 313; *Man.* '85, 22, '86, 153; *Mass.* '89, 44, '93, 370, '95, 188; *Mc.* '80, 185, '82, 150; *Mich.* '93, 223; *Minn.* '80, 17, '84, 247; *Mo.* '79, 146, '95, 3^a, 11^a, 224^a; *Mont.* '94, 302, '95, 214; *N. B.* '82, 150; *N. F.* 1900, 71; *N. H.* '88, 151, '89, 76; *N. J.* '79, 83, 224, '94, 136; *N. M.* '92, 361, '98, 307; *N. S.* '87, 16; *N. Y.* '79, 37, '81, 233, '89, 129; *Ont.* '83, 174, '84, 185, '87, 246^a; *Ore.* '79, 195, '88, 145; *P. E. I.* '93, 8; *Que.* '82, 237, '89, 147; *S. C.* '85, 192; *S. D.* '85, 100^a, 284; *Tex.* '82, 174, '84, 122, '87, 188, '89, 237, '92, 233, 1900, 342; *Wash.* '92, 355^a; '93, 17, 291, 382, '97, 173; *W. I.* '87, 38, '92, 289; *W. Is.* '82, 188.—*anat.* '81, 198, fig., '86, 133^a; *fd.* '82, 174, '85, 284, '87, 188, '89, 129, '90, 395; *hbt.* '80, 185, '85, 22, '94, 208^a; *mig.* '92, 361, '95, 121, 236, 265; *nst.* '80, 185, '83, 174, '85, 100^a, 284, '86, 92, 271^a, '87, 246^a, '94, 136; *song.* '85, 22; *syn.* '87, 38, '99, 130; *misc.* '90, 82^a, 86^a, '97, 396^a (fig.), 1900, 112^a.
 maculosus, *Argent.*, *hbt.* '84, 30.
 swainsoni, *Helg.* '95, 329.
ciris (*Cyanospiza*), see *Cyanospiza*.
 — (*Emberiza*), see *Cyanospiza*.
 — (*Passerina*), see *Cyanospiza*.
 — (*Spiza*), see *Cyanospiza*.
cirlus (*Emberiza*), see *Emberiza*.
cirrhata (*Lunda*), see *Lunda*.
 — (*Mormon*), see *Lunda*.
cirratus (*Picumnus*), see *Picumnus*.
 — (*Thamnophilus*), see *Thamnophilus*.
cirrhocephalus (*Larus*), see *Larus*.
cissa (*Dryobates*), see *Dryobates*.
Cissolophia pulchra, *Mex.* '97, 56*.
Cisticola, '94, 238.
 cisticola, *P. I.*, *hbt.* '94, 238.
 exilis, *P. I.*, *hbt.* '94, 238.
cisticola (*Cisticola*), see *Cisticola*.
Cisticole, '84, 279.
Cistothorus, '84, 48, '93, 112.
 griseus (Worthington's Marsh Wren), *g. dist.* '93, 216*, '94, 47; *N. C.* '99, 250; *S. C.* '99, 361.—*meas.* '93, 218; *nst.* '99, 250, 362; *plm.* '93, 219, '99, 362; *song.* '90, 117.
 mariæ (Marian's Marsh Wren), *Fla.* '88, 188*, 400, '90, 117, '92, 214; *Ga.* '88, 432; *S. C.* '91, 239, 240, '99, 361.—*meas.* '88, 188, '93, 218; *plm.* '93, 219, '99, 362; *song.* '90, 117.
palūdicola (Tule Wren, ^b Telmatodytes, ^c palustris), *Cal.* '87, 93^c, '89, 222, '90, 297; *g. dist.* '88, 400, '93, 135, '97, 193, '99, 126; *Ore.* '86, 171^c, '88, 362; *Wash.* '82, 227^b, '92, 357.—*meas.* '97, 194, 196; *nst.* '88, 362; *plm.* '97, 193; *song.* '92, 357; *syn.* '81, 175, '97, 193, '99, 126.
palustris (* Long-billed Marsh

Wren, ^b Telmatodytes), Conn. '94, 80; D. C. '88, 24, '90, 291; Fla. '81, 15^b, '88, 188, '90, 117, '91, 133, 138, '92, 214; Ga. '83, 38^b, '88, 432; g. dist. '93, 133; Ia. '95, 123; Ind. '82, 17^b, '89, 29; Ky. '89, 316; La. '82, 49^a; Man. '86, 327; Mass. '90, 408; Minn. '79, 153^a, '80, 13^b, '84, 244^b; Mo. '79, 141^b, '95, 224^a; N. B. '98, 192; N. J. '85, 96^a, '92, 204, '94, 140, '99, 281; N. Y. '79, 32, '82, 256^b, '84, 138^b; S. C. '85, 190^b; S. D. '85, 278^b; Tex. '82, 8?, '87, 298?; '92, 343?.—meas. '93, 218, '97, 196; mig. '95, 123; nst. '80, 13^b, '83, 38^b, '85, 96^a, '88, 24, '92, 286, '94, 80, '99, 281; plm. '78, 22^b, '93, 219, '96, 242 (mlt.), '97, 187; song. '84, 138^b; syn. '97, 186; misc. '90, 83^a, 83^a.

platensis, Urug. '83, 87.

plesius (Western Marsh Wren, ^b paludicola, ^c Telmatodytes paludicola, ^d Telmatodytes palustris), Ariz. '88, 165^d; Colo. '81, 88^d, '83, 155^c, '85, 15^c; g. dist. '97, 189^b, '99, 125; Ida. '98, 20^b; Tex. '82, 8^b, '87, 298^b, '92, 343^b.—meas. '97, 189, 196; syn. '97, 188, '99, 125.

stellaris (^a Short-billed Marsh Wren), Alla. '78, 172; Conn. '92, 202; D. C. '90, 291; Fla. '82, 121^a, '90, 117, '91, 133^a, 138, '92, 214, '95, 365; Ga. '83, 38, '96, 214; g. dist. '93, 133; Ia. '95, 124, 236; Man. '86, 327; Mass. '95, 89; Me. '99, 281-283; Mo. '95, 225^a; Minn. '79, 153^a, '80, 13, '84, 244; N. C. '94, 333; N. E. '76, 73, '77, 15; N. H. '82, 118; N. J. '92, 204; N. Y. '79, 6, '83, 179, '84, 59, 139, '90, 56; Ont. '92, 284^b?; '96, 347; Pa. '99, 313; S. C. '85, 190, '91, 173; S. D. '85, 278; Tenn. '96, 182; Tex. '82, 8, '92, 343; Wis. '82, 187.—hbt. '99, 281; mig. '95, 124, 236; nst. '83, 38, 179, '99, 281; plm. '78, 22; song. '84, 139; misc. '96, 194.

citreata (Motacilla), see Protonotaria.
— (Protonotaria), see Protonotaria.
citreola (Motacilla), see Motacilla.
ctrinella (Emberiza), see Emberiza.
— (Serinus), see Serinus.
— (Spinus), see Spinus.
citriniventris (Attila), see Attila.
citrinifrons (Ochthecea), see O. frontalis.
citrinus (Celeus), see Celeus.
Cittocincla, '94, 235.

stricklandi, Borneo, syn. '90, 348.

Clamatores, '76, 62, '81, 160.

Clangula (^b Glaucionetta), '80, 101, '86, 269^b, '88, 67^b, '93, 107^b, '96, 163, '97, 124, 125.

americana (^a American Golden-eyed Duck, ^b Bucephala, ^c Glaucionetta, ^d glaucion, ^e Bucephala clangula), Cal. '86, 90^c; Colo. '79, 96^c, '85, 18; Fla. '88, 379^c; Ga. '96, 215; g. dist. '93, 125^c; Ind. '88, 347^c; Kan. '94, 260^a; La. '97, 286; Man. '86, 149^c; Mass. '94, 226^c, '96, 202^c, '97, 228; Mc. 1900, 207-216 (illus.); Minn. '84, 249; Mont. '88, 16^a, '95, 212^c; N. B. '82, 151; N. D. '99, 161^a, 162^a, 164, 165^a; N. F. 1900, 71^c; N. Y. '81, 234, '83, 52^a, '84, 177; N. S. '91, 165^c; Ont. '85, 372^c; Orc. '79, 198, '88, 142^c; P. E. I. '85, 266^a; Que. '82, 240^d; S. C. '88, 203^a; Wash. '92, 353^c, '97, 172; W. I. '88, 67^c.—fd. '90, 396^a; hbt. '99, 164, 1900, 207; mig. '84, 177; nst. '99, 164, 1900, 207; plm. '76, 23^c (alb.), '80, 189^c; syn. '80, 101^d, '83, 62^d, '86, 269^c, '88, 67^c, 97, 125, '99, 104, 129; misc. '77, 74^b, '92, 335^c.

clangula (^b Glaucion, ^c Glaucionetta), Helg. '95, 326^c; syn. '83, 62 [^f glaucion], '86, 269^c, '96, 164; misc. '88, 422^b.

islandica (^a Barrow's Golden-eyed Duck, ^b Bucephala, ^c Glaucionetta), B. C. 1900, 104; Colo. '85, 18; D. C. '91, 112^c; g. dist. '79, 148^b, '93, 125^c; Greenl. '89, 216^c; Ida. '97, 350; Ill. '76, 41^b, '97, 228; Ind. '88, 347^c; Man. '86, 328^c; Mass. '96, 202^c; Mont. '79, 50^b, '88, 16^a; N. C. '93, 241^c; N. Y. '93, 270^c; O. '92, 397^c; Ont. '85, 336^b; Orc. '79, 198^b, '88, 142^c, '91, 367^c (fossil), '93, 344^c (fossil); Que. '81, 249, '82, 240; Wash. '92, 42^c, '97, 172.—anat. '79, 126^b; hbt. '79, 148-152^b; meas. '79, 151^b, 152^b; nst. '79, 14, 148^b; plm. '80, 189^b, '81, 162^b, '93, 241^c; syn. '80, 101, '86, 269^c, '97, 125; misc. '97, 206.

clangula (Anas), see Clangula americana.

— (Bucephala), see Clangula americana.

— (Clangula), see Clangula.

— (Glaucion), see Clangula.

— (Glaucionetta), see Clangula.

Clape, see Colaptes luteus.

clara (Sitta), see Sitta.

Clarin, see Myadestes unicolor.

clarionensis (*Zenaidura*), see *Zenaidura*.

Clark, Hubert Lyman.

Canada Jay in southern Vermont in summer, '87, 256.

Birds of Amherst and vicinity (rev.), '88, 105.

Coccothraustes vespertina at Amherst, Massachusetts, '90, 210.

A neglected branch of ornithology, '93, 93.

High plumage in Ptarmigan, '94, 177.

Pterylography of certain Amer. Goat-suckers and Owls (rev.), '95, 287.

Number of rectrices in Grouse, '99, 181.

Feather-tracts of N. Am. Grouse and Quail (rev.), '99, 205.

Clark, John Nathaniel.

Nesting of Little Black Rail in Connecticut, '84, 393.

Summer Redbird at Saybrook, Conn., '95, 306.

Clark, Josiah Huntoon.

Notes on nesting of Palmer's Thrasher at El Plomo, Mexico, '98, 272-274.

Nest of Long-billed Marsh Wren lined with a snake skin, '99, 281.

Notes on nesting of Blue-throated Hummingbird, 1900, 294.

Clarke, Charles Kirk.

Notes on some Ontario birds, '97, 410.

Notes from Ontario, '98, 274.

Breeding habits of Solitary Sandpiper (*Totanus solitarius*), '98, 328.

Green Heron breeding in Ontario, '99, 351.

Clarke, William Eagle.

Occurrence of *Aeglaia phoenicurus* in England, '87, 162.

Collection of birds from Fort Churchill, Hudson's Bay, '90, 319-322.

clarkii (Æchmophorus), see Æ. occidentalis.

— (Podiceps), see Æchmophorus occidentalis.

clarus (Catharus), see Catharus.

Classification, see Taxonomy.

Claudia, see Cypselus.

Clayton, Henry Helm.

Velocity of flight of ducks (rev.), '97, 116.

clemencia (Cœligena), see Cœligena.

clementæ (Amphispiza), see A. belli.

— (Melospiza), see Melospiza.

— (Pipilo), see Pipilo.

clementis (Carpodacus), see Carpodacus.

Climacteris, '94, 233.

Clivicola (° Cotile), '80, 96^b, '82, 179, '86, 59, '87, 337, '93, 111, '98, 271, '99, 131, 281.

riparia (* Bank Swallow or Sand Martin, ^b Hirundo, ^c Cotyle, ^d cinerea), *Alas.* '85, 63^c; *Ariz.* '88, 31; *Ark.* '82, 91^c; *B. C.* '93, 16; *Cal.* '86, 183; *Colo.* '85, 15^c; *Conn.* '95, 83; *Dak.* '85, 27^c; *D. C.* '88, 23; *Fla.* '89, 325, '91, 132^c, 138, '92, 213, '95, 365; *Gu.* '83, 39^c; *Germany*, '96, 305^a; *Helg.* '95, 337^c; *Ida.* '98, 17; *Ind.* '89, 26; *Jamaica*, '93, 181; *Ky.* '89, 315; *Man.* '86, 325; *Mass.* '88, 389, '89, 45; *Me.* '81, 250^c, '82, 110^c, '95, 50^a; *Mich.* '93, 226; *Minn.* '80, 14^c; *Mo.* '79, 142^c, '98, 25; *Mont.* '82, 62^c, '94, 306, '95, 217; *N. B.* '82, 110^c, '89, 118, 197; *N. C.* '86, 111^a, '89, 120, '93, 243, '94, 333; *N. H.* '88, 152, 154, '94, 335, '98, 194^a; *N. J.* '85, 87^a; *N. M.* '92, 367; *N. S.* '87, 16; *N. Y.* '81, 229^c, '82, 187^c, '89, 130, '93, 53^c; *O.* '89, 201; *Ont.* '87, 248^a; *Pa.* '76, 9^b, '96, 283; *P. E. I.* '93, 6^c, 12; *Que.* '85, 315^c, '89, 148; *Tex.* '82, 12^c, '87, 294, '92, 340; *Wash.* '92, 46, 356, '93, 16, '97, 179, 1900, 356; *W. I.* '86, 59—*anat.* '87, 80^b, '88, 329; *hbt.* '80, 112^a, '98, 25, 194^a, '99, 287^a, 1900, 102^a; *mig.* '76, 10^b, '85, 63^c, 87^a, '87, 15^a, 294, '91, 135, '94, 306, '95, 50^a, 83; *nst.* '76, 9^b, '96^a, '81, 250^c, '83, 39^c, 117^c, '89, 130, '94, 306, '98, 17, 1900, 356; *fln.* '76, 21^c (alb.), '78, 64^c; *syn.* '80, 96^c, '86, 59, 127^d; *misc.* '90, 96, '95, 375^a.

Clucking-hen, see Aramus giganteus.
clusiae (Certhiola), see Cereba bananivora.

clypeata (Anas), see Spatula.

— (Querquedula), see Spatula.

— (Rhyncaspis), see Spatula.

— (Spatula), see Spatula.

Cnemiornis, '96, 109.

Cnipolegus cyanirostris, *Urug.*, *mig.* '83, 141.

Coale, Henry Kelso.

McCown's Longspur in Illinois, '77, 52.

Junco oregonus in Illinois, '77, 82.

Notes on *Nyctale acadica*, '77, 83.

Troglodytes aëdon parkmani in Kansas, '83, 120.

- Willow Thrush and Holböll's Linnet
in Illinois, '83, 239.
New bird for Illinois, '85, 109.
Ornith. notes on flying trip through
Kansas, New Mexico, Arizona and
Texas, '94, 215-222.
coalei (*Myiarchus*), see *Myiarchus tu-*
berculifer.
cobanense (*Glaucidium*), see *Glauci-*
dium.
coccinea (*Mellisuga*), see *Melisuga*.
— (Pitta), see Pitta.
coccineus (*Cardinalis*), see *Cardinalis*.
Coccornis agassizi, *Cocos I.* '96, 75.
Coccothraustes (^b *Hesperophona*), '88,
412.
 abeillii (^b *Hesperophona*), *syn.* '79,
67.
 coccothraustes (^b *vulgaris*), *Helg.*
'95, 335.—*anat.* '88, 439.
 ferreirostris, *Cal.* '77, 92.
 mexicanus, *Mex.* '97, 311*.
 montanus (^a Western Evening
Grosbeak, ^b *Hesperophona vespertina*,
^c *vespertinus*), *Ariz.* '85, 174^b, 349^b,
'87, 196^c, '88, 113^c, '90, 49^c, 258;
Cal. '78, 66^b; *Colo.* '85, 15^b, '94, 269;
g. dist. '90, 246, '91, 85, '93, 126; *Ida.*
'98, 14; *Mont.* '95, 216^c; *Neb.* '88,
425^c; *N. M.* '78, 93^b, '79, 237^b, '89,
72-74^c, '90, 93^c; *Ore.* '86, 168^c, '88,
357^c, '91, 391^a; *Wash.* '82, 227^b,—
anat. '89, 74^c; *fd.* '86, 168^c, '88, 357^c,
425^c, '89, 72^c, '90, 258; *hbt.* '89,
72^c, '90, 93^c, '98, 14; *meas.* '90,
249; *nst.* '87, 342^c, '88, 113^c, '89,
178^c, '92, 187^c, '94, 248^b; *plm.* '88,
357^c, '89, 72^c, '90, 93^c (mlt.), 246;
song. '88, 357^c; *syn.* '91, 85.
 vespertinus (^a Evening Grosbeak,
^b *Hesperophona*), *Conn.* '90, 211,
396^a, '93, 207; *g. dist.* '92, 238^a, '93,
126, 155; *Ia.* '85, 296^a, '88, 114; *Ill.*
'81, 179^b, '90, 238; *Ky.* '87, 257, '89,
314; *Man.* '86, 322; *Mass.* '90, 210,
210, 289, 396^a, '91, 391^a; *Mich.* '90,
396^a; *Minn.* '79, 237^b, '84, 244^b;
Mont. '95, 216 [= *montanus*?]; *N. E.*
'90, 395^a; *N. H.* '90, 397^a; *N. Y.* '82,
250^b, '89, 177^a, 179^a, '89, 331, '90, 209,
230, 395^a, 395^a, 396^a, '92, 67^a, 203,
'99, 195; *O.* '95, 190; *Ont.* '83, 146^a,
'84, 85^a, '85, 334^b, '87, 256, '88, 208^a,
'90, 211, 395^a, 396^a, '94, 1^a; *Pa.* '90,
396^a, 397^a, '92, 68^a; *Que.* '90, 209,
'92, 283; *S. D.* '85, 279^b; *T.* '90, 210;
W. Is. '86, 487, '96, 259, 1900, 294.—
anat. '92, 190^b; *fd.* '81, 179^b, '85,
279^b, 334^b, '88, 114, '90, 211, '92,
238^a, 245^a, '93, 155, 1900, 294; *hbt.*
'79, 65^b, '88, 114, '92, 238^a, '93, 155;
meas. '90, 249; *mig.* '94, 108^a; *plm.*
'79, 46^b, '93, 155 (mlt.); *song.* '88,
114, '92, 244^a, 245^a, '93, 155, 1900,
294; *syn.* '79, 65^b; *misc.* '90, 80^a,
396^b, '92, 190^b, '95, 286^a.
coccothraustes (*Coccothraustes*), see
Coccothraustes.
cocoi (*Ardea*), see Ardea.
Coccyca, see *Coccyzus*.
Coccyges, '81, 73, '92, 184, '99, 110.
Coccygina, see *Coccyzinae*.
Coccygius, see *Coccyzus*.
Coccygon, see *Coccyzus*.
Coccygus, see *Coccyzus*.
Coccyrus, see *Coccyzus*.
Coccyza, see *Coccyzus*.
Coccyzinae, '97, 90, '99, 110.
Coccyzus, see *Coccyzus*.
Coccyzus, '84, 48, '86, 364, '93, 110,
'97, 90, '99, 110.
 abbotti, *W. I.* '99, 369.
 americanus (Yellow-billed Cuckoo,
^b *euleri*), *Ala.* '79, 11; *Bahamas*, '91,
351, 352, 352, '92, 48; *Belgium*, '80,
73; *Braz.* '91, 159^b; *Colom.* 1900,
364; *Colo.* '85, 17; *C. R.* '90, 333, '92,
327; *D. C.* '88, 20; *Engl.* '77, 107;
Fla. '88, 271, '89, 250, '90, 310, '92,
212, '93, 337, '95, 364; *France*, '80,
73; *Ga.* '83, 40; *G. Br.* '80, 73;
Greenl. '91, 320; *Ia.* '95, 124, 235;
Ill. '78, 165; *Ind.* '82, 17, '89, 22;
Jamaica, '92, 274, 372, '94, 124; *Kan.*
'93, 368; *Ky.* '89, 313; *La.* '82, 164, '87,
303^a, '92, 205; *Labrador*, '85, 369;
Mass. '82, 57, '95, 88; *Me.* '83, 113;
Mich. '93, 224; *Minn.* '84, 246^a;
Miss. '82, 93; *Mo.* '79, 146, '82, 56,
'95, 114^a; *N. C.* '86, 104, '89, 120,
Neb. '85, 283; *N. J.* '94, 136; *N. Y.*
'81, 232, '85, 260^a; *O.* '95, 241; *Ont.*
'85, 335, '91, 114; *Pa.* '92, 135, '93,
39, '96, 281; *S. C.* '79, 216, '90, 37,
'91, 327; *S. Dak.* '85, 283; *Tex.* '82,
171, '87, 190, '89, 238, '92, 234, '94,
70 (sp.?), 1900, 344; *W. I.* '86, 364,
'91, 47, '96, 333.—*fd.* '99, 362^a; *hbt.*
'95, 114^a; *mig.* '95, 124, 129, 235,
241; *nst.* '77, 110, '82, 56, 57^a, 171,
'83, 40, 178^a, 237^a, '87, 190, 263, '88,
20, '89, 22, 121, '92, 234, 372, '93,
368, '94, 124, 1900, 344; *song.* '85,
260^a, '98, 57^a; *syn.* '86, 364.
 cineraceus, *Argent.* '84, 28.
 dominicæ, *misc.* '92, 184.
 erythrophthalmus (^a Black-billed
Cuckoo), *Colo.* '94, 183; *C. R.* '90,

- 333, '92, 327; *Cuba*, '86, 366; *D. C.* '88, 21; *Fla.* '89, 250, '92, 212; *Ga.* '83, 40, '96, 213; *G. Br.* '80, 73; *Ia.* '95, 124, 235; *Ill.* '78, 165; *Ind.* '82, 18, '89, 22; *Italy*, '77, 107, '80, 73; *Ky.* '89, 313; *Labrador*, '85, 369; *Man.* '86, 155; *Mass.* '82, 57, '88, 389, '89, 44, 99; *Me.* '82, 150, '94, 69; *Mich.* '93, 224; *Minn.* '80, 16, '84, 246^a; *Mo.* '79, 146, '82, 56; *Mont.* '95, 214; *N. C.* '89, 120; *N. H.* '88, 149, 151, '89, 76, 78; *N. S.* '87, 16, '91, 165; *N. Y.* '81, 232, '82, 188, '84, 178, 179, '85, 260^b, '91, 165; *O.* '79, 52, '95, 241; *Pa.* '92, 135, '96, 281, 293; *P. E. I.* '93, 9; *S. C.* '79, 216; *S. D.* '85, 283; *Tex.* '82, 172, '87, 190.—*fd.* '99, 362^a; *mig.* '84, 178, 179, '95, 124, 129^a, 235, 241; *nst.* '77, 110, '80, 16, '82, 18, 56, 57^a, '83, 40, 117, 178^a, '87, 263, '91, 302; *plm.* '78, 178, '79, 29^a (alb.); *song*, '85, 260^a; *syn.* '86, 366. *ferrugineus*, *Cocos I.* '96, 75. *maynardi* (Maynard's Cuckoo), *Bahamas*, '88, 159, '91, 75, 294, 295, 297, 336, 337, 338, 351, 351, '92, 48, 1900, 288; *Fla.* '89, 250; *g. dist.* '87, 335, '88, 396, '93, 141; *Jamaica*, '92, 372 (sp.?).—*fd.* '91, 75; *plm.* '91, 394, 1900, 288; *syn.* '92, 184. *melanocoryphus*, *Argent.* '84, 28; *Galap. Is.* '96, 75.—*hbt.*, *nst.* '84, 28. *minor* (^a Mangrove Cuckoo), *C. R.* '92, 326; *Fla.* '87, 221, '88, 185, '89, 250, '92, 212; *Jamaica*, '92, 274, 372, '94, 124; *W. I.* '80, 169, '81, 154, '86, 365, 502, '87, 96, 180, '90, 375, 375, '91, 47, 48.—*hbt.* '92, 274; *meas.* '86, 366; *nst.* '92, 372; *plm.* '86, 365, '89, 250, '92, 326; *syn.* '86, 365, '92, 184. *occidentalis* (California Cuckoo, ^b *americanus*), *Ariz.* '83, 26^b, '86, 425^b; *B. C.* 1900, 106; *Cal.* '96, 347; *g. dist.* '87, 335, '88, 396; *Ida.* '97, 353; *H'ash*, '92, 44, 393, '97, 182.—*fd.* '92, 393; *meas.* '83, 26^b, '92, 394, '96, 347; *plm.* '83, 26^b. *pumilus*, *Argent.*, *plm.* '84, 28. Cock, Black Log, see *Ceophleus pileatus*. Chapparal, see *Geococcyx californicus*. Johnny, see *Ceophleus pileatus*. Log, see *Ceophleus pileatus*. Sage, see *Centrocereus urophasianus*. Wood, see *Ceophleus pileatus*. Cock-of-the-Plains, see *Centrocercus urophasianus*. Cock-of-the-Woods, see *Ceophleus pileatus*. Cocoa-bird, see *Pyrrhulagra violacea*. Cocoa-nut-bird, see *Icterus northropi*. celebs (Fringilla), see *Fringilla*. celestis (Gallinago), see *G. gallinago*. *Cœligena clemenciae* (Blue-throated Hummingbird), *Ariz.* '85, 85, 199, '94, 326; *Mex.* '95, 357, 1900, 294.—*meas.* '85, 85, 1900, 294; *plm.* '85, 85, '99, 325; *song*, '95, 357; *syn.* '99, 325; *nst.* 1900, 294. *Cœræba* (^b *Certhiola*), '85, 293^b, '86, 47^b, 53, '87, 335, '91, 37–41, '93, 369, '94, 142, 143, 144, '96, 111, '99, 32, *atra* (^b *Certhiola*), *W. I.* '79, 49^b, '86, 53^b, '91, 40.—*meas.* '86, 53; *plm.* '86, 53, '89, 219^b; *syn.* '86, 53, '91, 40. *bahamensis* (Bahama Honey Creeper, ^b *Certhiola*), *Bahamas*, '87, 47^b, '91, 37, 70, 294, 295, 296, 297, 298, 334, 335, 336, 336, 337, 338, 338, 339, 350, 350, 351, 351, '92, 48, 48, 49, 1900, 293; *g. dist.* '93, 141.—*meas.*, *plm.* '86, 47^b; *syn.* '91, 37. *bananivora* (^b *Certhiola*, ^c *Certhiola clusiae*), *W. I.* '81, 151^c, '86, 49^b, '91, 38.—*hbt.* '81, 151^c; *meas.*, *plm.* '86, 49^b; *syn.* '86, 49^b, '91, 38. *barbadensis* (^b *Certhiola*), *W. I.* '86, 52^b, '91, 40.—*meas.* '86, 52^b; *plm.*, *syn.* '86, 52^b, '91, 40. *bartholemica* (^b *Certhiola*), *W. I.* '86, 50^b, '91, 39, 46.—*meas.* '86, 50; *plm.*, *syn.* '86, 50, '91, 39; *misc.* '93, 70. *brevis* (^b *Cyanerpes*), *g. dist.*, *plm.*, *syn.* '99, 33^b. *caboti*, *W. I.*, *plm.*, *syn.* '91, 41. *cœruleus* (^b *Cyanerpes*, ^c *Arbelo-rhina*), *Bolivia*, '90, 382; *Braz.* '90, 266^c; *g. dist.* '99, 34^c; *Peru*, '90, 381; *Venez.* '97, 363^c; *anat.* '94, 142, 143, 144; *fd.* '94, 143; *syn.* '99, 34^c. *carneipes* (^b *Cyanerpes*), *g. dist.*, *plm.*, *syn.* '99, 33^b. *chloropyga*, *Braz.* '90, 266.—*g. dist.*, *plm.* '91, 41. *columbiana*, *g. dist.*, *plm.*, *syn.* '91, 41. *cyanea* (^b *Cyanerpes*, ^c *Arbelo-rhina*), *C. R.* '92, 23^c; *g. dist.* '99, 32^b; *W. I.* '86, 53, '93, 220^d, 339.—*anat.* '94, 142, 143, 144; *fd.* '92, 23^c, '94, 143^c; *meas.*, *plm.* '86, 53; *syn.* '86, 53, '99, 32^b. *dominicana* (^b *Certhiola*), *W. I.*

'85, 293^b, '86, 51^b, '90, 374, '91, 39, 47, 48, 49.—*meas.*, *plm.* '86, 51; *syn.* '91, 39, '86, 51.

flaveola (^b *Certhiola*), *Jamaica*, '86, 50^b, '91, 38, '93, 339, '94, 127.—*meas.* '86, 50^b; *nst.* '93, 339, '94, 127; *plm.* '86, 50^b, '91, 38, '93, 339; *syn.* '86, 50^b, '91, 38.

intermedia (^b *Certhiola*), *Ecuador*, 1900, 81^b.

longirostris (^b *Cyanerpes*), *g. dist.*, *syn.* '99, 34^b.

lucidus (^b *Cyanerpes*, ^c *Arbelorhina*), *C. R.* '92, 23^c; *g. dist.* '99, 34^b.—*fd.* '92, 23^c; *plm.* '82, 133, 134; *syn.* '99, 34^b.

luteola (^b *Certhiola godmani*), *g. dist.* '91, 38; *Venez.* '97, 363; *W. I.* '89, 219^b; '93, 220.—*meas.* '89, 219^b; *plm.*, *syn.* '91, 38.

magnirostris, *Peru*, *plm.*, *syn.* '91, 41.

martinicensis (^b *Certhiola*, ^c *Certhiola finschi*), *W. I.* '79, 229^b, '80, 166^b, '85, 293^b, '86, 52^b, '87, 95^b, '90, 274, '91, 40.—*meas.* '86, 52^b; *plm.* '86, 52^b, '91, 40; *syn.* '85, 293^c, '86, 52^b, 53^c, '91, 40.

mexicana, *g. dist.*, *plm.*, *syn.* '91, 41.

newtoni (^b *Certhiola*), *W. I.* '86, 51^b, '91, 39, 48.—*meas.*, *plm.* '86, 51; *syn.* '86, 51, '91, 39.

nitidus (^b *Cyanerpes*), *g. dist.* '99, 35^b.

portoricensis (^b *Certhiola*, ^c *Certhiola sancti-thomae*), *W. I.* '86, 48^b, 48^c, '90, 374, 375, '91, 38.—*hbt.* '99, 361; *meas.* '86, 48^b, 48^c; *plm.* '86, 48^b, 48^c, '91, 38; *nst.* '99, 361; *syn.* '86, 48^b, 48^c, '91, 38.

peruviana, *g. dist.*, *plm.*, *syn.* '91, 41.

succharina (^b *Certhiola*), *W. I.* '79, 49^b, '86, 50^b, '91, 39.—*meas.* '86, 50^b; *plm.* '86, 50, 53^b, '89, 219^b, '91, 39; *syn.* '86, 50, '91, 39.

sharpei (^b *Certhiola*), *W. I.* '86, 497^b*; '88, 501^b, '89, 157^b, '89, 31^b, 31^b.

tricolor (^b *Certhiola*), *W. I.* '85, 291^b, '87, 180, 181^b, '91, 40.—*plm.*, *syn.* '91, 40.

uropygialis, *Curacao* '93, 355.

wellsi (^b *Certhiola*), *W. I.* '89, 219^b*; '91, 40.—*meas.* '89, 219^b; *syn.* '91, 40.

Coerебидæ, '81, 28, 34, '87, 149, '95, 71.

cœrulea (*Ardea*), see *Ardea*.

cœruleus (*Parus*), see *Parus*.

Coffee-bird, see *Pyrrhulagra violacea*.
coahuila (*Trochilus*), see *Calothorax lucifer*.

Colaptes, '86, 380, '88, 214, 218, '91, 92, '92, 177.

agricola, *Argent.*, *Urug.*, *hbt.*, *nst.*, *song.* '84, 25.

auratus (Yellow-shafted Flicker or Golden-winged Woodpecker, *Ala.* '79, 11; *Cal.* '87, 91; *Fla.* '88, 271, '89, 252, '90, 223, '91, 138, '92, 213, '95, 365; *Ga.* '82, 97^a, '83, 40, '96, 213; *g. dist.* '92, 177, '99, 111; *G. Br.* '80, 74 [= *luteus*?]; *La.* '82, 164, '87, 303^a, '92, 205; *Miss.* '82, 93; *Mo.* '96, 220; *N. C.* '86, 104, 314, '87, 242; *S. C.* '79, 216, '90, 38, '91, 328, '92, 30^a, 36^a, 38^a; *Tenn.* '86, 319; *Tex.* '82, 171, '87, 191; *Va.* '86, 160; *W. Va.* '98, 135 [= *luteus*?].—*anat.* '87, 355; *fd.* '95, 380, '99, 362^a; *meas.* '81, 121, '98, 177; *mig.* '82, 171, '92, 30^a, 36^a, 38^a; *nst.* '83, 40, '87, 68; *plm.* '76, 22 (alb.), 24 (melan.), '81, 161, '83, 177^a, '88, 212^b, '92, 66, 161, 163 (hyb.), 177, '93, 18; *song.* '81, 185, '85, 259, '87, 130^a; *syn.* '81, 169, '91, 93, '92, 177, '99, 111; *misc.* '81, 183, '82, 118, '89, 176, '90, 81^a, 82^a.

brunneascens (Brown Flicker), *L. Cal.* '95, 347*; '97, 120.

cafer (Red-shafted Flicker, ^b *mexicanus*, ^c *hybridus*, ^d *collaris*), *Ariz.* '81, 183^b, '83, 24^b, '85, 174, 356, '86, 428, 428^c, '90, 48, 254; *B. C.* '93, 18, 18^c; *Cal.* '78, 67^b, 67^c, '86, 94, '87, 329, '89, 221, '90, 297, '96, 85, 118, '98, 234; *Colo.* '79, 95^b, '81, 141^b, '83, 196^b, '85, 17^b, 143, '86, 284^c, '87, 124, '89, 298^a, '94, 268, '95, 152^a; *g. dist.* '80, 87^c, '92, 177-179, '93, 134, 1900, 123, 123^d; *Ida.* '97, 354; *Mont.* '82, 63^b, '88, 16^a, '94, 303, '95, 215; *Mo. River.* '95, 229^a; *N. M.* '85, 127^b, '86, 70^b, '92, 362, '98, 308; *Ont.* '85, 335^b; *Ore.* '79, 195^b, '88, 240, 256; *S. D.* '85, 284^c; *Tex.* '82, 40^c, 41^b, '87, 191, 191^c, '89, 239, '92, 235; *Wash.* '81, 128^b, '82, 227^b, 227^c, '93, 18, 18^c, '97, 175, 1900, 244.—*fd.* '83, 24^b, '85, 127^b, '92, 235, '96, 85, 118, '98, 234; *meas.* '77, 61^b, '83, 24^b; *nst.* '82, 63^b, '90, 80^a, '92, 99, '96, 118; *plm.* '78, 67^c, '81, 183^b, '83, 24^b, 177^a, 196^b, '85, 302^b (hyb.), 335 (hyb.), '86, 94 (alb.), 428, 420, '87, 329, '89, 230, 239^c, '92,

161^c, 163^c, 177, '93, 18 (hyb.), '95, 171, 215 (hyb.), '97, 354, 1900, 10, 123^a; *syn.* '77, 60^b, 62^b, '81, 169^b, '91, 93, '92, 177, 1900, 123, 123^a.

chrysocaulosus, *Cuba*, '86, 380, '92, 178, 272.—*meas.* '86, 380; *plm.* '86, 380, '97, 276; *syn.* '86, 380, '92, 178.

chrysoides (Gilded Flicker), *Ariz.* '81, 73, '83, 24, '85, 226, '86, 429; *g. dist.* '92, 177-179, '93, 134; *L. Cal.* '95, 139; *Mex.* '85, 228.—*meas.* '83, 25; *nst.* '83, 24, '86, 429; *plm.* '83, 24, '85, 302 (hyb.), '86, 429, '92, 177; *song.* '83, 24; *syn.* '92, 177.

gundlachi, *W. I.* '86, 498*, 502, '88, 159, '92, 178.—*syn.* '92, 178.

luteus (^a Northern Flicker or Golden-winged Woodpecker, ^b *auratus*), *Cal.* '85, 383^b; *Colo.* '87, 264^b; *Conn.* '95, 262^b; *D. C.* '88, 21^b; *Fla.* '88, 271^b, '89, 252^b, '92, 213^b; *g. dist.* '92, 177^b, '98, 177^a, '99, 111; *Hud. B.* '90, 322^b; *Ia.* '95, 121^b, 236^b; *Ill.* '81, 121^b; *Ind.* '89, 22^b; *Ky.* '89, 314^b; *La.* '92, 205^b; *Man.* '86, 156^b; *Mass.* '78, 139^b, '83, 149^a, '84, 6^a, '87, 346^b, '88, 389^b, '89, 44^b, 99^b, '95, 87^a; *Mc.* '80, 241^b, '82, 150^b, '87, 66^a, '89, 281^b; *Mich.* '81, 196^a, '93, 224^b, 1900, 174^b; *Minn.* '80, 16^b, '84, 246^b; *Mo.* '79, 146^b, '95, 4^a, 115^a; *Mont.* '95, 215^b; *N. B.* '82, 150^b, '83, 235^a, '87, 264^b, '89, 117^b; *N. C.* '89, 119^b; *N. F.* 1900, 72^b; *N. H.* '88, 149^b, 151^b, 154^b, '89, 76^b, 78^b, '94, 335^a; *N. J.* '80, 56^b, 134^a, '92, 204^b, '94, 35^a, 137^b; *N. S.* '87, 16^b; *N. Y.* '79, 31^b, 37^b; '80, 47^b, '81, 232^b, 247^b, '82, 188^b, '84, 404^a, '85, 259^b, '89, 202^b; *O.* '95, 242^b; *Ont.* '85, 335^b; *Pa.* '92, 135^b, '93, 44^b, '96, 280^a, 281^b, 293^b; *P. E. I.* '93, 6^a, 9^b; *Que.* '82, 237^b, '89, 147^b, 1900, 174^b; *S. C.* '92, 30^a, 36^a, 38^a; *S. D.* '81, 120^b, '85, 284^b; *Tex.* '89, 239^b, '92, 235^b, 1900, 344^b; *Va.* '89, 53^a; *W. Va.* '82, 188^b, '88, 325^b.—*fd.* '85, 284^b, '89, 281^b, '90, 391^a, '95, 380^b, '99, 362^a; *hbt.* '90, 391^a, '93, 231^b, 365^a, '94, 278^a; *meas.* '81, 121^b, '85, 335^b, '98, 177; *mig.* '80, 134^a, '81, 196^a, '88, 325^b, '89, 281^b, '91, 195^b; '92, 30^a, 36^a, 38^a, '94, 103^a, '95, 121^b, 236^b, 242^b, '99, 144 [^a 'Yellow-hammer'], 1900, 174^b; *nst.* '80, 56^b, 241^b, '81, 120^b, '87, 68^a, 346^b, '88, 21^b, '89, 22^b, '93, 231^b, '94, 135^a; *plm.* '78, 181^b, '80, 26^a, 47^b, '81, 121^b, 247^b, '85, 335^b (hyb.), '92, 66^b, 161^b, 163^b,

177^b, '93, 18^b, 231^b, '95, 171^b (hyb.), 215^b, '97, 275^b; *song.* '85, 259^b; *syn.* '92, 177^b, '98, 177, '99, 111; *misc.* '81, 125^a, '89, 176, 183, 1900, 393^b.

mexicanoides, *Guatemala*, *plm.* '92, 177; *syn.* '91, 94, '92, 177, 178.

rufipileus (Guadalupe Flicker), *g. dist.* '92, 177.—*meas.* '77, 61; *plm.* '92, 177; *syn.* '77, 62, 66, '92, 177.

saturation (Northwestern Flicker, ^a *cafer*), *Alas.* '98, 127; *g. dist.* '85, 207, '92, 177; *Ore.* '86, 165; *Wash.* '92, 44^b, 309, 1900, 352.—*plm.* '92, 177, 196, 1900, 10, 124; *syn.* '92, 177.

colardeau (Chactura), see *C. acuta*.

Colburn, William W.

Obituary of, 1900, 92.

Colburn, W. W., and *Morris*, R. O.

Birds of the Connecticut valley in Mass. (rev.), '91, 384.

colchicus (*Phasianus*), see *Phasianus*.

Coleman, George Albert.

Coccothraustes vespertina in Nebraska, '88, 425.

Coliidae, '81, 74, 75, '93, 68.

Colinia, see *Colinus*.

Colima, Mexico.

Nelson, E. W., '97, 72.

colima (*Aphelocoma*), see *Aphelocoma*.

Colinus (^b *Ortyx*, ^c *Turnix*), '84, 141^b, '85, 44, '87, 223, '93, 130, '94, 172, 233^c.

atriceps, *Mex.* '98, 122.

bahamensis, *Bahamas*, 1900, 187, 286.—*plm.* 1900, 286.

coyolcos, *Mex.* '98, 117, 121.—*hbt.* '98, '99, '92.

cubanensis (^a Cuban Quail or Bob-white, ^b *Ortyx*), *Cuba*, '91, 294, '92, 271^a, 272; *Fla.* '89, 245 [= *floridanus*, see '94, 324]; *g. dist.* '87, 223, 336, '88, 395; *San Domingo*, '95, 279.—*meas.* '87, 224; *plm.* '87, 224, '89, 245, '91, 190^b; *syn.* '87, 223, '94, 324, '95, 168.

floridanus (Florida Bob-white or Quail), *Fla.* '87, 283, '88, 270, '89, 245, '92, 212, '93, 337, '94, 324, '95, 364.—*nst.* '89, 245; *plm.* '87, 225, '89, 245, 1900, 45 (mlt.), 286; *syn.* '85, 45; *misc.* '87, 283^a.

godmani, *Mex.* '97, 45*, '98, 115 (col. pl.), 120, 121.

graysoni, *Mex.* '98, 121; *plm.* '87, 74, 160, '88, 401, '89, 174.

insignis, *g. dist.* '98, 122; *Guatemala*, '97, 46*; *Mex.* '98, 119.

leylandi, *C. R.* '92, 329.

maculatus, *Mex.* '99, 26*.

nigripectus, Mex. '97, 47^a, '98, 116, 121.—*song*, '98, 116.
nigrogularis, Yucutan, '98, 122.
pectoralis, Mex. '98, 117, 121.—*hbt*, '98, 117.
ridgwayi (^a Masked Bob-white or Quail), Ariz. '85, 199^a, 227 [not 'Ortyx graysoni'], 231, 296 [not 'Ortyx virginianus'], 297 [not 'Ortyx graysoni'], '86, 275, 387, '87, 69, 75, '89, 189, 1900, 32^a; Mex. '85, 199, 228; '86, 275, '87, 159, '98, 121.—*fd*, *hbt*, *song*, '87, 159; *meas*, '85, 199; *nst*, '87, 74; *plm*, '86, 275, '87, 74, 159, '89, 189, 1900, 46 (mlt.); *syn*, '88, 401; *misc*, '86, 287, 483, '89, 174, 1900, 32.
salvini, Mex. '97, 45^a, '98, 119, 122.
segoviensis, Honduras, '89, 172.
texanus (Texan Bob-white or Quail, ^b Ortyx), *g. dist*, '93, 134; Kan. '87, 9; Mex. '98, 121; Tex. '82, 41^b, '87, 24, 186, '89, 174, 237, '92, 233, 1900, 341.—*hbt*, '91, 389; *nst*, '87, 186; *plm*, '87, 24, 1900, 46 (mlt.); *syn*, '85, 45; *misc*, '82, 41^b.
virginianus (^a Bob-white or Quail, ^b Ortyx), Ala. '79, 12^b; Ariz. '85, 296^b [= *ridgwayi*], '85, 296^b, [= *ridgwayi*]; Bahamas, '91, 294; Colo. '85, 14^b (introduced); C. R. '85, 297^b?; D. C. '88, 20, '92, 67; Europe, '80, 66^b; Ga. '83, 41^b, '96, 215; G. Br. '80, 144^b; *g. dist*, '93, 133; Ida. '85, 315 (introd.); Ind. '82, 22^b, '88, 349, '97, 245^a; Jamaica, '92, 120, '94, 123; Ky. '89, 313; La. '82, 165^b, '92, 204; Mass. '89, 42^a, 99, '90, 395^a, '95, 88; Mich. '93, 223; Minn. '84, 247^b; Miss. '82, 93^b; Mo. '79, 147^b, '96, 221; N. C. '86, 100, 103, 314, '88, 313^a, '89, 121; N. E. '76, 73^b, '77, 15^b; N. J. '94, 136; N. Y. '89, 178^a, '94, 71^a, '97, 226, 316, 1900, 178; O. '84, 186^a; Ont. '87, 246^a; Ore. '86, 164 (introduced); Pa. '93, 37, 38, '96, 281, '99, 310, 1900, 396^a; S. C. '79, 217^b, '90, 35, '91, 326; S. D. '85, 285^b; Tenn. '86, 319, '87, 129; Tex. '82, 175^b; Fla. '86, 161, '89, 53, '82, 114^b?; W. I. '79, 229^b, '81, 154^b, '87, 224, '91, 47.—*fd*, '79, 111^a, '90, 395^a; *hbt*, '82, 175^b, '90, 396, 398^a, '91, 389, 390^a, 390^a (4 items), 392^a, '94, 129 (pl.); *meas*, '87, 225; *mig*, '91, 390; *nst*, '83, 41^b, '87, 246^a, '88, 313^a, '90, 392, '92, 385, '97, 226; *plm*, '76, 22^b (alb.),

24^b (melan.), '86, 103, '87, 224, '91, 387^a, '98, 184, 1900, 43 (mlt.), 151 (pl.), 166; *song*, '92, 283; *syn*, '85, 45, '87, 224; *misc*, '79, 111^a, '82, 116^b, '83, 118^b, '84, 188^a, 287^a, 287^a, 288^a, '85, 213^b, 299^b, 300^a, 300^a, 301^a, '87, 68^a, '88, 313^a, 313^a, 317^a, '89, 175^a, 178^a, 178^a, '90, 390, 394, 395, 396^a, '91, 388, 388, 389, 389, '92, 68^a, 384, 384, 385^a, 385^a, '93, 130, 297, '94, 68, 68, 68, 68, 68^a, 71^a, 71^a.
Colioideæ, '86, 406.
Coliomorphæ, '78, 78, '81, 33, 35.
Colius, '81, 74.
collaria (Amazona), see *Amazona*.
— (*Chrysotis*) see *Amazona collaria* or *leucocephala*.
collaris (*Acanthylis*), see *Hemiprocnæ zonaris*.
— (*Egalitis*), see *Egalitis*.
— (*Anas*), see *Aythya*.
— (*Aythya*), see *Aythya*.
— (*Chætura*), see *Hemiprocnæ zonaris*.
— (*Colaptes*), see *C. cafer*.
— (*Cypselus*), see *Hemiprocnæ zonaris*.
— (*Engyptila*), see *Leptotila*.
— (*Fuligula*), see *Aythya*.
— (*Fulix*), see *Aythya*.
— (*Hemiprocnæ*), see *H. zonaris*.
— (*Lanius*), see *Lanius*.
— (*Leptotila*), see *Leptotila*.
— (*Muscicapa*), see *Muscicapa*.
— (*Nephocætes*), see *Hemiprocnæ zonaris*.
— (*Nyroca*), see *Aythya*.
— (*Pallene*), see *Hemiprocnæ zonaris*.
— (*Trogon*), see *Trogon*.
collarius (*Psittacus*), see *Amazona*.
Collectors' Illustrated Magazine, '88, 244.
Collett, Robert, and *Nansen*, Fridtjof. Norwegian North Polar expedition, 1893–1896—birds (rev.), 1900, 308–310.
colletti (*Parus*), see *P. borealis*.
collie (*Calocitta*), see *Calocitta*.
Collins, Joseph William. Notes on certain Laridæ and Procelariidæ of New England coast, '84, 236–238.
Notes on habits and methods of capture of sea birds of the fishing banks off eastern N. Am. (rev.), '84, 380.
Collins, W. H. Notes on breeding habits of some

- water-birds of St. Clair flats, Michigan, '80, 61.
- Collins, William L.**
Note on *Oporornis agilis*, '80, 50.
Tragic fate of a Summer Warbler, '78, 197.
- Colloclalia**, '89, 9, 11, '94, 236.
fuciphaga, *Borneo*, '88, 333, '90, 358.—*anat.* '89, 9, 11; *meas.* '89, 11; *nst.* '88, 335, '90, 358.
linchii, *Borneo*, '90, 358.
- Collurio**, see *Lanius*.
- collurio** (*Lanius*), see *Lanius*.
- Collyrio**, see *Lanius*.
- Colombia.**
Allen, J. A., '98, 339, '99, 90-91, 369, 1900, 82, 184, 306, 363-367.
Bangs, O., '99, 135-139.
Elliot, D. G., '89, 209-210.
Lawrence, G. N., '85, 358.
Richmond, C. W., '98, 326-327.
Ridgway, R., '85, 291, '80, 81, 1900, 27.
- colombiana** (*Spermophilus*), see *Spermophilus*.
— (*Sporophila*), see *Sporophila*.
- colonus** (*Buteo*), see *Buteo*.
- Colopterus**, see *Colopteryx*.
- Colopteryx**, '89, 172.
inornatus, *Braz.* '89, 172.
ornatus, *Braz.* '90, 270.
pilaris ("*Colopterus*"), *Vencz.* '97, 365^b.
- Colorado.**
Aiken, C. E., '76, 30, 1900, 298.
Allen, J. A., '79, 113-114, '80, 90, '83, 151-161, 189-198, 1900, 396.
Anthony, A. W., '87, 257-258, '95, 388, '96, 31-34.
Beckham, C. W., '85, 139-144, '87, 120-125.
Bendire, C. E., '88, 238, '89, 75, 226-230, 298-302, '90, 92.
Brewer, T. M., '79, 239-240.
Brewster, W., '83, 57, 123, 151-161, 189-198, '87, 146, '91, 139.
Byers, W. N., '83, 117.
Chapman, F. M., '98, 340-341.
Coale, H. K., '94, 216.
Cooke, W. W., '94, 182-183, '95, 150-155, '97, 316, '98, 183-184, '99, 187-188.
Coues, E., '77, 50, 51, 83, '80, 181-182, '83, 239, 240.
Dartt, M., '79, 113-114.
Deane, R., '79, 188, '95, 292-293.
Dille, F. M., '90, 80, 80, 80.
Drew, F. M., '81, 85-91, 115, 138-143, 244, 249, '82, 182-183, '85, 11-18.
- Gaylord, H. A., '96, 258.
Goss, B. F., '83, 43-44.
Goss, N. S., '86, 114.
Gould, A. C., '93, 297.
Henshaw, H. W., '86, 79.
Hersey, J. C., '77, 74.
Ingersoll, E., '80, 121-122.
Ingraham, D. P., '97, 403-404.
Kellogg, V. L., '92, 193.
Lamb, W. F., '77, 77-78.
Lowe, W. P., '94, 266-270, 324, '95, 298.
McGregor, R. C., '93, 205-206.
Maxwell, M. A., '79, 113-114.
Minot, H. D., '80, 223-232.
Nash, H. W., '81, 49.
Polk, B. H., '83, 118.
Ridgway, R., '77, 75, '80, 112, 185, '85, 97.
Scott, W. E. D., '79, 90-96.
Smith, H. G., Jr., '86, 284-286, '93, 364.
Smith, W. G., '89, 183, 184, '91, 108.
Sprague, U. A., '96, 85.
Stone, D. D., '83, 176, 238, '85, 100.
Thorne, P. M., '86, 489, '87, 264-265, '88, 112, '89, 276-277.
Trefz, F., '83, 171.
- Colorado Ornith. Association**, '99, 214.
- coloratus** (*Calcarius*), see *Calcarius*.
- colubris** (*Melisuga*), see *Trochilus*.
— (*Orthorhynchus*), see *Trochilus*.
— (*Trochilus*), see *Trochilus*.
- Columba**, '84, 140, '87, 108, '93, 99, 100, '94, 61.
albilinea, *C. R.* '92, 328.
caribaea, *Jamaica*, *fd.* '92, 122; *W. I.*, *syn.*, *meas.* '87, 110; *plm.* '87, 110, '92, 122 (mlt.).
corensis ("*Patagioenas*"), *Fla.* '99, 272; *W. I.* '80, 169, '81, 155, '87, 96, '90, '91, 47.—*meas.*, *plm.* '91, 190^b (alb.).
fasciata (Band-tailed Pigeon), *Ariz.* '85, 174, '86, 421, '90, 52; *Cal.* '86, '92; *Colo.* '85, 17, '94, 267; *g. dist.* '93, 134; *Ida.* '97, 349; *N. M.* '86, 80; *Ore.* '86, 164; *H'ash.* '92, 43, 1900, 351.—*fd.* '86, 80, 92, 421, '94, 267, 1900, 351; *inst.* '89, 173; *plm.* '88, 86.
flavirostris (Red-billed Pigeon), *Mex.* '99, 287.—*plm.*, *syn.* '80, 37.
inornata, *W. I.* '87, 110, '92, 122.—*meas.*, *plm.*, *syn.* '87, 110.
intermedia, *syn.* '91, 99.
leucocephala (White-crowned Pigeon), *Bahamas*, '91, 295, 296, 297, 339, '92, 48; *Cuba*, '92, 272; *Fla.* '88, 185, '89, 246, '92, 212; *g. dist.* '93,

141; *Jamaica*, '92, 122, '94, 123; *W. I.*, '81, 154, '87, 108, 180, '89, 32, '90, 375, '91, 47, 47.—*meas.* '87, 109; *nst.* '92, 122, '94, 123; *plm.* '87, 108, '88, 185, '92, 122; *syn.* '87, 108.
livia, *Helg.* '95, 337.—*misc.* '92, 164.
maculosa, *Argent.*, *Urug.*, *hbt.*, *nst.* '84, 274.
madrensis, *Tres Marias I.* '98, 340.
nitens (^b*Janthoenas*), *plm.* '91, 100^b.
oenas, *Helg.* '95, 337.
palumbus (^a*Wood Pigeon*), *Helg.* '95, 337.—*fd.* '97, 9, 12^a.
picazuro, *Argent.*, *hbt.* '84, 274.
locutrix, *Braz.*, *plm.* '91, 162.
rufina, *Braz.* '91, 162; *W. I.* '92, 123, '93, 220.—*syn.* '87, 110.
speciosa, *Braz.* '91, 161.
taczanowskii, *Japan*, '94, 170.
vioscæ (*Viosca's Pigeon*), *L. Cal.* '88, 86^a, 395.
columba (*Cephus*), see *Cephus*.
— (*Fulmarus*), see *F. glacialis*.
— (*Uria*), see *Cephus*.
Columba, '81, 30, 79, 83, '94, 60, 61.
columbarius (*Æsalon*), see *Falco*.
— (*Falco*), see *Falco*.
— (*Hypotriorchis*), see *Falco*.
columbiana (*Cerebra*), see *Cerebra*.
— (*Nucifraga*), see *Nucifraga*.
— (*Sicalis*), see *Sicalis*.
columbianus (*Cygnus*), see *Olor*.
— (*Mimus*), see *M. gilvus*.
— (*Neocrex*), see *Neocrex*.
— (*Olor*), see *Olor*.
— (*Parus*), see *Parus*.
— (*Pediæcetes*), see *P. columbianus*, *campestris* or *phasianellus*.
— (*Picicorvus*), see *Nucifraga*.
— (*Spinus*), see *Spinus*.
— (*Tetrao*), see *Pediæcetes*.
Columbidæ (^a*Pigeons*), '81, 80, '88, 196^a, '92, 174, '93, 109^a, '94, 61, '99, 319, 1900, 102^a.
Columbigallina, '87, 116, '93, 132, '94, 61, '97, 215.
bahamensis (^b*Chamæpelia*), *Bahamas*, '87, 155^b, '91, 294, 295, 296, 297, 298, 334, 336, 337, 338, 339, 339, 1900, 286.
insularis, *W. I.* '89, 172.
pallescens (^a*Mexican Ground Dove*, ^b*Chamæpelia passerina*, ^c*passerina*), *Ariz.* '83, 32^b, '86, 421^c, 1900, 33^a; *C. R.* '90, 333^c, '92, 329^c; *g. dist.* '88, 395, '93, 134; *Mex.* '85, 229^b; *Tex.* '82, 175.—*plm.* '83, 32^b;

syn. '87, 336, '97, 215, '99, 108; *misc.* 1900, 33^a.

passerina (^b*Chamæpelia*), *Bahamas*, '91, 76; *Braz.* '91, 162; *Cuba*, '91, 294; *Jamaica*, '94, 123; *Venez.* '97, 366; *W. I.* '80, 169^b, '81, 154^b, '86, 502, '87, 96, 116, '90, 374, 375, '91, 47, 48, 48, 48.—*meas.* '87, 116; *nst.* '94, 124; *plm.* '87, 116, '91, 190; *syn.* '80, 169^b, '87, 116, 155, '94, 47.

perpallida, *W. I.* '93, 355.

rufipennis, *Vencz.* '97, 366; *W. I.* '93, 220.

socorroensis, *Revill. Is.* '98, 316.

talpacoti, *Braz.* '91, 162.

terrestris (^a*Ground Dove*, ^b*Chamæpelia passerina*, ^c*passerina*, ^d*Chamæpelia purpurea*, ^e*insularis*), *Ala.* '79, 12^b; *Ariz.* '86, 421^c [= *pallescens*?]; *Bahamas*, '92, 48^c; *Bermuda*, '96, 239^c; *Cuba*, '92, 272^c; *Fla.* '88, 270^c, '89, 246^c, '91, 137^c, '92, 212^c, '95, 79^a, 364; *Ga.* '83, 41^b, '96, 215; *g. dist.* '93, 133^c; *Jamaica*, '92, 124^c; *N. Y.* '78, 147^b; *S. C.* '92, 72^c; *Tex.* '87, 183^a, '92, 233^c; *W. I.* '89, 32^c, 172^c.—*fd.* '92, 124^c; *hbt.* '90, 84^a, '92, 124^c, '96, 239^c; *nst.* '83, 41^b, '88, 270^c, '92, 72^c, 124^c, '95, 79^a; *plm.* '92, 124^c; *syn.* '87, 155^d, '93, 62^c, '94, 47; *misc.* '90, 81^b.

columbinus (*Larus*), see *Sterna hirundo*.

Columbula picui, *Argent.*, *Urug.*, *hbt.*, *mig.*, *nst.* '84, 275.

Colvin, Walter Scott.

Chestnut-sided Warbler in eastern Kansas, '98, 59.

Colymbidae, '81, 82, 163, '83, 62, '99, 286.

Colymbus, '81, 156, '82, 179, '84, 140, '85, 96, '93, 99, 105, '97, 312, 313, '99, 202.

auritus (^a*Horned Grebe*, ^b*Podiceps cornutus*, ^c*Dytes*, ^d*Podicipes cornutus*), *Conn.* '85, 96^c; *Fla.* '88, 373, '92, 211; *g. dist.* '93, 125; *Helg.* '95, 327; *Hud. B.* '90, 320; *Man.* '85, 314^d; '86, 147; *Minn.* '80, 20^b, '84, 240^c; *N. J.* '79, 228^b; *N. Y.* '82, 128^c; *Ont.* '87, 247^a; *Ore.* '91, 366 (fossil), '93, 344 (fossil); *Ouc.* '89, 145; *S. C.* '85, 193^b; *S. D.* '85, 289^c; *Wash.* '97, 171.—*nst.* '87, 247^a; *plm.* '97, 111^d (mlt.); *syn.* '85, 34^b.

brachyrhynchus, *Braz.*, *syn.*, 1900, 185.

californicus (*American Eared Grebe*, ^b*Podiceps*, ^c*Dytes*, ^d*Podi-*

cipes), *Ariz.* '90, 48, 50; *Cal.* '86, 88; *Colo.* '79, 96^a, '83, 198^d, '84, 19^e, '85, 18^e; *Man.* '86, 147; *Minn.* '93, 289, 1900, 281; *Mont.* '95, 212; *N. M.* '98, 307; *Ore.* '86, 163 [*'nigricollis*'], '91, 366 (fossil); *S. Dak.* '85, 289^e; *Wyo.* '84, 18–20.—*hbt.* '85, 96^e, '92, 192; *nst.* '84, 18^e, '90, 50, 1900, 281; *plm.* '85, 340^b; *syn.* '85, 340^b, '80, 88^b.

cristatus, *Helg.* '95, 341; *N. S.* '87, 68 [= *holboellii*?].

dominicicus (St. Domingo Grebe, ^b *Podiceps*, ^c *brachyptera*), *Bahamas*, '91, 337, 350, 354 [*'dominicensis*']; *Cal.* '77, 97^b; *g. dist.* '93, 141^b; *Jamaica*, '94, 119; *Tex.* '76, 88^b, '77, 26^b, '80, 91^b, 1900, 185^c; *W. I.* '81, 155^b, '88, 155^b.—*hbt.* '91, 354 [*'dominicensis*'], '94, 119; *meas.* '88, 156^b; *nst.* '91, 354; *plm.* '88, 155^b, '91, 354; *syn.* '84, 385^b, '88, 155^b, 1900, 185.

holboellii (^a Holboell's Grebe, ^b *Podiceps cristatus*, ^c *Podiceps*, ^d *Podicipes*), *Alas.* '86, 126; *B. C.* '93, 291, 384; *Colo.* '85, 18^e; *Conn.* '78, 47^b; *Europe*, '80, 220^c; *g. dist.* '93, 125; *Ida.* '97, 349; *Man.* '85, 314^d, '86, 147; *Mass.* '97, 327; *Mich.* 1900, 293; *Minn.* '90, 213; *N. Am.* '78, 52^b, '85, 93^b; *N. C.* '93, 242; *N. D.* '99, 165^a; *N. Y.* '81, 235^c, '84, 177^c, '94, 168^a, '99, 193; *Ont.* '97, 411; *Ore.* '91, 366 (fossil), '93, 344 (fossil); *Pa.* '99, 309; *Que.* '82, 241^d; *Wash.* '93, 16, 291, 384, '97, 171; *W. I.* '88, 156 [sp.?].—*mig.* '84, 177^c; *nst.* '97, 171, 349; *plm.* '86, 126 (alb.); *syn.* '78, 52^b, '84, 385.

minor (^a Little Grebe, ^b *Podiceps*), *Helg.* '95, 341; *Ore.* '77, 97^b?; *nst.* '97, 335^a.

griseigena, *Helg.* '95, 327.

nigricollis, *g. dist.* '85, 340; *Helg.* '95, 341—*syn.* '85, 340.

rollandi (^b *Podiceps*), *Argent.*, *hbt.* '84, 317^b.

comata (*Dendrochelidon*), see *Dendrochelidon*.

— (*Sterna*), see *S. elegans*.

comatus (*Cypselus*), see *Dendrochelidon*.

— (*Merganser*), see *Merganser*.

Comeau, Napoleon Alexander.

Yellow-nosed Albatross (*Thalassogeron culminatus*), '88, 318.

Additional notes on probable breeding of *Saxicola axanthe* near Godbout, Quebec, Canada, '90, 294.

Robin wintering at Godbout, Quebec, '91, 317.

comeri (*Porphyriornis*), see *Porphyriornis*.

Commander Islands.

Ridgway, R., '98, 320.

Stejneger, L., '84, 35–36, 81–82, 231–232, '85, 95, '86, 126–129, '88, 197, '98, 183.

communis (*Coturnix*), see *C. coturnix*.

— (*Falco*), see *F. anatum*.

complexus (*Pipilo*), see *Pipilo*.

compressirostris (*Camarhynchus*), see *Camarhynchus*.

compressus (*Picolaptes*), see *Picolaptes*.

Compsothlypis (^b *Parula*), '85, 366^b, '84, 168–170, '86, 26, '90, 194, '93, 111, 112, 130.

americana (^a *Parula* or *Blue Yellow-backed Warbler*, ^b *Parula*), *Ala.* '78, 172^b; *Ark.* '82, 90^b; *Bahamas*, '91, 67, 295, 296, 297, 335, 338, 338, '92, 48; *Cuba*, '92, 273; *D. C.* '88, 24; *Fla.* '81, 40^a [= *usneae?*], '85, 62^b, '88, 275, '90, 18, 313, '91, 127^a, 132^a, 133, '92, 213, '93, 338, '95, 365; *Ga.* '80, 48^b, '82, 95^a, '83, 38^b, '96, 214; *g. dist.* '96, 45; *Jamaica*, '93, 340; *La.* '82, 161^b, '87, 301^a; *Miss.* '82, 90^b; *Mo.* '79, 141^b, '85, 377^b; *N. C.* '86, 173; *S. C.* '79, 211^b, '90, 127, '91, 331, '92, 31^a, 35^a, 37^a, 38^a; *Tenn.* '86, 316; *Tex.* '82, 8^b, 36^b, '92, 303, 340, 1900, 347; *Va.* '86, 160; *W. I.* '81, 151 [= *usneae?*], '86, 26, '87, 180, '90, 374, 375, 375, '91, 47, 48, 48,—*meas.* '85, 377^b; *mig.* '85, 62^b, '90, 18, '91, 69^a, '92, 31^a, 35^a, 37^a, 38^a, 303, '94, 14, 15^a; *nst.* '80, 48^b, '82, 95^a, '83, 38^b, '85, 97^a, 377^b; *plm.* '76, 21^b (alb.), '78, 22^b, '84, 169, '96, 45; *syn.* '84, 170, '86, 26, '96, 45; *misc.* '83, 235^a.

graysoni, *Revill. Is.* '98, 317.

inornatus, *Mex.* '98, 159; *syn.* '84, 170.

insularis, *syn.* '84, 170.

nigrilora (Sennett's Warbler, ^b *Parula*), *Tex.* '78, 144^b, '80, 46^b, 89^b; — *plm.* '84, 169; *syn.* '84, 170; *misc.* '93, 141.

pitiayumi (^b *Parula*), *Urug.* '83, 87^b; *Venez.* '97, 363.—*hbt.*, *mig.* '83, 87^b; *plm.* '83, 87^a (alb.); *syn.* '84, 170; *misc.* '83, 87^b.

pulchra, *Mer.* '89, 93*.

usneæ (^a Northern Parula or Blue Yellow-backed Warbler, ^b *Parula*

americana, " *americana*), *Bahamas*, '92, 48^c; *Colo.* '85, 15^b; *Conn.* '80, 114^b, '88, 431^a; *Cuba*, '92, 273^c; *D. C.* '92, 308^c; *Fla.* '85, 62^b, '93, 338^c, '95, 365^b; *g. dist.* '86, 26^c, '96, 44^a, '97, 123; *Ia.* '95, 122^b, 235^b; *Ill.* '88, 433^a; *Ind.* '82, 16^b, '89, 27^c; *Jamaica*, '93, 340^c; *Ky.* '89, 315^c; *Mass.* '88, 389^c, '89, 45^c, 103^c, '90, 217^c; *Mich.* '93, 227^c; *Mo.* '95, 117^a, 350^b; *N. H.* '88, 150^c, 152^c, '89, 77^c; *N. J.* '94, 139^b, '97, 280–294^c; *N. Y.* '81, 227^b, '83, 176^b, '84, 175^b, 176^b, 178^b, 212^c; *Pa.* '92, 138^c, '93, 36^a, 40^c, 42^a, 43^c, 45^c, '95, 190^a, '96, 284^c, 295^c; *P. E. I.* '93, 5^a, 13^c; *S. C.* '92, 31^a, 35^a, 37^a, 38^a; *Tex.* '92, 303^c, 340^c; *W. I.* '86, 26^c, '87, 180^c, '89, 31^c; *Wis.* '83, 66^b, 67^b, '88, 326^c.—*mig.* '83, 66^b, 67^b, '84, 175^b, 176^b, 178^b, '85, 62^b, '88, 326^c, 433^a, '90, 18^c, '91, 69^a, '92, 31^a, 35^a, 37^a, 38^a, 303^c, '94, 14^c, 15^a, '95, 122^c, 235^c; *nest.* '80, 114^b, '83, 176^b, '94, 134^a, '96, 284^c, '97, 289^c; *plm.* '78, 22^b, '84, 169^c; *song.* '84, 212^c; *syn.* '83, 26^c, '84, 170^c, 212^c, '96, 45, '97, 123.

Comstock, Frank Mason.

Parasitic Jaeger near Cleveland, Ohio, '96, 171.

Concepcion Island, West Indies.

Ridgway, R., '91, 337.

concolor (*Porzana*), see Porzana.

— (*Rallus*), see Porzana.

— (*Rufirallus*), see Porzana.

concreta (*Dacelo*), see Halcyon.

— (*Halcyon*), see Halcyon.

concretus (*Caridagrus*), see Halcyon.

condoni (*Anser*), see Anser.

Condor, see *Sarcoramphus gryphus*.

Condor, The (magazine), 1900, 93.

confinus (*Merula*), see Merula.

— (*Oreortyx*), see Oreortyx.

— (*Pooecetes*), see Pooecetes.

Congdon, Herbert Wheaton.

Notes from Pennsylvania, '95, 189.

conicus (*Lybius*), see Lybius.

Conirostris, '81, 33, 35.

conirostris (*Embernagra*), see Arremonops venezuelensis.

— (*Geospiza*), see Geospiza.

Conirostrum, '77, 64.**Conklin, Charles E.**

Breeding of Carolina Wren (*Thryothorus ludovicianus*) on Long Island, N. Y. '97, 97.

connectens (*Junco*), see Junco.

Connecticut.

Allen, J. A., '81, 114, 183, '87, 154–155.

Austin, E. H., '90, 389.

Averill, C. K., Jr., '88, 319, '89, 74, 189, 192, '90, 211, '91, 307–308.

Bishop, L. B., '89, 192–193, '94, 74.

Brewer, T. M., '80, 48–49.

Brewster, W., '76, 99.

Brockway, A. W., '98, 53, 192, 274, '99, 351.

Brown, N. C., '82, 60, 124.

Browne, F. C., '87, 99.

Canfield, J. B., '95, 77.

Case, C. M., '96, 343.

Chadbourne, A. P., '89, 257.

Chapman, F. M., '98, 284.

Clark, J. N., '83, 174, 176, 177, 234, 235, 235, 237, '84, 393–394, '85, 98, 100, 100, '86, 272, '95, 306.

Coues, E., '82, 59–60.

Deane, R., '80, 116, 117, 118, '81, 60.

Eames, E. H., '88, 427–428, 431–432, '89, 305–310, 338, '93, 89–90.

Flint, H. W., '93, 86.

Gates, H. T., '80, 114, '85, 96.

Goff, J. L., '85, 100.

Grinnell, G. B., '81, 49.

Holbrook, S. T., '83, 75.

Howe, R. H., Jr., '99, 360, 1900, 389.

Ingersoll, E., '81, 184.

Jencks, F. T., '80, 114.

Job, H. K., 1900, 294.

Jones, C. M., '76, 11–13, '83, 174, 176, '85, 98.

McCook, P. J., '97, 402.

Merriam, C. H., '76, 52, '77, 107–108, '78, 47, '86, 475.

Minot, H. D., '84, 86.

Morris, R. O., '94, 181.

Munson, S. A., '83, 178.

Neiff, C. H., '84, 286, 287.

Platt, F., '87, 154, '92, 193, 193.

Porter, L. H., '92, 302, '95, 76, 86.

Purdie, H. A., '79, 61.

Rawson, C. L., '90, 84, '97, 215–216.

Sage, J. H., '80, 113, 114, '81, 188, '83, 117, 120, 173, 179, 235, '84, 91, '85, 96, 100, 305, '86, 135, 487, 489, '87, 253–254, '89, 279, '90, 283, 394, 396, '91, 115, '93, 206–209, 303, 371, '94, 181, '95, 83, 310–311.

Shelton, G. H., '90, 388.

Stannis, J. A., '79, 119.

Taylor, H. H., '95, 179, '96, 84.

Thompson, C. A., '85, 96.

Treat, W. E., '87, 78, 256, 259, '88,

- 323, '91, 112, '92, 389, '93, 206, '94, 74, '95, 177.
 Trowbridge, C. C., '95, 259-270, '97, 209-210.
 Verrill, A. E., '97, 89.
 Verrill, A. H., '93, 207-208, 305, 371.
 Verrill, G. E., '92, 301.
 Voorhees, C. G., '93, 86, '94, 259-260.
 Wallace, N., '94, 70.
 Whipple, J. M., '80, 113, 113, 113, 114 (7 items), '81, 48, '83, 175, 176, '85, 97, 98.
 Wood, W., '80, 113, 114, '83, 177.
 Woodruff, C. G., '90, 89, '92, 202.
 Woolsey, G., '80, 116, 117, 121.
 Zerega, L. A., '80, 205.
Conopophaga browni, *Colom.* 1900, 82.
 — *rusbyi*, *Bolivia*, '90, 382.
Conopophagidae, '90, 379.
conradi (*Merula*), see *Merula*.
 — (*Turdus*), see *Merula*.
consobrina (*Drymophilà*), see *Drymophilà*.
consobrinus (*Odontophorus*), see *Odon-*
tophorus.
 — (*Pipilo*), see *Pipilo*.
conspersus (*Catherpes*), see *Catherpes*.
constanti (*Floricola*), see *Floricola*.
Contopus (^b *Nuttallornis*), '86, 234, '87, 335^b, '93, 110, '99, 330, 331.
 — *ardosiacus* (^b *Horizopus*), g. *dist.*
 syn. '99, 332^b.
 — *borealis* (^a Olive-sided Flycatcher,
^b *Nuttallornis*), *Ariz.* '82, 205, '87, 18, '90, 48, 255; *Cal.* '87, 88, '96, 85; *Colom.* 1900, 365^b; *Colo.* '79, 94, '80, 231, '81, 140, '83, 195, '85, 17, '94, 268; *C. R.* '90, 334, '92, 251; *g. dist.* '81, 237^a, '93, 126; '99, 331^b; *Ida.* '97, 355; *Ky.* '89, 314; *Man.* '86, 320; *Mass.* '84, 15, '88, 389, 390, '89, 43^a, 100, 105^a, '95, 88; *Me.* '82, 149; *Mich.* '79, 186, '93, 225; *Mont.* '82, 62, '94, 304; *N. B.* '82, 149, '89, 117; *N. C.* '86, 104, 105, '89, 122; *N. E.* '76, 73, 92, '77, 16; *N. H.* '88, 151, 154; *N. J.* '91, 105; *N. M.* '86, 75, '92, 363; *N. S.* '91, 165; *N. Y.* '78, 53, '80, 46, 116, '81, 231, '83, 52^a, '89, 137, '93, 276, '95, 70, '97, 99, '99, 192; *Ore.* '79, 195, '86, 166, '88, 257; *Pa.* '79, 235, '96, 282, '97, 326, 410; *P. E. I.* '93, 5^a, 9; *Que.* '83, 244; *Tex.* '87, 192, '92, 236; *Va.* '88, 148; *Vt.* '83, 237^a, '84, 7^a; *Wash.* '97, 176, 1900, 353; *W. Va.* '98, 135. — *fd.* '96, 85; *hbt.* '86, 75, 105, 166; *mig.* '89, 137; *nst.* '83, 237^a, '84, 7^a, '88, 390, '95, 88, '96, 282; *flm.* '78, 177; *song.* '80, 231, '86, 75, 105, '97, 176, 1900, 353; *syn.* '87, 335, '99, 331^b.
brachyrhynchus (^b *Horizopus*), *Argent.*, *syn.* '99, 332^b.
frazari, '83, 94*, see *Blacicus hispaniolensis*.
lugubris (^b *Horizopus*), *g. dist.*, *syn.* '99, 332^b.
ochraceus (^b *Horizopus*), *C. R.*, *syn.* '99, 332^b; *musc.* '84, 386.
pallidiventris (*Coues's Flycatcher*, ^b *pertinax*, ^c *Horizopus*), *Ariz.* '82, 205^b, '85, 356^b, '87, 19^b, '90, 256^b; *Colo.* '87, 264^b; *g. dist.* '93, 134^b, '97, 310*; '99, 112, 331^c; *L. Cal.* '90, 215. — *hbt.* '85, 356^b; *meas.* '82, 205^b, '91, 315^b, '97, 310; *nst.* '91, 315^b; *flm.* '82, 205^b; *song.* '85, 356^b; *syn.* '91, 89^b, '99, 112, 331^c.
peninsulæ (Large-billed Wood Pewee, ^b *Horizopus*, ^c *saturatus*), *Ariz.* '82, 206, '87, 19, '90, 49, 256; *Cal.* '78, 67, '86, 180, '96, 120; *Colo.* '79, 94, '80, 231, '81, 140, '83, 195, '85, 17, 143, '94, 268; *C. R.* '90, 334, '92, 251; *g. dist.* '93, 134, '99, 333^b; *1900*, 116*; *Ida.* '97, 355; *Man.* '86, 320; *Mont.* '82, 62, '94, 304, '95, 215; *N. D.* 1900, 118; *N. M.* '86, 75, '92, 363, '99, 189; *Ore.* '79, 195, '86, 166, '88, 257; *Tex.* '87, 193, '89, 239, '92, 236; *Wash.* '92, 44, '97, 176, 1900, 353. — *hbt.* '86, 166, '99, 189; *meas.* '82, 206, 1900, 117, 117^c, 118; *nst.* '79, 94, '86, 166, '87, 19, '88, 257, '96, 120, '97, 176; *flm.* '82, 206; *song.* '80, 231, '88, 257; *syn.* '99, 333^b.
vicinus (^b *Horizopus*), *H. I.* '89, 172, '99, 333^b. — *syn.* '99, 333^b.
virens (^a Wood Pewee, ^b *Horizopus*, ^c *albicollis*), *Ala.* '79, 10; *Ark.* '82, 92; *Colom.* 1900, 365; *C. R.* '90, 334, '92, 251; *Cuba.* '86, 236; *D. C.* '88, 21, '92, 308; *Fla.* '88, 272, '89, 319, '92, 213; *'93, 337, '95, 365*; *Ga.* '83, 40, '96, 214; *g. dist.* '93, 133, '99, 332^b; *Ia.* '95, 123, 235; *Ind.* '82, 17, '89, 23; *Ky.* '89, 314; *La.* '82, 163; *Labrador.* '85, 369; *Man.* '86, 320; *Mass.* '84, 6^a, '88, 389, '89, 44, 100; *Me.*

'82, 149; Mich. '85, 65, '93, 225; Minn. '80, 16; Miss. '82, 92; Mo. '79, 145, '95, 351^a; N. B. '89, 117; N. C. '86, 106, '89, 121; N. H. '88, 150, 151, 154, '89, 77, 78; N. J. '90, 328, '94, 137; N. Y. '81, 231, '82, 188, '85, 255; O. '95, 241; Pa. '92, 136, '93, 39, 44, '96, 282, 293; P. E. I. '93, 5^a, 9; S. C. '79, 215, '90, 39, '91, 328; Tcnn. '86, 319, '87, 130; Tex. '82, 169, '87, 192, '92, 236, 1900, 345; Ua. '89, 53^a; Wis. '82, 188; W. Va. '98, 135; Yucatan, '85, 290^c.—hbt. '78, 25^a; mig. '85, 65, '95, 123, 235, 241; nst. '80, 179, '83, 40, '88, 21, 272, '89, 23; plm. '78, 177, '79, 29^a (alb.); song. '85, 255, '86, 106; syn. '86, 236, '95, 159, '99, 332^b; misc. '85, 210^a.

Contributions to Science (mag.), '89, 206.

Conuropsis, see *Conurus*.

Conurus, '86, 455, '92, 278, '93, 63, 110, 132, '94, 49.

æruginosus, *Venez.* '97, 366.

arubensis, *W. I.* '93, 355.

aureus, *Braz.* '91, 160.

brevis, *Revill. Is.* '98, 317.

carolinensis (^a Carolina Paroquet or Parakeet), *Ala.* '79, 11; *Colo.* '77, 50, '85, 17; *D. C.* '88, 148; *Fla.* '81, 16, 42, '87, 68^a, '88, 185, '89, 249, 336, '90, 388, '91, 136, '92, 212, 218, 385^a, '95, 188, 367; *Ga.* '83, 40 (sp.?) ; g. dist. '91, 369-379 (map). '92, 49-56, '93, 133; *Ill.* '81, 121^a; *Kan.* '77, 50; *Ky.* '89, 313, '92, 206; *La.* '82, 164, '87, 303^a; *Miss.* '82, 93; *Mo.* '92, 301; *N. J.* '95, 171; *O.* '83, 127^a, '89, 201; *Pa.* '95, 171; *S. C.* '86, 408.—*anat.* '86, 479; *fd.* '91, 369, '92, 49, 218, 301, '98, 28^a; *hbt.* '81, 42, '89, 249, 336, '91, 369, '92, 49, 56, '98, 28-32^a; *meas.* '83, 41, '91, 373; *nst.* '83, 40, '89, 336, '91, 369, '98, 28^a; *plm.* '98, 28^a; *syn.* '92, 278^a, '94, 49; *misc.* '80, 114, '86, 408^a, '92, 384^a, 385^a, '97, 105^a, 245^a.

chloroptera (^b gundlachi), *W. I.* '81, 155, '86, 457, 457^b, '92, 228, '95, 279.—*meas.*, *plm.* '86, 457, 457^b; *syn.* '86, 457, 457^b, '92, 228, 229^b.

cyanopterus, *Braz.* '91, 160.

euops, *W. I.*, *meas.*, *plm.*, *syn.* '86, 455.

finschi, *C. R.* '92, 327.

nanus, *W. I.* '86, 456, '92, 128.—*meas.*, *plm.*, *syn.* '86, 456.

pavua, *Braz.* '91, 159.

patagonus, *Argent.*, *Urug.*, *hbt.* '84, 28.

pertinax (^b Xantholæmus), *W. I.* '86, 456^b, '93, 355.—*meas.*, *plm.*, *syn.* '86, 456^b.

petzii, *C. R.* '92, 327.

roseifrons, *Braz.* '91, 160.

convexus (*Anthracoceros*), see *Anthracoceros*.

— (*Buceros*), see *Anthracoceros*.

Cook, Albert John.

Birds of Michigan (rev.), '93, 351.

Food of Woodpeckers and Flycatchers, '96, 85.

Cook, Frederick Albert.

[Notice of his 'Miranda' expedition to Greenland], '94, 341.

Cooke, Wells Woodbridge.

Migration of birds in Mississippi valley, '83, 64.

Bird migration in Mississippi valley (rev.), '83, 230.

Least Bittern in northwestern Minnesota, '81, 186.

Bird nomenclature of Chippewa Indians, '84, 242-250.

Distribution and migration of *Zonotrichia querula*, '84, 332-337.

Notes on occurrence of certain birds in Mississippi valley, '85, 31-33.

Indian bird names, '85, 222.

Report on bird migration in Miss. valley (rev.), '89, 58-61, 270-272.

Evening Grosbeaks in Vermont, '90, 210.

Ten new birds for Colorado, '94, 182.

Summer range of Colorado birds, '95, 150-155.

Scarlet Ibis in Colorado, '97, 316.

Birds of Colorado (rev.), '97, 331.

Scarlet Ibis—a correction, '98, 183.

Further notes on birds of Colorado (rev.), '98, 340, 1900, 396.

More new birds for Colorado, '99, 187.

Cooke, W. W., and *Widmann*, O.

Bird migration in Mississippi valley (rev.), '84, 206.

Coombs, Frank E.

Notes on a few Louisiana birds, '92, 204-206.

Cooper, James Graham.

Nesting habits of California House Wren (*Troglodytes aëdon* var. *parkmani*), '76, 79-81.

New facts relating to Californian ornithology (rev.), '77, 76.

Seventy-five doubtful West-coast birds, '77, 88-97.

California Prairie Chicken, '78, 96.
 Migrations and nesting habits of West-coast birds (rev.), '80, 232.
 Water-birds of North America—a few corrections, '86, 124–126.
 Water-birds of North America—explanations, '86, 401.
 Additions to birds of Ventura Co., California, '87, 85–94.
 Notes on Pacific coast birds, '90, 214–216.

Cooper, William A.

Notes on breeding habits of *Carpodacus purpureus* var. *californicus*, with descr. of nest and eggs, '78, 8–10.

Notes on breeding habits of Hutton's Vireo (*Vireo huttoni*) and the Gray Titmouse (*Lophophanes inornatus*) with descr. of nest and eggs, '78, 68.
 Notes on breeding habits of Californian Pygmy Owl (*Glaucidium californicum*) with description of its eggs '79, 86.

Cooper Ornithological Club, '94, 89, '99, 212.

cooperi (*Accipiter*), see *A. cooperi* or *gundlachi*.
 —— (*Actedromas*), see *Tringa*.
 —— (*Astur*), see *Accipiter gundlachi*.
 —— (*Buteo*), see *Buteo*.
 —— (*Megascops*), see *Megascops*.
 —— (*Melospiza*), see *M. samuelis*.
 —— (*Muscicapa*), see *Contopus borealis*.
 —— (*Myiarchus*), see *M. magister*.
 —— (*Piranga*), see *Piranga*.
 —— (*Scops*), see *Megascops*.
 —— (*Tringa*), see *Tringa*.
 —— (*Tyrannula*), see *Myiarchus magister*.

Coot, see *Fulica americana*.
 American, see *Fulica americana*.
 Bald-head, see *Fulica americana*.
 European, see *Fulica atra*.
 Plantain, see *Ionornis martinica*.
 Red-head, see *Gallinula galeata*.
 White-head, see *Fulica americana*.

Coots, see *Fulicariae*.

Cope, Edward Drinker.
 Obituary of, '97, 342.

copei (*Phoenicopterus*), see *Phoenicopterous*.

Copyschus, '94, 233.

adamsi, *Bornco.*, meas., plm. '90, 348; syn. '91, 117.
inexpectatus, *Madagas.* '97, 417.
Copurus funebris, plm., syn. '89, 267.
Coracias garrulus, *Holg.* '95, 336.

Coraciidae, '81, 74, 75, '93, 68.
Coracioides, '86, 406.
Coracocichla, see *Mellopitta*.
Coracomorphæ, '81, 30, 203.
Coracopitta, see *Mellopitta*.
Coragyps, '80, 80.
corallipes (*Dendrophila*), see *Dendrophila*.
Corapitta, see *Mellopitta*.
corax (*Corvus*), see *C. corax*, *principalis* or *sinuatus*.
coraya (*Thryothorus*), see *Thryothorus*.
Cordeaux, John.
 Obituary of, '99, 377.
 Cordeaux, J., and Harvie-Brown, J. A., see Harvie-Brown and Cordeaux.
 Cordeaux, J., Harvie-Brown, J. A., and Newton, A., see Harvie-Brown, Cordeaux and Newton.
cordifera (*Parra*), see *Jacana spinosa*.
corensis (*Columba*), see *Columba*.
 —— (*Patagioenas*), see *Columba*.
Corethrura, '94, 317.
reichenovi, misc. '94, 243.
Coriphilus kuhli, *Fanning Is.* '78, 81.
Cormorant, see *Phalacrocorax carbo*.
 Baird's, see *Phalacrocorax resplendens*.
 Brandt's see *Phalacrocorax penicillatus*.
 Common, see *Phalacrocorax carbo*.
 Double-crested, see *Phalacrocorax dilophus*.
 Farallone, see *Phalacrocorax albociliatus*.
 Florida, see *Phalacrocorax floridanus*.
 Mexican, see *Phalacrocorax mexicanus*.
 Pallas's see *Phalacrocorax perspicillatus*.
 Pelagic, see *Phalacrocorax pelagicus*.
 Red-faced, see *Phalacrocorax urile*.
 Violet-green, see *Phalacrocorax robustus*.
 White-crested, see *Phalacrocorax cinereus*.
Cormorants, see *Phalacrocoracidae*.
corniculata (*Fratercula*), see *Fratercula*.
 —— (*Mormon*), see *Fratercula*.
cornix (*Corvus*), see *Corvus*.
Corn-planter, see *Harporhynchus rufus*.
cornuta (*Chimerina*), see *Cerorhinca monocerata*.
 —— (*Eremophila*), see *Otocoris alpestris* or *praticola*.
 —— (*Palamedea*), see *Palamedea*.
 —— (*Tadorna*), see *T. damiatica*.
cornutus (*Colymbus*), see *C. auritus*.

— (Podiceps), see *Colymbus auritus*.
 — (Podicipes), see *Colymbus auritus*.
coromandus (*Alcedo*), see *Halcyon*.
 — (Callialeyon), see *Haleyon*.
 — (Haleyon), see *Halcyon*.
coronata (*Cyanocitta*), see *Cyanocitta*.
 — (Dendrochelidon), see *Dendrochelidon*.
 — (Dendroica), see *Dendroica*.
 — (Hirundo), see *Petrochelidon fulva*.
 — (Lophocitta), see *Platylophus*.
 — (Macropteryx), see *Dendrochelidon*.
 — (Motacilla), see *Dendroica*.
 — (Phylloscopus), see *Phylloscopus*.
 — (Pitta), see *P. brachyura*.
 — (Sylvia), see *Dendroica*.
 — (Sylvicola), see *Dendroica*.
 — (Tænioptera), see *Tænioptera*.
 — (Zonotrichia), see *Zonotrichia*.
coronatus (*Anthus*), see *Seiurus aurocapillus*.
 — (Lanius), see *Platylophus*.
 — (Phylloscopus), see *Phylloscopus*.
 — (Platylophus), see *Platylophus*.
 — (Rhimamphus), see *Dendroica*.
 — (Turdus), see *Seiurus aurocapillus*.
Corone, see *Corvus*.
corone (*Corvus*), see *Corvus*.
correndera (*Anthus*), see *Anthus*.
coruscans (*Petasophora*), see *Petasophora*.
Corvidæ (^a Crows), '78, 78, '81, 28, 34, '85, 206, '88, 413, '90, 280, '92, 282, '93, 110, '96, 158, '97, 105^a, 1900, 189.
corvina (*Sporophila*), see *Sporophila*.
Corvus (^b Corone), '85, 96, 206, '86, 227, '93, 99, '94, 233^b, 235.
americanus (^a American or Common Crow, ^b Corone, ^c frugivorus, ^d hesperus), *Ariz.* '87, 21, '90, 49, 256; *Ark.* '82, 92^c; *B. C.* '93, 18-21; *Bermuda*, '96, 239^a; *Cal.* '86, 181, '87, 86, 92; *Colo.* '81, 143, '85, 16^c; *D. C.* '88, 21; *Europ.* '80, 66; *Ga.* '96, 212; *g. dist.* '87, 335^a, '88, 397^d; *Ia.* '95, 236; *Ida.* '97, 349, 356; *Ind.* '89, 23; *Kan.* '85, 21^a; *Ky.* '89, 314; *La.* '82, 163^c; *Man.* '86, 321; *Mass.* '76, 53, '84, 5^a, '85, 300^a, '88, 389, '89, 44, 100; *Me.* '82, 149, '83, 59^a; *Mich.* '93, 225; *Minn.* '84, 245^c; *Miss.* '82, 92^c; *Mo.* '79, 145, '80, 191, '95, 4^a, '98, 27^a; *Mont.* '94, 305, '95, 215; *N. B.* '82, 149, '83, 7^a, '84, 92^a, '89, 117; *N. C.* '86, 106, 314, '89, 121; *N. E.* '76, 72, '77, 14, 45; *N. H.* '87, 104, '88, 150, 151, 154, '89, 77,

78; *N. J.* '79, 223, '90, 328, '94, 138, 228-231^a; *N. M.* '78, 94, '86, 75^c; *N. S.* '87, 15^a, 16, '98, 196, '99, 252; *N. Y.* '79, 32, '81, 231^c, '82, 188, '85, 253^c, '88, 179^a, '89, 129, 202, '93, 53^a, '94, 228-231^a; *O.* '89, 201; *Ont.* '83, 145^a, '84, 160^c, '85, 334; *Orc.* '79, 166, '86, 166, '88, 262^d; *Pa.* '89, 140^a, 141, '92, 136, '93, 39, 44, '96, 283, 294; *P. E. I.* '85, 265^a, '93, 6^a, 10; *Que.* '82, 236^c, '85, 107^c, '89, 147; *S. C.* '79, 215, '90, 124, '91, 328, '92, 33^a; *S. D.* '85, 282^c; *Tenn.* '86, 319, '87, 130; *Tex.* '82, 40^c, 168^c, '87, 290, '89, 240, '92, 231, 1900, 345; *Va.* '76, 25, '81, 118^a, '82, 250^c, '86, 161^a, '89, 52^a, 96, 288; *Vt.* '98, 241^a; *Wash.* '82, 227, '93, 18-21, '97, 177, 1900, 354; *Wis.* '82, 188.—*anat.* '88, 414^a; *fd.* '83, 59^a, '84, 92^a, 160^c, 391^c, '85, 93^a, 98^a, 108^a, 213^a, 213^c, 214^a, 265^a, '86, 475, 485, '88, 312^b, '92, 222, 318^a, 332^a, '93, 10, '94, 228^a, '95, 287^a, 381, '96, 287^a, 337^a, '97, 11, 421^a; *hbt.* '76, 76, '77, 74, 75, '80, 191^a, '83, 59^a, '84, 92^a, 188^a, 188^c, 188^a, 189^a, 391^c, '85, 373^a, '87, 70^a, '89, 180^a, 181^a, '90, 83^a, 391^a, '91, 109, '92, 69^a, 222, 283^a, 287^a, 317^a, 318^a, 332^a, '93, 10, '94, 228-231^a, 305, '96, 287^a, '98, 27^a; *meas.* '87, 92, '93, 19, 21; *mig.* '89, 141, '92, 33^a, '93, 247, '95, 236; *nest.* '79, 24, '88, 21, 262^d, '89, 23, 147, '90, 397^a, '94, 261^a, '95, 287^a, '97, 177; *plm.* '76, 22^a (alb.), '78, 71, '80, 26^a (alb.), '81, 160, '85, 107^c (alb.), 334 (alb.), '93, 21, '98, 196 (alb.); *song.* '85, 253^c; *syn.* '78, 79^b, '80, 106, '84, 115^c, '87, 335^a, '93, 20; *misc.* '76, 54^a, '84, 288^a, '88, 316^a, '89, 129, '90, 82^a, 392^a, '91, 106^a, '94, 69^a, '95, 385^a, 1900, 94.
annectens (fossil sp.), *Orc.* '91, 368, '93, 344.
caurinus (Northwest Crow, ^b carnivorus), *Alas.* '98, 128; *B. C.* '93, 18-21; *Cal.* '86, 181, '87, 86, 92^c (sp.?) ; *g. dist.* '93, 134; *Orc.* '77, '93 [*Inot. ossifragus* '1, '86, 166^b; *Wash.* '92, 45, '93, 18-21, 1900, 354.—*fd.* '83, 116, '98, 128, 1900, 354; *hbt.* '92, 45; *meas.* '93, 19, 21; *plm.* '93, 21; *syn.* '80, 106, '87, 92, '93, 20, '94, 50.
corax, *Helg.* '95, 330.
cornix (^a Hooded Crow), *Helg.* '95, 330.—*plm.* '93, 282 (hyb.), '96, 149^a mlt.).
corone (^a European Carrion Crow),

Germany, '96, 309^a; *Helg.* '95, 330.—*plm.* '93, 282 (hyb.).

cryptoleucus (^a White-necked Raven), *Ariz.* '82, 201, '87, 21, '89, 173, '94, 220^a; *Colo.* '85, 16, '95, 152^a; *Kan.* '84, 100; *N. M.* '81, 118, '92, 364; *Tex.* '87, 290.—*fd.* '81, 118; *hbt.* '87, 290; *meas.* '81, 119, '82, 201; *nst.* '87, 290, '89, 173, '92, 364; *plm.* '81, 118, '82, 201, '93, 194; *song.* '82, 201.

dominicensis, *W. I.*, *plm.*, *syn.* '86, 228.

frugilegus, *Helg.* '95, 330.—*fd.* '97, 8.

grebnitzskii, *Kamts.* '85, 95.

hawaiensis, *misc.* '92, 282.

ossifragus (^a Fish Crow, ^b *Colœus*, ^c *maritimus*), *Ala.* '79, 10; *Conn.* '83, 54, '89, 338, '93, 89; *Cuba*, '86, 230?; *D. C.* '88, 21; *Fla.* '87, 138, 214^a, '88, 272, '89, 319, '90, 223, '92, 213, '95, 365; *Ga.* '83, 39; *g. dist.* '80, 203–208, '93, 133; *Mass.* '76, 19, '87, 162, '97, 100; *Minn.* '93, 289; *N. E.* '76, 72, '77, 13, 46; *N. J.* '79, 82, 239, '90, 329, '94, 138; *N. Y.* '78, 45, 47, 131, '80, 240, '83, 54, '85, 253^c, '89, 199, '93, 89; *Ore.* '77, 93 [= *caurinus*]; *Va.* '76, 25, '81, 118^a, '82, 250.—*fd.* '87, 214^a, '89, 319; *hbt.* '80, 205, 240, '93, 89; *meas.* '79, 239, '80, 208; *nst.* '76, 25, '80, 240, '83, 39, '89, 338, '90, 81^a, 329, '93, 89, '94, 138; *syn.* '78, 79^b, '93, 20; *misc.* '83, 50.

jamaicensis, *W. I.* '81, 155?^a, '86, 228, '93, 178.—*meas.*, *plm.*, *syn.* '86, 228.

leucognaphalus, *W. I.* '81, 153?^a, '86, 227.—*meas.*, *plm.*, *syn.* '86, 227.

minutus, *W. I.*, *meas.*, *plm.*, *syn.* '86, 229.

monedula (^a Jackdaw), *Helg.* '95, 330.—*nst.* '97, 335^a.

nasicus, *W. I.*, *meas.*, *plm.*, *syn.* '86, 229.

orientalis, *syn.* '88, 196, '91, 99.

pascuus (Florida Crow, ^b *floridanus*), *Ala.* '79, 10^b; *Fla.* '88, 272^b, '89, 319^b, '90, 311^b, 341^b, '91, 138^b, '92, 213^b, '95, 363^b?—*fd.*, *hbt.* '90, 341^b; *syn.* '99, 84, 112.

principalis (^a Northern Raven, ^b *corax*, ^c *carnivorus*, ^d *sinuatus*), *Alas.* '98, 128 [= *sinuatus*]; *Arctic Am.* '78, 86^b; *g. dist.* '88, 397, '93, 126; *Greenl.* '89, 211^a, 293; *Ill.* '96, 83; *Ind.* '99, 91^a; *Ky.* 89, 314^d, '94,

244^b; *Mass.* '76, 53^b, '77, 74^a, '89, 100^b; *Mc.* '81, 249^b, '82, 149^b, '98, 55; *Mich.* '93, 230; *Minn.* '84, 245^c; *N. B.* '81, 249^b, '82, 149^b; *N. C.* '86, 106^d, 314^d; *N. F.* 1900, 72; *N. J.* '79, 82^b, 223^b, '94, 137; *N. S.* '87, 15^a, 16^d, '99, 252; *N. Y.* '78, 53^b, '81, 231^c, '83, 52^a, '93, 276^d; *Ont.* '84, 160^c; *Pa.* '92, 136^d, 385, '99, 311^d; *P. E. I.* '93, 10; *Que.* '82, 236^b, '89, 147; *S. C.* '89, 277^a, '90, 124^b, 328^b; *S. D.* '85, 282^c; *Tenn.* '82, 192^c, '86, 319^d; *Va.* '81, 118^a, '89, 52^a; *Vt.* '82, 64^c; *W. Va.* '98, 135.—*fd.* '81, 249^b, '86, 106^d, '89, 277^a, 293, '98, 55, 135; *hbt.* '84, 188^a, '89, 293, '98, 55, 128; *meas.* '94, 138, '96, 84; *nst.* '81, 249^b, '89, 293, '94, 137, '98, 55, '99, 91^a; *plm.* '80, 28^b (alb.), '96, 83, '98, 55 (mlt.); *syn.* '87, 335, '89, 277^a; *misc.* '91, 391^a.

sinuatus (^a American Raven, ^b *corax*, ^c *carnivorus*, ^d *cacalotl*), *Alas.* '80, 34^a, '85, 157^c, '87, 12; *Ariz.* '82, 201^c, '85, 174^c, '87, 21, '90, 256, '94, 138; *Cal.* '87, 92, 329, '90, 296, '94, 138, '98, 235; *Colo.* '79, 94^b, '81, 139^b, '83, 193^b, '85, 16^c, '94, 269; *Ida.* '97, 356; *Ind.* '89, 23; *L. Cal.* '88, 241, '95, 140; *Man.* '86, 321; *Mer.* '95, 358; *Mont.* '95, 215; *N. M.* '81, 118^b, '86, 75^c, '92, 364, '98, 309; *Orc.* '79, 166^b, '86, 166, '88, 262; *Revill. Is.* '98, 315, 318; *Tex.* '82, 40^c, '87, 188^a, 290; *Wash.* '92, 45, '97, 182.—*anat.* '88, 198, 329, '92, 62^b; *fd.* '87, 92, 329, '88, 262; *hbt.* '77, 74^b; *meas.* '87, 92, '94, 138; *nst.* '87, 290, 329; *song.* '80, 34^a; *syn.* '85, 371, '89, 277; *misc.* '80, 87^d.

solitarius, *W. I.* '86, 229, '95, 279.—*meas.*, *plm.*, *syn.* '86, 229.

Cory, Charles Barney.

Black Gyrfalcon (*Falco sacer labradorum*) in Massachusetts, '77, 27.

Glossy Ibis in Mass., '78, 152.

Capture of Kirtland's Warbler (*Dendroica kirtlandii*) in Bahama Is., '79, 118.

A naturalist in the Magdalen Islands (rev.), '79, 171.

Birds of Bahama Islands (rev.), '80, 107.

Beautiful and curious birds of world (rev.), '80, 236, '81, 111, 240, '83, 55, '84, 81.

Descr. of a new species of the Procellariidae, '81, 84.

- Descr. of four new species of Haitian birds, '81, 129 (col. pl.).
 List of birds of Haiti, etc. '81, 151-155 (map).
 Capture of *Larus leucopterus* near Boston, '82, 60.
 Turkey Buzzard in New Hampshire, '82, 184.
 Descriptions of new species of birds from Santo Domingo, '83, 94.
 Descr. of new birds from Santo Domingo, '84, 1-5 (col. pl., figures).
Thryothorus ludovicianus in Massachusetts, '84, 91.
Bernicia brenta nigricans in Massachusetts, '84, 96.
 Birds of Haiti and San Domingo (rev.), '84, 285, '85, 295.
 Generic name *Ligea*, '84, 290.
 Birds of West Indies, excepting Tobago and Trinidad, '86, 1-59, (7 cuts), 187-245 (5 cuts), 337-381 (4 cuts), 454-471 (cut), '87, 37-51, 108-120, 223-232, 311-328, '88, 48-82, 155-159.
 Descr. of a new N. Am. species of *Ardetta*, '86, 262.
 Descr. of new species of birds from West Indies, '86, 381.
 see Goss, N. S., 'revised cat. of birds of Kansas' (rev.), '86, 399.
 see Capen, E. A., 'oölogy of New England' (rev.), '86, 400.
 More news of *Ardetta neoxena*, '86, 408.
 Another specimen of *Ardea tuerdemanii?*, '86, 408.
 Thirteen new species from Grand Cayman, W. I., '86, 497-501.
 List of birds collected on Grand Cayman, West Indies, '86, 501.
 New Vireo from Grand Cayman, West Indies, '87, 6.
 Collection of birds from several little-known islands of West Indies (rev.), '87, 66.
 New species of *Rhamphocinclus* from St. Lucia, West Indies, '87, 94.
 List of birds collected by Richardson in Martinique, '87, 95.
 More news of *Ardea tuerdemanii*, '87, 159.
 Descr. of six supposed species from Old Providence and St. Andrews, '87, 177.
 List of birds taken by Henderson in Old Providence and St. Andrews, '87, 180-181.

- Descr. of new *Euetzia* from Old Providence Island, '87, 245.
 Description of supposed new *Margarops* from Dominica, '88, 47.
 An apparently new *Elainea* from Barbadoes, '88, 47.
 European Kestrel in Massachusetts, '88, 110, 205.
 Description of new *Myiarchus* from West Indies, '88, 266.
 List of birds collected by Maynard in Little Cayman and Cayman Brac, West Indies, '89, 30-32.
 Notes on West Indian birds, '89, 218.
 Birds of the West Indies (rev.), '89, 265.
Buteo brachyurus in Florida, '89, 275.
Antrostomus vociferus in Porto Rico, '89, 276.
 A new Duck for Massachusetts, *Nomonyx dominicus*, '89, 336.
 Eggs of Florida Dusky Duck, '90, 204.
 Collection of birds made in the islands of St. Thomas, Tortola, Anegada, and Virgin Gorda, West Indies, '90, 373-375.
 West Indian species of Genus *Certhiola* or *Careba*, '91, 37-41.
 Notes on West Indian birds, '91, 41-46.
 Collection of birds taken in the islands Anguilla, Antigua, and St. Eustatius, West Indies, '91, 46-47.
 List of birds collected in St. Croix and St. Kitts, West Indies, and in Guadeloupe, 1890, '91, 47-49.
 List of birds taken and observed in Cuba and Bahama Islands, 1891, '91, 292-296.
 List of birds collected in Caicos Islands and Inagua, Bahamas, and in Abaco, 1891, '91, 296-298.
 Birds of the Bahama Islands, revised ed. (rev.), '91, 300.
 Capture of a fourth specimen of *Ardetta neoxena*, '91, 309.
 Descr. of new birds from Bahama Islands, with remarks on species of *Speotyto* which occur in West Indies, '91, 348-349.
 List of birds obtained on Great Bahama and Abaco, Bahama Islands, and on Eleuthera, 1891, '91, 350-351.
 List of birds collected on Inagua, Bahama Islands, 1891, '91, 351.
 Collection of birds made on Anguilla

- and Cay Sal, or Salt Cay, Bahama Islands, 1891, '91, 352.
 Abnormal specimen of *Coccyzus maynardi*, '91, 394.
 Another Massachusetts record for Mockingbird, '91, 395.
 English Sparrow (*Passer domesticus*) in Nassau, N. P., '91, 395.
 Note regarding islands of Maraguana and Samana, Bahamas, '91, 399.
 List of birds taken on Maraguana, Watling's Island, and Inagua, Bahamas, 1891, '92, 48.
 Collection of birds made on Mona and Porto Rico, 1892, '92, 228.
 Descr. of new *Centurus* from Great Bahama I., '92, 270.
 In Cuba with Dr. Gundlach, '92, 271-273.
 Catalogue of West Indian birds (rev.), '93, 69.
 List of birds collected on Tobago, West Indies, 1892, '93, 220.
 [Sale of his collection to Field Columbian Museum], '94, 264.
 Florida notes, '95, 187.
 Descr. of two new species of birds from San Domingo, '95, 278.
 Hunting and fishing in Florida including a key to water-birds known to occur in the State (rev.), '96, 196, 246.
 List of birds of Florida (rev.), '97, 247.
 List of birds of eastern North America (rev.), '97, 248.
 How to know the shore-birds (*Limicolæ*) of North America (rev.), '97, 418.
 How to know the Ducks, Geese and Swans of North America (rev.), '98, 278.
 Kirtland's Warbler (*Dendroica kirtlandi*) in Florida, '98, 331.
 Birds of eastern North America (rev.), '99, 366, pt. ii. 1900, 78.
Corydomorphe, '88, 207.
Corydon sumatrana, *Borneo*, *syn.* '90, 358.
coryi (*Euetheia*), see *Euetheia*.
 —— (*Geothlypis*), see *Geothlypis*.
 —— (*Pyrrhulagra*), see *Pyrrhulagra*.
 —— (*Rallus*), see *Rallus*.
 —— (*Sula*), see *S. piscator*.
 —— (*Synallaxis*), see *Synallaxis*.
Corypha, '84, 229.
Corythaix, '81, 156.
albocristatus, *plm.* '82, 114.
Coscoroba, '83, 231.
coscoroba, *syn.* '96, 163.
- coscoroba (*Coscoroba*), see *Coscoroba*.
Cosmetornis, '97, 419.
Cosmonessa, see *Histrionicus*.
Cosmonetta, see *Histrionicus*.
Cossyphopsis, '84, 182.
costæ (*Calypte*), see *Calypte*.
 —— (*Certhia*), see *Certhia*.
 —— (*Trochilus*), see *Calypte*.
***Costa Rica*.**
 Allen, J. A., '83, 228, '84, 84, '85, 370.
 Berlepsch, H. von, '88, 449.
 Cherrie, G. K., '90, 233-237, 329-337, '91, 62-64, 191-193, 271-279, '92, 21-27, 247-251, 322-329, '93, 278-280, '94, 245, '95, 87, '96, 135-136.
 Ridgway, R., '83, 228, '84, 84, '85, 297, '92, 173, '94, 169, '99, 255.
costaricensis (*Campylorhynchus*), see *Heleodytes*.
 —— (*Dendronnis*), see *D. nana*.
 —— (*Heleodytes*), see *Heleodytes*.
 —— (*Ramphocelus*), see *Ramphocelus*.
 —— (*Zonotrichia*), see *Brachyspiza peruviana*.
costototl (*Hyphantes*), see *Icterus cucullatus*.
Cotile, see *Clivicola*.
Cotinga cærulea, *Braz.* '91, 25.
cayana, *Braz.* '91, 25.
cuprea, *misc.* '96, 266.
ridgwayi, *C. R.* '88, 194.
rubra, *misc.* '96, 266.
Cotingidae, '81, 29, 31, 36, '89, 267.
cotta (*Elenia*), see *Elenia*.
 Cotton-head, see *Lophodytes cucullatus*.
Coturnicops, see *Porzana*.
Coturniculus, see *Ammodramus*.
coturniculus (*Porzana*), see *Porzana*.
Coturnix, '93, 99, '97, 214.
coturnix (^ European or Migratory Quail, "communis, "dactyloans), *Maine* (introd.), '83, 112^b, '84, 186^a, '88, 314^b; *Helg.* '95, 337; *N. Am.* '82, 243^c (introd.); *plm.* '97, 107^b; *misc.* '85, 301^a.
coturnix (*Coturnix*), see *C. coturnix*.
Cotyle, see *Clivicola*.
couchi (*Aphelocoma*), see *Aphelocoma*.
 —— (*Tyrannus*), see *Tyrannus*.
Coues, Elliott.
 Tarsal envelope in *Campylorhynchus* and allied genera, '76, 50.
 Number of primaries in *Oscines*, '76, 60-63.
 Peculiar nesting-site of Bank Swallow, '76, 96.
 Note on *Podiceps dominicus*, '77, 26.
 Eastward range of Ferruginous Buzz-

- zard (*Archibuteo ferrugineus*), '77, 26.
 Correction of nomenclature in genus *Siurus*, '77, 29-33.
 see Minot, H. D., 'land-birds and game-birds of New England' (rev.), '77, 49.
 Western range of *Conurus carolinensis*, '77, 50.
 Note on Cinnamon Teal (*Querquedula cyanoptera*), '77, 51.
Leptoptila albifrons, a Pigeon new to United States, '77, 82.
Melopelia leucoptera in Colorado, '77, 83.
 Notes on *Passerculus bairdi* and *P. princeps*, '78, 1-3 (col. pl.).
 Northern Phalarope in North Carolina, '78, 40.
 Willow Grouse in New York, '78, 41.
Pipilo erythrorththalmus with spotted scapulars, '78, 41.
 Melanism of *Turdus migratorius*, '78, 47.
 see Bureau, L., 'mue du bec *Fratercula arctica*' (rev.), '78, 87-91.
 Habits of Kingfisher (*Ceryle alcyon*), '78, 92.
 Nest and eggs of *Selasphorus platycercus*, '78, 95.
 Nesting of *Vireo olivaceus*, '78, 95.
 Meaning of word 'Anhinga', '78, 101.
 The Eave, Cliff, or Crescent Swallow (*Petrochelidon lunifrons*), '78, 105-112.
 see Saunders, H., 'Sterninæ or Terns' (rev.), '78, 140-144.
 Swallow-tailed Kite in Dakota in winter, '78, 147.
 A hint to egg-collectors, '78, 191, fig.
 Nest and eggs of *Helminthophaga pinus*, '78, 194.
 see Jones and Shulze, 'illustrations of nests and eggs of birds of Ohio' (rev.), '79, 52, 228, '80, 39, '82, 45, 112, '83, 112, 166, '85, 289, '86, 400, '87, 150-152.
 Field notes on birds observed in Dakota and Montana along 49th parallel (rev.), '79, 49.
 Birds of the Colorado valley (rev.), '79, 54-57.
 Bibliography of ornithology (rev.), '79, 56, 175, '80, 40, '81, 44-46, 46, History of Evening Grosbeak, '79, 65-75.
 see Langdon, F. W., 'revised list of Cincinnati birds' (rev.), '79, 112.
 Note on *Dendraca townsendi*, '79, 117.

- Note on *Bucephala islandica*, '79, 126.
 Note on trinomials, '79, 171.
 [Memorial relating to the bibliography of ornithology], '79, 176-178.
 Note on Black-capped Greenlet (*Troco atricapillus*), '79, 193 (col. pl.).
 Obituary of Miss Genevieve E. Jones, '79, 228.
 Southward range of *Centrophanes lapponica*, '79, 238.
 A correction.—[*Buteo aquilinus*], '79, 242.
 Note on *Alle nigricans*, '79, 244.
 Nesting in Missouri of *Empidonax acadicus* and *Empidonax trailli*, '80, 20-25.
 Description of female *Dendraca kirtlandi*, '80, 49.
 see Ingersoll, E., 'nests and eggs of American birds' (rev.), '80, 38.
 Present status of *Passer domesticus* in America, with special reference to the western States and Territories (rev.), '80, 41.
 Note on *Limosa haemastica*, '80, 59.
 Capture of *Phaethon flavirostris* in western New York, '80, 63.
 Notes and queries concerning nomenclature of N. Am. birds, '80, 95-102.
 Further light on moult of bill in certain Mormonidae, '80, 127.
 Shufeldt's memoir on osteology of *Speotyto cunicularia hypogaea*, '80, 129 (pll.).
 see Gentry, T. G., 'nests and eggs of birds of Penn.' (rev.), '80, 179.
 see Ober, F. A., 'camps in the Caribees' (rev.), '80, 179.
 Nest and eggs of *Catherpes mexicanus conspersus*, '80, 181.
 Number of eggs of *Ardea herodias*, '80, 187.
 Note on *Grus fraterculus* of Cassin, '80, 188.
 'Behind the veil,' '80, 193-204 (engraving).
 see Marsh, O. C., 'Odontornithes' (rev.), '80, 234-236.
 A curious *Colaptes*, '81, 183.
 A correction, [re Trogonidae], '81, 188.
 Probable occurrence of *Sarcorhamphus papa* in Arizona, '81, 248.
 see Forbes, W. A., 'collected scientific papers of Garrod' (rev.), '82, 43.
 see Hatch, P. L., 'birds of Minnesota' (rev.), '82, 47.

- see Roberts, T. S., 'water-birds of Minn.' (rev.), '82, 47.
 Nesting of White-bellied Wren (*Thryothorus bewickii leucogaster*), '82, 52.
 Note on *Mitrephanes*, a new generic name, '82, 55.
 Wilson's Plover (*Ægialites wilsonius*), in New England, '82, 59.
 Snake-bird in Kansas, '82, 61.
 Check-list of N. Am. birds, 2d ed. (rev.), '82, 111, 242-246.
 see Macoun, J., 'report of exploration' [in Canada] (rev.), '82, 113.
 see Bailey, H. B., 'forest and stream,' bird notes, an index (rev.), '82, 175-176.
 see Stejneger, L., 'generic and specific appellations of N. Am. birds' (rev.), '82, 178-179.
 'Tidal wave' of birds in Washington [D. C.], '82, 185.
 Evening Grosbeak in New York, '82, 250.
 Compliments of the season, '83, 1-6.
 see Ottawa Field Naturalists' Club, Trans. 1881 (rev.), '83, 55, 115.
 Note on 'Passerulus caboti', '83, 58.
 Burrowing Owl in Florida, '83, 61.
 Note on Mississippi Kite, '83, 61.
 Occurrence of Swallow-tailed Kite in Massachusetts, '83, 61.
 Caspian Tern in Ohio, '83, 62.
 Polygamy among Oscines, '83, 63.
 see Forbes, S. A., 'regulative action of birds upon insect oscillations' (rev.), '83, 105-107.
 see King, F. H., 'economic relations of Wisconsin birds' (rev.), '83, 107-110.
 see Wheaton, J. M., 'birds of Ohio' (rev.), '83, 110-112.
 see Brown, N. C., 'birds of Portland, Maine' (rev.), '83, 112.
 Barn Owl in Canada West, '83, 122.
 Wintering of Sora Rail at the north, '83, 124.
 see Shufeldt, R. W., 'anatomy of birds' (rev.), '83, 166-168.
 see Tuelon, J. A., 'birds of Bradford, Pa.' (rev.), '83, 171.
 Susceptibility of a bird to color, '83, 181.
 Breeding of Mallard in New England, '83, 186.
 Nest and eggs of *Myiadestes townsendi*, '83, 239.
 Nest and eggs of *Parus montanus*, '83, 240.

- Ornithophilologicalities, '84, 49-58, 140-144.
 see Nelson, E. W., 'birds of Bering Sea' (rev.), '84, 76-81.
 Hearing of birds' ears (rev.), '84, 182.
 Trinomials are necessary, '84, 197.
 Key to North American birds, 2d ed. (rev.), '84, 282, 3d ed. '84, 106, '86, 415, '88, 101-104.
 Egg of Cowbird in nest of Carolina Dove, '84, 293.
 New terms recommended for use in zoological nomenclature, '84, 320-322.
 Strickland as an advocate of Linnaeus at '58, '84, 400.
 see Shufeldt, R. W., 'the patella in birds' (rev.), '85, 96.
 Possible occurrence of *Diomedea exulans* in Florida, '85, 387.
 [Record of '*Passerulus caboti*'], '86, 277.
 see McIlwraith, T., 'birds of Ontario' (rev.), '87, 245.
 see Ridgway Ornith. Club, Bulletin (rev.), '87, 251.
 New forms of North American *Chordiles*, '88, 37.
 see Shufeldt, R. W., 'review of muscles used in classification of birds' (rev.), '88, 104.
 see Snow, F. H., 'fossil bird-track in Dakota sandstone' (rev.), '88, 105.
 see Chamberlain, M., 'cat. of Canadian birds' (rev.), '88, 189.
 Note on Rostratuline, '88, 204.
 Corydomorphæ, '88, 207.
 see Trumbull, G., 'names and portraits of birds' (rev.), '88, 414-418.
 see Allen, J. A., 'structure of birds in relation to flight' (rev.), '88, 418-421.
 Notes on nomenclature of muscles of volation in birds' wings, '88, 435-437.
 New generic name for Elf Owl, '89, 71.
 see Nehrling, H., 'N. Am. birds' (rev.), '90, 78.
Scenopaeetes dentirostris, '91, 115.
 Wintering of Canvasback in Arizona, '92, 198.
 Nesting of Golden Eagle in Arizona, '92, 201.
 Original description of Lewis's Wood-pecker, '92, 394.
 see Nehrling, H., 'our birds of song and beauty' (rev.), '94, 166, '97, 335.

Diomedea exulans on the Columbia in 1813, '95, 178.
 Gätke's Heligoland, '95, 322-346.
 see Elliot, D. G., 'North American shore-birds' (rev.), '96, 64-67.
 An early description of *Phalacrocorax dilophus*, '96, 78.
 Name of Large-billed Puffin, '96, 255.
 Merrem's work, '96, 265.
 Mandt's inaugural dissertation, '96, 266.
Thriothorus or *Thryothorus?*, '96, 344.
Zamelodia against *Habia*, '97, 39-42.
Asarcia spinosa, '97, 88.
Cuculidae of A. O. U. list, '97, 90.
 Authority for name *Myiarchus mexicanus*, '97, 92.
Ammodramus (Passerculus) sanctorum, '97, 92.
 Rectification of synonymy in genus *Junco*, '97, 94.
 Characters of *Dendroica carulescens cairnsi*, '97, 96.
 Note on genus *Lucar* of Bartram, '97, 97.
Uria lomvia in South Carolina, '97, 203.
 Type locality of *Fuligula collaris*, '97, 206.
Dafihula, a new subgenus, '97, 207.
Branta bernicla glaucoptera, '97, 207.
 A North American Snipe new to A. O. U. list, '97, 209.
 Status of *Helodromas ochropus* in A. O. U. list, '97, 210.
 Status of Redshank as a North American bird, '97, 211.
 Validity of genus *Lophortyx*, '97, 214.
 Notes on Mexican Ground Dove, '97, 215.
 Note on *Elanus glaucus*, '97, 216.
 How the Chimney Swift secures twigs for its nest, '97, 217.
 Probable first description of *Empidonax flaviventris*, '97, 218.
 How about the genus *Pipilo* now?, '97, 221.
 see Newton, A., 'Dictionary of birds' (rev.), '97, 234-244.
 The Turkey question, '97, 272-275.
 Note on *Pagophila alba*, '97, 313.
Onychoprion, not *Haliplana*, '97, 314.
 Remarks on certain Procellariidae, '97, 314.
 Rectrices of Cormorants, '97, 316.
 Concordance of *Merganser americanus*, '97, 316.
 Bibliographical note, '97, 327-329.

Early notice of *Gavia adamsi*, '97, 402.
 Untenability of the genus *Sylvania*, '97, 223.
 The most general fault of A. O. U. check-list, '97, 229-231.
 William Swainson to John James Audubon (a hitherto unpublished letter), '98, 11-13.
 see Elliot, D. G., 'N. Am. shore-birds,' 2d ed. (rev.), '98, 63.
 see Elliot, D. G., 'gallinaceous game-birds of N. Am.' (rev.), '98, 63-65.
 see British Ornith. Club, Bulletin XLIX (rev.), '98, 208.
 Notes on generic names of certain Swallows, '98, 271.
 Notes on *Meleagris gallopavo fera*, '99, 77.
 The finishing stroke to Bartram, '99, 83.
 Certain generic and subgeneric names in A. O. U. check-list (rev.), '99, 297.
 Very early record of Cliff Swallow, '99, 359.
Pipile vs. *Pipilo*, 1900, 65.
Strix vs. *Aluco*, 1900, 65, 66.
 The 'Churca' (*Geococcyx californianus*), 1900, 66.
 Date of discovery and type locality of Mountain Mockingbird, 1900, 68.
 Obituary of, 1900, 91.
 Coues, E., and Audubon, M. R., see Audubon, M. R.
 Coues, E., and Prentiss, D. W., Avifauna columbiana (rev.), '84, 386.
 Coues, E., and Rood, I., see Rood and Coues.
 Coues, E., and Stearns, W. A., New England bird-life (rev.), '81, 236-240.
 Coues, E., and Wright, M. O., see Wright and Coues.
 Coues, Elliott Baird, Nesting of Prairie Warbler (*Dendroica discolor*) in vicinity of Washington, D. C., '88, 405-408.
 Coues, George Hughes, List of birds observed in Naval Hospital grounds in Brooklyn City, '79, 31-33.
 Coues, William Pearson, *Passer domesticus* in Cape Breton, '90, 212.
 couesi (Arquatella), see Tringa.
 — (Chaulelasmus), see Chaulelasmus.
 — (Tringa), see Tringa.
 Courlan, see Aramus giganteus.
 Covert, Adolphe Boucard.

- Baird's Sandpiper in Michigan, '96, 255.
 Cowbird, see *Molothrus ater*.
 Bronzed, see *Callothrhus robustus*.
 Dwarf, see *Molothrus obscurus*.
 Red-eyed, see *Callothrhus robustus*.
 Small Red-eyed, see *Callothrhus assimilis*.
 Cow-herd, see *Amblycercus solitarius*.
 Little, see *Icterus pyrrhopterus*.
Cox, Philip, Jr.
 Rare birds of New Brunswick, '87, 205-213.
 A bird wave, '89, 241-243.
Cox, P., Jr., and Brittain, J.
 Notes on summer birds of New Brunswick, '89, 116-119.
Cox, Ulysses Orange.
 Description of new *Pipilo* from Mt. Orizaba, Mexico, '94, 161.
 A collection of birds from Mt. Orizaba, Mexico, '95, 356-359.
 coyolcos (*Colinus*), see *Colinus*.
 cozumela (*Attila*), see *Attila*.
 Crab-catcher, see *Ardea virescens* or *Ardetta exilis*.
 Cracidae, '81, 80, '97, 341.
 Crake, Carolina, see *Porzana carolina*.
 Corn, see *Crex crex*.
 Little Red-eyed, see *Porzana jamaiicensis*.
 Minute, see *Porzana flaviventris*.
 Spotted, see *Porzana porzana*.
 Striated, see *Porzana carolina*.
 Crane, see *Ardea herodias*.
 Big Blue, see *Ardea herodias*.
 Blue, see *Grus canadensis*.
 Brown, see *Grus canadensis*.
 Crowned, see *Balearica pavonina*.
 Little Blue, see *Ardea cœrulea*.
 Little Brown, see *Grus canadensis*.
 Little White, see *Ardea cœrulea*.
 Sandhill, see *Grus mexicana* or *canadensis*.
 White, see *Ardea egretta*.
 Whooping, see *Grus americana*.
 Cranes, see *Gruidæ*.
Craniorrhinus, '94, 234.
 crassipes (*Lestornis*), see *Lestornis*.
 crassirostris (*Arremonops*), see *Arremonops*.
 — (*Embernagra*), see *Arremonops*.
 — (*Euphonia*), see *Euphonia*.
 — (*Lanivireo*), see *Vireo*.
 — (*Quiscalus*), see *Q. jamaicensis*.
 — (*Quiscalus*), see *Q. brachypterus*.
 — (*Rallus*), see *Rallus*.
 — (*Totanus*), see *Symphechia semipalmata*.
 — (*Tringa*), see *Tringa*.
- (*Tyrannus*), see *Tyrannus*.
 — (*Vireo*), see *Vireo*.
 — (*Vireonella*) see *Vireo*.
Crateropodes, '84, 279.
craveri (*Brachyramphus*), see *Brachyramphus*.
 — (*Endomychura*), see *Brachyramphus*.
 — (*Micruria*), see *Brachyramphus*.
Craxirex, '77, 72.
Creagrus, '91, 88.
 furcatus (*Swallow-tailed Gull*, ^b *Xema*), *Cal.* '77, 96^b, '95, 291; *Cocos I.* '96, 75; *Galap. Is.* '90, 273, '91, 402; *S. Amer.* '83, 54^b; *unknown locality*, '83, 233^b—*anat.* '92, 172; *plm.* '83, 54^b; *syn.* '91, 88; *misc.* '83, 233^b, '88, 401^b.
 Creaker, see *Tringa maculata*.
 creatopus (*Puffinus*), see *Puffinus*.
crecca (*Anas*), see *Nettion*.
 — (*Nettion*), see *Nettion*.
 — (*Querquedula*), see *Nettion*.
Creciscus, see *Porzana*.
 Creeper, American Brown, see *Certhia fusca*.
 Bahama Honey, see *Cereba bahamensis*.
 Black-and-white, see *Mniotilla varia*.
 Brown, see *Certhia fusca*.
 California, see *Certhia occidentalis*.
 European Brown, see *Certhia familiaris*.
 Jalisco Rufous-tailed, see *Sittasomus jaliscensis*.
 Mexican, see *Certhia albescens*.
 Rocky Mountain, see *Certhia montana*.
 Tree, see *Certhia fusca*.
 Creepers, see *Certhiidæ*.
crenirostris (*Pyrrhula*), see *Melopyrrha nigra*.
Creogenys, '97, 215.
crepidatus (*Stercorarius*), see *S. parasiticus* or *longicaudus*.
crepitans (*Rallus*), see *R. crepitans* or *caribaeus*.
Crex, '94, 317, '96, 173.
 crex (^a *Corn Crake*, ^b *pratensis*), *Bermuda*, '85, 297^b; *Greenl.* '84, 399^b; *Helg.* '95, 339; *Me.* '96, 173; *N. Atlantic Ocean*, '84, 399^b; *N. F.* '85, 297^b; *N. S.* '99, 75; *N. Y.* '85, 296^b, '86, 435, '88, 177; *Revill. Is.* '86, 271^b—*mlt.* 1900, 332.
 crex (*Crex*), see *Crex*.
Criniger, '94, 238.
 phaeocephalus, *Borneo*, *syn.* '90, 349.
 sordidus, *Siam*, 1900, 305.

crinigera (*Irena*), see *Irena*.
 crinita (*Muscicapa*), see *Myiarchus*.
 crinitus (*Myiarchus*), see *Myiarchus*.
 — (*Turdus*), see *Myiarchus*.
 — (*Tyrannus*), see *Myiarchus crinitus* or *validus*.
 crissalis (*Haliplana*), see *Sterna fuliginosa*.
 — (*Harporhynchus*), see *Harporhynchus*.
 — (*Pipilo*), see *Pipilo*.
 — (*Pyrrhulagra*), see *Pyrrhulagra*.
 — (*Toxostoma*), see *Harporhynchus*.
 crissoleucus (*Picoides*), see *Picoides*.
 cristata (*Aythya*), see *Aythya*.
 — (*Bellona*), see *Bellona*.
 — (*Columba*), see *Geotrygon*.
 — (*Cyanocitta*), see *Cyanocitta*.
 — (*Eucometis*), see *Eucometis*.
 — (*Galerita*), see *Galerita*.
 — (*Geotrygon*), see *Geotrygon*.
 — (*Lophostrix*), see *Lophostrix*.
 — (*Mellisuga*), see *Bellona*.
 — (*Musophaga*), see *Musophaga*.
 — (*Ornismya*), see *Bellona*.
 — (*Parra*), see *Metopidius indicus*.
 — (*Sterna*), see *S. maxima*.
 cristatella (*Gubernatrix*), see *Gubernatrix*.
 — (*Phaleris*), see *Simorphynchus*.
 cristatellus (*Simorphynchus*), see *Simorphynchus*.
 — (*Trochilus*), see *Bellona exilis*.
 cristatus (*Chrysotilus*), see *Chrysoptilus*.
 — (*Colymbus*), see *Colymbus*.
 — (*Cyanurus*), see *Cyanocitta*.
 — (*Eupsychortyx*), see *Eupsychortyx*.
 — (*Hydralector*), see *H. gallinaceus* or *Metopidius indicus*.
 — (*Lanius*), see *Lanius*.
 — (*Myiarchus*), see *M. crinitus*.
 — (*Opisthomorus*), see *Opisthomorus*.
 — (*Orthorhynchus*), see *Bellona*.
 — (*Parus*), see *Parus*.
 — (*Pavo*), see *Pavo*.
 — (*Podiceps*), see *Colymbus holboelli*; [European references, see *Podiceps cristatus*].
 — (*Regulus*), see *Regulus*.
 — (*Tachyphonus*), see *Tachyphonus*.
 — (*Tetrao*), see *Callipepla squamata*.
 — (*Trochilus*), see *Bellona*.
 — (*Vanellus*), see *V. vanellus*.
Crithagra affinis, *Africa*, '97, 156*.
flaviventris (^b*butyracea*), *Mass.*'80, 109^b (*cage*), 120^b (*cage*).
kiliensis, *Africa*, '97, 155*.
croceus (*Spinus*), see *Spinus*.

croconotus (*Icterus*), see *Icterus*.
Crolius, *Anne Augusta*.
 Nesting of Robin, '98, 332.
 Crossbill, American, see *Loxia minor*.
 American Red, see *Loxia minor*.
 Common, see *Loxia minor*.
 European, see *Loxia curvirostra*.
 Mexican, see *Loxia stricklandi*.
 Red, see *Loxia minor*.
 White-winged, see *Loxia leucoptera*.
Crotophaga, '86, 361.
 ani (*Ani*), *Bahamas*, '91, 74, 294, 295, 296, 297, 298, 335, 338, 1900, 287; *Brazil*, '91, 159; *Cuba*, '91, 294, '92, 272; *g. dist.* '93, 141; *Jamaica*, '92, 273, 369, '94, 124; *Trinidad*, '95, 202; *Venez.* '97, 366; *W. I.* '80, 107, 169, '81, 154, '86, 361, 502, '87, 96, '89, 32, '90, 374, 375, 375, '91, 48, '93, 220.—*fd.* '81, 154, '92, 369; *hbt.* '81, 154, '92, 369; *meas.* '86, 362, '92, 371; *nst.* '81, 154, '92, 369, '94, 124; *plm.* '86, 361, '91, 190; *song*, '81, 154, '92, 369; *syn.* '86, 361; *misc.* '80, 87 ("rugirostris").
 major, *Braz.* '91, 159.
 sulcirostris (Groove-billed Ani), *Ariz.* '91, 313; *C. R.* '90, 333, '92, 325; *Fla.* '91, 313; *g. dist.* '93, 141, 142; *Nicaragua*, '95, 20; *Tex.* '80, 90, '87, 190.—*fd.*, *hbt.*, *meas.*, *nst.*, *song*, '92, 325.
Crotophaginae (* Anis), '97, 91, 105*.
 Crow, see *Corvus americanus*.
 American, see *Corvus americanus*.
 Barking, see *Corvus caurinus*.
 Blue, see *Cyanocephala cyanocephala*.
 California, see *Corvus [hesperis] americanus*.
 Carrion, see *Cathartista urubu*.
 Clarke's, see *Nucifraga columbiana*.
 Common, see *Corvus americanus*.
 European Carrion, see *Corvus corone*.
 Fish, see *Corvus ossifragus*.
 Florida, see *Corvus pascuus*.
 Gabbling, see *Corvus jamaicensis*.
 Jabbering, see *Corvus jamaicensis*.
 Hooded, see *Corvus cornix*.
 John, see *Cathartes aura*.
 Northwest, see *Corvus caurinus*.
 Rain, see *Saurothera bahamensis* or *Coccycus americanus*.
 Western Fish, see *Corvus caurinus*.
 Crows, see *Corvidae*.
 crucirostra (*Loxia*), see *L. curvirostra*.
 crudelis (*Tyrannus*), see *T. melanocholius*.
 cruenta (*Querula*), see *Querula*.
 cruentatus (*Melanerpes*), see *Melanerpes*.

cruentus (*Rhodospingus*), see *Rhodospingus*.

Crying-bird, see *Aramus giganteus*.

Crymophilus, '85, 182, '96, 65.

fulicarius ("Red Phalarope," ^b *Phalaropus*), *Alas.* '85, 63^b; *Arctic Am.* '78, 86^b; *Conn.* '87, 78 [not "Phalaropus lobatus," see '94, 74], '95, 77; *D. C.* '86, 140 [not "Phalaropus lobatus," see '86, 482]; *g. dist.* '93, 123; *Hawaiian Is.* 1900, 203; *Helg.* '95, 339; *Hud. B.* '90, 321; *Mass.* '91, 120, '92, 294-298, 298, '94, 181, 225; *Mc.* '96, 173; *Mich.* '90, 204, '92, 67^a; *N. F.*, *Grand Banks*, '79, 127^b; *N. S.* '91, 233-235; *N. Y.* '80, 117^b, '84, 33^b, '86, 436, '89, 134, '90, 230, '95, 313; *Que.* '82, 238^b; *R. I.* '89, 194; *Siberia*, 1900, 309.—*hbt.* '77, 42^b, '92, 294, 298, '93, 293; *mig.* '85, 63^b, '91, 233, '92, 294, 298; *plm.* '92, 294, 1900, 370 (mlt.), 373 (mlt.); *song.* '92, 298; *syn.* '84, 142^b, '85, 183.

cryptoleuca (*Progne*), see *P. cryptoleuca* or *subis*.

cryptoleucura (*Cymochorea*), see *Oceanodroma*.

— (*Oceanodroma*), see *Oceanodroma*.

cryptoleucus (*Corvus*), see *Corvus*.

Cryptolopha, '94, 233.

Crypturi, '81, 30, 80, 82, 83, 109, '82, 47, '83, 232, '96, 162, 163.

Crypturus cinereus, *Braz.* '91, 163.

inornatus, *Mcx.* 1900, 253*.

mexicanus, *Mcx.* 1900, 254.

occidentalis, *Mcx.* 1900, 254.

parvirostris, *Braz.*, *meas.* '91, 163.

sou'i (^b *pileatus*), *Braz.* '91, 163^b.—

syn. 1900, 179.

sp?, *Brazil*, *plm.*, *meas.* '91, 164.

cryptus (*Thryomanes*), see *T. leucogaster*.

Cuba, West Indies.

Chapman, F. M., '94, 67.

Cory, C. B., '91, 292-294, '92, 271-273.

Gundlach, J., '91, 187-191.

Stone, W., '98, 330.

cubæ (*Fringilla*), see *Spinus cucullatus*.

— (*Pyrrhomitrис*), see *Spinus cucullatus*.

cubana (*Dendroica*), see *D. gundlachi*.

cabanensis (*Antrostomus*), see *Antrostomus*.

— (*Colinus*), see *Colinus*.

— (*Mimus*), see *M. orpheus*.

— (*Ortyx*), see *Colinus*.

cubanus (*Rallus*), see *Rallus*.

cubensis (*Ardea*), see *A. rufescens*.

— (*Ortyx*), see *Colinus cubanensis*.

— (*Tyrannus*), see *Tyrannus*.

Cuckoo, Andros Ground, see *Saurothera andria*.

Bahama, see *Saurothera bahamensis*.

Black-billed, see *Coccyzus erythrophthalmus*.

California, see *Coccyzus occidentalis*.

European, see *Cuculus canorus*.

Kamtschatkan, see *Cuculus telephonus*.

Mangrove, see *Coccyzus minor*.

Maynard's, see *Coccyzus maynardi*.

Yellow-billed, see *Coccyzus americanus*.

Cuckoos, see *Cuculidae*.

Cuculinæ (^a *Cuckoos*), '81, 29, 73, 75, '85, 212^a, '93, 110^a, '97, 90, 105^a, 421^a.

Cuculiformes, '88, 190.

Cuculinæ, '97, 90, 91, '99, 110.

cucullata (*Aglaiæ*), see *Calliste*.

— (*Calliste*), see *Calliste*.

— (*Carduelis*), see *Spinus*.

— (*Geothlypis*), see *G. nelsoni*.

— (*Loxia*), see *Spermestes*.

— (*Paroaria*), see *Paroaria*.

— (*Pitta*), see *Pitta*.

— (*Pyrrhomitrīs*), see *Spinus*.

— (*Spermophila*), see *Sporophila*.

— (*Sporophila*), see *Sporophila*.

— (*Sylvia*), see *Geothlypis*.

cucullatus (*Chroicocephalus*), see *Larus franklinii*.

— (*Cyanocorax*), see *Cyanocorax*.

— (*Geothlypis*), see *Geothlypis*.

— (*Icterus*), see *I. cucullatus* or *nelsoni*.

— (*Lophodytes*), see *Lophodytes*.

— (*Mergus*), see *Lophodytes*.

— (*Pyrrhomitrīs*), see *Spinus*.

— (*Spermestes*), see *Spermestes*.

— (*Spinus*), see *Spinus*.

Cuculoidæ, '86, 406.

cuculoides (*Cymindis*), see *Regerhinus uncinatus*.

Cuculus, '97, 90, '99, 110.

canorus, *Helg.* '95, 336.—*fd.*, *hbt.*,

nst. '98, 337.

peninsulæ, *Kamts.* '86, 127.

telephonus (Kamtschatkan Cuckoo), *Alas.* '94, 325; *g. dist.* '95, 164.—*fd.* '94, 325; *syn.* '91, 99, '95, 164, '97, 90.

cujubi (*Cumana*), see *Pipile*.

Culbertson, Glenn.

An instance of bird ferocity (rev.), '99, 91.

Culicicapa, '94, 233.

culicivorus (Basileuterus), see Basileuterus.
 culminata (Ceblepyris), see Lalage.
 — (Diomedea), see Thalassogeran.
 — (Lalage), see Lalage.
 culminatus (Thalassogeran), see Thalassogeran.
 Culicostres, '81, 35.
 Cumana, 1900, 65*, see Pipile.
 cumananensis (Cumana), see Pipile.
 — (Pipile), see Pipile.
 — (Thryophilus), see Thryophilus.
 cuneatus (Glyphorhynchus), see Glyphorhynchus.
 — (Puffinus), see Puffinus.
 cunicularia (Athene), see Speotyto dominicensis.
 — (Geositta), see Geositta.
 — (Speotyto), see S. cunicularia or dominicensis.
 cuntur (Sarcoramphus), see S. gryphus.
 cupido (Cupidonia), see Tympanuchus cupido or americanus.
 — (Tetrao), see Tympanuchus.
 — (Tympanuchus), see Tympanuchus.
 Cupidonia, see Tympanuchus.
 pinnata, '85, 82*, see Tympanuchus americanus.
 cupidini-columbiana, '77, 67 (hyb.).
 cuprea (Cotinga), see Cotinga.
 — (Parra), see Metopidius indicus.
 cupreiventris (Eriocnemis), see Eriocnemis.
Curaçao Island, West Indies.
 Chapman, F. M., '93, 355-357.
 Ridgway, R., '98, 321.
curacoensis (Icterus), see Icterus.
Curæus, '88, 414.
 Curlew. Black, see Numenius longirostris.
 Bristle-bellied, see Numenius tahitensis.
 Bristle-thighed, see Numenius tahitensis.
 Copper-colored, see Plegadis autumnalis.
 Eskimo, see Numenius borealis.
 European, see Numenius arquatus.
 Foolish, see Numenius hudsonicus.
 Hudsonian, see Numenius hudsonicus.
 Jack, see Numenius hudsonicus.
 Long-billed, see Numenius longirostris.
 Pink, see Ajaja ajaja.
 Sickle-billed, see Numenius longirostris.
 Mountain, see Guara alba.
 Curlew, The (magazine), '89, 207.
 curruca (Sylvia), see Sylvia.

Cursores, '83, 232.
 Cursoriidae, '97, 102.
Cursorius gallicus, Helg. '95, 337.
 curtipes (Tyrannula), see Blacicus cinereus.
Curtis, Charles P. Jr.
 The Double-crested Cormorant, '94, 175.
 curucui (Trogon), see Trogon collaris.
 cuvieri (Ramphastos), see Ramphastos.
 — (Regulus), see Regulus.
 curvirostra (Columba) see Treron nascica.
 — (Loxia) see L. curvirostra or minor.
 Curvirostres, '81, 35.
 curvirostris (Harpornynchus), see Harporhynchus.
 cuyubi (Pipile), see Pipile.
 cyanæa (Arbelorhina), see Cereba.
 — (Certhia), see Cereba.
 — (Cæreba), see Cereba.
 — (Cyanerpes), see Cereba.
 — (Cyanocompsa), see Cyanocompsa.
 — (Cyanospiza), see Cyanospiza.
 — (Guiraca), see Cyanocompsa.
 — (Passerina), see Cyanospiza.
 — (Spiza), see Cyanospiza.
 — (Tanagra), see Cyanospiza.
Cyanecula, '84, 182.
 abbotti, Asia, '96, 331.
 suecica ("Red-spotted Bluethroat,
^b leucocyanea), Alas. '79, 53, '85,
 240?; Helg. '95, 331, 331^b.—mig. '96,
 142, 143^a.
 wolffii, Helg. '95, 331.
 cyanella (Cyanospiza), see Porphyrospiza cærulescens.
 — (Emberiza), Porphyrospiza cærulescens.
 — (Porphyrospiza), see P. cærulescens.
 cyanocapillus (Psittacus), see Amazona bouqueti.
 cyanocephalus (Chrysotis), see Amazona bouqueti.
 cyaneoviridis (Callichelidon), see Callichelidon.
 — (Hirundo), see Callichelidon.
 — (Tachycineta), see Callichelidon.
Cyanerpes, '99, 32*, see Cereba.
 cyanescens (Cyanocompsa), see Cyanocompsa.
 cyaneus (Circus), see C. cyaneus or hudsonius.
 — (Cyanerpes), see Cereba.
 — (Garrulus), see Aphelocoma.
 — (Trochilus), see Eulampis jugularis.
 cyanicollis (Galbula), see Galbula.

cyanirostris (*Ardea*), see *A. ruficollis*.

— (Cnipolegus), see *Cnipolegus*.

cyanocephala (*Aglaia*), see *Sporathraupis*.

— (*Columba*), see *Starnoenas*.

— (*Estrilda*), see *Estrilda*.

— (*Gymnoccitta*), see *Cyanocephalus*.

— (*Gymnokitta*), see *Cyanocephalus*.

— (*Starnenas*), see *Starnenas*.

Cyanocephalus, '84, 44, 229.

cyanocephalus (*Piñon Jay*, ^b *Gymnokitta*), *Ariz.* '87, 21, '90, 49, 257; *Cal.* '98, 198; *Colo.* '81, 139^b, '83, 43^b, 193^b, '85, 16^b, '94, 269; *g. dist.* '93, 126; *Kan.* '94, 260; *N. M.* '83, 43^b, '86, 75^b, '98, 309; *Ore.* '88, 262, —*anat.* '88, 413; *fd.* '78, 112^b; *hbt.* '83, 43^b, '87, 21, '88, 262, '98, 198; *mcas.* '78, 114^b, '83, 44^b; *mig.* '87, 21; *nst.* '76, 30^b, '78, 112^b, '83, 43^b; *song.* '87, 21; *syn.* '80, 98^b, '84, 230.

cyanocephalus (*Cyanocephalus*), see *Cyanocephalus*.

— (*Nycticorax*), see *Nycticorax*.

— (*Scolecophagus*), see *Scolecophagus*.

cyanochlora (*Psittacula*), see *Psittacula*.

Cyanocitta, '80, 99, '96, 73.

annectens (*Black-headed Jay*), *B. C.* 1900, 106; *g. dist.* '88, 39^b, '93, 126; *Ida.* '97, 356, 1900, 244; *Mont.* '82, 61 [not 'macrolopha']; '94, 304; *Wash.* '82, 227, 229, '97, 177.—*plm.* '82, 229; *syn.* '82, 229, '87, 336.

azteca, *Mex.* '99, 256*.

becheyi (^b *Cyanocorax geoffroyi*), *Cal.* '77, 93, 93^b.

coronata, *syn.* '99, 256.

cristata (^a *Blue Jay*, ^b *Cyanurus*), *Ala.* '79, 10^b; *Ark.* '82, 92; *D. C.* '88, 21; *Ga.* '82, 96^a, '83, 39, '96, 212; *g. dist.* '93, 133; *Ia.* '84, 86^a, 86^a, '86, 475^a, '95, 236; *Ill.* '78, 165, '99, 182; *Ind.* '82, 18^a, '89, 23; *Ky.* '89, 314; *La.* '82, 163, '87, 303^a; *Man.* '86, 321; *Mass.* '83, 149^a, '84, 11^a, '88, 389, '89, 44, 100, '98, 289; *Me.* '82, 149; *Mich.* '81, 196^a, '93, 225; *Minn.* '84, 245; *Miss.* '82, 92; *Mo.* '79, 145, '96, 221; *N. B.* '82, 149, '89, 117; *N. C.* '86, 106, 314; *N. H.* '87, 103^a, 104, '88, 150, 151, 154, '89, 77, 78; *N. J.* '94, 137; *N. S.* '87, 16, '99, 251; *N. Y.* '79, 32^b, '81, 231, '82, 155^a, '85, 253, '89, 197, 202; *Ont.* '84, 160; *Pa.* '92, 136, '93, 39, 44, '96, 282, 294; *P. E. I.* '85, 265^a, '93, 10; *Que.* '82, 236; *S. C.* '79, 215^b, '90, 124, '91, 328, '94, 101^a; *S. D.* '85, 282; *Tenn.* '86, 319, '87, 130; *Tex.* '82, 168, '87,

289, '89, 239, '92, 231, '94, 260^a; *Wis.* '82, 188^b, '88, 434; *W. Va.* '98, 135.—*fd.* '97, 421^a; *hbt.* '79, 10^b, '83, 175^b, '84, 160, '87, 303^a, '88, 434, '89, 184^a, '90, 82^a, 200, 200^a, '94, 261^a, 278^a, '96, 221, '98, 269, '99, 182; *mig.* '81, 196^a, '94, 101^a, 103^a, '95, 236; *nst.* '83, 39, '85, 100^a, '89, 23, '94, 260^a, '98, 269, '99, 182; *plm.* '76, 22^b (*alb.*), '82, 133^a (*pl.*), 135; *song.* '85, 253; *syn.* '78, 79^b, '80, 98; *misc.* '79, 111^a, '84, 85^a, '85, 101^a.

florincola (^a *Florida Blue Jay*), *Fla.* '88, 272, '89, 319, '91, 127^a, 138, '92, 213, '95, 365; *La.* '88, 324; *Tex.* '88, 112.—*hbt.* '82, 102^a, '88, 272; *plm.* '88, 112; *song.* '88, 272; *syn.* '81, 170^a; *misc.* '94, 70.

frontalis (*Blue-fronted Jay*), *Cal.* '85, 217, '86, 181, '87, 86; *g. dist.* '93, 126, 320; *Ore.* '79, 104^b; *Wash.* '92, 355; *hbt.* '79, 194^b, '85, 217; *mcas.*, *nst.* '85, 217; *plm.* '88, 261; *syn.* '80, 98.

macrolopha (^a *Long-crested Jay*, ^b *Cyanurus stelleri*, ^c *diademata*), *Ariz.* '82, 201, '85, 174, 355, '87, 20 [*stelleri* '], '90, 49, 256; *Cal.* '90, 215; *Colo.* '79, 94^b, '81, 139, '83, 193, '85, 16, 142, '87, 124, '94, 268, '95, 153^a; *g. dist.* '93, 126; *N. M.* '85, 125, '86, 75, '94, 217, '98, 309, '99, 189; *Wyo.* '89, 193.—*hbt.* '82, 201; '85, 125, 142; *nst.* '83, 238 [*' Steller's Jay ']*; *plm.* '82, 201; *song.* '85, 125; *syn.* '80, 98, '99, 256^a.

pulchra, *Ecuador*, '76, 47.

stelleri (*Steller's Jay*, ^b *littoralis*), *Alas.* '98, 128; *g. dist.* '93, 126; *Ore.* '86, 166, '88, 261, '91, 397; *Wash.* '92, 45, 309, 355, 1900, 353.—*hbt.* '98, 128, 1900, 353; *nst.* '86, 166; *plm.* '82, 229, '88, 261, '90, 91^b; *syn.* '80, 98, '82, 229, '90, 65^b, 91^b; *misc.* '92, 80.

Cyanocompsa argentina (^b *Guiraca*), *syn.* '88, 412^b.

cyanaea (^b *Guiraca*), *Braz.* '90, 268^b; *Venez.* '97, 364^b; *syn.* '88, 412^b.

cyanescens, *g. dist.* '98, 229*.

cyanoides (^b *Guiraca*), *syn.* '98, 229^b.

parellina (^b *Cyanospiza*), *Canada* '84, 88^b (*cage*).—*syn.* '98, 322; *misc.* '80, 88^b.

sanctæ-martæ, *Colom.* '98, 339.

Cyanocorax, '78, 79, '80, 98.

affinis, *syn.* '99, 255.

cyanomelas, *syn.* '92, 282.

- cyanopogon*, syn. '92, 282.
cayanus, syn. '92, 282.
cucullatus, *C. R.* '85, 293.
heilprini, syn. '92, 282.
ortoni, *Peru*, '76, 47.
pileatus, *Urug.* '83, 136; *W. I.* '86, 230 (cage), '93, 178.
sclateri, syn. '99, 255.
zeledoni, g. dist. '99, 255*.
cyanodorsalis (*Xanthoura*), see *Xanthoura*.
cyanogastra (*Certhia*), see *Cæreba cyanea*.
cyanogenys (*Psilorhinus*), see *P. mexicanus*.
cyanooides (*Coccoborus*), see *Cyano-compsa*.
—— (*Cyanocompsa*), see *Cyanocompsa*.
—— (*Guiraca*), see *Cyanocompsa*.
cyanolæmus (*Oxypogon*), see *Oxypogon*.
Cyanolesbia, '85, 46.
 nehrkorni, *Colom.* '88, 200.
cyanoleuca (*Atticora*), see *Atticora*.
Cyanolyca angelæ, *Ecuador*, 1900, 81.
 quindiuina, *Colom.* 1900, 27.
 ornata (^b *mitrata*), syn. '99, 255, 255^b.
cyanomelas (*Cyanocorax*), see *Cyanocorax*.
—— (*Trochilus*), see *Eulampis jugularis*.
Cyanomyia salvini, *Mex.* '93, 214*.
Cyanomyias, '94, 236.
cyanopectus (*Ceyx*), see *Ceyx*.
cyanopogon (*Cyanocorax*), see *Cyanocorax*.
cyanops (*Dysporus*), see *Sula*.
—— (*Numenius*), see *Numenius*.
—— (*Sula*), see *Sula*.
cyanopsis (*Chrysotis*), see *Amazona versicolor*.
cyanoptera (*Anas*), see *Querquedula*.
—— (*Pitta*), see *P. moluccensis*.
—— (*Querquedula*), see *Q. cyanoptera* or *Nettion carolinensis*.
—— (*Tanagra*), see *Tanagra*.
cyanopterus (*Conurus*), see *Conurus*.
cyanopyga (*Psittacula*), see *Psittacula*.
Cyanospiza (^b *Passerina*), '80, 96, '84, 229, '86, 210^b, '88, 412, '98, 323, '99, 121.
 amœna (^a Lazuli Bunting or Finch, ^b *Passerina*), *Ariz.* '82, 199^b, '87, 205^b; *Cal.* '86, 183^b, '96, 121^b; *Colo.* '80, 230, '83, 191^b, '85, 16^b, 142^b; g. dist. '93, 135^b; *Ida* '98, 17^b; *Mont.* '82, 62, '94, 306^b, '95, 217^b; *Mo. River*, '95, 230^a; *N. M.* '86, 75^b, '92, 366^b; *Ore.* '79, 165, '86, 169^b, '88,

- 359^b; *S. Dak.* '85, 281^b; *Tex.* '92, 231^b, '94, 222^b; *Wash.* '97, 178^b.—*nst.* '96, 121^b; *plm.* '82, 199^b; *song.* '80, 230; syn. '80, 96^b, '98, 324, '99, 121.
 ciris (^a Painted Bunting or Finch, or Nonpareil, ^b *Passerina*), *Bahamas*, '86, 210^b; *Cuba*, '86, 210^b, '91, 294^b; *Europe*, '80, 66 [^a *Spiza ciris*]; *Fla.* '89, 324^b, '92, 213^b; *Ga.* '82, 99^a, '83, 39^b; g. dist. '93, 133^b; *Gulf of Mex.* '81, 251^b; *Kan.* '85, 276^b, '86, 114^b, 115^b; *La.* '82, 163^b, '87, 302^a, '92, 205^b; *Mass.* '78, 139, '96, 261^b; *Miss.* '82, 92^b; *N. Y.* '78, 132, '85, 298^a; *R. I.* '86, 271^b; *S. C.* '85, 72^a, '91, 395^b; *Tex.* '78, 144^a, '82, 13, '87, 293^b, '88, 119^a, '89, 240^b, '92, 339^b, '94, 222^b, 1900, 346; *W. I.* '91, 295^b.—*fd.* '96, 261^b; *hbt.* '82, 100^a, 163^b, '88, 119^a; *mig.* '81, 251^a; *nst.* '82, 13, 163^b, '83, 39^b, '87, 293^b; *plm.* '79, 46, '87, 290^a, 293^b, '91, 395^b; *song.* '82, 100^a; syn. '80, 96^b, '86, 210^b, '98, 324, '99, 122; *misc.* '90, 81^b.
 cyanea (^a Indigo Bunting or Indigo-bird, ^b *Passerina*), *Ala.* '79, 9; *Ark.* '82, 91^b; *Bahamas*, '86, 211^b, '91, 337^b; *Colo.* '85, 16; *C. R.* '90, 334^b, '92, 247^b; *Cuba*, '86, 211^b; *D. C.* '88, 22^b, '92, 308^b; *Fla.* '88, 274^b, '89, 324^b, '92, 213^b, '93, 338^b, '95, 365^b; *Ga.* '96, 213^b; g. dist. '93, 133^b; *Gulf of Mex.* '81, 251^a; *Ia.* '84, 86^a, '86, '95, 124^b, 235^b; *Ill.* '90, 243^b; *Ind.* '82, 17^b, '89, 25^b; *Ky.* '89, 315^b; *La.* '80, 136^a, '82, 163^b, '87, 302^a; *Mass.* '84, 6^a, '88, 389^b, '89, 45^b, 101^b; *Mich.* '93, 226^b; *Miss.* '82, 91^b; *Mo.* '79, 144, '95, 351^a; *N. B.* '82, 105^b, '83, 9^a, 176^a; *N. C.* '86, 110^b, '89, 121^b; *N. H.* '88, 150^b, 152^b, 154^b, '89, 77^b, 78^b; *N. J.* '94, 139^b; *N. Y.* '81, 230^b, '82, 188, '83, 174, '85, 151^b; *O.* '95, 241^b; *Pa.* '92, 138^b, '93, 40^b, 45^b, '96, 283^b, 291^b, 295^b, 1900, 396^a; *Que.* '84, 295^b; *S. C.* '79, 214, '90, 123^b, '91, 329^b, '94, 32^a; *S. D.* '85, 289^b; *Tenn.* '86, 318^b, '87, 131^b; *Tex.* '82, 13, '87, 293^b, '92, 339^b, 1900, 346; *Ia.* '86, 161^a, '89, 53^a; *Wis.* '82, 188.—*mig.* '80, 136^a, '81, 251^a, '94, 32^a, '95, 124^b, 129^a, 235^b, 241^b; *nst.* '80, 40, '82, 18^b, '83, 174, '84, 194^a, '88, 22^b, '89, 24, '96, 283^b; *plm.* '78, 122, '79, 29^a (alb.), '82, 133, 135 (pl.), '93, 153^b, '96, 242^a (mlt.), 1900, 327 (mlt.); *song.* '85, 151^b, '92, 283^b; syn. '80, 96^b, '86, 211^b, '98, 324, '99, 121.
 leclancheri (^b *Passerina*), syn. '80, 96^b, '98, 324.

- pulchra** (Beautiful Bunting, ^b *Passerina*), g. *dist.* '87, 336^b, '88, 399.—*syn.* '98, 324, '99, 122.
rositae (^b *Passerina*), *syn.* '80, 96^b, '98, 324.
versicolor (Varied Bunting, ^b *Passerina*), *Ariz.* '85, 198^b; g. *dist.* '93, 135^b; *L. Cal.* '90, 215; *Tex.* '77, 109.—*syn.* '80, 96^b, '98, 324, '99, 121.
- Cyanotis azare**, *Urug.*, *fd.*, *hbt.*, *mig.*, *song.* '83, 200.
- cyanotis** (Aphelocoma), see *Aphelocoma*.
- cyanura** (*Ardea*), see *Butorides*.
— (Pitta), see *Eucichla guaiana*.
- Cyanurus**, see *Cyanocorax*.
- cyanurus** (*Butorides*), see *Butorides*.
- cyanus** (*Monticola*), see *Monticola*.
- Cyclarhis**, see *Cyclorhis*.
- Cyclopisitta**, '94, 234.
- Cyclorhis**, '90, 382.
atricauda, *syn.* '90, 383.
canticus, *Colom.* '98, 339.
flavipectus, *Trinidad*, '95, 203; *l'ncz.* '97, 362, 364.—*syn.* '90, 383.
flaviventris, *syn.* '90, 383.
guianensis, *Braz.* '90, 266; *syn.* '90, 383.
insularis, *Yucatan*, '85, 295; *syn.* '90, 383.
ochrocephala (^b *viridis*), *Urug.*, *hbt.*, *mig.*, *song.* '83, 88^b; *syn.* '89, 269, '90, 383.
subflavescens, *C. R.* '92, 23.—*hbt.* '92, 23; *syn.* '90, 383.
trinitatis, *syn.* '90, 383.
viridis, *syn.* '90, 383.
yucatanensis, *Yucatan*, '87, 156.—*syn.* '90, 383.
- Cyclorrhynchus** (^b *Phaleris*), '99, 203, 286^b.
psittacus (Paroquet Auklet, ^b *Phaleris*, ^c *Ombria*), *Alas.* '85, 159, '98, 124; g. *dist.* '93, 125; *Sweden*, '85, 388.—*mlt.* '80, 126^b, 127^b, 128^c; *syn.* '84, 385.
- Cygnine** (^a *Swans*), '83, 231, '87, 339^a, '91, 391, 98, 278.
- Cygnus**, '83, 231, '96, 162, '99, 129, 226–229, 298, see also *Olor*.
nigricollis (^b *Stheneloides melanocoryphus*), *Argent.*, *Urug.* '84, 273.—*syn.* '84, 235^b.
olor, *Helg.* '95, 340.
- cygnus** (*Olor*), see *Olor*.
— (*Cygnus*), see *Olor*.
- Cymbilanius fasciatus**, *Nicar.* '85, 294.
lineatus, *Braz.* '91, 28.
- Cymborhynchus macrorhynchus**, *Borneo*, *syn.* '90, 357.

- Cymodroma**, see *Fregetta*.
- Cynanthus**, see *Cyanolesbia*.
- Cyphorinus griseolateralis**, *Braz.* '89, 172, '90, 137.
- Cypseli** (^a *Swifts*), '81, 30, 36, 75, 76, '86, 414, 492, '87, 80, 170^a, 171^a, 265, 339^a, '89, 8–13^a, '90, 279, '93, 110^a, 345^a, '97, 105^a.
- Cypselidae**, '81, 29, 36, 37, '86, 404, 444, '93, 67, '97, 419.
- Cypseliformes**, '92, 176.
- Cypselinae**, '89, 8, '97, 419.
- Cypseloides** (^b *Nephocetes*), '84, 54^b, '86, 345, '93, 131, 365, '94, 156, '96, 83.
borealis (Black Swift, ^b *Nephocetes*, ^c *niger*), *B. C.* '93, 17^c, 291^c, 384^c, 1900, 106^c; *Colo.* '81, 140^b, '82, 182^b, '85, 17; *C. R.* '90, 333^c, '92, 324^c; g. *dist.* '93, 134^c, '97, 126; *L. Cal.* '95, 139^c; *N. M.* '86, 78; *Wash.* '88, 424^c, '93, 17^c, 291^c, 384^c, '97, 175.—*anat.* '93, 365^c, '95, 157^c (fig.); *fd.* '82, 182^b; *hbt.* '82, 182^b, '97, 175; *meas.* '82, 183^b, '88, 424^c; *nst.* '88, 424^c; *plm.* '82, 182^b; *syn.* '97, 126, '99, 78, 111.
cherriei, *C. R.* '93, 346.
niger, *W. I.* '79, 229, '86, 345, '91, 48, '92, 276.—*meas.*, *plm.* '86, 345; *syn.* '86, 345, '97, 126.
- Cypselus** (^b *Micropus*), '80, 178, '84, 230, '86, 344, 404, 446, '87, 80, '89, 9^b, '93, 67, '94, 233^b, '95, 156^b, 187^b, '96, 83^b, '97, 419^b.
apus (^b *Micropus*), *Germany*, '96, 304; *Helg.* '95, 336.—*anat.* '86, 451, '87, 171, '88, 329, '89, 11^b, '95, 157^b; *hbt.* '96, 304; *meas.* '89, 11^b; *nst.*, *song.* '96, 304.
griseifrons, *Mex.* 1900, 262*.
melba, *Helg.* '95, 336.—*misc.* '87, 156.
phoenicobius, *W. I.* '81, 153, '86, 344, '91, 294, '92, 272, 276, '94, 125.—*meas.* '86, 344; *nst.* '94, 125; *plm.* '86, 344; *syn.* '86, 344.
squamata, *syn.* '93, 68.
subfurcatus (^b *Micropus*), *Borneo*, '91, 16.—*anat.* '89, 9^b.
- Cyrtonyx**, '93, 130.
meleagris, *syn.* '97, 48.
merriami, *Mex.* '97, 48*.
montezumae (^a Massena Partridge, ^b *massena*, ^c *mearnsi*), *Ariz.* '83, 35^b, '86, 389, '90, 48, 52, 1900, 32^a; g. *dist.* 1900, 255*; *N. M.* '78, 94^b, '92, 360; *Tex.* '87, 187, '92, 231.—*hbt.* '86, 389; *meas.* '83, 35^b, 1900, 255*; *plm.* '83, 35^b, '86, 389, 1900, 50

(mlt.); song. '83, 35^b; syn. '85, 46, '97, 48; misc. 1900, 32^a.

D

- Dabchick, see *Podilymbus podiceps*.
Dacelo, '81, 161.
 gigas, plm. '96, 322.
Dacnis aequatorialis, syn. '90, 381.
 aureinucha, Ecuador, '80, 42.
 cayana, Braz. '90, 266.
 napaea, Colom. '98, 339.
 plumbea, Braz. '90, 266; Venez. '97, 363.
 dactylatra (*Sula*), see *S. cyanops*.
 dactysonans (*Coturnix*), see *C. coturnix*.
Dactylorhynx, '98, 340.
 chiapensis, Mex. '98, 340.
 devius, Mex. '98, 340.
 lineolatus, syn. '98, 340.
 thoracicus, syn. '98, 340.
Dafila, '88, 62, '93, 107.
 acuta ("Pintail Duck), *Alas.* '81, 131^a, '85, 63, 201, 241, '87, 12; *Ariz.* '86, 384, '90, 48, 51, '92, 198^a; *Cal.* '86, 89; *Colo.* '85, 18; *Fla.* '88, 269, 378, '92, 211, '95, 364; g. dist. '93, 125; *H. I.* 1900, 203^a; *Hclg.* '95, 340; *Ida.* '97, 350; *Ind.* '88, 346; *Jamaica*, '91, 364; *Ky.* '89, 312; *La.* '97, 286, 1900, 170; *Man.* '86, 149; *Mass.* '92, 74, '94, 84, '96, 200; *Minn.* '84, 248; *N. D.* '99, 161^a, 162^a, 165^a; *New E.* '83, 163^a; *N. Y.* '82, 256; *Ont.* '85, 372; *Ore.* '79, 198, '86, 163, '88, 142, '91, 367 (fossil), '93, 344 (fossil); *Que.* '82, 239; *S. C.* '85, 193; *S. D.* '85, 288; *Tex.* '82, 224, '87, 184, '92, 232, 1900, 339; *Wash.* '92, 353, 1900, 350; *W. I.* '88, 62.—*hbt.* '92, 384, '93, 294; *mig.* '85, 63; *nest.* '83, 176, '99, 165^a; *plm.* '84, 287^a (hyb.), '85, 241 (mlt.); '88, 316 (hyb.), '92, 191 (hyb.), 1900, 170 (hyb.), 183^a (mlt.); syn. '83, 62, '88, 62; misc. '85, 301^a.
 spinicauda, Argent., *hbt.* '84, 274.
Dafilula, '97, 207.
Daggett, Frank Slater.
 Cold storage as an aid to the bird collector, '95, 195.
Dakin, John Allen.
 Obituary of, 1900, 196.
Dakota (see also North Dakota and South Dakota).
 Abbott, W. L., '81, 49, '83, 116.
 Aarsborg, G. S., '81, 120, '85, 100, 101.
 Allen, J. A., '80, 42-43.

- Brewster, W., '83, 54, 55.
 Coues, E., '80, 59-60.
 Frazar, M. A., '80, 184.
 Hoffman, J. W., '83, 238.
 Jeneks, F. T., '86, 270.
 Judd, E. T., '92, 69.
 McCunesney, C. E., '77, 76.
 Roberts, T. S., '83, 119.
 Snow, F. H., '92, 192.
 Talbot, D. H., '82, 59, '84, 96-97.
 Wilder, G., '90, 80.
Dalgleish, John James.
 List of occurrences of North American birds in Europe, '80, 65-74, 141-150, 210-221, '81, 63-64.
 Occurrence of *Siurus naevius* in Greenland, '83, 179.
 Occurrence of Royal Tern (*Sterna regia*) at Tangiers, Morocco, '84, 97.
 A newly-discovered breeding place of Leach's Petrel (*Cymochorea leucorhhoa*) in Scotland, '84, 98.
 Discovery of nest of *Larus rossii* in Greenland, '86, 273.
Dalla-Torre, Karl Wilhelm von, and *Tschusi zu Schmidhoffen*, Victor Ritter von.
 [Migration report for 1883, Austria and Hungary] (rev.), '86, 416.
damacensis (*Tringa*), see *Tringa*.
damiatica (*Tadorna*), see *Tadorna*.
Damon, J. L.
 Cowbird wintering in western New York, '85, 309.
danbyi (*Junco*), see *J. aikenii*.
Daniel, John Warwick, Jr.
 Bachman's Sparrow in Virginia, 1900, 296.
Dapper, Diving, see *Colymbus dominicus* or *Podilymbus podiceps*.
Daption, '97, 315.
 capensis (Pintado Petrel or Cape Pigeon), g. dist., fd., *hbt.* '87, 4; *anat.* '88, 198.
Darter, see *Anhinga anhinga*.
 Blue, see *Falco columbarius*.
 Blue-tailed, see *Accipiter velox*.
Dartt, Mary.
 On the plains and among the peaks (rev.), '79, 113.
Dasyctrotopha, '94, 233, 234.
Dasylophus, '94, 233, 234.
Daulias luscinia, *Hclg.* '95, 331.
 philomela ("Luscinia"), *Hclg.* '95, 331.—syn. '82, 53^b.
dauhas (*Microcerulus*), see *Microcerulus*.
dauma (*Turdus*), see *Turdus*.
Davenport Acad. of Nat. Hist., Pro-

- ceedings, title (No. 2244), '92.
190.
- Davie, Oliver.**
Capture of Golden Eagle (*Aquila chrysaetos canadensis*) near Columbus, O. '82, 123.
Nests and eggs of N. Am. birds, 2d ed. '86, 416; 3d ed. '89, 328; 5th ed. (rev.), '98, 334.
- Davis, Minot.**
Lapland Longspur (*Calcarius lapponicus*) in Massachusetts in winter, '99, 80.
- Davis, William Morris.**
The soaring of birds and currents of air, '96, 92.
- Davis, William Thompson.**
Staten Island Crows and their roosts, '94, 228-231.
- Davison, John Lester.**
Wilson's Petrel in western New York, '84, 294.
First nest and eggs of *Eremophila alpestris* found in Niagara Co., N. Y. '85, 217.
Breeding of Cerulean Warbler (*Dendroica cerulea*) in Niagara Co., New York, '88, 430.
Breeding of *Habia ludoviciana* in Niagara Co., New York, '89, 191.
Geothlypis philadelphica breeding in western New York, '91, 396.
Ardea egretta in Niagara Co., N. Y. '87, 159.
Birds laying eggs in nests of other birds, '87, 263.
Can birds count their eggs? (rev.), '87, 340.
- Dawson, William Leon.**
Nesting of larger White-cheeked Goose (*Branta canadensis occidentalis*) in Okanogan Co., Washington, '97, 87.
Hepburn's Leucosticte (*Leucosticte tephrocotis littoralis*) in summer in Okanogan Co., Wash. '97, 92.
Occurrence of Baird's Sparrow (*Ammodramus bairdi*) in Wash. '97, 93.
Natural breeding haunts of Barn Swallow (*Cheiidon erythrogaster*), '97, 95.
Preliminary list of birds of Okanogan Co., Washington, '97, 168-182.
dawsonis (Faleo), see *F. obsoletus*.
Dead-limb Bird, see *Contopus virens*.
- Deane, Ruthven.**
Albinism and melanism among North American birds, '76, 20-24.
Philadelphia Vireo in New England, '76, 74.
- Unusual abundance of Snowy Owl (*Nyctea scandiaca*) in New England, '77, 9-11.
Occurrence of Sooty Tern in Massachusetts, '77, 27.
[Ornithological lists in 'Forest and Stream'] (rev.), '77, 75-76.
Probable breeding of Acadian Owl (*Nyctale acadica*) in Mass. '77, 84.
Coturniculus henslowi in New Hampshire, '78, 39.
Blue-gray Gnatcatcher (*Polioptila caerulea*) in Mass. '78, 45.
Deadly combat between an albino Robin and a mole '78, 104.
Blue-winged Yellow Warbler (*Helminthophaga pinus*) in Mass. '78, 188.
Sooty Tern in New Hampshire, '78, 195.
Additional cases of albinism and melanism in N. Am. birds, '79, 27-30.
Breeding of Winter Wren at Houlton, Maine, '79, 37-39.
Vireo atricapillus in Texas, '79, 58.
Occurrence of western variety of Yellow Redpoll Warbler in Mass. '79, 60 [see correction, '79, 186].
Great White Egret in New Brunswick, '79, 63.
Frigate Pelican in Nova Scotia. '79, 64.
Capture of Loggerhead Shrike in winter in New Hampshire, '79, 119.
Record of breeding of Crossbills in northern Vermont in 1796, '79, 121.
Nesting of Black-throated Bunting (*Euspiza americana*), in Mass. '79, 122.
Additional captures of Curlew Sandpiper in New England, '79, 124.
Great Carolina Wren breeding on Long Island, N. Y. '79, 184.
Additional capture of Cærulean Warbler in New England, '79, 185.
Correction [*Dendroica palmarum* for *D. hypochrysea*], '79, 186.
Capture of third specimen of Flammulated Owl (*Scops flammecola*) in United States, and first discovery of nest, '79, 188.
Black Skimmer (*Rhynchops nigra*), in New England, '79, 242.
Additional cases of albinism and melanism in N. Am. birds, '80, 25-30.
Blue-gray Gnatcatcher in Massachusetts, '80, 47.
Additional record of Loggerhead Shrike in Maine, '80, 50.

- Black-backed Three-toed Wood-pecker in Massachusetts, '80, 56.
 Marsh and Sooty Terns in Maine, and other birds rare to the State, '80, 63.
 Large-billed Water Thrush (*Siurus motacilla*) in eastern Rhode Island, '80, 116.
 A new Warbler (*Myiodioctes mitratus*) for Massachusetts, '80, 117.
 Bohemian Waxwing in northern New York, '80, 118.
 Little Blue Heron in Rhode Island, '80, 123.
 European Widgeon in United States, '80, 126.
 Destruction of birds by drowning, '80, 192.
 Breeding of Wild Pigeon in confinement, '81, 60.
 European Widgeon (*Anas penelope*) in Indiana, '95, 179, 292, 292, '96, 255, '99, 270.
 Old Squaw (*Clangula hyemalis*) in Colorado, '95, 292, 293.
 Additional records of Passenger Pigeon in Illinois and Indiana, '95, 298-300.
 Strange habits of Rusty and Crow Blackbirds, '95, 303.
 Additional records of Passenger Pigeon (*Ectopistes migratorius*) in Wisconsin and Illinois, '96, 81.
 Notes on Passenger Pigeon (*Ectopistes migratorius*) in confinement, '96, 234-237.
 Additional records of Passenger Pigeon (*Ectopistes migratorius*), '97, 316.
 [Report on bird protection in Illinois], '98, 96, '99, 67.
 Passenger Pigeon (*Ectopistes migratorius*) in Wisconsin and Nebraska, '98, 184.
 Old Squaw (*Clangula hyemalis*) in Indiana, '99, 178.
 Habits of the Blue Jay (*Cyanocitta cristata*), '99, 182.
 Notes on breeding of Wilson's Snipe (*Gallinago delicata*) in Illinois and Indiana, '99, 270-272.
Dearborn, Ned.
 Preliminary list of birds of Belknap and Merrimac counties, N. H. (rev.), '99, 204.
 Death Valley, expedition to, '91, 122-123, 321-322.
 decipiens (*Homoptila*), see Leptotila ochroptera.
 Deconychura, '92, 173.
 decora (*Dendroica*), see *Dendroica*.
 — (*Pipreola*), see *Pipreola*.
 decumanus (*Ostinctops*), see *Ostinctops*.
 defilippiana (*Aestrelata*), see *Aestrelata*.
 defilippii (*Sturnella*), see *Sturnella*.
Degen, Edward.
 Main features in evolution of the bird's wing (rev.), '95, 286.
 deglandi (*Oidemia*), see *Oidemia*.
De Haven, Isaac Norris.
 Brünnich's Murre at Cape Charles, Virginia, '96, 171.
 deiroleucus (*Falco*), see *Falco*.
 delafieldi (*Trichas*), see *Geothlypis culiculatus*.
 delatatri (*Basileuterus*), see *Basileuterus*.
 — (*Dryotomus*), see *Ceophleus scapularis*.
Delattria henrici, Mex. '97, 51.
 margarethae, *Mex.* '97, 51.
 pringlei, *Mex.* '97, 51*.
Delaware.
 Dwight, J., Jr., '85, 105.
 Gibson, C. D., '85, 100, 100.
Delaware Valley Ornith. Club. '90, 298, '91, 244, '94, 191, '95, 200, '96, 193, '98, 215, 341, '99, 214, 1900, 197; Abstr. of Proc. (rev.), '98, 341, 1900, 395.
 delawarensis (*Larus*), see *Larus*.
 delicata (*Dendroica*), see *Dendroica*.
 — (*Gallinago*), see *Gallinago*.
 — (*Scolopax*), see *Gallinago*.
 deliciosa (*Psittacula*), see *Psittacula*.
 Delothraupis, '87, 150.
 Deltaethynchus, '94, 168.
 Demigretta, see *Ardea*.
Dendragapus, '85, 372, '86, 269, '98, 64.
 fuliginosus ("Sooty Grouse"), B. C. '90, 392; g. dist. '89, 32, '93, 125; Orc. '79, 197 [*Canace obscura*"], '86, 164, '88, 145, 367; Wash. '92, 43, 309, '97, 172, 1900, 351.—fd. '89, 32; hbt. '86, 164, '89, 32, '92, 43, '97, 172; meas. '89, 39; nst., song, '86, 164, '89, 32; plm. '99, 180 (hyb.), 1900, 10^a, 143 (mlt.); misc. 1900, 55^a.
 obscurus ("Dusky Grouse", "Tetrao", "Canace"), Ariz. '90, 48, 52; Cal. '87, 88; Colo. '79, 96^b, '81, 142^b, '85, 17^c, '94, 267; g. dist. '93, 125; Mont. '94, 302; N. M. '86, 80^c, '98, 307.—fd. '81, 142^b, '94, 267; hbt. '81, 142^b; nst. '89, 39, '98, 307; plm. 1900, 143 (mlt.); syn. '86, 269^a; misc. '89, 177^b, '92, 385.
 richardsoni (Richardson's Grouse, "Tetrao"), g. dist. '93, 125; Ida. '97, 352, 1900, 243; Mont. '82, 63^b.—hbt.

- '97, 352, 1900, 243; *mig.* 1900, 243; *nst.* '89, 39; *plm.* 1900, 143 (mlt.), 243; *song.* '82, 63^b.
- Dendragapus, see Dendragapus.
- Dendrobates**, '94, 171.
 kirki, *W. I.* '93, 220.
- Dendrobiastes**, '94, 233.
- Dendrochelidon** (^b*Macropteryx*), '89, 9, 10, 11, 12, '94, 233^b, '95, 156, '96, 86^b.
 comata, *Borneo*, *syn.* '90, 358.
 coronata (^b*Macropteryx*), *anat.*, '89, 11, '94, 114^b, '95, 157^b.
 longipennis, *Borneo*, *syn.* '90, 359.
 mystacea, *anat.* '87, 117, '89, 9, 11; *meas.* '89, 11.
 wallacei, *anat.* '89, 9, 11; *meas.* '89, 11.
- Dendrochelidonidae**, '89, 12, 13, '95, 155.
- Dendrocincla**, '88, 195.
 anguina, *Colom.* '98, 339.
 castanoptera, *Braz.* '91, 26.—*syn.* '91, 26; *misc.* '88, 195.
 fuliginosa, *Braz.*, *syn.* '91, 26.
 lafresnayei, *misc.* '88, 195.
 rufo-olivacea, *misc.* '88, 195.
- Dendrocolaptes certhia**, *Braz.*, *syn.* '91, 27.
 obsoletus, *Braz.* '89, 172.
- Dendrocolaptidae**, '76, 51, '81, 29, 36, '90, 379.
- Dendrocopos**, see Dryobates.
 purus, '84, 35*, see Dryobates cissa.
- Dendrocygna**, '88, 59, '93, 107.
 arboarea, *Bahamas*, '91, 79; *Cuba*, '92, 272; *Jamaica*, '91, 365; *W. I.*, *meas.*, *plm.*, *syn.* '88, 59.
 autumnalis (Black-bellied Tree-duck), *g. dist.* '93, 134; *Jamaica*, '91, 365; *La.* '97, 286; *Tex.* '79, 51, '87, 185; *W. I.* '88, 60.—*syn.* '88, 60.
 discolor, *Braz.* '91, 161.
 fulva (^a*Fulvous Tree-duck*), *Cal.* '87, 88; *g. dist.* '93, 134; *La.* '97, 286; *Mo.* '92, 69*; *Nev.* '78, 138; *Tex.* '87, 185.—*plm.* '79, 30*.
 viuata, *W. I.*, *meas.*, *plm.*, *syn.* '88, 60.
- Dendrecca**, see Dendroica.
- Dendroica**, '77, 64, '80, 154, '84, 47, 54, '85, 365, '86, 28, '87, 309, '93, 112, '94, 142.
 achrusteria (^b*bahamensis*), *Bahamas*, 1900, 187^b, 292*.
 adelaidae, *W. I.* '80, 166, '86, 37.—*syn.* '86, 37.
 aestiva (^a*Yellow Warbler* or *Summer Yellow-bird*, ^b*morcomi*), *Ala.* '78, 173; *Ariz.* '82, 137; *Bahamas*, '86, 29; *B. C.* '92, 65^b; *Cal.* '86, 184, '87, 94, '94, 78^b, '99, 156; *Colom.* 1900, 366; *Colo.* '80, 226, '83, 158, '85, 15, 141; *C. R.* '90, 335, '91, 279; *Cuba*, '86, 29; *D. C.* '88, 21, 24, '92, 307; *Fla.* '90, 18, '92, 213, '95, 365; *Ga.* '96, 214; *g. dist.* '88, 399^b; *Gulf. of Mex.* '81, 251^a; *Hud. B.* '90, 322; *Ia.* '95, 123, 235; *Ida.* '98, 18; *Ill.* '78, 163, '88, 433; *Ind.* '82, 17, '89, 27; *Ky.* '89, 316; *La.* '82, 161, '87, 301^a; *Man.* '86, 326; *Mass.* '84, 6^a, '88, 389, '89, 42 [see correction, '89, 107^a], 45, 103, '90, 217; *Mc.* '82, 109; *Mich.* '81, 196^a, '93, 227; *Minn.* '80, 13, '84, 244; *Mo.* '79, 141; *Mont.* '88, 16, '94, 307, '95, 218; *N. B.* '89, 118; *N. C.* '86, 174, '89, 120; *N. F.*, *Grand Banks*, '79, 128; *N. H.* '88, 150, 152, 154, '89, 77; *Nicar.* '95, 20^a; *N. J.* '94, 140; *N. M.* '85, 331, '92, 367, '98, 310; *N. S.* '87, 16, '91, 166^a; *N. W. T.* '94, 78^b; *N. Y.* '79, 32, '81, 227, 245^a, '82, 187, '84, 175, 176, 212, '89, 130; *O.* '95, 242; *Ore.* '79, 164, '86, 170, '88, 361^a; *Pa.* '92, 138, '93, 40, 45, '96, 284, 295, 1900, 396^a; *P. E. I.* '93, 13; *Que.* '82, 234, '89, 148; *S. C.* '79, 212, '90, 127; *S. D.* '85, 278; *Tenn.* '86, 316; *Tex.* '82, 9, '87, 296, '89, 240, '92, 340, 1900, 347; *Va.* '86, 161^a; *Wash.* '92, 46, '94, 78^b, '97, 179; *W. Is.* '83, 66, 69.—*anat.* '81, 7; *fd.* '99, 362^a; *hbt.* '79, 180; *meas.* '82, 137; *mig.* '81, 196^a, 251^a, '83, 66, 69, '84, 175, 176, '88, 433, '89, 130, '94, 104, '95, 123, 128^a, 235, 242; *nst.* '80, 13, '88, 22, 361^b, '90, 81^a, 82^a, '92, 286, '98, 18; *plm.* '82, 137, '83, 69, '86, 33 (hyb.), '91, 279; *song.* '80, 226, '84, 212, '86, 174; *syn.* '77, 63, '85, 371, '86, 29, '88, 399^b; *misc.* '78, 197, '87, 251^b, 264^a, '89, 248.
 albilora (^a*Sycamore* or *White-browed Warbler*), *Fla.* '88, 276, '90, 20, 313, '97, 247; *Ill.* '78, 163; *Ind.* '82, 16, 19, '89, 27; *Jamaica*, '93, 340; *Kan.* '91, 116; *Ky.* '89, 316; *La.* '82, 49^a, 161; *Mich.* 1900, 391; *Mo.* '95, 350^a; *N. C.* '93, 242; *S. C.* '86, 139, '90, 127, '91, 51, 171; *Tenn.* '86, 316; *Tex.* '78, 144, '82, 9, 36, '92, 303, 341, 1900, 347.—*meas.* '90, 128; *mig.* '91, 51; *nst.* '91, 116 [not 'albilora']; *plm.* '82, 20, 161, '85, 367; *song.* '82, 9, 36; *syn.* '81, 175.
 auduboni (^a*Audubon's Warbler*), *Ariz.* '82, 138, '85, 352, '88, 34, '90, 49, 261, '94, 218, 221^a, '95, 17^a; *Cal.* '83, 187 bis, '86, 184, '89, 221, '90,

297, '96, 121, '98, 236, '99, 156; *Colo.* '79, 92, '80, 227, '81, 88, '83, 158, '85, 15, 141, '87, 125, '94, 269; *Conn.* '93, 305^a; *g. dist.* '93, 127; *Ida.* '98, 18; *Kan.* '83, 186^a, '84, 100; *L. Cal.* '95, 142; *Mass.* '77, 27; *Mont.* '81, 205, '82, 62, '88, 16, '94, 307; *N. M.* '85, 331, '92, 367; *Ore.* '79, 164, '86, 170, '88, 361; *Tex.* '87, 296; *Wash.* '83, 187 bis, '92, 46, 310, 357, '97, 170, 179, 1900, 357; *Wyo.* '81, 205.—*anat.* '81, 88; *hbt.* '86, 170; *meas.* '79, 92, '80, 227, '81, 88, 205, '82, 138; *mig.* '88, 361, '98, 18; *nst.* '79, 92, '80, 227, '81, 88, 205, '85, 331, '98, 18, 1900, 357; *plm.* '79, 28^a (alb.), '82, 138, '85, 352 (milt.), '89, 96; *song.* '80, 227, '81, 88, 361.

aureola, *Cocos Is.* '96, 75; *syn.* '77, 63.

aurocapilla, *W. I.* '89, 31.

bahamensis, *W. I.* '91, 348*, 350.

blackburniae (* Blackburnian Warbler), *Bahamas.* '86, 36, '92, 49; *Colom.* 1900, 367; *C. R.* '90, 336, '91, 278; *D. C.* '92, 308; *Fla.* '90, 20, 223, '92, 213; *g. dist.* '93, 127; *Ia.* '95, 124; *Ill.* '88, 433*; *Ind.* '82, 17, '89, 27; *Ky.* '89, 316; *La.* '82, 161, '87, 301^a; *Man.* '86, 326; *Mass.* '81, 242^a, '84, 13^a, 15, '85, 100, '87, 269, '88, 389, '89, 42^a, 43^a, 46, 103, '95, 89; *Me.* '79, 106, '82, 109; *Mich.* '85, 376, '93, 228; *Minn.* '97, 223; *N. B.* '82, 104; *N. C.* '86, 98, 100, 174, '89, 120; *N. E.* '77, 48; *N. H.* '87, 106, '88, 150, 153; *N. M.* '78, 93; *N. S.* '95, 90; *N. Y.* '78, 53, '81, 227, '83, 52^a, '84, 178, 213, '85, 103, '90, 231, '96, 179^a; *O.* '95, 240*, 241; *Pa.* '91, 398, '92, 132^a, 133^a, 134, 139, '93, 36^a, 37, 41, 42^a, 43, 45, '95, 190, '96, 291^a, 292, 296; *Que.* '82, 234; *S. C.* '79, 212, '90, 127, '91, 170, '92, 35^a, 37^a, 38^a, '94, 26^a; *Tenn.* '86, 316, '87, 132; *Tex.* '82, 9, 36, '84, 121^a, '87, 183^a, '92, 341, 1900, 347; *Va.* '89, 51; *Wis.* '83, 66, 69, '88, 326.—*hbt.* '86, 174; *meas.* '85, 103, '88, 392; *mig.* '83, 66, 69, '84, 178, '87, 269, '88, 326, 433, '92, 35^a, 37^a, 38^a '94, 26^a, 27^a, '95, 124, 241; *nst.* '81, 242^a, '85, 100, 103, '88, 391, '90, 231; *plm.* '78, 58, '86, 33, 174, '91, 278; *song.* '84, 213; *syn.* '86, 36.

bryanti, *misc.* '93, 142.

cæruleolens (* Black-throated Blue Warbler), *Ala.* '78, 173; *Bahamas.* '91, 68, 298, 335, 337, 339, 352; *Co-*

lombia, 1900, 367; *Colo.* '94, 183; *Conn.* '76, 11–13, '83, 176, '89, 45; *Cuba.* '92, 273; *D. C.* '92, 308; *Fla.* '85, 62, '88, 276, '90, 18, 313, '92, 213, '93, 338; *Ga.* '96, 214; *g. dist.* '93, 127, '95, 283^a; *Ill.* '88, 433; *Ind.* '82, 17, '89, 27; *Jamaica.* '93, 340; *Kan.* '94, 260; *Mass.* '78, 139, '84, 12^a, 15, '87, 251, '88, 389, 391, '89, 41^a, 43^a, 45, 103, '90, 217; *Me.* '82, 109; *Mich.* '85, 65, '93, 227, 1900, 391; *Minn.* '84, 244; *N. B.* '82, 109; *N. C.* '86, 98, 100, 174, '89, 122; *N. E.* '81, 238; *N. H.* '87, 106, '88, 149^a, 150, 153, 154; *N. Y.* '78, 53, '80, 238, '81, 227, '83, 53^a, '84, 177, 179, 213, '90, 231, '96, 179^a; *O.* '95, 241; *Pa.* '91, 398, '92, 132^a, 133^a, 134, 138, '93, 36^a, 37, 40, 42^a, 43, 45, '94, 182, '96, 292, 295; *P. E. I.* '93, 5^a, 13; *Que.* '83, 244; *S. C.* '79, 212, '90, 410, '92, 36^a, 37^a, 38^a, '93, 154, '94, 27; *Tenn.* '87, 128, 132; *Va.* '86, 160, '89, 51; *W. I.* '81, 151, '86, 33, '89, 31; *Wis.* '83, 66, 69, '88, 326, 326; *W. Va.* '98, 136.—*hbt.* '76, 11, '86, 174; *meas.* '76, 12, '80, 238; *mig.* '83, 66, 69, '84, 177, 179, '85, 62, 65, '88, 326, 326, 433, '91, 69, '92, 36^a, 37^a, 38^a, '94, 27, '95, 241; *nst.* '76, 11, '80, 238, '83, 176; *song.* '84, 12^a, 213, '86, 160; *plm.* '78, 57, '82, 133, '93, 153, 154, '96, 242 (milt.); *syn.* '86, 33.

cairnsi (Cairn's Warbler), *Ga.* '98, 192; *g. dist.* '97, 96, 123; *W. Va.* '98, 136.—*plm.* '97, 96, '98, 136, 192; *syn.* '97, 123.

capitalis, *W. I.*, *meas.*, *plm.*, *syn.* '86, 31.

carbonata (* Carbonated Warbler), *Perissoglossa*), *Ky.* '94, 244.—*plm.* '81, 225^b; *misc.* '81, 167^b, 168^a, '87, 310, '88, 401.

castanea (* Bay-breasted Warbler), *Colombia*, 1900, 367; *Conn.* '93, 90^a; *g. dist.* '93, 127; *Ill.* '88, 433; *Ind.* '82, 17, 19, '89, 27; *Man.* '86, 326; *Mass.* '82, 252, 253, '87, 269, '89, 106; *Me.* '76, 95^a; *Mich.* '85, 65, '93, 228; *N. B.* '82, 104; *N. C.* '98, 275; *N. H.* '87, 103^a, 106, '88, 153, '89, 42^a; *N. J.* '89, 198; *N. S.* '91, 165; *N. Y.* '81, 227, '84, 213, '85, 272, '89, 138, '92, 307^a, '96, 88; *O.* '95, 240*, 241; *Pa.* '91, 398; *Que.* '85, 315; *S. C.* '91, 170, '93, 155; *Tenn.* '96, 181; *Tex.* '82, 9; *Wis.* '83, 67, 70, '88, 326, 326.—*mig.* '82, 252, 253, '83, 67, 70, '85, 65, 272, '87.

269, '88, 326, 326, 433, '89, 138, '95, 241, '99, 275; *plm.* '76, 21 (alb.), '78, 58, '93, 155; *song.* '84, 213.
castaneiceps (Mangrove Warbler, ^b*bryanti*), *L. Cal.* '82, 257^b, '85, 371.
chrysoparia (Golden-cheeked Warbler), *Cal.* '90, 215 (sp.?) ; g. *dist.* '93, 135; *Tex.* '79, 60, 77-79, '82, 36, '84, 121, '87, 296, '89, 174, '92, 341.—*fd.* '87, 296, '92, 341; *hbt.* '79, 77, '92, 341; *meas.* '79, 78; *nst.* '79, 77; *plm.* '82, 36; *song.* '82, 36, '92, 341.
coronata (^a Myrtle or Yellow-rumped Warbler, ^b*hooveri*), *Ala.* '78, 173; *Alaska.* '87, 13; *Ariz.* '82, 137, '88, 34; *Bahamas.* '91, 294, 295, 296, 297, 297, 298, 334, 338; *Cal.* '78, 65; *Colo.* '83, 158, '85, 15; *Conn.* '93, 305^a; *C. R.* '90, 336, '91, 278; *Fla.* '88, 276, 430, '89, 279, '90, 19, 223, 313, 342, '91, 127^a, 138, '92, 213; *Ga.* '82, '95, '96, 214; g. *dist.* '93, 127, '95, 283, '99, 343^b; *Gulf of Mex.* '81, 251^a; *Hud. B.* '90, 322; *Ill.* '88, 433; *Ind.* '89, 27; *Jamaica.* '93, 340; *Ky.* '89, 316; *La.* '82, 49^a, '87, 306; *Man.* '86, 326; *Mass.* '78, 76, '79, 118, '86, 136^a, 278, '87, 269, '88, 388^a, 389, 391, '89, 42^a, 43^a, 103, '90, 229, '95, 89, '97, 326; *Md.* '80, 182; *Mc.* '82, 109, 119, '85, 216, 307^a, 381^a, '86, 136^a, '89, 280; *Mich.* '93, 227; *Mo.* '79, 142, '96, 220; *Mont.* '88, 16, '95, 218; *N. B.* '82, 109, '89, 118; *N. C.* '80, 134, '86, 98, 101, 314; *N. H.* '84, 192, '87, 106, '88, 149^a, 150, 153, 154, '89, 77, 78; *N. J.* '79, 81, '89, 199, '92, 204; *N. S.* '87, 15^a, 16, '91, 166^a; *N. Y.* '78, 53, '79, 32, 34, '81, 227, '83, 52^a, '84, 176, 177, 213; *O.* '85, 98^a, '95, 242; *Pa.* '89, 141, '92, 132^a?; *P. E. I.* '93, 5^a, 13; *Que.* '82, 234, '89, 148; *S. C.* '79, 212, '86, 138^a, '92, 33^a, 37^a; *S. Dak.* '85, 278; *Tenn.* '86, 316; *Tex.* '82, 9, 36, '84, 121, '87, 296, '92, 303; [*Yellowrumps*], 340, 1900, 347; *Va.* '82, 48; *Wash.* '93, 17; *W. I.* '81, 151, '86, 34, '87, 180; *Wis.* '83, 66, 69, '88, 326.—*fd.* '79, 34, '85, 216, '89, 199, 279, '90, 342; *hbt.* '97, 412^a; *meas.* '82, 137, '99, 343^b, 344, 344^b; *mig.* '80, 134, '81, 251^a, '82, 119, '83, 66, 69, '84, 176, 177, '87, 269, '88, 326, 433, '89, 27, 141, '92, 33^a, 37^a, '95, 242; *nst.* '89, 148; *plm.* '76, 21 (alb.), '78, 58, '79, 34 (mlt.), '82, 137, '87, 306 (mlt.), '91, 278, '99, 217 (col. pl.,

mlt.), 343^b; *song.* '84, 213, '97, 326; *syn.* '86, 34, '99, 212^b; *misc.* '77, 74, '85, 99^a.
decora, *Mex.* '98, 159.
delicata, *W. I.* '84, 83, '86, 37.—*meas.*, *plm.*, *syn.* '86, 37.
discolor (^a Prairie Warbler), *Ala.* '78, 173; *Bahamas.* '91, 68, 294, 295, 296, 297, 298, 298, 334, 335, 336, 336, 337, 338, 338, 339, '92, 48, 49, 1900, 293; *Cuba.* '92, 273; *D. C.* '88, 22, 24, '92, 307; *Fla.* '85, 62, '87, 134, 221, '88, 276, '90, 21, 314, '91, 138, '92, 214, '95, 365; *Ga.* '96, 214; g. *dist.* '93, 133; *Ind.* '82, 16, 20; *Jamaica.* '93, 341; *Mass.* '90, 217; *Mich.* '79, 186, '93, 228; *N. C.* '86, 175; *Neb.* '85, 278; *N. H.* '84, 189^a; *N. J.* '89, 198, '94, 134^a, 140; *N. Y.* '84, 176, '89, 198^a; *Ont.* 1900, 391, 392; *Pa.* '91, 398; *R. I.* '86, 272^a; *S. C.* '79, 212, '90, 128, '92, 35^a; *S. D.* '85, 278; *Tenn.* '86, 316; *Va.* '76, 25, '88, 405-408; *W. I.* '81, 151, '86, 39, '89, 31, 31, '90, 375, 375, '91, 47, 48, 48.—*meas.* '87, 135; *mig.* '84, 176, '85, 62, '91, 69, '92, 35^a; *nst.* '84, 189^a, '88, 22, 24, 405; *plm.* '78, 59, '87, 134; *syn.* '86, 39.
dominica (^a Yellow-throated Warbler), *Ala.* '78, 173; *Bahamas.* '91, 295, 296, 298, 298, 335, 350, '92, 48, 49; *Conn.* '77, 108; *C. R.* '92, 21; *Cuba.* '92, 273; *D. C.* '96, 343; *Fla.* '81, 40, '88, 276, '90, 20, 313, '91, 127^a, 132^a, 138, '92, 213, '95, 365; *Ga.* '82, 99^a, '83, 38, '96, 214; g. *dist.* '93, 133; *Jamaica.* '93, 340; *Mass.* '78, 146; *N. C.* '86, 100, 174, '89, 120, '90, 325-326; *N. Y.* '93, 277; *S. C.* '79, 212, '85, 72^a, '86, 139, '87, 165, '90, 97, '92, 31^a, 32^a, 35^a, '94, 31^a; *Va.* '82, 253, '89, 195, 339; *W. I.* '81, 155, '86, 36, 501, '87, 7—*hbt.* '77, 102; *meas.* '77, 105, '83, 38, '87, 165; *mig.* '92, 31^a, 32^a, 35^a, '94, 31^a; *nst.* '77, 102, '78, 43, '83, 38, '90, 323, '96, 343; *plm.* '82, 20, '87, 165, '90, 97; *song.* '77, 102; *syn.* '81, 175, '86, 36; *misc.* '76, 81, '84, 189^a.
dugesii, *Mex.* '87, 251.
eoaa, *W. I.* '86, 32, '93, 340.—*meas.*, *plm.*, *syn.* '86, 32.
flaviceps, *W. I.* '94, 67.
flavida, *W. I.* '87, 179^a, 181.
flavivertex, *Bahamas.* 1900, 292.
goldmani, *Guatemala.* '97, 66^a.
graciæ (^a Grace's Warbler), *Ariz.* '81, 72, '85, 352, '86, 256^a, '88, 34, '90, 50, 261; *Cal.* '86, 185, '87, 86;

Colo. '81, 142, '85, 15; *g. dist.* '93, 135; *N. M.* '85, 331, '98, 310.—*hbt.*, '85, 352; *meas.*, *nst.* '91, 315; *mig.* '85, 331.

gundlachi, *W. I.* '86, 30, 501, '91, 297, 298, 335, 336, 337, 338, 339, 350, 351, '92, 48.—*meas.*, *plm.*, *syn.* '86, 30.

hypochrysea (* Yellow Palm or Red-poll Warbler), *Ala.* '78, 173; *Cuba*, '92, 273; *Fla.* '88, 276, '90, 20, 223, 314, '91, 128^a, 138, '92, 214, '95, 365; *Ga.* '96, 214; *g. dist.* '76, 84^a, '80, 89, '93, 127; *Jamaica*, '93, 341; *La.* '80, 182; *Mass.* '79, 60 [*= palmarum*, see '79, 186], '90, 229; *N. C.* '87, 241, '93, 244; *N. F.* 1900, 72; *N. Y.* '88, 182; *N. S.* '91, 165; *N. Y.* '84, 213, '88, 182; *O.* '92, 397; *Ont.* '91, 396; *P. E. I.* '93, 13; *Que.* '85, 315; *S. C.* '85, 190, '91, 171, '94, 26^a.—*meas.* '76, 84, 86, 87; *mig.* '88, 182, '94, 26^a; *song.* '84, 213; *syn.* '76, 85, '85, 367; *misc.* '95, 286^a.

kirtlandii (* Kirtland's Warbler), *Bahamas*, '79, 118, '86, 38, '91, 295, 297, 298, 337, 338, 1900, 292; *D. C.* '91, 52; *Fla.* '98, 331; *g. dist.* '93, 133, '98, 289–293 (*col. pl.*); *Ill.* '94, 258, '95, 286, '99, 81, 359; *Mich.* '77, 75, '79, 185, '84, 389, '85, 376, '89, 279; *Minn.* '93, 86; *Mo.* '85, 382; *N. J.* '91, 105; *O.* '79, 58, '80, 233, '92, 63^a; *Ont.* 1900, 391, 392; *Pa.* '91, 102?, '98, 331 (*corr.*); *S. C.* '86, 412, '89, 74, '91, 171; *Va.* '88, 148.—*hbt.* '85, 382, '86, 412, '88, 148, '98, 289, '99, 359; *meas.* '79, 118, '80, 49; *mig.* '91, 52, '98, 289; *plm.* '79, 118, '80, 49, '84, 389, '98, 289; *song.* '86, 412, '99, 359; *syn.* '86, 38.

maculosa (* Magnolia or Black-and-Yellow Warbler), *Bahamas*, '92, 49; *B. C.* '93, 16; *Colo.* '85, 15; *Fla.* '90, 19, '92, 213; *g. dist.* '93, 127, '95, 283^a; *Greenl.* '91, 320; *Ia.* '95, 123; *Ill.* '88, 433^a; *Ind.* '82, 17, 19, '89, 27; *Man.* '86, 326; *Mass.* '84, 14, 15, '87, 269, '88, 388^a, 389, 391, '89, 43^a, 103, 106, '90, 217, '95, 89; *Me.* '79, 106, '82, 109; *Mich.* '85, 65, 376, '93, 228; *Mo.* '79, 142; *N. B.* '82, 109, '83, 121, '89, 118; *N. C.* '86, 98, 101?, '89, 120; *N. E.* '77, 1–7; *N. H.* '88, 153, '89, 77, '94, 335; *N. S.* '87, 15^a, 16, '91, 166^a; *N. Y.* '78, 53, '81, 227, '82, 154, '83, 52^a, 53^a, '84, 176, 213, '96, 179; *O.* '95, 241; *Pa.* '91, 116, 398, '92, 133^a, 134, 139, '93, 36^a, 37, 40, 42^a, 43, 45, '95, 190,

'96, 284, 292, 295; *P. E. I.* '93, 5^a, 13; *Que.* '82, 234, '89, 148; *S. C.* '79, 212, '91, 170; *S. D.* '85, 278; *Tex.* '82, 9, '92, 340, 1900, 347; *Wash.* '93, 16; *W. I.* '86, 34; *Wis.* '82, 185, '83, 66, 70, '88, 326, 326; *W. Va.* '98, 136.—*anat.* '94, 142, 144 (*fig.*); *hbt.* '77, 1–7; *mig.* '83, 66, 70, '84, 176, '85, 65, '87, 269, '88, 326, 326, 433, '95, 123, 241; *nst.* '77, 1, '83, 121, '88, 391, '91, 116, '96, 295; *plm.* '78, 59; *song.* '84, 213, '93, 228; *syn.* '86, 34.

montana, *Cal.* '77, 91?; *misc.* '81, 167.

nigrescens (* Black-throated Gray Warbler), *Ariz.* '82, 138, '85, 197, 352, '88, 34, '90, 48; *Cal.* '86, 185, '87, 86, '89, 223, '98, 197, '99, 156; *Colo.* '85, 15, '88, 104; *g. dist.* '93, 135; *N. M.* '92, 367; *Ore.* '86, 170, '88, 361?; *Wash.* '92, 46, 357, '97, 182.—*hbt.* '86, 170; *nst.* '88, 104, '99, 157^a; *plm.* '85, 197, 352, '88, 34.

nigrifrons, *Mex.* '89, 94^a, '92, 1 (*col. pl.*), 207.—*meas.* '89, 95, 96.

occidentalis (Hermit Warbler), *Ariz.* '88, 35; *Cal.* '78, 65, '83, 188, '86, 185, '87, 86, 166, '99, 156–161; *g. dist.* '93, 135; *L. Cal.* '95, 142; *Ore.* '88, 361; *Wash.* '87, 167?, '92, 46, '97, 179.—*hbt.* '88, 361, '99, 156; *meas.* '87, 166, '99, 159; *mig.* '83, 188; *nst.* '87, 166, '99, 156; *plm.* '78, 65, '87, 166, '88, 361; *song.* '88, 361, '99, 156.

olivacea (Olive Warbler), *b* *Peucedramus*, *Ariz.* '80, 89, '82, 135^b, '85, 172^b, 349^b, 352^b, '88, 34, '90, 49, 261, '95, 17, 19; *Mex.* '95, 258.—*hbt.* '82, 135^b, '85, 172^b; *meas.* '82, 136^b, '95, 18, 19; *nst.* '95, 17; *plm.* '82, 135^b; *song.* '85, 172, '95, 17.

palmarum (* Palm Warbler), *Ala.* '78, 173; *Bahamas*, '91, 68, 294, 295, 296, 297, 334, 335, 336, 336, 337, 338, 339, 351, '92, 49, 1900, 292; *Conn.* '94, 181; *Cuba*, '92, 273; *Fla.* '88, 276, '90, 20, 223, 314, '91, 128^a, 138, '92, 214, '95, 365; *Ga.* '96, 214; *g. dist.* '76, 84, '93, 127; *Hud. B.* '90, 322; *Ia.* '95, 122, 236; *Ill.* '88, 433; *Ind.* '82, 17, '89, 28; *Jamaica*, '93, 341; *Man.* '86, 326; *Mass.* '79, 60 [not 'hypochrysea', see '79, 186], '82, 54, '89, 183, '90, 229; *Ind.* '94, 338; *Mich.* '93, 228; *N. H.* '85, 104; *N. J.* '95, 185; *N. Y.* '80, 182, '81, 227, '82, 240, '88, 170, 182 [*= hypochrysea*], 324, '90, 232, '96, 343, '99,

195; *O.* '95, 241; *S. C.* '79, 212, '85, 190, '91, 51, 171, '92, 29^a, 36^a, '94, 26^a; *Tenn.* '96, 182; *Va.* '94, 333; *W. I.* '81, 151, '86, 39, '87, 180, '89, 31, 31, '91, 386 ['ignota']: *Wis.* '83, 66, 71, '88, 326, 326.—*hbt.* '88, 276; *meas.* '76, 83, 84, 87; *mig.* '83, 66, 71, '88, 182, 326, 326, 433, '91, 51, 69, '92, 29^a, 36^a, '94, 26^a, 27^a, 38^a, '95, 122, 128^a, 236, 241, '99, 275; *plm.* '76, 83, 84, '88, 276 (mlt.); *syn.* '76, 81, '85, 367, '86, 39; *misc.* '95, 285^a.

pensylvanica (* Chestnut-sided Warbler), *Bahamas*, '86, 35; *Conn.* '89, 41^a; *C. R.* '90, 336, '91, 278; *Fla.* '93, 338, '93, 133; *Greenl.* '91, 320; *Gf. of Mex.* '81, 251^a; *Ia.* '95, 123, 235; *Ill.* '88, 433; *Ind.* '82, 17, '89, 27; *Kan.* '98, 59; *Ky.* '89, 316; *La.* '87, 306; *Man.* '86, 326, '87, 353^a; *Mass.* '84, 6^a, '88, 389, '89, 41^a, 46, 103, '90, 217; *Me.* '82, 109; *Mich.* '93, 228; *Mo.* '79, 142, '92, 396; *N. B.* '82, 104, 109; *N. C.* '86, 174, '89, 120; *N. H.* '88, 150, 153, 154, '89, 77, 78; *N. Y.* '79, 32, '81, 227, '84, 213; *O.* '95, 240^a, 241; *Pa.* '91, 398, '92, 133^a, 139, '93, 37, 41, 42^a, 43, 45, '94, 182, '96, 280^a, 284, 291^a, 292, 296; *S. C.* '79, 212, '90, 127, '91, 170, 331, '92, 35^a, 36^a, '94, 26^a; *Tenn.* '87, 128, 132; *Tex.* '82, 9; *Va.* '86, 160, '89, 50; *Wis.* '82, 185, '83, 66, 70, '88, 326; *W. I.* '98, 136; *Wyo.* '89, 341.—*hbt.* '86, 174, '90, 404^a; *mig.* '81, 251^a, '83, 66, 70, '88, 326, 326, 433, '92, 35^a, 36^a, '94, 26^a, '95, 123, 128^a, 235; *nst.* '83, 70, '92, 396, '96, 284; *plm.* '78, 59, 71; *song.* '84, 213; *syn.* '86, 35; *misc.* '86, 477, '87, 353^a.

petechia, *W. I.* '86, 29, '91, 68, '93, 340, '94, 127.—*meas.* '86, 29; *mlt.* *nst.* '94, 127; *plm.* '86, 29, 33 (hyb.); *syn.* '77, 63, '86, 29.

pharetra, *W. I.* '86, 35, '91, 387, '93, 340.—*meas.*, *plm.*, *syn.* '86, 35.

pitayophila, *W. I.*, *meas.*, *plm.*, *syn.* '86, 38.

plumbea, *W. I.* '79, 48, '86, 40, '91, 49.—*meas.*, *plm.*, *syn.* '86, 40.

rara (* Cerulean Warbler, ^b carulea), *Colo.* '85, 15^b; *Conn.* '77, 21^b, '88, 431; *C. R.* '91, 272^b, '92, 21^b; *Cuba*, '86, 35^b; *D. C.* '80, 112^b, '88, 323^b; *Fla.* '90, 19^b, 313^a, '92, 213^b; *g. dist.* '93, 133^b; *Ill.* '78, 163^b; *Ind.* '82, 17^b, 19^b, '89, 27; *La.* '87, 306^b, '88, 325^b; *Labrador*, '85, 369^b; *Md.* '93,

372^b; *Mich.* 1900, 391^b; *Mo.* '79, 142^b, '95, 117^a, 350^a; *N. C.* '93, 244^b; *N. E.* '77, 14^b, 48^b; *Neb.* '85, 278^b; *N. J.* '97, 326; *N. Y.* '78, 35^b, 46^b, '79, 175^b, '82, 119^a, '83, 238^a, '88, 430, '93, 277^b, '94, 163^b, 1900, 178^b; *O.* '95, 241^b; *Ont.* 1900, 358–362; *Ore.* '77, 91^b?; *Pa.* '91, 238^b, 398^b, '93, 37^b, 38^b, 41^b, '99, 313^b; *R. I.* '79, 185^b; *S. C.* '91, 170^b, '92, 35^a; *S. D.* '85, 278^b?; *Tenn.* '87, 128^b, 132^b; *Tex.* '87, 296^b; *Va.* '90, 291^b, '96, 179^b; *W. I.* '86, 501^b.—*meas.* '79, 25^b, '88, 431^b, 432^b, 1900, 360^b, 361^b, 362^a; *mig.* '91, 52^a, '92, 35^a, '95, 241^b; *nst.* '79, 25^b, '83, 238^a, '88, 430^b, '91, 238^b, 1900, 358^b; *plm.* '88, 430^b; *song.* '91, 238^b; *syn.* '86, 35^b, '97, 97, 131.

rubiginosa (Alaskan Yellow Warbler, ^b aestiva), *Alaska*, '80, 35^b, '81, 3^a, '87, 13^b, '98, 129; *g. dist.* '97, 76*, 123.—*meas.* '97, 77, 79; *syn.* '97, 123.

ruficapilla (^b melanoptera), *W. I.* '86, 31, 31^b, '90, 374, 375, '91, 47, 47, 48, 48, 49^b.—*meas.*, *plm.*, *syn.* '86, 31, 31^b.

rufigula, *W. I.* '79, 229, '86, 32, '87, 95.—*meas.*, *plm.*, *syn.* '86, 32.

rufivertex, *Yucatan*, '85, 295.

rufopileata, *W. I.* '85, 291.

sonorana (* Sonora Yellow Warbler, ^b moreomi), *Ariz.* '88, 34^b, '90, 48, '94, 218, 221^a; *g. dist.* '88, 137*, 400.—*meas.* '88, 138; *plm.* '88, 34^b.

striata (^a Black-poll Warbler), *Alaska*, '81, 3^a, 4^a, '87, 13; *Bahamas*, '91, 68, 298, 335, 351, 352, '92, 49; *Colom.* 1900, 366; *Colo.* '80, 227, '83, 158, '85, 15; *D. C.* '94, 79; *Fla.* '85, 61, '88, 276, '90, 19, 313, '92, 213, '93, 338, '95, 365; *Ga.* '82, 95^a, '96, 214; *g. dist.* '93, 127, '95, 283^a; *Hud.* 'B. '90, 322; *Ia.* '95, 124; *Ind.* '89, 27; *Jamaica*, '93, 340; *Man.* '86, 326; *Mass.* '78, 138, '90, 217; *Mc.* '98, 61; *Mich.* '93, 228; *Mo.* '79, 142; *Mont.* '95, 218; *N. C.* '89, 120; *N. F.* 1900, 72; *N. H.* '87, 102^a, 103^a, 106, '88, 153, '89, 42^a; *N. S.* '84, 269^a, '91, 165; *N. Y.* '79, 174, '82, 128, 156, '84, 176, 177, 178, 179, 213, '88, 182, '92, 307^a; *O.* '95, 240^a; *Ont.* '87, 248^a, 1900, 391, 392; *Ore.* '77, 91^b?; *Pa.* '88, 432; *Que.* '82, 234, 253, '89, 149; *S. C.* '79, 212, '92, 37^a, 38^a; *S. D.* '85, 278; *Tex.* '82, 9; *Vt.* '82, 114, '96, 345; *W. I.* '80, 166, '86, 35; *Wis.* '83, 67, 70, '88, 326.—*anat.* '85, 27; *meas.* '82, 254; *mig.* '83, 67, 70,

'84, 176, 177, 178, 179, '85, 61, '88, 182, 326, '92, 37^a, 38^a, '94, 109^a, '95, 124, '99, 275; *nst.*, '82, 253, '89, 149; *plm.*, '83, 126 (alb.), '87, 106 (mlt.), '88, 182 (alb.), 432 (alb.); *song*, '82, 156, '84, 213; *syn.*, '78, 105, '86, 35; *misc.*, '81, 225, '90, 19, '91, 108^a.

tigrina (^a Cape May Warbler, ^b Perissoglossa), *Bahamas*, '91, 68, 294, 295, 296, 297, 334, 335, 338, 338, '92, 49, 1900, 292; *D. C.* '82, 186, '84, 398; *Fla.* '87, 221^a, '88, 187, 275, '90, 18, 313, '92, 213, '93, 338; *Ga.* '96, 207, 214; *Ia.* '88, 211, '95, 124, 235; *g. dist.* '93, 127; *Ind.* '82, 17^b, 19^b, '89, 27; *Jamaica*, '93, 340; *Man.* '86, 326; *Mass.* '81, 242^a, '82, 252, 253; *Mc.* '82, 110; *Mich.* '93, 227; *N. B.* '85, 33; *N. E.* '76, 73^b, 92^b, '77, 16^b; *Neb.* '85, 32^b; *N. J.* '89, 198; *N. Y.* '84, 59, 213, '93, 303^a, '96, 87; *Ont.* 1900, 391; *Pa.* '91, 398, '99, 313; *S. C.* '79, 212, '91, 170, '92, 37^a, '96, 84; *Tenn.* '96, 182; *W. I.* '81, 151, '86, 28, '91, 48; *Wis.* '83, 66, 67, 70.—*anat.* '94, 141, 144 (fig.), '95, 187^a; *hbt.* '85, 33; *meas.* '85, 36; *mig.* '82, 186, 252, 253, '83, 66, 67, 70, '90, 18, '91, 69, '92, 37^a, '95, 124, 235; *nst.* '81, 242^a, '85, 33; *plm.* '78, 60^b, '81, 225^b, '83, 70; *song*, '84, 213; *syn.* '86, 28.

townsendi (^a Townsend's Warbler), *Alas.* '98, 129; *Ariz.* '82, 138, '88, 35; *Cal.* '79, 117, '83, 188, '98, 197; *Colo.* '83, 158, '85, 15, '94, 269; *g. dist.* '93, 127; *Ida.* '98, 19; *L. Cal.* '95, 142; *N. M.* '85, 331, '92, 367; *Ore.* '86, 170, '88, 361; *Tex.* '87, 183^{a?}, 296.—*hbt.* '79, 117, '98, 19; *meas.*, *plm.* '82, 138; *mig.* '85, 331; *song*, '98, 19.

virelloti, *syn.* '77, 63.

vigorsii (^a Pine or Pine-creeping Warbler, ^b *pinus*), *Ala.* '78, 173^b; *Bahamas*, '91, 68, 334, 335, 350, 350, 352; *D. C.* '88, 24; *Fla.* '88, 276, '90, 20, '91, 128^a, 138, '92, 213, '95, 365; *Ga.* '77, 103^b, '82, 95^a, '83, 38^b, '96, 214; *g. dist.* '93, 133; *Ind.* '82, 17^b, 20^b, '89, 28; *La.* '82, 161^b, '87, 301^a; *Man.* '86, 326; *Mass.* '82, 119^b, '83, 120^b, 233^b, '84, 14^b, '90, 217, '95, 89, '97, 229; *Mc.* '79, 107^b; *Mich.* '93, 228; *Minn.* '80, 13^b; *Miss.* '99, 269; *N. C.* '91, 199; *Neb.* '85, 278^b; *N. H.* '89, 77; *N. J.* '89, 198, '94, 140; *N. Y.* '82, 128^b, '84, 178^b, '89, 198, '90, 232; *O.* '98, 331; *Pa.* '92, 139, '95, 190^a; *S. C.* '79, 212^b, '90, 128, '91,

332, '92, 28^a, 29^a, 30^a, '99, 198; *S. D.* '85, 278^b?; *Tenn.* '86, 316, '87, 128, 132; *Tex.* '82, 9^b, '92, 341; *W. I.* '86, 39; *Wis.* '83, 66^b, 71^b, '88, 326, 326, —*fd.* '91, 199; *hbt.* '94, 134^a; *meas.* '83, 71^b, 1900, 292; *mig.* '83, 66^b, 71^b, '88, 326, 326, '92, 28^a, 29^a, 30^a, '94, 14, 15, '99, 198; *nst.* '83, 38^b, '91, 199; *plm.* '83, 71^b, 1900, 292; *song*, '78, 173^b; *syn.* '85, 343, '86, 39.

virens (^a Black-throated Green Warbler), *Bahamas*, '92, 49; *Conn.* '95, 184^a; *C. R.* '90, 336, '91, 278; *Fla.* '90, 20, 223, 314, '92, 213, '95, 365; *g. dist.* '93, 127; *Holg.* '77, 107, '80, 70, '91, 300, '95, 333; *Ia.* '95, 123, 235; *Ill.* '88, 433; *Ind.* '82, 17, '89, 27; *Jamaica*, '93, 341; *Ky.* '89, 316; *Mass.* '84, 9^a, '88, 389, 391, '89, 46, 103, '90, 217, '99, 196^a; *Me.* '79, 106, '82, 109, '89, 74; *Mich.* '93, 228; *Mo.* '79, 141; *N. B.* '89, 118; *N. C.* '86, 98, 100, 174, '89, 120; *N. H.* '87, 102^b, 106, '88, 150, 153, 154, '89, 77, 78; *N. S.* '87, 15^a, 16; *N. Y.* '81, 227, '84, 178, 213, '96, 179^a; *O.* '95, 240^a; *Pa.* '91, 398, '92, 132, 133, 139, '93, 37, 41, 42^a, 43, 45, '96, 284, 292, 296; *P. E. I.* '93, 5^a, 13; *Que.* '82, 234, '89, 149; *S. C.* '79, 212, '90, 128, '91, 171, 331, '92, 31^a, 36^a, 37^a, 38^a; *Tenn.* '82, 192, '86, 316, '87, 132; *Tex.* '82, 9, 37, '87, 296, '92, 341, 1900, 347; *Va.* '89, 51; *W. I.* '79, 230, '86, 37; *Wis.* '83, 66, 69, '88, 326; *W. Va.* '98, 136.—*hbt.* '88, 391, '93, 41; *mig.* '83, 66, 69, '84, 178, '88, 326, 433, '92, 31^a, 36^a, 37^a, 38^a, '95, 123, 235, '99, 196^a; *nst.* '89, 74, '95, 184^a, '96, 284; *plm.* '78, 57, '86, 412; *song*, '84, 213, '85, 98^a; *syn.* '86, 37; *misc.* '80, 112^a, '86, 477, '87, 165.

vittellina, *W. I.* '86, 497*, 501, '88, 157, '89, 31, 31.

Dendromus arizelus, *Liberia*, 1900, 186.

Dendrophila corallipes, *Borneo*, '90, 351.

Dendroplex longirostris, *Venez.* '96, 333.

picus, *Braz.* '91, 27.

Dendrotritis, '90, 160-189, 207.

chunchotambo, *Peru*, *meas.* '90, 176; *plm.* '90, 167, 176; *syn.* '90, 164, 176.

d'orbignyanus, *g. dist.* '90, 182—*meas.* '90, 183; *plm.* '90, 168, 183; *syn.* '90, 164, 182.

elegans, *g. dist., meas.* '90, 177;

plm. '90, 167, 177; *syn.* '90, 165, 177.
erythropygia, *g. dist.* '90, 187.—
meds. '90, 188; *plm.* '90, 168, 188;
syn. '90, 165, 187.
eytoni, *Braz.* '91, 27; *g. dist.* '90,
182.—*meas.* '90, 182; *plm.* '90, 168,
182; *syn.* '90, 165, 182.
flavigaster, *g. dist.* '90, 178; *Mex.*
1900, 265.—*meas.* '90, 179, 180; *plm.*
'90, 167, 179; *syn.* '90, 164, 178.
fraterculus, *Braz.* '89, 172.—*syn.*
'90, 165, 171.
guttata, *Braz.* '90, 185.—*meas.* '90,
185; *plm.* '90, 168, 185; *syn.* '90,
164, 185.
guttatoides, *g. dist., meas.* '90,
186; *plm.* '90, 168, 186; *syn.* '90,
164, 186.
kieneri, *Braz.* '90, 169.—*plm.* '90,
167, 169; *syn.* '90, 165.
lacrymosa, *g. dist., meas.* '90, 181;
plm. '90, 167, 181; *syn.* '90, 165, 181.
megarhynchus, *Mex.* 1900, 265*.
mentalis, *Mex.* 1900, 265.—*hbt.*
'92, 288.
multiguttata, *Braz.* '91, 27; *g.*
dist. '90, 175.—*meas.* '90, 175, '91,
27; *plm.* '90, 167, 175; *syn.* '90, 164,
175.
nana (^b*lawrencei*, ^c*costaricensis*),
C. R. '89, 171^a, '92, 173; *g. dist.* '90,
174; *Panama*, '89, 171^b.—*meas.* '90,
174; *plm.* '90, 167, 174; *syn.* '90,
165, 174, '92, 173.
obsoletus (^b*Dendrocolaptes*), *Braz.*
plm. '90, 189; *syn.* '90, 164^b, 189.
ocellata (^b*Dendrocolaptes*), *Braz.*
meas. '90, 170; *plm.* '90, 167, 170;
syn. '90, 164^b, 170.
palliata, *Peru*, *meas.* '90, 178; *plm.*
'90, 167, 178; *syn.* '90, 165, 178.
pardalotus, *g. dist., meas.* '90, 173;
plm. '90, 167, 173; *syn.* '90, 164, 173.
polysticta, *Brit. Guiana*, *meas.* '90,
182; *plm.* '90, 167, 182; *syn.* '90, 165,
182.
punctigula, *g. dist.* '90, 188.—*plm.*
'90, 168, 188; *syn.* '90, 165, 188.
rostripallens, *g. dist., meas.* '90,
184; *plm.* '90, 168, 184; *syn.* '90, 165,
184.
spixii (^b*Dendrocolaptes tenuirostris*), *Braz.*, *meas.* '90, 178; *plm.* '90,
167, 178; *syn.* '90, 164^b, 177.
striatigularis, *Mex.* 1900, 305.
susurrans (^b*Dendrocolaptes*), *Braz.*
'91, 27; *g. dist.* '90, 171; *Venez.*
'97, 365; *W. I.* '93, 220.—*meas.* '90,
172; *plm.* '90, 167, 171; *syn.* '90,
164^b, 165, 171, '91, 27.

triangularis, *g. dist., meas.* '90,
187; *plm.* '90, 168, 187; *syn.* '90,
164, 187.
weddelli, *dist.?* '90, 169.—*plm.* '90,
167, 168; *syn.* '90, 165, 168.
Dendrotryx dilutus, 1900, 254*, see
macrourus.
griseipectus, '97, 44*, see *macrourus*.
macrourus (^b*dilutus*, ^c*griseipectus*,
^d*oaxace*, ^e*striatus*), *Mex.* '97,
43^a, 44^a, 44^b, 1900, 254^{b*}.
oaxacæ, '97, 43*, see *macrourus*.
striatus, '97, 44*, see *macrourus*.
denigratus (*Myiarchus*), see *Myiarchus*.
Denison University, *Bull. of Scientific*
Laboratories, *titles* (Nos. 2245–
2246), '92, 190.
Denmark.
Dalglish, J. J., '80, 72, 215, '81, 64.
densirostris (*Cichlherminia*), see *Cichl-*
herminia.
—— (*Margarops*), see *Margarops*.
—— (*Turdus*), see *Cichlherminia*.
—— (*Turdus*), see *Margarops*.
Dentirostres, '81, 35.
dentirostris (*Scenopæetes*), see *Sceno-*
pæetes.
depressirostris (*Contopus*), see *Blacicus*.
^a*andinus*.
derbianus (*Oreophasis*), see *Oreophasis*.
—— (*Pitangus*), see *Pitangus*.
derbyanus (*Nyctidromus*), see *Nycti-*
dromus.
—— (*Pitangus*) see *Pitangus*.
deserti (*Saxicola*), see *Saxicola*.
deserticola (*Amphispiza*), see *Amphi-*
spiza.
—— (*Callipepla*), see *Lophortyx gam-*
beli.
deserticolus (*Falco*), see *Falco*.
desmaresti (*Calliste*), see *Calliste*.
Desmognathina, '81, 30.
despotes (*Muscicapa*), see *Tyrannus*
melancholicus.
Destruction of birds.
Allen, J. A., '76, 53–60, '80, 131.
Brown, H., 1900, 31.
Henshaw, H. W., '81, 189.
Mackay, G. H., '91, 340.
Scott, W. E. D., '87, 135, 213, 273.
devius (*Dactylorhynx*), see *Dactylorhynx*.
D'Hamonville, Jean Charles Louis
Tardif.
Catalogue des oiseaux d'Europe
(rev.), '77, 106.
Diablotin, see *Puffinus auduboni*.
diabolica (*Procellaria*), see *Æstrelata*
hesitata.

- diadema (*Asturina*), see *Buteo brachyurus*.
 diademata (*Cyanocitta*), see *C. macrolopha*.
 diadematus (*Cyanogarrulus*), see *Cyanocitta macrolopha*.
 diardi (*Harpactes*), see *Harpactes*.
 — (*Pyrotrogon*), see *Harpactes*.
 — (*Trogon*), see *Harpactes*.
 diazi (*Anas*), see *Anas*.
Diceidae, '81, 34, '85, 365.
Dicæum, '94, 236.
 trigonostigma, *Borneo*. *syn.* '90, 354; *misc.* '95, 174.
Dichromonassa, see *Ardea*.
Dichrozona, '89, 172.
 zonata, *Braz.* '89, 172, '91, 29.
Dickcissel, see *Spiza americana*.
Dicruridae, '81, 34, 35.
Dicrurus, '94, 234.
 atactus, *Libcria*, 1900, 187.
Didunculidae, '81, 80, '94, 61.
Didunculus, '81, 80, '99, 319.
Didus, '94, 60.
 ineptus (^a Dodo), *misc.* '80, 236, '86, 144^a, '99, 319^a.
 Die-dapper or Die-dipper, see *Podilymbus podiceps*.
 difficilis (*Empidonax*), see *Empidonax*.
Diglossa nocticolor, *Colom.* '99, 91.
 sittoides, *syn.* '90, 381.
dilophus (*Graculus*), see *Phalacrocorax*.
 — (*Phalacrocorax*) see *Phalacrocorax*.
dilutus (*Atlapetes*), see *Atlapetes*.
 — (*Dendrocyx*), see *D. macrourus*.
dimidiatus (*Aulacorhamphus*), see *Aulacorhamphus*.
Dinornis elephantopus, *misc.* '96, 62.
 giganteus, *anat.* '92, 84.
Dinornithes (^a *Moas*), '83, 173^a, '85, 209^a, '96, 61^a.
diodon (*Harpagus*), see *Harpagus*.
Diomedea albatrus (Short-tailed Albatross, ^b *brachyurus*), *Alas.* '85, 158, 173^b; *Cal.* '86, 89, '95, 105, '98, 267.
 — *anat.* '85, 175–178^b, '89, 333; *hbt.* '95, 105; *plm.* '85, 175^b; *syn.* '84, 385; '91, 99.
 chionoptera, *syn.* '96, 161.
 exulans, *Fla.* '85, 387[?]; *Ore.* '95, 178[?]; *S. Atlantic Ocean*, '87, 1; *S. Pacific Ocean*, '87, 3, '95, 291.—*fd.* '87, 3; *nst.* '94, 282; *misc.* '80, 88, '84, 384, '88, 394.
 immutabilis (*Laysan Albatross*), *Mer.* '98, 38; *g. dist.*, *syn.* '99, 99.
 melanophrys, *Cal.* '82, 258; *Cape Horn*, '87, 3; *Faroe Is.* '95, 288.—
hbt. '87, 3; *misc.* '84, 384, '88, 394.
nigripes (Black-footed Albatross, ^b *chinensis*), *Cal.* '95, 105 [*'nigri-
ceps'*]; *H. I.* 1900, 202^b; *Revill. Is.* '98, 317.—*hbt.* '95, 105, 1900, 202^b, 403^b.
Diomedaeidae, '97, 315.
Dionne, Charles Eusebe.
 Catalogue des oiseaux de Québec (rev.), '90, 387.
 Abundance of Murres in environs of Quebec, '94, 175.
 A Black Vulture near Quebec, Canada, '98, 53.
Diplopterus, '97, 90.
 nævius (^b *galeritus*), *Argent.* '84, 27^b; *C. R.* '92, 326; *Venez.* '97, 366.
hbt., *plm.*, *song.* '84, 27.
Diplopteryx, '88, 292.
 Dipper, see *Cinclus mexicanus* or *Chari-
tonetta alboala*.
 American, see *Cinclus mexicanus*.
 European, see *Cinclus merula*.
discolor (*Dendroica*), see *Dendroica*.
 — (*Dendrocygna*), see *Dendrocygna*.
 — (*Haliplana*), see *Sterna anaetheta*.
 — (*Molothrus*), see *M. cabanisi* or *venezuelensis*.
 — (*Passerina*), see *Molothrus bona-
riensis*.
 — (*Rhimplamus*), see *Dendroica*.
 — (*Sylvia*), see *Dendroica*.
 — (*Sylvicola*), see *Dendroica*.
discors (*Anas*), see *Querquedula*.
 — (*Cyanopterus*), see *Querquedula*.
 — (*Pterocyanæa*), see *Querquedula*.
 — (*Querquedula*), see *Querquedula*.
dispar (*Hesperornis*), see *Hesperornis*.
 — (*Ichthyornis*), see *Ichthyornis*.
Dissemurus brachyponus, *Borneo*, *hbt.*, *syn.* '90, 351.
Distribution.
 Abbot, J. (Faxon), '96, 204.
 Agersborg, G. S., '85, 276.
 Allen, F. H., '91, 164.
 Allen, J. A., '80, 85, 163, 1900, 363.
 Allen, J. A., and Brewster, W., '83, 151–161, 189–198.
 Allison, A., '99, 266.
 Anthony, A. W., '86, 161, '92, 357, '95, 134, '98, 38, 311.
 Attwater, H. P., '92, 229, 337.
 Bagg, E., '94, 162.
 Baily, W. L., '96, 289.
 Bangs, O., '99, 135, 1900, 283.
 Barrows, W. B., '83, 82–94, 129–143, 198–212, '84, 20, 109, 270, 313.
 Batchelder, C. F., '82, 106–111, 147, '85, 121, 233, '86, 307.

Beckham, C. W., '82, 159, '85, 139, '87, 120, 299.
 Berier, de L., '81, 11.
 Beyer, G. E., 1900, 97.
 Bicknell, E. P., '78, 128.
 Bishop, L. B., '78, 144.
 Blake, E. W., Jr., '87, 328.
 Brewer, T., '76, 89-93, '77, 44, '78, 49.
 Brewster, W., '76, 17-20, '81, 65, '82, 65-86, 135-147, 193-212, 225, '83, 21-36, '84, 5, '85, 84, 196, '86, 94, 173, '88, 386, '93, 236, '98, 211.
 Brewster, W., and Chapman, F. M., '91, 125.
 Brimley, C. S., '93, 241.
 Brittain, J., and Cox, P., Jr., '89, 116.
 Brooks, A., 1900, 104.
 Brown, N. C., '78, 168-174, '79, 7, 106, '82, 33, '84, 120.
 Browne, F. C., '87, 97.
 Butler, A. W., '97, 197.
 Carroll, J. J., 1900, 337.
 Chadbourne, A. P., '87, 100.
 Chamberlain, M., '82, 104, '83, 6, '89, 211, 291.
 Chapman, F. M., '88, 267, 303, '89, 302, '90, 39, '98, 289.
 Cherrie, G. K., '90, 331, '91, 271, '92, 21, 247, 322.
 Clarke, W. E., '90, 319.
 Coale, H. K., '94, 215.
 Collins, J. W., '84, 236.
 Cooke, W. W., '85, 31.
 Cooper, J. G., '77, 88, '87, 85.
 Cory, C. B., '81, 151, '86, 1, 187, 337, 454, 501, '87, 37, 95, 108, 180, 223, 311, '88, 48, 155, '89, 30, '90, 373, '91, 46, 47, 292, 296, 350, 351, 352, '92, 48, 228, 271, '93, 220.
 Coues, G. H., '79, 31.
 Cox, P., Jr., '87, 205.
 Cox, U. O., '95, 356.
 Dalgleish, J. J., '80, 65-74, 141-150, 210-221.
 Dawson, W. L., '97, 168.
 Drew, F. M., '81, 85-91, 138.
 Dutcher, B. H., '89, 124.
 Dutcher, W., '84, 31, '85, 36, '86, 432, '88, 169, '89, 131, '93, 265, 267.
 Dwight, J., Jr., '87, 13, '92, 129, '93, 1.
 Dyche, L. L., '86, 258.
 Elliot, D. G., '90, 346, '91, 7.
 Evermann, B. W., '86, 86, 179, '88, 344, '89, 22.
 Faxon, W., '89, 39, 99, '96, 204 (Abbott).
 Faxon, W., and Allen, J. A., '88, 149.
 Field, G. W., '94, 117.
 Fox, W. H., '86, 315.

Goss, N. S., '86, 112, '87, 7, '88, 240, '89, 122.
 Grinnell, J., '98, 122, 233.
 Hay, O. P., '82, 89.
 Hasbrouck, E. M., '89, 236.
 Henshaw, H. W., '85, 231, 326, '86, 73, 1900, 200.
 Jeffries, W. A., '89, 218.
 Jeffries, W. A., and Jeffries, J. A., '89, 119.
 Job, H. K., '96, 197.
 Knight, O. W., '97, 371.
 Kohlhe, W. H., 1900, 349.
 Langdon, F. W., '87, 125.
 Lawrence, G. N., '84, 240, '87, 36.
 Lawrence, N. T., '85, 272.
 Lawrence, R. H., '92, 39, 352.
 Lloyd, W., '87, 181, 289.
 Loomis, L. M., '79, 209, '85, 188, '90, 30, 124, '91, 49, 167, 323, '94, 265.
 Lowe, W. P., '94, 266.
 Mackay, G. H., '94, 18, 223, '98, 210.
 McIlhenny, E. A., '97, 285.
 McIlwraith, T., '83, 143.
 McKinlay, J., '85, 39.
 Mearns, E. A., '78, 45, '79, 33, 161-166, 194, '90, 45, 55, 251.
 Merriam, C. H., '78, 52-56, 123-128, '79, 1-7, '81, 225-235, '82, 228, 233, '83, 213, '84, 58.
 Merriman, F. A., '96, 115.
 Merrill, J. C., '76, 88, '88, 139, 251, 357, '97, 347, '98, 14.
 Miller, G. S., Jr., '98, 75.
 Minot, H. D., '80, 223.
 Mitchell, W. I., '98, 306.
 Morrell, C. H., '99, 250.
 Murdoch, J., '85, 200.
 Nelson, E. W., '76, 39-44, '85, 239, '98, 155.
 Nehrling, H., '82, 6-13, 166-175, 222.
 Northrop, J. L., '91, 64.
 Palmer, W., '97, 297.
 Pearson, J. G., '99, 246.
 Phelps, W. H., '97, 357.
 Pindar, L. O., '89, 310.
 Poling, O. C., '90, 238.
 Prentiss, D. W., '96, 237.
 Purdie, H. A., '77, 11-17, 20.
 Ragsdale, G. H., '89, 224.
 Ralph, W. L., and Bagg, E., '90, 229.
 Rhoads, S. N., '93, 16, '99, 308.
 Richmond, C. W., '88, 18, '97, 345.
 Richmond, C. W., and Knowlton, F. H., '94, 298.
 Ridgway, R., '77, 58, '78, 64-68, 162, '80, 30, '81, 207, '82, 15, '91, 333.
 Riker, C. B., and Chapman, F. M., '90, 131, 265, '91, 24, 158.

- Rives, W. C., '86, 156, '89, 50, '98, 131.
 Roberts, T. S., '79, 152.
 Roberts, T. S., and Benner F., '80, 11.
 Scott, W. E. D., '79, 90, 139, 222, '81, 14, '85, 348, 172, '86, 249, 383, 421, '87, 16, 133, 196, '88, 29, 159, 183, 373, '89, 13, 152, 160, 245, 317, 318, '90, 14, 114, 264, 301, '91, 353, '92, 9, 120, 209, 273, 369, '93, 177, 339.
 Scott, W. L., '84, 156.
 Sennett, G. B., '87, 240.
 Shick, C. S., '90, 326.
 Smith, H. M., and Palmer, W., '88, 147.
 Snyder, J. O., 1900, 242.
 Steere, J. B., '94, 231.
 Stephens, F., '84, 353, '85, 225.
 Stone, W., '94, 133.
 Thompson, E. S., '85, 21, 267, 334, '86, 145, 320, 453, '93, 49.
 Thorne, P. M., '95, 211.
 Todd, W. E. C., '93, 35.
 Townsend, C. H., '87, 11.
 Turner, L. M., '85, 154.
 Wayne, A. T., '87, 287, '93, 336, '95, 362.
 White, S. E., '93, 221.
 Williams, R. S., '88, 14.
 Young, R. T., '96, 278.
 Zerega, L. A., '80, 205.
- District of Columbia.**
 Allen, J. A., '84, 386, '99, 87-88.
 Bartsch, P., '97, 312-313, 326.
 Brown, E. J., '94, 73, 79.
 Coues, E., '82, 186, '84, 386.
 Coues, E. B., '88, 405.
 Elliott, H. W., '89, 72.
 Fisher, A. K., '90, 96, 400.
 Hasbrouck, E. M., '88, 323-324, '90, 291, '91, 313, '93, 91-92.
 Henshaw, H. W., '86, 487, '87, 347.
 Jouy, P. L., '80, 112.
 Langille, J. H., '90, 83.
 Lucas, F. A., '92, 395.
 Matthews, R. S., '94, 325.
 Maynard, L. W., '99, 87-88.
 McCormick, L. M., '84, 396-398.
 Merriam, C. H., '87, 339.
 Palmer, W., '85, 304, '88, 147-148, '89, 71, 74, '94, 325, 333, '96, 343, '97, 297-299.
 Prentiss, D. W., '84, 386.
 Richmond, C. W., '88, 18-25, '89, 189, 339, '91, 112.
 Ridgway, R., '78, 43, '79, 238, '82, 253, '92, 307-308.
 Roberts, W. F., '80, 112.
 Shoemaker, G., '81, 113-114.
- Shufeldt, R. W., '90, 91, '92, 69, '93, 77-78, 88, 303-304.
 Smith, H. M., '85, 379-380, '86, 139-140, 482, '88, 147-148.
 Todd, W. E. C., '93, 206.
 Webster, F. S., '87, 161.
- districta** (*Metallura*), see *Metallura*.
Diver, Black-throated, see *Gavia arctica*.
 Great Northern, see *Gavia imber*.
 Pacific Black-throated, see *Gavia pacifica*.
 Red-throated, see *Gavia lumme*.
- Dixon**, Charles.
 The migration of birds, '93, 70-73; 2d ed. (rev.), '98, 67-70.
- Diuca minor**, *Urug.*, *hbt.*, *mig.*, *song*, '83, 131.
- Doan**, William D.
 Birds of West Virginia (rev.), '90, 197.
- Doctor-bird**, see *Aithurus polytmus* or *Lampornis mango*.
Dodo, see *Didus ineptus*.
dohertyi (*Mezotreron*), see *Mezotreron*.
dolei (*Chasiempis*), see *Chasiempis sclateri*).
- Doleromyia fallax**, *Vencz.* '97, 359, 366, —*plm.* '95, 370.
pallida (^ Buff-breasted Hummingbird), *Venez.* '95, 369*, '96, 333.—*fd.* '96, 332^a.
- doliatus** (*Thamnophilus*), see *Thamnophilus*.
Dolichonyx, '86, 220, '88, 413, 414, 441, '93, 111, 130, '96, 241, '97, 341.
oryzivorus (^ Bobolink, Reedbird, or Ricebird, ^b *albinucha*), *Ala.* '84, 286^a; *Bahamas*, '91, 351, 352, 352, '92, 48; *B. C.* 1900, 106^b; *Colo.* '83, 192, '85, 16; *Colom.* 1900, 365; *Del.* '92, 286; *Fla.* '85, 62, '87, 139, '88, 272, '89, 319, '90, 311, '92, 213, '93, 338, '95, 365; *Ga.* '82, 99*, '96, 213; *g. dist.* '90, 39-45, '93, 133; *Helg.* '80, 72, '91, 300, '93, 335; *Ia.* '95, 235; *Ida.* '98, 14; *Ill.* '87, 333; *Ind.* '89, 23, '85, 98*; *Jamaica.* '93, 178; *Man.* '86, 321^b; *Mass.* '81, 117; '84, 8*, '87, 339*, '88, 389, '89, 44, 100; *Me.* '82, 148; *Minn.* '79, 153*; '80, 15, '84, 245; *Mo.* '79, 145; *Mont.* '94, 305; *N. B.* '85, 266^a, '87, 238; *N. H.* '88, 150, 151, 154, '89, 77, 78; *N. S.* '85, 266*, '87, 15^a, 16; *N. Y.* '79, 32, '80, 137^a, '81, 230, '82, 188, '84, 176, '85, 152, '87, 340^a, '93, 303^a; *O.* '95, 242; *Pa.* '96, 294, '99, 312; *P. E. I.* '85, 266^a; *Que.* '83, 244; *S. C.* '79, 215, '80, 135^a, '85, 189, '92, 33^a, 35^a, 72, '94, 27^a, 179^a, 255^a; *S. D.* '85, 282; *Vt.*

- '83, 237^a; *H'is.* '82, 188, '99, 141^a; *H'.* '86, 220, '89, 31.—*anat.* '87, 333 (fig.) ; *fd.* '85, 189, '86, 476^a, '87, 59^a, 341^a, 360, '88, 272, '94, 179^a, '97, 421^b; *hbt.* '80, 180, '85, 282, '94, 305; *mig.* '80, 135^a, 137^a, '84, 176, '85, 62, 189, '87, 139^a, '88, 272, '89, 319, '90, 39-45, '92, 33^a, 35^a, 72, '94, 27^a, 29^a, 32^a, 70^a, 102^a, 179^a, 255^a, '95, 235, 242, '96, 158^a, '99, 141^a; *nst.* '80, 15, '81, 117; *plm.* '76, 22 (alb.), '79, 42, '86, 321^b, '90, 120-124 (mlt.), '93, 309-311 (mlt., col. pl.), '94, 180 (mlt.), '97, 137-149^a (mlt.; col. pl.), 149-154^a (mlt.), '99, 307^a; *song.* '84, 64^a, '85, 152, '90, 199; *syn.* '86, 220, '93, 311^b, '94, 48, 48^b; *misc.* '77, 64, '85, 97^a, '87, 340^a, '88, 314.
domestica (*Anas*), see *Anas*.
— (*Chrysotis*), see *Amazona amazonica*.
— (*Fringilla*), see *Passer*.
— (*Spizella*), see *S. socialis*.
domesticus (*Passer*), see *Passer*.
— (*Troglodytes*), see *T. aëdon*.
Dominica, West Indies.
Allen, J. A., '91, 217-218, 317.
Chapman, F. M., '94, 246.
Cory, C. B., '88, 47.
Lawrence, G. N., '79, 48-49, '81, 40.
Ridgway, R., '98, 323.
Verrill, A. H., '94, 246.
dominica (*Anas*), see *Nomonyx*.
— (*Dendroica*), see *Dendroica*.
— (*Erismatura*), see *Nomonyx*.
— (*Hypophania*), see *Lampornis*.
— (*Motacilla*), see *Dendroica*.
— (*Tanagra*), see *Dulus*.
dominicæ (*Coccyzus*), see *Coccyzus americanus* or *minor*.
dominicæ (*Cœreba*), see *Cœreba*.
— (*Certhiola*), see *Cœreba*.
— (*Chætura*), see *C. acuta*.
— (*Pyrrhulagra*), see *Pyrrhulagra*.
— (*Tænioptera*), see *Tænioptera*.
— (*Vireo*), see *V. barbadensis*.
— (*Vireosylvia*), see *Vireo barbadensis* or *calidris*.
dominicamus (*Larus*), see *Larus*.
— (*Myadestes*), see *Myadestes*.
dominicensis (*Athene*), see *Strix glaucopterus*.
— (*Callichelidon*), see *Hirundo sclateri*.
— (*Chrysomitrис*), see *Loximitrис*.
— (*Chrysotis*), see *Amazona vittata*.
— (*Cichlherminia*), see *Cichlherminia*.
— (*Coccygus*), see *Saurothera*.
— (*Colymbus*), see *C. dominicus*.
— (*Corvus*), see *Corvus*.

- (*Falco*), see *Falco*.
— (*Hirundo*), see *Progne*.
— (*Icterus*), see *I. dominicensis*, *hypomelas* or *portoricensis*.
— (*Lanius*), see *Tyrannus*.
— (*Loximitrис*), see *Loximitrис*.
— (*Margarops*), see *Cichlherminia*.
— (*Melanopsar*), see *Icterus*.
— (*Melittarchus*), see *Tyrannus*.
— (*Muscicapa*), see *Tyrannus*.
— (*Myiarchus*), see *Myiarchus*.
— (*Edicnemus*), see *Edicnemus*.
— (*Oriolus*), see *Icterus*.
— (*Phænicophilus*), see *Phænicophilus*.
— (*Picus*), see *Chlororhynchus striatus*.
— (*Progne*), see *Progne*.
— (*Psittacus*), see *Amazona vittata*.
— (*Saurothera*), see *Saurothera*.
— (*Sayornis*), see *Blacicus hispaniolensis*.
— (*Speotyto*), see *Speotyto*.
— (*Spizampelis*), see *Spindalis multicolor*.
— (*Strix*), see *S. glaucopterus*.
— (*Tinunculus*), see *Falco*.
— (*Todus*), see *T. subulatus*.
— (*Tyrannula*), see *Myiarchus*.
— (*Tyrannulus*), see *Tyrannus*.
— (*Tyrannus*), see *Tyrannus*.
— (*Xanthornus*), see *Icterus hypomelas*.
dominicus (*Coccyzus*), see *Coccyzus americanus* or *minor*.
— (*Charadrius*), see *Charadrius*.
— (*Colymbus*), see *Colymbus*.
— (*Dulus*), see *Dulus*.
— (*Lampornis*), see *Lampornis*.
— (*Mimus*), see *Mimus orpheus* or *elegans*.
— (*Nomonyx*), see *Nomonyx*.
— (*Podiceps*), see *Colymbus*.
— (*Podilymbus*), see *Colymbus*.
— (*Syloeoeculus*), see *Colymbus*.
— (*Tachybaptes*), see *Colymbus*.
— (*Trochilus*), see *Glaucis hirsuta*, or *Lampornis dominicus*.
— (*Turdus*), see *Mimus dominicus* or *orpheus*.
Donacobius atricapillus, *Braz.* '90, 137.
d'orbignyanus (*Dendroornis*), see *Dendroornis*.
Doricha, '86, 355.
 evelynæ, *Bahamas*, '86, 355, '91, 73, 294, 295, 296, 297, 298, 334, 335, 336, 337, 337, 338, 339, 339, 350, 351, '93, 315, 1900, 288.—*fd.* '93, 315; *hbt.* '91, 73, 387; *meas.*, *plm.*, *syn.* '86, 355.
 lyrura, *W. I.* '86, 355, '91, 297,

- 351.—*hbt.* '91, 387; *meas., plm., syn.* '86, 355.
dorsale (*Ramphomicron*), see *Ramphomicron*.
dorsalis (*Junco*), see *Junco*.
 — (*Picoides*), see *P. arcticus* or *americanus*.
Dotterel, see *Eudromias morinellus*.
Doubleday, Nellie Blanchan De Graft (*pseudonym*, 'Neltje Blanchan').
 Bird-neighbors (*rev.*), '98, 66.
 Birds that hunt and are hunted (*rev.*), '99, 88.
dougalli (*Sterna*), see *S. dougalli* or *hirundo*.
 Doughbird, see *Numenius borealis*.
douglasi (*Lophortyx*), see *L. californicus*.
Dove, see *Zenaidura macroura*.
 Bahama Ground, see *Columbigallina bahamensis*.
 Blue, see *Geotrygon cristata*.
 Blue-headed, see *Starnenas cyanocephalus*.
 Blue-headed Quail, see *Starnenas cyanocephalus*.
 Carolina, see *Zenaidura macroura*.
 Clarion Island, see *Zenaidura clarionensis*.
 Common, see *Zenaidura macroura*.
 European Turtle, see *Turtur turtur*.
 Grayson's, see *Zenaidura graysoni*.
 Ground, see *Columbigallina terrestris*.
 Inca, see *Scardafella inca*.
 Key West Quail, see *Geotrygon chrysia*.
 Mexican Ground, see *Columbigallina pallescens*.
 Mourning, see *Zenaidura macroura* or *Columbigallina terrestris*.
 Partridge, see *Geotrygon montana*.
 Pea, see *Zenaida zenaida*.
 Prairie, see *Larus franklinii*.
 Ruddy Quail, see *Geotrygon montana*.
 Sea, see *Alle alle*.
 Socorro Ground, see *Columbigallina socorroensis*.
 Tobacco, see *Columbigallina passerina*.
 Trinidad, see *Zenaida rubripes*.
 Turtle, see *Zenaidura macroura* or *Turtur turtur*.
 White-fronted, see *Leptotila brachyptera*.
 White-winged, see *Melopelia leucophtera*.
 Zenaida, see *Zenaida zenaida*.
 Dovekie, see *Alle alle*.
 Dowitcher, see *Macrorhamphus griseus*.
 White-tail, see *Macrorhamphus griseus*.
 Long-billed, see *Macrorhamphus scolopaceus*.
Downer, E. D.
 Song of White-crowned Sparrow (*Zonotrichia leucophrys*), '99, 355.
Downs, Andrew.
 Birds of Nova Scotia (*rev.*), '89, 64.
Dowse, William Baldwin.
 White-bellied Nuthatch concealing food, '79, 61.
Drepanidiae, '81, 34, '94, 143, '96, 111.
dresseri (*Parus*), see *Parus*.
 — (*Somateria*), see *Somateria*.
Drew, Frank M.
 Field notes on birds of San Juan Co., Colorado, '81, 85–91, 138–143.
 Song of White-bellied Swallow (*Iridoprocne bicolor*), '81, 115.
 Golden-crested Wren breeding in the Colorado valley, '81, 244.
Lobipes hyperboreus at 9500 feet, '81, 249.
 Notes on plumage of *Nephacetes niger borealis*, '82, 182.
 Notes on *Lagopus leucurus*, '84, 392.
 Vertical range of birds in Colorado, '85, 11–18.
Driopicus, see *Dryopicus*.
Dromæognathæ, '81, 82.
Dromæognathina, '81, 30.
Dromæus, '81, 8.
Drymocataphus capistratoides, *Borneo*, *syn.* '90, 350.
drymeceus (*Thryomanes*), see *T. spilurus*.
Drymophila, '84, 220, '99, 353.
bicolor, *syn.* '99, 354.
boucardi, *syn.* '99, 354.
caudata, *syn.* '99, 354.
consobrina, *syn.* '99, 354.
ferruginea, *syn.* '99, 354.
genei, *syn.* '99, 354.
grisea, *syn.* '99, 354.
intermedia, *syn.* '99, 354.
malura, *syn.* '99, 354.
quixensis, *syn.* '99, 354.
rufatra, *syn.* '99, 354.
speciosa, *syn.* '99, 354.
squamata, *syn.* '99, 354.
striata, *syn.* '99, 354.
strigilata, *syn.* '99, 354.
virgata, *syn.* '99, 354.
Drymornis bridgesi, *Argent., Urug.*
hbt., mlt. '84, 20.
Dryobates, '85, 372, '86, 375, '88, 214,
 216, '91, 92, 94, '93, 110, '96,
 190.
arizonæ (*Arizona Woodpecker,

^b *Picus stricklandi*, ^c *stricklandi*), *Ariz.* '80, 90^b, '81, 72^b, '83, 22^b, '85, 199^b, '86, 84^a, 256^a, 426^c; *g. dist.* '93, 134; *Mex.* '95, 357^c—*hbt.* '86, 426^c; *meas.* '83, 23^b; *nst.* '83, 22^b, '86, 426^c; *plm.* '83, 22^b, '85, 199^b, '86, 426^c (*mlt.*); *syn.* '86, 426^c, '87, 335.

audubonii (*Southern Hairy Wood-pecker*, ^b *Picus villosus*, ^c *villosus*), *Ala.* '79, 11^b; *Fla.* '88, 271, '89, 251, '91, 138, '92, 212, '95, 364; *Ga.* '82, 97^a, '83, 40^b, '96, 213; *La.* '87, 303^b, 304^c; *N. C.* '86, 104, 313, 314, '87, 242; *S. C.* '79, 216^b, '90, 37, '91, 327; *Tenn.* '86, 319; *Tex.* '82, 170^b.—*meas.* '90, 37; *nst.* '83, 40^b; *syn.* '91, 94.

bairdi (*Texan Woodpecker*, ^b *Picus scalaris*, ^c *scalaris*), *Ariz.* '83, 22^b, '86, 426^c, '90, 48; *Cal.* '90, 297; *g. dist.* '93, 134^c; *N. M.* '92, 358, 362, '99, 188; *Tex.* '82, 40^b, 170^b, '87, 190^c, '89, 238^c, '92, 234, 1900, 344; *Utah*, '93, 286.—*hbt.* '86, 426^c; *nst.* '83, 22^b, '86, 426^c, '87, 190^c, '92, 362; *plm.* '83, 22^b; *syn.* '87, 335.

borealis (^a *Red-cockaded Wood-pecker*, ^b *Picus*, ^c *Picus querulus*), *Ala.* '79, 11^b; *Fla.* '88, 271, '89, 251, '91, 138, '92, 212, '95, 365; *Ga.* '82, 97^a, '83, 40^b, '96, 206^a, 210, 213; *g. dist.* '93, 133; *Ky.* '89, 313; *N. J.* '94, 137; *Tenn.* '86, 319; *Tex.* '82, 170^b.—*nst.* '82, 98^a, '83, 40^c; *plm.* '96, 210; *song.* '82, 98^a; *syn.* '80, 38^b.

cissa (^b *Dendrocopos purus*), *Kamts.* '84, 35^b.

gairdnerii (^a *Gairdner's Wood-pecker*, ^b *Picus*, ^c *Picus turatus*), *Ariz.* '86, 426 [*homorus?*]; *Cal.* '78, 67^b [*homorus?*], '86, 94, '89, 221, 254^c; *g. dist.* '93, 126; *N. M.* '86, 78 [*homorus?*]; *Ore.* '86, 165, '88, 240, 252; *Wash.* '93, 17, 291, 382, 384, 1900, 352.—*meas.* '89, 254, 255; *plm.* '87, 156^a (*hyb.*), 1900, 10^a; *syn.* '89, 254^c, '90, 65^b, '91, 94.

harrisi (^a *Harris's Woodpecker*, ^b *Picus*), *Alas.* '98, 127; *Cal.* '96, 85 [*hyloscopus?*]; *Ore.* '79, 195^b, '86, 165, '88, 240, 251; *Wash.* '92, 44, 309, '97, 174, 1900, 352.—*anat.* '88, 254; *fd.* '96, 85; *hbt.* '88, 228^b, 251; *plm.* '78, 170^b, '88, 213 (figs.), 214, 215, 218^a, 252; *syn.* '88, 252, '91, 94.

homorus (^a *Batchelder's Wood-pecker*, ^b *Picus gairdneri*, ^c *gairdneri*, ^d *oreocucus*), *Ariz.* '86, 426^b, '90, 48^d, 252^a; *Cal.* '78, 67^b; *Colo.* '79, 95^b, '81, 141^b, '83, 196^b, '85, 17^b, 143^b, '87,

124^c, '94, 268^d; *g. dist.* '89, 253^{d*}, '90, 62^d, '93, 126^d; *Ida.* '97, 354; *Mont.* '88, 16^a, '94, 303^d, '95, 214 [*pubescens?*]; *N. M.* '85, 126^b, '86, 78^b; *Wash.* '82, 227^b, '97, 174.—*meas.* '89, 254^d; *syn.* '90, 62^d, '91, 94^d, '97, 126, 233.

hyloscopus (*Cabanis's Woodpecker*, ^b *harrisi*, ^c *Picus*), *Cal.* '86, 93^b, '96, 85^b; *g. dist.* '93, 126.—*fd.* '96, 85^b; *plm.* '88, 252^c; *syn.* '88, 252^c, '91, 94.

immaculatus (^b *Dendrocopos*), *Kamts.* '85, 95^b.

intermedius, *Mer.* 1900, 259*.

japonicus (^b *Picus*), *syn.* '99, 100^b; *jardinii*, *C. R.* '92, 327.

leucomelas (*Northern Hairy Woodpecker*), *B. C.* 1900, 106; *g. dist.* '93, 126; *Hud. B.* '90, 322; *Man.* '86, 155; *Mont.* '95, 214 [*monticola?*]; *N. F.* 1900, 72; *Ont.* '84, 161 [*vilosus?*].—*syn.* '86, 104; *musc.* '82, 243.

leuconotus, *Helg.* '95, 336.

leucotos, *syn.* '91, 99.

lucasianus (*Saint Lucas Wood-pecker*), *g. dist.* '93, 142; *Cal.* '94, 178; *L. Cal.* '95, 138.—*nst.* '94, 178, '95, 138.

macei (^b *Picus*), *plm.* '88, 212^b.

major, *Helg.* '95, 336.—*syn.* '96, 190.

maynardi (^b *insularis*), *Bahamas*, '86, 375^b, '91, 75, 298, 334, 335, 350, 350, 1900, 288; *Fla.* '91, 94?—*meas.* '86, 375^b; *plm.* '86, 375^b, 1900, 288; *syn.* '86, 375^b, '91, 94.

medianus (^a *Downy Woodpecker*, ^b *Picus pubescens*, ^c *pubescens*, ^d *meridionalis*), *D. C.* '88, 21^c; *g. dist.* '96, 330^d, '97, 120; *Ill.* '81, 122^b; *Ind.* '89, 22^c; *Kan.* '94, 215^a; *Ky.* '89, 313; *Man.* '86, 155^c; *Mass.* '83, 149^a, '84, 9^a, '89, 44^c, 99^c, '95, 87^a, '96, 346^c; *Me.* '82, 150^b; *Mich.* '81, 196^a, '93, 224^c; *Minn.* '84, 246^b; *Mo.* '96, 220^c; *N. B.* '82, 150^b, '89, 117^c; *N. C.* '86, 104^c, 309^a, 310^a, 314^c, '87, 242^c, '89, 121^c; *N. F.* 1900, 72; *N. H.* '87, 104^c, '89, 76^c, 78^c, '88, 151^c, 154^c, '92, 114^a; *N. S.* '87, 16^c, '99, 251; *N. J.* '94, 137^c; *N. Y.* '79, 31^b, '81, 13^b, 231^b, '85, 257^b; *Ont.* '83, 145^a, '84, 181^b; *P. E. I.* '85, 265^a, '93, 9^c; *Pa.* '92, 135^c, '93, 39^c, 44^c, '96, 281^c, 293^c; *Que.* '82, 236^b, '89, 147^c; *S. D.* '79, 188^b, '85, 283^b; *Tenn.* '86, 319^c, '87, 130^c; *Ia.* '89, 52^c; *Ilt.* '82, 63^b; *Wis.* '82, 188^b.

fd. '79, 111^a, '95, 380^c; *meas.* '89, 254^e; *mig.* '81, 196^a, '92, 37^a; *nst.* '93, 231^a; *plm.* '78, 71^b, 179^b; *song.* '85, 257^b; *syn.* '97, 80, 120.

minor (^bPicus), *syn.* '87, 62^b.

mixtus (^bPicus), *Argent.*, *Urug.*, *hbt.* '84, 25^b.

montanus, '96, 32*, see *monticola*.

monticola (Rocky Mountain Hairy Woodpecker, ^bPicus harrisi, ^charrisi, ^dhyloscopus, ^emontanus), *Ariz.* '83, 22^b, '85, 174^b, '85, 356^b, '86, 423^c, '90, 48^d, 251^d; *Colo.* '79, 95^b, '81, 140^b, '83, 196^b, '85, 17^b, '87, 121^c, '94, 268^d; *g. dist.* '96, 32^b, '99, 110; *Ida.* '97, 353^d, '90, 244^c; *Mont.* '94, 303^a; *N. M.* '85, 127^b, '86, 78^b, '98, 308^c, '99, 188^d; *S. D.* '85, 283^b—*hbt.* '87, 121^c; *meas.* '83, 22^b, '96, 33^c; *nst.* '97, 353^d; *plm.* '83, 22^b; *syn.* '96, 31^c, '90^c, '97, 135^e, '98, 54, '99, 110.

nelsoni (Nelson's Downy Wood-pecker), *Alas.* '81, 5^a; *g. dist.* '96, 330, '97, 120.—*hbt.* '81, 5^a; *syn.* '97, 80, 82, 120.

nuttallii (Nuttall's Woodpecker, ^bPicus), *Cal.* '78, 67^b, '85, 213^b, '86, 94, '89, 221, '98, 196; *g. dist.* '93, 134—*hbt.* '85, 213^b; *plm.* '87, 156^b (*hyb.*); *misc.* '87, 251, '99, 172^b.

oreocæcus, '89, 253*, see *homorus*.

pubescens (^aSouthern Downy Woodpecker, ^bPicus), *Ala.* '79, 11^b; *Cal.* '78, 67^b; *Engl.* '77, 107^b [*medianus?*]; *Fla.* '88, 271, '89, 251, '91, 138, '92, 212, '95, 364; *Ga.* '82, 97^a, '83, 40^b, '96, 213; *G. Br.* '80, 74 [*medianus?*]; *La.* '82, 164^b, '87, 303^a; *Mo.* '79, 146^b, '95, 115^a; *Miss.* '82, 92^b; *S. C.* '79, 216^b, '90, 37, '91, 327, '92, 37^a; *Tex.* '82, 170^b, '84, 122^b, '87, 190, '89, 238; *W. Va.* '98, 135.—*hbt.* '92, 195^a; *meas.* '89, 254; *mig.* '92, 37^a; *nst.* '83, 40^b; *plm.* '78, 67; *syn.* '97, 80, 120; *misc.* '92, 69*.

sanctorum, *g. dist.* '97, 50*.

villosus (^aHairy Woodpecker, ^bPicus), *Conn.* '85, 100^b; *D. C.* '88, 21; *Engl.* '77, 107^b, '85, 373^b; *g. dist.* '93, 133, 134; *Gt. Br.* '80, 73^b; *Ill.* '81, 122^b; *Ind.* '82, 18^b, '89, 22; *Ky.* '89, 313; *Mass.* '84, 9^a, '88, 389, 390, '89, 42^a, 99, '96, 346; *Me.* '82, 150^b; *Mich.* '93, 224; *Minn.* '84, 246^b; *Mo.* '79, 146^b, '96, 220; *N. B.* '82, 150^b, '89, 117; *N. C.* '86, 104, 314; *N. E.* '76, 72^b, '77, 14^b, 45^b; *N. H.* '87, 104, '88, 149, 151, 154, '89, 76; *N. S.* '87, 16, '99, 251; *N. J.* '94,

136; *N. Y.* '79, 31^b, '81, 13^b, '81, 231^b; *Ont.* '84, 161^b [*leucomelas?*]; *Pa.* '92, 135, '93, 44, '96, 281, 293; *P. E. I.* '85, 265^a, '93, 9; *Que.* '82, 236, '89, 147; *S. C.* '90, 37, [*audubonii?*]; *Tenn.* '87, 128, 130; *Tex.* '89, 238; *Va.* '86, 160, '89, 52; *Vt.* '82, 63^b; *Wis.* '82, 188^b; *W. Va.* '98, 134.—*anat.* '96, 174; *fd.* '79, 111^a, '95, 380; *hbt.* '84, 87^b, 87^a; *nst.* '82, 18^b, '85, 100^b; *plm.* '78, 179^b, '80, 28^b (*alb.*), '87, 304, '90, 395 (*alb.*), '96, 210; *syn.* '85, 113^b, '91, 94.

Dryococcyx, '94, 233, 234.

Dryopicus, '85, 52.

Dryotomus, see *Picus* or *Ceophiloeus*.

Dryotriorchis spectabilis, *Liberia*, 1900, 187.

dubia (*Ægialitis*), see *Ægialitis*.

dubius (*Amydrus*), see *Amydrus*.

— (*Centurus*), see *Centurus*.

— (*Melanerpes*), see *Centurus*.

— (*Pyrocephalus*), see *Pyrocephalus*.

— (*Simorhynchus*), see *S. cristatus-lus*.

Dubois, Alphonse.

Variabilité des oiseaux du genre *Lora* (rev.), '83, 170.

Synopsis avium, fascicule i. (rev.), 1900, 81.

Duck, American Scaup, see *Aythya marila*.

Barrow's Golden-eyed, see *Clangula islandica*.

Bimaculated, see *Anas 'glocitans'*.

Black, see *Anas obscura*.

Black-bellied Tree, see *Dendrocygna autumnalis*.

Black-bellied Whistling, see *Dendrocygna arborea*.

Black-masked, see *Nomonyx dominicus*.

Blue-eyed, see *Arctonetta fischeri*.

Blue Mountain, see *Æstrelata caribaea*.

Booby, see *Æstrelata caribaea*.

Buffle-head, see *Charitonetta albeola*.

Canvas-back see *Aythya vallisneria*.

Chicken-footed, see *Fulica americana*.

Crow, see *Phalacrocorax dilophus*.

Dusky, see *Anas obscura*.

Eider, see *Somateria dresseri*.

European Eider, see *Somateria mollissima*.

Fiddler, see *Dendrocygna autumnalis*.

Fish, see *Merganser serrator*.

Florida, see *Anas fulvigula*.

Florida Black, see *Anas fulvigula*.

French, see *Anas boschas*.

Fulvous Tree, see *Dendrocygna fulva*.

- Gadwall, see *Chaulelasmus streperus*.
 Golden-eyed, see *Clangula americana*.
 Gray, see *Dafila acuta*.
 Greater Black-head, see *Aythya marila*.
 Greater Scaup, see *Aythya marila*.
 Harlequin, see *Histrionicus histrionius*.
 Isle of Shoal, see *Somateria spectabilis*.
 King Eider, see *Somateria spectabilis*.
 Labrador, see *Campylaimus labradorius*.
 Lesser Black-head see *Aythya affinis*.
 Lesser Scaup, see *Aythya affinis*.
 Little Black-head, see *Aythya affinis*.
 Long-necked, see *Dafila acuta*.
 Long-legged, see *Dendrocygna fulva*.
 Long-tailed, see *Harelda hyemalis*.
 Mallard, see *Anas boschas*.
 Masked, see *Nomonyx dominicus*.
 Mottled, see *Anas maculosa*.
 Muscovy, see *Cairina moschata*.
 Northern Black, see *Anas obscura*.
 Pied, see *Campylaimus labradorius*.
 Pintail, see *Dafila acuta*.
 Quail, see *Nomonyx dominicus*.
 Raft, see *Aythya collaris*.
 Red-billed Whistling, see *Dendrocygna autumnalis*.
 Red-head, see *Aythya americana*.
 Ring-billed, see *Aythya collaris*.
 Ring-necked, see *Aythya collaris*.
 Ruddy, see *Erismatura jamaicensis*.
 Rufous-crested, see *Netta rufina*.
 Sea, see *Somateria dresseri*.
 Shoal, see *Somateria dresseri*.
 Shoveller, see *Spatula clypeata*.
 Spirit, see *Charitonetta alboala*.
 Spoon-bill, see *Spatula clypeata*.
 Spunk, see *Nettion carolinensis*.
 Steller's, see *Enicorhynchus stelleri*.
 Summer, see *Aix sponsa*.
 Surf, see *Oidemia perspicillata*.
 Tree, see *Dendrocygna arborea*.
 Whistling, see *Anas americana*.
 Wood, see *Aix sponsa*.
 Yellow-bellied Fiddler, see *Dendrocygna fulva*.
 Ducks, see *Anatidae*.
Dugès, Alfredo.
 Emigration accidentelle d'oiseaux, '99, 287.
 Hirondelles de Guanajuato, Mexico, '99, 357-359.
dugesii (*Basileuterus*), see *Basileuterus*.
 —— (*Dendroica*), see *Dendroica*.
Dugmore, Arthur Radcliffe.
 Bird-homes (rev.), 1900, 306.

- Dulus, '86, 191.**
*dominicu*s, *W. I.* '81, 152, '86, 191, '96, 333.—*fd.* '81, 152; *meas.* '86, 191; *nst.* '96, 333; *plm.*, *syn.* '86, 191.
nuchalis, *W. I.*, *plm.*, *syn.* '86, 191.
 dumetoria (*Upucerthia*), see *Upucerthia*.
dumicola (*Polioptila*), see *Polioptila*.
 Dunlin, see *Tringa alpina*.
 American, see *Tringa pacifica*.
Dunn, James Oregon.
 Passenger Pigeon in upper Mississippi valley, '95, 389.
 Henslow's Sparrow in Indiana, '95, 391.
 Notes on some birds of northeastern Illinois, '95, 393-395.
duperreyii (*Megapodius*), see *Megapodius*.
duponti (*Alauda*), see *Chersophilus*.
 —— (*Chersophilus*), see *Chersophilus*.
Durango, Mexico.
 Berlepsch, H. von, '88, 450.
 Nelson, E. W., '99, 20, 1900, 263.
Dury, Charles.
 Fecundity of Carolina Wren (*Thryothorus ludovicianus*), '77, 50.
Dutcher, Basil Hicks.
 Bird notes from Little Gull L., Suffolk Co., N. Y., '89, 124-131.
Dutcher, William.
 Wilson's Plover on Long Island, N. Y., '79, 242.
 Wilson's Plover (*Egialitis wilsonia*), on Long Island, '80, 186.
 Bird notes from Long Island, New York, '84, 31-35, 174-179, '85, 36-39, '86, 432-444, '88, 169-183, '89, 131-139, '93, 265.
 The Canada Goose, '85, 111.
Megalestris skua, '87, 158.
 The Labrador Duck: a revised list of extant specimens in N. Am., with some historical notes, '91, 201-216 (pl.).
 Black Vulture in Maine, '93, 82.
 Swainson's Hawk in the East, '93, 83.
 Rare birds in collection of Long Island Historical Society, '93, 267-277.
 The Labrador Duck—another specimen with additional data respecting extant specimens, '94, 4-12.
In re Dutcher on the Labrador Duck, '94, 175.
 The Labrador Duck,—an overlooked specimen and record, '94, 176.
 Great Gray and Hawk Owls in St.

- Lawrence Co., N. Y., '95, 181.
Gavia alba on Long Island, N. Y., '95, 290.
Chen hyperborea and *C. nivalis*, '96, 193.
 Report [1896] of A. O. U. Committee on Protection of N. Am. Birds, '97, 21-32; [1897], '98, 81-114, 288; [1899], 1900, 198-200.
 Dutcher, W., and Marshall, W. B., see Marshall and Dutcher.
 duvauceli (Bucco), see Xantholæma.
 — (Harpactes), see Harpactes.
 — (Trogon), see Harpactes.
 — (Xantholæma), see Xantholæma.
Dwight, Jonathan, Jr.
 Stilt Sandpiper (*Micropalama himantopus*) on the New Jersey coast, '79, 63.
Buteo brachyurus—a correction, '82, 184.
 Ipswich Sparrow (*Passerculus princeps*) in Delaware, '85, 105.
 Summer birds of Cape Breton Island, Nova Scotia, '87, 13-16.
 New race of Sharp-tailed Sparrow, '87, 232-239.
 Two records for Long Island, '88, 324.
 see Thurber, E. C., 'birds of Morris Co., N. J.' (rev.), '88, 421.
Sterna paradisaea—a correction, '89, 186.
 Horned Larks of North America, '90, 138-158 (map).
Junco carolinensis shown to be a subspecies, '91, 290-292.
 Summer birds of crest of Pennsylvania Alleghanies '92, 129-141.
 Prairie Horned Lark in northeastern Pennsylvania, '92, 202.
 Summer birds of Prince Edward Island, '93, 1-15.
 see Chapman, F. M., 'birds of vicinity of N. Y. city' (rev.), '95, 69.
 The Ipswich Sparrow (*Ammodramus princeps*) and its summer home (rev.), '95, 377.
 see Chapman, F. M., 'changes of plumage in Dunlin and Sanderling' (rev.), '96, 164.
 see Chapman F. M., 'changes of plumage in Snowflake,' '96, 165.
 see Allen, J. A., 'changes of color in feathers without molting,' '96, 166.
 The Sharp-tailed Sparrow (*Ammodramus caudacutus*) and its geographical races, '96, 271-278 (col. pl.).
 The Mockingbird (*Mimus polyglot-*

- tos*) in Canada, '96, 344.
Spiza americana near Kingston, New York, '97, 95.
 The whistled call of *Parus atricapillus* common to both sexes, '97, 99.
 see Millais, J. G., 'change of plumage without a moult,' '97, 109-111.
 A study of the Philadelphia Vireo (*Vireo philadelphicus*), '97, 259-272 (col. pl.).
 Absence of *Turdus aonalaschkae pallesii* at Tadousac, Quebec, in 1896, '97, 325.
 An untrustworthy observer, '98, 213.
 Sequence of plumages: illustrated by Myrtle Warbler (*Dendroica coronata*) and Yellow-breasted Chat (*Icteria virens*), '99, 217-220.
 Moult of the North American Tetraonidae (Quails, Partridges and Grouse), 1900, 34-51, 143-166 (2 plates).
 Moult of the North American shore-birds (Limicola), 1900, 368-385.
 dybowskii (Acrocephalus), see Acrocephalus.
Dyche, Lewis Lindsay.
Loxia curvirostra stricklandi in Kansas, '86, 258-260.
 Dyties, see Colymbus.
Dysithamnus semicinereus, W. I. '93, 220.

E

- Eagle, Bald, see *Haliaetus leucocephalus*.
 Caracara, see *Polyborus cheriway*.
 Golden, see *Aquila chrysaetos*.
 Gray Sea, see *Haliaetus albicilla*.
 Harpy, see *Thrasaetos harpyia*.
 Mexican, see *Polyborus cheriway*.
 Northern Bald, see *Haliaetus alascanus*.
 Sparrow, see *Falco anatum*.
 Washington Sea, see *Haliaetus [washingtoni ==] leucocephalus*.
 White-headed, see *Haliaetus leucocephalus*.
 White-headed Sea, see *Haliaetus leucocephalus*.
Eagle, Clarence Henry.
 Fish Crow (*Corvus ossifragus*) on Long Island, N. Y., '78, 47.
 Capture of *Ægialitis meloda circumcincta* on Long Island, '78, 94.
Eames, Edwin H.
 Notes on *Helminthophila leucobronchialis*, '88, 427.
Dendroica carulea at Seymour, Connecticut, '88, 431.

Notes on Blue-winged Warbler and its allies (*Helminthophila pinus*, *leucobronchialis*, *lawrencei* and *chrysoptera*) in Connecticut, '88, 305-10.

Fish Crow (*Corvus ossifragus*) in Connecticut, '88, 338.

Food and habits of Ruby-throated Hummingbird, '90, 286-288.

Notes from Connecticut, '93, 89.

Earle, Charles.

Lark Finch on Long Island, N. Y., '81, 58.

Eastman, Charles Rochester.

Remains of *Struthiolithus chersonensis* from north China (rev.), '98, 338.

Eastman, Harry Dean.

Phalaropus lobatus off Scituate, Mass., '91, 310.

Three birds rare at Framingham, Massachusetts, '97, 327.

Eaton, Elon Howard.

Bird notes from Erie Co., New York, '96, 178.

ectoni (*Querquedula*), see *Querquedula*.
eburnea (*Pagophila*), see *P. alba*.
eburneirostris (*Dendroornis*), see *D. flavigaster*.

— (*Dryocopus*), see *Dendroornis flavigaster*.

Ectectus, '93, 196.

polychlorus, *plm.* '82, 183.

Ectopistes, '80, 99, '87, 113, '93, 109.
migratorius (^ Passenger or Wild

Pigeon), *Ala.* '79, 12; *Cuba*, '87, 113;

Engl. '77, 107; *Europe*, '80, 144;

Fla. '88, 270; *Ga.* '83, 41, '96, 215;

Hud. B. '90, 322; *Ida.* '97, 349; *Ill.*

'95, 80, 298, 389; '96, 81; *Ind.* '88,

349; '95, 298, 389; *I. T.* '88, 314^a; *Ky.*

'89, 313; *Man.* '86, 153, '93, 50^a;

Muss. '76, 54, 56, '88, 389; '90, 393^a,

394^a; '92, 385, '93, 293, 294^a; '98, 333;

Md. '90, 393^a; *Mc.* '90, 393^a, '94,

70; *Mich.* '80, 180^a, '89, 285, 291, '92,

286^a, '93, 223, '95, 389; '97, 317;

Minn. '80, 17, '84, 247, '95, 80; *Mo.*

'79, 147, '97, 316; *Mont.* '90, 216;

N. B. '82, 151; *N. C.* '86, 103, 179;

N. D. '92, 386^a; *Neb.* '98, 185; *N. E.*

'77, 17; *Norway*, '77, 107; *N. H.* '93,

295^a; *N. J.* '89, 302, '96, 341; *N. S.*

'85, 40; *N. Y.* '79, 37, '81, 233, '84,

186^a, '89, 201, '90, 284^a, '91, 390^a,

'93, 274, 294^a, '97, 88; *Pa.* '87, 339,

'88, 314^a; '96, 290, '99, 310; *Que.* '82,

238, '84, 91^a, 185; *Russia*, '77, 107;

S. C. '79, 216; *S. D.* '85, 285; *Tex.*

'82, 174, '87, 187; *Va.* '92, 67^a, '94, 70;

Wash. '91, 310; *Wis.* '96, 81, 341, '98, 184.—*fd.* '82, 174, '85, 40^a, '87, 187, '95, 80, '96, 234, 291^a; *hbt.* '76, 56, '80, 180^a, '85, 40^a, '87, 187, '89, 285-291, '90, 284, '96, 234; *mig.* '89, 201, 285, '94, 38^a; *nst.* '81, 60^a, 122^a, '83, 41, '85, 40^a, '89, 285, '90, 199, 394^a, '96, 234; *plm.* '76, 22 (alb.), '93, 194, '96, 234 (mlt.), '99, 320^a; *song.* '89, 285; *syn.* '80, 99, '87, 113; *misc.* '82, 117, '87, 339, '90, 389, 395^a, '91, 391^a, 391^a, '94, 70, 70, '97, 245^a.

Ecuador.

Allen, J. A., '88, 287-288, 1900, 81-82, 303.

Ridgway, R., '90, 380-381.

Eddy, Newell Avery.

Nest and eggs of Yellow-bellied Flycatcher (*Empidonax flaviventris*), '80, 241.

Editor, see Allen, J. A.

Edoliisoma, '94, 234.

Edson, John M.

Birds of Chautauqua Co., N. Y. (rev.), '86, 479.

Parasitic Jaeger at Bellingham Bay, Washington, '94, 73.

Egg-bird, see *Sterna fuliginosa*.

Eggs, see *Nidification*.

Egret, American, see *Ardea egretta*.

Blue, see *Ardea carulea*.

Great White, see *Ardea egretta*.

Little White, see *Ardea candidissima*.

Louisiana, see *Ardea ruficollis*.

Muffle-jawed, see *Ardea [pealii] rufescens*.

Peale's, see *Ardea rufescens*.

Reddish, see *Ardea rufescens*.

Snowy, see *Ardea candidissima*.

White, see *Ardea occidentalis*.

egretta (Ardea), see *Ardea*.

— (*Herodias*), see *Ardea*.

Eider, American, see *Somateria dresseri*.

Black-throated, see *Somateria v-nigra*.

Dresser's, see *Somateria dresseri*.

Greenland, see *Somateria borealis*.

King, see *Somateria spectabilis*.

Pacific, see *Somateria v-nigra*.

Spectacled, see *Arctonetta fischeri*.

Steller's, see *Enicocetta stelleri*.

Elænia, '86, 230, '90, 385.

albiceps, *Urug.* '83, 200.—*syn.* '89, 269.

brevirostris, *Ucnez.* '97, 365, 368*.

barbadensis, *W. I.* '88, 47*, 158.

browni, *Colom.* '98, 339.

cherriei, *San Domingo*, '95, 279*, '96, 334.

- cinerescens*, *W. I.* '85, 291, '87, 180.
cotta, *Jamaica*, '86, 231, '93, 178, '94, 126.—*meas.*, *plm.*, *syn.* '86, 231.
fallax, *W. I.* '86, 231, '93, 178.—*meas.*, *plm.*, *syn.* '86, 231.
gaimardi, *Venz.* '97, 365.
martinica, *W. I.* '80, 166, '86, 230, 502, '87, 7?, '96, 181?; '89, 31.—*meas.*, *plm.*, *syn.* '86, 230.
modesta, *Urug.*, *nst.* '83, 200; *syn.* '89, 269, '90, 385, 386.
pagana, *Braz.* '90, 270; *C. R.* '90, 235; *Venez.* '97, 365, 368; *W. I.* '88, 158, '90, 374, 375, '91, 46, 47, 48, '49, '93, 220.—*meas.* '90, 237; *nst.* '90, 235; *syn.* '90, 386.
sororia, *Colom.* '99, 91.
subpagana, *C. R.* '92, 250.—*syn.* '90, 386.
- Elachura*, '93, 112.
Elainea, see *Elaenia*.
- Elanoides*, '85, 205, '87, 46, '92, 174, '93, 130.
forficatus (^a Swallow-tailed Kite or Hawk, ^b Naucleurus furcatus), *Engl.* '77, 107^b; *Fla.* '81, 17^b, 40^a, '88, 270, '89, 246, '91, 129^a, 137, '92, 212, '95, 364; *Ga.* '82, 103^a; *g. dist.* '93, 133; *G. Br.* '80, 141^b; *Ill.* '80, 32; *Jamaica*, '92, 126; *Kan.* '85, 19; *La.* '87, 304; *Man.* '86, 328; *Mass.* '83, 61, '89, 182^b; *Mc.* '85, 288^a, 289^a; *Mich.* '82, 250; *Minn.* '84, 247 [^c *Elanus*]; *Mo.* '79, 146, '95, 116^a; *N. D.* '82, 59; *N. J.* '84, 189^a, '95, 171; *N. Y.* '81, 126^b, '86, 484, 1900, 386; *O.* '79, 62, '83, 118, 127; *Ont.* '84, 85^a; *S. C.* '79, 210^b, '85, 192, '90, 36; *S. D.* '78, 147, '85, 284^b; *Tenn.* '89, 313; *Tex.* '82, 117^b, 173, '92, 233, 1900, 342; *Fa.* '97, 326; *Venez.* '97, 366; *W. I.* '87, 46.—*fd.* '82, 173, '83, 127, '93, 200^a; *hbt.* '81, 40^a, '82, 103^a, '85, 19, '86, 484; *meas.* '85, 19, '86, 484; *nst.* '85, 19, '89, 246; *syn.* '80, 98, '87, 46. *Elanus*, '94, 233.
leucus (^a White-tailed Kite, ^b *glaucus*), *Argent.* '84, 111; *Cal.* '85, 100^b, '86, 87^a, 92, '97, 14–21; *Fla.* '89, 247, '92, 212; *L. Cal.* '95, 137; *Tex.* '82, 173^b, '87, 188, '92, 233; *Urug.* '84, 111.—*fd.* '93, 200^a; *hbt.* '82, 173^b, '97, 14; *meas.* '97, 18; *nst.* '85, 100^b, '86, 92, '97, 14; *syn.* '85, 205, '97, 216^b, '99, 130.
- Elasmonetta*, '96, 162.
elegans (*Buteo*), see *Buteo*.
 —— (*Calodromas*), see *Calodromas*.
 —— (*Carduelis*), see *C. carduelis*.
 —— (*Chlorestes*), see *Sporadinus*.
 —— (*Dendroornis*), see *Dendroornis*.
 —— (*Hylocharis*), see *Sporadinus*.
 —— (*Lampornis*), see *Sporadinus*.
 —— (*Lanius*), see *Lanius*.
 —— (*Lophortyx*), see *Lophortyx*.
 —— (*Megascops*), see *Megascops*.
 —— (*Mimus*), see *Mimus*.
 —— (*Progne*), see *P. elegans* or *subis*.
 —— (*Rallus*), see *R. elegans* or *caribaeus*.
 —— (*Sporadicus*), see *Sporadinus*.
 —— (*Sporadinus*), see *Sporadinus*.
 —— (*Sterna*), see *Sterna*.
 —— (*Thalasseus*), see *Sterna*.
 —— (*Trochilus*), see *Sporadinus*.
elegantissima (*Euphonia*), see *Euphonia*.
eleonoræ (*Falco*), see *Falco*.
Eleopicus, see *Dendrobates*.
elephantopus (*Dinornis*), see *Dinornis*.

Eleuthera Island, West Indies.
 Cory, C. B., '91, 348, 350–351.
 Ridgway, R., '86, 335, '91, 336.
 Elisha Mitchell Scientific Society, *Journal*, titles (Nos. 2247–2248), '92, 190.
elizabeth (*Muscicapa*), see *Myadestes*.
 —— (*Myadestes*), see *Myadestes*.
elizabethæ (*Myadestes*), see *Myadestes elizabeth*.

Elliot, Daniel Giraud.
 Remarks on *Selasphorus allenii* Henshaw, '77, 97–102 (fig.).
 Review of the Ibridine (rev.), '78, 182.
 Classification and synopsis of the Trochilidae (rev.), '79, 230–232.
 see Kingsley, J. S., 'standard natural history' (rev.), '86, 473.
 Descr. of a new species of Hummingbird of genus *Agyrtzia*, '88, 263.
 The Jacanidæ, '88, 288–305.
 Descr. of supposed new species of *Amazilia* and *Eriocnemis*, '89, 209.
 A study of the genus *Dendroornis* and its species, '90, 160–189.
 Remarks on certain species of *Dendroornis*, '90, 207.
 List of birds from northeast Borneo, with field notes by Adams, '90, 346–359, '91, 7–16.
 Note on *Copsychus adamsoni*—correction, '91, 117.
 The inheritance of acquired characters, '92, 77–104.
 Hybridism and description of hybrid between *Anas boschas* and *Anas americana*, '92, 160–166.

- Pitta granatina* Temminck et auctores, '92, 218-221.
 Genus *Pitta* Vieillot, '93, 51.
 Vieillot's 'Analyse' and Buffon's 'Brève,' '93, 184-188.
 Monograph of Pittidae or family of Ant-thrushes' (rev.), '94, 62, 173, 243, '95, 65, '96, 60.
 [Appointment as director of department of zoology in Field Columbian Museum of Chicago], '94, 341.
 In memoriam: George Newbold Lawrence, '96, 1-10 (engraving).
 Descri. of an apparently new species and a new subspecies of Ptarmigan from Aleutian Islands, '96, 24-29 (col. pl.).
 North American shore birds (rev.), '96, 64-67; 2d ed. (rev.), '98, 63.
 Catalogue of collection of birds obtained by expedition into Somaliland (rev.), '97, 245.
 Gallinaceous game birds of North America (rev.), '98, 63-65.
 Canon XL, A. O. U. code, '98, 294-298.
 Truth *versus* error, '99, 38-46.
 Some genera and species, '99, 226-232.
 Wild fowl of North America (rev.), '99, 288.
 The spelling of names, '99, 300.
elliotti (*Atthis*), see *Atthis*.
 —— (*Epimachus*), see *Epimachus*.
 —— (*Eucichla*), see *Eucichla*.
 —— (*Lamponnis*), see *L. virginialis*.
 —— (*Meleagris*), see *M. intermedia*.
 —— (*Uranomitra*), see *Uranomitra*.
Elliott, Henry Wood.
 Cowbird (*Molothrus ater*) as a fly-destroyer, '89, 72.
Quiscalus quiscula aneus killing and catching goldfish, '90, 208.
Elliott, Samuel Lowell.
 Obituary of, '89, 206.
Elliott Society of Sciences and Arts.
 Proceedings, titles (Nos. 2249-2257), '92, 191.
Emberiza, '84, 118.
aureola, *Helg.* '95, 334.
cæsia, *Helg.* '95, 334.
cia, *Helg.* '95, 335.
cinerea, *Helg.* '95, 334.
cirlus, *Helg.* '95, 334.
citrinella (a European Yellow-hammer), *Germany*, '96, 303, 306^a; *Helg.* '95, 326.—*fd.*, *nst.*, *song*, '96, 303.
hortulana, *Helg.* '95, 334.
ijimæ, *Japan*, '94, 170.
leucocephala, *Helg.* '95, 335; *Japan*, '92, 176.
luteola, *Helg.* '95, 335.
melanocephala, *Helg.* '95, 335.
miliaria, *Helg.* '95, 334.
pusilla, *Helg.* '95, 335.
pyrrhuloides, *Helg.* '95, 335.
rustica, *Helg.* '95, 335.
scheinclus (a Reed Bunting), *Helg.* '95, 334.—*plm.* '97, 335.
Emberizoides macrurus, *Venez.* '97, 364.
Embernagra, '90, 193.
platensis, *Urug.*, *hbt.*, *nst.*, *song*, '83, 132.
 emigrans (*Orthorhynchus*), see *Bellona cristata*.
 eminentissima (Foudia), see *Foudia*.
Emmet, R. T.
 Black Duck in Chihuahua, '88, 108.
 Empidochanes, see *Empidonax*.
Empidonax, '79, 232, '84, 42, '85, 212, '86, 233, '87, 66, '93, 110.
alnorum (a Alder or Traill's Flycatcher, ^b *traillii*), *Conn.* '93, 37^b; *D. C.* '89, 71^b, '93, 92^b; *g. dist.* '76, 15^b, '80, 24^b; *Ind.* '89, 23^b; *Ky.* '89, 31^b; *Mass.* '89, 44^b, 100^b, '95, 302^a; *Md.* '89, 71^b; *Me.* '82, 14^b, '95, 161*; *Mich.* '93, 225^b; *N. B.* '82, 149^b; *N. C.* '94, 322^b; *N. H.* '88, 151^b, 154^b, '89, 78^b; *N. Y.* '81, 231^b, '85, 256^b, '88, 422^b; *N. S.* '87, 16^b; *Pa.* '92, 136^a?; '97, 326, 410; *P. E. I.* '93, 6^b, 10^b; *Que.* '83, 244^b; *Tex.* '87, 193^b; *Va.* '89, 71^b.—*hbt.* '76, 14^b; *nst.* '76, 14^b, 75^b, '80, 24^b, '95, 302^a; *plm.* '78, 177^b, '95, 161; *song*, '85, 256^b; *syn.* '95, 161, '97, 127; *misc.* '94, 66^a.
bairdi, *Mex.*, *syn.* 1900, 264.
bimaculatus (^b *furcatus*), *syn.* '87, 66^b.
boliviensis, *Boliv.* '90, 382.
cineritius (Saint Lucas Flycatcher), *Cal.* '95, 390; *g. dist.* '93, 142; *L. Cal.* '88, 90*; '93, 396, '95, 140.—*hbt.*, *song*, '95, 140.
difficilis (Western Yellow-bellied Flycatcher, ^b *insulicola*), *Alas.* '83, 231, '98, 128; *Ariz.* '82, 206, '87, 19, '90, 49, 256; *Cal.* '81, 119, '87, 92, 329, '89, 222, '96, 85, '97, 300^b?; '95, 405^b; *Colo.* '80, 231, '81, 140, '83, 195, '85, 17; *g. dist.* '93, 126; *L. Cal.* '88, 91; *Mex.* '89, 87; *N. M.* '86, 75, '92, 363, '98, 309; *Ore.* '88, 258; *Wash.* '92, 44, 352, '97, 176.—*hbt.* '78, 137, '80, 231, '97, 405^b; *meas.* '82, 206, '97, 300^b, 302^b; *nst.* '78, 168, '81, 119, 140, '86, 75, '87, 329, '97,

405^b; *plm.* '82, 206, '97, 301; *song.* '80, 231, '90, 256, '97, 176; *syn.* '99, 132^b.

flaviventris (^a Yellow-bellied Flycatcher), *Conn.* '93, 90^a, '95, 86; *C. R.* '90, 334, '92, 251; *Greenl.* '91, 319^a; *g. dist.* '93, 126, '95, 284; *Ind.* '89, 23; *Ky.* '89, 314; *La.* '87, 304; *Man.* '86, 321; *Mass.* '78, 101, '84, 12^a, 15, '87, 269, '89, 42^a; *Me.* '79, 240, 241, '80, 241, '82, 149; *Mich.* '85, 65, '93, 225; *Mo.* '79, 146; *N. C.* '93, 242; *N. F.* 1900, 72; *N. H.* '87, 103^a, 104, '88, 151; *N. S.* '87, 16; *N. Y.* '81, 231, '82, 154, '85, 256, '89, 332^a, '94, 78, 82, 168, '95, 70, '99, 192, 195; *Ont.* 1900, 392; *Pa.* '88, 3, '92, 134, 136, '99, 311; *P. E. I.* '93, 5^a, 10; *Que.* '82, 236, '84, 295; *Tex.* '89, 239, '92, 236. —*meas.* '79, 241, 242, '80, 241; *mig.* '85, 65, '87, 269; *nst.* '78, 166, 187, '79, 232, 240, 241, '80, 25, 241; *plm.* '78, 178, '97, 218; *song.* '84, 12^a, '85, 256; *syn.* '97, 218, '99, 192.

fulvifrons (Fulvous Flycatcher), ^b *Mitrephanes*, ^c *Muscicapa*, *g. dist.* '93, 134.—*syn.* '82, 55^b, '85, 207, '92, 196^c.

fulvipectus, *Mex.* '95, 357.

griseus (Gray Flycatcher), *g. dist.* '89, 87^a, '90, 62, '93, 142.—*meas.* '89, 87; *syn.* '89, 89, '90, 62.

hammondi (Hammond's Flycatcher), *Ariz.* '82, 206, '87, 19; *Cal.* '78, 67, '86, 180, '87, 86, '95, 30; *Colo.* '80, 231, '83, 195, '85, 17, 143; *g. dist.* '93, 126; *Ida.* '97, 355; *Mont.* '94, 304, '95, 215; *N. M.* '92, 364; *Ore.* '88, 258; *S. D.* '80, 184, '85, 283; *Tex.* '87, 193; *Wash.* '97, 176.—*meas.* '82, 206; *nst.* '80, 184, '85, 283, '92, 288, '97, 355; *plm.* '82, 206, '89, 88; *song.* '80, 231, '97, 176.

lawrencei, *Braz.*, *syn.* '90, 384.

minimus (^a Least Flycatcher, Least Pewee or Chebec, ^b *gracilis*), *Conn.* '94, 257^a; *Colo.* '83, 195, '85, 17; *g. dist.* '93, 126; *Ia.* '95, 123; *Ill.* '88, 434; *Ind.* '82, 16, '89, 23; *Ky.* '89, 314; *Man.* '86, 321; *Mass.* '84, 6^a, '88, 389, '89, 44, 100; *Me.* '82, 149, '89, 71; *Mich.* '93, 225; *Minn.* '80, 16; *Mo.* '79, 145; *Mont.* '94, 304, '95, 215; *N. B.* '82, 149, '89, 117; *N. C.* '86, 106, '89, 121; *N. H.* '89, 77, 78, '88, 150, 151; *N. J.* '82, 55; *N. Y.* '79, 31, '81, 231, '82, 188, '85, 256; *N. S.* '91, 165; *O.* '95, 241; *Pa.* '82, 55, '88, 3, '92, 136, '93, 37, 39, 43, 44, '96, 282, 293; *P. E. I.* '93,

10; *Que.* '83, 244, '89, 144, 147; *S. D.* '85, 283; *Tex.* '82, 169, '87, 193, '92, 236; *Va.* '86, 160; *Wis.* '82, 185; *Yucatan.* '85, 295^b.—*fd.* '99, 362; *hbt.* '86, 106; *mig.* '88, 434, '95, 123, 129^a, 241; *nst.* '78, 25^a, '79, 124, '80, 16, 25, '82, 55, '83, 233, '94, 257^a, '96, 282, 293; *plm.* '78, 178; *song.* '85, 256, '86, 160.

nanus, *W. I.* '76, 47, '86, 233, 383. —*meas.*, *plm.*, *syn.* '86, 233, 383.

occidentalis, *Mex.*, *syn.* '97, 53*, 1900, 264.

perplexus, *Mex.*, *syn.* 1900, 263*. —*pulverius*, *Mex.* '89, 86*.

pygmæus (Buff-breasted Flycatcher), ^b *pallescens*, ^c *Mitrephanes pallescens*, ^d *Mitrephorus pallescens*), *Ariz.* '81, 73^b, '82, 207^b; *N. M.* '82, 207^b, '92, 364.—*meas.*, *plm.*, *song.* '82, 207^b; *syn.* '82, 55*, '85, 207, '92, 196^d.

rubicundus, *Mex.* '85, 207.

salvini, *Guatemala*, '87, 66.

timidus, *Mex.* 1900, 263*.

trailii (^a Traill's or Little Flycatcher, ^b *pusillus*), *Ariz.* '82, 206, '87, 19^b, '90, 256^b; *Cal.* '78, 67^b, '87, 92^b, '95, 390^b, '96, 85^b; *Colo.* '80, 231^b, '81, 140^b; *g. dist.* '76, 15^b, '93, 126^b, '95, 159–161; *Greenl.* '91, 319^b [*flaviventris?*]; *Ia.* '95, 124, 235; *Kan.* '87, 9, 10; *Man.* '86, 321; *Minn.* '80, 16; *Mo.* '80, 20–25; *Mont.* '95, 215^b; *N. M.* '92, 363^b; *Ore.* '86, 166^b, '88, 258^b; *Tex.* '82, 169, '87, 193^b, '92, 236; *Wash.* '92, 44^b, '97, 176.—*hbt.* '76, 14, '80, 231^b; *meas.* '80, 16, 24, '87, 10; *mig.* '95, 124, 128^a, 235; *nst.* '76, 14, '78, 25^a, 137^b, '80, 16, 21, 24, '81, 140^b, '82, 206^b, '83, 235^a, '86, 166^b, '87, 9, '90, 81^a [= *alnorum*], 84^a [= *alnorum*]; *plm.* '82, 206; *song.* '80, 22, 231^b, '97, 176; *syn.* '95, 159; *misc.* '94, 66^b [= *alnorum*].

virescens (^a Green-crested or Acaidian Flycatcher, ^b *acadicus*), *Ala.* '79, 10^b; *Colom.* 1900, 365; *Conn.* '77, 108, '89, 199^a, '94, 259^b; *C. R.* '90, 334^b, '92, 251^b; *Cuba.* '86, 234^b; *D. C.* '88, 21^b; *Ga.* '82, 97^a, '83, 40^b; *g. dist.* '76, 14–17^b, '93, 133^b; *Fla.* '88, 272^b, '89, 319, '92, 213^b, '93, 338^b, '95, 365^b; *Ia.* '95, 124^b, 235^b; *Ind.* '82, 18^b, '89, 23^b; *Kan.* '85, 112^b; *Ky.* '89, 314; *La.* '82, 49^a, 163^b, '87, 303^a; *Man.* '86, 321^b; *Mich.* '83, 175^b, '93, 225^b; *Miss.* '82, 92^b; *Mo.* '79, 145^b, '80, 20–25^b, '95, 351^a; *N. C.* '86, 106^b, '89, 120^b; *N. E.* '86, 400^b?; *N. J.* '94, 137^b; *N. S.* '80,

44^b; N. Y. '78, 131^b, 193^a, '79, 175^b, '85, 256^b, '88, 422^b, '89, 199^b, '94, 82^b; Pa. '91, 399^b, '93, 38^b, 39^b, '99, 311^b; S. C. '79, 215^b, '90, 39^b, '91, 328^b; Tex. '82, 169^b, '92, 236^b.—hbt. '76, 14^b, '86, 106^b, '94, 82^b; meas. '80, 23^b; mig. '83, 175^b, '95, 124^b, 235^b; nst. '76, 14^b, '78, 25^b, 131^b, '80, 21^b, 23^b, '82, 18^b, '83, 40^b, '88, 21^b, 272^b, '89, 23, '90, 81^a, 84^a, '94, 82^b, 137^b, 259^b; plm. '78, 177^b; song, 23^b; mig. '83, 175^b, '95, 124^b, 235^b, '94, 83^b; syn. '86, 234^b, '95, 157, 160, '97, 127; misc. '89, 24^b.

viridescens, C. R. '85, 291.

wrightii (Wright's Flycatcher, ^b *obscurus*), Ariz. '82, 206^b, '87, 19^b; Cal. '78, 67^b, '86, 87^b, 180^b, '87, 85^b, 92^b; Colo. '79, 95^b, '83, 195^b, '85, 17^b, '94, 268^b; g. dist. '93, 134; Ida. '97, 356; Mont. '94, 304; N. M. '86, 75^b, '92, 364, '98, 309; Ore. '88, 258^b; Tex. '87, 183^a, 193; Wash. '97, 176; —meas. '86, 180^b, '88, 258^b; nst. '86, 87^b, 180^b, '88, 258^b; plm. '82, 206^b, '88, 258^b, '89, 88^b, 89^b; song. '97, 176; syn. '89, 88^b, 89^b, '90, 65.

Empidonax varius, Brazil. '90, 270.

enano (Scops), see *Megascops trichopsis*.

Endocimus, see Guara.

Endomychura, see *Brachyrhamphus*.

England.

Aplin, O. V. '85, 373.
Backhouse, J. Jr. '85, 374.
Bailey, H. B. '77, 110.
Barrer, W. '85, 374.
Clarke, W. E. '87, 162–163.
Cordeaux, J. '85, 374.
Cornish, T. '85, 374, 375.
Dresser, H. E. '85, 375.
Gurney, J. H. Jr. '92, 290.
Hart, E. '92, 290.
Harting, J. E. '85, 374, '92, 290.
Malcolm, G. H. '92, 290.
Mathew, M. A. '92, 289.
Nelson, T. H. '85, 375.
Reed, J. T. T. '85, 98.
Shufeldt, R. W. '85, 240.
Smith, C. '85, 374, 374.
Stevenson, H. '85, 374.
Wolstenholm, C. D. '85, 374.

Engyptila, see *Leptotila*.

collaris, '86, 498*, see *Leptotila*.
neoxena, '87, 179*, see *Leptotila*.
wellsi, '84, 180*, see *Leptotila*.

Enicocichla, see *Seiurus*.

Eniconetta, '82, 179.

stelleri (^a Steller's Eider Duck, ^b *Polypticta*), Alas. '84, 80^b, '85, 63^b,

158; g. dist. '93, 123; Helg. '95, 340; Que. 1900, 65.—mig. '85, 63^b; plm. 1900, 183^a (mlt.); syn. '84, 385.

Eunicornis striata, Boliv. '90, 382.

enicura (Doricha), see *Calothorax lucifer*.

ensipennis (Campylopterus), see *Campylopterus*.

enucleator (Pinicola), see *P. enucleator*, *canadensis* or *montana*.

Entomodestes, '84, 182.

eoia (Dendroica), see *Dendroica*.

— (Sylvicola), see *Dendroica*.

Ephialtes, see *Megascops*.

Epimachus ellioti, misc. '83, 55.
magnus, misc. '83, 55.

episcopus (Tanagra), see *Tanagra*.

epops (Upupa), see *Upupa*.

eques (Motacilla), see *Compsothlypis usneae*.

eremœca (Aimophila), see *Aimophila*.

— (Peucaea), see *Aimophila*.

Eremomelæ, '84, 279.

Eremophilus, see *Otocoris*.

eremophilus (Thryomanes), see *T. leucogaster*.

Ereunetes, '87, 313, '88, 193, 331, '93, 108.

occidentalis (^a Western Sandpiper, ^b *pusillus*), Alas. '81, 5^a, '85, 63^b, 201^b, 241^b, '87, 12^b, '98, 126; Ariz. '86, 386; B. C. 1900, 104; Cal. '86, 91, '94, 95^a; Colo. '83, 198^b, '85, 18^b, 143^b; Conn. '92, 389; Fla. '88, 184, '89, 157, '92, 212; g. dist. '93, 123; Ida. '97, 351; Mass. '85, 384, '89, 69, '90, 227, '96, 88; Md. '85, 385; N. J. '95, 171, '96, 174; N. Y. '99, 191; Tex. '87, 186; Va. '85, 110, 385, '94, 325; Wash. '92, 43, 354; W. I. '87, 313.—mig. '85, 63^b, 1900, 104; syn. '87, 313, '97, 103.

pusillus (^a Semipalmated Sandpiper, ^b *Tringa*), Bahamas. '91, 351, 1900, 286; B. C. 1900, 104; Colo. '83, 198; *Occidentalensis?*; Colom. 1900, 364; Conn. '92, 389; Engl. '77, 107^b; Fla. '88, 185, '89, 157, '92, 212; g. dist. '93, 123; G. Br. '80, 146; Hud. B. '90, 321; Ill. '95, 394; Ind. '88, 349; Jamaica. '92, 13; La. '97, 288; Man. '86, 151; Mass. '81, 127, '85, 385, '89, 69; Mich. '93, 223; Minn. '80, 18; Mont. '95, 213; N. C. '99, 246^a; N. J. '79, 225, '96, 174; N. S. '87, 16; N. Y. '82, 60, '89, 128, '95, 179^a; Pa. '99, 310; Que. '82, 238; S. D. '85, 286; Tex. 1900, 340; I'a. '85, 110, '94, 325, 325^a; W. I. '86, 502; '87, 313, '90, 374, '91, 48.—hbt.

- '93, 293; *mig.* '86, 132, '89, 128, '94, 98^a, 1900, 104; *plm.* '79, 29^a (alb.), '81, 162, 1900, 370 (mlt.); *syn.* '87, 313.
- Ergaticus**, '93, 112.
 — **ruber** (Red Warbler, ^b *Cardellina*), *Mex.* '95, 358.—*misc.* '80, 88^b.
 — **versicolor**, *Mex.* '98, 159.
- Eribates**, '94, 168.
 — **magnirostris** (^b *Myiarchus*, ^c *Myiobius*), *syn.* '77, 63^b, '94, 168^c, '96, 75.
- Eriodora**, see *Drymophilidae*.
- Eriocnemis aurea**, *Colom.* '90, 315*.
 — **cupreiventris**, *meas.*, *plm.* '90, 315.
 — **incultus**, *Colom.* '89, 210*.
- Erismatura**, '88, 67, '93, 107.
 — **æquatorialis**, *Ecuad.*, *syn.* '96, 162.
 — **jamaicensis** (^a Ruddy Duck, ^b *rubida*), *Ariz.* '83, 36^b, '86, 385^b, '90, 48^b, 51^b; *Cal.* '86, 90^b; *Colo.* '85, 18^b, 144^b; *Conn.* '93, 371^b; *Fla.* '88, 269^b, 379^b, '92, 211^b; *Ida.* '97, 350; *Ill.* '77, 68^a; *Ind.* '88, 347^b; *Jamaica*, '91, 364^b; *La.* '97, 286; *Mass.* '81, 127^b, '91, 117^b, '96, 203^b; *Man.* '86, 149^b, 329^b; *Mich.* '93, 223^b; *Minn.* '96, 79^a; *Mont.* '95, 212^b; *Ore.* '79, 198^b, '88, 142^b; *N. D.* '99, 161^a, 162^a, 164, 165^a; *N. F.* 1900, 71^b; *Pa.* '99, 309; *S. D.* '85, 288^b; *Tex.* '82, 225^b, '87, 185^b, '92, 345^b; *Wash.* '92, 42^b; *W. I.* '88, 68^b.—*hbt.* '99, 165^a; *nst.* '83, 176^a, '96, 79^a, '99, 164; *syn.* '88, 68^b, '96, 163, '97, 125; *misc.* '82, 115^b, '88, 416^b, '89, 184^a.
- Eriothacus**, '84, 117.
 — **rubecula** (^a European Redbreast or Robin), *England*, '87, 163; *Germany*, '96, 300, 308^a; *Helg.* '95, 332; *N. Y.* '80, 120^a (introduced).—*hbt.* '96, 300, '97, 412^a; *syn.* '82, 53.
- erithacus** (*Liosceles*), see *Liosceles*.
- erythrinus** (*Carpodacus*), see *Carpodacus*.
- erythrocephala** (*Piranga*), see *Piranga*.
- erythrocephalus** (*Melanerpes*) see *Melanerpes*.
- erythrocercus** (*Myiarchus*), see *M. mexicanus* or *oberi*.
 — (*Philydor*), see *Philydor*.
- erythrogaster** (*Chelidon*), see *Hirundo*.
 — (*Hirundo*), see *Hirundo*.
- erythrogaster** (*Chelidon*), see *Hirundo*.
- erythrogathus** (*Phænicophæus*), see *Phænicophæus*.
 — (*Rhamphococcyx*), see *Phænicophæus*.
 — (*Rhopodytes*), see *Phænicophæus*.
- erythromelas** (*Piranga*), see *Piranga*.
- erythronota** (*Amazilia*), see *Amazilia erythronota* or *Agyrtria tobaci*.
- erythronotus** (*Buteo*), see *Buteo*.
- erythropthalmus** (*Coccycus*), see *Coccyzus*.
 — (*Cuculus*), see *Coccyzus*.
 — (*Pipilo*), see *P. erythropthalmus* or *alleni*.
- Erythropitta**, '94, 234, 235.
- erythropus** (*Anser*), see *Anser*.
- erythropygia** (*Dendroornis*), see *Dendroornis*.
- erythrorhynchos** (*Pelecanus*), see *Pelecanus*.
 — (*Sterna*), see *S. maxima*.
- erythrorhynchus** (*Falcinellus*), see *Plegadis autumnalis*.
 — (*Rhamphastos*), see *Ramphastos*.
- erythrothorax** (*Columba*), see *Leptotila reichenbachi*.
 — (*Engyptila*), see *Leptotila reichenbachi*.
 — (*Leptotila*), see *L. reichenbachi*.
- espinachi** (*Icterus*), see *Icterus*.
- Essex Institute**, Bulletin, title (No. 970), '85, 372.
- Estrilda cyanocephala**, *Africa*, '97, 157*.
- Eucephala cærulea**, *Braz.* '91, 30.
- euchrysea** (*Callichelidon*), see *Tachycineta*.
 — (*Herse*), see *Tachycineta*.
 — (*Petrochelidon*), see *Tachycineta*.
 — (*Tachycineta*), see *Tachycineta*.
- Eucichla**, '93, 52, 182, '96, 60.
 — **boschi**, *syn.* '96, 60.
 — **elliotti**, *syn.* '96, 60.
 — **guiana** (^b *Pitta cyanura*, ^c *Pitta*), *nst.* '94, 243; *plm.* '94, 243; *syn.* '93, 182^b, '96, 60.
 — **gurneyi**, *syn.* '96, 60.
 — **schwaneri**, *syn.* '96, 60.
- Eucometis affinis**, *Venez.* '88, 451*.
 — **cristata**, *Colom.* '88, 454.
 — **pallida**, *Yucatan.* '88, 451*.
 — **spodocephala**, *Nicar.*, *meas.*, *plm.* '88, 451, 453.
 — **stictothorax**, *Colom.* '88, 451*.
- Eucorystes wagleri**, *C. R.*, *plm.* '92, 249.
- Eudocimus**, see *Guara*.
- Eudromias modestus**, *Argent.*, *hbt.* '84, 313.
 — **morinellus** (^a Dotterel), *Helg.* '95, 338.—*mig.* '93, 73; *nst.* 1900, 307^a.
- veredus**, *Borneo*, *syn.* '91, 15.
- Eudynamis**, '94, 234, 235.
- Eudyptes**, '81, 108.
- Euetheia**, '85, 48, '86, 208, '88, 412.
 — **bicolor** (Grassquit), ^b *Phonipara*.

- ^c marchi), *Bahamas*, '91, 71, 294, 295, 296, 297, 297, 298, 334, 335, 336, 337, 337, 338, 339, 339, 351, 351, '92, 48, 48, 1900, 293; *g. dist.* '93, 141; *Fla.* '79, 115^b; *Jamaica*, '93, 179, '94, 126; *W. I.* '80, 166^b, '81, 152^b, '86, 209, '87, 96, 180, 181, '90, 374, 374, '91, 46, 47, 47, 48, 48, 49, '93, 220, 356.—*meas.* '86, 210; *nst.* '94, 126; *plm.* '86, 209; *syn.* '85, 48, '86, 209, 210^c, '93, 356.
bryanti, *Porto Rico*, '98, 322*.
canora (*Melodious Grassquit*), *Cuba*, '86, 209, '92, 272; *Fla.* '88, 322, 399.—*meas.*, *plm.*, *syn.* '86, 209; *mig.* '88, 322.
coryi, *W. I.* '98, 322*.
grandior, *W. I.* '87, 245*.
intermedia, *Yucatan*, '85, 295.
olivacea (^b*adoxa*, ^c*lepidia*), *W. I.* '81, 152, '86, 208, 210^b, 502, '87, 7, '89, 31, '91, 294^c, '92, 272^b, '93, 179.—*meas.*, *syn.* '86, 208, 210^b; *plm.* '86, 208, 210^b, '91, 189^c (*alb.*), '93, 179.
omissa, *g. dist.* '93, 356; *Venez.* '97, 359, 364.
pusilla, *C. R.* '92, 247; *Mex.* '95, 357.
sharpei, *Curaçao*, '93, 355.
Euethia, see *Euetheia*.
Eugenès fulgens (*Rivoli Hummingbird*, ^b*Trochilus papantzin*), *Ariz.* '85, 199, '90, 402, '94, 326.—*hbt.*, *nst.* '90, 402; *meas.* '90, 403; *plm.*, *syn.* '99, 324^b.
Eulampis, '86, 350.
holosericeus (^b*chloræmus*), *W. I.* '80, 167, '86, 351, '87, 96, '90, 374, 375, 375, '91, 47, 47, 48, 48, 48, '93, 314^b.—*fd.* '93, 314^b; *meas.*, *plm.*, *syn.* '86, 351.
jugularis, *W. I.* '80, 167, '86, 350, '87, 96, '91, 48, 48.—*meas.*, *plm.*, *syn.* '86, 350.
euleri (*Coccyzus*), see *C. americanus*.
Eumomota superciliaris, *plm.* '83, 238.
Eumyas, '94, 233.
euops (*Conurus*), see *Conurus*.
—— (*Psittacara*), see *Conurus*.
—— (*Psittacus*), see *Conurus*.
—— (*Sittace*), see *Conurus*.
Euornithæ, '92, 176.
Eupetomena macroura, *Braz.* '91, 30.
Euphona, see *Euphonias*.
Euphone, see *Euphonias*.
Euphonia, '86, 192, '87, 149, '92, 23, '93, 111.
affinis, *C. R.*, *plm.* '92, 23, 24.
annæ, *C. R.*, *plm.* '92, 23, 24.
chlorotica, *Braz.*, *meas.* '90, 267.

- crassirostris* (^b*laniirostris*), *Colom.* '90, 382; *C. R.* '92, 24^b; *Venez.* '97, 364.—*plm.* '92, 24^b.
elegantissima (*Blue-headed Euphonia*), *C. R.* '90, 334, '92, 24; *g. dist.* '93, 141.—*plm.* '92, 24; *meas.* '80, 88.
flavifrons, *W. I.* '80, 166, '86, 193, '87, 95.—*meas.*, *plm.*, *syn.* '86, 193.
gnatho, *C. R.*, *plm.* '92, 24.
godmani, *Mex.* '89, 90^a.
gouldi, *C. R.*, *plm.* '92, 23.
gracilis, *C. R.*, *plm.* '92, 24.
hirundinacea, *C. R.*, *meas.*, *nst.*, *plm.* '92, 24, 25.
jamaicensis, *W. I.* '86, 194, '93, 180, '94, 127.—*meas.* '86, 194; *nst.* '94, 127; *plm.*, *syn.* '86, 194.
laniirostris, *Boliv.* '90, 382; *C. R.*, *plm.* '92, 24.
luteicapilla, *C. R.*, *plm.* '92, 23, 24.
minuta, *C. R.* '92, 23, 25.—*meas.*, *plm.* '92, 23; *syn.* '89, 91 [*l. minima*]¹.
musica, *W. I.*, '81, 152, '86, 192, '95, 279.—*meas.* '86, 192; *plm.* '81, 152, '86, 192; *syn.* '86, 192.
sclateri, *Porto Rico*, *meas.*, *plm.*, *syn.* '86, 194.
trinitatis, *Venez.* '97, 364.
violacea, *Braz.*, *meas.* '90, 266.
Euphonia, *Blue-headed*, see *Euphonia elegantissima*.
Godmani's, see *Euphonia godmani*.
Euplocamus albocristatus, *plm.* '92, 162 (*hyb.*).
horsfieldi, *plm.* '92, 162 (*hyb.*).
ignitus, *Borneo*, *syn.* '91, 15.
lineatus, *plm.* '92, 162 (*hyb.*).
melanonotus, *plm.* '92, 162 (*hyb.*).
Eupsychortex, '87, 225.
cristatus, *g. dist.* '77, 95?
pallidus, *W. I.*, *song.* '96, 332.
sonnini, *Venez.* '97, 367; *W. I.*, *meas.*, *plm.*, *syn.* '87, 225.
Euptilotis neoxenus, *Mex.* '94, 66, 1900, 122.
eurhinus (*Totanus*), see *Totanus*.
Eurhipiduræ, '86, 474.
eurhyncha (*Guiraca*), see *G. lazula*.
eurizonoides (*Euryzona*), see *Rallina*.
—— (*Gallinula*), see *Rallina*.
—— (*Rallina*), see *Rallina*.
europæa (*Pyrrhula*), see *Pyrrhula*.
europæus (*Caprimulgus*), see *Caprimulgus*.
Europe (see also countries of).
Allen, J. A., '80, 173–174.
Becher, E. F., '85, 374.
Brewer, T. M., '77, 106–107.

- Dalgleish, J. J., '80, 65-74, 141-150, 210-221.
 D'Hamonville, J. C. L. T., '77, 106.
 Olphe-Galliard, L., '87, 336-337.
 Stejneger, L., '87, 336-337.
Euryceros, '81, 31.
Eurykemidae, '81, 31, 36, '89, 267.
Eurylämus, see *Eurylaimus*.
Eurylaimus, '81, 31.
 — *javanicus*, *Borneo*, syn. '90, 357.
 — *ochromelas*, *Borneo*, syn. '90, 357.
Eurynorhynchus pygmæus (*Spoonbill Sandpiper*), *Alas.* '83, 231, '84, 78, 81; *g. dist.* '82, 116.—*hbt.* '83, 11; *plm.* '84, 78; *syn.* '84, 384; *misc.* '84, 81.
Euryptygidae, '81, 81, '94, 242.
Eurystomus, '94, 233.
 — *orientalis*, *Borneo*, syn. '91, 11.
erythrythma (*Ardetta*), see *Ardetta*.
Euryzona, '94, 317.
 — *amauroptera*, *India*, '89, 173.
 — *sepiaria*, *Japan*, '88, 196.
euryzona (*Gallinula*), see *Rallina fasciata*.
Euscarthmus ochropterus, *Boliv.* '90, 384.
 — *pelzelni*, *Braz.* '90, 384.
 — *striaticollis*, *Braz.* '90, 270.
Euspiza, see *Spiza*.
Euthyrhynchus fulviginosa, *misc.* '86, 480.
Euxenura, '78, 183.
Evans, Arthur Humble.
 Birds (rev.), '99, 203.
Evans, Evan M.
 — *Calamospiza melanocorys* on Long Island, N. Y. '89, 192.
evelinae (*Lucifer*), see *Doricha evelynæ*.
evelynæ (*Calothorax*), see *Doricha*.
 — (*Doricha*), see *Doricha*.
 — (*Trochilus*), see *Doricha*.
everetti (*Sasia*), see *Sasia*.
 — (*Tanygnathus*), see *Tanygnathus*.
Evermann, Barton Warren.
 List of birds of Ventura Co., California, '86, 86-94, 179-186.
 List of birds of Ventura Co., California (rev.), '86, 407, 480.
 Birds of Carroll Co., Indiana, '88, 344-351, '89, 22-30.
 Wood Ibis in Indiana, '89, 186.
evermanni (*Lagopus*), see *Lagopus*.
evillina (*Calothorax*), see *Doricha evelynæ*.
Evolution.
 Allen, J. A., '83, 80, '93, 97.
 Elliot, D. G., '92, 77.
 Williams, J. B., '99, 318.
evops (*Conurus*), see *C. euops*.
 — (*Evopsitta*), see *Conurus euops*.
evura (*Parus*), see *P. hudsonicus*.
Exanthemops, '99, 104, 229, 289.
Excalfactoria, '94, 233.
excellens (*Tigrisoma*), see *Tigrisoma*.
excubitor (*Lanius*), see *Lanius*.
excubitorides (*Collurio*), see *Lanius*.
 — (*Lanius*), see *L. excubitorides*, *ludovicianus*, *gambeli* or *anthonyi*.
exilipes (*Acanthis*), see *Acanthis*.
 — (*Ægoithus*), see *Acanthis*.
exilis (*Ardea*), see *Ardetta*.
 — (*Ardeola*), see *Ardetta*.
 — (*Ardetta*), see *Ardetta*.
 — (*Bellona*), see *Bellona*.
 — (*Botaurus*), see *Ardetta*.
 — (*Cisticola*), see *Cisticola*.
 — (*Mellisuga*), see *Bellona*.
 — (*Orthorhynchus*), see *Bellona exilis* or *cristata*.
 — (*Trochilus*), see *Bellona exilis* or *cristata*.
eximia (*Arbelorhina*), see *Cœreba brevipes*.
 — (*Bleda*), see *Bleda*.
 — (*Cœreba*), see *Cœreba brevipes*.
eximius (*Thalassogeran*), see *Thalassogeran*.
exquisita (*Psittacula*), see *Psittacula*.
exsul (*Pelecanoides*), see *Pelecanoides*.
 — (*Spindalis*), see *S. benedicti*.
exulans (*Diomedea*), see *Diomedea exulans* or *albatrus*.
eytoni (*Dendroornis*), see *Dendroornis*.

F

- fabalis* (*Anser*), see *Anser*.
faceta (*Piranga*), see *Piranga*.
Fairbanks, Franklin.
 Obituary of, '95, 315.
Falcineillus, see *Plegadis*.
falcinellus (*Ibis*), see *Plegadis autumnalis*.
 — (*Plegadis*), see *P. autumnalis*.
 — (*Tantalus*), see *Plegadis autumnalis*.
Falco (^b*Cerchnis*), '78, 78^b, '84, 44, '86, 134, '87, 43, '93, 99, '94, 234, 235.
 — *æquatorialis*, *Ecuador*, '92, 257, 260^a; *plm.* '92, 254.
 — *albigularis* (^b*rufigularis*), *Braz.* '91, 161^b; *C. R.* '92, 327.—*syn.* '85, 205.
 — *alaudarius*, *plm.* '97, 107.
 — *anatum* (^a*Duck Hawk* or *Peregrine Falcon*, ^b*communis*, ^c*naevius*, ^d*peregrinus*), *Alas.* '84, 79^c; *Ariz.* '90, 54; *B. C.* 1900, 105; *Cal.* '87,

91 [pealei?]; *Colo.* '85, 17^c; *Conn.* '95, 86, 266; *Fla.* '81, 17^d, '89, 248, 276, '90, 309, '92, 212, '95, 364; *Greenl.* '89, 293; *Hud. B.* '90, 322; *Ill.* '78, 165^c; *Jamaica*, '92, 127; *Ky.* '85, 212^c; *L. Cal.* '95, 138 [pealei?]; *Man.* '85, 267^b, '86, 154; *Mass.* '85, 209^a, '89, 44; *Mc.* '83, 113^d; *N. C.* '86, 103; *N. F.* 1900, 72; *N. J.* '79, 224^b; *N. Y.* '84, 391^c, '97, 226, '99, 85; *O.* '95, 191; *Ore.* '88, 146; *Que.* '84, 295^c; *R. I.* '84, 94^a; *S. C.* '90, 37; *S. D.* '85, 285^a; *Tex.* '92, 234, 1900, 343; *U. S.* '80, 57^b; *Wash.* '92, 355 [pealei?]; *W. I.* '87, 43, '90, 375. —*fd.* '81, 17^d, '87, 91, '93, 201^a, '95, 86, '99, 85; *hbt.* '78, 32, '85, 267^b, '89, 293; *meas.* '78, 33; *mig.* '95, 266; *nst.* '78, 32, 165^c, '80, 57^b, '84, 391^c, '85, 209^a, '86, 103, '95, 138, 266, '97, 226, 396^a (fig.); *plm.* '88, 146; *song.* '85, 267^b; *syn.* '78, 78^c, '87, 43; *misc.* '87, 340^a.

australis, *g. dist.* '92, 257, 267.—*meas.*, *plm.* '92, 268.

brevipennis, *W. I.* '93, 355.

cenchris, *Helg.* '95, 329.

caribbaeum (^b *Tinnunculus*), *W. I.* '80, 169^b, '87, 46, 96, '90, 374, '91, 46, 47, 47, 48, 48, 48, '92, 253, '93, 70.—*meas.* '87, 46; *plm.* '80, 169^b, '87, 46, '92, 253, 254; *syn.* '87, 46.

columbarius (^a Pigeon Hawk, American Merlin, ^b *Æsalon*), *Alas.* '80, 34 [suckleyi?], '81, 6^a [suckleyi?], '87, 12; *Ariz.* '86, 423^b?; *Bahamas*, '91, 76, 334, 337, 339; *B. C.* 1900, 105; *Cal.* '87, 91; *Colo.* '85, 17^b, '94, 267; *Conn.* '95, 264, 266; *C. R.* '91, 272, '92, 328; *Del.* '85, 100^a, 100^b; *Fla.* '88, 271, '89, 248, '90, 310, '92, 212; *Gulf of Mex.* '81, 252^a; *g. dist.* '93, 126; *Gulf of St. Lawrence*, '77, 79; *Hud. B.* '90, 322; *Ida.* '97, 349, 1900, 244; *Ind.* '88, 350; *Jamaica*, '92, 127; *Ky.* '89, 313; *La.* '92, 205; *Man.* '86, 154; *Mass.* '81, 242^a; *N. Atlantic*, '84, 399; *N. C.* '87, 241, '93, 243; *N. F.* 1900, 72; *N. H.* '87, 103; *N. M.* '86, 80^b; *N. Y.* '79, 31, '81, 232^b, '90, 231; *Ore.* '86, 165 [suckleyi?], '88, 146; *P. E. I.* '93, 9; *Que.* '82, 237, 255, '89, 147; *S. C.* '79, 216; *S. D.* '85, 285^b; *Tex.* '82, 173^b, '87, 189, 1900, 343; *Wash.* '92, 43 [suckleyi?], '97, 174, 1900, 244; *W. I.* '87, 43, 96, '90, 375, '91, 48, '92, 127, '94, 246.—*fd.* '77, 79, '92, 127, 1900, 343; *hbt.* '92, 127; *meas.* '82, 255; *mig.* '81, 252^a, '95,

264, 266; *nst.* '81, 242^a, '82, 255, '85, 100^a?; *plm.* 1900, 10; *syn.* '87, 43; *misc.* '79, 111^a, '87, 341^a, '97, 396^a (fig.).

cinnamominus, *g. dist.* '92, 257, 268; *meas.*, *plm.* '92, 269.

deiroleucus, *Braz.* '91, 161.

deserticolus (Desert Sparrow Hawk, ^b *sparverius*, ^c *Tinnunculus*), *Ariz.* '83, 29^b, '86, 423^b, '90, 54^b; *B. C.* '93, 236, 1900, 105^b; *Cal.* '86, 93^c, '89, 221^b, '90, 297^b, '96, 116; *Colo.* '83, 197^b, '85, 17^c, 143^c, '87, 124^b, '94, 268^b; *g. dist.* '92, 257–263, 263^{*}, '93, 60; *Ida.* '97, 353; *L. Cal.* '94, 138^c, '95, 138; *Mont.* '94, 303^b, '95, 214; *N. M.* '86, 80^c, '92, 361^b, '98, 308^b, '99, 188; *Ore.* '79, 196^b, '86, 165^b, '88, 146^b; *Tex.* '87, 189^b; *Wash.* '82, 227^b, '97, 174.—*hbt.* '96, 116; *fd.* '81, 141^b; *meas.* '92, 265; *nst.* '86, 93^c, 423^b, '87, 189^b, '88, 146^b, '96, 116; *plm.* '83, 29^b; *syn.* '93, 60.

dominicensis (Cuban Sparrow Hawk, ^b *sparveroides*, ^c *antillarum*), *Cuba*, '91, 294^b; *W. I.* '81, 154^c, '87, 44, '90, 374, 375, '92, 253, '93, 70.—*meas.* '87, 45; *plm.* '87, 44, '92, 253, 254, 260, 261; *syn.* '87, 44, '91, 88, 113, '92, 252, '93, 70.

eleonore, *Helg.* '95, 329.

feldeggii (^a Lanier Falcon, ^b *lanarius*), *Helg.* '95, 329.—*syn.* '80, 94^b; *misc.* '87, 341^a.

fuscocœrulescens (Aplomado Falcon, ^b *femoralis*), *Ariz.* '89, 173; *Cal.* '90, 216^b; *N. M.* '92, 361; *Tex.* '79, 51.—*nst.* '89, 173.

gyrfalco (^a Gyrfalcon, ^b *sacer*, ^c Hierofalco sacer), *Alas.* '81, 3^a, '84, 79^c; *g. dist.* '93, 124; *Greenl.* '92, 282^a; *Helg.* '95, 329, '90, 322; *Hud. B.* '90, 322; *Mc.* '79, 188^b; *N. Y.* '80, 117^b; *R. I.* '84, 94^c, '86, 270^c.—*fd.* '79, 188^b, '93, 201^a; *syn.* '80, 94, 143, '85, 90, 184, 187, 204^c.

islandus (^a White Gyrfalcon or Iceland Falcon, ^b *candidans*, ^c Hierofalco islandicus), *Alas.* '84, 79^b; *Arctic Am.* '78, 86^b; *Europe.* '80, 142–143^b; *g. dist.* '93, 124; *Greenl.* '89, 292, 1900, 387; *Helg.* '95, 329; *Labrador.* '85, 373^a, '91, 236; *Mc.* '83, 112, '95, 180; *N. E.* '76, 73^c; *N. Y.* '93, 274^c, '95, 180; *Que.* '85, 315; *S. D.* '85, 284^c.—*plm.* 1900, 387; *syn.* '80, 94^b, 143, '85, 90, 185, 187, 205, '95, 180; *misc.* '87, 63^b.

mexicanus (Prairie or Lanier Falcon, ^b *polyagrus*, ^c Hierofalco polya-

grus), *Ariz.* '86, 65, 423, '90, 53; *B. C.* 1900, 105; *Cal.* '81, 194^b, '87, 91; *Colo.* '79, 96, '83, 197, '85, 17^c, '94, 267; *g. dist.* '93, 134; *Ida.* '97, 353; *N. M.* '92, 361, '98, 308; *Ore.* '79, 196^a, '88, 139; *S. D.* '85, 285^c; *Tex.* '82, 173^b, '87, 183; *Wash.* '97, 174.—*fd.* '77, 26^b, '82, 173^b; *hbt.* '82, 173^b, '87, 91; *nst.* '97, 174; *syn.* '85, 205; *misc.* '79, 111^a, '81, 194^b.

obsoletus (Black Gyrfalcon, ^b labradoria), *g. dist.* '93, 124; *Greentl.* '91, 320; *Man.* '93, 49; *Mass.* '77, 27^b, '83, 184; *Mc.* '87, 75, '99, 182; *N. Y.* '81, 126, 247, '92, 203; *Que.* '82, 237; *R. I.* '92, 300, '98, 54.—*fd.* '92, 300; *meas.* '80, 92, 94, '92, 203; *plm.* '80, 92; *syn.* '85, 187, 205^b.

pealei (Peale's Falcon), *Alas.* '84, 79, '85, 157, '95, 275, 276^a; *Japan.* '92, 176; *Wash.* '93, 17.—*fd.* '95, 276^a.

peninsularis (Saint Lucas Sparrow Hawk), *L. Cal.* '92, 257, 267^{*}, '93, 60.—*syn.* '93, 60.

peregrinus (^b nigriceps), *Helg.* '95, 329.—*misc.* '80, 87^b; *syn.* '78, 78 [*communis*].

regulus (Merlin, ^b æsalon), *Greentl.* '87, 345^b, '88, 395^b; *Helg.* '95, 329^b; *Siberia.* 1900, 309^b.—*syn.* '99, 182, 1900, 173.

richardsonii (Richardson's Merlin, ^b Æsalon), *B. C.* 1900, 105; *Colo.* '82, 231, '83, 197, '85, 17^b, '94, 267; *g. dist.* '93, 126; *Ida.* '97, 353; *Man.* '86, 154; *Mont.* '94, 303, '95, 214; *S. D.* '85, 285^b; *Tex.* 1900, 343; *Wash.* '81, 128^b, '82, 227, 230.—*fd.* '94, 303; *meas.* '82, 231; *plm.* '82, 231; *syn.* '85, 205^b.

rusticolus (Gray Gyrfalcon), *B. C.* 1900, 105; *Greentl.* '89, 292; *Siberia.* '88, 197; *Wash.* '97, 352.—*hbt.* '89, 292, 1900, 105; *meas.*, *nst.*, *song.* '89, 292; *plm.* '89, 292, 1900, 387; *syn.* '85, 184, 187, 188, '95, 180.

sparverioides (^b Tinnunculus), *Cuba.* '87, 45, '92, 272, '93, 70.—*meas.*, *plm.* '87, 45; *syn.* '87, 45, '92, 252, '93, 70; *misc.* '81, 171^b.

sparverius (^a American Sparrow Hawk or Kestrel, ^b Tinnunculus, ^c isabellinus, ^d Tinnunculus isabellinus), *Argent.* '84, 23, 110; *Bahamas.* '93, 70; *Colo.* '79, 96, '81, 141, '85, 143^b; *Conn.* '93, 207, '95, 263, 264, 266; *C. R.* '90, 333, '92, 328; *D. C.* '88, 20; *Dcl.* '85, 100^a; *Engl.* '85, 372; *Fla.* '88, 271, '89, 248, '90,

223, 310, '92, 212, '93, 337, '95, 364; *Ga.* '83, 41^b, '96, 212; *g. dist.* '92, 252–270; *Ia.* '95, 121, 236; *Ida.* 1900, 244; *Ind.* '88, 350; *Ky.* '89, 313; *La.* '92, 205; *Man.* '86, 154; *Mass.* '95, 86, '96, 88, '99, 85; *Mc.* '82, 151; *Mex.* '99, 359^b; *Mich.* '93, 224; *Minn.* '84, 247^b; *Mo.* '95, 115^a, '96, 222^a; *N. B.* '82, 151; *N. C.* '86, 179, '87, 241; *N. H.* '87, 103; *N. J.* '79, 85^a, '94, 136; *N. S.* '87, 16, '91, 165; *N. Y.* '79, 31, '81, 233^b, '82, 188; *Pa.* '92, 135, '96, 281, 293; *Que.* '82, 237; *S. C.* '79, 216, '90, 37; *S. D.* '85, 285^b; *Tenn.* '86, 319, '87, 128, 129; *Tex.* '82, 41^b, 173^b, '89, 237, '91, 312, '92, 234, 1900, 343; *Urug.* '84, 110; *Venez.* '97, 366; *Wash.* '92, 43; *W. I.* '81, 152^b, '87, 43.—*fd.* '87, 338^a, 338^b, 338^c, '94, 303; *hbt.* '83, 177^b, '84, 23; *meas.* '78, 41^b, '92, 263; *mig.* '95, 121, 125^a, 236, 263, 264, 266, '96, 88, '99, 144^a; *nst.* '78, 41^b, '91, 108^a, '83, 41^b, 173^a, '85, 100^a, '87, 241, '95, 86, '99, 85; *plm.* '92, 252, 258, 260, 262^c, 328, 1900, 10^a; *song.* '95, 115^a; *syn.* '85, 205^d, '87, 43, '92, 252, '93, 70; *misc.* '79, 111^a, '87, 341^a, '97, 396^a (fig.), 1900, 111^a.

subbuteo, *Helg.* '95, 329.

suckleyi (Black Merlin, ^b Æsalon), *Alas.* '98, 123?; *B. C.* '93, 291, 384, 1900, 105; *Ore.* '86, 146; *Wash.* '81, 128^b, '82, 227, 230, '93, 17, 291, 384, 1900, 352.—*fd.* 1900, 352; *plm.* '82, 230, 1900, 10.

tinnunculus (^a Kestrel), *Helg.* '95, 329; *Mass.* '88, 110, 205 (corr.), 395; *N. Atlantic.* '84, 398.—*plm.* '97, 107^a.

vespertinus, *Helg.* '95, 329.

Falcon, Apolomado, see Falco fusco-ceruleo-scapularis.

Greenland, see Falco islandus.

Iceland, see Falco islandus.

Jer, see F. gyrfalco.

Lanier, see Falco feldeggii; F. mexicanus (American references).

Peale's, see Falco pealei.

Peregrine, see Falco anatum.

Prairie, see Falco mexicanus.

Falcons (^a Hawks), '77, 70, '78, 77, '79, 111^a, '81, 194^a, '83, 48^a, 175^a, '84, 186^a, '85, 212^a, '86, 477^a, '87, 161^a, 167^a, 277^a, 283^a, 338^a, 340^a, 351^a, '93, 199^a, '95, 318^a, '96, 73^a, '97, 396^a, 1900, 53^a, 95^a, 102^a, 111^a.

Falconi, '80, 172.

Falconidae, '77, 70–73, '78, 77, '81, 77,

163, 200, 203, '82, 14, '83, 168, '86, 133, '93, 109, 210, '95, 156.
Falconinae, '77, 70, '97, 396.
Falculia, '81, 32.
falklandica (*Ægialitis*), see *Ægialitis*.
Falkland Islands,
Allen, J. A., '99, 292.
fallax (*Doleromyia*), see *Doleromyia*.
— (*Elenia*), see *Elenia*.
— (*Melospiza*), see *M. fallax* or *montana*.
familiaris (*Aëdon*), see *Aëdon*.
— (*Certhia*), see *Certhia familiaris*, *fusca* or *montana*.
Familiar Science and Fancier's Journal, titles (Nos. 26-48), '80, 113.
Fannin, John,
Check list of British Columbia birds (rev.), '92, 65.
Canada Goose and Osprey laying in same nest, '94, 322.
Emperor Goose in British Columbia, '95, 76.
Harris's Sparrow in British Columbia, '95, 305.
California Vulture in Alberta, '97, 89.
Abundance of owls on coast of British Columbia, '97, 89.
Fanning Islands,
Allen, J. A., '78, 80-81.
Streets, T. H., '76, 46-47, '77, 74, '78, 80-81.
Faroë Islands,
Dagleish, J. J., '80, 212, 217, 219.
Farley, John A.,
White-throated Sparrow in winter near Worcester, Mass., '82, 122.
Breeding of Traill's Flycatcher in eastern Massachusetts, '95, 302.
Breeding of Seaside Sparrow in Massachusetts, '97, 322.
Farr, Marcus Stults,
Check list of New York birds (rev.), 1900, 313.
Farrington, Oliver Cummings,
Fossil egg from South Dakota (rev.), '99, 370.
fasciata (*Columba*), see *Columba*.
— (*Chamaea*), see *Chamaea*.
— (*Fringilla*), see *Melospiza*.
— (*Melospiza*), see *M. fasciata* or *montana*.
— (*Rallina*), see *Rallina*.
fasciatus (*Cymbilanius*), see *Cymbilanius*.
— (*Ortyx*), see *Philortyx*.
— (*Philortyx*), see *Philortyx*.
— (*Picoides*), see *P. alascensis*.
— (*Rallus*), see *Rallina*.

Fat-eater, see *Auriparus flaviceps*.
fatigata (*Geospiza*), see *Geospiza*.
Faxon, Charles Edward,
Translation of Grundtvig's 'birds of Shiocton, Wisconsin' (rev.), '95, 173.
Faxon, Walter,
Another black Robin, '86, 284.
Summer birds of Berkshire Co., Mass., '89, 39-46, 99-107.
Molothrus atter in Massachusetts in December, '89, 72.
Observations on Robin roosts, '90, 367.
Hudsonian Chickadee (*Parus hudsonicus*) in Vermont and Massachusetts, '90, 407.
Long-billed Marsh Wren, Maryland Yellow-throat, Nashville Warbler and Great Blue Heron in eastern Mass. in winter, '90, 408-410.
Prairie Horned Lark (*Otocoris alpestris praticola*) breeding in New Hampshire and Mass., '92, 201.
Vireo philadelphicus in Cambridge, Mass., '95, 84.
Rough-winged Swallow (*Stelgidopteryx serripennis*) breeding in North Adams, Berkshire Co., Mass., '95, 392.
Turdus aliciae bicknelli and *Otocoris alpestris praticola* as summer residents of Berkshire Co., Mass., '95, 392.
John Abbott's drawings of the birds of Georgia, '96, 204-215.
Helminthophila rubricapilla vs. *Helminthophila ruficapilla*, '96, 263.
Louisiana Water-Thrush breeding in Berkshire Co., Mass., '96, 344.
Seaside Sparrow (*Ammodramus maritimus*) in Massachusetts, '97, 320.
What is *Fringilla macgillivrayi* Aud.?, '97, 321.
Purple Martins (*Progne subis*) breeding in electric arc-light caps, '97, 407.
Names of two Mexican Wrens, '97, 409.
Hemimura leucogastra (Gould)—a correction, '98, 60.
Faxon, W., and Allen, J. A.,
Notes on summer birds of Holderness, Bethlehem and Franconia, N. H., '88, 149-155.
Faxon, W., and Hoffman, R.,
Birds of Berkshire Co., Mass. (rev.), 1900, 187.
Feather, The (magazine), '96, 195.
Feather trade, see Destruction.

- feda (Limosa), see Limosa.
 — (Scolopax), see Limosa.
Feilden, Henry Wemyss.
 List of birds observed in Smith Sound
 and in the Polar basin (rev.), '78,
 86.
feldeggii (*Falco*), see Falco.
felix (*Thryothorus*), see Thryothorus.
femoralis (*Falco*), see *F. fusco-cærunculæscens*.
 — (*Numenius*), see *N. tahitiensis*.
 — (*Pholidauges*), see *Pholidauges*.
fera (*Meleagris*), see *Meleagris*.
ferina (*Aythya*), see *Aythya*.
 — (*Fuligula*), see *Aythya*.
ferinoidea (*Fuligula*), see *Fuligula*.
Fernald, Charles Henry, and Forbush,
 E. H., see Forbush and Fernald.
fernandinae (*Anabates*), see *Teretistris*.
 — (*Colaptes*), see *Nesoceleus*.
 — (*Geopicus*), see *Nesoceleus*.
 — (*Geothlypis*), see *Teretistris*.
 — (*Nesoceleus*), see *Nesoceleus*.
 — (*Picus*), see *Nesoceleus*.
 — (*Teretistris*), see *Teretistris*.
ferox (*Buteo*), see *Buteo*.
 — (*Myiarchus*), see *Myiarchus*.
Ferrari-Perez, Fernando.
 Catalogue of animals collected by geographical and exploring commission of Mexico (rev.), '87, 65.
ferrariperezi (*Amphispiza*), see *Aimophila*.
ferreirostris (*Coccothraustes*), see *Coccothraustes*.
ferruginea (*Drymophilà*), see *Drymophilà*.
 — (*Muscicapa*), see *Muscicapa*.
 — (*Nyroca*), see *Nyroca*.
 — (*Tringa*), see *Tringa*.
ferrugineicollis (*Totanus*), see *Macrocephalus griseus*.
ferrugineum (*Glaucidium*), see *G. phænoides*.
ferrugineus (*Archibuteo*), see *Archibuteo*.
 — (*Coccyzus*), see *Coccyzus*.
 — (*Gallus*), see *Gallus*.
 — (*Scolecodagus*), see *S. carolinus*.
 — (*Trochilus*), see *Glaucis hirsuta*.
 — (*Trogon*), see *Trogon*.
ferus (*Anser*), see *A. anser*.
Festa, Enrico, and *Salvadori*, T., see *Salvadori* and *Festa*.
festæ (*Ramphocelus*), see *Ramphocelus*.
festatus (*Pharomachrus*), see *Pharomachrus*.
festiva (*Amazona*), see *Amazona*.
Fewkes, Jesse Walter.
- Do Crows carry objects in their claws? '84, 92.
 Ducks transporting fresh-water clams, '84, 195.
 fiber (*Dysporus*), see *Sula sula*.
 — (*Sula*), see *S. sula*.
Fiddler, see *Colaptes luteus*.
Field, George Wilton.
 Notes on birds of Port Henderson, Jamaica, West Indies, '94, 117-127.
Field and Forest (magazine), titles, '76, 71, '77, 75, (Nos. 19-25), '80, 112.
Field Columbian Museum, African expedition, '96, 196.
Fieldfare, Field-fair or Fieldfear, see *Merula migratoria*, '83, 74.
fieldi (*Hyetornis*), see *Hyetornis*.
Figgins, Jesse Dade.
 Bachman's Sparrow in Maryland, '97, 219.
Figures, in text, see *Plates*.
fimbriata (*Anas*), see *Pæcilonitta bahamensis*.
Finch, Bachman's see *Peuæa bachmani*.
 Bahama Fruit, see *Spindalis zena*.
 Black, see *Melopyrrha nigra*.
 Black Sea-side, see *Ammodramus nigriceps*.
 Blanding's, see *Oreospiza chlorura*.
 California House, see *Carpodacus frontalis*.
 California Purple, see *Carpodacus californicus*.
 Cassin's Purple, see *Carpodacus cassini*.
 Cinereous, see *Melospiza cinerea*.
 Crimson-fronted House, see *Carpodacus frontalis*.
 Dusky Seaside, see *Ammodramus nigriceps*.
 European Green, see *Ligurinus chloris*.
 Gambel's, see *Zonotrichia gambelii*.
 Grass, see *Pooecetes gramineus* or *confinis*.
 Gray-crowned, see *Leucosticte tephrocotis*.
 Green-tailed, see *Oreospiza chlorura*.
 Guadalupe House, see *Carpodacus amplus*.
 Harris's, see *Zonotrichia querula*.
 Hepburn's Gray-crowned, see *Leucosticte littoralis*.
 House, see *Carpodacus frontalis*.
 Indigo, see *Cyanospiza cyanea*.
 Lark, see *Chondestes grammacus*.
 Lazuli, see *Cyanospiza amoenâ*.
 Lincoln's, see *Melospiza lincolni*.

McGregor's House, see *Carpodacus* *mcgregori*.
 Nelson's Sharp-tailed, see *Ammodramus nelsoni*.
 Painted, see *Cyanospiza ciris*.
 Pine, see *Spinus pinus*.
 Purple, see *Carpodacus purpureus*.
 Rufous-crowned Summer, see *Aimophila scottii*.
 Saint Lucas House, see *Carpodacus ruberrimus*.
 San Clemente House, see *Carpodacus clementis*.
 Seaside, see *Ammodramus maritimus*.
 Serin, see *Serinus serinus*.
 Sharp-tailed, see *Ammodramus caudacutus*.
 Townsend's see *Spiza townsendi*.
 Western Grass, see *Pooecetes confinis*.
 Western Purple, see *Carpodacus caspini*.
 Yellow-backed, see *Loxipasser anoxantha*.
 Finches, see *Fringillidae*.
finschi (*Conurus*), see *Conurus*.
 — (*Certhiola*), see *Cæreba martiniana*.
fischeri (*Arctonetta*), see *Arctonetta*.
 — (*Lampronetta*), see *Actonetta*.
Fisher, Albert Kenrick.
 Robin's eggs, spotted, '78, 97.
 Kentucky Warbler (*Oporornis formosus*) at Sing Sing, N. Y. '78, 191.
 Occurrence of several rare birds near Sing Sing, N. Y. '79, 61.
Helminthophaga leucobronchialis in New York, '79, 234.
 Large-billed Water Thrush at Lake George, N. Y. '80, 117.
 Two more specimens of *Helminthophaga leucobronchialis* from Sing Sing, N. Y. '81, 245.
 Another specimen of *Siurus motacilla* at Lake George, N. Y. '81, 245.
Dendraca palmarum at Sing Sing, New York, '82, 249.
 Snow Goose (*Chen hyperboreus*) at Sing Sing, New York, '82, 251.
 Capture of *Egiothus linaria holbælli* in lower Hudson valley, '83, 121.
 Nesting of *Chrysomitrix pinus* at Sing Sing, N. Y. '83, 180.
 Wood Ibis (*Tantalus loculator*) in eastern New York, '85, 221.
Ammodramus caudacutus nelsoni in lower Hudson valley, New York, '85, 306.

Helminthophila leucobronchialis at Sing Sing, New York, '85, 378.
 Interbreeding of *Helminthophila chrysoptera* and *H. pinus*, '85, 378.
Rallus longirostris crepitans breeding on coast of Louisiana, '88, 108.
Megascops floridanus in Louisiana, '88, 111.
Quiscalus quiscula aglaeus in Louisiana, '88, 113.
 Capture of a specimen of Orange-crowned Warbler (*Helminthophila celata*) in vicinity of Washington, D. C. '90, 96.
 Appearance of Razor-billed Auk (*Aleca torda*) on coast of North Carolina, '90, 203.
 A correction [of record of Hawk Owl, '90, 91], '90, 400.
Myiarchus nuttingi in Arizona, '92, 394.
 Our Hawks and Owls in their relation to agriculture (rev.), '93, 199-201.
 Ornith. of Death Valley expedition (rev.), '93, 285-288.
 Capture of *Basilinna leucotis* in southern Arizona, '94, 325.
 Occurrence of *Aphelocoma cyanotis* in western Texas, '94, 327.
 Masked Duck (*Nomonyx dominicus*) in lower Rio Grande valley, Texas, '95, 297.
 Occurrence of *Holina swainsoni* in the Dismal Swamp, Virginia, '95, 307.
 Hawks and Owls from the standpoint of the farmer (rev.), '96, 73.
 Rank of the Sage Sparrow, '98, 190.
 Obituary of J. L. Fowler, '99, 377.
 Occurrence of Steller's Eider (*Enicocitta stelleri*) in the Gulf of St. Lawrence, 1900, 65.
Fisher, George Jackson.
 Polydactylism in birds, '88, 218.
Fisher, William Harmanus.
 The Redpoll in Maryland, '97, 219.
fisheri (*Æstrelata*), see *Æstrelata*.
 — (*Ammodramus*), see *Ammodramus*.
 — (*Glaucidium*), see *Glaucidium*.
 Fish-hawk, see *Pandion carolinensis*.
 Fishkill Standard (newspaper), title (No. 450), '83, 238.
fissipes (*Hydrochelidon*), see *H. surinamensis*.
 — (*Sterna*), see *Hydrochelidon surinamensis*, *nigra* or *leucoptera*.
 Fissirostres, '81, 28-30.
Flagg, Wilson.
 Obituary of, '84, 306.

Flamingo, American, see *Phoenicopterus ruber*.
 Flamingos, see *Phoenicopteridae*.
flammea (*Setophaea*), see *Setophaea*.
 — (*Strix*), see *Strix pratineola*, *flammea*, *glauca* or *nigrescens*.
flammeata (*Ulula*), see *Surnia ulula*.
flammeola (*Megascops*), see *Megascops*.
flammeolus (*Scops*), see *Megascops*.
flameus (*Aluco*), see *Strix perlata*.
 — (*Trogon*), see *Trogon*.
flamnigerus (*Ramphopus*), see *Ramphocelus*.
 — (*Ramphocelus*), see *Ramphocelus*.
flamnula (*Pinicola*), see *Pinicola*.
 — (*Selasphorus*), see *Selasphorus*.
flamnulatus (*Myiarchus*), see *Myiarchus*.
 Flat-bill, see *Myiarchus barbirostris*.
 Buff-winged, see *Blacicus pallidus*.
flava (*Budyes*), see *B. flava* or *leucostriatus*.
 — (*Fringilla*), see *Sicalis flaveola*.
 — (*Motacilla*), see *Budyes flava* or *leucostriatus*.
 — (*Sicalis*), see *flaveola*.
flaveola (*Capsiempis*), see *Capsiempis*.
 — (*Cereba*), see *Cereba*.
 — (*Certhia*), see *Certhiola bahamensis*.
 — (*Certhiola*), see *Cereba flaveola*, *portoricensis*, or *newtoni*.
 — (*Cereba*), see *C. bartholemica* or *portoricensis*.
 — (*Fringilla*), see *Sicalis*.
 — (*Nectarinia*), see *Cereba portoricensis*.
 — (*Sicalis*), see *Sicalis*.
flavescens (*Vireo*), see *Vireo*.
flavicans (*Celeus*), see *Crocomorphus flavus*.
flaviceps (*Auriparus*), see *Auriparus*.
 — (*Dendroica*), see *Dendroica*.
 — (*Geothlypis*), see *Geothlypis*.
 — (*Paroides*), see *Auriparus*.
 — (*Pipra*), see *Pipra flavigollis*.
flavicollis (*Pipra*), see *Pipra*.
flavida (*Dendroica*), see *Dendroica*.
flavifrons (*Auriparus*), see *Auriparus*.
 — (*Emberiza*), see *Euphonia*.
 — (*Euphonia*), see *Euphonia*.
 — (*Laniivireo*), see *Vireo*.
 — (*Tanagra*), see *Euphonia*.
 — (*Vireo*), see *Vireo*.
flavigaster (*Anthreptes*), see *Arachnothera*.
 — (*Basileuterus*), see *Basileuterus*.
 — (*Dendronnis*), see *Dendronnis*.
 — (*Pendulinus*), see *Icterus dominicensis*.

flavigastera (*Arachnothera*), see *Arachnothera*.
flavigula (*Chloronipes*), see *C. flavigularis*.
flavigularis (*Chloronipes*), see *Chloronipes*.
flavipectus (*Cyclorhis*), see *Cyclorhis*.
flavipes (*Gambetta*), see *Totanus*.
 — (*Hylophilus*), see *Hylophilus*.
 — (*Scolopax*), see *Totanus*.
 — (*Totanus*), see *Totanus*.
flavirostris (*Acanthis*), see *Acanthis*.
 — (*Columba*), see *Columba*.
 — (*Gecinus*), see *Gecinus*.
 — (*Merula*), see *Merula*.
 — (*Phaethon*), see *P. americanus*.
 — (*Phaeton*), see *Phaeton americanus*.
 — (*Querquedula*), see *Querquedula*.
 — (*Turdus*), see *Merula*.
flaviventris (*Conurus*), see *C. nanus*.
 — (*Porzana*), see *P. flaviventris*.
 — (*Rallus*), see *Porzana flaviventris*.
 — (*Arachnothera*), see *A. flavigastera*.
 — (*Blacicus*), see *Blacicus*.
 — (*Crithagra*), see *Crithagra*.
 — (*Cyclorhis*), see *Cyclorhis*.
 — (*Empidonax*), see *Empidonax*.
 — (*Hapalocercus*), see *Hapalocercus*.
 — (*Oethcea*), see *Empidonax lawrencei*.
 — (*Ortygometra*), see *Porzana*.
 — (*Porzana*), see *Porzana*.
 — (*Sphecotheres*), see *Sphecotheres*.
 — (*Vireo*), see *V. flavifrons*.
flavivertex (*Dendroica*), see *Dendroica*.
 — (*Heterocercus*), see *Heterocercus*.
 — (*Setophaga*), see *Setophaga*.
flavovelata (*Geothlypis*), see *Geothlypis*.
flavoviridis (*Vireo*), see *Vireo*.
flavus (*Agelaius*), see *Agelaius*.
 — (*Picus*), see *Crocomorphus*.
 — (*Xanthosomus*), see *Agelaius*.
Fleming, James Henry.
 Ontario bird notes, 1900, 176.
 Flicker, see *Colaptes auratus* or *luteus*.
 Brown, see *Colaptes brunneus*.
 Common, see *Colaptes auratus* or *luteus*.
 Gilded, see *Colaptes chrysoides*.
 Guadalupe, see *Colaptes rufipileus*.
 Hybrid, see *Colaptes cafer*.
 Malherbe's, see *Colaptes chrysoides*.
 Northern, see *Colaptes luteus*.
 Northwestern, see *Colaptes saturatior*.
 Red-shafted, see *Colaptes cafer*.
 Yellow-shafted, see *Colaptes auratus* or *luteus*. .

- Flint**, Harry Welling.
 Capture of Louisiana Tanager at New Haven, Connecticut, '93, 86.
- Flint**, William.
 The metric system, '87, 357.
- floresi* (*Lampronis*), see *L. mango*.
 —— (*Selasphorus*), see *Selasphorus*.
 —— (*Trochilus*), see *Selasphorus*.
- floriceps* (*Anthocephala*), see *Anthocephala*.
- Florida**. see *Ardea*.
- Florida**.
 Allen, J. A., '80, 89, 135, 178, '88, 284-287, 426, '96, 246-247.
 Atkins, J. W., '99, 272.
 Baily, H. B., '84, 95.
 Baker, C. F., '92, 194.
 Bangs, O., '98, 174-183.
 Batchelder, C. F., '81, 58-60.
 Beckham, C. W., '82, 250.
 Bendire, C. E., '88, 355.
 Boardman, G. A., '80, 64.
 Brewster, W., '78, 40, '81, 38-44, '82, 121-122, '83, 185-186, '86, 481, 481-482, '87, 148-149, 160, '89, 279, 336-338, '91, 125-138, 149-157, '93, 215-219, '97, 221-222, '98, 185.
 Chapman, F. M., '88, 267-277, 319, '89, 278-279, '90, 9-14, '91, 125-138, '96, 11-19.
 Cherrie, G. K., '97, 402-403.
 Clarke, S. C., '87, 68.
 Cory, C. B., '86, 262, 408, '87, 159, '89, 275, '90, 204, '91, 309, '95, 187-188, '98, 331.
 Coues, E., '83, 61, '85, 387, '88, 37.
 Goss, N. S., '86, 134.
 Gunn, C. W., '83, 234.
 Hasbrouck, E. M., '92, 286.
 Heilprin, A., '92, 195.
 Hopkins, C. L., '88, 249-251.
 Ingersoll, E., '81, 184.
 Jamieson, H. K., '91, 233.
 Jencks, F. T., '86, 271.
 Kline, H. A., '87, 338, 341, '89, 174, 177.
 Koch, A., '92, 385, '99, 277-278.
 Lawrence, R. H., '91, 231-232.
 Mackay, G. H., '97, 325.
 Maynard, C. J., '76, 30, 75, '79, 114-115, '80, 170, '89, 183.
 McCrary, J. M., '92, 385.
 McPherson C. S., '90, 85, '91, 110, 110.
 Merriam, C. H., '85, 60-63, 104, '87, 262, '88, 322, '89, 276.
 Merrill, J. C., '79, 114-115.
 Mortimer, D., '90, 337-343.
 Packard, A. S., '91, 313.
- Palmer, W., '96, 99-108.
 Pearson, T. G., '90, 85, '97, 99.
 Pennock, C. J., '90, 56-57.
 Rhoads, S. N., '92, 1-8, '93, 362-363.
 Ridgway, R., '80, 122-123, '81, 207-214, '82, 1-6, 116, '86, 134, '94, 324, '97, 88-89.
 Scott, W. E. D., '81, 14-21, '87, 133-135, 135-144, 213-222, 273-284, 348, '88, 183-188, 373-379, 428-430, '89, 13-18, 152-161, 243-252, 317-326, '90, 14-22, 90, 114-120, 221-226, 264-265, 301-314, 376, 400, '91, 309-310, 318-319, '92, 141-142, 209-218.
 Sennett, G. B., '88, 305-306.
 Shufeldt, R. W., '89, 182.
 Simons, M. H., '82, 116.
 Smith, G., '80, 54.
 Ward, C. W., '84, 161-163.
 Wayne, A. T., '93, 336-338, '95, 362-367.
 Wheeler, J. B., '91, 109.
- Florida Museum of Nat. Hist. '96, 268.
 Florida Naturalist (magazine), '90, 219.
floridana (*Aphelocoma*), see *A. cyanea*.
 —— (*Speotyto*), see *Speotyto*.
- floridanus* (*Agelaius*), see *Agelaius*.
 —— (*Cardinalis*), see *Cardinalis*.
 —— (*Colinus*), see *Colinus*.
 —— (*Corvus*), see *C. pascuus*.
 —— (*Graculus*), see *Phalacrocorax*.
 —— (*Megascops*), see *Megascops*.
 —— (*Parus*), see *P. bicolor*.
 —— (*Phalacrocorax*), see *Phalacrocorax*.
 —— (*Scops*), see *Megascops*.
florincola (*Cyanocitta*), see *Cyanocitta*.
- Floyd**, Harry Webb.
 Wintering of Towhee (*Pipilo erythrrophthalmus*) at Rockaway Beach, L. I., '98, 190.
- fluviatilis* (*Locustella*), see *Locustella*.
 —— (*Motacilla*), see *Seiurus noveboracensis*.
 —— (*Sterna*), see *S. hirundo*.
- Fluvicola pica**, Venz. '97, 365.
- Flycatcher**, Acadian, see *Empidonax virescens*.
- Alder, see *Empidonax alnorum*.
 Arizona Crested, see *Myiarchus magister*.
 Arkansas, see *Tyrannus verticalis*.
 Ash-throated, see *Myiarchus cinereascens*.
 Baird's, see *Empidonax difficilis*.
 Beardless, see *Ornithion imberbe*.
 Black-capped, see *Wilsonia pusilla*.
 Black-crested, see *Phainopepla nitens*.

Buff-breasted, see *Empidonax pygmaeus*.
 Canada, see *Wilsonia canadensis*.
 Cassin's see *Tyrannus vociferans*.
 Cooper's, see *Myiarchus magister*.
 Couch's Tyrant, see *Tyrannus couchii*.
 Coues's, see *Contopus pallidiventris*.
 Crested, see *Myiarchus crinitus*.
 Derby, see *Pitangus derbianus*.
 Durango, see *Empidonax timidus*.
 Fork-tailed, see *Milvulus tyrannus*.
 Fulvous, see *Empidonax fulvifrons*.
 Giraud's, see *Myiozetetes texensis*.
 Gray, see *Empidonax griseus*.
 Great-crested, see *Myiarchus crinitus*.
 Green-crested, see *Empidonax virescens*.
 Hammond's, see *Empidonax hammondi*.
 Island, see *Empidonax [insulicola ==] difficilis*.
 Jalisco, see *Myiopagis jaliscensis*.
 Lawrence's, see *Myiarchus lawrencei*.
 Lead-colored, see *Polioptila plumbea*.
 Least, see *Empidonax minimus*.
 Least Bahama, see *Blacicus bahamensis*.
 Lesser Crested, see *Empidonax virescens*.
 Little, see *Empidonax traillii*.
 Little Western, see *Empidonax traillii*.
 Mexican Crested, see *Myiarchus mexicanus*.
 Northern Crested, see *Myiarchus crinitus*.
 Nutting's, see *Myiarchus nuttingi*.
 Oaxaca Green, see *Empidonax perplexus*.
 Olivaceous, see *Myiarchus olivascens*.
 Olivaceous Crested, see *Myiarchus olivascens*.
 Olive-sided, see *Contopus borealis*.
 Pluma, see *Empidonax occidentalis*.
 Red-eyed, see *Vireo olivaceus*.
 Ridgway's, see *Ornithion ridgwayi*.
 Rio Grande, see *Pitangus derbianus*.
 Rufous-tailed, see *Myiarchus leucayensis*.
 St. Lucas, see *Empidonax cineritius*.
 Say's, see *Sayornis nigricans*.
 Scissor-tailed, see *Milvulus forficatus*.
 Sierra Madre, see *Empidonax pulverius*.
 Slender-billed, see *Mitrephanes tenuirostris*.
 Small Green-crested, see *Empidonax virescens*.
 Sulphur-hellied, see *Myiodynastes luteiventris*.

Swallow-tailed, see *Milvulus forficatus*.
 Texas, see *Myiozetetes texensis*.
 Texas Great-crested, see *Myiarchus mexicanus*.
 Townsend's, see *Myadestes townsendii*.
 Traill's see *Empidonax traillii or alnorum*.
 Vermilion, see *Pyrocephalus mexicanus*.
 Western, see *Empidonax difficilis*.
 Western Yellow-bellied, see *Empidonax difficilis*.
 Wilson's, see *Wilsonia pusilla*.
 Wright's, see *Empidonax wrightii*.
 Yellow-bellied, see *Empidonax flaviventris*.
 Flycatchers, see *Tyrannidae*.
 Flysnapper, Black-crested, see *Phainopepla nitens*.
 Fly-up-the-creek, see *Ardea virescens*.
 feeda (*Limosa*), see *L. fedoa*.
 fetidus (*Gymnoderus*), see *Gymnoderus*.
Food of birds.
 Allen, J. A., '81, 22.
 Beal, F. E. L., '97, 8.
 Judd, S. D., '96, 285.
 Lucas, F. A., '93, 311.
 Sanderson, E. D., '98, 144.
Foote, Fannie Huberta.
 Carolina Wren (*Thryothorus ludovicianus*) at Inwood-on-Hudson, N. Y. city, '97, 224.
 A provident Nuthatch, '99, 283.
Forbes, Stephen Alfred.
 Studies of food of birds, insects and fishes (rev.), '81, 110.
 Snowbird (*Junco hyemalis*) in southern Illinois in June, '81, 180.
 Regulative action of birds on insect oscillations (rev.), '83, 105-107.
 forbesi (*Agelaius*), see *Agelaius*.
Forbush, Edward Howe.
 Evening Grosbeak in Hampden Co., Massachusetts, '90, 210.
 Birds as protectors of orchards (rev.), '95, 383.
 The Crow in Massachusetts (rev.), '96, 337.
 [Bird protection in Massachusetts], '98, 89, '99, 66.
Forbush, E. H., and Fernald, Charles Henry.
 The Gypsy Moth (*Porthetria dispar*) (rev.), '96, 336.
Forest and Stream (mag.), titles, '77, 75, (Nos. 1-14) '80, 43, (Nos. 71-100) '81, 48, (Nos. 142-159) '81.

- 112, (Nos. 165-182) '82, 115, (Nos. 190-235) '83, 116, (Nos. 609-668) '84, 285, (Nos. 846-963) '85, 295, (Nos. 1069-1126) '87, 66, (Nos. 1127-1199) '87, 337, (Nos. 1287-1388) '89, 174, (Nos. 1678-1932) '90, 388, (Nos. 2113-2203) '92, 66, (Nos. 2266-2517) '92, 384, (Nos. 2611-2697) '94, 67.
forficatus (*Chlorostilbon*), see *Chlorostilbon*.
 —— (*Elanoides*), see *Elanoides*.
 —— (*Falco*), see *Elanoides*.
 —— (*Milvulus*), see *Milvulus*.
 —— (*Nauclerus*), see *Nauclerus*.
Formicariidae, '81, 29, 36, '90, 379, '96, 159.
Formicarius, '94, 169.
 albicrissus, *W. I.* '94, 173.
 analis, *Boliv.* '90, 322; *syn.* '94, 170.
 glaucopectus, *syn.* '94, 170.
 grisea, *Braz.* '91, 29.
 nigricapillus, *syn.* '94, 170.
 nigrifrons, *syn.* '94, 170.
 pallidus, *Yucatan*, '83, 114.
 trinitatis, *W. I.* '94, 173.
Formicivora, '99, 354, see also *Drymophilidae*.
 intermedia, *Venez.* '97, 365; *W. I.* '93, 220.
 rufa, *Braz.*, *syn.* '91, 29.
formicivorus (*Melanerpes*), see *Melanerpes*.
formisivorus (*Melanerpes*). see *M. bairdi*.
formosa (*Fringilla*), see *Fringilla*.
 —— (*Geothlypis*), see *Geothlypis*.
 —— (*Setophaga*), see *Geothlypis*.
 —— (*Sylvia*), see *Geothlypis*.
formosus (*Myioiodetes*), see *Geothlypis*.
 —— (*Myioctonus*), see *Geothlypis*.
 —— (*Oporornis*), see *Geothlypis*.
 —— (*Phrygilus*), see *P. gayi*.
fornsi (*Geothlypis*), see *Teretistris*.
 —— (*Teretistris*), see *Teretistris*.
forsteri (*Sterna*), see *Sterna*.
fortirostris (*Holoquiscalus*), see *Quiscalus*.
 —— (*Quiscalus*), see *Quiscalus*.
Foster, Lyman Spalding.
 Widgeon (*Anas penelope*) near Baltimore, Md. '90, 283.
 Published writings of G. N. Lawrence (rev.), '93, 202.
Black-capped Petrel (*Astrelata hasitata*) in Ulster Co., New York, '95, 179.
Pinicola enucleator in Westchester Co., N. Y. '96, 175.
Black Tern (*Hydrochelidon nigra*

- surinamensis*) in New York harbor, '99, 351.
Foudia eminentissima, *syn.* '91, 92.
Fowl, Sage, see *Centrocercus urophasianus*.
Fowler, H. Gilbert, and Rathbun, F. B., see Rathbun and Fowler.
Fowler, Henry Weed.
 Rare birds in vicinity of Philadelphia [not by 'W. Stone,' see corr. '97, 452], '97, 326, 410.
Fowler, Joshua Lounsbury.
 Obituary of, '99, 377.
Fox, William Henry.
 Capture of Philadelphia Vireo in New Hampshire, '77, 78.
 Stray notes from Lookout Mountain, Tenn., '82, 191.
 Richardson's Owl in southern New Hampshire, '83, 61.
Dendracca coronata in southern New Hampshire in summer, '84, 192.
 List of birds found in Roane Co., Tennessee, '86, 315-320.
Vireo solitarius alticola in Tennessee, '87, 164.
franata (*Merganetta*), see *Merganetta*.
France.
 Dalgleish, J. J. '80, 69, 73, 145, 147, 150, 213, 215-220.
francescae (*Granatellus*), see *Granatellus*.
Francis, Nathaniel Atwood.
 Breeding of Acadian Owl in eastern Massachusetts, '81, 185.
 Wilson's Snipe (*Gallinago wilsoni*) nesting in Massachusetts, '83, 243.
Francolinus vulgaris, *misc.* '90, 397.
franklinii (*Canachites*), see *Canachites*.
 —— (*Chroicocephalus*), see *Larus*.
 —— (*Dendragapus*), see *Canachites*.
 —— (*Larus*), see *Larus*.
 —— (*Tetrao*), see *Canachites*.
frantzii (*Semnornis*), see *Semnornis*.
Frasar, Donald.
 'Brünnich's Murre near Johnstown, New York, '95, 290.
Fraser, J. T.
 Turkey Buzzard in western New York, '84, 293.
Fraseria prospensa, Liberia, 1900, 187.
frater (*Anous*), see *A. stolidus*.
Fratercula, '80, 128.
 arctica (^Puffin), *g. dist.* '93, 125; *Greenl.* '89, 213; *Helg.* '95, 325; *N. F.* '88, 280^a; *N. Y.* '88, 171; *Que.* '82, 241, '88, 134^a, 135^a, '89, 145.—*mlt.* '78, 87, '80, 126, 128; *nlst.* '88, 134^a, 135^a, '89, 145; *plm.* '80, 126; *syn.* '80, 127, 128.

- corniculata** (Horned Puffin, ^b Mormon), *Alas.* '80, 34^b, '85, 159, '98, 124.—*hbt.*, *nst.* '80, 34^b; *plm.* '80, 126 (mlt.).
- glacialis** (^a Large-billed Puffin), *Arctic R.* 1900, 310; *g. dist.* '93, 123.—*mlt.* '80, 128; *plm.* '80, 30 (alb.); *syn.* '80, 128, '96, 185, 189, 255^a, '97, 124.
- Fraterculidae**, '92, 174.
- Fraterculinae** (^a Puffins), '92, 173^a, '99, 286.
- fraterculus** (Dendroornis), see Dendrornis.
- (Grus), see G. canadensis.
- Frazar**, Martin Abbott.
Intelligence of the Crow, '76, 76.
Audubon's Warbler in Massachusetts, '77, 27.
Persistency at nest building in the House Wren, '77, 78.
Mottled Owl as a fisherman, '77, 80.
Note on nesting of Hammond's Flycatcher (*Empidonax hammondi*) in Dakota, '80, 184.
Destinations of birds by storm while migrating, '81, 250–252.
Prothonotary Warbler in Massachusetts, '95, 84.
- frazari** (Ardea), see Ardea.
— (*Contopus*), see Blacicus hispaniolensis.
— (*Hæmatopus*), see Hæmatopus.
- Fregata** (^b Atagen), '82, 88^b, '84, 225^b, '88, 69, '94, 337, 338, '97, 315.
aquila (^a Man-o'-War Bird or Frigate Pelican, ^b Tachypetes), *Bahamas*, '91, 79, 295, 296, 337; *Cal.* '93, 362; *Fla.* '87, 137, 139^a, 141^a, 214^a, 219^a, 221^a, 222^a, 281, '88, 378, '90, 307, '91, 233^a, '92, 211, '93, 337; *g. dist.* '93, 141; *Ind.* '97, 200; *Jamaica*, '91, 363, '94, 120; *Kan.* '86, 113^b; *L. Cal.* '90, 281; *N. S.* '79, 64^b; *N. Y.* '88, 170, 173; *O.* '97, 200; *Que.* '85, 113^b, '88, 319; *Revill. Is.* '98, 314, 316, 318; *S. C.* '94, 85; *W. I.* '80, 169, '81, 155^b, '87, 180, 181, '88, 69.—*fd.* '87, 219^a, '94, 120, '98, 314; *hbt.* '87, 219^a, '89, 180^a, '90, 307, '98, 316; *meas.* '97, 200; *nst.* '98, 314; *plm.* '91, 387; *mlt.* '87, 219^a, 221^a; *syn.* '84, 385, '88, 69.
Fregatidae, '81, 78, '93, 106, '94, 337.
Fregatoidea, '94, 337.
Fregetta, '97, 315, '99, 102.
grallaria (White-bellied Petrel), *N. Pacific Ocean*, '84, 81.—*syn.* '84, 385, '95, 322, '99, 102.
Fregilus graculus, *Helg.* '95, 330.
- Freke**, Percy Evans.
Comparative cat. of birds found in Europe and N. Am. (rev.), '80, 173.
Birds observed in Amelia Co., Virginia (rev.), '82, 48.
North American birds crossing the Atlantic (rev.), '83, 114.
European birds observed in North America (rev.), '83, 115.
frenata (Gallinago), see Gallinago.
— (*Sternula*), see Sternula antillarum.
Frigate-bird, see Fregata aquila.
Fringilla (^b Granatina), '84, 118, '91, 92^b.
canariensis, *syn.* '88, 413.
coelebs (^a Chaffinch), *Germany*, '96, 302; *Helg.* '95, 325.—*hbt.* '96, 302, 306^a, 308^a; *song.* '96, 302.
granatina, *syn.* '91, 92.
formosa, *syn.* '91, 92.
maderensis, *syn.* '88, 413.
montifringilla, *Engl.* '87, 163; *Helg.* '95, 335.
moreletti, *syn.* '88, 413.
Fringillidae (^a Sparrows or Finches), '81, 28, 34, 134, 156^a, '83, 107, '88, 410–413, '93, 111, '94, 315, '96, 159, 1900, 189.
Fringilliformes, '86, 407.
fringillidae (*Accipiter*), see Accipiter.
— (*Nisus*), see Accipiter.
frobeeni (*Sterna*), see S. trudeau.
frontalis (*Anser*), see A. gambeli.
— (*Carpodacus*), see Carpodacus.
— (*Centurus*), see Centurus.
— (*Certhiola*), see C. dominicana.
— (*Columba*), see Enyptila jamai- censis.
— (*Cyanocitta*), see Cyanocitta.
— (*Cyanurus*), see Cyanocitta.
— (*Melanerpes*), see Centurus.
— (*Oothœca*), see Oothœca.
— (*Tyrannula*), see Oothœca.
- Frost**, Edwin Brant.
Loggerhead Shrike in New Hampshire, '85, 379.
- frugilegus** (*Corvus*), see Corvus.
frugivorus (*Calyptophilus*), see Calyptophilus.
— (*Corvus*), see C. americanus.
— (*Phoenicophilus*), see Calyptophilus.
- fusciphaga** (*Collocalia*), see Collocalia.
Fuertes, Louis Agassiz.
Occurrence of Leconte's Sparrow (*Ammiodramus lecontei*) at Ithaca, N. Y. '98, 188.
- fulgens** (*Eugenies*), see Eugenes.
Fulica, '84, 143, '85, 339, '87, 250, '88, 57, '93, 99, 108.

americana ("American Coot), *Ala.* '79, 13; *Ariz.* '83, 26, '86, 386, '90, 52; *Bahamas*, '91, 335, 338; *B. C.* '93, 291; *Cal.* '86, 91; *Colo.* '85, 18; *Conn.* '93, 207; *Fla.* '81, 17, 42, 58, '88, 267, 270, '89, 156, '91, 128^a, 137, '92, 212, '95, 364; *Ia.* '95, 122; *Ida.* '97, 351, 1900, 243; *Ind.* '82, 19, 22, '88, 348; *Jamaica*, '92, 12, '94, 122; *Kan.* '85, 112; *Ky.* '89, 312; *La.* '82, 165, '87, 303, '97, 287; *Man.* '86, 151; *Mass.* '81, 127, '94, 84, '95, 88; *Mich.* '93, 223; *Minn.* '80, 19, '84, 248, '96, 79^a, 1900, 281^b; *Mo.* '79, 147; *Mont.* '95, 213; *N. E.* '76, 73, '77, 17; *N. M.* '92, 360; *N. Y.* '81, 234; *O.* '89, 201; *Orc.* '79, 197, '86, 164, '88, 144, '91, 367 (fossil), '93, 344 (fossil); *Pa.* '99, 310; *S. C.* '79, 217; *S. D.* '85, 287; *Tenn.* '86, 320; *Tex.* '82, 224, '87, 185, '92, 232, 1900, 340; *Wash.* '93, 17, 291, '97, 172, 1900, 351; *W. I.* '81, 155, '88, 57.—*anat.* '81, 7^a; *hbt.* '80, 181, '81, 42, 58, '97, 172; *meas.* '79, 197; *mig.* '88, 270, '94, 84, '95, 122; *nst.* '79, 197, '92, 12, '97, 172; *plm.* '79, 30 (alb.); *syn.* '88, 57; *misc.* '99, 235.
armillata, Argent., Urug., *mig.* '84, 277.
atra ("European Coot), *Helg.* '95, 339; *N. Am.* '84, 384.—*misc.* '86, 418^a, '97, 247.
caribaea, *W. I.* '85, 291, '88, 58, '91, 46.—*meas.*, *plm.*, *syn.* '88, 58.
leucoptera, Argent., Urug. '84, 277.
minor (fossil sp.), *Orc.* '91, 367, '93, 344.
fulica (*Heliornis*), see *Heliornis*.
Fulicariae ("Coots"), '81, 7^a, 81, 83, '82, 47, '87, 249^a, '94, 242.
fulicarius (*Crymophilus*), see *Crymophilus*.
— (*Phalaropus*), see *Crymophilus*.
fuliginosa (*Dendrocincla*), see *Dendrocincla*.
— (*Diomedea*), see *Phæbetria*.
— (*Haliplana*), see *Sterna*.
— (*Hydrochelidon*), see *Sterna*.
— (*Hylocichla*), see *H. fuscescens*.
— (*Passerella*), see *P. unalascensis*.
— (*Phæbetria*), see *Phæbetria*.
— (*Sterna*), see *Sterna*.
— (*Synallaxis*), see *Synallaxis*.
fuliginosus (*Aithurus*), see *A. polytmus*.
— (*Buteo*), see *B. brachyurus*.
— (*Calorhamphus*), see *Calorhamphus*.
— (*Dendragapus*), see *Dendragapus*.
— (*Micropogon*), see *Calorhamphus*.

— (*Onychoprion*), see *Sterna*.
— (*Puffinus*), see *Puffinus*.
Fuligula, '96, 162, '99, 286, see also *Aythya*.
ferinoides, *plm.* '92, 162 (hyb.).
fuligula, *syn.* '96, 163.
homeyeri, *plm.* '92, 162 (hyb.).
fuligula (*Fuligula*), see *Fuligula*.
Fuligulinae, '99, 286.
Fulmar, see *Fulmarus glacialis*.
Giant, see *Ossifraga gigantea*.
Lesser, see *Fulmarus minor*.
Pacific, see *Fulmarus glupischa*.
Pigeon, see *Fulmarus glacialis*.
Rodgers's, see *Fulmarus rodgersii*.
Slender-billed, see *Priocella glacialis*.
Tropical, see *Æstrelata hasitata*.
Fulmaræ, '97, 315.
Fulmarine ("Fulmars"), '97, 315, '99, 100, 1900, 309^a.
Fulmars, see *Fulmarine*.
Fulmarus, '85, 96, '97, 315.
columba, '95, 105^a, see *glacialis*.
glacialis (*Fulmar*, "Procellaria, *columba*), *Arctic Am.* '78, 86^b; *g. dist.* '93, 123, '95, 105^a; *Greenl.* '95, 107, 1900, 186; *Helg.* '95, 327; *Mass.* '79, 64; *N. Atlantic Ocean*, '89, 215; *N. S.* '84, 238.—*hbt.* '84, 238; *meas.* '95, 107, 107^a; *plm.* '89, 215, 1900, 186; *syn.* '96, 162, '97, 135, 135^a, 232, '99, 132.
glupischa (Pacific Fulmar), *Alas.* '85, 158, '95, 107; *Cal.* '87, 87, '95, 107; *g. dist.* '93, 123.—*meas.*, *plm.* '97, 107; *syn.* '84, 385, '96, 162, '97, 135, 232.
minor (Lesser Fulmar), *Greenl.*, *plm.* 1900, 186; *syn.* '96, 162, '97, 135, 232, '99, 132.
rodgersii (Rodgers's Fulmar), *Cal.*, *meas.*, *plm.* '95, 107; *syn.* '96, 162, '97, 135, '99, 132.
fulva (*Aquila*), see *A. chrysaëtos*.
— (*Cecropis*), see *Petrochelidon*.
— (*Dendrocygna*), see *Dendrocygna*.
— (*Herse*), see *Petrochelidon*.
— (*Hirundo*), see *Petrochelidon*.
— (*Petrochelidon*), see *Petrochelidon*.
— (*Sialia*), see *S. azurea*.
fulvescens (*Catharus*), see *Catharus*.
— (*Junco*), see *Junco*.
fulviceps (*Hapalocercus*), see *Hapalocercus*.
fulvifrons (*Empidonax*), see *Empidonax*.
— (*Mitrephanes*), see *Empidonax*.
— (*Muscicapa*), see *Empidonax*.

- fulvigula (*Anas*), see *A. fulvigula* or *obscura*.
 —— (*Euthyrhynchus*), see *Euthyrhynchus*.
fulvipectus (*Callipepla*), see *Callipepla*.
 —— (*Empidonax*), see *Empidonax*.
 —— (*Lophortyx*), see *Lophortyx*.
fulviventris (*Brachygalba*), see *Brachygalba*.
 —— (*Engyptila*), see *Leptotila*.
 —— (*Leptotila*), see *Leptotila*.
fulvus (*Charadrius*), see *Charadrius*.
 —— (*Gyps*), see *Gyps*.
fumidus (*Dryobates*), see *D. gairdneri*.
fumifrons (*Perisoreus*), see *Perisoreus*.
fumigata (*Merula*), see *Merula*.
fumigatus (*Troglodytes*), see *Troglodytes*.
fumosus (*Buteo*), see *Buteo*.
 —— (*Catharus*), see *Catharus*.
 —— (*Centurus*), see *Centurus*.
 —— (*Melanerpes*), see *Centurus*.
funebris (*Copurus*), see *Copurus*.
 —— (*Picoides*), see *Picoides*.
funerea (*Strix*), see *Surnia ulula* or *caparoch*.
 —— (*Surnia*), see *S. caparoch*.
funereus (*Oryzoborus*), see *Oryzoborus*.
furcata (*Glyphidura*), see *Strix*.
 —— (*Muscicapa*), see *Tyrannus melancholicus*.
 —— (*Oceanodroma*), see *Oceanodroma*.
 —— (*Strix*), see *Strix*.
 —— (*Xema*), see *Creagrus*.
furcatoides (*Thalurania*), see *Thalurania*.
furcatus (*Creagrus*), see *Creagrus*.
 —— (*Elanoides*), see *E. forficatus*.
 —— (*Empidonochanes*), see *Empidonax bimaculatus*.
 —— (*Larus*), see *Creagrus*.
 —— (*Nauclerus*), see *Elanoides forficatus*.
 —— (*Tyrannus*), see *T. melancholicus*.
furcifer (*Heliomaster*), see *Heliomaster*.
furcifera (*Hydropsalis*), see *Hydropsalis*.
Furnarius agnatus, *Colom.* '99, 137.
minor, *Braz.* '91, 26.
pileatus, *Braz.* '91, 26.
rufus, *Urug.*, *hbt.*, *nst.*, *song*, '83, 204.
Furness, Caroline E.
 Pine Grosbeak at Poughkeepsie, N. Y. '96, 175.
furvus (*Troglodytes*), see *Troglodytes*.
fusa (*Merula*), see *Merula*.
fusca (*Aquila*), see *Aquila*.
 —— (*Bonasa*), see *B. sabini*.
- (*Colluricincla*), see *Margarops fuscatus*.
 —— (*Diomedea*), see *Phœbetria fuliginosa*.
 —— (*Ficedula*), see *Seiurus noveboracensis*.
 —— (*Margarops*), see *M. fuscatus*.
 —— (*Melanetta*), see *Oidemia*.
 —— (*Muscicapa*), see *Sayornis phœbe*.
 —— (*Edemias*), see *Oidemia deglandi*.
 —— (*Oidemia*), see *Oidemia*.
 —— (*Peuæa*), see *Peuæa*.
 —— (*Sayornis*), see *S. phœbe*.
 —— (*Sula*), see *S. sula*.
fuscans (*Munia*), see *Munia*.
 —— (*Spermestes*), see *Munia*.
fuscata (*Cichlherminia*), see *Margarops furcatus* or *densiostriatus*.
 —— (*Lusciniola*), see *Lusciniola*.
 —— (*Merula*), see *Margarops*.
 —— (*Sterna*), see *Anous stolidus*.
 —— (*Strix*), see *S. furcata*.
fuscatus (*Anous*), see *A. stolidus*.
 —— (*Cichlalopia*), see *Margarops*.
 —— (*Margarops*), see *Margarops*.
 —— (*Mimus*), see *Margarops*.
 —— (*Turdus*), see *T. fuscatus* or *Margarops fuscatus*.
fuscescens (*Ægiothos*), see *Acanthis linalaria*.
 —— (*Hylocichla*), see *Hylocichla*.
 —— (*Larus*), see *L. schistisagus*.
 —— (*Leptasthenura*), see *Leptasthenura*.
 —— (*Turdus*), see *Hylocichla fuscescens* or *salicicola*.
fusicaudata (*Amazilia*), see *Amazilia*.
fuscicollis (*Actodromas*), see *Tringa*.
 —— (*Tringa*), see *Tringa*.
fusco-ceruleocephala (*Falco*), see *Falco*.
fuscus (*Accipiter*), see *A. velox* or *fringilloides*.
 —— (*Aulanax*), see *Sayornis phœbe*.
 —— (*Cinclodes*), see *Cinclodes*.
 —— (*Falco*), see *F. rusticulus*.
 —— (*Larus*), see *Larus*.
 —— (*Nisus*), see *Accipiter velox* or *fringilloides*.
 —— (*Pelecanus*), see *Pelecanus*.
 —— (*Pipilo*), see *P. fuscus* or *mesoleucus*.
 —— (*Sayornis*), see *S. phœbe*.
 —— (*Totanus*), see *T. ater*.

G

- gabbi* (*Pitangus*), see *Pitangus*.
Gadow, Hans.
 see British Museum, 'cat. of birds,' vol. viii (rev.), '84, 278-281.

- Gadwall, see *Chaulclasmus streperus*.
gaimardi (*Elænia*), see *Elænia*.
gairdnerii (*Dryobates*), see *D. gairdnerii* or *homorus*.
 — (*Picus*), see *Dryobates gairdneri* or *homorus*.
galapagensis (*Hæmatopus*), see *Hæmatopus*.
 — (*Pæcilonitta*), see *Pæcilonitta*.
galapagoensis (*Asio*), see *Asio*.
 — (*Porzana*), see *Porzana*.
- Galapagos Islands.**
- Allen, J. A., '90, 273, '98, 207–208, 1900, 300–303.
 Ridgway, R., '86, 331.
 [Webster expedition], '98, 287.
- Galbalcyrhynchus leucotis**, *Boliv.* '90, 382.
- Galbraith, C. S.**
 Bachman's Warbler (*Helminthophila bachmani*) in Louisiana, '88, 322.
- Galbul a chalcocephala**, *syn.* '90, 381.
cyanicollis, *Braz.* '91, 158.
pallens, *Colom.* '98, 339.
ruficauda, *Venzc.* '97, 366; *W. I.* '93, 220.
rufoviridis, *Braz.* '91, 158.
viridis, *Braz.* '91, 158.
- galbula** (*Coracias*), see *Icterus*.
 — (*Icterus*), see *Icterus*.
 — (*Oriolus*), see *Oriolus*.
Galbulidae, '81, 29, 75.
- galeata** (*Crex*), see *Gallinula*.
 — (*Cyanocitta*), see *C. coronata*.
 — (*Gallinula*), see *Gallinula*.
 — (*Xanthoura*), see *Xanthoura*.
- galeatus** (*Casuarius*), see *C. casuarius*.
- Galeoscoptes** (^b *Lucar*), '86, 18, '90, 277, '93, 112, 130, '97, 97^b, 134^b, ^a *carolinensis* (^a Catbird, ^b *Mimus*, ^c *Lucar*), *Ala.* '78, 170^b; *Ark.* '82, 90; *Bahamas*, '91, 66, 294, 295, 296, 298, 334, 335, 337, 338, 1900, 289; *Bermuda*, '96, 238; *Cal.* '85, 215^b; *Colo.* '83, 153^b, '85, 15, 140; *Cuba*, '92, 273; *D. C.* '88, 24, '92, 307, '93, 303; *Fla.* '88, 277, '90, 115, 223, 314, '91, 138, '92, 214, '95, 365; *Ga.* '82, 95^a, '96, 214; *g. dist.* '93, 133; *Helg.* '80, 69^b, '91, 300, '95, 331; *Ia.* '95, 123, 235; *Ida.* '98, 19; *Ill.* '88, 434; *Ind.* '82, 17, '89, 28; *Ky.* '89, 316; *La.* '82, 49^a, 161, '87, 300^b; *Man.* '86, 327; *Mass.* '78, 76^b, '84, 6^a, '88, 388^a, 389, '89, 46, 105, '95, 87^a; *Me.* '82, 109^b; *Mich.* '81, 196^a; *Minn.* '80, 13^b, '84, 244; *Mo.* '79, 140^b, '90, 393, '95, 117^a, '96, 219; *Mont.* '94, 307, '95, 218; *N. B.* '82, 176^a, '85, 266^a; *N. C.* '86, 175, '87, 244, '89, 120, '93, 244; *N. H.* '88, 151, 153, 154, '89, 77, 79; *Nicar.* '95, 20^a; *N. J.* '80, 134^a, '94, 140; *N. S.* '85, 266^a; *N. Y.* '79, 32^b, '80, 137^a, '81, 226, '82, 187^b, '84, 132^b, 175, 176, '86, 281, '90, 295; *O.* '95, 242; *Ont.* '91, 109^a; *Pa.* '92, 140, '93, 37, 41, 43, 46, '96, 285, 291^a, 296; *P. E. I.* '85, 266^a; *Que.* '79, 171^b; *S. C.* '79, 210^b, '90, 129, '91, 333, '99, 198; *S. D.* '85, 277; *Tenn.* '86, 315, '87, 132; *Tex.* '82, 7^b, '87, 297, '92, 342, 1900, 348; *Va.* '86, 160, 161^a, '89, 53^a; *Vt.* '98, 240^a; *Wash.* '97, 180; *W. I.* '86, 18, '87, 181, '89, 31, '91, 46; *Wis.* '82, 187^b; *W. Va.* '98, 134^a, 137—*anat.* '88, 329; *fd.* '81, 25^a, '85, 299^a, 299^b, 300^a, 300^b, '86, 477^b, '96, 238, '99, 362^a; *hbt.* '85, 297^b, '87, 300^b, '94, 261^a, '97, 412^a, 413^a; *mig.* '80, 134^a, 137^a, '81, 196^a, '84, 175, 176, '85, 98^a, '88, 434, '91, 109, '95, 123, 128^a, 235, 242, '99, 198, 275; *nst.* '82, 7^b, '84, 185^a, '85, 97^a, '86, 160, '87, 244, '88, 24, '89, 28, '90, 85, '91, 109, '93, 303; *plm.* '78, 18^b, '79, 28^a (alb.), '81, 160^b, '85, 99^a (alb.); *song.* '84, 132^b, '91, 32^a, '96, 238; *syn.* '86, 18, '97, 97^c, 133; *misc.* '86, 400^a.
- galericulata** (*Sterna*), see *S. elegans*.
galericulatus (*Thalasseus*), see *Sterna maxima*.
- Galeripitta**, 96, 60.
- Galerita cristata**, *Helg.* '95, 334; *plm.* '76, 61.
- modesta*, *syn.* '91, 92.
- galeritus** (*Anorrhinus*), see *Anorrhinus*.
 — (*Diplopterus*), see *D. nævius*.
- galgulus** (*Corylis*), see *Loriculus*.
 — (*Loriculus*), see *Loriculus*.
 — (*Psittacus*), see *Loriculus*.
- Gallicrex**, '87, 250.
- gallicus** (*Circaëtos*), see *Circaëtos*.
 — (*Cursorius*), see *Cursorius*.
- gallinacea** (*Parra*), see *Hydralector*.
gallinaceus (*Hydralector*), see *Hydralector*.
- Gallinæ**, '81, 30, 73, 75, 77, 80, 83, '82, 47, '84, 189, '86, 449, '93, 109, '94, 171, '96, 62, '97, 214, 341, '98, 63, '99, 181, 1900, 110.
- Gallinago**, '87, 311, '88, 331, '93, 108.
- delicata* (^a Wilson's Snipe, ^b *wilsoni*), *Ala.* '79, 12^b; *Ariz.* '86, 386; *Cal.* '86, 91; *Colo.* '79, 96^b, '81, 142^b, '85, 18^b, '86, 285, '87, 121, 337^a; *C. R.* '90, 332, '92, 329; *Fla.* '88, 270, '89, 156, '91, 137, '92, 212, '95, 364; *Ga.* '96, 215; *g. dist.* '93, 125; *G. Br.* '80, 145^b; *H. I.* 1900, 204; *Hud. B.* '90, 321; *Ida.* '97, 351, 1900, 243;

Ill. '99, 270; *Ind.* '88, 348, '99, 270; *Jamaica*, '92, 12; *Ky.* '89, 312; *La.* '82, 165^b, '87, 303^a, '97, 288; *Man.* '86, 151; *Mass.* '79, 63^b, '83, 243^b, '92, 199, '95, 310; *Mich.* '93, 223; *Minn.* '84, 248^b; *Mo.* '79, 147^b; *Mont.* '94, 301, '95, 213; *N. C.* '86, 179, '99, 246^a; *N. F.* 1900, 71; *N. J.* '79, 224^b; *N. M.* '92, 360; *N. S.* '87, 16, '91, 165, '96, 341, '98, 195; *N. Y.* '81, 234^b; *O.* '83, 186^a; *Ont.* '85, 336^b; *Ore.* '79, 197^b, '86, 164, '88, 144; *P. E. I.* '93, 8; *Que.* '82, 238^b, '89, 146; *R. I.* '92, 68^a; *S. C.* '79, 217^b, '92, 31^a, '94, 32^a; *S. D.* '85, 286^b; *Tenn.* '86, 320; *Tex.* '82, 41^b, '82, 222, '87, 185, '92, 232, '95, 303, 1900, 340; *Tt.* '82, 114^a; *Wash.* '92, 42, 354, '97, 172, 1900, 243, 351; *W. I.* '87, 96, 311; *Wis.* '88, 328^a; *Wyo.* '90, 388, 389.—*anat.* '88, 330, 331; *hbt.* '79, 224^b, '84, 187^b, '87, 337^a, '90, 396, '91, 389, 390, '92, 384, 384; *meas.* '88, 144; *mig.* '88, 328^a, '91, 387, 388, '92, 31^a, '94, 32^a, '97, 351; *nst.* '83, 243^b, '88, 144, '93, 8, '99, 271; *plm.* '76, 23^b (alb.), '82, 41^b, '85, 336^b (alb.), '98, 195 (alb.) 1900, 370 (mlt.); *song.* '88, 144; *syn.* '84, 384^b, '87, 311; *misc.* 91, 390, 390^a, 391^a, 391^a, '92, 69^a, 69^a, '95, 303.

frenata, *Braz.* '91, 163; *Venez.* '97, 367.

gallinago (European Snipe, ^b cœlestis), *Engl.* '87, 163^b; *Helg.* '95, 326.—*mig.* '87, 163^b; *syn.* '82, 179^b, '84, 384^b.

gallinula, *Helg.* '95, 338.

major (Greater Snipe, ^b media), *g. dist.* '99, 105; *Helg.* '95, 338; *N. Am.* '97, 209.—*syn.* '82, 179^b, '84, 384^b, '97, 209, '99, 105, 179.

paraguaiæ, *Argent.*, *hbt.*, *mig.*, *nst.* '84, 314.

gallinago (Gallinago), see Gallinago.

— (Scolopax), see Gallinago delicata. *Gallinula*, '87, 250, '88, 56, '93, 108, '94, 242.

chloropus, *Helg.* '95, 339.—*nst.* '97, 247; *misc.* '96, 73.

galeata (^a Florida Gallinule), *Argent.* '84, 277; *Ariz.* '86, 386; *Bahamas*, '91, 294, '92, 49; *Colo.* '83, 198, '85, 18; *Cuba*, '92, 272; *D. C.* '93, 92; *Fla.* '81, 41^a, '88, 270, '89, 155, '90, 308, '92, 212, '93, 337, '95, 364; *Ga.* '83, 42, '96, 215; *Ind.* '82, 22, '88, 348; *Jamaica*, '92, 12, '94, 122; *Kan.* '86, 113, '86, 115; *La.* '97, 287; *Mass.* '79, 63, '87, 72, '91, 1-7,

118; *Md.* '93, 92; *Me.* '96, 255; *Minn.* '79, 155; *N. B.* '81, 186, '82, 176^a; *N. C.* '86, 102; *N. E.* '76, 73; *N. S.* '87, 253; *N. Y.* '79, 175, '82, 124, '83, 236^a, '94, 163, '99, 85; *R. I.* '89, 194; *S. C.* '85, 193; *Tex.* '82, 224, '92, 232; *Urug.* '84, 277; *Vt.* '89, 273, 274, '95, 311^a; *W. I.* '80, 169, '81, 155, '86, 502, '88, 56, '91, 46, 47; *Wis.* '86, 114, '88, 328^a.—*fd.* '87, 72; *hbt.* '81, 41^a, '82, 124, 224, '86, 102, '87, 72, '88, 348, '91, 1-7^a, '92, 12; *meas.* '86, 114, '91, 6^a; *mig.* '88, 328^a, '93, 292^a; *mlt.* '84, 277; *nst.* '79, 155, '83, 42, '85, 210, '86, 114, '89, 273, 274, '91, 1^a, '92, 12, '94, 122; *song.* '91, 1^a, 4^a; *syn.* '88, 56, '94, 242; *misc.* '83, 174^a.

garmani, *syn.* '94, 242.

sandvicensis (sandwichensis), *H.*

I. '78, 81, '88, 197.—*syn.* '94, 242.

gallinula (Gallinago), see Gallinago.

Gallinule, Florida, see Gallinula galeata.

Purple, see Ionornis martinica.

Scarlet-fronted, see Gallinula galeata.

Gallinules, see Gallinulæ.

Gallinuline (^a Gallinulæ), '87, 249^a.

gallipavo (Meleagris), see *M. gallopavo*.

Gallita, see *Alectrurus*.

gallopavo (Meleagris), see *M. gallo-*

pavo, intermedia, osceola or fera.

Galloperdix, '94, 172.

Gallus, '94, 233.

ferrugineus, *plm.* '92, 164 (hyb.).

gambeli (*Anser*), see *A. gambeli* or alibifrons.

— (*Callipepla*), see *Lophortyx*.

— (*Lanius*), see *Lanius*.

— (*Lophortyx*), see *Lophortyx*.

— (*Parus*), see *Parus*.

— (*Zonotrichia*), see *Z. gambeli* or intermedia.

Gampsponyx swainsoni, *Braz.* '91, 161.

gampsorhynchus (*Chloropsis*), see *C. zosterops*.

Ganlin, Blue, see *Ardea cœrulea* or *ruficollis*.

White, see *Ardea candidissima* or *egretta*.

Gannet, see *Sula bassana* or *Sterna maxima*.

Common, see *Sula bassana*.

Booby, see *Sula sula*.

Gannets, see *Sulidae*.

Ganong, William Francis.

Do young Loons eat fresh-water clams? '96, 77.

gardeni (*Nycticorax*), see *N. gardeni* or *navius*.

Gardiner, John L.

[Letter to Alexander Wilson with facts as to the Fish Hawk], '95, 359-362.

Gare-fowl, see *Plautus impennis*.

Garman, Harrison.

Preliminary list of vertebrate animals of Kentucky—birds (rev.), '94, 244.

garmani (*Gallinula*), see *Gallinula*.

Garrod, Alfred Henry.

Anatomy of *Aramus scolopaceus* (rev.), '77, 23.

Concerning the anatomy of *Plotus anthinga* (rev.), '77, 23.

Some anatomical characters which bear upon the major divisions of passerine birds (rev.), '77, 23.

Collected scientific papers (rev.), '82, 43.

Garrulinae (^ Jays), '97, 105^a.

Garrulus glandarius (^ European Jay), Germany, '96, 309^a; *Helg.* '95, 330.—*hbt.* '96, 309^a.

garrulus (*Ampelis*), see *Ampelis*.

— (Coracias), see *Coracias*.

— (Lorius), see *Lorius*.

Garzetta, see *Ardea*.

Gastornis, '96, 62, 63.

Gates, Harry T.

Unusual nesting site of the Snowbird, '80, 239.

Gätke, Heinrich.

Die Vogelwarte Helgoland, '91, 299, '96, 89-92, 137-139, '97, 422, '99, 379.

Heligoland as an ornithological observatory [translated by R. Rosenstock] (rev.), '95, 322-346.

Obituary of, '97, 254.

Gaucho, see *Steatornis steatornis*.

Gault, Benjamin True.

Nest and eggs of *Calypte costae*, '85, 309-311.

Capland Longspur near Chicago in June, '89, 278.

Chestnut-sided Warbler nesting in Missouri, '92, 396.

Kirtland's Warbler in northeastern Illinois, '94, 258.

Passenger Pigeon in Aitkin Co., Minn., with recent record for northeastern Illinois, '95, 80.

Willow Thrush (*Turdus fuscescens salicicola*) a migrant in northeastern Illinois, '95, 85.

Geothlypis agilis a possible breeder in northern Minnesota, '97, 222.

gaumeri (*Chætura*), see *Chætura*.

— (*Leptotila*), see *Leptotila*.

— (*Engyptila*), see *Leptotila*.

Gavia (^ Urinator), '82, 179, '84, 117^b, '97, 312, 313, '99, 98, 202, 1900, 167^b.

adamsii (Yellow-billed Loon, ^ *Colymbus*, ^ Urinator), *Alas.* '79, 53^b, '84, 81^b, '85, 63^b, '87, 12^c; *Canada*, '97, 402; *g. dist.* '93, 123^c; *G. Br.* '80, 220^b.—*mig.* '85, 63^b; *plm.* '97, 402; *syn.* '84, 385^b, '97, 312, '99, 98.

arctica (Black-throated Loon, ^ *Colymbus*, ^ Urinator), *Alas.* '84, 81^b; *Colo.* 1900, 298; *g. dist.* '93, 123^c; *Helg.* '95, 327^c; *Hud. B.* '90, 320^c; *Ill.* '95, 379^c; *Minn.* '93, 289^c; *N. Y.* '93, 265^c; *Ont.* 1900, 176; *Wash.* '93, 16^c.—*syn.* '84, 385^b, '97, 312, '99, 98, 202.

imber (^ Loon or Great Northern Diver, ^ *Colymbus torquatus*, ^ Urinator), *Ala.* '79, 13^b; *Alas.* '84, 81^b, '98, 124; *Cal.* '86, 88^c; *Colo.* '85, 18^b; *Fla.* '88, 268^c, 373^c, '92, 211^c, '95, 364^c; *g. dist.* '93, 125^c; *Greenl.* '89, 212^c; *Helg.* '95, 327^c; *Hud. B.* '90, 320^c; *Ida.* '97, 350^c; *Ind.* '88, 345^c; *Ky.* '89, 311^c; *Man.* '86, 147^c; *Mass.* '88, 389^c, 390^c, '92, 292^c; *Mich.* '93, 222^c; *Minn.* '80, 20^b, '84, 249^b; *Miss.* 1900, 297; *N. B.* '84, 185^b, '96, 77^c; *N. C.* '93, 242^c; *N. D.* '99, 165^c; *N. F.* 1900, 71; *N. H.* '88, 149^c, '89, 78^c; *N. J.* '79, 228^c; *N. S.* '91, 165^c, '99, 251; *N. Y.* '78, 53^b, '81, 235^b; *Ont.* '87, 247^a; *Ore.* '79, 199^b, '88, 140^c; *Que.* '82, 241^b, '89, 145^c; *R. I.* '92, 292^c; *S. C.* '91, 55^c; *S. D.* '85, 289^b; *Tex.* '87, 184^c; *Wash.* '92, 41^c, '92, 353^c, '97, 171^c.—*anat.* '81, 109^b; *fd.* '96, 77^c; *mig.* '92, 292^c; *nst.* '87, 247^a, '88, 390^c, '89, 176^a, 212^c; *plm.* '88, 373^c; *song.* '90, 199^c; *syn.* '84, 115^b, 385^c, '97, 312, '99, 98; *misc.* '90, 85^a, 380^a, 393^a, 397^a, '91, 389^c, 392^a, '92, 286^a, '94, 69^c.

lumme (^ Red-throated Loon or Diver, ^ *Colymbus septentrionalis*, ^ Urinator), *Alas.* '85, 63^b, 159^c, '87, 12^c, '98, 124; *Arctic Am.* '78, 86^b; *Ariz.* '86, 383^c; *Cal.* '87, 87^c; *D. C.* '88, 147^c; *Fla.* '88, 374^c, '92, 211^c; *g. dist.* '93, 125^c; *Greenl.* '89, 213^c; *Helg.* '95, 327^c; *Hud. B.* '90, 320^c; *Man.* '86, 147^c; *N. J.* '79, 228^b; *N. Y.* '78, 146^b, '80, 242^b, '81, 235^b, '88, 170^c, '90, 230^c, '94, 164^c; *Que.* '82, 241^b; *Russia* 1900, 307^a; *S. C.* '90, 88^c, '91, 55^c; *Wash.* '92, 353^c, 1900, 349. —*anat.* '86, 475^b; *mig.* '85, 63^b; *nst.* '89, 213^c; *plm.* '76, 23^b (alb.), '88, 170^c; *syn.* '84, 385^b, '97, 312, '99, 98.

- pacifica** (Pacific Loon, ^b *Colymbus*, ^c *Urinator*), *Alas.* '84, 81^b, '85, 63^b, 159^c, '98, 124; *Cal.* '86, 88^c; *g. dist.* '93, 123^c; *Guadalupe I.* '77, 60^b; *Ore.* '79, 199^b; *Wash.* '92, 353^c, 1900, 349?.—*mig.* '85, 63^b; *syn.* '84, 385^b, '97, 312, '99, 98, 202.
- gavia** (*Puffinus*), see *P. opisthomelas*.
- Gaviae**, '81, 30, 78, 82, 83, '82, 47, '96, 160.
- Gaviidae** (^a Loons), '86, 446^a, '87, 172^a, '97, 312, '99, 97.
- gayi** (*Fringilla*), see *Phrygilus*.
- Gaylord**, Horace A.
- Pyrocephalus rubineus mexicanus* in Los Angeles Co., Calif. '96, 258.
- Zonotrichia albicollis* and *Mniotilla varia* at Pasadena, Cal. '96, 260.
- Gecinus flavirostris**, *misc.* '87, 342.
- viridis** (^b *Picus*), *Hedg.* '95, 336.—*plm.* '88, 214^b; *misc.* '86, 419.
- Geese**, see *Anserinae*.
- Mackerel**, see *Crymophilus fulicarius*.
- Nigger**, see *Phalacrocorax dilophus*.
- Sea**, see *Crymophilus fulicarius* or *Phalaropus lobatus*.
- Gelochelidon**, '88, 76.
- nilotica** (Gull-billed or Marsh Tern, ^b *Sterna anglica*, ^c *aranea*), *Bahamas*, '92, 48; *Fla.* '87, 133, '88, 374, '92, 211; *Ga.* '96, 215; *Hedg.* '95, 341; *Ky.* '89, 311; *Mass.* '80, 63^b; *N. B.* '80, 63^b; *N. E.* '76, 73^c, '79, 14^b; *N. J.* '90, 327; *N. Y.* '84, 34^b, '85, 38^b; *Tex.* '82, 225^b, '92, 345, 1900, 338; *Va.* '76, 28^b, '94, 259; *W. I.* '81, 128^b, '88, 76.—*syn.* '78, 141^b, '84, 364, '88, 76, '96, 161.
- genei** (*Drymophila*), see *Drymophila*.
- Genera** (new), see list, 'New Species.'
- genibarbis** (*Myadestes*), see *M. genibarbis*, *sanctæ-luciae* or *dominicanus*.
- (*Thryothorus*), see *Thryothorus*.
- Gennaia**, '85, 205.
- Gentry**, Thomas George.
- Life-histories of birds of eastern Pennsylvania (rev.), '76, 49, '78, 36.
- Nests and eggs of birds of Pennsylvania (rev.), '80, 179.
- Illustrations of nests and eggs of birds of the United States (rev.), '82, 246–249.
- Geococcyx**, '86, 273, '93, 110, 130, 132, '97, 91, '99, 110.
- affinis** (^b *mexicanus*), *hbt.* '92, 288^b; *syn.* '93, 63.
- californianus** (Road-runner or Chapparal Cock), *Ariz.* '83, 25, '86, 424, '90, 48, '94, 220^a, 221^a; *Cal.* '79, 109, '83, 25, 182, '86, 87^a, 93, '89, 221, '96, 117, 257; *Colo.* '83, 25, '85, 17, 143, '94, 268; *g. dist.* '93, 134; *Kan.* '86, 114, '93, 364; *L. Cal.* '95, 138; *N. M.* '83, 25, '92, 362, '99, 188; *Tex.* '82, 41, '87, 190, '89, 238, '92, 234, 1900, 344.—*anat.* '86, 479, '87, 70, 252, 254; *fd.* '77, 74, '78, 39, '83, 25, '97, 217, '99, 188; *hbt.* '79, 109, '83, 25, 116, 174, '96, 257; *meas.* '83, 26; *nst.* '78, 39, '83, 178, 178, '86, 424, '87, 190, '94, 220^a, '96, 117, '99, 188; *flm.* '83, 25, '86, 424; *song.* '79, 109, '83, 182; *syn.* '93, 63, 1900, 66, 173^a; *misc.* '90, 80^a, '97, 107^a.
- Geocichla**, '83, 100, '94, 233.
- interpres**, *Bornco*, *syn.* '90, 348.
- geoffroyi** (*Cyanocorax*), see *Cyanocitta becheyi*.
- Geopelia**, '94, 233.
- Georgia**.
- Allen, J. A., '99, 339.
- Bailey, H. B., '83, 37–43.
- Bangs, O., '98, 192.
- Brewster, W., '80, 48, '82, 94–104, '88, 432, '89, 70, '93, 215–219, 302.
- Faxon, W., '96, 204–215.
- Head, J. F., '78, 151.
- Noble, G., '87, 69.
- Pennock, C. J., '91, 108.
- Perry, T. D., '90, 83.
- Worthington, W. W., '90, 211–212, 284.
- georgiana** (*Melospiza*), see *Melospiza*.
- Geositta cunicularia**, *Urug.*, *hbt.*, *song.* '83, 203.
- longipennis**, *Patagonia*, '90, 274.
- Geospiza**, '77, 64, '95, 71, '97, 330, '98, 208, 1900, 303.
- assimilis**, *syn.* '95, 71.
- conirostris** (^b *media*), *Galap. Is.* '90, 273, 273^b.
- fatigata**, *Galap. Is.* '96, 330.
- pachyrhyncha**, *Galap. Is.* '96, 330.
- Geothlypis** (^b *Oporornis*, ^c *Chamæthypis*), '83, 81, '84, 1, '86, 43, '87, 310^b, '90, 194^b, '93, 111, '97, 123^c, 1900, 217.
- æquinoctialis**, *g. dist.* 1900, 217.—*plm.* 1900, 217; *syn.* '83, 81.
- agilis** (^a Connecticut Warbler, ^b *Oporornis*), *Bahamas*, '91, 352, 1900, 305^b; *Colo.* 1900, 298; *Colom.* 1900, 366; *Conn.* '80, 117^b [= *Philadelphia*, see '81, 114^b], '92, 202; *D. C.* '97, 326^a; *Fla.* '88, 187, '90, 21, '93, 338; *g. dist.* '93, 127, 1900, 217; *Ill.* '76, 42^b; *Ind.* '82, 20^b, '89, 28; *Man.* '84, 192^b, '86, 326; *Mass.* '89, 183^b, '91, 151^a; *Me.* '82, 190^b [= *Philadelphia*]

adelphia, see '86, 413], '83, 113^b, '86, 413, '87, 77^a; *Mich.* '79, 186^b, '93, 229, '95, 192 [= trichas, see '98, 193^a]; *Minn.* '97, 222; *N. H.* '85, 104; '87, 106 [Philadelphia?]; *N. Y.* '79, 61^b, '84, 179^b; *Ont.* '85, 308^a, '88, 323^a, 1900, 392; *Pa.* '80, 50^b, '99, 313; *S. C.* '91, 172; *Vt.* '85, 210^b, '89, 193; *Wis.* '88, 326, 326.—*hbt.* '80, 50^b, '84, 192^b, '97, 222; *meas.* '84, 193^b; *mig.* '84, 179^b, '88, 326, 326, '91, 54, 1900, 236; *nst.* '84, 192^b; *plm.* 1900, 217, 236; *song.* '77, 68^b, '84, 192^b, '97, 222.

arizela, '99, 257^a, see *occidentalis*.
auricularis, *Peru*, *plm.* 1900, 217.
bairdi, *g. dist.* 1900, 217; *Nicar.* '85, 294.—*plm.* 1900, 217.

beldingi (Belding's Yellow-throat), *g. dist.* '93, 142, 1900, 217; *L. Cal.* '82, 257, '92, 180.—*nst.* '89, 329; *plm.* '86, 334, '92, 188, 1900, 217, 229.

caninucha (^b *icterotis*), *C. R.*, *Guat.*, *plm.* 1900, 218, 218^b.

chiriquensis, *Colom.*, *plm.* 1900, 217.

coryi, *Bahamas*, '86, 334^a, '88, 157, '91, 336, 351, 1900, 217, 291.—*meas.* '86, 335; *plm.* 1900, 217.

cucullatus (^b *velata*), *Braz.* 1900, 217^b; *g. dist.* '79, 91^b; *Mex.* 1900, 217?^a; *Urug.* '83, 87^b.—*meas.*, *mig.*, *nst.* '83, 87^b; *plm.* 1900, 217?^a, 217^b; *song.* '83, 87^b; *syn.* 1900, 179; *misc.* '80, 88^b.

flaviceps, *Mex.* '99, 31^a, 1900, 217.—*plm.* 1900, 217.

flavovelata, *Mex.* '96, 330, 331, '99, 31, 1900, 217.—*meas.* '99, 31; *plm.* 1900, 217.

formosa (^a Kentucky Warbler, ^b *Oporornis*), *Alas.* '78, 174^b; *Ark.* '82, 91^b; *Colom.* 1900, 366; *Conn.* '77, 108^b, '93, 86^a; *C. R.* '90, 336, '92, 21^b; *Cuba*, '86, 43; *D. C.* '88, 24; *Fla.* '90, 21, 314, '93, 338; *Ga.* '83, 38^b; *g. dist.* '93, 133, 1900, 218; *Gulf of Mex.* '81, 251^a; *Ill.* '78, 163^b, 164^b, '80, 32^b, '88, 210^b; *Ind.* '82, 17^b, 20^b, '89, 28; *Ky.* '89, 316; *La.* '82, 49^a, 162^b, '87, 302^a; *Md.* '93, 92; *Miss.* '82, 91^b; *Mo.* '79, 142^b, '95, 115^a, 117^a; *N. C.* '86, 175, '93, 244; *N. J.* '89, 198, 304; *N. Y.* '78, 130^b, 191^b, '88, 422, '89, 139, 190, '93, 277; *O.* '79, 236^b; *Pa.* '79, 234^b, '91, 398, '93, 209, *S. C.* '79, 212^b, '90, 129, '91, 172, 332, '93, 155; *Tenn.* '86, 317; *Tex.* '82, 10^b, '92, 342.—*hbt.*, *meas.* '79, 236^b; *mig.* '81, 251^a, 1900, 236; *nst.* '79,

236^b, '83, 38^b, 176^b, 176^a, '89, 198, 304, '91, 106^a, '93, 86^a, 92, 209; *plm.* '78, 60^b, '93, 155, 1900, 218, 229, 236; *song.* '89, 198; *syn.* '80, 209^b, 237^b, '81, 224^b, '86, 43; *misc.* '82, 118 [*I. Sylvia* '1, '90, 81^a].

ignota (Florida Yellow-throat, ^b *trichas*, ^c *roscœ*), *Fla.* '88, 276^b, '90, 11^a, 21, '92, 214, '95, 365^b; *g. dist.* '89, 167^c, '90, 63, 1900, 217^c, 221^c, 222^c, 223^c, 224^c.—*meas.* '90, 11, 12, 1900, 221^c; *mig.* 1900, 234^c; *plm.* '90, 12, 13, 1900, 217^c, 221^c, 226^c, 232^c, 237^c (*mlt.*); *syn.* '89, 167^c, '90, 63, 66^c, 1900, 221, 389^a, 389^c; *misc.* 1900, 240^c.

maynardi, *Bahamas*, 1900, 290^a.

melanops, *g. dist.* 1900, 217, 222, 223; *Mex.* '94, 67.—*meas.* 1900, 227, 228; *plm.* 1900, 217, 222, 228.

modestus, *Mex.* 1900, 269^a.

nelsoni (^b *cucullatus*), *Mex.*, *plm.* 1900, 217^b; *syn.* 1900, 179.

occidentalis (^a Western Yellow-throat, ^b *trichas*, ^c *arizela*), *Ariz.* '82, 139^b, '88, 35, '90, 48; *Cal.* '78, 65^b, '86, 185, '89, 223; *Colo.* '83, 158^b, '85, 141, 1900, 298; *g. dist.* '83, 159^a, '93, 135, '99, 257^c; 1900, 217, 222, 223; *Ia.* '95, 123; *Ida.* '98, 19, 1; *L. Cal.* '95, 142; *Man.* '86, 326; *Minn.* '79, 153^a; *Mont.* '94, 307, '95, 218; *N. M.* '92, 367; *Ore.* '86, 171, '88, 362; *S. D.* '85, 278^b; *Tex.* '82, 10^b, '86, 139, '87, 296, '92, 342; *Wash.* '92, 356, '97, 179.—*hbt.* '88, 362; *meas.* '82, 139^b, '83, 159, '90, 10, '99, 257^c, 258, 258^c, 1900, 221, 228, 231; *mig.* '95, 123, 1900, 236; *nst.* '82, 10^b; *plm.* '82, 139, '86, 171, '89, 167, 1900, 217, 221, 228, 237, 238 (*mlt.*); *syn.* '83, 159, '99, 257^c, 1900, 225, 225^c.

palpebralis, *Mex.* '92, 107, 1900, 218.—*plm.* 1900, 218; *syn.* '92, 107; *misc.* '93, 141.

philadelphiana (^a Mourning Warbler), *Colom.* 1900, 366; *Conn.* '80, 117 [*not* '*Oporornis agilis*', see '81, 114]; '81, 114; *C. R.* '90, 336, '92, 22; *g. dist.* '93, 127, 1900, 217; *Gulf of Mex.* '81, 251^a; *Ill.* '88, 434; *Ind.* '82, 17, 20, '89, 28; *Man.* '86, 326; *Mass.* '82, 252, 253, '84, 9^a, 12^a, 14, 15, '89, 42^a, 43^a, 103; *Md.* '93, 372; *Mc.* '76, 30^a, '76, 95^a, '82, 110, 190 [*not* '*Oporornis agilis*', see '86, 413]; '86, 413; *Mich.* '85, 65, '93, 229, '95, 192; *Mo.* '79, 142; *N. B.* '82, 110, '89, 118; *N. E.* '76, 73, 92, '77, 16; *N. H.* '87, 106, '88, 153; *N. J.* '89, 198; *N.*

Y. '78, 53, '81, 228, '82, 154, '83, 52^a, 53^a, '89, 33^a, '90, 295, '91, 396, '96, 179, '99, 85; *Ont.* '88, 323^a, 1900, 392; *Pa.* '91, 240, 398, '92, 133^a, 134, 139, '99, 313; *P. E. I.* '93, 13; *S. D.* '85, 278; *Tex.* '82, 10, '87, 296, '92, 342; *W. Va.* '98, 136.—*fd.* '87, 296; *hbt.* '89, 103; *mig.* '81, 251^a, '82, 252, 253, '85, 65, '88, 434, 1900, 236; *nst.* '89, 103, '96, 179; *plm.* '78, 61, 69, 1900, 217, 236; *song*, '84, 12^a, '89, 103.

poliocephala, *Mex.* 1900, 218.—*plm.* 1900, 218, 229; *syn.* '83, 81, 82. *ralphi* (Rio Grande Yellow-throat, ^b *palpebralis*), *g. dist.* '95, 165; *Mex.* 1900, 218; *Tex.* '91, 316^b.—*plm.* 1900, 218; *syn.* '95, 165.

rostrata, *Bahamas*, '86, 43, '91, 68, 335, 1900, 217, 290.—*meas.* '86, 43, 1900, 291; *plm.* '86, 43, 335, 1900, 217; *syn.* '86, 43.

semiflava, *Colom.*, *plm.* 1900, 217. *speciosa*, *Mex.*, *plm.* 1900, 217.

tanneri, *Bahamas*, '86, 335*, '88, 157, '91, 298, 334, 350, 1900, 217, 290.—*meas.* '86, 336; *plm.* 1900, 217.

tolmiei (^a Macgillivray's Warbler, ^b macgillivrayi), *Ariz.* '82, 139^b, '88, 35^b, '90, 48^b; *Cal.* '86, 185^b, '87, 86^b, '99, 156^b, 157^a; *Colo.* '80, 227^b, '81, 88^b, '83, 159^b, '85, 15^b, 141^b, '94, 269^b; *C. R.* '90, 336^b, '92, 22^b; *g. dist.* '93, 127^b, 1900, 217; *Ida.* '98, 19^b; *Mont.* '94, 307^b; *N. M.* '85, 332^b, '92, 367^b; *Ore.* '79, 164^b, '86, 171^b, '88, 362^b; *Tex.* '86, 139^b, '87, 296^b, '92, 342^b; *Wash.* '92, 48^b, '97, 179^b, 1900, 245.—*hbt.* '86, 171^b; *meas.* '80, 228^b; *mig.* 1900, 236; *nst.* '80, 227^b, '86, 171^b, 1900, 245; *plm.* '78, 62^b, 1900, 217, 236; *song*, '80, 227^b, '86, 171^b, '88, 362^b, '97, 179^b; *syn.* '99, 81^a, 122.

trichas (^a Maryland Yellow-throat, ^b *brachidactyla*, ^c *restricta*), *Ala.* '78, 174; *Ark.* '82, 91; *Bahamas*, '87, 155^c, 1900, 225^c, 289, 289^c, '91, 69, 294, 295, 296, 298, 334, 335, 336, 336, 337, 338, 338, 339, 351, 352, 352; *Colo.* '85, 15, 1900, 298; *Conn.* '86, 487, '99, 360; *C. R.* '90, 336, '92, 21; *Cuba*, '92, 273; *D. C.* '88, 24, '92, 307; *Fla.* '85, 62, '90, 9–14, 21, 314, '91, 138^{??}, '92, 214, '95, 365; *Ga.* '96, 214; *g. dist.* '93, 133, 1900, 216–242, 1900, 217^b, 221^b, 222^b, 223^b, 224^b; *Gulf. of Mex.* '81, 251^a; *Ia.* '95, 235; *Ill.* '78, 163, '88, 434, '90, 76; *Ind.* '82, 17, 18, '89, 28; *Jamaica*, '93,

341; *Ky.* '89, 316; *La.* '82, 162, '87, 302^a; *Mass.* '84, 6^a, 13^a, 14, 389, '88, 389, '89, 46, 104, '90, 409, '95, 302^a; *Me.* '82, 110; *Mich.* '85, 65, '93, 229, '95, 192 [not 'agilis'; see '98, 193], '98, 193; *Minn.* '80, 14, '97, 408; *Mo.* '79, 142, '95, 117^a, '95, 351^a; *N. B.* '82, 110, '87, 239^a, '89, 119; *N. C.* '86, 175, '89, 121; *N. H.* '88, 151, 153, 154, '89, 77, 78; *N. J.* '94, 140; *N. S.* '87, 16, '89, 149; *N. Y.* '81, 228, '84, 175, 176, 177, 178, 179, 215; *O.* '95, 241; *Pa.* '92, 139, '93, 41, 46, '96, 285, 296, '99, 313; *P. E. I.* '93, 6^a, 13; *Que.* '82, 234, '89, 149; *S. C.* '79, 212, '85, 72^a, '90, 129, '92, 31^a; *Tenn.* '86, 317, '87, 132; *Tex.* '92, 342, 1900, 347; *T. a.* '89, 53^a; *W. I.* '81, 151, '86, 44, '89, 31; *W. Is.* '82, 187, '83, 67, 71, '88, 326, 326; *W. Va.* '98, 137.—*hbt.* '83, 71, '98, 75, 1900, 232, 232^b; *meas.* '90, 10, '99, 258, 1900, 220, 221^b, 226, 226^b, 227^b, 289, 290^b; *mig.* '81, 251^a, '83, 67, 71, '84, 176, 177, 178, 179, '85, 62, 65, '88, 326, 326, 434, '91, 69, 197, '92, 31^a, '95, 235, 241, 1900, 232, 232^b, 234, 234^b, 235^b; *nst.* '80, 14, '82, 18, '89, 28, '97, 408, '99, 360; *plm.* '78, 62, '85, 367, '86, 279, '91, 189, 1900, 217, 217^b, 220, 221^b, 225^c, 226, 226^b, 230, 231^b, 232, 232^b, 233, 233^b, 237, 237^b (mlt.); *song*, '84, 67, 215, '85, '98^a, '95, 351^a, '98, 59; *syn.* '83, 81, '86, 44, '90, 66, '99, 256, 1900, 220, 221^b, 224, 225^c, 390 ('Sylvia'); *misc.* '81, 188, '89, 24^a, 1900, 239. *Geotrygon*, '87, 117.

caniceps, *W. I.*, *meas.*, *plm.*, *syn.* '87, 118.

chrysia (Key West Quail-dove, ^b *martinica*), *Bahamas*, '91, 350^b, 350^b; *Fla.* '89, 246^b, '90, 90^b, '98, 185; *W. I.* '81, 155^b, '87, 119^b.—*meas.*, *plm.* '87, 119^b; *syn.* '87, 119^b, '97, 126.

cristata, *Jamaica*, '87, 117, '92, 125.—*hbt.* '92, 125 (mlt.); *meas.*, *plm.*, *syn.* '87, 117.

infusca, *Colom.*, *syn.* 1900, 306. *linearis*, *W. I.* '93, 220.—*syn.* 1900, 306.

montana (^a Ruddy Quail-dove), *Braz.* '91, 162; *Fla.* '89, 160, 246; *g. dist.* '90, 62; *Jamaica*, '92, 124; *W. I.* '80, 160, 169^b, '87, 96, 118, '91, 48. —*meas.* '87, 119; *nst.* '92, 124; *plm.* '87, 118, '92, 124 (mlt.); *syn.* '87, 118, '90, 62.

mystacea, *W. I.* '79, 229, '80, 169,

- '87, 96, 117, '91, 47, 48, '94, 246.—
mcas., *plm.*, *syn.* '87, 117.
- Geranoætus** *melanoleucus* (^b *Buteo*),
Argent., *Urug.*, *hbt.*, *plm.* '84, 110;
anat. '82, 87^b; *syn.* '81, 210^a.
- Geranomorphæ**, '81, 80.
- Geranospiza** *cærulescens*, *Braz.* '91,
161.
- Geranospizias**, '85, 205.
- gerfalco** (*Falco*), see *F. gyrfalco*.
- Gefalcon**, see *Falco gyrfalco*.
- Germany.**
- Allen, J. A., '92, 186.
 - Dalgleish, J. J., '80, 68–69, 143, 149,
211, 215–216, 220–221.
 - Hoffman, R., '96, 297–312.
 - Jäckel, A. J., '92, 186.
- German Zoological Society**, '96, 350.
- gertrudis** (*Chlorestes*), see *Sporadinus*
maugaei.
- (Chlorolampis), see *Sporadinus*
maugaei.
- Gesner**, Abraham Herbert.
Obituary of, '95, 316.
- Gibbs**, Morris.
Annotated list of birds of Michigan
(rev.), '80, 110.
- Gibson**, William Hamilton.
Studio neighbors (rev.), '98, 65.
Eye spy (rev.), '98, 66.
Sharp eyes (rev.), '98, 66.
Strolls by starlight and sunshine
(rev.), '98, 66.
Happy hunting grounds (rev.), '98,
66.
Highways and byways (rev.), '98, 66.
Pastoral days (rev.), '98, 66.
- Gie-me-a-bit**, see *Chordeiles minor*.
- gigantea** (*Ossifraga*), see *Ossifraga*.
- giganteus** (*Aramus*), see *Aramus*.
— (*Dinornis*), see *Dinornis*.
— (*Fulmarus*), see *Ossifraga*.
— (*Rallus*), see *Aramus*.
- gigas** (*Dacelo*), see *Dacelo*.
- Gill**, Theodore.
Record of scientific progress in 1881
in zoology (rev.), '84, 84.
Generic names *Pediocætes* and
Pooætes, '99, 20–23.
- Longevity of birds and other vertebrates
(rev.), '99, 371.
- gilli** (*Palæotetrix*), see *Palæotetrix*.
- Gilman**, Arthur Scott.
Brown Thrasher (*Harporhynchus*
rufus) in Massachusetts in winter,
'96, 176.
- Gilpin**, John Bernard.
[Anatomy of *Buccphala islandica*]
(rev.), '79, 126.
- gilva** (*Vireosylvia*), see *Vireo*.
- gilvus** (*Mimus*), see *Mimus*.
— (*Turdus*), see *Mimus*.
— (*Vireo*), see *V. gilvus* or *barbatus*.
- giraudi** (*Otocoris*), see *Otocoris*.
- girrenera** (*Haliastur*), see *Haliastur*.
- giu** (*Megascops*), see *M. scops*.
- glaber** (*Sublegatus*), see *Sublegatus*.
- glabrirostris** (*Melanoptila*), see *Melanoptila*.
- glacialis** (*Fratercula*), see *Fratercula*.
— (*Fulmarus*), see *Fulmarus*.
— (*Harelda*), see *H. hyemalis*.
— (*Procellaria*), see *Fulmarus*.
glacioides (*Fulmarus*), see *Priocella*.
— (*Priocella*), see *Priocella*.
— (*Procellaria*), see *Priocella*.
— (*Thalassoica*), see *Priocella*.
- glandarius** (*Garrulus*), see *Garrulus*.
- Glareola**, '88, 331.
- glareola** (*Totanus*), see *Totanus*.
- Glass-eye**, see *Merula jamaicensis*.
- glaucescens** (*Larus*), see *L. glaucescens*
or kumlieni.
- (*Xanthoura*), see *Xanthoura*.
- Glaucidium**, '86, 470, '88, 366, '93, 130.
californicum (*California Pygmy Owl*), *B. C.* '93, 18*, 382, '97, 89,
1900, 106; *Cal.* '78, 193, '79, 86; *g. dist.* '88, 366; *Ont.* '83, 55 [*gnoma?*];
Orc. '86, 165 [*'gnoma'*]; *Wash.* '92,
44, '93, 382,—*fd.* '78, 193; *hbt.* '88,
370; *meas.* '79, 87, '88, 370; *nst.* '79,
86; *plm.* '79, 42; *misc.* '80, 114, '83,
175^a [*'gnoma'*].
- cobanense*, *Guat.*, *meas.* '94, 43.
fisheri, *Mex.* '94, 41*.
- gnoma* (*Pygmy Owl*), *Ariz.* '83, 27,
'90, 48, 54; *B. C.* '93, 16, 18, 291,
382; *Colo.* '86, 284, '94, 268; *g. dist.*
'88, 366, 371, '93, 134; *Ida.* '97, 353;
Mont. '83, 59; *N. M.* '83, 27, '86,
79; *Orc.* '83, 242, '86, 165 [*californicum?*], '88, 146; *Wash.* '93, 16, 18,
291, 382,—*fd.* '88, 146, 366, 370; *hbt.*
'86, 79, '88, 366; *meas.* '83, 27, '88,
370; *nst.* '83, 242, '88, 366; *plm.* '83,
27, 242; *song.* '83, 27, '88, 366, '98,
57^a.
- hoskinsii* (*Hoskin's Pygmy Owl*),
g. dist. '93, 142; *L. Cal.* '88, 136*,
372, 395.
- phalænoïdes** (*Ferruginous Pygmy Owl*),
^b *ferrugineum*), *Ariz.* '83, 27^b,
'86, 424; *C. R.* '90, 333, '92, 327; *g. dist.* '88, 366, 371; *Mex.* '85, 229, 231,
'89, 70; *Tex.* '78, 144^b; *Venz.* '97,
366,—*fd.* '88, 371, '92, 327; *hbt.* '83,
27^b, '88, 366, 371, '92, 327; *meas.*
'83, 27^b, '89, 70; *nst.* '88, 371, '89,

70; *plm.* '83, 27^b; *song*, '83, 27^b, '85, 229, '88, 371, 372.—
siju, *W. I.* '86, 470, '92, 272.—
meas., *plm.*, *syn.* '86, 470.
Glaucion, see Clangula.
glaucion (*Clangula*), see *C. americana*.
Glaucionetta, see Clangula.
Glaucis, '86, 347.
hirsuta, *Venez.* '97, 366; *W. I.* '86, 347; *meas.*, *plm.*, *syn.* '86, 347.
glaucium (*Clangula*), see *C. americana*.
glaucocærulea (*Guiraca*), see *Guiraca*.
glaucogastra (*Bernicla*), see *Bernicla*.
glaucopectus (*Formicarius*), see *Formicarius*.
glaucops (*Strix*), see *Strix*.
glaucopsis (*Thalurania*), see *Thalurania*.
glaucopterus (*Larus*), see *L. glaucescens*.
glaucus (*Elanus*), see *E. leucurus*.
—— (*Falco*), see *Elanus leucurus*.
—— (*Larus*), see *L. glaucus* or *barrovianus*.
glocitans (*Anas*), see *Anas*.
gloriōse (*Zosterops*), see *Zosterops*.
Glossiptila, '86, 54, '94, 143.
ruficollis (^b*campestris*), *W. I.* '86, 54, '93, 339.—*anat.* '94, 144^b; *fd.* '93 340; *meas.* '86, 54; *plm.* '86, 54, '93, 339; *syn.* '86, 54.
glottis (*Totanus*), see *T. nebularius*.
glupischa (*Fulmarus*), see *Fulmarus*.
Glyphorhynchus cuneatus, *Braz.* '91, 26; *nst.* '94, 171.
Gnatcatcher, Arizona, see *Polioptila plumbea*.
Bahama, see *Polioptila cæsiogaster*.
Black-capped, see *Polioptila plumbea*.
Black-tailed, see *Polioptila californica*.
Black-fronted, see *Polioptila restricta*.
Blue-gray, see *Polioptila cærulea*.
California Black-capped, see *Polioptila californica*.
Lead-colored, see *Polioptila plumbea*.
Plumbeous, see *Polioptila plumbea*.
Western, see *Polioptila obscura*.
gnatho (*Euphonia*), see *Euphonia*.
Gnathosittaca, see *Ognorhynchus*.
gnoma (*Glaucidium*), see *G. gnoma* or *californicum*.
Goatsucker, Mexican, see *Nyctibius mexicanus*.
Parauque, see *Nyctidromus merrilli*.
Goatsuckers, see *Caprimulgidae*.
Gode or *Godel*, see *Alca torda* or *Uria troile*.
Godetz, see *Alca torda* or *Uria troile*.
Godman, Frederick DuCane, and *Salvin*, O., see *Salvin* and *Godman*.

godmani (*Basileuterus*), see *Basileuterus*.
—— (*Certhiola*), see *Cæreba luteola*.
—— (*Colinus*), see *Colinus*.
—— (*Euphonia*), see *Euphonia*.
Godwit, Great Marbled, see *Limosa fedoa*.
Hudsonian, see *Limosa haemastica*.
Marbled, see *Limosa fedoa*.
Pacific, see *Limosa baueri*.
Ring-tailed, see *Limosa haemastica*.
Golden, see *Nycticorax nævius* or *violetaceus*.
Golden-eye, American, see *Clangula americana*.
Barrow's, see *Clangula islandica*.
Rocky Mountain, see *Clangula islandica*.
Goldfinch, Allen's, see *Spinus allenii*.
American, see *Astragalinus tristis*.
Arizona, see *Astragalinus arizonæ*.
Arkansas, see *Astragalinus psaltria*.
Black-headed, see *Spinus notatus*.
European, see *Carduelis carduelis*.
Lawrence's, see *Astragalinus lawrencei*.
Mexican, see *Astragalinus mexicanus*.
Oriental, see *Carduelis caniceps*.
Pale, see *Astragalinus pallidus*.
Pine, see *Spinus pinus*.
Willow, see *Astragalinus salicamans*.
goldmani (*Antrostomus*), see *Antrostomus*.
—— (*Dendroica*), see *Dendroica*.
—— (*Melospiza*), see *Melospiza*.
—— (*Momotus*), see *Momotus*.
—— (*Trogon*), see *Trogon*.
Goney, see *Diomedea exulans*.
Goniaphea, see *Zamelodia*.
Goodale, Joseph Lincoln.
Wood Thrush in Maine, '85, 215.
Yellow-rumped Warbler wintering in Maine, '85, 216.
Wintering of White-throated and Ipswich Sparrow in Maine, '86, 277.
Calcarius ornatus in Maine, '87, 77.
Additional occurrences of Connecticut Warbler in Maine, '87, 77.
Goode, George Brown.
Obituary of, '96, 349.
Published writings of Philip Lutley Sclater (rev.), '97, 233.
Gormley, M. H.
Nesting of Black Swift, '88, 424.
Goony, Brown, see *Diomedea nigripes*.
Goosander, American, see *Merganser americanus*.
European, see *Merganser merganser*.
Goose, American White-fronted, see *Anser gambeli*.

- Barnacle, see *Branta leucopsis*.
 Bean, see *Anser fabalis*.
 Blue, see *Chen caerulescens*.
 Blue-winged, see *Chen caerulescens*.
 Brant or Brent, see *Branta bernicla*.
 Cackling, see *Branta minima*.
 Canada, see *Branta canadensis*.
 Cassin's Snow, see *Chen hyperborea*.
 Egyptian, see *Chenalopex aegypticus*.
 Emperor, see *Phalacrocorax canagica*.
 Gambel's, see *Anser gambeli*.
 Greater Snow, see *Chen nivalis*.
 Hutchins's, see *Branta hutchinsii*.
 Larger White-cheeked, see *Branta occidentalis*.
 Lesser Snow, see *Chen hyperborea*.
 Painted, see *Phalacrocorax canagica*.
 Pied, see *Anseranas melanoleucus*.
 Ross's Snow, see *Chen rossii*.
 Snow, see *Chen hyperborea*.
 Solan, see *Sula bassana*.
 White-collared, see *Branta minima*.
 White-cheeked, see *Branta occidentalis*.
 White-fronted, see *Anser albifrons*;
 A. gambeli (American references).
 Wild, see *Branta canadensis*.
 Goshawk, American, see *Accipiter atricapillus*.
 European, see *Accipiter palumbarius*.
 Henshaw's, see *Accipiter [henshawi =] striatus*.
 Mexican, see *Asturina plagiata*.
 Western, see *Accipiter striatus*.
Goss, Benjamin Franklin.
 Notes on breeding habits of Maximilian's Jay (*Gymnocitta cyanoccephala*) and Clarke's Crow (*Picicorvus columbianus*), '83, 43-45.
 Obituary of, '93, 385.
Goss, Nathaniel Stickney.
 Breeding of Duck Hawk in trees, '78, 32-34.
 Bonaparte's Gull in Kansas, '79, 190
 The Black Rail (*Porzana jamaicensis*) in Kansas, '80, 60.
 Bell's Finch (*Poospiza belli nevadensis*) in New Mexico, '81, 116.
 White-necked Raven (*Corvus cryptoleucus*) in New Mexico, '81, 118.
Myiodioctes canadensis in Kansas '81, 246.
Nyctherodius violaceus in Kansas '81, 248.
 Occurrence of Northern Phalarope and Audubon's Warbler, and nesting of Mockingbird in Western Kansas, '83, 186-188.
 Catalogue of birds of Kansas (rev.), '83, 227.

- Notes on breeding of American Eared Grebes (*Dytes nigricollis californicus*), '84, 18-20.
 Birds new to Kansas, and others rare in the State, '84, 100.
 Notes on nesting habits of Yellow-throated Vireo (*Laniivireo flavifrons*), '84, 124-126.
 Notes on *Phalacrocorax violaceus* and on *P. violaceus resplendens*, '84, 163-165.
 Capture of *Megaceryle skua* off coast of Cape Cod, Massachusetts, '84, 395.
Brachyrhamphus hypoleucus off coast of southern California, '84, 396.
 Observations on *Elanoides forficatus* and *Ictinia subcerulea* in Kansas, '85, 19-21.
 Rare summer residents in Kansas '85, 112.
Cyanocitta stelleri frontalis nesting in holes in trees, '85, 217.
 Wilson's Plover in Nova Scotia, '85, 221.
Rissa tridactyla kotzebuei in Washington Territory, '85, 222.
 Black-capped Vireo and Nonpareil in southwestern Kansas, '85, 274-276.
 Early and accidental occurrence of *Cathartes atrata* and *Tantalus locator* in Kansas, '85, 311.
 Little Yellow Rail (*Porzana noveboracensis*) in Kansas, '85, 385.
 Thick-billed Grebes (*Podilymbus podiceps*) breeding in Kansas, '85, 388.
 Addition to catalogue of Kansas birds '86, 112-115.
 Capture of *Miltulus forficatus* in Florida, '86, 134.
 Revised catalogue of birds of Kansas (rev.), '86, 399.
 Early arrival of rare bird, '86, 408.
 Snowy Plover in Indian Territory and Kansas, '86, 409.
 Additions to catalogue of birds of Kansas, '87, 7-10.
 What constitutes a full set of eggs? '87, 167.
Merganser americanus breeding in New Mexico, '87, 344.
Ictinia mississippiensis and *Aegialitis niveosa* nesting in Kansas, '87, 344.
 Feeding habits of *Pelecanus erythrorhynchos*, '88, 25-27.
 Notes on *Gymnostinops montezumae* '88, 27-29.
 New and rare birds found breeding

- on the San Pedro Martir Isle, '88, 240-244.
 How far west has *Anas obscura* been found? '88, 444.
 Additions to catalogue of birds of Kansas, with notes on habits, '89, 122-124.
 Mottled Duck in Kansas, '90, 88.
Phalacroptilus nuttalli nitidus breeding in Kansas. Is it a valid race or a color phase of *P. nuttalli*? '90, 286.
 Second occurrence of White-faced Glossy Ibis (*Plegadis guarauna*) in Kansas, '91, 112.
 Correction, '91, 116.
 History of birds of Kansas (rev.), '91, 228-230.
 Obituary of, '91, 245-247.
Goss, N. S., and Lantz, D. E.
 A list of birds collected by N. S. Goss in Mexico and Central America (rev.), '99, 365.
Gosse, Philip Henry.
 Obituary of, '88, 446.
gossii (*Laterallus*), see *Porzana flavi-ventris*.
 —— (*Crybastus*), see *Porzana flavi-ventris*.
 —— (*Seiurus*), see *Seiurus*.
 —— (*Sula*), see *S. nebulouxii*.
 —— (*Tyrannula*), see *Myiarchus validus*.
Gouan, 1900, 167.
Gould, John.
 Birds of New Guinea (rev.), '89, 269
 Supplement to Trochilidae (rev.), '89, 334.
gouldi (*Circus*), see *Circus*.
 —— (*Euphonia*), see *Euphonia*.
 —— (*Melospiza*), see *M. samuelis*.
 —— (*Selenidera*), see *Selenidera*.
 —— (*Sterna*), see *S. fuliginosa*.
 Gourd-head, see *Tantalus loculator*.
Gouridæ, '81, 80, '94, 61, '99, 319.
Gowrie, Ringed, see *Hemiprorene zonaris*.
gracie (*Dendroica*), see *Dendroica*.
gracilis (*Aphelocoma*), see *Aphelocoma*.
 —— (*Empidonax*), see *E. minimus*.
 —— (*Euphonia*), see *Euphonia*.
 —— (*Hesperornis*), see *Hesperornis*.
 —— (*Mimus*), see *M. gracilis* or *gilvus*.
 —— (*Picolaptes*), see *P. compressus*.
 —— (*Rupornis*), see *Rupornis*.
 —— (*Sterna*), see *S. dougalli*.
 —— (*Tachornis*), see *Tachornis*.
Grackle, Blue-headed, see *Scolecophagus carolinus*.
 Boat-tailed, see *Quiscalus major*.

- Bronzed, see *Quiscalus æneus*.
 Florida, see *Quiscalus aglæus*.
 Great-tailed, see *Quiscalus macrourus* or *major*.
 Guerrero, see *Quiscalus obscurus*.
 Long-tailed, see *Quiscalus macrourus*.
 Purple, see *Quiscalus quiscula*.
 Rusty, see *Scolecophagus carolinus*.
 Tinkling, see *Quiscalus jamaicensis*.
Gracula, '94, 233, 234.
 chrysoptera, misc. '96, 266.
 javanensis, *Borneo*, hbt., syn. '90, 355.
 nobilis, misc. '96, 266.
graculus (*Fregilus*), see *Fregilus*.
 —— (*Phalacrocorax*), see *Phalacrocorax*.
 —— (*Pyrrhocorax*), see *Fregilus*.
Grallæ, '81, 29, '87, 67.
Grallaria lizanoi, C. R. '92, 173.
 nigro-lineata, misc. '90, 380.
 ochraceiventris, *Mex.* '98, 340.
 guatemalensis, *Hond.* '92, 175.
 spatiator, *Colom.* '99, 91.
grallaria (*Cymodroma*), see *Fregetta*.
 —— (*Fregetta*), see *Fregetta*.
 —— (*Procellaria*), see *Fregetta*.
Grallatores, '81, 77, 78.
graminea (*Melospiza*), see *Melospiza*.
gramineus (*Pooecetes*), see *P. gramineus* or *confinis*.
grammacus (*Chondestes*), see *Chondestes*.
grammica (*Emberiza*), see *Chondestes*.
 —— (*Chondestes*), see *C. grammacus* or *strigatus*.
grammicus (*Asio*), see *Pseudoscops*.
 —— (*Ephialtes*), see *Pseudoscops*.
 —— (*Pseudoscops*), see *Pseudoscops*.
 —— (*Scops*), see *Pseudoscops*.
granadensis (*Cardinalis*), see *C. phoeniceus*.
Granatellus, '93, 112.
 boucardi, *Yucatan*, '85, 293.
 francescæ, hbt. '92, 288.
Granatina, see *Fringilla*.
granatina (*Fringilla*), see *Fringilla*.
 —— (*Pitta*), see *Pitta*.
granatinus (*Trochilus*), see *Eulampis jugularis*.
Grand Cayman Island, West Indies.
 Cory, C. B., '86, 497-501, '87, 6-7.
grandior (*Euetheia*), see *Euetheia*.
 —— (*Vireo*), see *Vireo*.
 —— (*Vireosylvia*), see *Vireo*.
grandis (*Agelaius*), see *Agelaius*.
 —— (*Loxigilla*), see *Pyrrhulagra*.
 —— (*Pyrrhulagra*), see *Pyrrhulagra*.
 —— (*Saltator*), see *Saltator*.
 —— (*Thryothorus*), see *Thryothorus*.

Grant, John B.

Our common birds (rev.), '91, 301.

Grant, William.

Catalogue of birds of islands of Malta and Gozo (rev.), '77, 70.

Grant, W. R. Ogilvie-, see Ogilvie-

Grant, W. R.

granti (*Turdinusulus*), see *Turdinusulus*.

Grass-bird, see *Tringa maculata* or *Euetheia bicolor*.

Grasset, see *Hylocichla mustelina*.

Grassquit, see *Euetheia bicolor*.

Bryant's, see *Euetheia bryanti*.

Cory's, see *Euetheia coryi*.

Melodious, see *Euetheia canora*.

Yellow-faced, see *Euetheia olivacea*.

grata (*Sialia*), see *S. sialis*.

gravis (*Puffinus*), see *Puffinus*.

Graydidascalus, '92, 279.

grayi (*Argus*), see *Argus*.

— (Merula), see *Merula*.

— (*Turdus*), see *Merula*.

graysoni (*Harporrynchus*), see *Mimodes*.

— (*Colinus*), see *Colinus*.

— (*Compsothlypis*), see *Compsothlypis*.

— (*Merula*), see *Merula*.

— (*Micrathene*), see *Micropallas*.

— (*Micropallas*), see *Micropallas*.

— (*Mimodes*), see *Mimodes*.

— (*Zenaidura*), see *Zenaidura*.

Great Bahama Island, West Indies.

Cory, C. B., '91, 350, 92, 270.

Great Britain.

Allen, J. A., '80, 110-111, 175-177, 233-234, '81, 46, 174, '85, 88-91, '87, 64-65, '90, 195-196.

Dalgleish, J. J., '80, 68-74, 141-150, 210-220, '80, 64.

Seeböhm, H., '92, 290.

Grebe, American Eared, see *Colymbus californicus*.

Carolina, see *Podilymbus podiceps*.

Clark's, see *Æchmophorus occidentalis*.

Crested, see *Podiceps cristatus*.

European Crested, see *Podiceps cristatus*.

Holbœll's, see *Colymbus holbœllii*.

Horned, see *Colymbus auritus* or *californicus*.

Little, see *Colymbus minor*.

Pied-billed, see *Podilymbus podiceps*.

Red-necked, see *Colymbus holbœlli*.

San Domingo, see *Colymbus dominicanus*.

Thick-billed, see *Podilymbus podiceps*.

Western, see *Æchmophorus occidentalis*.

Grebes, see *Podicipidæ*.

grebnitzskii (*Corvus*), see *Corvus*.

Green, Morris Miller.

Occurrence of *Phalaropus lobatus* at Syracuse, New York, '87, 73.

Central New York notes, '87, 350.

Baird's Sandpiper in central New York, '89, 68.

Green Cay, West Indies.

Ridgway, R., '91, 338-339.

Greenfinch, see *Ligurina chloris*.

Green-head, see *Anas boschas*.

Greenland.

Allen, J. A., '96, 243-244, 1900, 185-186.

Batchelder, C. F., '91, 226-227.

Chamberlain, M., '89, 211-218, 291-297.

Dalgleish, J. J., '83, 179, '86, 273-274.

Gray, R., '92, 289, 289, 289.

Hagerup, A. T., '91, 319-320.

Kumlien, L., '87, 345.

Greenlet, see *Vireo*.

Green-shank, see *Totanus nebularius*.

Greenwood, Emery C.

[Exposure of], '84, 295.

Gregg, William H.

Birds of Chemung Co., New York (rev.), '80, 173.

Grenada Island, West Indies.

Cory, C. B., '89, 218-219.

Lawrence, G. N., '79, 228-230, '84, 180-181, '85, 357-359, '87, 250-251, '89, 19-21.

Wells, J. G., '87, 250-251.

grenadensis (*Pyrrhulagra*), see *Pyrrhulagra*.

— (*Thryothorus*), see *Troglodytes*.

— (*Troglodytes*), see *Troglodytes*.

Gressores, '78, 183, 184, '83, 232.

Grieve, Symington.

The Great Auk (*Alca impennis*) (rev.), '86, 262-265.

[Notes on Great Auk] (rev.), '99, 92. grindei (*Psaltriparus*), see *Psaltriparus*.

Grinnell, George Bird.

Ground Dove (*Chamæfelcia passerina*) in New York, '78, 147.

Grinnell, Joseph.

Description of a new Towhee from California, '97, 294-296.

Disgorge ment among song birds, '97, 318.

New race of *Spinus tristis* from the Pacific coast, '97, 397-399.

Rank of the Sage Sparrow, '98, 58.

Report on birds recorded on islands of Santa Barbara, San Nicolas and San Clemente (rev.), '98, 73.

- Summer birds of Sitka, Alaska, '98, 122-131.
 Land-birds observed in midwinter on Santa Catalina I., California, '98, 233-236.
 Geographical races of *Harpotorhynchus redivivus*, '98, 236.
 The San Nicholas Rock Wren, '98, 237-239.
 Birds of Los Angeles Co., California (rev.), '98, 283.
grinnelli (*Regulus*), see *R. calendula*.
grisea (*Aphelocoma*), see *Aphelocoma*.
 —— (*Amphispiza*), see *Amphispiza*.
 —— (*Drymophila*), see *Drymophila*.
 —— (*Formicarius*), see *Formicarius*.
 —— (*Nycticorax*), see *N. naevius*.
 —— (*Pyrrhula*), see *Pyrrhulagra*.
 —— (*Scolopax*), see *Macrorhamphus*.
 —— (*Sporophila*), see *Sporophila*.
griseiceps (*Tityra*), see *Tityra*.
griseicollis (*Heterorhina*), see *Henicorhina leucophrys*.
griseifrons (*Cypselus*), see *Cypselus*.
griseigena (*Colymbus*), see *Colymbus*.
griseigula (*Formicivora*), see *Thryothorus coraya*.
griseigularis (*Passer*), see *Passer*.
griseipectus (*Dendrotyx*), see *D. macrourus*.
griseipes (*Hylophilus*), see *Hylophilus*.
griseisticta (*Butilis*), see *Butilis*.
griseiventris (*Synallaxis*), see *Synalaxis*.
griseocristata (*Schistochlamys*), see *Schistochlamys*.
griseolateralis (*Cyphorinus*), see *Cyphorinus*.
griseonucha (*Leucosticte*), see *Leucosticte*.
grisescens (*Parus*), see *P. alascensis*.
griseus (*Cistoþorus*), see *Cistoþorus*.
 —— (*Empidonax*), see *Empidonax*.
 —— (*Limnodramus*), see *Macrorhamphus*.
 —— (*Lophophanes*), see *Parus*.
 —— (*Macrorhamphus*), see *Macrorhamphus*.
 —— (*Melittarchus*), see *Tyrannus dominicensis*.
 —— (*Parus*), see *Parus*.
 —— (*Perisoreus*), see *P. obscurus*.
 —— (*Puffinus*), see *P. griseus* or *fuliginosus*.
 —— (*Sittasomus*), see *Sittasomus*.
 —— (*Tyrannus*), see *T. dominicensis*.
grisifrons (*Minus*), see *Galeoscopetes carolinensis*.
grisola (*Hyloterpe*), see *Hyloterpe*.
 —— (*Muscicapa*), see *Muscicapa*.
 —— (*Pachycephala*), see *Hyloterpe*.
 —— (*Tephrodornis*), see *Hyloterpe*.
grœnlandicus (*Acanthis*), see *A. rosstrata*.
 —— (*Falco*), see *F. islandus* or *rusticolus*.
 Grosbeak, Alaskan Pine, see *Pinicola alascensis*.
 Black-headed, see *Zamelodia melanoccephala*.
 Blue, see *Guiraca cœrulea*.
 California Pine, see *Pinicola californica*.
 Cardinal, see *Cardinalis cardinalis*.
 Evening, see *Coccothraustes vespertinus*.
 Kadiak Pine, see *Pinicola flammula*.
 Panama Blue, see *Cyanocompsa cyanescens*.
 Pine, see *Pinicola canadensis*.
 Purple, see *Pyrrhulagra violacea*.
 Rocky Mountain Pine, see *Pinicola montana*.
 Rose-breasted, see *Zamelodia ludoviciana*.
 Violet, see *Pyrrhulagra violacea*.
 Western Blue, see *Guiraca lazula*.
 Western Evening, see *Coccothraustes montanus*.
grossus (*Pitylus*), see *Pitylus*.
 Grouse, see *Tetraonidae*.
 Alaskan, see *Canachites osgoodi* [=] *canadensis*.
 Black, see *Tetrao tetrix*.
 Blue, see *Dendragapus fuliginosus*.
 Burr-oak, see *Pediæcetes phasianellus*.
 Canada, see *Canachites canadensis*.
 Canadian Ruffed, see *Bonasa togata*.
 Columbian Sharp-tailed, see *Pediæcetes columbianus*.
 Dusky, see *Dendragapus obscurus* or *fuliginosus*.
 Franklin's, see *Canachites franklinii*.
 Gray Ruffed, see *Bonasa umbelloides*.
 Labrador Spruce, see *Canachites labradorius* [=] *canadensis*.
 Newfoundland Willow, see *Lagopus alleini*.
 Oregon Ruffed, see *Bonasa sabini*.
 Pinnated, see *Tympanuchus americanus*.
 Pintail, see *Centrocercus urophasianus*.
 Prairie Sharp-tailed, see *Pediæcetes campestris*.
 Richardson's, see *Dendragapus richardsonii*.
 Ruffed, see *Bonasa umbellus*.
 Sabine's Ruffed, see *Bonasa sabini*.

- Sage, see *Centrocercus urophasianus*.
 Sharp-tailed, see *Pediocetes phasianellus*.
 Sooty, see *Dendragapus fuliginosus*.
 Spruce, see *Canachites canadensis*.
 Willow, see *Lagopus lagopus*.
 Wood, see *Dendrocytus macrourus*.
gruberi (*Onychotus*), see *Onychotus*.
Grues, '81, 30.
Gruidae (^a Cranes), '81, 81, '83, 62, '85, 21^a, 21^b, '87, 339^a, '94, 242.
Grundtvig, F. L.
 Vernal migration of Warblers on Wolf River, Ontagamie Co., Wisconsin, '83, 45-72.
 Birds of Shiocton, Ontagamie Co., Wisconsin [translation by C. E. Faxon] (rev.), '95, 173.
Grus (^b Limnogeranus), '88, 50, '93, 99, 108, '94, 242^b, '96, 173, '99, 130^b.
americana (Whooping Crane). *Cal.* '77, 95^a; *Colo.* '85, 18; *Ky.* '89, 312; *La.* '97, 287; *Man.* '86, 150; *Mass.* '76, 53, 58; *Minn.* '80, 19, '84, 248; *Ore.* '77, 95^a, '86, 162, 164; *S. D.* '85, 287; *Tex.* '82, 223, '87, 185, 1900, 340.—*anat.* '80, 179, '95, 172; *hbt.* '84, 288^a; *syn.* '99, 130.
canadensis (^a Little Brown Crane, ^b fraterculus). *Alas.* '80, 187^b, '81, 131 [^c Sandhill Crane]; *Colo.* '84, 79^b, '85, 63, 157, 201, '87, 12; *Arctic Am.* '80, 109, 188^b; *Colo.* '85, 18, 144, '87, 264, '94, 183; *Kan.* '89, 124; *Man.* '86, 150, '93, 49; *Minn.* '80, 19, '84, 248; *Ore.* '88, 144; *R. I.* '90, 89, 394; *S. C.* '91, 308 [not "mexicana"] see '94, 324; *'94, 324*; *S. D.* '85, 287.—*anat.* '80, 179; *hbt.* '81, 131 [^c Sandhill Crane]; *meas.* '80, 123^b, 188^b, '88, 144, '93, 49; *mig.* '85, 63; *inst.* '94, 248^a; *plm.* '80, 123^b, '88, 144; *syn.* '80, 88^b, 123^b, 188^b, 188^a, '83, 62, '84, 384.
grus, *Holz.* '95, 337.
japonensis, *syn.* '91, 99.
lifordi, *misc.* '94, 243.
mexicana (^a Sandhill Crane, ^b *canadensis*, ^c *pratensis*). *Ariz.* '90, 51; *Cal.* '86, 91, '87, 86; *Colo.* '81, 142^b; *Cuba*, '88, 50; *Fla.* '87, 141, '89, 152, '91, 137, '92, 212, '95, 364; *Ga.* '96, 207, 215; *Ia.* '95, 121, 236; *Ida.* '97, 351; *Ind.* '88, 348; *La.* '97, 287; *Mass.* '76, 53, 58; *Md.* '96, 68; *Minn.* '84, 248^b, '93, 300; *Mo.* '79, 147^b; *Ont.* '88, 205^a; *Ore.* '79, 197^b, '86, 162, 164, '88, 144; *S. C.* '91, 308 [= *canadensis*, see '94, 324]; *Tex.* '82, 42^b, 223^b, '87, 185, '92, 232, 1900, 340; *Wash.* '92, 42, '93, 17, '97, 181, —*anat.* '80, 179; *fd.* '97, 181; *hbt.* '84, 187^a, '89, 152, '92, 383, '93, 300; *mcas.* '80, 123^b, 188^b; *mig.* '84, 85^a, '95, 121, 236; *inst.* '89, 152, '94, 248^a; *plm.* '80, 123^b; *syn.* '80, 123^b, 188^b, '83, 62^c, '84, 384, '88, 50; *misc.* '90, 199^a, '94, 68^a.
grus (*Grus*), see *Grus*.
grylle (*Cephus*), see *Cephus*.
 — (Uria), see *C. grylle* or *mandtii*.
Gryphus, see *Sarcorhamphus*.
gryphus (*Sarcorhamphus*), see *Sarcorhamphus*.
 — (*Vultur*), see *Sarcorhamphus*.
Guadalupe Island, Lower California.
 Allen, J. A., '87, 154.
 Bryant, W. E., '87, 154, '89, 178, '92, 187 (4 items).
 Ridgway, R., '77, 58-66.
guadalupensis (*Salpinctes*), see *Salpinctes*.
Guadeloupe Island, West Indies.
 Allen, J. A., '79, 228-230, '86, 269.
 Cory, C. B., '86, 381.
 Lawrence, G. N., '79, 228-239, '86, 269, '91, 59-62.
guadeloupensis (*Herminierus*), see *Cinclocerthia ruficauda*.
 — (*Quiscalus*), see *Quiscalus*.
 — (*Saltator*), see *Saltator*.
 — (*Speotyto*), see *Speotyto*.
 — (*Thryothorus*), see *Troglodytes*.
 — (*Troglodytes*), see *Troglodytes*.
guiana (*Eucichla*), see *Eucichla*.
gualemalensis (*Corethrura*), see *Porzana concolor*.
Guanajuato, Mexico.
 Dugès, A., '99, 287-288, 357-359.
 Ridgway, R., '99, 254.
Guara (^b *Eudocimus*), '78, 182^b, '84, 235^a, '87, 321, '93, 107, '99, 202.
alba (^a White Ibis, ^b *Eudocimus*, ^c *Leucibis*, ^d *Ibis*), *Colom.* '99, 292; *Cuba*, '92, 272; *Fla.* '87, 137^a, 139^a, 141^a, 215^a, 279^a, 281^a, '88, 269, '89, 15, '91, 137, '92, 211 '95, 364; *Ga.* '83, 42^b, '96, 215; *g. dist.* '93, 132; *Ill.* '78, 166^b, '80, 32^a; *Jamaica*, '92, 9, 14^a, '94, 121; *N. C.* '99, 247; *N. Y.* '95, 70^a; *S. C.* '85, 287^b; *W. I.* '87, 321.—*inst.* '79, 24^a, '83, 42^b, '89, 15; *plm.* '84, 239^b; *syn.* '80, 101^b, '84, 236^a, '87, 321; *misc.* '87, 214^a.
rubra (^a Scarlet Ibis, ^b *Eudocimus*, ^c *Leucibis*), *Ariz.* '99, 270; *Colo.* '94, 324, '97, 216 [^c *Plegadis guarauna*, see '98, 183]; *Fla.* '83, 187^a [misprint, 1851], '89, 15; *Ga.* '96, 207, 209^a, 210^a, 215; *Jamaica*, '92, 9, '94, 121; *N. M.*

- '97, 316; *W. I.* '87, 321.—*plm.* '84, 239^b; *syn.* '80, 101^b, '84, 236^c, '87, 321; *misc.* '81, 167^b.
- guarauna (*Aramus*), see *A. giganteus*.
— (*Falcinellus*), see *Plegadis*.
— (*Ibis*), see *Plegadis guarauna* or *autumnalis*.
— (*Plegadis*), see *Plegadis*.
- Guatemala.**
Nelson, E. W., '97, 42-76, '98, 156, 1900, 268.
- guatemala (*Megascops*), see *Megascops*.
— (*Scops*), see *Megascops*.
— (*Setophaga*), see *Setophaga*.
— (*Sialia*), see *Sialia*.
— (*Strix*), see *Strix*.
- guatemalensis (*Campephilus*), see *Campephilus*.
— (*Corythrura*), see *Porzana concolor*.
— (*Grallaria*), see *Grallaria*.
— (*Xanthoura*), see *Xanthoura*.
- guatimalis (*Chlorophanes*), see *Chlorophanes*.
guatimozinus (*Gymnostinops*), see *Gymnostinops*.
- gubernator (*Agelaius*), see *A. californicus*.
- Gubernatrix cristatella**, *R. I.* '80, 240 (cage); *Urug.*, *hbt.* '83, 130.
- Guerrero**, Mexico.
Nelson, E. W., '97, 44, 50, 56, 69, 1900, 266, 267.
- guiana (*Pitta*), see *Eucichla*.
- guianensis (*Certhiola*), see *Cæreba chloropyga*.
— (*Conurus*), see *C. euops*.
— (*Cyclorhis*), see *Cyclorhis*.
— (*Lamprospars*), see *Molothrus atter*-nitens.
— (*Leistes*), see *Leistes*.
— (*Odontophorus*), see *Odontophorus*.
— (*Psittacula*), see *Psittacula*.
— (*Synallaxis*), see *Synallaxis*.
- guildingi (*Amazona*), see *Amazona*.
— (*Chrysotis*), see *Amazona*.
— (*Psittacus*), see *Amazona*.
- Gulford**, H. M.
Dendroica kirtlandi in Minnesota, '93, 86.
- Guillaume, see *Plautus impennis*.
- Guillemot, Black, see *Cephus grylle*.
Black-throated, see *Synthliboramphus antiquus*.
Brünnich's, see *Uria lomvia*.
California, see *Uria californica*.
Common, see *Uria troile*.
Foolish, see *Uria troile*.

- Kittlitz's, see *Brachyrhamphus kittlitzii*.
Mandt's, see *Cephus mandtii*.
Pigeon, see *Cephus columba*.
Xantus's, see *Brachyrhamphus hypoleucus*.
- Guillemons, see *Alcidæ*.
- Guinea-fowl, see *Numida meleagris*.
- Guira piririgua**, *Argent.*, *hbt.*, *nst.*, *song*, '84, 26.
- Guiraca**, '77, 64, '86, 202.
cærulea (^a Blue Grosbeak, ^b *Goniapheia*), *Ala.* '79, 9^b; *Colo.* '85, 16, 142; *Cuba*, '86, 202; *D. C.* '88, 22; *Fla.* '89, 324, '92, 213, '95, 365; *Ga.* '96, 213; *g. dist.* '93, 133; *Ind.* '82, 21; *Kan.* '85, 112; *Ky.* '89, 315; *Mass.* '78, 139, '80, 184^b; *Me.* '80, 184^b; *N. B.* '80, 184^b; *N. C.* '86, 110; *N. H.* '96, 342; *N. S.* '89, 64^b; *N. Y.* '78, 132^b, '93, 276; *Pa.* '79, 235^b; *R. I.* 1900, 76^a; *S. C.* '79, 214^b, '85, 211, '90, 125, '92, 36^a, '93, 152; *Tex.* '82, 13; *Va.* '80, 53^a, '82, 48^a.—*hbt.* '79, 214^b, '90, 80^a; *mig.* '92, 36^a; *nst.* '79, 214^b; *plm.* '79, 46^b, '93, 152; *syn.* '86, 202, '98, 229; *misc.* '90, 82^a.
chiapensis, *Mex.* '98, 340.
- glaucocærulea, *Urug.*, *hbt.*, *song*, '83, 92.
- lazula (^a Western Blue Grosbeak, ^b *carulea*, ^c *eurhyncha*), *Ariz.* '82, 199^b, '87, 205^b; *Cal.* '86, 183^b; *g. dist.* '88, 399^c, '93, 135^c; *Tex.* '87, 293^b, '88, 119^a, '92, 339^c.—*meas.* '82, 199^b; *plm.* '82, 199^b; *syn.* '87, 336^c, '88, 399^c, '98, 322, '99, 121.
- guira-yetapa (*Alectrurus*), see *Alectrurus*.
- gularis (*Æstrelata*), see *Æstrelata gularis* or *scalaris*.
— (*Halcyon*), see *Halcyon*.
— (*Heleodytes*), see *Heleodytes*.
— (*Icterus*), see *Icterus*.
— (*Paroaria*), see *Paroaria*.
— (*Procellaria*), see *Æstrelata*.
— (*Rallus*), see *R. striatus*.
— (*Rougetius*), see *R. bernieri*.
- Gulf-bird, see *Crymophilus fulicarius*.
Gulf Fauna and Flora Bulletin, '99, 378.
- Gulf of Mexico.**
Frazar, M. A., '81, 250-252.
- Gull, American Herring, see *Larus smithsonianus*.
Black-headed, see *Larus ridibundus* or *L. atricilla* (American references).
Bonaparte's, see *Larus philadelphia*.
Burgomaster, see *Larus glaucus*.

California, see *Larus californicus*.
 Common European, see *Larus canus*.
 Cuneate-tailed, see *Rhodostethia rosea*.
 European Herring, see *Larus argentatus*.
 Franklin's, see *Larus franklinii*.
 Franklin's Rosy, see *Larus franklinii*.
 Glaucous, see *Larus glaucus*.
 Glaucous-winged, see *Larus glaucescens*.
 Great Black-backed, see *Larus marinus*.
 Heermann's, see *Larus heermanni*.
 Herring, see *Larus argentatus*.
 Hutchin's, see *Larus glaucus*.
 Ice, see *Larus glaucus*.
 Iceland, see *Larus leucopterus*.
 Ivory, see *Pagophila alba*.
 Kittiwake, see *Rissa tridactyla*.
 Kumlien's, see *Larus kumlieni*.
 Laughing, see *Larus atricilla*.
 Lesser Glaucous-winged, see *Larus kumlieni*.
 Little, see *Larus minutus*.
 Little Sea, see *Sterna antillarum*.
 Mackerel, see *Sterna hirundo*.
 Mew, see *Larus canus*.
 Nelson's, see *Larus nelsoni*.
 Pacific Kittiwake, see *Rissa pollicaris*.
 Point Barrow, see *Larus barrovianus*.
 Ring-billed, see *Larus delawarensis*.
 Ross's, see *Rhodostethia rosea*.
 Ross's Rosy, see *Rhodostethia rosea*.
 Rosy, see *Larus franklinii*.
 Sabine's, see *Xema sabini*.
 Short-billed, see *Larus brachyrhynchus*.
 Siberian, see *Larus affinis*.
 Skua, see *Megalestris skua*.
 Slaty-backed, see *Larus schistisagus*.
 Summer, see *Sterna hirundo*.
 Swallow-tailed, see *Creagrus furcatus*.
 Vega, see *Larus vegae*.
 Western, see *Larus occidentalis*.
 White-winged, see *Larus leucopterus*.
 Gulls, see *Laride*.
Gundlach, John.
 Notes on some birds of Cuba, '91,
 187-191.
 Obituary of, '96, 267.
gundlachi (*Accipiter*), see *Accipiter*.
 — (*Colaptes*), see *Colaptes*.
 — (*Chalcophanes*), see *Quiscalus*.
 — (*Chordeiles*), see *C. minor*.
 — (*Conurus*), see *C. chloroptera*.
 — (*Cooperastur*), see *Accipiter*.
 — (*Dendroica*), see *Dendroica*.
 — (*Holoquiscalus*), see *Quiscalus*.

— (*Hypomorphnus*), see *Urubitinga anthracina*.
 — (*Mimus*), see *Mimus*.
 — (*Nisus*), see *Accipiter*.
 — (*Quiscalus*), see *Quiscalus*.
 — (*Vireo*), see *Vireo*.
 — (*Vireonella*), see *Vireo*.
Gunn, Charles W.
 Rare birds in Michigan, '79, 186.
 Notes on Black-backed Three-toed Woodpecker and Canada Jay, '81, 119.
gunni (*Helminthophila*), see *H. leucobronchialis*.
Gurney, John Henry.
 Hybrid between *Pediocetes phasianellus* and *Cupidonia cupido*, '84, 391.
 List of the diurnal birds of prey (rev.), '85, 203-205.
 Obituary of, '90, 299.
Gurney, John Henry, Jr.
 Labrador Duck, '97, 87.
 The economy of the Cuckoo (rev.), '98, 337.
 Ages to which birds live (rev.), '99, 370-372.
gurneyi (*Eucichla*), see *Eucichla*.
guttata (*Calliste*), see *Calliste*.
 — (*Dendrocnis*), see *Dendrocnis*.
 — (*Melospiza*), see *Melospiza*.
guttatoides (*Dendrocnis*), see *Dendrocnis*.
guttatus (*Ammodramus*), see *Ammodramus*.
 — (*Chrysotilus*), see *Chrysotilus*.
 — (*Dendrocopos*), see *Dendrocnis ocellata*.
 — (*Harporhynchus*), see *Harporhynchus*.
 — (*Passerulus*), see *Ammodramus*.
 — (*Planetis*), see *Sterna fuliginosa*.
 — (*Tinamus*), see *Tinamus*.
guttifer (*Picumnus*), see *Picumnus*.
gutturalis (*Aramides*), see *Aramides*.
 — (*Buarremon*), see *Buarremon*.
 — (*Campylorhynchus*), see *Cinclöcerthia*.
 — (*Cinclöcerthia*), see *Cinclöcerthia*.
 — (*Fornicarius*), see *Cinclöcerthia*.
 — (*Helminthophila*), see *Helminthophila*.
 — (*Psittacus*), see *Amazona collaria*.
 — (*Ramphocinclus*), see *Cinclöcerthia*.
 — (*Spermophilus*), see *Sporophila*.
 — (*Sporophila*), see *Sporophila*.
gutturosus (*Manacus*), see *Manacus*.
guyanensis (*Conurus*), see *C. euops*.
 — (*Evopsisitta*), see *Conurus euops*.
guyi (*Phæthornis*), see *Phæthornis*.

- Gygis**, '77, 24, '78, 141.
Gymnasio, '86, 469.
 lawrenceii, *W. I.*, *meas.*, *plm.*, *syn.*
 '86, 469.
 nudipes, *W. I.*, *meas.*, *plm.*, *syn.*
 '86, 469.
Gymnochila chiroleuca, *Honduras*, '92,
 175.
Gymnocitta, see *Cyanocephalus*.
Gymnoderus foetidus, *Braz.* '91, 26.
gymnogenys (*Turdus*), see *Merula gym-*
 nophthalma.
Gymnokitta, see *Cyanocephalus*.
Gymnomystax melanicterus (^b *Xan-*
 thornus mexicanus), *Braz.* '90, 269;
 N. Am., W. coast, '77, 92^b?.
gymnophthalma (*Merula*), see *Merula*.
gymnophthalmus (*Blacops*), see *Blac-*
 ops.
 — (*Turdus*), see *Merula*.
gymnops (*Rhegmatorhina*), see *Rheg-*
 matorhina.
gymnopsis (*Turdus*), see *Merula gym-*
 nophthalma.
Gymnorhina, see *Cyanocephalus*.
Gymnostinops, '87, 150.
 cassini, *Colom.* '98, 327*.
 guatimozinus, *syn.* '98, 326.
 montezumae, (^b *Ostionops*), *Cent.*
Am. '88, 27-29; '93, 84^b.—*fd.*, *hbt.*,
meas., *nst.*, *song*, '88, 27-29.
 yuracarium, *Braz.* '90, 269.
gymnostoma (*Jacana*), see *J. spinosa*.
 — (*Parra*), see *Jacana spinosa*.
Gypagus, see *Gyparchus*.
Gyparchus, '80, 79.
 papa (^b *Gypagus*, ^c *Sarcoramphus*),
Argent. '81, 248^b; *Braz.* '91, 161.—
hbt. '92, 288^c; *syn.* '80, 79; *misc.* '82,
 258^b.
Gypogeranus, '81, 77.
Gyps fulvus, *plm.* '80, 81.
Gyrantes, '83, 232.
gyrfalco (*Falco*), see *F. gyrfalco*, *islan-*
 dus or *rusticolus*.
Gyrfalcon, see *Falco gyrfalco*.
 Black, see *Falco oboletus*.
 Gray, see *Falco rusticulus*.
 Iceland, see *Falco islandus*.
 Labrador, see *Falco oboletus*.
 McFarlane's, see *Falco gyrfalco*?
 White, see *Falco islandus*.
- H
- Habia*, see *Zamelodia*.
Habits, see *Biographies*.
Habropyga, '86, 214.
 melpoda, (^b *Estrilda*), *W. I.* '80,
- 121^b (*cage*), '86, 214, '92, 229.—
meas., *plm.*, *syn.* '86, 214.
Habrura pectoralis, *syn.* '90, 384.
Hadley, Alden H.
 Birds of Richmond, Wayne Co., Indiana (rev.), '99, 91.
Hadrostomus, see *Platyparis*.
hämalea (*Piranga*), see *Piranga*.
hämistica (*Limosa*), see *Limosa*.
 — (*Scolopax*), see *Limosa*.
Hæmatopodidae (^a *Oyster-catchers*), '93,
 108^a.
Hæmatopus, '87, 230, '88, 193, '89,
 333.
 ater, *Ore*, '77, 95 [*niger?*].—*misc.*
 '80, 88.
 bachmani (Black Oyster-catcher,
 ^b *niger*), *Alas.* '85, 157, '98, 127, 230;
Cal. '86, 92, 124^b, '87, 329; *Wash.*
 '93, 17.—*nst.* '87, 329, '98, 127.
 frazari (Frazar's Oyster-catcher),
L. Cal. '88, 84*, 395.
 galapagensis, *Galap. Is.* '86, 331*,
 '90, 273.—*plm.* '88, 85.
 ostraleucus (^a *Oyster-catcher*),
Helg. '95, 325; *N. C.* '93, 242 [*pal-*
liatus?].—*nst.* '97, 335^a; *syn.* '84,
 172.
 palliatus (^a American Oyster-
 catcher), *Bahamas*, '91, 76, 297, 334,
 351, '92, 48; *Cal.* '86, 92; *Fla.* '81,
 18, '87, 273, '89, 160, '92, 212; *Ga.*
 '83, 42, '96, 215; *Mass.* '85, 384; *Mex.*
 '88, 86; *N. C.* '93, 242 [*ostrale-*
ucus?]; *N. Y.* '80, 117, '86, 439, '93,
 272, '95, 70^a; *S. Am.* '88, 86; *Tex.*
 1900, 341; *Va.* '76, 26; *W. I.* '87,
 230.—*hbt.* '93, 293; *plm.* 1900, 284
 (*fig.*); *nst.* '76, 26, '83, 42; *syn.* '87,
 230.
 prattii, *Bahamas*, 1900, 187.—
meas., *plm.* 1900, 285.
haemorrhoidalis (*Trogon*), see *Trogon*.
haemorrhous (*Carpodacus*), see *C. mexi-*
 canus.
Hag, see *Puffinus gravis*.
 Black, see *Puffinus fuliginosus*.
Hagdon, see *Puffinus gravis* or *fuligi-*
 nosus.
Hagerup, Andreas T., and **Chamberlain**,
 Montague.
 Birds of Greenland (rev.), '91, 226.
 [correction], '91, 319.
Hagiopsar, '91, 92.
Haines, Edwin Irvine.
 [Exposure of], '98, 213.
Haiti, West Indies.
 Allen, J. A., '84, 285, '85, 295.
 Cory, C. B., '81, 129-130, 151-155,
 '84, 285.

- Ridgway, R., '98, 322-323.
 Hair-bird, see *Spizella socialis*.
Halcyon, '94, 236.
 chloris, *P. I.* '94, 237.
 concreta, *Borneo*, syn. '91, 10.
 coromandus, *Borneo*, '91, 10; *P. I.* '94, 237.—*plm.* '99, 322; syn. '91, 10.
 gularis, *P. I.* '94, 237.
 pileata, *Borneo*, syn. '91, 10.
- Hales**, Henry.
 Peculiar traits of some Scarlet Tanagers, '96, 261-263.
- Haliaeetus**, '80, 99, '84, 48, '94, 233.
alascanus (Northern Bald Eagle, ^b *leucocephalus*), *Alas.* '85, 157^b, '98, 127 [*alascensis*]; *g. dist.* '99, 109, 340^a;—*meas.* '99, 341; *nst.* '98, 127; syn. '99, 109.
albicilla (Gray Sea Eagle), *Grenl.* '89, 211^a, 291; *Helg.* '95, 326.—*anat.* '82, 87; *fd.*, *hbt.*, *nst.* '89, 291.
hypoleucus, *Kamts.* '84, 82.
leucocephalus (^a Bald or White-headed Eagle, ^b *washingtoni*), *Ariz.* '90, 48, 53; *Cal.* '86, 93, '87, 329, '98, 234; *Colo.* '85, 17, 143; *Conn.* '80, 114^a, '95, 262, 266; *Dak.* '83, 238^a; *Eurofe.* '77, 107, '80, 66, 143; *Fla.* '81, 17, 58, '87, 159, 341^a, '88, 271, '89, 248, '90, 223, '91, 109^a, 137, '92, 212, '95, 364, '96, 182^a; *Ga.* '83, 41, '96, 212; *g. dist.* '98, 174-176^b, '99, 109; *Ia.* '95, 236; *Ida.* '97, 353; *Ind.* '88, 350, '98, 62, '99, 178^a; *Ky.* '89, 313; *La.* '82, 164; *Man.* '86, 154, 329; *Mc.* '82, 151, '83, 242^a; *Mich.* '93, 224; *Minn.* '84, 247; *N. B.* '89, 117; *N. C.* '81, 122, '86, 103^a; *N. F.* 1900, 72; *N. H.* '88, 149, '89, 76, 79; *N. J.* '79, 224, '94, 136; *N. M.* '99, 188; *N. S.* '87, 15^a, 16, '91, 165; *N. Y.* '81, 233; *O.* '83, 235^a, '93, 297; *Ore.* '79, 196, '86, 165, '88, 145; *Pa.* '92, 135; *Que.* '82, 238; *R. I.* '81, 122; *S. C.* '85, 192, '90, 37; *S. D.* '85, 285; *Tex.* '82, 174, '87, 189, '89, 237, 1900, 343; *Va.* '80, 57, '88, 18; *Wash.* '92, 43, '97, 174; *Wis.* '81, 123.—*anat.* '81, 201; *fd.* '81, 58, '83, 116, 242^a, '96, 182^a, '98, 175, 175^b; *hbt.* '79, 196, '80, 57, '81, 58, 123, '82, 184, '83, 242^a, '87, 339, 340^a, '91, 109^a, '98, 175^b; *meas.* '81, 122, '98, 175, 175^b, '99, 341^a; *mig.* '95, 236, 262, 266; *nst.* '81, 17, '82, 174, 238, '83, 41, '87, 159, 189, 341^a, '88, 145, '89, 117, 248, '98, 62, 1900, 343; *plm.* '98, 174^b; *syn.* '80, 99, '98, 174^b,
- '99, 131^b, 341^b; *misc.* '80, 87^b, '83, 238^a, '90, 85^a, '92, 386^a, '94, 69^a.
Haliaëtus, see *Haliæetus*.
haliaëtus (*Pandion*), see *P. haliaeetus* or *carolinensis*.
Haliastur, '85, 205, '94, 233.
 ambiguum, *misc.* 1900, 401.
 girrenera, *misc.* 1900, 400.
 indus, *misc.* 1900, 400.
Haliplana, see *Onychoprion*.
Hallock, Charles.
 Sportsman's gazetteer (rev.), '79, 175.
Halocyptena *microsoma* (^a Least Petrel), *L. Cal.* '91, 305, '98, 142^a.—*nst.*, *plm.* '98, 142^a.
halophilus (*Ammodramus*), see *A. guttatus*.
hamatus (*Rostrhamus*), see *R. socialis*.
Hamilton Association, Journal and Proceedings titles (Nos. 2258-2260), '92, 191.
Hammer, Yellow, see *Colaptes auratus* or *luteus*.
hammondi (*Empidonax*), see *Empidonax*.
Hancock, Joseph Lane.
 Parkman's Wren in Illinois, '83, 179. Northern range of *Oporornis formosa* in Illinois, '88, 210. Impeded migration and destruction of birds at Chicago, '88, 432-434.
Hapalocercus flaviventer, *Urug.*, song. '83, 199.
 fulviceps, *Ucnez.* '94, 66.
 paulus, *Colom.* 1900, 82.
Hapaloderma vittatum, *misc.* '95, 289.
Haploophonæ, '81, 32.
Haplospiza nivaria, *Colom.* 1900, 82.
Hardy, Fannie Pearson.
 Testimony of some early voyagers on the Great Auk, '88, 380-384.
Hardy, Manly.
 Nesting habits of Red-bellied Nuthatch, '78, 196.
 Note on nesting of Fish-Hawk in Maine, '80, 186.
 Notes on nesting-sites of Golden-winged Woodpecker, '80, 241.
 The Bald Eagle fishing, '83, 242.
 Late occurrence of Phœbe (*Sayornis fuscus*) at Brewer, Maine, '85, 108. Additional notes on Bittern, '89, 187.
Harelda, '84, 144, 173, '96, 163, '97, 124, '99, 129.
hyemalis (^a Old-squaw or Long-tailed Duck, ^b *glacialis*, ^c *Clangula*), *Alas.* '85, 63, 158; *Arctic Am.* '78, 86^b; *Cal.* '87, 87^c, '96, 172^c; *Colo.* '95, 292, 293^c; *Fla.* '95, 188^a; *Grenl.*

'89, 216^c; *Helg.* '95, 326^c; *Hud. B.* '90, 320^c; *Ill.* '76, 44^b, '77, 68^b, '80, 192^b; *Ind.* '99, 178; *La.* '86, 475^b; *Mass.* '92, 305^c, '96, 202^c, '97, 228; *Md.* '85, 385; *Mich.* '97, 228; *N. E.* '92, 330, 337^c; *N. J.* '79, 226^b; *N. S.* '95, 89^c, '99, 251; *N. Y.* '81, 235^b, '84, 177^b, '86, 281^b; *O.* '92, 397^c, '99, 284; *Ore.* '91, 367^c (fossil), '93, 344^c (fossil); *Pa.* '82, 251^b, '91, 240^c, '95, 310^a; *P. E. I.* '85, 266^a; *Que.* '82, 240^b; *S. C.* '88, 203^c, '92, 191^c, '95, 293^c; *S. D.* '85, 288^b; *Siberia*, 1900, 309^a; *Wash.* '92, 354^c.—*fd.* '92, 330^c; *hbt.* '92, 305^c, 330^c, '96, 202^c; *mig.* '84, 177^b, '85, 63^b, '92, 330^c, '93, 248^c; *plm.* '76, 23^b (alb.), '92, 330^c (mlt.); *song.* '92, 330^c; *syn.* '84, 385, '96, 163^b, '97, 125.

Hargitt, Edward.

see British Museum, 'cat. of birds,' vol. xviii (rev.), '91, 92–95.

Obituary of. '95, 315.

harlanii (*Falco*). see *Buteo*.

— (*Buteo*), see *Buteo*.

Harpactes, '94, 233.

diardi, *Borneo*, *syn.* '90, 359.

duvauceli, *Borneo*, *syn.* '90, 359.

kasumba, *Borneo*, *syn.* '90, 359.

Harpagus, '85, 205.

diodon, *Braz.* '91, 161.—*misc.* '94, 58.

Harper's Magazine, titles (No. 964), '85, 372, '90, 198.

Harporhynchus, '82, 215, 217, 218, '83, 169, '86, 289. '90, 277.

arenicola (Desert Thrasher), *gen. dist.* '97, 167*, '99, 124.—*meas.* '97, 167; *syn.* '99, 124.

bendirei (^Bendire's Thrasher), *Ariz.* '81, 65, '82, 69, '86, 256^a, 289, '87, 68, '88, 116, 161, '94, 219^a; *Colo.* '83, 57, 153, '85, 15; *g. dist.* '93, 135. —*hbt.* '86, 256^a, 257^a, '88, 161, '98, 274^a; *meas.* '82, 69, 70, '86, 291; *mig.* '88, 161; *fst.* '82, 69, '87, 68^a, '88, 116, 117^a, 118, 161, '94, 219^a; *plm.* '81, 65, '82, 69; *song.* '84, 357, '88, 161; *syn.* '81, 66; *mise.* '98, 3, 4.

cinereus (Saint Lucas Thrasher), *g. dist.* '93, 142; *Ont.* '83, 55 [= *rufus*, see '83, 116]; *L. Cal.* '90, 215, '95, 52; *syn.* '81, 66.

crissalis (Crissal Thrasher), *Ariz.* '78, 93, '81, 72, '82, 74, '88, 161; *Cal.* '90, 297; *g. dist.* '86, 289–299, '93, 135; *N. M.* '78, 93, '92, 368, '99, 189. —*fd.* '86, 292, '88, 162; *hbt.* '82, 74, '86, 292; *meas.* '82, 75, '86, 291, 293, 294, 296; *mig.*, *song.* *syn.* '86, 292;

nst. '82, 74, '86, 292, '88, 162; *plm.* '82, 74, '86, 292, 296.

curvirostris (Curve-billed Thrasher, ^b*vetula*), *g. dist.* '86, 290, '93, 135; *N. M.* '99, 189; *Tex.* '81, 68, 1900, 348.—*meas.* '81, 68; *nst.* '99, 189; *misc.* '80, 87^b.

guttatus, *Yucatan*, '85, 294.

lecontei (Leconte's Thrasher), *Ariz.* '81, 66–68, '82, 73, '83, 48, '86, 289; *Cal.* '84, 353–358, '89, 280, '90, 296, 297; *g. dist.* '86, 299–307, '93, 125, 287, '95, 54–60 (pl.); *Mex.* '85, 196, 229, 230.—*anat.* '95, 57 (fig.); *fd.* '82, 73; *hbt.* '83, 48, '84, 355, '86, 299, 303, '95, 54 (map); *meas.* '81, 68, '82, 74, '83, 49, '84, 358, '86, 291, 301, 302, 306; *nst.* '83, 48, '84, 358, '86, 299, 303, 306, '95, 54; *plm.* '81, 66, '82, 73, '85, 196, 230 (mlt.), '86, 292, 299; *song.* '81, 66, '84, 355, 357, '86, 299, 303, 305; *syn.* '81, 66, '86, 299; *misc.* '93, 320.

longirostris, *g. dist.* '77, 90, '93, 135.

mearnsi (Mearns's Thrasher), *L. Cal.* '95, 53*, 142, 165.—*meas.* '95, 53; *syn.* '95, 165.

maculatus, *Mex.* 1900, 269*.

ocellatus, *misc.* '84, 386.

palmeri (^Palmer's Thrasher), *Ariz.* '81, 66, '82, 71, '86, 256^a, 257^a, 289, '88, 116, 161, '94, 219; *Mex.* '85, 196, 228, '98, 272–274; *N. M.* '92, 368.—*hbt.* '86, 256^a, 257^a, '88, 161; *meas.* '81, 68, '82, 71, '86, 291, '98, 273; *nst.* '82, 71, '86, 306, '87, 68, '88, 116, 161, '94, 219^a, '98, 272; *plm.* '81, 67, '82, 71.

pasadenensis (Pasadena Thrasher), *Cal.* '98, 237*, '99, 123.—*meas.* '98, 237; *syn.* '99, 123.

redivivus (Californian Thrasher), *Cal.* '81, 68, '86, 185, '96, 121, '98, 236; *L. Cal.* '95, 142 [pasadenensis?]. —*hbt.* '96, 121; *meas.* '81, 68, '98, 237; *nst.* '86, 185; *plm.*, *syn.* '81, 66.

rufus (^Brown Thrasher or Thrush), *Ala.* '78, 170; *Colo.* '83, 153, '85, 15, 140; *D. C.* '88, 24, '92, 307; *Europe.* '80, 66; *Fla.* '88, 277, '90, 115, '91, 127^a, 138, '92, 214, '95, 365; *Ga.* '82, 95*, '83, 37, '96, 213; *g. dist.* '93, 133; *Helg.* '77, 107, '80, 69, '91, 300, '95, 331; *Ia.* '95, 122, 235; *Ill.* '88, 434; *Ind.* '89, 29; *Ky.* '89, 316; *La.* '82, 161, '87, 300^a, '88, 325; *Man.* '86, 327; *Mass.* '84, 14, '88, 388^a, 389, '89, 42^a, 43^a, 46, 105, '90, 369, '96, 176; *Mich.* '93, 229, '95,

- 192; *Minn.* '80, 13, '84, 244; *Miss.* '82, 90; *Mo.* '79, 140, '90, 393, '96, 218; *Mont.* '88, 16^a, '95, 218; *N. C.* '86, 175, '89, 121^a? '93, 244; *N. H.* '88, 151, 154, '89, 77, 79; *N. J.* '87, 78^a, '89, 305, '94, 140; *N. Y.* '79, 32, '80, 137^a, '81, 226, '84, 132, 175, '90, 295, '900, 178; *O.* '95, 242; *Ont.* '83, 55 [not 'cinereus,' see '83, 116], 116, '89, 204; *Pa.* '92, 140, '93, 37, 41, 43, 46, '96, 285; *S. C.* '79, 210, '90, 130, '91, 333, '92, 32^a; *S. D.* '85, 277; *Tenn.* '86, 315; *Tex.* '82, 7, '92, 342; —*anat.* '88, 325^a; *fd.* '81, 25^a, '96, 176, '97, 421^a; *hbt.* '85, 298, '87, 300, '90, 200, 369^a, '96, 218; *mig.* '80, 137^a, '84, 175, '85, 98^a, '88, 434, '91, 109, 196, '92, 32^a, '95, 122, 235; *nst.* '78, 23^a, '80, 13, '82, 161, '83, 37, '85, 277, '87, 78, '88, 24, '89, 29, '91, 109; *plm.* '78, 18, '80, 26 (alb.); *song.* '84, 132, '91, 32^a; *misc.* '83, 75, '94, 69.
sennetti (Texas Thrasher), g. *dist.* '93, 141; *Tex.* '89, 171.—*flm.* '89, 171; *syn.* '88, 402.
harpia (*Thrasaëtos*). see *Thrasaëtos*.
Harriger, Marsh, see *Circus hudsonius*.
Harriman Alaskan Expedition, '99, 302, 380.
Harris, George E.
 Early nesting of *Otocoris alpestris praticola*, '88, 320.
harrisi (*Buteo*), see *Parabuteo*.
 —— (*Dryobates*), see *D. harrisi*, *hyloscopus* or *monticola*.
 —— (*Parabuteo*), see *Parabuteo*.
 —— (*Phalacrocorax*), see *Phalacrocorax*.
 —— (*Picus*), see *Dryobates harrisi* or *monticola*.
Hartert, Ernst.
 Katalog des Vogelsammlung im Museum der Senckenbergischen Naturforschenden Gesellschaft (rev.), '92, 185.
 see British Museum 'cat. of birds,' vol. xvi (rev.), '93, 66–69.
 Birds of Aruba, Bonaire and Curacao (rev.), '93, 355–357.
 The Podargidae, Caprimulgidae and Macropterygidae (rev.), '97, 419.
Hartert, E., and **Rothschild**, Walter.
 A review of the ornithology of Galapagos Is. (rev.), 1900, 300–303.
hartlaubii (*Loriculus*), see *Loriculus*.
 —— (*Querquedula*), see *Querquedula*.
 —— (*Loriculus*), see *Loriculus*.
Harvie-Brown, John Alexander.
Egiothus exilipes in Europe, '77, 51.

- Destruction of birds in northern Russia (rev.), '78, 35.
Capercaillie in Scotland (rev.), '80, 110, '81, 46.
 Notes and queries on nomenclature of birds, genus *Wilsonia*, '80, 183.
 Onithological journal of winter of 1878–79 (rev.), '80, 233.
 Second report on Scottish ornithology (rev.), '81, 174.
 Migration of birds upon British coasts—1881 (rev.), '83, 229.
 Bird migration in Mississippi valley, by Cooke (rev.), '89, 270–272.
Falco islandus in Labrador, '91, 236.
 Colour code (rev.), '99, 293.
Harvie-Brown, J. A., and **Buckley**, T. E.
 A vertebrate fauna of the Moray Basin (rev.), '96, 251.
Harvie-Brown, J. A., and **Cordeaux**, John.
 Report on migration of birds (rev.), '80, 175–177.
Harvie-Brown, J. A., **Cordeaux**, J., and **Kermode**, P.
 Report on migration (rev.), '83, 228.
Harvie-Brown, J. A., **Cordeaux**, J., and **Newton**, A.
 Report of committee on migration at lighthouses (rev.), '83, 228.
Harvie-Brown, J. A., **Cordeaux**, J., **Kermode**, P. M. C., **Barrington**, R. M., and **More**, A. G.
 Report on migration, 1881 (rev.), '83, 229.
Hasbrouck, Edwin Marble.
Dendroica carulca in District of Columbia, '88, 323.
 Restoration of an Audubonian form of *Geothlypis trichas* to American avifauna, '89, 167.
 Summer birds of Eastland Co., Texas, '89, 236–241.
Picoides arcticus in central New York, '90, 206.
Dendroica cærulea again in District of Columbia, '90, 291.
Cistothorus stellaris at Washington, D. C. '90, 291.
 Present status of Ivory-billed Wood-pecker (*Campetherus principalis*), '91, 174–186 (map).
 Acadian Owl (*Nyctala acadica*) at Washington, D. C. '91, 313.
 The Carolina Paroquet (*Conurus carolinensis*), '91, 369–379 (map).
 Rare birds near Washington, D. C. '93, 91.
 Geographical distribution of genus

- Megascops* in North America, '93, 250-264 (2 pl.).
 Evolution and dichromatism in genus
Megascops (rev.), '93, 347-351.
hasitata (*Aestrelata*), see *Aestrelata*.
 — (Procellaria), see *Aestrelata*.
hastatus (*Megascops*), see *Megascops*.
Hatch, Jesse Maurice.
 Occurrence of Great White Heron at Escondido, California, '96, 172.
 Western Martin and California Cuckoo at Escondido, Cal. '96, 347.
Hatch, Philo L.
 A list of the birds of Minnesota (rev.), '82, 47.
 Notes on the birds of Minnesota (rev.), '93, 288-290.
havanense (*Glaucidium*), see *G. siju*.
havanensis (*Psittacus*), see *Amazona imperialis*.
 — (*Strix*), see *Glaucidium siju*.
Havelda, see *Harelda*.
havelli (*Sterna*), see *S. forsteri*.
hawaiensis (*Corvus*), see *Corvus*.
Hawaiian Islands.
 Allen, J. A., '78, 80-81, '88, 196-197, '90, 275.
 Caton, J. D., '84, 187.
 Henshaw, H. W., 1900, 201-206, 246.
 Streets, '78, 80-81.
Hawk, American Rough-legged, see *Archibuteo sancti-johannis*.
 American Sparrow, see *Falco sparverius*.
 Anthracite, see *Urubitinga anthracina*.
 Band-tailed, see *Buteo abbreviatus*.
 Black, see *Archibuteo sancti-johannis*.
 Blue-tailed, see *Accipiter cooperi*.
 Broad-winged, see *Buteo latissimus*.
 Chicken, see *Accipiter cooperi*.
 Chilean Sparrow, see *Falco cinnamominus*.
 Cooper's, see *Accipiter cooperii*.
 Cuban Sparrow, see *Falco dominicensis*.
 Desert Sparrow, see *Falco deserticolus*.
 Duck, see *Falco anatum*.
 Ecuador Sparrow, see *Falco aequatorialis*.
 European Buzzard, see *Buteo buteo*.
 European Rough-legged, see *Archibuteo lagopus*.
 Ferruginous Rough-legged, see *Archibuteo ferrugineus*.
 Fish, see *Pandion carolinensis*.
 Florida Red-shouldered, see *Buteo allenii*.
- Fork-tailed, see *Elanoides forficatus*.
 Harlan's, see *Buteo harlani*.
 Harris's, see *Parabuteo harrisi*.
 Hen, see *Buteo borealis* or *swainsoni*.
 Krider's, see *Buteo kriderii*.
 Little Black, see *Buteo brachyurus*.
 Marsh, see *Circus hudsonius*.
 Mexican Black, see *Urubitinga an-thracina*.
 Mouse, see *Circus hudsonius*.
 Pigeon, see *Falco columbarius*.
 Rabbit, see *Circus hudsonius*.
 Red-bellied, see *Buteo elegans*.
 Red-shouldered, see *Buteo lineatus*.
 Red-tailed, see *Buteo borealis*.
 Saint Lucas Red-tailed, see *Buteo lu-casanus*.
 Saint Lucas Sparrow, see *Falco penin-sularis*.
 Sharp-shinned, see *Accipiter velox*.
 Short-tailed, see *Buteo brachyurus*.
 Snail, see *Rostrhamus sociabilis*.
 Socorro Red-tailed, see *Buteo socor-roensis*.
 South American Sparrow, see *Falco australis*.
 Sparrow, see *Falco sparverius*.
 Squirrel, see *Falco anatum* or *Archibuteo ferrugineus*.
 Swainson's, see *Buteo swainsoni*.
 Swallow-tailed, see *Elanoides forfi-catus*.
 Western Red-tailed, see *Buteo ca-lurus*.
 West Indian Sparrow, see *Falco do-minicensis*.
 White-fronted, see *Buteo brachyurus*.
 Sennett's White-tailed, see *Buteo sen-netti*.
 Zone-tailed, see *Buteo abbreviatus*.
Hawks, see *Falcons*.
 Hawkeye Ornithologist and Oölogist (mag.), titles (Nos. 1933-1943), '91, 106.
Hay, Oliver Perry.
Hesperiphona vespertina in central Illinois, '81, 179.
 List of birds from Lower Mississippi valley, etc. '82, 89-94.
 Red-headed Woodpecker a hoarder, '87, 193-196.
 Hayti, see Haiti.
Hayward, Roland.
 A spotted egg of *Empidonax mini-mus*, '79, 124.
 Curious food for Kingfisher, '85, 311.
Hazard, Rowland Gibson, 2d.
 Occurrence of Golden Swamp Warbler (*Protonotaria citrea*) in Rhode Island, '84, 290.

A lay view of 'ornithophilologicalities,' '84, 300-302.

Breeding habits of King Penguin (*Aptenodytes longirostris*), '94, 280-282 (pl.).

Carolina Wren (*Thryothorus ludovicianus*) at Peace Dale, R. I. '99, 83.

Head, J. F.

Breeding of Woodcock in Georgia, '78, 151.

Headley, Frederick W.

Structure and life of birds (rev.), '96, 68.

Heath-hen, see *Tympanuchus cupido*.

Hedymeles, see *Zamelodia*.

heermannii (*Larus*), see *Larus*.

— (*Melospiza*), see *Melospiza*.

heilprini (*Cyanocorax*), see *Cyanocorax*.

helena (*Calypte*), see *Calypte*.

— (*Orthorhynchus*), see *Calypte*.

Heleodetes (^b *Campylorhynchus*), '76, 50^b, '83, 104^b, '89, 172^b, '90, 277^b, '93, 86, 112^b, 132^b, '94, 48, 210.

affinis (Saint Lucas Cactus Wren, ^b *Campylorhynchus*), g. dist. '93, 142^b; *L. Cal.* '90, 215^b, '94, 211.—*plm.* '94, 211; *syn.* '94, 48, '95, 280, '97, 131.

altilolus, *Mex.* '97, 68*.
brevirostris (^b *Campylorhynchus*), *syn.* '89, 172^b.

brunneicapillus (^a *Cactus Wren*, ^b *Campylorhynchus*), *Ariz.* '82, 82^b, '84, 356^a, '88, 116^b, 162^b, '94, 220^a; *Cal.* '85, 226^b, '86, 185^b, '90, 297; g. dist. '93, 135^b; *Mex.* '85, 229^b; *N. M.* '92, 368^b; *Tex.* '87, 297^b; *Tex.* '92, 342^b.—*hbt.* '94, 220^a; *nst.* '83, 174^b, '84, 356^a, '87, 297^b, '88, 116^b, 162^b, '92, 368^b, '94, 220^a; *syn.* '94, 48, 213, '95, 280; *misc.* '92, 288^a.

bryanti (Bryant's Cactus Wren), g. dist. '95, 166; *L. Cal.* '94, 212^a, '95, 142.—*plm.* '94, 212; *song*, '95, 142; *syn.* '95, 166, 280.

capistratus (^b *Campylorhynchus castaneus*), *Cent. Amer.* '89, 171^b.

costaricensis (^b *Campylorhynchus*), *C. R.* '88, 449^{b*}.

gularis, *Mex.*, *syn.* '98, 160.

hypostictus (^b *Campylorhynchus*), *Braz.* '90, 137^b.

nigricaudatus, g. dist. '97, 70*.

obscurus, *Mex.* '98, 340.

occidentalis, *Mex.* '97, 69*.—*syn.* '98, 160.

rufus, *Mex.* '97, 69*.

stridulus, *Mex.* '99, 296.

zonatus (^b *Campylorhynchus*), *Cent. Am.*, *Mer.*, *meas.*, *plm.* '88, 449^b.

Helias, '88, 331.

Heligoland Island.

Allen, J. A., '91, 299-300.

Coues, E., '95, 322-346.

Dalgleish, J. J., '80, 68-72, 144, 150, 216, 219.

Helinaea, see *Helinaea*.

Helinaea '85, 76, 367, '93, 112, 130.

swainsonii (^a Swainson's Warbler, ^b *Helmintherus*, ^c *Helonea*), *Ala.* '78, 172^b; *Bahamas*, '91, 296; *Fla.* '85, 54^c, 62^c, 104^c, '88, 187, '90, 16, 313, '91, 137, 138, '92, 213, '93, 338, '95, 365, 367; *Ga.* '96, 207^a, 213; g. dist. '85, 65-80, '93, 133; *Ill.* '78, 163, '80, 32; *Jamaica*, '91, 386, '93, 340; *Ky.* '89, 315; *La.* '87, 37, 262^a, 263, 300^a, 305, '88, 323, 325^a; *Mo.* '95, 112-117^a; *S. C.* '85, 65-80, 211^a, '87, 347, '90, 403, '91, 169; *Tex.* '81, 54^c; *Va.* '95, 307^a; *W. I.* '85, 377, '86, 27^b.—*fd.* '85, 65, 73; *hbt.* '85, 65, 80, 301^b, '87, 300, 305; *meas.* '81, 55^c, '85, 76, 78, 346, 347, '90, 403; *mig.* '85, 54^c, 62^c, 79, 104^c, '88, 323, '91, 135; *nst.* '85, 346, '87, 68, '90, 403, '93, 338, '95, 367; *plm.* '81, 54^c, '85, 76, 78; *song*, '78, 172^b, '85, 65, 68, 72, 73, '87, 305, '95, 115^a; *syn.* '85, 76, 79, '86, 27^b; *misc.* '86, 335, 489, '87, 37, '90, 84^b, '92, 191.

Heliocorys, '91, 92.

Heliomaster furcifer, *Argent.*, *Urug.*, *hbt.*, *nst.* '84, 21.

Heliopædia, see *Basilinna*.

Heliornis fulica, *Braz.* '91, 163.

Heliornithidae, '81, 81, '94, 242.

Hell-diver, see *Podilymbus podiceps*.

Helme, Arthur Hudson.

Large flight of White-winged Crossbills on Long Island, N. Y. 1900, 295.

Lark Finch and Baird's Bunting on Long Island, N. Y. 1900, 296.

Helminthophaga, see *Helminthophila*.

Helminthophila, '82, 53, '84, 44, '86, 28, '87, 307-310, '90, 194.

bachmanii (^a Bachman's Warbler), *Ark.* '96, 264, '97, 305-310^a; *Cuba*, '86, 28, '87, 263; *Fla.* '87, 262, 348, '88, 187, 428-430, '89, 278, '90, 16, 313, '91, 127^a, 138, 149-157, '92, 213, '93, 338, '95, 365, 367; *Ga.* '83, 38 (sp.?) ; g. dist. '93, 133; *La.* '87, 35, 262, 262, '88, 323, 325^a; *Mo.* '97, 305-310^a; *N. Am.* '87, 165; *N. C.* '91, 316; *S. C.* '87, 262; *Va.* '94,

333.—*fd.* '88, 428; *hbt.* '90, 16, '91, 149, '97, 305^a; *meas.* '83, 38, '87, 263, 348, '97, 310; *mig.* '88, 323, 429, '90, 16, '91, 135; *nst.* '83, 38, '97, 305^a; *plm.* '87, 35, 165, 262, 348, '88, 429, '91, 149, 156, '94, 333; *song.* '88, 428, '91, 149, 154, '96, 264, '97, 305^a; *syn.* '82, 53, '86, 28; *misc.* '81, 168^a, '87, 308, 310.

celata (^a Orange-crowned Warbler), *Ala.* '78, 173; *Colo.* '80, 226, '83, 156, '85, 15 [*lutescens?*], '94, 269; *Conn.* '88, 323; *Fla.* '83, 157, '88, 275, '90, 18, '91, 127^a, 138, '92, 213, '95, 365; *Ga.* '83, 157; *g. dist.* '93, 127; *La.* '87, 37^a; *Man.* '86, 325; *Mass.* '76, 94, '86, 278; *Mich.* '81, 196^a; *Mo.* '79, 141; *Mont.* '94, 307 [*lutescens?*], '95, 218 [*lutescens?*]; *N.H.* '78, 96 [=peregrina, see '82, 53]; *N.J.* '83, 179, '93, 90; *N.M.* '85, 331 [*lutescens?*], '92, 367; *N.Y.* '78, 46, '79, 61, '87, 350, '93, 90, 277; *O.* '92, 397; *Ont.* 1900, 391; *Pa.* '79, 235; *Que.* '90, 290; *R.I.* '77, 21; *S.C.* '86, 138, '91, 170, '93, 154; *S.D.* '85, 278; *Tex.* '82, 9, 36, '84, 121, '87, 296 [*lutescens?*], '92, 340; *Va.* '90, 96; *Vt.* '85, 210, 211; *Wis.* '83, 66, 67, 68.—*hbt.* '86, 138; *meas.* '83, 68; *mig.* '81, 196^a, '83, 66, 67, 68, '94, 109^a; *plm.* '82, 36 (alb.), '83, 68, 156, '87, 123, '93, 154; *song.* '80, 226; *syn.* '82, 54, '83, 156; *misc.* '87, 307, 209.

chrysoptera (^a Golden-winged Warbler), *Colom.* 1900, 367; *Conn.* '83, 235^a, '89, 193, 279, 306, '93, 208, '95, 308; *C.R.* '90, 335, '91, 278; *Cuba*, '86, 28; *Fla.* '90, 17, '92, 213; *g. dist.* '93, 133; *Ind.* '82, 19, '89, 27; *Ky.* '89, 315; *Man.* '90, 404; *Mass.* '76, 6, '88, 391, '90, 217; *Mich.* '85, 102, '93, 227, 1900, 391; *N.C.* '86, 173, '93, 244; *N.E.* '76, 73, 92, '77, 16, 47; *N.Y.* '78, 130, '79, 175, '85, 378, '94, 83; *O.* '86, 400; *Ont.* '84, 186; *Pa.* '91, 397, '93, 37, 40, '99, 312; *S.C.* '90, 127, '91, 170, 331, '92, 35^a, '93, 154; *Tex.* '82, 9; *Va.* '96, 179; *Wis.* '83, 68.—*hbt.* '76, 6, '86, 173; *meas.* '76, 7, '85, 102; *mig.* '83, 68, '92, 35^a; *nst.* '76, 6, '85, 102, '86, 400, '89, 279, '93, 208; *plm.* '78, 56, '81, 218 (hyb.), '85, 378, '86, 412, '87, 349, '93, 154; *song.* '89, 309, 310; *syn.* '82, 53, '86, 28; *misc.* '87, 308.

cincinnatiensis (Cincinnati Warbler, = hybrid?), *O.* '80, 208^a.—*meas.*

'80, 209; *plm.* '80, 208, 237, '81, 224; *syn.* '80, 237; *misc.* '83, 79, '88, 401.

gunni (= hybrid?, see leucobronchialis), *Mich.* '79, 185, 233.—*syn.* '79, 233, '81, 220.

gutturalis (Calaveras Warbler), *Ariz.* '88, 33; *B.C.* '93, 16, 1900, 107; *Cal.* '78, 65, '87, 88, '99, 156; *g. dist.* '93, 127; *Ida.* '98, 18; *Ore.* '88, 360; *Tex.* '87, 295, '92, 340; *Wash.* '93, 16, '97, 182.—*hbt.*, *song.* '88, 360; *syn.* '96, 264, '97, 131.

lawrencei (^a Lawrence's Warbler, = hybrid?), *Conn.* '89, 193, 305–310, '93, 89^a, 209, 305^a, '94, 259; *N.J.* '77, 19, '80, 89, '86, 411, '88, 421, '95, 171; *N.Y.* '88, 427.—*fd.* '88, 427; *meas.* '77, 20; *nst.* '93, 305^a; *plm.* '81, 218–225, '85, 361–363, '86, 411, '88, 427, '89, 193, '93, 89^a, 305^a, '94, 259; *song.* '89, 309, '93, 89^a; *syn.* '82, 53, '85, 359; *misc.* '81, 218–225, '87, 308, 310, '88, 401.

leucobronchialis (^a White-throated or Brewster's Warbler, = hybrid?), *Conn.* '78, 99, 199, '79, 184, '84, 91, 304, '86, 272, '88, 427, '89, 192, 305, '93, 89^a, 208, 305^a, '94, 79, '95, 307; *D.C.* '86, 139; *g. dist.* '84, 361; *La.* '91, 318; *Mass.* '76, 1*, '79, 184, '80, 89; *Md.* '95, 307; *Mich.* '79, 185 [*'gunni'*]; *N.J.* '84, 378, '86, 411, '87, 348, 349, '88, 421, '89, 198, 304, '90, 291, '92, 302; *N.Y.* '79, 233 [*'gunni'*], 234, '81, 245, '84, 378, '87, '92, 306; *Pa.* '77, 79, '88, 115; *Va.* '84, 304.—*fd.* '89, 307; *hbt.* '88, 427, '89, 305–310; *meas.* '79, 234, '88, 427; *mig.* '93, 208; *nst.* '92, 302, '93, 89^a, '95, 307; *plm.* '76, 1, '78, 99, 199, '79, 185, 233, '81, 218–225, 245, '84, 91, '85, 361, 378, '86, 411, '87, 348, 349, '89, 307, '91, 318, '92, 302, '94, 79, '95, 307; *song.* '89, 309, '90, 291, '93, 208; *syn.* '79, 233 [*'gunni'*], '82, 53, '85, 359; *misc.* '76, 30, '94, '78, 44, '79, 59, '81, 218–225, '85, 359–363, '87, 308, 310, '88, 401.

luciae (^a Lucy's Warbler), *Ariz.* '82, 82, '88, 33, '90, 48, '94, 217, 219^a; *g. dist.* '93, 135.—*hbt.*, *plm.*, *song.* '82, 82; *meas.* '82, 84; *nst.* '82, 82, '88, 33; *misc.* '87, 307.

lutescens (Lutescent Warbler), *Alas.* '98, 129; *Ariz.* '82, 85, '85, 352, '88, 34, '94, 220; *Cal.* '78, 65, '86, 453, '87, 93, 330, '89, 223, '96, 121, '99, 156; *Colo.* '87, 123; *g. dist.* '93, 127; *Ida.* '98, 18; *L. Cal.* '95, 142; *N.M.* '85, 331 [*'celata'*]; *Ore.* '86,

170, '88, 360, 361; *Tex.* '87, 296; *Wash.* '92, 46, 357, '97, 179, 1900, 356.—*hbt.* '86, 170, '96, 121; *meas.* '82, 86; *mig.* '88, 361; *nst.* 1900, 356; *plm.* '79, 40, '82, 85; *song.* '86, 170; *syn.* '83, 156, '85, 366; *misc.* '87, 307.

peregrina (^a Tennessee Warbler), *Colo.* '80, 226, '85, 15; *Colom.* 1900, 367; *C. R.* '90, 335, '91, 278; *Fla.* '88, 187, '90, 18, '92, 213; *g. dist.* '93, 127; *Ia.* '95, 123, 235; *Ill.* '78, 163; *Ind.* '82, 17, 19, '89, 27; *Ky.* '89, 315; *La.* '87, 306; *Man.* '86, 325, '87, 352, 353; *Mass.* '82, 252, 253, '89, 43^a, 102, '91, 151; *Mich.* '85, 65, '93, 227; *Mo.* '79, 141; *N. B.* '89, 118; *N. C.* '93, 244; *N. H.* '78, 96 [not 'celata'; see '82, 53], '82, 53, '87, 106, '88, 152; *N. Y.* '78, 53, '81, 227, '84, 212, '89, 138, '94, 83, '96, 87; *O.* '89, 201, '95, 241; *Ont.* 1900, 391, 392; *Pa.* '91, 398; *Que.* '82, 234; *R. I.* '89, 184^a; *S. C.* '85, 190, '91, 54, 170; *Tex.* '82, 9, '87, 296, '92, 340; *W. I.* '86, 28; *Wis.* '80, 48^a, '82, 185, '83, 67, 69, '88, 326, 326.—*fd.*, *hbt.* '80, 48^a; *mig.* '82, 252, 253, '83, 67, 69, '85, 65, '88, 326, '89, 138, '91, 54, '95, 123, 129^a, 235, 241; *nst.* '89, 102; *plm.* '78, 71 (alb.), '87, 263^a; *song.* '80, 226, '84, 212; *syn.* '82, 54, '86, 28; *misc.* '87, 309.

pinus (^a Blue-winged Warbler), *Bahamas*, '91, 334; *Colom.* 1900, 367; *Conn.* '80, 48, '85, 98^a, '88, 427, '89, 192, 279, 305–310, '93, 89, 208, '94, 260; *D. C.* '84, 397, '88, 24; *Fla.* '90, 17, '90, 313, '92, 213; *Ga.* '83, 38; *g. dist.* '93, 133; *Ia.* '95, 123; *Ill.* '78, 163; *Ind.* '82, 17, 19, '89, 27; *La.* '82, 49^a; *Mass.* '78, 188, '98, 59; *Mich.* '93, 227; *Minn.* '90, 214; *Mo.* '79, 141, '95, 117^a; *N. E.* '76, 73, '77, 16; *N. J.* '86, 411, '87, 348, '92, 302; *N. Y.* '78, 130, '79, 175, '81, 245^a, '84, 210, '85, 378, '89, 199; *O.* '95, 241; *Pa.* '79, 234, '91, 397, '93, 209, '99, 312; *S. C.* '91, 169; *Tex.* '92, 340.—*hbt.* '83, 176, '89, 305; *meas.* '80, 49; *mig.* '95, 123, 241; *nst.* '78, 194, '80, 49, '83, 38, 176, '84, 397, '88, 24, '89, 27, 192, 308, '91, 109^a, '92, 302, '93, 208; *plm.* '81, 218, '84, 211 (mlt.), '85, 378, '86, 411 (hyb.), '87, 348, 349; *song.* '84, 210, '89, 309, 310; *syn.* '80, 37, 209, 237, '82, 53; *misc.* '86, 477, '87, 308.

rubricapilla (^a Nashville Warbler), *Colo.* '85, 15; *Conn.* '88, 323^a, '93,

90^a; *g. dist.* '93, 127; *Ia.* '95, 123, 235; *Ind.* '82, 17, 19, '89, 27; *Ky.* '89, 315; *Man.* '86, 325; *Mass.* '84, 14, '88, 389, '89, 40^a, 41^a, 45, 102, '90, 217, 409; *Me.* '82, 109; *Mich.* '93, 227; *Mo.* '79, 141; *N. C.* '86, 101^a; *N. H.* '83, 13^a, '87, 105, '88, 150, 152, '89, 77; *N. J.* '89, 198, 304; *N. S.* '91, 165; *N. Y.* '81, 227, '84, 211, '92, 307^a, '93, 277; *O.* '95, 241; *Pa.* '95, 190; *P. E. I.* '93, 5^a, 13; *Tex.* '82, 36, '92, 340; *U.* '84, 7^a; *Wis.* '83, 66, 68, '88, 326.—*hbt.* '93, 13; *meas.* '83, 68; *mig.* '83, 66, 68, '88, 326, '95, 123, 129^a, 235, 241; *nst.* '83, 237^a, '89, 198, 304, '93, 89^a, '95, 190; *plm.* '78, 57; *song.* '84, 211, '95, 190; *syn.* '82, 54, '96, 263, '97, 130; *misc.* '87, 307.

sordida (Dusky Warbler), *Cal.* '91, 87, 305, '98, 234, 236.—*fd.*, *plm.* '98, 236 (alb.); *syn.* '91, 87.

virginiae (^a Virginia's Warbler), *Ariz.* '85, 352, '88, 33; *Cal.* '90, 215; *Colo.* '80, 226, '83, 155, '85, 15; *g. dist.* '93, 135; *N. M.* '92, 367.—*hbt.*, *plm.* '83, 155; *mlt.* '88, 33; *song.* '80, 226; *syn.* '82, 54; *misc.* '87, 307.

Helmithotherus, see *Helmitherus*. *Helmitherus*, '84, 49, 54, '85, 367, '86, 27, '90, 194, '93, 112, 130.

vermivorus (^a Worm-eating Warbler, ^b *Helmithotherus*), *Bahamas*, '91, 334, 335, '92, 49; *Conn.* '77, 21, '80, 116, '85, 305^b, '93, 90^a, 1900, 389; *C. R.* '90, 335, '91, 278; *D. C.* '88, 23, '92, 307; *Fla.* '85, 62, '88, '93, '90, 16, 313, '92, 213, '93, 338; *Ga.* '82, 96^a, '96, 213; *g. dist.* '93, 133; *Gulf of Mex.* '81, 251^a; *Ind.* '82, 17^b; *Jamaica*, '93, 340; *Ky.* '89, 315; *La.* '87, 37^a, 305; *Mass.* '81, 246; *Mo.* '79, 141; *N. E.* '76, 73, '77, 16; *N. J.* '82, 55; *N. Y.* '78, 56, 129, '79, 175, '84, 210^b, '89, 199, '93, 276, '97, 100; *Pa.* '82, 55, '91, 397, '96, 284, '99, 312; *S. C.* '79, 212, '90, 127, '91, 169, '91, 331, '92, 34^a, 35^a; *Tenn.* '86, 316, '87, 128, 132; *Tex.* '82, 9, '94, 222; *Va.* '85, 103; *W. I.* '86, 27, '89, 31.—*meas.* '85, 104; *mig.* '81, 251^a, '85, 62, '92, 34^a, 35^a; *nst.* '80, 116, '85, 104, 305, '88, 23; *plm.* '78, 23, '91, 387^a; *song.* '84, 210^b; *syn.* '86, 27; *misc.* '83, 177^b, '86, 477, '89, 24^a.

Helodromas (^b *Rhyacophilus*), '82, 245^b, '87, 335, '88, 330^b, 332^b, '97, 103, 211, '99, 105.

cinnamomeus (Western Solitary Sandpiper, ^b *Totanus*, ^c *Totanus soli-*

- tarius), *Ariz.* '86, 386^c; *Cal.* '87, 91^c; *g. dist.* '90, 377^{b*}; '91, 84^b, '93, 125^b; *Mont.* '94, 302^b; *Ore.* '79, 197^c; *Wash.* '97, 172^b.—*meas.* '90, 378^b; *syn.* '91, 84^b, '97, 103^b, '99, 105.
ochropus (Green Sandpiper, ^b *Totanus*, ^a *g. dist.* '99, 106; *Helg.* '95, 338^b; *N. Am.* '97, 210; *N. S.* '78, 49^b, '80, 91.—*anat.* '88, 330^b, 332^b; *hbt.* '78, 50^b; *syn.* '78, 50^b, '97, 210, '99, 106.
solitarius (^a Solitary Sandpiper, ^b *Totanus*, ^c *Rhyacophilus*), *Ala.* '79, 12^b; *Argent.* '84, 315^c; *Bahamas*, 1900, 305^b; *Colo.* '83, 198^c, '85, 18^c; *Colom.* 1900, 364^b; *C. R.* '90, 332^b, '92, 329^b; *Fla.* '88, 270, '89, 158, '91, 137^b, '92, 212^b, '95, 364; *Ga.* '96, 215^b; *G. Br.* '80, 147^b; *g. dist.* '93, 125^b; *Ida.* '97, 351^b; *Ill.* '77, 68^b; *Ind.* '82, 22^b, '88, 349; *Jamaica*, '92, 13^b; *La.* '82, 165^c, '87, 303^a, '97, 288^b; *Man.* '86, 152^b; *Mass.* '81, 127^b, '95, 88^b, '96, 88^b; *Mich.* '93, 223^b; *Mo.* '98, 27^b; *Mont.* '95, 213^b; *N. B.* '82, 151^c, '83, 174^a, '89, 117; *N. C.* '87, 241^b; *N. J.* '79, 225^b; *N. M.* '98, 307^b; *N. S.* '95, 89^b; *N. Y.* '81, 234^c; *Ont.* '98, 328^b; *Ore.* '88, 144^b; *Pa.* '91, 236^b, '99, 310^b; *Que.* '82, 239^c; *S. C.* '79, 217^b; *Scilly Is.* '85, 374^b; *Scotland.* '77, 107^c; *S. D.* '85, 286^c; *Tenn.* '86, 320^b, '87, 128^b, 129^b; *Tex.* '82, 42^c, '87, 186^b, '92, 232^b; *Urug.* '84, 315^c; *Va.* '89, 195^a; *W. I.* '80, 169^c, '87, 318^b, '91, 48^b.—*anat.* '88, 330^b; *hbt.* '80, 181^b, '93, 293^b, '95, 312^b, '98, 328^b; *meas.* '78, 197^c, '90, 378^b, '98, 329^b; *mlt.* '92, 13^b, 1900, 370^b; *nst.* '78, 197^c, '83, 174^a, '95, 68^a, '98, 328^b; *syn.* '87, 318^b, '99, 105.
heloisa (*Atthis*), see *Atthis*.
 —— (*Trochilus*), see *Atthis*.
helvolum (*Syrnium*), see *S. allenii*.
helvetica (*Squatarola*), see *S. squatarola*.
 —— (*Tringa*), see *Squatarola squatarola*.
helveticus (*Charadrius*), see *Squatarola squatarola*.
helviventris (*Coccyzus*), see *C. minor*.
Hemiglottides, '81, 79.
hemileucus (*Campylopterus*), see *Campylopterus*.
Hemiphaga, '94, 233.
Hemipodii, '81, 80, 83, '94, 171.
Hemiprocne, '86, 346, '99, 78.
zonaris (^b *minor*, ^c *Chætura*), *Argent.* '84, 24^b?; *Colom.* '83, 114^b; *W. I.* '86, 346 (fig.), '92, 276, '94, 125,
 '95, 279^c.—*anat.* '99, 77; *meas.*, *plm.* '86, 347; *syn.* '86, 346.
Hemipus obscurus, *Borneo*, *syn.* '90, 352.
Hemithraupis, '98, 226*, see *Sporathraupis*.
Hemirhagerrhis, '89, 172.
leucogaster (^b *Cyphorhinus pusillus*, ^c *Troglodytes*), *meas.* '97, 409^b, 409^c; *syn.* '87, 349^c, '97, 409^b, 409^c, '98, 60, '99, 345^c.
pacifica, *Mex.* '97, 72*.
Hen, Attwater's Prairie, see *Tympanuchus attwateri*.
 Cape, see *Ossifraga gigantea*.
 Clucking, see *Aramus giganteus*.
 Fool, see *Cyrtonyx montezumae*.
 Heath, see *Tympanuchus cupido*.
 Lesser Prairie, see *Tympanuchus pallidicinctus*.
 Mangrove, see *Rallus caribaeus*.
 Marsh, see *Rallus crepitans*.
 Mud, see *Fulica americana*.
 Pine, see *Dendragapus fuliginosus*.
 Prairie, see *Tympanuchus americanus*.
 Wood, see *Geophorus pileatus*.
hendersonii (*Lampornis*), see *Lampornis*.
Hendrickson, William Francis.
 Chestnut-collared and Lapland Long-spurs on Long Island, N. Y. '89, 190.
 Capture of Summer Red Bird on Long Island, '84, 290.
Henhawk, Common, see *Buteo lineatus*. borealis or swainsoni.
 Cooper's, see *Buteo cooperi*.
Henicocichla, see *Seiurus*.
Henicorhina anchoreta, *Colom.* 1900, 184.
capitalis, *g. dist.* '97, 74*.
leucophrys, *Colom.* 1900, 184.—*syn.* '97, 73.
mexicana, *Mex.* '97, 73*.
pittieri, *C. R.* '94, 245.
Henicuri, '84, 279.
Henninger, Walther F.
 Pine Warbler (*Dendroica vigorsii*) a breeder in Ohio, '98, 331.
 Purple Gallinule (*Ionornis martinica*) in Ohio, '99, 75.
 Two rare birds for Ohio, '99, 284.
henrici (*Delattria*), see *Delattria*.
henryi (*Chordeiles*), see *Chordeiles*.
Henshaw, Henry Wetherby.
 Two Empidonaces, *traillii* and *acadicus*, '76, 14–17.
 Ornith. coll. of geog. and geol. explorations west of 100th meridian—

- Wheeler Survey (rev.), '76, 70, '78, 136-138.
 Description of a new species of Hummingbird (*Selasphorus allenii*) from California, '77, 53-58 (fig.).
 Species of the genus *Passerella*, '78, 3-7.
 Additional remarks on *Selasphorus allenii*, '78, 11-15.
 Nest and eggs of Blue Crow (*Gymnokitta cyanoccphala*), '78, 112-115.
 Occurrence of Ross's Goose (*Anser rossi*) on Pacific coast and inland, '79, 126.
 Remarks upon *Turdus pallasi* and its varieties, '79, 134-139.
Mclospiza meloda and its allies, '79, 155-160.
 Nest and eggs of Gray Titmouse (*Lophophanes inornatus*), '79, 182.
 The use of trinomials, '79, 232.
 Occurrence of Caspian Tern (*Sterna caspia*) upon coast of Virginia, '79, 243.
 Report on collections made in California, Nevada, and Oregon in 1877-78 (rev.), '80, 105-107.
 see McChesney, C. E., 'mammals and birds of Big Horn region, Montana' (rev.), '80, 107.
 see Maynard, C. J., 'birds of eastern North America' (rev.), '80, 170-173.
 King Eider (*Somateria spectabilis*) on Californian coast, '80, 189.
 Some of the causes affecting the decrease of birds, '81, 189-197.
Podiceps occidentalis and *P. clarkii*, '81, 214-218.
 Instance of semi-domestication of California Quail, '83, 184.
 Description of new Song Sparrow from southern border of United States, '84, 223.
 New Gull from Alaska, '84, 250-252.
 Shore Larks of the United States and adjacent territory, '84, 254-268.
 Indian bird names, '84, 400-402.
 Gulls of Californian coast, '85, 231.
 Hybrid Quail (*Lophortyx gambeli* \times *L. californicus*), '85, 247-249.
 List of birds observed in summer and fall on upper Pecos River, New Mexico, '85, 326-333, '86, 73-80.
 Baird's Sandpiper (*Actodromas bairdii*) at Locust Grove, New York, '85, 384.
 A bird new to Massachusetts, '85, 384.
 Bill of Horned Puffin, '85, 387.
 Description of new Jay from California, '86, 452-453.
Ammodramus caudacutus nelsoni in Massachusetts, '86, 486.
Chondestes grammacus about Washington, D. C. '86, 487.
 An ingenious pair of House Finches (*Carpodacus frontalis*), '94, 255.
 Occurrence of *Larus glaucescens* and other American birds in Hawaii, 1900, 201-206.
 Description of new Shearwater from Hawaiian Islands, 1900, 246.
 Henshaw, H. W., and Nelson, E. W., see Nelson and Henshaw.
henshawi (Astur), see *Accipiter striatus*.
 — (Chamæa), see Chamæa.
 — (*Selasphorus*), see *S. rufus*.
henslowii (*Ammodramus*), see *Ammodramus*.
 — (*Coturniculus*), see *Ammodramus*.
hepatica (*Piranga*), see *Piranga*.
herberti (*Thryothorus*), see *Thryothorus*.
hermanieri (*Linneopicus*), see *Melanerpes lherminieri*.
 — (*Melampicus*), see *Melanerpes lherminieri*.
 — (*Melanerpes*), see *M. lherminieri*.
 — (*Picus*), see *Melanerpes lherminieri*.
herminieri (*Cichlherminia*), see *Cichlherminia*.
 — (*Linnaeipicus*), see *Melanerpes lherminieri*.
 — (*Margarops*), see *Cichlherminia herminieri*, *dominicensis* or *santae-luciae*.
 — (*Turdus*), see *Cichlherminia*.
hernandezi (*Dysporus*), see *Sula pectorata*.
Herodias, see *Ardea*.
herodias (*Ardea*), see *Ardea*.
Herodiones, '78, 182, '81, 30, 78, 83, '82, 47, '84, 383, '93, 107, '99, 201.
Heron, Anthony's Green, see *Ardea anthonyi*.
 Bahama Green, see *Ardea bahamensis*.
 Big Silver-gray, see *Ardea herodias*.
 Black-crowned Night, see *Nycticorax naevius*.
 Blue, see *Ardea herodias*.
 Brewster's Green, see *Ardea bahamensis*.
 European Blue, see *Ardea cinerea*.
 Frazar's Green, see *Ardea frazari*.
 Great Blue, see *Ardea herodias*.
 Great White, see *Ardea occidentalis*.
 Green, see *Ardea virescens*.

- Little Blue, see *Ardea cærulea*.
 Little Silver Gray, see *Ardea virescens*.
 Little White, see *Ardea candidissima*.
 Louisiana, see *Ardea ruficollis*.
 Night, see *Nycticorax naevius*.
 Snowy, see *Ardea candidissima*.
 Ward's, see *Ardea wardi*.
 White, see *Ardea egretta*.
 Würdemann's, see *Ardea occidentalis*.
 Yellow-crowned Night, see *Nyctcorax violaceus*.
 Herons, see *Ardeidae*.
 Herpetotheres, '77, 70, '85, 205.
Herrick, Harold.
 Capture of a second specimen of
Helminthophaga lawrencii, '77, 19.
Herrick, Francis Hobart.
 Care of nest and young, 1900, 100-
 103 (2 pl.).
hesperia (*Progne*), see *Progne*.
Hesperiphona, see *Coccothraustes*.
hesperis (*Corvus*), see *C. americanus*.
Hesperocichla, '84, 182, '93, 113.
^a*nævia* (^a Varied Thrush, ^b *Turdus*),
Alas. '87, 13, '98, 131; *Cal.* '78, 138^b,
 '86, 186, '87, 86, '94, 258; *g. dist.*
 '93, 127; *Ida.* '98, 21; *Kan.* '94, 260;
Mont. '80, 108^b; *N. Y.* '95, 69, 70;
Ore. '79, 163^a, '86, 172, '88, 365, '91,
 396; *Wash.* '92, 47, '97, 181, 1900,
 358.—*anat.* '82, 218; *fd.* '86, 172, '98,
 131; *hbt.* '86, 172, '97, 319^a, '98,
 21; *meas.* '82, 218; *nst.* '91, 396;
plm. '86, 172 (alb.); *song.* '86, 172,
 '98, 21.
Hesperornis (fossil genus), '80, 235,
 '85, 96, '91, 304, '92, 84, '98, 70.
dispar, '76, 49.
gracilis, *misc.* '76, 49.
Heteractitis, '84, 236, '93, 108, '96, 66.
^a*incanus* (^a Wandering Tatler,
^b *Heteroscelus*, ^c *Totanus*), *Alas.* '80,
 33^b, 35^a, '84, 79^b, '85, 157, '98, 127;
Cal. '87, 87, 329, '94, 95^a; *g. dist.* '93,
 123; *H. I.* 1900, 206^c; *Ore.* '88, 237;
Revill. Is. '98, 315, 316, 318.—*hbt.*
 '78, 137^a, '80, 35^a; *mig.* '94, 95^a, 1900,
 206^c; *song.* '80, 33^b; *syn.* '84, 236;
misc. '96, 73^c.
Heterophyantes, '91, 92.
Heterocercus flavivertex, *Braz.* '91, 25.
Heterodactylus, '81, 75, 76.
Heteromeri, '81, 32.
Heteropsar, '91, 92.
Heteropygia, see *Tringa*.
Heteroscelus, see *Heteractitis*.
Heterospingus, '98, 225^a.
Heterospizias meridionalis, *Argent.*,
Urug., *fd.* '84, 109; *Braz.* '91, 161;
anat. '82, 87.
Hians, 1900, 167.
hiaticula (*Ægilialis*), see *Ægilialis*.
hiemalis (*Anorthura*), see *Anorthura*.
 — (*Junco*), see *Junco*.
Hierococcyx, '94, 233.
Hierofalco, '84, 58.
Higgins, Henry Charles.
Cathartes aura in *Chenango Co.*,
 New York, '93, 301.
Strix pratina in New York, '93,
 301.
Highholder or High-hole, see *Colaptes*
auratus or *luteus*.
hillii (*Mimus*), see *Mimus*.
himalayana (*Loxia*), see *Loxia*.
himalayensis (*Regulus*), see *Regulus*.
Himantopus, '87, 231.
^a*candidus*, *Helg.* '95, 339.
mexicanus (^a Black-necked or
 Black Stilt, ^b *nigriceps*), *Argent.* '84,
 31^a; *Bahamas*, '91, 76, 351, '92,
 48; *Braz.* '91, 163; *Cal.* '87, 87; *Colo.*
 '85, 18; *Fla.* '89, 156, '90, 338, '92,
 212, 215; *Ga.* '83, 42; *Jamaica*, '92,
 12, '94, 122; *Kan.* '86, 114; *La.* '97,
 288; *N. B.* '82, 105; *N. E.* '76, 73^b;
N. M. '98, 307; *N. Y.* '93, 272, '95,
 70^a; *Ore.* '79, 197; *Tex.* 1900, 340;
U. S. '86, 271^a; *W. I.* '81, 155, '87,
 231, '91, 46.—*hbt.* '90, 338, '92,
 12, '93, 293; *ust.* '83, 42, '91, 76, '92,
 215; *syn.* '87, 231; *misc.* '90, 81^a.
knudseni, *H. I.* '88, 197.
himantopus (*Ereunetes*), see *Micro-*
palama.
 — (*Micropalama*), see *Micropalama*.
 — (*Totanus*), see *Micropalama*.
 — (*Tringa*), see *Micropalama*.
Himatione parva, *H. I.* '88, 197.
Hine, Jane Louisa.
 Observations on Ruby-throated Hum-
 mingbird, '94, 253.
hippocrepis (*Sturnella*), see *Sturnella*.
Hippolais, see *Hypolais*.
hirsuta (*Glaucis*), see *Glaucis*.
 — (*Tridactyla*), see *Picoides tri-*
dactylus.
hirsutus (*Picus*), see *Picoides ameri-*
canus.
 — (*Polytmus*), see *Glaucis*.
 — (*Trochilus*), see *Glaucis*.
hirundinacea (*Euphonia*), see *Euphonia*.
hirundinaceus (*Tephrodornis*), see
Hemipus obscurus.
Hirundinidae (^a Swallows), '81, 188^a,
 197^a, '85, 365, '87, 170^a, 265^a, 351^a,
 '90, 278, 279^a, '93, 111^a, '95, 373, '96,
 112^a, '97, 421^a.

Hirundininae, '81, 28, 34, '95, 373.

Hirundo (^b Chelidon), '82, 179, '84, 43, 230, '86, 58^b, 266, 444–451^b, '87, 337, '92, 108, '93, 111^b, '94, 236, '95, 197, '98, 271, '99, 122.

erythrogaster (^a Barn Swallow, ^b horreorum, ^c Chelidon, ^d unalascensis), *Alas.*, '77, 91? [^e *Collochia*], '80, 36^b, '81, 3^a, 5^a, 131^a, '87, 13^c, '94, 102^b, '98, 129^c, 1900, 76^b; *Ariz.*, '88, 31; *Bahamas*, '91, 352^c, 352^b, '92, 48^c; *Braz.*, '84, 368, '90, 266^c; *Cal.*, '86, 183^c, '87, 330^c; *Colo.*, '79, 93, '83, 160^b, '85, 15, 141; *Conn.*, '95, 83^c; *C. R.*, '90, 335^c, '92, 22^c; *D. C.*, '88, 23, '92, 307; *Fla.*, '89, 325, '90, 312^c, '92, 213^c, '95, 365^c; *Ga.*, '96, 214^c; *Ia.*, '95, 122^c, 235^c; *Ida.*, '98, 17^c; *Ind.*, '89, 26; *Jamaica*, '93, 181^c; *Ky.*, '89, 315; *La.*, '87, 304^c, '92, 206^c; *Man.*, '86, 325^c; *Mass.*, '84, 6^a, '88, 389, '89, 45, 102, '99, 184; *Mc.*, '82, 110, '95, 50^a; *Mex.*, '99, 357^c; *Mich.*, '93, 226^c; *Minn.*, '80, 14^b; *Miss.*, '82, 91; *Mo.*, '79, 142^b; *Mont.*, '94, 306^c, '95, 217^c; *N. B.*, '82, 110, '89, 118; *N. H.*, '88, 150, 152, 154, '89, 77, 78, '98, 194^a; *N. J.*, '94, 139^c; *N. M.*, '92, 366^c, '99, 189; *N. S.*, '87, 15^a, 16^c; *N. Y.*, '79, 32^b, '81, 229, '82, 187^b, '84, 325, '89, 130, 201; *O.*, '95, 242^c; *Ore.*, '79, 164^b, '86, 170, '88, 360; *Pa.*, '89, 141, '92, 138^c, '93, 40^c, 45^c, '96, 283^c, 295^c; *P. E. I.*, '93, 6^a, 12^c; *Que.*, '82, 235^b; *Revill Is.*, '98, 318^c; *S. C.*, '79, 213; *S. D.*, '85, 278; *Tenn.*, '86, 317^c; *Tex.*, '82, 11, 37, '87, 294^c, '92, 340^c, '94, 222^c, 1900, 347; *Va.*, '76, 25^b, '82, 48^a, '86, 278^c, '89, 53^a; *Wash.*, '92, 46^c, 356^c, '97, 95^c, 179^c, 1900, 356; *W. I.*, '79, 230^b, '86, 59^c, '89, 31; *Wis.*, '82, 187^b; *W. Ia.*, '98, 136^c—*anat.*, '86, 445^c, '90, 279^c; *hbt.*, '76, 25^b, '81, 3^a, '98, 194^a, '99, 184, 287^a; *mig.*, '89, 130^c, 141^c, '94, 102^a, '95, 50^a, 83^c, 122^c, 235^c, 242^c, '99, 357^c; *nst.*, '80, 14^b, '86, 278^c, '87, 294^c, '88, 23^c, '96, 295^c, '97, 95^c, 98, 129^c, 193^c, '99, 358^c (fig.), 1900, 356; *plm.*, '76, 21^b (all.), '78, 63^b, 135^b (hyb.), '87, 309^a; *song.*, '84, 325; *syn.*, '85, 366, '86, 59^c, 127^a, '99, 122, 1900, 76^b.

horreori-lunifrons (= hybrid), *Pa.*, *meas.*, *plm.*, '78, 135.

javanica (^b *pacifica*), *Borneo*, '90, 354—*anat.*, '87, 80^a.

namiyei (^b Chelidon), *Japan*, '87, 250^b.

puella, *anat.*, '96, 114.

rufula, *Helg.*, '95, 337.

rustica, *Germany*, '96, 301; *Helg.*, '95, 337—*anat.*, '87, 80; *hbt.*, '96, 301; *nst.*, '96, 302; *syn.*, '99, 122.

saturata, *Kamts.*, '84, 82.

savignyi, *Helg.*, '95, 337.

scateri (^b *Tachycineta*), *W. I.*, '84, 2*, 285, '85, 58^b—*mcas.*, '84, 2, '86, 58^b; *plm.*, *syn.*, '86, 58^b.

urbica (^a European Martin, ^b Chelidon), *Germany*, '96, 302, 307^a; *Helg.*, '95, 325^b—*anat.*, '87, 80; *hbt.*, *nst.*, *song.*, '96, 302.

hirundo (*Sterna*), see *Sterna*.

hispaniolensis (*Blaciclus*), see *Blaciclus*.

— (*Contopus*), see *Blaciclus*.

— (*Tyrannula*), see *Blaciclus*.

histrionica (*Anas*), see *Histrionicus*.

— (*Clangula*), see *Histrionicus*.

Histrionicus, '80, 101, '93, 107, '96, 163.

histrionicus (^a Harlequin Duck, ^b *torquatus*, ^c *Clangula*, ^d *minutus*), *Alas.*, '85, 158, '98, 126; *Colo.*, '79, 50^a, '81, 142^d, '85, 18^c; *Europe*, '80, 67^c, 214^b; *g. dist.*, '83, 220^a, '93, 125; *Grenl.*, '89, 216; *Ida.*, '97, 350; *Ill.*, '77, 68^b, '81, 124^b; *Mass.*, '92, 69^a, '96, 202; *Mc.*, '94, 69, '96, 229; *Mont.*, '79, 50^a; *N. E.*, '77, 46^a, '83, 162^a, 163^a; *N. F.*, '83, 220^d; *N. Y.*, '86, 434, '89, 67, 134, '93, 270, '94, 323, '96, 78; *Ont.*, '85, 337^b, 1900, 176; *Que.*, '82, 240^c; *Wash.*, '93, 17.—*fd.*, '94, 323; *hbt.*, '86, 434, '96, 229; *mlt.*, '96, 229, 232; *nst.*, '83, 220^d; *song.*, '96, 229, 233; *syn.*, '80, 101^d, '84, 115^d, '96, 163.

histrionicus (*Histrionicus*), see *Histrionicus*.

Hitchcock, Frank Harris.

Connecticut Warbler in Vermont, '89, 193.

Philadelphia Vireo in Vermont, '90, 403.

Capture of second specimen of Hooded Warbler in Massachusetts, '90, 407.

Black Tern at Prince Edward Island, '92, 71.

Hittcock or Hittuck, see *Colaptes luteus*.

Hoadley, Frederick Hodges.

Obituary of, '95, 199.

Hoatzin, see *Opisthocomus cristatus*.

Hoffman, Walter James.

Annotated list of birds of Nevada (rev.), '82, 51.

List of birds observed at Ft. Berthold, D. T. (rev.), '83, 54.

- Bird names of the Selish, Pali-uta and Sho-shoni Indians, '85, 7-10.
- Hoffmann, Ralph.**
 [Memorial of Frank Bolles], '94, 184.
 Notes on summer birds of central Berkshire Co., Mass. (not by F. H. Allen, see '95, 200), '95, 87-89.
 Notes on winter birds of Cape Cod, Massachusetts, '95, 188.
 Summer birds of the Rhine, '96, 297-312.
 Bird world (rev.), '99, 92.
 Late migrants and stragglers in eastern Massachusetts, '99, 196.
- Hoffmann, R., and Faxon, W.,** see Faxon and Hoffmann.
- Hoffmann, R., and Stickney, J. H., see Stickney and Hoffmann.
- hoffmanni (Centurus), see Centurus.
 holbællii (Acanthis), see Acanthis.
 — (Ægiothus), see Acanthis holbællii or rostrata.
 — (Colymbus), see Colymbus.
 — (Falco), see F. rusticulus.
 — (Hierofalco), see Falco islandus or rusticulus.
 — (Podiceps), see Colymbus.
 — (Podicipes), see Colymbus.
- Holden, E. F.**
Junco hyemalis in eastern Massachusetts in June, '92, 72.
- Holder, Joseph Bassett.**
 Catalogue of birds of Lynn, Mass., 2d ed. (rev.), '86, 129.
 Obituary of, '88, 220.
- Holland.**
 Dalgleish, J. J., '80, 149, 213.
- Hollister, Ned.**
 Evening Grosbeak in southern Wisconsin, '96, 259.
 Recent record of Passenger Pigeon in southern Wisconsin, '96, 341.
- holoscirceus (Amblycercus), see Amblycercus.
 — (Amblyrhamphus), see Amblyrhamphus.
 — (Anthracothorax), see Eulampis.
 — (Eulampis), see Eulampis.
 — (Lamponis), see Eulampis.
 — (Polytmus), see Eulampis.
 — (Sericotes), see Eulampis.
 — (Trochilus), see Eulampis.
- Holstein, Otto.**
 A musical Woodpecker, '99, 353.
- LeConte's Sparrow** (*Aimnodramus lecontei*) in Kentucky, '99, 356.
- Holterhoff, Godfrey, Jr.**
 Notes on western birds (rev.), '81, 173.
 Nest and eggs of LeConte's Thrasher
- (*Harporhynchus redivivus lecontei*), '83, 48.
Geococcyx as a vocalist, '83, 182.
Calamospiza bicolor in southern California, '84, 293.
 Occurrence of Least Tern at San Diego, California, '84, 294.
 Eskimo Curlew at San Diego, California, '84, 393.
 Glossy Ibis and Avocet at San Diego, California, '85, 311.
- Holzner, Frank Xavier.**
 Habits of Valley Partridge, '96, 81.
- Homalognathus.** '81, 73.
- Homer, F. Le Roy.**
 Carolina Wren in winter in Mercer Co., Pennsylvania, '94, 330.
- Homeyer, Eugen Ferdinand von.**
 Obituary of, '89, 341.
- homeyeri** (*Fuligula*), see Fuligula.
homochlamys (*Peucæa*), see Aimophila scottii.
homochroa (*Cymochorea*), see Oceanodroma.
 — (*Oceanodroma*), see Oceanodroma.
Homeomeri '81, 32.
- Homoptila.** see Leptotila.
- Horomorus lophotus**, *Urug.*, *hbt.*, *nst.*, *song*, '83, 212.
- horomorus** (*Dryobates*), see Dryobates.
hondoensis (*Locustella*), see Locustella.
 Honey-eaters, see Meliphagidae.
- Hoopes, Josiah.**
 [Collection of birds of], '99, 214.
- hoopesi** (*Sturnella*), see Sturnella.
- Hoosier Naturalist** (magazine).
 Titles (Nos. 1991-2014), '91, 109.
- hooveri** (*Dendroica*), see D. coronata.
- Hopkins, C. L.**
 Notes relative to sense of smell in Turkey Buzzard (*Cathartes aura*), '88, 248-251.
- Hopping-Dick,** see Merula aurantia.
- Horizocerus**, 1900, 187.
- Horizonpus**, '99, 331*, see Contopus.
- Hornaday, William Temple.**
 Handbook of taxidermy and zoological collecting (rev.), '91, 381-383.
 A demand for English names, '95, 90-92.
 The destruction of our birds and mammals (rev.), '98, 280.
- hornbyi** (*Oceanodroma*), see Oceanodroma.
- hornemani** (*Acanthis*), see Acanthis.
horreori-lunifrons (*Hirundo*), see Hirundo.
- horreorum** (*Hirundo*), see H. erythrogaster.

- horsfieldi (*Euplocaenus*), see *Euplocaenus*.
 hortensis (*Sylvia*), see *S. orpheus*.
 hortulana (*Emberiza*), see *Emberiza*.
 hoskinsii (*Glaucidium*), see *Glaucidium*.
Hough, Romeyn Beck.
 Greenfinch (*Ligurinus chloris*) in northern New York, '80, 119 (cage).
Howe, Reginald Heber, Jr.
 Goldfinch (*Carduelis carduelis*) near Boston, Mass., '95, 182.
 Ospreys at Bristol, R. I., '95, 300.
 Large brood of Ospreys, '95, 389.
 Abnormal plumage of a Pine Grosbeak, '96, 176.
 Three winter notes from Longwood, Massachusetts, '96, 178.
 Every bird (rev.), '96, 247.
 Four winter records of Short-eared Owl in Mass., '96, 257.
 Wintering of Towhee at Longwood, Mass., '96, 260.
 Nonpareil at Longwood, Mass., '96, 261.
 Correction, '96, 266.
 Terns of Dyer's and the Weepecket Islands, '97, 203-205.
 Seaside Sparrow (*Ammodramus maritimus*) at Middletown, R. I., '97, 219.
 Birds of Brookline, Mass. (rev.), '97, 246.
 Least Tern breeding on Martha's Vineyard island, Mass., '97, 402.
 White-throated Sparrow breeding at Hubbardstown, Mass., '97, 406.
 Birds' tongues in pictures, '97, 413.
 The aerial song of Maryland Yellow-throat, '98, 59.
 Breeding habits of American Robin (*Merula migratoria*) in eastern Mass., '98, 162-167.
 Seaside Sparrow at Cape Cod in winter, and other notes, '98, 189.
 Note on Wood Thrush, '98, 332.
 Notes from Chateaugay Lake, New York, '98, 333.
 Sexual difference in size of Pectoral Sandpiper (*Tringa maculata*), '99, 179.
 Notes from Rhode Island, '99, 189.
 Revival of sexual passion in birds in autumn, '99, 286.
 On the birds' highway (rev.), '99, 293.
 Hooded Warbler at Montville, Conn., '99, 360.
 Ranges of *Hylocichla fuscescens*, and *Hylocichla fuscescens salicicola* in North America, 1900, 18-25.

- Otocoris alpestris praticola* at Ipswich, Mass., 1900, 175.
 New subspecies of the genus *Hylocichla*, 1900, 270.
 Rough-winged Swallow breeding in Connecticut, and other notes, 1900, 389.
Howe, R. H., Jr., and Sturtevant, E.
 The birds of Rhode Island (rev.), 1900, 76.
Howell, Arthur Holmes.
 Brief notes from Long Island, '92, 306.
 Abnormal eggs of *Spizella socialis*, '92, 395.
 Occurrence of three rare birds on Long Island, New York, '93, 90.
 Correction, '93, 209.
 Notes on some Long Island birds, '94, 82-84.
 Notes on two rare birds from Long Island, N. Y., '99, 85.
Howey, John M.
 Breeding of Shore Lark in western New York, '78, 40.
Howland, John Snowdon.
 Obituary of, '86, 144.
 [Egg collection of], '90, 100.
Howley, James P.
 The Canada Goose (*Bernicla canadensis*), '84, 309-313.
Hoy, Philo Romeyn.
 Nest and eggs of Golden-winged Warbler (*Helminthophila chrysotera*), '85, 102.
 Obituary of, '93, 95-96.
hoysi (Otocoris), see *O. leucokema*.
Hoxie, Walter.
 Breeding habits of Black Vulture, '86, 245-247.
 Kirtland's Warbler in South Carolina, '86, 412.
 Aptoso-Chromatism (rev.), '86, 413.
Hudson Bay, Canada.
 Clarke, W. E., '90, 319-322.
 Coues, E., '97, 209, 210-211.
 Seton[-Thompson], E. E., '85, 218.
Hudson, William Henry.
 [Habits of Rails of Argentina] (rev.), '77, 23.
 British birds (rev.), '96, 70.
Hudson, W. H., and Sclater, P. L., see Sclater and Hudson.
hudsoni (Synallaxis), see *Synallaxis*.
hudsonia (Surnia), see *S. caparoch*.
hudsonias (Fringilla), see *Junco hyemalis*.
hudsonica (Limosa), see *L. haemastica*.
 — (Pica), see *Pica*.
hudsonicus (Circus), see *C. hudsonius*.

- (Numenius), see Numenius.
 — (Parus), see P. hudsonicus or stoneyi.
 hudsonius (Circus), see Circus.
 — (Falco), see Circus.
 — (Numenius), see N. hudsonicus.
 — (Parus), see P. hudsonicus.
Hulbert, Henry Woodward.
 Obituary of Robert W. Shufeldt, 3d, '92, 398.
 humeralis (Agelaius), see Agelaius.
 — (Icterus), see Agelaius.
 — (Leistes), see Agelaius.
 humii (Pyrrhospiza), see Pyrrhospiza.
 humila (Mellisuga), see M. minima.
 humiliis (Mellisuga), see M. minima.
 — (Turtur), see Turtur.
 Hummer, see Hummingbird.
 Hummingbird, Allen's, see Selasphorus allenii.
 Anna's, see Calypte anna.
 Bee, see Mellisuga minima.
 Black-chinned, see Trochilus alexandri.
 Blue-throated, see Ceiligena clementiae.
 Broad-billed, see Iache latirostris.
 Broad-tailed, see Selasphorus platycercus.
 Buff-bellied, see Amazilia chalco-nota.
 Buff-breasted, see Doleromyia pallida.
 Calliope, see Stellula calliope.
 Circe, see Iache latirostris.
 Costa's, see Calypte costae.
 Floresi's, see Selasphorus floresii.
 Green-backed, see Selasphorus allenii.
 Heloise's, see Atthis heloisa.
 Long-tailed, see Aithurus polystomus.
 Lucifer, see Calothorax lucifer.
 Lyre-tailed, see Doricha lyrura.
 Mango, see Lampornis mango.
 Morecom's, see Atthis morecomi.
 Pringle's, see Delattria pringlei.
 Rachette, see Pygornis longuemareus.
 Refulgent, see Eugenes fulgens.
 Riccord's, see Sporadinus ricordii.
 Rieffer's, see Amazilia fuscicaudata.
 Rivoli, see Eugenes fulgens.
 Ruby-throated, see Trochilus columbris.
 Rufous, see Selasphorus rufus.
 Rufous-backed, see Selasphorus rufus.
 Rufous-bellied, see Amazilia chalco-nota.
 Salvin's, see Cyanomyia salvini.
 Vervain, see Mellisuga minima.
 Violet-throated, see Trochilus violajugulum.
 White-eared, see Basilinna leucotis.
 Xantus's, see Basilinna xantusi.
 Hummingbird, The, (mag.), '91, 247.
 Hummingbirds, see Trochili.
Huntington, Dwight William.
 In brush, sedge and stubble (rev.), '99, 89.
Hurter, Julius.
 Harlequin Duck and Glossy and Wood Ibises in southern Illinois, '81, 124.
 hutchinsi (Anser), see Branta.
 — (Bernicla), see Branta.
 — (Branta), see Branta.
 — (Larus), see L. glaucus.
 buttoni (Vireo), see Vireo.
Huxley, Thomas Henry.
 Obituary of, '95, 316, '96, 93–96.
 hyacinthina (Ara), see Ara.
Hybridity.
 Brewster, W., '77, 66.
 Elliot, D. G., '92, 160.
 Henshaw, H. W., '85, 247.
 Shufeldt, R. W., '93, 281.
 Stone, W., '93, 213.
 Thompson, E. S., '94, 1.
 Townsend, C. H., '83, 78.
 Trotter, S., '78, 135, '87, 307.
 hybridus (Colaptes), see C. cafer.
Hydraector, '88, 292.
 gallinaceus, g. dist., meas., plm., syn. '88, 290, 293, 302.
 Hydranassa, see Ardea.
Hydrochelidon, '77, 24, 141, '88, 79.
 leucoptera (White-winged Black Tern), *Man.* '86, 148 [surinamensis?].—syn. '78, 141.
 nigra, syn. '78, 141.
 surinamensis (^a Black Tern, ^b nigra, ^c lariformis, ^d fissipes, ^e plumbea), *Ariz.* '83, 36^b; *B. C.* 1900, 104; *Cal.* '77, 96; *Colo.* '85, 18; *Conn.* '93, 206, '94, 74; *D. C.* '94, 73^a; *Fla.* '87, 274, 282, '88, 376, '92, 211; *Ga.* '96, 215; *Helg.* '95, 341; *Ia.* '95, 124; *Jamaica*, '91, 360; *Kan.* '85, 112, '86, 115; *Man.* '86, 148; *Mass.* '78, 140^b, 190^a, '80, 44^c; '81, 124^b, '97, 327; *Me.* '79, 108^c, '82, 190^c; *Mich.* '80, 62^b, '93, 222; *Minn.* '80, 20^c, 1900, 281^a; *N. B.* '80, 63^b; *N. C.* '93, 242; *N. D.* '99, 162^a; *N. E.* '79, 14^b; *N. H.* '81, 124^b; *N. J.* '79, 227^b; *N. Y.* '84, 59^c, '94, 163, '99, 351; *Ont.* '97, 411; *Ore.* '77, 96^b, '79, 199^b, '88, 140, '91, 366 (fossil), '93, 344 (fossil); *P. E. I.* '92, 71; *R. I.* '80, 237^a; *S. D.* '85, 289; *Tex.* '87, 184, 1900, 338; *Vt.* '85, 211^c; *W. I.* '88, 79.—*fd.* '84, 86^c; *hbt.* '77, 34^c, '83, 36^b; *meas.* '77, 35^c;

mig. '95, 124, 128^a; *nst.* '77, 34^c, '88, 140, '97, 411; *plm.* '88, 376; *syn.* '78, 141^b, '84, 385, '88, 79, '96, 160; *misc.* '80, 220^d.

Hydrogallina, 1900, 167.

Hydrophasianus, '88, 292, '93, 103. *chirurgus*, *g. dist.*, *anat.*, *hbt.*, *meas.*, *nst.*, *plm.*, *syn.* '88, 291, 293, 303.

Hydrophasianus, see *Hydrophasianus*.

Hydopspalis furcifera, *Argent.*, *Urug.*, *hbt.*, *mig.* '84, 24.

hyemalis (*Clangula*), see *Harelda*.

— (*Fringilla*), see *Junco*.

— (*Harelda*), see *Harelda*.

— (*Junco*), see *J. hyemalis* or *carolinensis*.

— (*Troglodytes*), see *Anorthura*.

Hyetornis, '86, 366.

fieldi, *W. I.* '95, 278*, '96, 334.

pluvialis, *W. I.* '86, 366, '92, 274, 372, '96, 334.—*hbt.* '92, 274; *meas.* '86, 366; *plm.* '86, 366, '92, 274; *syn.* '86, 366.

Hylactes, '97, 417.

castaneus, *Boliv.* '90, 382.

Hylatomus, see *Ceophleus*.

Hylocharis sappharina, *Argent.*, *Urug.*, *hbt.* '84, 22.

Hylocichla, '83, 237, '84, 85, '98, 304, '99, 126.

aliciae (^a Gray-cheeked, or Alice's Thrush, ^b *Turdus*), *Alas.* '87, 13^b; *Colom.* 1900, 367; *Fla.* '88, 277^b, '90, 119^b, '92, 214^b; *g. dist.* '93, 127^b; *Hud. B.* '90, 322^b; *Ind.* '82, 19; *Kamt.* '84, 166^b; *La.* '87, 306^b; *Man.* '86, 328^b; *Mass.* '91, 151^a; *Me.* '82, 189; *Mich.* '93, 229, 1900, 390; *Minn.* '79, 152^b; *Mont.* '95, 218^b; *N. C.* '93, 244^b; *N. S.* '95, 90^b; *N. Y.* '81, 226, '84, 130^b, '84, 178, 179, '86, 443^b, '88, 422^b; *Ont.* '87, 248^a; *Que.* '89, 149^b; *S. C.* '85, 190^b, '87, 261^b, '94, 110^a; *S. D.* '85, 277; *Siberia*, '88, 310^b; *Tenn.* '96, 182^b; *Tex.* '92, 344^b; *W. I.* '86, 2^b—*fd.* '81, 24^a, 26^a, '94, 110^a; *meas.* '82, 158, '89, 149^b; *mig.* '84, 178, '94, 110^a, 1900, 390; *song.* '77, 68^b, '84, 130^b; *syn.* '81, 175^b, '82, 157, '86, 2^b, '99, 127.

almæ, '98, 304*, see *swainsoni*.

onalaschkae (*Dwarf Hermit Thrush*, ^b *Turdus*, ^c *Turdus nanus*, ^d *Turdus unalascæ*, ^e *unalascæ*), *Alas.* '98, 130^b; *Ariz.* '82, 67^d, '88, 167^b; *B. C.* '93, 24^b; *Cal.* '78, 137^c, '86, 186^b, '98, 236^b; *Colo.* '96, 85^b; *g. dist.* '93, 127^b; *N. M.* '85, 330^c, '92, 369^b; *Ore.* '86, 172^b, '88, 365^b; *Tex.* '82, 34^e [*auduboni?*], '92, 344^b;

Wash. '93, 24^b, '97, 181^b.—*anat.* '82, 215^e; *meas.* '79, 136^c, 137^c, '82, 68^d, 127^e, '88, 365^b; *plm.* '82, 67^d, '88, 365^b; *syn.* '79, 135^c, '80, 177^b, '99, 128; *misc.* '94, 66^b [*pallasii?*].

auduboni (Audubon's Hermit Thrush, ^b *Turdus*, ^c *Turdus sequoien-sis*), *Ariz.* '85, 349^b, '88, 167^b, '90, 49^b, 263^b; *Cal.* '87, 124^b, '89, 223^b, '92, 188^c; *Colo.* '79, 91^c [*pallasii?*], '80, 224^b, '81, 86^b, '83, 152^b, '85, 15, '94, 270^b; *g. dist.* '93, 127^b; *Mont.* '90, 292^b, '94, 308^b; *N. M.* '85, 330, '92, 369^b; *Tex.* '82, 34, 127, '86, 139^b, '87, 298^b, '92, 344^b.—*meas.* '79, 136^b, 137^b, '83, 152^b; *nst.* '81, 86^b, '85, 330, '90, 263^b; *plm.* '83, 152^b, '88, 365^b; *song.* '90, 292^b; *syn.* '79, 135^b, '80, 177^b, '81, 175^b, '83, 152^b, '90, 191^b, '92, 107^c, '99, 128.

bicknelli (^a Bicknell's Thrush, ^b *Turdus*), *Bahamas*, '91, 352^b; *g. dist.* '93, 127^b; *Mass.* '89, 42^b, 106^b, '95, 392^b; *Me.* '98, 60^b; *N. H.* '83, 12–17^b, '87, 102^a, 103^b, 107^b, '88, 153^b; *N. S.* '84, 268–270^a, '89, 64^b, '95, 90^b; *N. Y.* '82, 152–159, 257, '84, 58^b, '86, 443^b, '88, 422^b, '93, 91^b, '99, 85; *S. C.* '87, 261^b, '91, 173^b; *Vt.* '89, 194^b—*hbt.* '83, 12^b, '84, 268^a, '89, 106^b; *meas.* '82, 158, '83, 16^b, '84, 58^b, 270^a, '87, 261^b; *nst.* '84, 268^a; *plm.* '83, 16^b, '84, 58^b, 268^a; *song.* '82, 152, '83, 14^b, '84, 268^a, '89, 106^b; *syn.* '82, 157, '99, 127; *misc.* '93, 209^b, '95, 285^a.

fuliginosa, 1900, 271*, see *fuscescens*.

fuscescens (^a Wilson's Thrush or Veery, ^b *Turdus*, ^c *fuliginosa*), *Colom.* 1900, 367; *C. R.* '90, 337^b, '91, 274^b; *Cuba*, '86, 2^b; *Fla.* '90, 119^b, '92, 214^b; *Ga.* '96, 213^b; *g. dist.* '93, 133^b, 135^b, 1900, 18–25, 1900, 271^{*b}; *Germany*, '80, 69^b; *Helg.* '91, 300^b, '95, 331^b; *Ia.* '95, 123^b; *Ind.* '82, 17, 19, '89, 29^b; *Man.* '86, 328^b; *Mass.* '84, 6^a, 11^a, '88, 389^b, '89, 46^b, 106^b; *Mich.* '93, 229^b; *Minn.* '79, 152^b, '80, 13^b, '84, 243; *N. B.* '82, 108^b; *N. C.* '86, 99^a, 243; *N. B.* '82, 108^b; *N. H.* '87, 107^b, '88, 151^b, 153^b, 155^b, '89, 78^b, '94, 335^b; *N. J.* '76, 31^b, '86, 489; *N. Y.* '79, 31^b, '81, 236, '82, 187^b, '84, 129^b, 178, 179; *O.* '95, 241^b; *Pa.* '92, 140^b, '96, 285 [*not 'Turdus pallasii'*, see '97, 102^b], 292^b, 297^b, '97, 102^b; *Pomerania*, '77, 107^b; *Que.* '89, 149^b; *S. C.* '79, 210^b, '92, 35^a; *S. D.* '85, 277; *Tex.* '82, 7^b, '92, 344^b, 1900, 348^b; *Va.* '82, 48^a.—*fd.* '81, 24^a; *meas.* '83,

237^b, 1900, 24, 25; *mig.* '84, 178, 179, '91, 109^b, '92, 35^a, '95, 123^b, 241^b, 1900, 18; *nest.* '78, 193^a, '83, 237^a, 237^b, '86, 178^b, 489^a, '91, 109^b; *plm.* '78, 18^b, '84, 129^b (*mlt.*); *song.* '84, 129^b, '86, 178^b, '90, 199^b; *syn.* '86, 2^b, '99, 127, 1900, 270.

mustelina (^a Wood Thrush, ^b *Turdus*); *Ala.* '78, 169^b; *Ark.* '82, 90; *Bahamas*, '91, 335^b; *D. C.* '88, 23^b, '92, 307^b; *Fla.* '90, 119^b, '92, 214^b, '93, 338^b, '95, 366^b; *Ga.* '96, 213^b; *g. dist.* '93, 133^b; *Gulf of Mex.* '81, 251^a; *Ia.* '95, 123^b, 235^b; *Ind.* '82, 17, 18, '89, 29^b; *Jamaica*, '93, 342^b; *Ky.* '89, 316^b; *La.* '82, 160, '87, 300^b; *Labrador*, '84, 284^b; *Mass.* '84, 14, '89, 40^a, 42^a, 43^a, 46^b, 106^b; *Mc.* '83, 165^a, '85, 215^b, '87, 67^b; *Mich.* '85, 376^b, '93, 229^b; *Miss.* '82, 90; *Mo.* '79, 140^b, '95, 350^a, 351^a; *N. C.* '86, 178^b, '89, 121^b; *N. J.* '87, 78^a, '94, 140^b; *N. S.* '80, 44^b; *N. Y.* '81, 226, '83, 53^a, '84, 128^b, '98, 333^a; *O.* '79, 52^b, '95, 241^b; *Ont.* '89, 204^b; *Pa.* '89, 141^b, '92, 132^a, 140^b, '93, 37^b, 41^b, 43^b, 46^b, '96, 285^b, 297^b; *S. C.* '79, 210^b, '85, 72^a, '90, 30, 130^b, '91, 333^b, '92, 38^a; *S. D.* '85, 277; *Tenn.* '86, 315^b, '87, 133^b; *Tex.* '82, 6^b, 1900, 348; *Va.* '82, 48^a, '86, 160^b, 161^a; *W. I.* '86, 1^b.—*fd.* '81, 24^a, '82, 6^b; *hbt.* '87, 300^a, '90, 199^b, '97, 412^a; *meas.* '98, 332^a; *mig.* '81, 251^a, '85, 376^b, '89, 141^b, '91, 109^b, '96, '92, 38^a, '95, 123^b, 128^a, 235^b, 241^b; *nest.* '82, 18, '83, 237^a, '86, 178^b, '87, 78^a, '88, 25^b, '89, 29^b, 121^b, '91, 109^b; *plm.* '78, 17^b, '84, 128^b (*mlt.*); '92, 303^b (*melan.*); *song.* '84, 128^b, '90, 199^b; *syn.* '86, 1^b, '99, 126^a; *misc.* '83, 72, '84, 190^b, '86, 400^a, '89, 24^a, '90, 392^b, '94, 69^b.

œdica (^b *Turdus ustulatus*), *Cal.* '87, 88^b [^c *swainsoni*], '94^b; *g. dist.* '99, 23^b, 127.—*meas.* '99, 24; *syn.* '99, 127.

pallasii (^a Hermit Thrush, ^b *Turdus*, ^c *nanus*, ^d *Turdus nanus*, ^e *Turdus sequoiensis*), *Ala.* '78, 169^b; *B. C.* '93, 16^b, 24^b; *Canada*, '89, 149^b; *Colo.* '87, 265^b; *Conn.* '86, 282^b, '89, 46^b, '92, 202^b, '93, 371^b; *D. C.* '81, 113^a; *Europe*, '80, 68^b; *Fla.* '88, 277^b, '90, 120^b, '91, 138, '92, 214^b, '95, 366^b; *Gd.* '96, 213^b; *g. dist.* '93, 127^b; *Holg.* '91, 300^b, '95, 331^a; *Ind.* '89, 30^b; *Ky.* '89, 316^b, '94, 244 [^c *aonalaeschkei*]; *Ia.* '87, 306^b; *Man.* '86, 328^b, '87, 353^a; *Mass.* '78, 139^b, '81, 237^b, '83, 149^b, '84, 15^b, '88, 389^b, 393^b, '89,

40^a, 41^a, 42^a, 43^a, 46^b, 107^b; *Md.* '89, 175^b, '92, 66^b; *Mc.* '82, 108^b, 190; *Mich.* '93, 230^b, 1900, 391^a; *Minn.* '97, 223^a; *Mo.* '79, 140^b, '96, 219^b; *N. B.* '82, 108^b, '83, 7^a, '89, 119^b; *N. C.* '86, 101^b, 310^a, 314^b; *N. E.* '81, 237^b; *N. H.* '87, 102^a, 107^b, 108^b, '88, 151^b, 153^b, '89, 78^b, 79^b; *N. J.* '76, 31^b, '79, 81^a? *N. S.* '87, 16^b; *N. Y.* '78, 53^b, '79, 33^b, '81, 226, '82, 159^b, '83, 52^b, 237^a, '84, 131^a, 176, 178, '86, 443^b, '89, 332^a, '90, 295^b, '98, 333^a; *O.* '95, 242; *Pa.* '89, 140^b, '92, 132^a, 133^a, 134^b, 141^b, '93, 42^a, 43^b, '94, 182^b, '96, 285^b [=fuscescens, see '97, 102]; '91^a, 292^b, 207^b; *P. E. I.* '93, 5^a, 15^b; *Que.* '82, 234^a, '97, 325^b; *S. C.* '79, 210^b, '92, 33^a, '99, 198^b; *Switz.* '77, 107^b; *Tenn.* '86, 315^b; *Tex.* '82, 34, '84, 121, '87, 298^b, '92, 344^b; *Va.* '81, 113^a, '82, 48^b?; *I. t.* '84, 7^b, 10^a; *Wash.* '93, 16^b, 24^b; *Wis.* '88, 327^b, 328^b.—*fd.* '81, 24^a, 26^a, '94, 110^a, '97, 1^a; *hbt.* '81, 113^a, '90, '99, '97, 1-8^a; *meas.* '79, 136^b, 137^b, '82, 127; *mig.* '84, 176, 178, '88, 327^b, 328^b; '89, 141^b, '91, 109^b, '96, '92, 33^a, '94, 109^b, '95, 242^b, 1900, 391^b, '99, 198^b; *nest.* '83, 237^b, '91, 109^b, '93, 371^b, '96, 297^b; *plm.* '78, 17^b, '83, 153^b, '86, 282^b (*alb.*) / 443^b; *song.* '84, 131^a, '90, 199^b, '92, 141^b, '93, 15^b, '95, 240^a; *syn.* '79, 134-139^b, '80, 177^b, '83, 152^b, '90, 66^a, 191^b, '99, 128; *misc.* '82, 118^b, '94, 66^a, '97, 102^b (*corr.*), 325^b.

salicicola (Willow Thrush, ^b *Turdus*, ^c *Turdus fuscescens*), *Ariz.* '88, 167^b; *Colo.* '85, 15, '87, 265^c; *g. dist.* '82, 257, 1900, 18-25; *Ida.* '98, 21; *Ill.* '83, 239, '94, 222^b, '95, 85^b; *Man.* '86, 328^b; *Miss.* 1900, 297; *Mont.* '82, 62^c, '90, 292^b; *S. C.* '89, 194^b, '91, 173^b; *Tex.* '86, 281^b.—*meas.* 1900, 22, 23, 25; *nest.* '98, 21; *plm.* 1900, 21; *song.* '90, 292^b; *syn.* '99, 127, 1900, 270; *misc.* '83, 239, '86, 328^b (*corr.*).

swainsoni (^a Olive-backed or Swainson's Thrush, ^b *Turdus*, ^c *almae*, ^d *Alas.* 1900, 113^c, 119^c; *B. C.* '93, 16^b; *Colo.* '80, 224^b, '81, 142^b, '83, 153^b, '85, 15, 140, '87, 125^b; *Colom.* 1900, 367; *C. R.* '90, 337^b, '91, 274^b; *Cuba*, '86, 2^b; *Europe*, '77, 107^b, '80, 68^b; *Fla.* '90, 119^b, '92, 214^b; *g. dist.* '93, 127^b, '98, 304^a; *Holg.* '91, 300^b, '95, 331^b; *Ia.* '95, 124^b; *Ida.* '98, 21, 1900, 245; *Ill.* '88, 434^b; *Ind.* '89, 30^b; *Kan.* '87, 11^b; *Ky.* '94, 244 [^c *ustulatus*]; *Man.*

'86, 328^b; *Mass.* '84, 12^a, 15^b, '87, 269^b, '89, 42^a, 107^b, '95, 87^a; *Mc.* '82, 108^b; *Mich.* '93, 229^b, 1900, 391^a; *Minn.* '79, 152^b, '84, 243; *Mo.* '79, 140^b; *Mont.* '90, 292^b, '94, 308, '95, 219^b; *N. B.* '82, 108; *N. C.* '86, 101^b; *N. H.* '83, 14^a, '87, 102^a, 107^b, 108^a, '88, 153^b; *N. J.* '76, 31^b; *N. M.* '85, 330; *N. S.* '91, 165^b; *N. Y.* '78, 53^b, '81, 226, '82, 155, '83, 52^a; '84, 129^b, 176, 178, 179; *O.* '95, 241^b; *Ont.* '87, 248^a; *Pa.* '89, 141^b, '92, 132^a, 134^b, 140^b; *P. E. I.* '93, 5^a, 14^b; *Que.* '82, 234^b, '89, 149^b, '97, 325^b; *S. C.* '79, 210^b; *S. D.* '85, 277; *Tenn.* '86, 315^b; *Tex.* '79, 116^b, '82, 7^b, '87, 298^b, '92, 344^b; *Va.* '82, 48^a?; *Wash.* '93, 16^b, '98, 137.—*fd.* '81, 24^a, 26^a, '94, 110^a; *hbt.* '93, 14^b; *meas.* '98, 137^b, 304^c; *mig.* '84, 176, 178, 179, '85, 98^a, '87, 269^b, '88, 434^b, '89, 141^b, '91, 109^b, '95, 124^b, 241^b, 1900, 391^a; *nest.* '84, 13^a, '91, 109^b; *plm.* '78, 18^b, '84, 129^b (*milt.*), 1900, 119, 119^c; *song.* '83, 15^b, '84, 12^a, 129, '90, 292^b, '92, 141^b, '93, 14^b, 229^b; *syn.* '81, 175^b, '82, 157, '86, 2^b, '90, 191^b, '98, 303^c, '99, 127, 131^c.

ustulata (Russet-backed Thrush, ^b *Turdus*, *Alas.* '81, 5 [^a Olive-backed Thrush?], '98, 130^b; *Ariz.* '82, 68^b, '85, 85^b; *Cal.* '78, 137^b, '86, 186^b, '87, 94 [^a *edica?*]; *g. dist.* '93, 127^b; *Ore.* '86, 172^b, '88, 365^b; *Wash.* '92, 47^b, '97, 181^b, 1900, 11, 357.—*meas.* '82, 68^b; *nest.* '86, 172^b, '88, 365^b; *plm.* '80, 26^b (*alb.*), '82, 68^b; *song.* '86, 172^b; *syn.* '81, 175^b, '90, 191^b, '99, 127.

Hylophilus aurantiifrons, *Venez.* '97, 364.

flavipes, *Venez.* '97, 364.
griseipes, *W. I.* '96, 333.
insularis, *W. I.* '93, 220.
ruficeps, *syn.* '98, 330.

Hylorchilus, '97, 71*.
semichrasti, *Mcx.*, *meas.*, *plm.*, *syn.* '97, 71.

hylocopos (Dryobates), see *D. hylocopos* or *monticola*.

— (*Picus*), see *Dryobates*.

Hyloterpe, '94, 234.

grisola, *Borneo*, *syn.* '90, 351.

Hylotomus, see *Ceophleus*.

hyperboreus (*Chen*), see *Chen*.

— (*Chen*), see *Chen*.

— (*Passerina*), see *Passerina*.

hyperboreus (*Anas*), see *Chen*.

— (*Anser*), see *Chen hyperboreus* or *nivalis*.

— (*Lagopus*), see *Lagopus*.

— (*Larus*), see *L. glaucus*.

— (*Lobipes*), see *Phalaropus lobatus*.

— (*Phalaropus*), see *P. lobatus*.

— (*Plectrophenax*), see *Passerina*.

Hyphantornis, 1900, 190.

velatus, *nest.* 1900, 190.

hypochondriacus (*Todus*), see *Todus*.

hypochrysea (*Dendroica*), see *Dendroica*.

Hypocolius ampelinus, *Cal.* '77, 91?.

Hypocnemis hypoleuca (^b *Heterocnemis*), *Braz.* '89, 172^b, '91, 29.—*syn.* '91, 29.

lugubris, *Braz.* '91, 29.

hypogaea (*Speotyto*), see *S. hypogaea* or *floridana*.

Hypolais caligata, *Helg.* '95, 333.

icterina, *Helg.* '95, 324.

olivetorum, *Helg.* '95, 333.

pallida, *Helg.* '95, 333.

polyglotta, *Helg.* '95, 332.

hypoleuca (*Æstrelata*), see *Æstrelata*.

— (*Aphelocoma*), see *Aphelocoma*.

— (*Heterocnemis*), see *Hypocnemis*.

— (*Hypocnemis*), see *Hypocnemis*.

hypoleucus (*Actitis*), see *Actitis*.

— (*Brachyramphus*), see *Brachyramphus*.

— (*Endomychura*), see *Brachyramphus*.

— (*Halietus*), see *Halietus*.

— (*Micruria*), see *Brachyramphus*.

— (*Myrmochanes*), see *Myrmochanes*.

hypomelena (*Cercomacra*), see *Cercomacra*.

— (*Parra*), see *Jacana nigra*.

hypomelas (*Icterus*), see *Icterus*.

— (*Melanopsar*), see *Icterus*.

— (*Pendulinus*), see *Icterus*.

— (*Xanthornis*), see *Icterus*.

hypophaeus (*Platyparis*), see *Platyparis*.

hypostictus (*Campylorhynchus*), see *Heleodetes*.

— (*Heleodetes*), see *Heleodetes*.

Hypothymis, '94, 236.

occipitalis, *Borneo*, *syn.* '90, 353.

hypoxantha (*Sporophila*), see *Sporophila*.

hypsicatus (*Branta*), see *Branta*.

Hypsipetes pryeri, *Japan.* '87, 250.

I

iacupema (*Penelope*), see *Penelope*.

Iache latirostris (Broad-billed Hum-

mingbird), *Ariz.* '80, 90, '82, 211, '86,

432; *Mcx.* '93, 315.—*fd.* '93, 315;

plm. '82, 211, '86, 432; *hbt.*, *song.*,

- meas.* '82, 211.
Ianthoënas, '94, 233.
Ibidae, '78, 18*.
Ibididae (* Ibises), '78, 182, 183, '88, 196^a, '93, 107^a.
Ibidinae, '78, 182.
Ibis, '78, 182, '80, 100, '81, 79, '93, 99, '96, 173, 1900, 167.
Ibis, Glossy, see *Plegadis autumnalis*.
 Red, see *Guara rubra*.
 Scarlet, see *Guara rubra*.
 White, see *Guara alba*.
 White-faced Glossy, see *Plegadis guarauna*.
 Wood, see *Tantalus loculator*.
Ibis, The (magazine).
 [General index of 1877-1894], '95, 317.
Ibises, see *Ibididae*.
Ibycter, '77, 71.
Iceland.
 Dalgleish, J. J., '80, 143, 150, 215.
ichthyaëtus (*Larus*), see *Larus*.
Ichthyornis (fossil genus), '80, 235, '93, 345.
dispar, *anat.* '76, 49.
Ictoturus namiyei, *Japan*, '87, 250.
Icteria, '88, 441, 442.
longicauda (Long-tailed Chat), *Ariz.* '82, 139, '88, 36, '90, 48; *B. C.* '93, 16, 1900, 107; *Cal.* '86, 185, '97, 404; *Colo.* '83, 159 ['vireus'], '85, 15, 141; *g. dist.* '93, 135; *Ida.* '98, 22; *Kan.* '83, 227, '86, 115; *Mont.* '95, 218; *N. M.* '92, 367; *Ore.* '86, 171; *Tex.* '87, 296; *Wash.* '93, 16, '97, 179.—*anat.* '88, 441, 442; *meas.* '82, 139; *mig.* '87, 296; *nst.* '76, 75, '87, 296, '97, 404; *plm.* '82, 139; *song.* '86, 185, '87, 296; *syn.* '90, 191.
virens (* Yellow-breasted Chat), *Ala.* '78, 174; *Colo.* '83, 159 [*longicauda?*]; *C. R.* '90, 337, '92, 22; *D. C.* '88, 24, '92, 308; *Fla.* '90, 22; *Ga.* '83, 38, '96, 214; *g. dist.* '93, 133; *Ia.* '95, 123, 235; *Ind.* '82, 17, '89, 28; *Ky.* '89, 316; *La.* '82, 162, '87, 302^a; *Mass.* '85, 101^a, '88, 116, 389, 392, '89, 40^a, 42^a, 43^a, 46, 104, '91, 119; *Md.* '81, 115; *Me.* '94, 331; *Mo.* '79, 142; *N. C.* '86, 175; *N. E.* '76, 73, '77, 16; *N. J.* '94, 140; *N. Y.* '78, 56, 129, '79, 175, '80, 239^a, '83, 180, '84, 216, '89, 199, '95, 82, 393, '98, 331, '99, 195, 285; *O.* '95, 241; *Ont.* '84, 389, '85, 308^a; *Pa.* '91, 398, '93, 37^a, 38, 41, '96, 285, 1900, 396^a; *S. C.* '79, 212, '90, 129, '91, 332; *S. D.* '85, 278; *Tenn.* '86, 317, '87, 132;

- Tex.* '82, 10, '87, 296, '92, 342, 1900, 347; *Ia.* '88, 405.—*hbt.* '94, 70^a; *mig.* '95, 123, 235, 241; *nst.* '81, 115, '82, 10, 18, '83, 38, '88, 116, '89, 28, '95, 82, '98, 332, '99, 285; *plm.* '78, 60, '99, 217-220 (col. pl., mlt.); *song.* '84, 67^a, 216, '90, 199; *syn.* '80, 98; *misc.* '77, 86^a, '97, 333^a.
icterica (*Chrysomitriss*), see *Spinus ictericus* or *notata*.
ictericus (*Spinus*), see *Spinus*.
Icteridae (* Orioles and Blackbirds), '81, 28, 34, '84, 106, '87, 150, '88, 413, '91, 107^a, '93, 111, 194, '97, 105^a, 341.
icterina (*Hypolais*), see *Hypolais*.
icterocephala (*Sylvicola*), see *Dendroica pennsylvanica*.
icterocephalus (*Agelaius*), see *Agelaius*.
 — (*Icterus*), see *Xanthocephalus xanthocephalus*.
 — (*Xanthocephalus*), see *X. xanthocephalus*.
 — (*Xanthosomus*), see *Agelaius*.
icterophrys (*Sisopygis*), see *Sisopygis*.
icterotis (*Geothlypis*), see *G. caninucha*.
Icterus, '86, 215, '88, 413
audubonii (Audubon's Oriole), *Tex.* '80, 46, '92, 238.
auricapillus, *Venez.* '97, 364.
bairdi, *W. I.* '86, 500*, 502, '88, 158.
bonana, *W. I.* '86, 215, '87, 96.
—meas., *plm.*, *syn.* '86, 215.
bullocki (* Bullock's Oriole), *Ariz.* '82, 201, '87, 23; *B. C.* 1900, 106; *Cal.* '84, 355, '86, 181, '89, 223; *Colo.* '83, 193, '85, 16, 142, '87, 124, '95, 153^a; *g. dist.* '93, 134; *Ida.* '98, 14; *Mc.* '90, 92; *Mont.* '94, 305, '95, 216; *N. M.* '92, 364, '98, 309; *Ore.* '88, 262; *S. D.* '85, 282; *Tex.* '87, 290, '88, 119^a, '92, 238, 1900, 345; *Wash.* '97, 177.—*hbt.* '77, 74, '88, 119^a; *nst.* '85, 142, '87, 290; *misc.* '77, 86^a, '78, 193^a.
castaneopectus, '88, 91*, see *wagleri*.
croconotus, *Braz.* '90, 269.
cucullatus (Hooded Oriole), *Cuba*, '86, 217; *Tex.* '87, 23; *g. dist.* '93, 134.—*plm.* '85, 292, '87, 23; *syn.* '85, 292, '86, 217, '90, 191; *misc.* '77, 86^a.
curagoensis, *W. I.* '85, 291, '93, 355.—*mlt.* '93, 355.
dominicensis, *W. I.* '81, 152, '86, 216.—*hbt.* '81, 152; *meas.*, *syn.* '86, 216; *plm.* '81, 152, '86, 216.
espinachi, *C. R.* '83, 228.

galbula (^a Baltimore Oriole, ^b Baltimore), *Ark.* '82, 92; *Colo.* '85, 16; *Colom.* 1900, 365; *Columbia River*, '77, 92^b?; *Conn.* '86, 135; *C. R.* '90, 334, '92, 250; *Cuba*, '86, 219; *D. C.* '82, 186^a, '88, 22, '92, 308; *Fla.* '88, 273, '92, 213; *Ia.* '81, 182^a, '95, 123, 235; *Ind.* '82, 17, '89, 24; *Kan.* '94, 215^a; *Ky.* '89, 314; *La.* '82, 163, '87, 302^a; *Man.* '86, 322; *Mass.* '81, 181^b, '84, 6^a, '86, 135, '88, 388^a, 389, '89, 42^a, 44, 100, '90, 368^a; *Mich.* '83, 174^b; *Minn.* '84, 245; *Miss.* '82, 92; *Miss. Valley*, '85, 58-60; *Mo.* '79, 145^b, '95, 350^a; *N. B.* '85, 266^a, '87, 256; *N. C.* '86, 107, '89, 121; *N. H.* '88, 150, 152, 154, '89, 77; *N. J.* '94, 138^a; *N. S.* '85, 266^a, '87, 256; *N. Y.* '79, 32^b, '81, 230, '82, 188^b, '85, 251; *O.* '79, 52^b, '95, 241; *Ont.* '87, 246^a, 248^a, '90, 80; *Pa.* '93, 37, 39, 43, 44, '96, 283; *P. E. I.* '85, 266^a; *S. C.* '79, 215^b; *Scotland*, '92, 290^a; *S. D.* '85, 282; *Tenn.* '86, 318; *Tex.* '89, 240, 1900, 345; *Va.* '86, 161^a.—*fd.* '81, 181^b, '86, 135, '96, 336^a, '97, 421^a, '99, 362^a; *hbt.* '78, 24^a, '85, 298, '90, 200, 368^a, 1900, 299^a; *mig.* '82, 186^a, '83, 174^a, '85, 58, '86, 135, 135, '89, 60^a, '90, 85, '95, 123, 128^a, 235, 241; *nst.* '81, 182^a, '87, 246^a; *plm.* '78, 176^b; *song.* '84, 65^a, 287^a, '85, 251, '90, 199, '99, 354; *syn.* '80, 98, '86, 219; *misc.* '81, 188^b, '85, 101^a, 201, '86, 271^a, 400^a, '91, 110, '96, 158^a, 206^a.

gularis, *meas.*, *plm.*, *syn.* '88, 454. *hypomelas*, *W. I.* '86, 215, '92, 272.—*meas.*, *plm.*, *syn.* '86, 215. *icterus* (Troupial), *Vencz.* '97, 364^b; *W. I.* '86, 210, '93, 178.—*meas.*, *plm.*, *syn.* '86, 219.

igneus, *Yucatan*, '85, 292.—*plm.* '88, 455; *syn.* '90, 191. *laudabilis*, *W. I.* '80, 164, 166, '86, 217.—*meas.*, *plm.*, *syn.* '86, 217. *lawrencii*, *W. I.* '87, 178*, 181.—*meas.* '87, 178.

leucopteryx, *Jamaica*, '86, 218, 501, '93, 178, '94, 126.—*meas.*, *syn.* '86, 218; *plm.* '86, 218, '93, 178; *song.* '93, 179.

melanocephalus, *misc.* '80, 88. *nelsoni* (^a Arizona Hooded Oriole, ^b *cucullatus*), *Ariz.* '82, 200^b, '85, 159-165^b, '87, 23, '94, 220; *Cal.* '86, 181, '96, 120; *g. dist.* '85, 292.—*meas.* '85, 160^b, 162^b, 163^b, 164^b; *nst.* '84, 355^b, '85, 159-165^b, '87, 23, '96, 120; *plm.* '82, 200^b, '87, 23, '93, 192^a, 373^a,

378^a; *syn.* '85, 292, '90, 191; *misc.* '87, 22.

northropi, *Bahamas*, '90, 344*, '91, 71, 350.—*fd.*, *meas.*, *nst.*, *song.* '90, 344; *plm.* '91, 1 (col. pl.).

oberi, *W. I.*, *meas.*, *plm.*, *syn.* '86, 218.

parisorum (Scott's Oriole), *Ariz.* '81, 69, '82, 200, '85, 1-7, 355, '87, 22; *Cal.* '91, 238, '94, 327, '96, 265; *L. Cal.* '94, 328, '95, 140; *N. M.* '91, 237, '92, 364, '99, 189; *Utah*, '93, 286.—*fd.* '82, 200, '94, 327, '95, 140; *hbt.* '85, 1-7; *meas.* '85, 3; *mlt.* '92, 364; *nst.* '85, 1, '95, 140; *plm.* '81, 69, '82, 200, '87, 22; *song.* '85, 1.

portoricensis, *W. I.*, *meas.*, *plm.*, *syn.* '86, 217.

pustulatus, *Cal.* '77, 92?; 92? [^a *californicus*].

pyrrhocopterus, *Urug.*, *fd.*, *hbt.*, *nst.*, *song.* '83, 133.

spurius (^a Orchard Oriole, ^b *af-**finis*), *Ala.* '79, 10; *Colo.* '85, 16; *Conn.* '90, 84; *C. R.* '90, 334, '92, 250; *Cuba*, '86, 218; *D. C.* '82, 186^a, '88, 22, '92, 308; *Fla.* '88, 186, 273, '89, 320, '90, 311, '92, 213, '93, 338, '95, 365; *Ga.* '82, 102^a, '83, 39, '96, 212; *Ia.* '95, 123, 235; *Ind.* '89, 24; *Ky.* '89, 314; *La.* '82, 92, 163, '87, 302^a; *Man.* '86, 322; *Mass.* '89, 40^a, 44; *Minn.* '80, 15; *Mo.* '79, 145, '95, 350^a; *N. C.* '86, 107; *N. J.* '94, 138; *N. Y.* '79, 175, '85, 251, '90, 230, '99, 195; *Ont.* '88, 211, '90, 80, 1900, 391, 392; *Pa.* '82, 181; *S. C.* '79, 215, '92, 35^a, 36^a; *S. D.* '85, 282; *Tenn.* '86, 318; *Tex.* '82, 40, '82, 167^b, '82, 167, '87, 290, '88, 119^a, '92, 238, 1900, 345; *U. S.* '84, 390.—*anat.* '88, 413; *hbt.* '82, 102^a, 167^b, '88, 119^a; *mig.* '82, 186^a, '87, 290, '92, 35^a, 36^a, 236^a, '95, 123, 128^a, 235^a; *nst.* '80, 15, '82, 167^b, '83, 39, '87, 290, '99, 195, 1900, 392; *plm.* '82, 181, '85, 251, '86, 414^a, '93, 374; *song.* '79, 10, '82, 102^a, 167^b, '84, 67^a, '85, 251, '86, 107; *syn.* '86, 218; *misc.* '77, 86^b, '90, 81, '97, 334^a.

wagleri (^b *castaneopectus*), *Mcx.* '88, 91^b*.—*misc.* '80, 88.

xanthornus, *Vencz.* '97, 364, 368.—*plm.* '97, 368.

yucatanensis, *La.* '93, 366?; *Yucatan*, '88, 454*—*meas.* '88, 454; *fd.*, *hbt.* '93, 366; *misc.* '94, 51.

icterus (Icterus), see Icterus.

—(Oriolus), see Icterus.

Ictinia, '84, 58, '85, 205, '93, 108.

- mississippiensis** (^a Mississippi Kite, ^b subcerulea), *Fla.* '81, 17, '88, 270, '89, 247, '92, 107, 212, '93, 337, '95, 364; *Ga.* '83, 41^b; *g. dist.* '93, 133; *Ill.* '78, 166; *Jamaica*, '92, 126^a; *Kan.* '85, 19-21^b; '87, 344; *Ky.* '89, 313; *S. C.* '83, 61; *Tenn.* '89, 313; *Tex.* '87, 188, '92, 233, 1900, 342.—*fd.* '83, 61, '93, 200^a; *hbt.* '83, 61, '85, 19; *meas.* '85, 21, '87, 345; *nst.* '83, 41^b, '85, 19, '87, 344, '90, 84, 85^a, '92, 192; *plm.* '79, 43; *misc.* '99, 169^a.
- plumbea**, *Venez.* '97, 366.—*syn.* '91, 89.
- ictinus** (*Milvus*), see *Milvus*.
- Idaho.**
- Allen, J. A., '91, 385.
 - Bendire, C. E., '83, 87.
 - Brewster, W., '96, 46.
 - Coues, E., '92, 394.
 - Merriam, C. H., '92, 169-171.
 - Merrill, J. C., '97, 347-357, '98, 14-22.
 - Synder, J. O., 1900, 242-245.
 - Wilcox, T. E., '85, 315.
- idahoensis** (*Megascops*), see *Megascops*.
- idius** (*Anthreptes*), see *Anthreptes*.
- ignavus** (*Bubo*), see *Bubo*.
- igneus** (*Cardinalis*), see *C. igneus* or *superbus*.
- (Icterus), see *Icterus*.
- (Pericrocotus), see *Pericrcotus*.
- ignicapilla** (*Regulus*), see *Regulus*.
- ignipallius** (*Phoenicopterus*), see *P. ruber*.
- ignitus** (*Euplocomus*), see *Euplocomus*.
- ignota** (*Dendroica*), see *D. palmarum*.
- (Geothlypis), see *Geothlypis*.
- Ihering**, Herman von.
- As aves do estado de Sao Paulo [Brazil] (rev.), '99, 203.
- ijimea** (*Acanthopneuste*), see *Phylloscopus pus*.
- (Emberiza), see *Emberiza*.
- (Phylloscopus), see *Phylloscopus*.
- ilathera** (*Anas*), see *Dafila bahamensis*.
- iliaca** (*Fringilla*), see *Passerella*.
- (Passerella), see *Passerella*.
- iliacus** (*Turdus*), see *Turdus*.
- illinoensis** (*Peucaea*), see *P. bachmanii*.
- Illinois.**
- Allen, J. A., '80, 53-54, 89.
 - Blackwelder, E., '99, 359-360.
 - Blaisdell, W. O., '92, 67.
 - Bryan, W. A., '99, 272-273, 276.
 - Chapman, F. M., '90, 74-76, '95, 379-380.

- Coale, H. K., '77, 52, 82, 83, '83, 239, '85, 109-110.
- Coues, E., '77, 26.
- Deane, R., '80, 192, '95, 298-300, '96, 81, '99, 270-272, '90, 390.
- Dunn, J. O., '95, 389, 393-395.
- Eaton, D. H., '80, 43.
- Forbes, S. A., '81, 53, 180, '84, 85.
- Gault, B. T., '94, 258, '95, 80, 85.
- Garman, H., '92, 192.
- Gastman, E. A., '89, 180.
- Greene, G., '91, 389.
- Hancock, J. L., '83, 179, '88, 210, 432-434.
- Hay, O. P., '81, 179.
- Henderson, J. G., '89, 175.
- Henshaw, H. W., '81, 195-196, '84, 264.
- Hurter J., '81, 124.
- Jones, W. L., '80, 112.
- Kimball, F. H., '89, 338-339.
- Kline, H. A., '87, 341.
- Kleinman, H., '90, 398.
- Mead, G. S., 1900, 67.
- Mundt, A. H., '95, 97.
- Nelson, E. W., '76, 39-44, '77, 38-43, 68-69, '78, 36, '80, 51.
- Poling, O. C., '90, 238-243.
- Ridgway, R., '78, 162-166, '79, 218-222, '80, 30-32, 118, '81, 120-122, '83, 58, '87, 251, '92, 191, '95, 379-380.
- Strode, W. S., '90, 81, '91, 108.
- Stramberg, C. W., '85, 97.
- Widmann, O., '80, 192.
- Woodruff, F. M., '96, 83-84, 179-181.
- Illinois State Horticultural Society** [Bird protection and study], 1900, 198.
- Illinois State Laboratory of Natural History**, Bulletin, titles (Nos. 2261-2265), '92, 191.
- Illustrations, see Plates.
- imber** (*Colymbus*), see *Gavia*.
- (Gavia), see *Gavia*.
- (Urinator), see *Gavia*.
- imberbe** (*Ornithion*), see *Ornithion*.
- (*Ornithium*), see *Ornithion*.
- imbricata** (*Columba*), see *C. corensis*.
- Im Familien Kreise** (mag.), title (No. 238), '83, 171.
- immaculata** (*Myrmeciza*), see *Myrmecizastes*.
- immaculatus** (*Anabazenops*), see *Anabazenops*.
- (*Dendrocopos*), see *Dryobates*.
- immer** (*Urinator*), see *Gavia imber*.
- immutabilis** (*Diomedea*), see *Diomedea*.
- Impennes**, '81, 30, 82, 83, '99, 202, 363.
- impennis** (*Alca*), see *Plautus*.

- (Plautus), see Plautus.
 imperator (Sterna), see S. caspia.
 imperialis (Amazona), see Amazona.
 — (Campetherus), see Campephilus.
 — (Picus), see Campephilus.
Inagua Island, West Indies.
 Cory, C. B., '91, 297, 348, 351, '92, 49.
 inca (Scardafella), see Scardafella.
 Inca-bird, see Gymnostinops montezuma.
 incanescens (Ornithion), see O. imberbe.
 — (Phyllomyias), see Phyllomyias.
 incanus (Heteractitis), see Heteractitis.
 — (Heteroscelus), see Heteractitis.
 — (Totanus), see Heteractitis.
Incapspiza, '98, 224*.
 incertus (Camarhynchus), see Camarhynchus.
 incompta (Merula), see Merula.
 incultus (Eriocnemis), see Eriocnemis.
 inda (Ceryle), see Ceryle.
India.
 Allen, J. A., '98, 336-337.
Indian Territory.
 Cooke, W. W., '85, 32-33.
 Goss, N. S., '86, 409.
Indiana.
 Allen, J. A., '78, 189, '80, 174-175,
 '91, 383-384, '98, 335-336.
 Blatchley, W. S., '91, 110.
 Brayton, A. W., '80, 174.
 Butler, A. W., '83, 172, '92, 49-55,
 238-247, '93, 155, '97, 197-200.
 Coale, H. K., '85, 213.
 Deane, R., '95, 179, 292, 298-300, '96,
 255, '99, 178-179, 270-272.
 Dunn, J. O., '95, 38^o, 391-392.
 Evermann, B. W., '85, 98, 213, '88,
 344-351, '89, 22-30, 180, 186-187,
 '91, 110, 110.
 Gault, B. T., '89, 278.
 Hay, O. P., '87, 193-196.
 Nelson, E. W., '77, 51.
 Quick, E. R., '83, 171, 171, 172.
 Ridgway, R., '82, 15-23.
 Smith, G. A., '77, 75.
 Woodruff, F. M., '98, 61-62.
 Indiana Academy of Science, '86, 287,
 '99, 91.
 indica (Jacana), see Metopidius.
 — (Parra), see Metopidius.
Indicator, '81, 75.
 Indicatoridae, '81, 75.
 indicus (Butastur), see Butastur.
 — (Falco), see Butastur.
 — (Metopidius), see Metopidius.
 Indigo-bird, see Cyanospiza cyanea.
 indus (Haliastur), see Haliastur.
 'neptus (Didus), see Didus.

- inxpectata (Sturnella), see Sturnella.
 inexpectatus (Copsychus), see Copsychus.
 infaustus (Herminierus), see Cinclorhynchus ruficauda.
 — (Perisoreus), see Perisoreus.
 inflatus (Phororhacos), see Phororhacos.
 inflexirostris (Holoquiscalus), see Quiscalus.
 — (Quiscalus), see Quiscalus.
 infusa (Geotrygon), see Geotrygon.
 infuscata (Sterna), see S. anæthetus or fuliginosa.
 — (Thalassipora), see Sterna fuliginosa.
Ingalls, Charles Edward.
Icterus galbula in Massachusetts in November, '86, 135.
 Nesting of Red-bellied Nuthatch in Templeton, Mass. '94, 331.
Ingersoll, Ernest.
 Our present knowledge of the nidification of the American Kinglets, '76, 77-79.
 see Burroughs, J., 'Wake Robin' (rev.), '77, 48.
 see Wilson and Bonaparte, American Ornithology (reprint) (rev.), '79, 53.
 Nests and eggs of American birds (rev.), '79, 172, '80, 38, '82, 45, 112.
 Flammulated Owl (*Scops flammula*) in Colorado, '80, 121.
 see Gregg, W. H., 'birds of Chemung Co., N. Y. (rev.), '80, 173.
 A vernacular synonymy, '81, 183-185.
 Birds-nesting (rev.), '82, 179.
 The common names of American birds, '83, 72-78.
 Country cousins (rev.), '85, 91.
 ingersolli (Melospiza), see M. merrilli.
Ingraham, D. P.
 Additional records of Flammulated Owl (*Megascops flammcola*), '97, 403.
 inornata (Amazona), see Amazona.
 — (Chloroenas), see Columba.
 — (Columba), see Columba.
 — (Muscicapa), see Contopus borealis.
 — (Myrmotherula), see Myrmotherula.
 — (Pyrrhula), see Pyrrhula.
 — (Querquedula), see Q. discors.
 — (Symphemia), see Symphemia.
 inornatus (Colopteryx), see Colopteryx.

- (Compsothlypis), see Compsothlypis.
 — (Crypturus), see Crypturus.
 — (Cyanopterus), see Querquedula discors.
 — (Lophophanes), see Parus inornatus or griseus.
 — (Parus), see Parus.
 — (Phacellodomus), see Phacelldomus.
 — (Thamnophilus), see Thamnophilus.
inquietus (*Myiarchus*), see *Myiarchus*.
 — (*Myiarius*), misprint for *Myiarchus*.
inquisitor (*Tityra*), see *Tityra*.
inscriptus (*Pteroglossus*), see *Pteroglossus*.
Inssessores, '81, 30, '85, 212.
Insignipitta, '96, 60.
insignis (*Colinus*), see *Colinus*.
 — (*Melospiza*), see *Melospiza*.
 — (*Picolaptes*), see *Picolaptes*.
 — (*Zonotrichia*), see *Melospiza*.
insularis (*Aphelocoma*), see *Aphelocoma*.
 — (*Brachyspiza*), see *Brachyspiza*.
 — (*Centropus*), see *Centropus*.
 — (*Columbigallina*), see *C. terrestris*.
 — (*Compsothlypis*), see *Compsothlypis*.
 — (*Cyclorhynchus*), see *Cyclorhynchus*.
 — (*Dryobates*), see *D. maynardi*.
 — (*Hylophilus*), see *Hylophilus*.
 — (*Junco*), see *Junco*.
 — (*Leptotila*), see *Leptotila*.
 — (*Myadestes*), see *Myadestes*.
 — (*Nyctidromus*), see *Nyctidromus*.
 — (*Otocoris*), see *O. strigata*.
 — (*Passerella*), see *P. unalascheensis*.
 — (*Platyrhynchos*), see *Platyrhynchos*.
 — (*Psittacula*), see *Psittacula*.
 — (*Quiscalus*), see *Quiscalus*.
 — (*Thalassornis*), see *Thalassornis*.
 — (*Thryomanes*), see *Thryomanes*.
 — (*Vireo*), see *V. obscurus*.
 — (*Troglodytes*), see *Thryomanes*.
insulicola (*Empidonax*), see *E. difficilis*.
intermedia (*Cæreba*), see *Cæreba*.
 — (*Cæreba*), see *Cæreba*.
 — (*Columba*), see *Columba*.
 — (*Drymophila*), see *Drymophila*.
 — (*Euethebia*), see *Euethebia*.
 — (*Formicivora*), see *Formicivora*.
 — (*Meleagris*), see *Meleagris*.
 — (*Merula*), see *Merula*.
 — (*Myrmelastes*), see *Myrmelastes*.
 — (*Myrmeciza*), see *Myrmelastes*.

- (*Xantholæma*), see *Xantholæma*.
 — (*Zonotrichia*), see *Z. intermedia* or *leucophrys*.
intermedius (*Dryobates*), see *Dryobates*.
 — (*Pipilo*), see *Pipilo*.
 — (*Thamnophilus*), see *T. doliatus*.
 — (*Troglodytes*), see *Troglodytes*.
 International Ornithological Congress,
 first, '84, 208, 308; second, '89,
 83, '90, 412, '91, 401; third, '99,
 381.
 Internationale Ornithologische Zeitschrift, '84, 206.
 interpres (*Arenaria*), see *Arenaria*.
 — (*Geocichla*), see *Geocichla*.
 — (*Strepsilas*), see *Arenaria*.
 — (*Tringa*), see *Arenaria*.
 — (*Turdus*), see *Geocichla*.
intrepidus (*Tyrannus*), see *T. tyrannus*.
involveris (*Ardetta*), see *Ardetta*.
Iole, '94, 236.
Ionornis, '88, 56, '93, 108, '94, 242.
 — *martinica* (^ Purple Gallinule,
 ^b Porphyrio), *Engl.* '92, 289 [= *Porphyrio smaragnotus*, see '92, 290]:
Fla. '81, 42^a, '85, 63, '88, 270, '89,
 155, 198, '92, 212, '93, 337, '95, 364;
Ga. '83, 42, '96, 215; *g. dist.* '93,
 132; *Jamaica*, '92, 12; *Kan.* '93, 300;
La. '97, 287; *Mass.* '93, 296; *Me.* '80,
 242^b; *Mo.* '78, 149^b; *N. B.* '81, 186^b,
 '82, 105; *N. S.* '89, 64^a, '98, 195; *N. Y.*
 '93, 272; *O.* '77, 83^b, '95, 191, '97, 200,
 '99, 75; *Ont.* '93, 364; *R. I.* '82, 124,
 '89, 184^a, '90, 394; *S. C.* '88, 109; *Tex.*
 '92, 232; *W. I.* '80, 169^b, '81, 155^b,
 '88, 57, '93, 220, '94, 122.—*hbt.*,
meas., *song*, '88, 109; *nest*, '83, 42, '88,
 109, '89, 155, 198, '91, 108^a; *plm.*
 '88, 109, 110, '89, 155 (molt.), '99,
 75; *syn.* '88, 57.
Iowa.
 Aldrich, C., '84, 85, 86, '86, 475.
 Allen, J. A., '80, 53, 115, '89, 332.
 Bailey, H. B., '77, 26–27.
 Bartsch, P., '99, 86, 276–277.
 Beal, F. E. L., '84, 288.
 Brewster, W., '77, 66–67.
 Jones, L., '91, 108, '95, 117–134, 231–
 237.
 Keyes, C. R., '88, 114–115, 207–208,
 211, '92, 190.
 McGee, W. J., '80, 53.
 Mosher, A. A., '83, 116, '85, 214.
 Praeger, W. E., '95, 85–86.
 Rame, M. L., '94, 70.
 Smith, J. G., '83, 237, '84, 186.
 Talbot, D. H., '83, 240–242.
 Williams, H. S., '81, 182, '92, 190.
 Williams, V. S., '85, 296.

Iowa Ornithologist (magazine), '95, 95.
iradii (*Cypselus*), see *C. phœnicobius*.
 — (*Tachornis*), see *Cypselus phœnicobia*.

Irena, '94, 235.

crinigera, *Bornco*, *syn.* '90, 349.

irena (*Pitta*), see *Pitta*.

Ireland.

Dowling, J. J., '85, 375.

More, A. G., '92, 290.

Patterson, R., '92, 290.

Scharff, R. J., '92, 290.

Williams, E., '92, 290.

Iridoprocne, see *Tachycineta*.

iris (*Pitta*), see *Pitta*.

Irisor, '81, 35.

Irrisoridae, '81, 31, 74, 75, '93, 66.

irroratus (*Lybius*), see *Lybius*.

irupuro (*Tænioptera*), see *Tænioptera*.

isabellina (*Cerchneis*), see *Falco sparverius*.

isabellinus (*Cursorius*), see *Eudromias veredus*.

— (*Falco*), see *F. sparverius* or *dominicensis*?

— (*Lanius*), see *Lanius*.

— (*Tinnunculus*), see *Falco sparverius*.

islandica (*Bucephala*), see *Clangula*.

— (*Clangula*), see *Clangula*.

— (*Fratercula*), see *F. arctica*.

— (*Glaucionetta*), see *Clangula*.

islandicus (*Falco*), see *F. islandus* or *rusticolus*.

— (*Hierofalco*), see *Falco*.

islandorum (*Lagopus*), see *L. lagopus*.

islandus (*Falco*), see *Falco*.

ispida (*Alcedo*), see *Alcedo*.

Italy.

Dalgleish, J. J., '80, 68, 72, 73, 147, 149, 218, 220.

iulus (*Psaltriparus*), see *Psaltriparus*.

lyngidæ, '81, 37.

Lynx pectoralis, *syn.* 1900, 179.

ruficollis, *syn.* 1900, 179.

torquilla, *Helg.* '95, 336.

J

Jabiru, see *Mycteria americana*.

Jabirus, '90, 72.

Jacana (^b *Asarcia*), '85, 337-339, '88, 51, 292, '97, 88, 103, 110^b.

jacana (^b *Parra*), *Argent.* '84,

277^b; *Braz.* '91, 163; *g. dist.* '88,

 294; *Urug.* '84, 277^b.—*anat.* '88, 291;

hbt. '84, 277^b, '88, 294; *plm.* '84,

 277^b, '88, 292, 294; *syn.* '88, 294,

 297, 298.

nigra, *g. dist.* '88, 294, 296.—*meas.*

'88, 296; *plm.* '88, 292, 296; *syn.* '88, 289, 290, 295, 296, 297.

spinosa (*Mexican Jacana*, ^b *Parra gymnostoma*, ^c *violacea*, ^d *Fulica Parra violacea*), *g. dist.* '88, 297-299; *Tex.* '76, 88^b, '80, 91^b; *W. I.* '81, 130^{*}, 155^e, '88, 51^c, '92, 272, 15.—*meas.* '88, 51^c, 298; *plm.* '88, 51^c, 292, 297; *syn.* '88, 51^c, 289, 290, 297, 402, '97, 88, 103.

jacana (*Jacana*), see *J. jacana* or *spinosa*.

— (*Parra*), see *Jacana jacana* or *spinosa*.

Jacana, *Mexican*, see *Jacana spinosa*.

Jacanidae, '88, 288-305, '97, 340.

jacapa (*Ramphocelus*), see *Ramphocelus*.

jaçarina (*Volatinia*), see *Volatinia*.

Jack, see *Numenius hudsonicus* or *Merganser serrator*.

Black, see *Anas obscura* or *Aythya affinis*.

Jackdaw, see *Corvus monedula*.

Jäckel, Andreas Johannes, and **Blasius**, Rudolph.

Vögel Bayerns (rev.), '92, 186.

Jack-sparrow, see *Pyrrhulagra violacea*.

Jacobs, Joseph Warren.

Summer birds of Greene Co., Pennsylvania (rev.), '93, 353.

Late nesting of Carolina Wren in Monongalia Co., W. Va. '98, 60.

Oölogical abnormalities (rev.), '98, 281.

jacquinii (*Anas*), see *Dendrocygna arborea*.

jacutinga (*Cumana*), see *Pipile*.

— (*Pipile*), see *Pipile*.

Jaeger, Arctic, see *Stercorarius longicaudus*.

Long-tailed, see *Stercorarius longicaudus*.

Parasitic, see *Stercorarius parasiticus*.

Pomarine, see *Stercorarius pomarinus*.

Richardson's, see *Stercorarius parasiticus*.

Jaegers, see *Stercorariidae*.

jaliscensis (*Myiopagis*), see *Myiopagis*.

— (*Sittasomus*), see *Sittasomus*.

Jalisco, Mexico.

Miller, G. S., Jr., '96, 34-37.

Nelson, E. W., '94, 43-44, '97, 62, 69, '99, 27, 1900, 262, 264-265.

Palmer, T. S., '94, 43-44.

Jamaica, West Indies.

Field, G. W., '94, 117-127.

Merriam, C. H., '85, 377.

- Scott, W. E. D., '91, 249-256, 353-365, '92, 9-15, 120-129, 273-277, 369-375, '93, 177-181, 339-342.
jamaica (*Euphonia*), see *Euphonia*.
jamaica (*Fringilla*), see *Euphonia*.
jamaica (*Sicalis*), see *Sicalis*.
jamaicensis (*Aechmoptila*), see *Leptotila*.
 —— (*Æstrelata*), see *Æ. caribbea*.
 —— (*Caprimulgus*), see *Nyctibius jamaicensis* or *Siphonorhis americanus*.
 —— (*Columba*), see *Engyptila*.
 —— (*Corvus*), see *C. jamaicensis*, *nasicus* or *solitarius*.
 —— (*Creciscus*), see *Porzana*.
 —— (*Dendroica*), see *D. petechia*.
 —— (*Engyptila*), see *Leptotila*.
 —— (*Erismatura*), see *Erismatura*.
 —— (*Euphonia*), see *Euphonia*.
 —— (*Frugilegus*), see *Corvus*.
 —— (*Goura*), see *Leptotila*.
 —— (*Leptotila*), see *Leptotila*.
 —— (*Merula*), see *Merula*.
 —— (*Microcorax*), see *Corvus*.
 —— (*Nyctibius*), see *Nyctibius*.
 —— (*Ortygometra*), see *Porzana*.
 —— (*Peristera*), see *Leptotila*.
 —— (*Picus*), see *Centurus radiolatus*.
 —— (*Pitangus*), see *Pitangus*.
 —— (*Porzana*), see *Porzana*.
 —— (*Procellaria*), see *Æstrelata caribbea*.
 —— (*Quiscalus*), see *Quiscalus*.
 —— (*Rallus*), see *Porzana*.
 —— (*Saurothera*), see *S. vetula*.
 —— (*Sturnus*), see *Quiscalus*.
 —— (*Turdus*), see *Merula*.
jambu (*Columba*), see *Ptilopus*.
 —— (*Ptilopus*), see *Ptilopus*.
- James**, Harry Berkeley.
 New list of Chilian birds (rev.), '93, 354.
- Jamison**, Harry K.
 Some rookeries on the Gulf coast of Florida, '91, 233.
- Japan**.
 Allen, J. A., '87, 63-64, 249-250,
 '88, 195-196, '89, 173, '90, 276,
 '94, 170.
 Jouy, P. L., '84, 387.
 Stejneger, L., '89, 182, '91, 99-101,
 '92, 176, '97, 200, 201, '99,
 205.
japonensis (*Grus*), see *Grus*.
japonica (*Loxia*), see *Loxia*.
japonicus (*Anthus*), see *Anthus*.
 —— (*Dryobates*), see *Dryobates*.
 —— (*Megascops*), *M. elegans*.
 —— (*Picus*), see *Dryobates*.

- jardini* (*Dryobates*), see *Dryobates*.
javanensis (*Corvus*), see *Gracula*.
 —— (*Gracula*), see *Gracula*.
 —— (*Ketupa*), see *K. ketupa*.
 —— (*Phyllornis*), see *Chloropsis zosterops*.
javanica (*Hirundo*), see *Hirundo*.
 —— (*Hydrochelidon*), see *H. leucophaea*.
javanicus (*Eurylaimus*), see *Eurylaimus*.
 —— (*Phœnicophaeus*), see *Zanclostomus*.
 —— (*Zanclostomus*), see *Zanclostomus*.
javensis (*Picus*), see *Thripornax*.
 —— (*Thripornax*), see *Thripornax*.

Jay, Acapulco, see *Cissolopha pulchra*.
 Alaskan, see *Perisoreus fumifrons*.
 Arizona, see *Aphelocoma arizonæ*.
 Aztec, see *Cyanocitta azteca*.
 Belding's, see *Aphelocoma obscura*.
 Black-headed, see *Cyanocitta annae*.
 Blue, see *Cyanocitta cristata*.
 Blue-eared, see *Aphelocoma cyanotis*.
 Blue-fronted, see *Cyanocitta frontalis*.
 California, see *Aphelocoma californica*.
 California Mountain, see *Cyanocitta frontalis*.
 Canada, see *Perisoreus canadensis*.
 Colima, see *Aphelocoma colimæ*.
 English, see *Garrulus glandarius*.
 Florida, see *Aphelocoma cyanea*.
 Florida Blue, see *Cyanocitta florincola*.
 Gray, see *Perisoreus canadensis* or [*griseus* =] *obscurus*.
 Green, see *Xanthoura luxuosa*.
 Helmeted Inca, see *Xanthoura galatea*.
 Inca, see *Xanthoura yncas*.
 Island, see *Aphelocoma insularis*.
 Jalisco, Green, see *Xanthoura speciosa*.
 Labrador, see *Perisoreus nigricapillus*.
 Long-crested, see *Cyanocitta macrolopha*.
 Maximilian's, see *Cyanocephalus cyanocephalus*.
 Oregon, see *Perisoreus obscurus*.
 Oregon Gray, see *Perisoreus obscurus*.
 Piñon, see *Cyanocephalus cyanocephalus*.
 Rio Grande Green, see *Xanthoura glaucescens*.
 Rocky Mountain, see *Perisoreus capitalis*.

- San Luis Potosi, see *Aphelocoma*
potosina.
 Santa Cruz, see *Aphelocoma insularis*.
 Siberian, see *Perisoreus infaustus*.
 Steller's, see *Cyanocitta stelleri*.
 Talamanca, see *Cyanocorax zeledoni*.
 Tehuantepec Green, see *Xanthoura*
vivida.
 White-headed, see *Perisoreus capi-*
talis.
 Woodhouse's, see *Aphelocoma wood-*
housei.
 Xantus's, see *Aphelocoma hypoleuca*.
 Yellow, see *Colaptes*, *luteus*.
 Jays, see *Garrulinæ*.
Jeffries, John Amory.
 Yellow-rumped Warbler (*Dendroica*
coronata) wintering in Swampscott,
 Mass. '79, 118.
Buccephala islandica and *Buccephala*
clangula, '80, 189.
 Fingers of birds, '81, 6-11.
 Numbers of primaries in birds, '81,
 156-163.
 see Vogt, M. C., 'l'archaeopteryx
macroura' (rev.), '81, 107-109.
 see Shufeldt, R. W., 'osteology of
 N. Am. Tetraonide' (rev.), '82, 44.
 see Shufeldt, R. W., 'osteology of
Lanius ludovicianus (rev.), '82, 45.
 see Shufeldt, R. W., 'claw on index
 finger of Cathartidæ,' '82, 46.
 see Krukenberg, C. F. W., 'die
 Farbstoffe der Federn' (rev.),
 '82, 114-177.
 Note on foot of *Accipiter fuscus*, '82,
 126.
 Colors of feathers, '82, 129-135 (pl.).
 The sesamoid at front of carpus in
 birds, '82, 13-15.
 see Ingersoll, E., 'birds'-nesting'
 (rev.), '82, 179.
 Nest and eggs of *Perisoreus canaden-*
sis, '82, 181.
 Notes on an hermaphrodite bird, '83,
 17-21 (fig.).
 Epidermal system of birds (rev.), '84,
 182.
 Occipital style of Cormorant, '84, 196.
 Descr. of an apparently new species
 of *Trochilus* from Calif. '88, 168.
 Obituary of, '92, 311-312.
Jeffries, William Augustus.
 Common Cormorant off Boston har-
 bor, '85, 112.
Chen carulescens in Massachusetts,
 '89, 68.
 Sandpipers at sea—a correction, '89,
 69.
 Birds observed at Santa Barbara,
- California, '89, 220-223.
 The Ipswich Sparrow (*Passerculus*
princeps), '79, 103-106.
Ægiothos exilipes in Massachusetts,
 '79, 121.
 Phalaropes at Swampscott, Mass. '91,
 112.
 Sandpipers at sea, '86, 131.
Jeffries, W. A., and Jeffries, J. A.
 Notes on western North Carolina
 birds, '89, 119-122.
Jencks, Frederick Tingley.
 Capture of Carolina Wren and other
 rare birds in Rhode Island, '80,
 237.
 Capture of Hudsonian Titmouse in
 Rhode Island, '81, 54.
 Large Eagles, '81, 122.
 Richardson's Owl in R. I. '81, 123.
 Purple Gallinule (*Jonornis martinica*)
 in Rhode Island, '82, 124.
 Baldpate in Rhode Island, '83, 61.
 Capture of Richardson's Owl (*Nyc-*
tala tengmalmi richardsoni) near
 Providence, R. I. '83, 122.
 Great Gray Owl in R. I. '83, 183.
 Another Gyrfalcon in Rhode Island,
 '84, 94.
 Can we not have a simpler system of
 nomenclature? '84, 297.
Jencks, F. T., and Southwick, J. M., see
 Southwick and Jencks.
Jencks, John Whipple Potter.
 Obituary of, '95, 94.
Jer-Falcon, see Gyrfalcon.
jessicæ (Zenaida), see Zenaidura.
Jew-bird, see Crotophaga sulcirostris.
Job, Herbert Keightley.
 Notes on some winter birds of Massa-
 chusetts, '83, 147-151.
 Cory's Shearwater (*Puffinus bore-*
alis) off coast of Mass. '83, 244.
 Ducks of Plymouth Co., Massachu-
 setts, '96, 197-204.
 Canvas-back Duck in Mass. '97, 206.
 Northern Hawks in Mass. '97, 216.
 An uncommon Gull in Mass. '98, 50.
 Northern Raven breeding in New
 England, '98, 55.
 Some observations on Anatidæ of
 North Dakota, '99, 161-165.
 American Egret in Connecticut. 1900,
 294.
 Joe-ree, see *Pipilo erythrophthalmus*.
 John-che-wit, see *Vireo calidris*.
 Johnny-Cock, see *Ceophlebus pileatus*.
 Johnny-Ho, see *Porzana jamaicensis*.
 Johnny-rook, see *Phalocobænus australis*.
Johnson, Frank Edgar.

- Capture of Golden Eagle at Gravesend, L. I. '79, 189.
 American Barn Owl (*Strix pratincola*) on Long Island, N. Y. '91, 114.
 Black-throated Bunting (*Spiza americana*) on Long Island, N. Y. '91, 116.
Johnson, Fred. O.
Polioptila plumbea at Palm Springs, California, '89, 280.
Johnson, H. P.
 Yellow-breasted Chat breeding in Malden, Mass. '88, 116.
Johnson, L. N.
 Wild Turkey in North Carolina mountains, '89, 275.
Johnson, William Schuyler.
 Brünnich's Murre in Oneida Co., N. Y. '95, 177.
 Great Gray Owl in Oneida Co., New York, '95, 301.
 Passenger Pigeon (*Ectopistes migratorius*) in Lewis Co., New York, '97, 88.
 Bob-white in northwestern New York, '97, 316.
Jones, Clinton Mellen.
 Breeding of Black-throated Blue Warbler (*Dendroica caerulescens*) in Connecticut, '76, 11-13.
Jones, Genevieve Estelle.
 Obituary of, '79, 228.
Jones, G. E., and Shulze, Eliza J.
 Illustrations of nests and eggs of birds of Ohio (rev.), '79, 52, 228, '80, 39, '82, 48, 112, '83, 112, 166, '85, 289, '86, 400, '87, 150-152.
Jones, Hiram Thomas.
 Breeding of Shore Lark in western New York, '78, 189.
Jones, Howard.
 Rails and Snipe in Ohio in winter, '83, 186.
Jones, John Matthew.
Ammodramus princeps in Nova Scotia, '86, 135.
Jones, Lynds.
 Bird migration at Grinnell Iowa [and Oberlin, Ohio], '95, 117-134, 231-244 (diagrams).
 see Wilson Ornith. Chapter of Agassiz Association, Bulletin (rev.), '95, 286.
 Oberlin Summer Grackle roost (rev.), '97, 417.
 The songs of Warblers (*Mniotiltidae*) (rev.), 1900, 311.
Jordan, David Starr.
 Manual of vertebrates of the northern United States (rev.), '76, 93, '78, 45, '85, 208, '89, 63.
 see A. O. U. Code and Check-List (rev.), '86, 393-397.
Joree, see *Pipilo erythrophthalmus* or *allenii*.
Jouy, Pierre Louis.
 Description of nest and eggs of *Coturniculus henslowi* obtained near Falls Church, Virginia, '81, 57.
 Ornithological notes on collections made in Japan (rev.), '84, 387.
 Notes on birds of central Mexico, with descriptions of forms believed to be new (rev.), '94, 245.
 Obituary of, '94, 262.
jouyi (*Astragalinus*), see *Astragalinus*.
 — (*Basileuterus*), see *Basileuterus*.
 — (*Rallus*), see *R. striatus*.
 — (*Turdus*), see *Turdus*.
 Judas-bird, see *Spiza americana*.
Judd, Sylvester Dwight.
 Feeding habits of the English Sparrow and Crow, '96, 285-289.
 Four common birds of farm and garden (rev.), '96, 335.
 Northern New Jersey notes, '97, 326.
 Methods in economic ornithology, with special reference to Catbird (rev.), '97, 420.
 Birds as weed destroyers (rev.), '99, 294. . . .
juddi (*Melospiza*), see *Melospiza*.
Judy, see *Platyparis nigra*.
jugularis (*Brotogeris*), see *Brotogeris*.
 — (*Certhia*), see *Cinnyris*.
 — (*Cinnyris*), see *Cinnyris*.
 — (*Eulampis*), see *Eulampis*.
 — (*Polytmus*), see *Eulampis*.
 — (*Trochilus*), see *Eulampis*.
Junco, '76, 71, '85, 116, '90, 123, 193.
aikenii (White-winged Junco, ^b *daniyi*), *Colo.* '78, 75, '81, 90, '83, 190, '85, 16, '87, 122, '93, 206; *g. dist.* '93, 126; *I. T.* '85, 32; *Kan.* '85, 32; *H'is.* '85, 32.—*hbt.* '87, 122; *plm.* '78, 75, '81, 90, '83, 190, '85, 32, '87, 122, '97, 94; *syn.* '97, 94, 94^b, 133^b.
alcticola, *syn.* '90, 193.
annectens (Ridgway's Junco, ^b *ridgwayi*), *Colo.* '81, 90, '93, 205^b, '94, 216; *g. dist.* '90, 243^b; '91, 86^b, '93, 126; *Minn.* '93, 289; *N. M.* '85, 306, '92, 365, 365^b, '94, 216, 217.—*meas.* '77, 61, '81, 206, '93, 206^b; *nst.* '81, 205; *plm.* '80, 112; *syn.* '77, 60, '91, 86^b, '93, 206^b, '97, 94, 128, 128^b.
bairdi (Baird's Junco), *L. Cal.* '84, 284.
caniceps (Gray-headed Junco).

Ariz. '82, 194, '85, 174, 355, '87, 201; *Colo.* '78, 72, '81, 90, '83, 190, '85, 16, 123, 141, '93, 206, '94, 269; *Mich.* '79, 123; *N. M.* '81, 91, '85, 123, 141, '86, 74, '92, 365, '94, 217.—*hbt.* '85, 123; *meas.* '78, 73, '82, 195; *mig.* '86, 74, '87, 201; *nst.* '76, 30, '78, 72, '81, 90; *plm.* '80, 112, '81, 90, '82, 194, '85, 355, '87, 201, 202, '92, 366; *song.* '81, 90, '85, 123.

carolinensis (*Carolina Junco*, ^b *hyemalis*), *g. dist.* '91, 290, '93, 126; *N. C.* '80, 44^b, '86, 108^a, 311, 314, '87, 242, '88, 398, '89, 121; *Pa.* '92, 137; *Tenn.* '79, 238^b; *Va.* '89, 51; *W. Va.* '98, 136.—*hbt.* '86, 108, 311, '87, 242; *meas.* '86, 108, 313, '87, 243; *nst.* '86, 108, '87, 242, '89, 51; *plm.* '86, 312, '91, 290; *syn.* '86, 108, '91, 290, '92, 107.

connectens (*Hybrid Snowbird or Junco*, ^b *oregonus*, ^c *shufeldti*), *Ariz.* '78, 93^b; *Colo.* '78, 75^b, '81, 90^b, '83, 189^b, '84, 283, '85, 16^b, 141^b, '87, 122, '93, 206^c, '94, 269^c; *g. dist.* '91, 85^c, '93, 126^c; *Ida.* '98, 16, 1900, 245; *Ill.* '87, 330^c, '95, 85^c; *L. Cal.* '95, 183^c; *Md.* '90, 289^c; *Mont.* '82, 62^b, '94, 306^c; *N. M.* '78, 93^b, '85, 123^b, '87, 330^c, '88, 398^c, '92, 365^c, '99, 189^c; *Ore.* '79, 165^b; *Tex.* '82, 38^b; *Wash.* '82, 227^b, 1900, 245.—*hbt.* '85, 123^b, '98, 16; *meas.* '87, 331^c; *plm.* '83, 189; *syn.* '87, 330^c, '91, 85^c, '97, 94, 128, 128^c, 248.

dorsalis (*Red-backed Junco*), *Ariz.* '78, 94, '82, 195, '85, 364, '87, 201, '90, 48, 259; *g. dist.* '93, 126; *N. M.* '78, 94, '85, 364, '98, 310.—*meas.* '78, 73, 94, '82, 195, '90, 259; *nst.* '78, 73, 94, '90, 259; *plm.* '85, 354, 364, '87, 201, 202; *syn.* '85, 364, '95, 391; *misc.* '80, 87.

fulvescens, *Mex.* '97, 61*.

hyemalis (^a *Slate-colored Junco or Black Snowbird*), *Ala.* '79, 9; *Alas.* '85, 63, '87, 13; *Ariz.* '87, 200; *B. C.* 1900, 107; *Cal.* '89, 221; *Colo.* '85, 16, '87, 122 [*connectens?*]; *Conn.* '89, 45; *Europe*, '80, 66; *Fla.* '81, 15; *Ga.* '96, 213; *g. dist.* '93, 126; *Hud. B.* '90, 322; *Ia.* '95, 121, 235; *Ill.* '81, 180, '87, 331, '90, 242; *Ind.* '89, 25; *I. T.* '84, 336; *Ky.* '89, 315; *La.* '88, 325^a; *Man.* '86, 324; *Mass.* '78, 139, 192, '80, 239, '81, 239^a, '84, 11^a, 14^a, 15, '88, 388^a, 389, 391, '89, 41^a, 43^a, 45, 101, '92, 72, '95, 89, '97, 277, 326; *Md.* '85, 306; *Me.* '79, 107, '82, 148, '86, 108; *Mich.* '79,

238, '93, 226, '95, 192; *Minn.* '79, 153^a, '84, 245, '86, 324, '93, 289; *Miss.* '99, 269; *Mo.* '79, 143, '94, 215^a, '96, 218; *Mont.* '95, 217 [*connectens?*]; *N. B.* '82, 148, '83, 7^a, '89, 118, 241, 242^a; *N. C.* '86, 98, 101, 314, '87, 243, '89, 121; *N. E.* '76, 73, '77, 17; *N. F.* 1900, 72; *N. H.* '83, 13, '86, 108, 277, '87, 102^a, 103^a, 105, '88, 149^a, 150, 152, 154, '89, 77, 78; *N. M.* '94, 217; *N. S.* '87, 15^a, 16, '91, 116^a, '99, 253; *N. Y.* '78, 53, 195, '79, 32, '81, 230, '82, 155, '83, 176, '84, 177, 178, 179, '85, 146, '89, 332^a, '95, 314^a, '96, 178^a; *O.* '95, 242; *Pa.* '80, 121, '83, 78, '89, 140^a, 141, '92, 133^a, 134, 137, '93, 42^a, 43, 44, '94, 182^a, '96, 283, 292, 294, '99, 312; *P. E. I.* '85, 265^a, '93, 5^a, 12; *Que.* '82, 235, '89, 148; *S. C.* '79, 214, '92, 32^a, '99, 197; *S. D.* '85, 280; *Tenn.* '86, 318; *Tex.* '82, 13, 38, '87, 292, '92, 338, 1900, 346; *Va.* '86, 157, 160.—*anat.* '91, 220; *hbt.* '77, 73, '86, 308, '87, 102, 103; *meas.* '83, 79, '86, 108, '87, 243; *mig.* '84, 177, 178, 179, 336, '85, 63, 98^a, '89, 141, '92, 32^a, '95, 121, 235, 242, '99, 197; *nst.* '80, 239, '83, 176, '90, 397, '93, 12, '95, 314^a, '96, 294, '97, 326; *plm.* '78, 120, '79, 29^a (alb.), '83, 78 (hyb.), '84, 287^a (hyb.), '85, 306, '86, 109, '87, 243, '93, 213, '96, 242 (mlt.), '97, 277; *song.* '85, 146, '86, 160; *syn.* '78, 105 [*'hudsonias'*], '85, 114, '87, 122; *misc.* '81, 179, '83, 1 (fig.), 177, '84, 86^a, '87, '90, 82^a, 92, 67.

insularis (*Guadalupe Junco*), *Guadalupe I.* '77, 60.—*anat.* '91, 221; *hbt.* '77, 64; *meas.* '77, 61; *plm.* '77, 63; *syn.* '77, 60, 66.

mearnsi (*Pink-sided Junco*, ^b *annectens*), *Ariz.* '78, 93^b, '87, 200^b; *Colo.* '81, 90^b, '83, 190^b, '85, 16^b, '87, 123^b, '94, 216^b, 269^b; *g. dist.* '93, 126^b; *Minn.* '93, 289^b; *Mont.* '81, 205^b, '94, 306^b; *N. M.* '78, 93^b, '85, 306^b, '86, 74^b, '94, 216^b, 217^b, '92, 365^b; *Wyo.* '81, 205^b, '97, 94*—*meas.* '77, 61^a, '81, 206^b; *nst.* '81, 205^b; *plm.* '80, 112^b, '92, 366^b (hyb.); *syn.* '77, 60^a, '97, 94, 128, 128^b.

montanus (*Montana Junco*), *g. dist.* '98, 321*, '99, 119, 188; *Colo.* '99, 188.—*syn.* '99, 119.

oregonus (*Oregon Junco*), *Alas.* '98, 128; *Ariz.* '82, 194, '85, 174, '87, 200; *Cal.* '86, 182, '87, 331, '89, 221, '90, 297; *Colo.* '87, 122, 125 [*connectens?*]; *g. dist.* '93, 126; *Ill.* '77,

82; *Man.* '86, 324; *Mass.* '76, 19; *Mich.* '79, 123; *Minn.* '93, 289; *Neb.* '96, 245 [*annectens?*] *N. M.* '86, 74; *Ore.* '86, 169 [*connectens?*], '88, 359 [*connectens?*]; *Tex.* '87, 292; *Wash.* '81, 128, '82, 227 [*connectens?*], '92, 45, '97, 178, 1900, 355.—*lbt.* '85, 123, '98, 128; *meas.* '87, 331; *nst.* '86, 169 [*connectens?*]; *plm.* '76, 21 (alb.), '86, 169 (alb.), '87, 331; *syn.* '87, 330, '95, 183, '97, 248. *palliatius* (*Arizona Junco*, ^b*cinerinus*), *Ariz.* '80, 89^b, '82, 195^b, '85, 198^b, 354, 355, '87, 201; *g. dist.* '85, 364, '93, 126.—*nst.* '78, 73^b; *plm.* '85, 198^b, 354, 364, '87, 202; *song*, '85, 354; *syn.* '85, 364, '95, 391; *misc.* '80, 88^b.

phaeonotus (*Mexican Junco*, ^b*cinerinus*), *g. dist.* '85, 363^b; *Mex.* '95, 357.—*plm.* '85, 364^b; *syn.* '85, 363^b, '95, 391; *misc.* '80, 88^b.

pinosus (*Point Pinos Junco*), *Cal.* '93, 47*, '94, 47, 265 (col. pl.)—*syn.* '94, 47.

ridgwayi, '90, 243*, see *annectens*. *shufeldti*, '87, 330*, see *connectens*.

thurberi (*Thurber's Junco*), *Cal.* '91, 110, '92, 106, 288, '93, 287; *Ariz.* '94, 217; *g. dist.* '93, 126; *L. Cal.* '95, 183; *syn.* '91, 115, '92, 106.

townsendi (*Townsend's Junco*), *L. Cal.* '90, 63, 281, '92, 188, '95, 183.—*nst.* '92, 287; *syn.* '90, 63.

vulcani (^b*Zonotrichia*), *C. R.* '84, 84.—*syn.* '90, 193^b.

Junco, see *Junco hyemalis*.

Arizona, see *Junco palliatius*.

Baird's, see *Junco bairdi* or *mearnsi*.

Black, see *Junco hyemalis*.

Blue, see *Junco hyemalis*.

Carolina, see *Junco carolinensis*.

Chiapas, see *Junco fulvescens*.

Gray-headed, see *Junco caniceps*.

Guadalupe, see *Junco insularis*.

Mexican, see *Junco phaeonotus* or *palliatius*.

Montana, see *Junco montanus*.

Oregon, see *Junco oregonus* or *connectens*.

Pink-sided, see *Junco mearnsi*.

Point Pinos, see *Junco pinosus*.

Red-backed, see *Junco dorsalis* or *caniceps*.

Ridgway's, see *Junco annectens*.

Shufeldt's, see *Junco connectens*.

Slate-colored, see *Junco hyemalis*.

Thurber's, see *Junco thurberi*.

Townsend's, see *Junco townsendi*.

White-winged, see *Junco aikenii*.

K

kaedingi (*Oceanodroma*), see *Oceanodroma*.

kamtschatica (*Pyrrhula*), see *Pyrrhula*.

kamtschaticus (*Simorhynchus*), see *S. pygmæus*.

Kamtschatka.

Ridgway, R., '98, 320.

Stejneger, L., '84, 35–36, 81–82, 231–232, '85, 95, '86, 126–129, '88, 197, '98, 183.

kamtschatkensis (*Parus*), see *Parus*.

— (*Pœcila*), see *Parus*.

Kansas.

Allen, J. A., '76, 47–48, '82, 55, '83, 227, '91, 228–230, 1900, 175.

Babcock, C. A., '90, 83.

Bennett, A. L., '88, 203.

Coale, H. K., '83, 120, '94, 215.

Colvin, W. S., '98, 59.

Cooke, W. W., '85, 33, 97.

Cory, C. B., '86, 399.

Coues, E., '82, 61.

Dyche, L. L., '86, 258–261.

Goss, N. S., '79, 190–191, '80, 60–61, '81, 246, '83, 186–188, '83, 227, '84, 100, 124–126, '85, 19–21, 112–113, 274–276, 311, 385, 388, '86, 112–115, 399, 408, 409, '87, 7–11, 344–345, '88, 26, 444, '89, 122–124, '90, 88, 286, '91, 112, 116, '92, 192 (many items).

Kellogg, V. L., '93, 364–365, '94, 260.

Koumly, P. M., '93, 367–368.

Lantz, D. E., '85, 97, 101, '90, 82, '93, 300, '99, 187, 364–365, 1900, 171.

Mykranz, J., '90, 86.

Ridgway, R., '80, 118.

Snow, F. H., '76, 47–48, '88, 201–202, '92, 192, 198.

Williston, S. W., '83, 240.

Kansas Academy of Science, Transactions, titles (Nos. 452–454), '83, 238, (Nos. 2267–2281) '92, 192.

Kansas City Scientist (magazine), '91, 247.

kasumba (*Harpactes*), see *Harpactes*.

— (*Pyrotrogon*), see *Harpactes*.

— (*Trogon*), see *Harpactes*.

Kearton, Richard.

With nature and a camera (rev.), '98, 341.

Keeler, Charles Augustus.

Revival of sexual passion of birds in autumn, '86, 286.

Evolution of colors of North American land birds (rev.), '93, 189–195.

- Evolution of colors of N. Am. land birds—a reply to criticism, '93, 373-377.
- Bird notes afied—essays on birds of California (rev.), 1900, 180.
- Kellogg**, Vernon Lyman.
Road-runner in Kansas, '93, 364.
Notes on Kansas birds, '94, 260.
Some parasites of birds, '99, 232-236.
New Mallophaga (rev.), '99, 372.
List of biting lice (Mallophaga) taken from birds and mammals of North America (rev.), 1900, 82-84.
A problem in distribution (rev.), 1900, 83.
- Kellogg**, V. L., and **Chapman**, Bertha L.
Mallophaga from birds of California (rev.), '99, 372.
- Kells**, William Lawrence.
Foster parents of Cowbird, '85, 106.
kenaiensis (*Melospiza*), see *M. insignis*.
- Kennard**, Frederic Hedge.
Habits and individualities of Red-shouldered Hawk (*Buteo lineatus*) in vicinity of Brookline, Mass. '94, 197-210 (map).
Young of Red-shouldered Hawk (*Buteo lineatus*), '94, 270-280 (diagram).
January occurrence of Sapsucker in Brookline, Mass., '95, 301.
Notes on breeding of American Crossbill in Hamilton Co., New York, '95, 304.
Two unique nesting-sites in and about camp buildings in Hamilton Co., New York, '95, 314.
Unusual nesting site of Kingbird, '98, 268.
Habits of Blue Jay, '98, 269.
Avocet (*Recurvirostra americana*) at Ipswich, Mass., '97, 212.
- Kennedy-bird, see *Zonotrichia albicollis*.
- kennicottii* (*Megascops*), see *Megascops*.
— (*Philopneuste*), see *Phyllopeustes borealis*.
— (*Phyllopeustes*), see *P. borealis*.
— (*Scops*), see *Megascops*.
- Kent Ornithological Club, '96, 98.
- Kent Scientific Institute of Grand Rapids, Michigan, '89, 208.
- Kentucky**.
Allen, J. A., '83, 227-228, '86, 268.
Beckham, C. W., '83, 172, 227, '86, 489, '88, 115.
- Brewster, W., '82, 50.
Chapman, F. M., '94, 244.
- Holstein, O., '99, 356.
Pindar, L. O., '87, 257, '88, 321, '89, 310-316.
- Pleasants, J. H., Jr., '92, 206.
Quick, E. R., '83, 172.
Ragsdale, G. H., '89, 225.
- Kerguelen Island**.
Allen, J. A., '76, 48-49.
Chapman, F. M., '95, 288.
Hazard, R. G., '94, 281.
Kidder, J. H., '76, 48-49.
Verrill, G. E., '95, 288.
- Kermode**, Philip, Harvie-Brown, J. A., etc., see Harvie-Brown, Cordeaux, Kermode, etc.
- Keron, see Attagis.
- Kestrel, see *Falco tinnunculus*.
American, see *Falco sparverius*.
- Ketupa ceylonensis**, *anat.* '82, 86.
ketupa (^b *javanensis*), *Bornco*, '91, '91, 12.—*anat.* '82, 86^b; *syn.* '91, 12.
- ketupa (Ketupa), see Ketupa.
— (*Strix*), see Ketupa.
- Keyes**, Charles Rollin.
Occurrence of *Coccothraustes vespertina* in Iowa, '88, 114.
Blackbird flights at Burlington, Iowa, '88, 207.
- Dendroica tigrina* at Iowa City in November, '88, 211.
- Keyes**, C. R., and **Williams**, H. S.
Preliminary catalogue of birds of Iowa (rev.), '89, 332.
- Keyser**, Leander Sylvester.
Bird-dom (rev.), '92, 63, '95, 66.
In bird land (rev.), '95, 66.
- Kidder**, Jerome Henry.
Contributions to natural history of Kerguelen Island (rev.), '76, 48.
Obituary of, '89, 282.
- Kidder**, J. H., and **Coues**, E.
Contributions to natural history of Kerguelen Island (rev.), '76, 48.
- kieneri* (*Dendronnis*), see *Dendronnis*.
— (*Pyrgisoma*), see *Pyrgisoma*.
kilimensis (*Crithagra*), see *Crithagra*.
Killdeer, see *Egialitis vocifera*.
- Kimball**, Frank Henry.
Mortality among Eave Swallows, '89, 338.
Change of habits in our native birds, '94, 261.
- Kimball**, Richard E.
Capture of Hudsonian Chickadee in Worcester Co., Mass. '90, 291.
- King**, Franklin Hiram.
Winter Wren breeding in southern New York, '78, 194.
- Destruction of birds by cold wave, '82, 185.

- More definite statistics needed in regard to abundance of birds, '82, 186-189.
- Economic relations of Wisconsin birds (rev.), '83, 107-110.
- Kingbird, see *Tyrannus tyrannus*.
- Arkansas, see *Tyrannus verticalis*.
- Bahama, see *Pitangus bahamensis*.
- Cassin's, see *Tyrannus vociferans*.
- Couch's, see *Tyrannus couchii*.
- Florida, see *Tyrannus [vexator =] tyrannus*.
- Gray, see *Tyrannus dominicensis*.
- Western, see *Tyrannus verticalis*.
- Kingfisher, see *Ceryle alcyon*.
- Belted, see *Ceryle alcyon*.
- Laughing, see *Dacelo gigas*.
- Ringed, see *Ceryle torquata*.
- Ruddy, see *Halcyon coromandus*.
- Texan, see *Ceryle septentrionalis*.
- Kingfishers, see *Alcedinidae*.
- Kinglet, '83, 77.
- Cuvier's, see *Regulus cuvieri*.
- Dusky, see *Regulus obscurus*.
- European, see *Regulus cristatus*.
- Golden-crested, see *Regulus satrapa*.
- Golden-crowned, see *Regulus satrapa*.
- Ruby-crowned, see *Regulus calendula*.
- Sitkan, see *Regulus [grinnelli =] calendula*.
- Western Golden-crowned, see *Regulus olivaceus*.
- Kingsley, John Sterling.
- Standard Natural History, vol. iv (rev.), '86, 473.
- Hair and feathers (rev.), '98, 207.
- Kinneson, George W.
- [Bird protection in Florida], '99, 57, 71.
- kirki (Dendrobates), see *Dendrobates*.
- Kirkover, Harry Donly.
- Greater Yellow-legs catching minnows, '89, 51.
- Glossy Ibis in western New York, '98, 50.
- Kirkpatrick, Harry C.
- Absence of Bluebird at Meadville, Pa., '95, 309.
- Kirkwood, Frank Coates.
- List of birds of Maryland (rev.), '96, 67.
- Stilt Sandpiper in Maryland, '99, 76.
- Red-head (*Aythya americana*) in post-nuptial plumage in autumn, '98, 50.
- Occurrence of Egyptian Goose in North America, 1900, 64.
- Kirtland, Jared Potter.
- [Letter from], '83, 126.
- kirtlandi (Dendroica), see *Dendroica*.
- (Sylvicola), see *Dendroica*.
- Kitchen, J. M. W.
- Function of the inferior larynx in birds, '85, 24-31.
- Kite, Everglade, see *Rostrhamus sociabilis*.
- Fork-tailed, see *Elanoides forficatus*.
- Mississippi, see *Ictinia mississippiensis*.
- Swallow-tailed, see *Elanoides forficatus*.
- White-tailed, see *Elanus leucurus*.
- Kittiwake, see *Rissa tridactyla*.
- Pacific, see *Rissa pollicaris*.
- Red-legged, see *Rissa brevirostris*.
- kittlitzii (*Brachyramphus*), see *Brachyramphus*.
- Kitty-Go, see *Porzana jamaicensis*.
- Kiwi, see *Apteryx*.
- kizuki (Yungipicus), see *Yungipicus*.
- Knight, Ora Willis.
- Nesting of Red-breasted Merganser on Saddleback Ledge, Maine, '95, 387.
- Breeding of *Somateria dresseri* near Isle au Haut, Maine, '95, 388.
- The American Crossbill, '95, 390.
- Pine Grosbeak in captivity, '96, 21-24.
- Golden Eagle in Maine, '96, 82.
- A few notes from Maine, '96, 177-178.
- Horned Larks of Maine, '97, 371-374.
- List of birds of Maine (rev.), '97, 414.
- Short-billed Marsh Wren (*Cistothorus stellaris*) in Maine, '99, 281-283.
- Some notes on the Herring Gull (*Larus argentatus*), 1900, 63, 169.
- Knobel, Edward.
- Field key to the land birds (rev.), '99, 367.
- Knot, see *Tringa canutus*.
- Knowlton, Frank Hall.
- Nesting of Duck Hawk (*Falco columbinus*) in Vermont, 80, 57.
- Notes on habits of Cliff Swallow (*Petrochelidon lunifrons*), '81, 55.
- Remarks on some western Vermont birds, '82, 63.
- Revised list of birds of Brandon, Vermont (rev.), '82, 113.
- Winter Wren (*Anorthura troglodytes hirta*) in western Vermont, '83, 120.
- Meadow Lark (*Sturnella magna*) in Vermont in winter, '83, 182.
- Orchard Oriole (*Icterus spurius*) in western Vermont, '84, 390.
- Knowlton, F. H., and Richmond, C. W.,

see Richmond and Knowlton.
knudseni (*Himantopus*), see *Himantopus*.
 —— (*Puffinus*), see *P. cuneatus*.

Kobbé, William H.
 Rufous Hummingbirds of Cape Disappointment, 1900, 8-15.
 Birds of Cape Disappointment, Washington, 1900, 349-358.

Koch, August.
 Capture of Black Seaside Finch (*Ammodramus nigrescens*), '99, 277.
kodiaka (*Pinicola*), see *P. flammula*.
Kohn, Gustave.
Saxicola axanthe in Louisiana, '89, 76.
 Brewer's Blackbird near New Orleans, '89, 190.
 Missouri Titlark in Louisiana, '94, 181.

Kopman, Henry Hazlitt.
 Bird fauna of two sections [of Louisiana] (rev.), 1900, 187.
kotzebuii (*Rissa*), see *R. pollicaris*.
 —— (*Larus*), see *Rissa pollicaris*.

Koumly, Pirmine M.
 Behavior of a Summer Tanager, '93, 367.

Krauss, Ferdinand.
 Obituary of, '91, 120.
Krider, John.
 Forty years notes as a field ornithologist (rev.), '82, 49.
kriderii (*Buteo*), see *Buteo*.
Krieker, see *Tringa maculata*.

Krom, Stephen A.
 Turkey Buzzard in Plainfield, New Jersey, '95, 80.

krugii (*Gymnoglaux*), see *Gymnasio nudipes*.

Krukenberg, C. F. W.
 Die Farbstoffe der Federn (rev.), '82, 114, 177.

kuhl (*Coriphilus*), see *Coriphilus*.
 —— (*Puffinus*), see *Puffinus kuhli* or *borealis*.

Kumlien, Frithof.
 Reason or Instinct? '88, 434.

Kumlien, Ludwig.
 Contributions to the natural history of Arctic America (rev.), '80, 109.

Yellow-rumped Warbler (*Dendroica coronata*) breeding in eastern Maryland, '80, 182.

Merlin (*Falco asalon*) in Greenland, '87, 345.

Observations on bird migration at Milwaukee, '88, 325-328.

[Note], '88, 435.

[The A. O. U. check-list], '97, 341.
Kumlien, Thure Ludwig Theodor.
 Obituary of, '89, 81, 204.
kumlieni (*Larus*), see *Larus*.
Kuril Islands, Japan.
 Stejneger, L., '97, 200, 201, '99, 205.
kuriensis (*Pyrrhula*), see *Pyrrhula*.
 —— (*Troglodytes*), see *Troglodytes*.

L

Labrador.
 Allen, J. A., '80, 91, '84, 284, '85, 368-369, '91, 305-306, '99, 340.
 Bangs, O., 1900, 138, 386.
 Bell, R., '92, 189.
 Brewer, T. M., '78, 50.
 Freke, P. E., '85, 373.
 Harting, J. E., '85, 374.
 Harvie-Brown, J. A., '91, 236.
 Merriam, C. H., '85, 296.
 Meyer, A. B., '92, 389.
 Raine, W., '96, 257.
 Rhoads, S. N., '93, 321-333.
 Stearns, W. A., '84, 186, 186, 284, '85, 297, '91, 391.
 Stejneger, L., '85, 386.
 Turner, L. M., '85, 368.
labradoria (*Falco*), see *F. obsoletus*.
labradoria (*Anas*), see *Camptolaimus*.
 —— (*Somateria*), see *Camptolaimus*.
labradorica (*Fuligula*), see *Camptolaimus labradorius*.
labradorius (*Camptolaimus*), see *Camptolaimus*.
 —— (*Canachites*), see *C. canadensis*.
 —— (*Picoides*), see *P. americanus*.
lacrymosa (*Dendroornis*), see *Dendroornis*.
Ladd, Samuel B.
 Description of nests and eggs of *Dendroica graciae* and *Contopus pertinax*, '91, 314.
latetus (*Thryothorus*), see *Thryothorus*.
kevirostris (*Crotophaga*), see *C. ani*.
lafresnayei (*Dendrocincla*), see *Dendrocincla*.
Lagopus (b Attagen), '84, 225^b, '85, 94^b, '99, 181, 1900, 37, 38, 40.
allenii (Allen's Ptarmigan), g. *dist.* '93, 126; N. F. '84, 360*, '85, 201, '94, 177.—*plm.* '85, 201, '94, 177, 1900, 147 (pl. mlt.).
atkensis (Turner's Ptarmigan), *Alas.* '82, 258, '84, 79, '85, 95, '88, 410; g. *dist.* '93, 126.—*plm.* 1900, 160 (mlt.); *syn.* '83, 232, '84, 79; *misc.* '93, 333, '94, 194.
evermanni (Evermann's Ptarmigan), *Alas.* '96, 25*, '97, 119.—*plm.*

- '96, 197 (col. pl.), 1900, 163 (mlt.); *syn.* '97, 119.
hyperboreus, *Spitzbergen*, '85, 95.
lagopus ("Willow Ptarmigan or Grouse, ^b albus, ^c americanus), *Alas.* '78, 38^b, '81, 6^a, '84, 79^b, '85, 63^b, '87, 12; *g. dist.* '93, 124; *Hud. B.* '90, 321; *Ill.* '95, 379; *Man.* '86, 153, 329; *Mc.* '92, 300; *N. E.* '77, 14^b, 46^b; *N. Y.* '78, 41^b, '81, 233^b; *Ont.* '84, 286^a, '97, 411; *Que.* '82, 238^b, '85, 202^a.—*mig.* '85, 63^b, 202^a; *plm.* '85, 201^a, 210^a (claws), '94, 177, '97, 411, 1900, 147 (pl., mlt.), 166; *misc.* '80, 87^c, '93, 297.
leucurus (White-tailed Ptarmigan), *Colo.* '79, 96, '81, 141, '85, 14, 17, '95, 152; *g. dist.* '85, 95, '93, 124; *Wash.* '93, 17, '97, 173.—*fd.*, *song.* '81, 141; *meas.* '84, 392; *nst.* '95, 152; *plm.* '81, 141, '84, 392 (claws), 1900, 163 (mlt.); *syn.* '96, 186.
mutus (^b vulgaris), *g. dist.* '85, 94, 95^b.—*syn.* '83, 232, '84, 80.
nelsoni (Nelson's Ptarmigan), *Alas.* '84, 226^a; *g. dist.* '85, 95, '93, 126.—*mlt.* 1900, 160; *misc.* '93, 333, '94, 194.
reinhardti (Reinhardt's Ptarmigan), *g. dist.* '93, 124; *Greenl.* '82, 258, '85, 95, '89, 217, '92, 282^a.—*hbt.*, *song.* '89, 217; *plm.* '89, 217, 1900, 160 (mlt.); *syn.* '83, 232; *misc.* '93, 333.
ridgwayi, *Commander Is.* '85, 95.
rupestris (Rock Ptarmigan), *Alas.* '78, 38, '84, 79, '85, 63, 157; *Arctic Am.* '78, 86; *g. dist.* '85, 95, '93, 124; *Hud. B.* '90, 321; *Que.* '85, 221.—*mig.* '85, 63; *plm.* 1900, 160 (mlt.); *syn.* '83, 232, '84, 79, '85, 194, 221, '94, 194; *misc.* '93, 327, 333.
scoticus, *plm.* '94, 174.
townsendi (Townsend's Ptarmigan), *Alas.* '96, 26^a, '97, 119.—*mlt.* 1900, 160; *syn.* '97, 119.
welchi (Welch's Ptarmigan), *N. F.* '85, 194^a; *g. dist.* '93, 126.—*hbt.* '85, 194; *mlt.* 1900, 163; *syn.* '85, 193, '99, 130.
lagopus (*Archibuteo*), see *Archibuteo*.—(*Buteo*), see *Archibuteo*.—(*Lagopus*), see *Lagopus*.
laguna (*Sitta*), see *S. aculeata*.
lahtora (*Lanius*), see *Lanius*.
Lalage, '94, 233.
culminata, *Borneo*, *syn.* '90, 352.
Laletes, '86, 190.
osburni, *W. I.* '86, 190, '93, 339.—*meas.*, *plm.*, *syn.* '86, 190.
Lamb, Wilbur F.
- Nest and eggs of Townsend's Fly-catcher, '77, 77.
Lamelirostres, '83, 232.
Laminiplantares, '81, 35.
Lampornis, '86, 348.
dominiculus, *W. I.* '81, 153, '86, 348.—*fd.* '93, 314; *meas.*, *plm.*, *syn.* '86, 348.
elliotti, '90, 374*, see *virginalis*.
hendersonii, *W. I.* '87, 177*, 180.
mango, *W. I.* '86, 349, '92, 277, '94, 125.—*fd.* '94, 125; *meas.* '86, 349; *nst.* '94, 125; *plm.*, *syn.* '86, 349; *misc.* '80, 88, '82, 242.
nigricollis (^b violicauda), *g. dist.* '92, 377; *Venez.* '97, 366^b.
prevostii (^b thalassina), *Yucatan*, '85, 295^b.
virginalis (^b elliotti), *W. I.* '90, 374^{b*}; *syn.* '93, 70.
viridis, *W. I.*, *meas.*, *plm.*, *syn.* '86, 349.
lamprocephalus (*Auriparus*), see *Auriparus*.
Lamprocolius acuticaudus, *syn.* '91, 92.
Lampropsar, '91, 344.
Lamprospiza melanoleuca, *Braz.* '90, 267.
lanarius (*Falco*), see *F. feldeggii*.
lanceolata (*Chiroxiphia*), see *Chiroxiphia*.—(*Glaucus*), see *G. hirsuta*.
lanceolatus (*Acanthis*), see *A. rostrata*.
Lane, Ambrose A.
Field-notes on birds of Chili (rev.), '97, 417.
Langdon, Frank Warren.
Occurrence of Black Vulture in Ohio, '77, 109.
Catalogue of birds of vicinity of Cincinnati (rev.), '78, 34.
Revised list of Cincinnati birds (rev.), '79, 112.
Albinism in Tufted Titmouse, '79, 116.
White-rumped and Loggerhead Shrikes in Ohio, '79, 120.
Nesting of Kentucky Warbler (*Oporornis formosa*) in Ohio, '79, 236.
Description of new Warbler of genus *Helminthophaga*, '80, 208–210.
Ornithological field notes (rev.), '80, 232.
Field notes on Louisiana birds (rev.), '82, 48.
Zoological miscellany (rev.), '82, 50.
Carnivorous propensities of the Crow, '86, 485.
August birds of Chilhowee Mountains, Tennessee, '87, 125–133.

Lange, Dietrich.

Our native birds, how to protect them and attract them (rev.), 1900, 84.

Langille, James Hibbert.

Hooded Warbler in western New York, '82, 119.

Bicknell's Thrush, '84, 268-270.

Our birds in their haunts (rev.), '85, 91-94.

Laniarius abbotti, *Africa*, '97, 161*.

Laniidae (* Shrikes), '76, 61, '81, 28, 34, '84, 87^a, 280, '93, 111, 1900, 110^a.

laniirostris (Euphonia), see Euphonia crassirostris.

Lanio atricapillus, *Braz.* '90, 267.

lawrenceii, *Venz.* '97, 362.
melanopygius, *C. R.* '85, 291.

Lanius (* Collurio), '76, 61^b, '81, 156^b,

'84, 280, '88, 443, '93, 111, '94, 233.

anthonyi (Island Shrike), *Cal.*

'87, 330^b, '98, 261*^b, '99, 122.—*hbt.*,

nst. '98, 261; *meas.* '98, 262, 263; *syn.*

'99, 122.

borealis (* Great Northern Shrike,

* Collurio), *Alas.* '84, 291?, '87, 13;

Ariz. '85, 238; *Cal.* '78, 66^b; *Colo.* '81,

89, '83, 160, '85, 15; *g. dist.* '93, 126;

Helg. '95, 330; *Hud. B.* '90, 322;

Ia. '95, 121, 236; *Ida.* '98, 18; *Ind.*

'89, 26; *Ky.* '85, 212, '87, 315; *Man.*

'86, 325; *Mass.* '81, 239^b, '83, 173,

'90, 290, '94, 329; *Md.* '93, 372; *Me.*

'79, 186 [ludovicianus?]; *Minn.* '84,

244; *Mont.* '94, 307?^b, '95, 218; *N. E.*

'79, 120^a, '81, 239^b, '86, 400; *N. J.*

'79, 81^a; *N. M.* '85, 238, '90, 390;

N. Y. '81, 228, 84, 324; *Ont.* '84,

158; *Que.* '82, 235; *S. D.* '85, 279;

Vt. '82, 64; *Wash.* '82, 227, '97, 179;

Wis. '90, 82.—*fd.*, *hbt.* '94, 329; *mig.*

'95, 121, 236; *song.* '84, 324, '89, 175,

'90, 290; *syn.* '84, 291, '93, 346, '98,

244.

collaris, *Helg.* '95, 330.

collurio (* Red-backed Shrike),

Germany, '96, 309^a.

cristatus, *Wrangel I.* '84, 78.—*syn.*

'84, 291.

elegans (* robustus), *syn.* '77, 91,

'97, 323^b; *misc.* '92, 194.

excubitor (* Great Gray Shrike),

Germany, '93, 309^a; *Helg.* '95, 330.—

syn. '93, 346; *misc.* '86, 407.

excubitorides (* White-rumped

Shrike, * Collurio), *Ariz.* '82, 145,

'88, 31, '90, 48, '94, 220, 221^a; *Colo.*

'81, 89, '83, 160, '85, 15, '87, 123;

Conn. '89, 74?^b; *g. dist.* '89, 224, '98,

244-258; *Ia.* '95, 121, 235; *Ind.* '89,

26; *Man.* '86, 325, '94, 248^a; *Mass.*

'83, 118?^b, '91, 119?^b; *Mex.* '95, 358;

Minn. '90, 213; *Mo.* '79, 143; *Mont.*

'94, 307, '95, 218; *Neb.* '85, 279; *N.*

M. '85, 332, '90, 390, '92, 367, '99,

189; *N. Y.* '78, 53^b?; '99, 175?^b,

'81, 228?^b; *O.* '79, 120^b, '95, 242; *Ont.*

'97, 411?^a?; *Ore.* '88, 360 [gambeli?];

R. I. '77, 21^b; *S. D.* '85, 279; *Tex.*

'82, 11, 37, '87, 294, '89, 240, '92,

340, 1900, 347; *Wash.* '92, 46, '97,

179; *Wis.* '82, 188?^b—*anat.* '82, 45;

fd. '87, 294; *hbt.* '81, 89; *mig.* '95,

121, 128^a, 235, 242; *nst.* '83, 160,

'87, 294, '88, 31, '89, 26, 224, '91,

106^a [ludovicianus?]; '97, 107^a, '94, 221^a;

plm. '79, 120^b, '81, 89, 228, '82, 145;

song. '81, 89, '87, 294.

gambeli (* California Shrike, * Col-

lurio ludovicianus, * excubitorides), *B. C.*

'93, 237, 1900, 107; *Cal.* '78,

66^b, '86, 87^a, 184^c, '87, 336, '88, 399,

'90, 297, '96, 121^c, '98, 235; *L. Cal.*

'95, 142; *Orc.* '88, 360.—*nst.* '96,

121^c; *plm.* '93, 237; *syn.* '98, 261;

misc. '86, 184^c.

isabellinus, *Helg.* '95, 330.

lahtora, *N. Am., W. coast.* '77, 91?

ludovicianus (* Loggerhead Shrike,

* Collurio, * Collurio chemungensis,

* migrants), *Ala.* '79, 7^b; *Conn.* '89,

74 [*excubitorides*], '89, 192; *D. C.*

'82, 253; *Fla.* '88, 275, '90, 14, 342,

'91, 128^a, 138, '92, 213, '95, 365, 1900,

68; *Ga.* '83, 38; *g. dist.* '89, 224, '93,

133, 135, '98, 244-258^a, 248^{d*}; *Ill.*

'78, 164^b; *La.* '82, 162; *Mass.* '76,

30^b, '77, 21^b, '81, 55, '84, 291, '89,

180^b; *Mc.* '79, 186, '80, 44^a, 50, 109,

'81, 250^b; *Miss.* '82, 91; *N. E.* '79,

119^a, '81, 239^a; *Neb.* '96, 245 [*excubitorides*?]; *N. H.* '79, 119^b, '85,

379; *N. J.* '79, 82^b, 223, '94, 139; *N.*

Y. '79, 61^b, 237, '80, 118, 173^c, '81,

228 [*excubitorides*], '89, 138, 304; *O.*

'79, 120^b; *Ont.* '84, 185; *Pa.* '89,

198, '99, 312; *Que.* '84, 193; *R. I.*

'99, 190^d; *S. C.* '79, 214, '92, 35^a;

Tenn. '86, 317; *Tex.* '82, 37, '92,

340; *Va.* '88, 312^a, '89, 195; *Vt.* '80,

109, '82, 64, '85, 210.—*fd.* '84, 291,

'89, 74, '90, 342; *hbt.* '85, 379, '87,

'90, 342, '99, 91^a, 1900, 68; *meas.*

'85, 379, '98, 253, 253^a, 254, 255^a, '99,

190^d; *mig.* '92, 35^a; *nst.* '79, 119^b,

186, '80, 50, '82, 64, '83, 38, '84, 193,

'85, 379, '89, 180^b, 224, 225, '98, 251;

plm. '81, 228, '82, 145, '98, 248, 251,

251^d, 256 (mlt.), 256^a (mlt.); *song.*

'84, 193, '85, 379; *syn.* '82, 145, '99,

- 133^a; *misc.* '84, 186, '92, 387, '94, 70; '97, 333^a.
 major, *Helg.* '95, 330.—*misc.* '86, 407.
meridionalis, *Helg.* '95, 330.
migrans, '98, 248^a, see ludovicianus.
minor, *Helg.* '95, 330.
rufus, *Helg.* '95, 330.
sibiricus, *Japan*, *syn.* '93, 346.
- Lano**, Albert.
Olor buccinator in western Minnesota, '96, 78.
Butco borealis harlani in Minnesota, '96, 342.
Aquila chrysaetos in central Minnesota, '97, 317.
 Sennett's Night-hawk (*Chordeiles virginianus sennetti*) at Madison, Minnesota, '98, 54.
 Great Gray Owl (*Scotiaptex cinerea*) in Minnesota, '98, 186.
Turnstone (*Arenaria interpres*) in Minnesota, '99, 76.
- Lantz**, David Ernest.
 Song of *Cardinalis virginianus*, '85, 307.
 Habits of Barred Owl, '90, 286.
Ionornis martinica in Kansas, '93, 300.
 New and rare birds in Kansas, '99, 187.
 Review of Kansas ornithology (rev.), '99, 364.
 Roseate Spoonbill in Kansas, 1900, 171.
- Lantz, D. E., and Goss, N. S., see Goss and Lantz.
- Laopteryx priscus** (fossil), *Wyo.* '84, 84.
- lapponica* (*Scotiaptex*), see *Scotiaptex*.
 — (*Limosa*), see *Limosa*.
 — (*Strix*), see *Scotiaptex*.
 — (*Ulula*), see *Scotiaptex*.
lapponicus (*Calcarius*), see *C. lapponicus* or *alascensis*.
 — (*Centrophanes*), see *Calcarius lapponicus* or *alascensis*.
 — (*Plectrophanes*), see *Calcarius*.
lapponicum (*Syrnium*), see *Scotiaptex*.
Lapwing, see *Vanellus vanellus*.
Laridæ ("Gulls"), '79, 111^a, '81, 82, 109, 162^a, '82, 88, '83, 54, 174^a, '86, 272^a, '91, 109^a, '93, 106, 345, '96, 160, '97, 396, 1900, 95^a, 199^a, 200^a, 309^a.
lariformis (*Hydrochelidon*), see *H. surinamensis*.
 — (*Rallus*), see *Hydrochelidon surinamensis*.
Larinæ, '78, 185.
- Lark, '83, 78, see *Alauda arvensis*.
 Brown, see *Anthus pensylvanicus*.
 Desert Horned, see *Otocoris arenicola*.
 Dusky Horned, see *Otocoris merrilli*.
 Field, see *Sturnella magna*.
 Horned, see *Otocoris alpestris*.
 Hoyt's Horned, see *Otocoris [hoyti =] leucolema*.
 Little Field, see *Spiza americana*.
 Louisiana, see *Anthus pensylvanicus*.
 Meadow, see *Sturnella magna*.
 Mexican Horned, see *Otocoris chrysolaema*.
 Mountain, see *Zonotrichia albicollis*.
 Oaxaca Horned, see *Otocoris oaxacae*.
 Pallid Horned, see *Otocoris leucolema*.
 Prairie Horned, see *Otocoris praticolora*.
 Red, see *Anthus pensylvanicus*.
 Ruddy Horned, see *Otocoris rubea*.
 Scorched Horned, see *Otocoris adusta*.
 Shore, see *Otocoris alpestris*.
 Sonoran Horned, see *Otocoris palilda*.
 Southwestern, see *Otocoris arenicola*.
 Sprague's, see *Anthus spraguei*.
 Streaked Horned, see *Otocoris striigata*.
 Texan Horned, see *Otocoris giraudi*.
 Western Field, see *Sturnella neglecta*.
 Wood-, see *Alauda arborea*.
 Larks, see *Alaudidae*.
 Lark-Bunting, see *Calamospiza melanocorys*.
 Chestnut-collared, see *Calcarius ornatus*.
 Western, see *Chondestes strigatus*.
 Lark-Sparrow or Finch, see *Chondestes grammacus*.
 Western, see *Chondestes strigatus*.

Larus, '77, 64, '78, 186, '82, 245, '84, 358, '88, 75, '89, 333, '93, 99, '96, 168, '97, 313.
affinis (Siberian Gull), *Siberia*, '84, 80, '88, 197; *Helg.* '95, 340.—*syn.* '80, 102, '84, 80, '88, 197.

argentatus ("European Herring Gull"), *Helg.* '95, 325; *Germany*, '96, 312^a; *Ill.* '76, 4, '95, 379; *Mc.* 1900, 63, 169.—*nest.* '97, 335^a; *plm.*, *syn.* 1900, 63, 169; *misc.* '92, 225.

atricilla ("Laughing or Black-headed Gull," *Chrecocephalus*), *Austria*, '80, 219; *Bahamas*, '91, 80, '92, 48, 48; *Colorado River*, '77, 96^b?; *Engl.* '77, 107^b; *Fla.* '87, 137^a, 139^a, 222, 273^a, 274^a, 278^a '88, 374, 377^a,

'90, 306, '92, 211; *France*, '77, 107^b; '80, 219; *Ga.* '83, 43, '96, 215; *Gozo I.* '77, 70; *G. Br.* '80, 219; *Jamaica*, '91, 362, '94, 120; *Ky.* '89, 311; *Malta*, '77, 70; *Mass.* '79, 18, '88, 107, '93, 333, '95, 47, '96, 54, '97, 388, '98, 76, 168, '99, 260, 261^a, 1900, 56; *Minn.* '93, 289; *N. J.* '79, 227, '90, 326, '97, 23; *Tex.* '82, 225, '90, 80, '91, 110^a, 1900, 338; *Va.* '76, 27, '81, 118^a; *W. I.* '81, 128^b, '88, 75, '91, 46, 48.—*hbt.* '93, 333; *mig.* '87, 222; *nst.* '76, 27, '83, 43, '90, 326, '93, 333, '94, 120, '95, 47, '96, 54, '97, 388, '98, 169^a, 171^a, '99, 260, 261^a, 262^a, 263^a; *plm.* '87, 222, 274^a, '95, 47, '96, 54, 69^a; *syn.* '88, 75; *misc.* 1900, 56^a.

barrovianus (Point Barrow Gull, ^b *glaucescens*), *Alas.* '80, 35^b, '85, 63^b, '86, 330^{*}, '87, 12^b; *g. dist.* '88, 393, '93, 123.—*meas.* '86, 330; *mig.* '85, 63^b; *syn.* '96, 161.

belcheri, *g. dist.* '77, 96?.

brachyrhynchus (Short-billed Gull, ^b *suckleyi*, ^c *Rissa septentrionalis*), *Cal.* '85, 232, '86, 88; *g. dist.* '93, 125; *Quic.* '90, 387; *Wash.* '93, 17, 291, 384; *B. C.* '93, 291, 384.—*mig.* '85, 232; *syn.* '78, 186, '80, 88^b, 88^c, '85, 232.

cachinnans, *Cal.* '86, 88 [smithsonianus?], '87, 86 [smithsonianus?]; *syn.* '78, 187, '80, 102, '84, 80, '88, 310, 402.

californicus (California Gull), *B. C.* '93, 291; *Cal.* '85, 232, '86, 88, '89, 222; *Mont.* '94, 301; *Orc.* '79, 199, '91, 366 (fossil), '93, 344 (fossil); *Wash.* '93, 17, 291.—*syn.* '78, 186.

canus (Mew Gull), *Labrador*, '78, 50, '81, 91, 102, '86, 141; *Cal.* '85, 232; *Holg.* '95, 327, '96, 168, '98, 198.—*syn.* '78, 185, 186, '85, 232.

cirrhocephalus, *Argent.*, *hbt.*, *mig.* '84, 316.

delawarensis (^a Ring-billed Gull), *Cal.* '85, 232, '86, 88, '95, 177^a; *Colo.* '83, 198, '85, 18; *Fla.* '87, 274, '88, 374, '92, 211; *Ga.* '96, 215; *g. dist.* '93, 125; *Ida.* '97, 350; *Ind.* '88, 345; *Ky.* '89, 311; *Man.* '86, 147; *Mass.* '88, 107^a; *Mich.* '93, 222; *Minn.* '80, 20; *N. E.* '83, 162^a, 163^a; *N. H.* 1900, 169; *N. J.* '79, 227; *N. Y.* '99, 284; *Ont.* '82, 116^a; *Pa.* '99, 309; *S. D.* '85, 288; *Tenn.* '96, 181; *Tex.* 1900, 338; *Wash.* '93, 17.—*syn.* '78, 186, '95, 72; *misc.* '95, 73.

dominicanus, *Argent.* '84, 316^a; *Chili*, '92, 389.—*anat.* '82, 88; *hbt.* '92, 389.

franklinii (Franklin's Gull,

^b *Chroicocephalus*, ^c *Chroicocephalus cucullatus*), *g. dist.* '93, 125; *Ill.* '80, 32; *Ky.* '89, 311; *Man.* '86, 147; *Minn.* '80, 12, 20, '93, 290, 1900, 272–283 (illust.); *S. D.* '85, 289; *Wash.* '97, 181; *W. I.* '88, 75; *Wis.* '85, 222^b.—*fd.* '80, 20, 1900, 272, 280, 282; *hbt.* '80, 20, 1900, 272; *meas.* 1900, 278; *mig.* 1900, 272; *plm.* 1900, 272, 279; *song.* 1900, 281; *nst.* 1900, 272–283; *syn.* '78, 187, '80, 88^a, '88, 75, '96, 186; *misc.* '83, 116 (corr.).

fuscus, *Holg.* '95, 327.

glaucescens (^a Glauco-winged Gull), *Alas.* '85, 158, '98, 125, 230; *Arctic Am.* '80, 109; *Cal.* '86, 88, '89, 222, '95, 177^a; *g. dist.* '93, 123; *H. I.* 1900, 201; *Wash.* '92, 41.—*fd.* '92, 41; *nst.* '98, 125; *plm.* '83, 218; *syn.* '78, 186, '83, 214, '84, 360.

glaucus (^a Glaucous Gull), *Arctic Am.* '78, 86; *g. dist.* '93, 123; *Greenl.* '89, 214; *Holg.* '95, 327; *Ill.* '77, 68; *Ind.* '98, 61; *Mass.* '98, 50; *Me.* '83, 186; *N. Y.* '80, 189, '82, 257, '85, 37, '95, 312; *Nova Zembla*, 1900, 308^a; *Ont.* '85, 337; *Quic.* '82, 240; *Tex.* '81, 187.—*anat.* '82, 88; *fd.* '81, 187, '89, 214, 215, 1900, 308^a; *meas.* '80, 190, '81, 187, '86, 330; *plm.* '78, 186, '80, 189, '81, 187; *syn.* '78, 186, '82, 179.

heermannii (^a Heermann's Gull), *Cal.* '86, 88, '87, 329, '94, 95^a, '95, 177^a; *L. Cal.* '98, 313^a.—*mig.* '94, 95^a, 97^a; *plm.* '79, 30 (alb.).

ichthyaëtus, *Holg.* '95, 340.

kumlieni (Kumlien's Gull, ^b *glaucescens*), *Bay of Fundy*, '83, 125^b; *g. dist.* '83, 216^{*}, '93, 123; *N. Am.* '84, 384; *N. B.* '83, 125^b; *N. Y.* '84, 196, '99, 190?—*meas.* '83, 125^b, 217, '84, 196; *plm.* '83, 125^b, '84, 196; *syn.* '83, 214, 216.

leucopterus (Iceland or White-winged Gull, ^b *chalcopterus*), *Alas.* '87, 12; *Conn.* '95, 76; *g. dist.* '93, 123; *Greenl.* '89, 215; *Holg.* '95, 327; *Ill.* '76, 41, '77, 68; *Mass.* '81, 124, '82, 60; *Me.* '83, 125; *N. Y.* '81, 235, '84, 240, '95, 76, '99, 190?; *Quic.* '82, 240.—*meas.* '84, 241, '95, 76; *nst.* '89, 215; *plm.* '84, 241; *syn.* '80, 88^a, '83, 215, '84, 287, 360; *misc.* '84, 288^a.

marinus (^a Great Black-backed

Gull), *Alas.* '82, 60; *Gozo I.* '77, 70; *Grand Banks of N. F.* '79, 128; *g. dist.* '93, 123; *Greenl.* '89, 215; *Helg.* '95, 327; *Herald I.* '82, 60; *Malta*, '77, 70; *Mass.* '88, 107^a, '92, 304; *Mich.* '93, 222; *N. F.* 1900, 71; *N. J.* '79, 227, '88, 318; *N. Y.* '95, 312, '99, 284; *P. E. I.* '85, 266^a; *Que.* '82, 241, '89, 145.—*fd.* '92, 332^a; *hbt.* '92, 223; *nst.* '82, 241; *syn.* '88, 75.

minutus (^a Little Gull, ^b Chroicocephalus), *N. Am.* '84, 384; *N. Y.* '88, 170, 171, 393; *Helg.* '95, 327.—*plm.* '96, 69^a, 149^a; *syn.* '88, 171; *misc.* '80, 88^b.

nelsoni (Nelson's Gull), *Alas.* '84, 250*; *g. dist.* '84, 384, '93, 123.—*meas.* '84, 251.

occidentalis (^a Western Gull), *Cal.* '85, 232, '86, 88, '87, 329, '89, 222, '94, 95^a, '95, 102^a, 177^a; *L. Cal.* '88, 241, '97, 205^a, '98, 313^a; *Revill. Is.* '98, 315; *Wash.* '92, 41, 309, '97, 181, 1900, 349.—*mig.* '94, 95^a, 97^a; *syn.* '78, 186.

oregonus (fossil), *Ore.* '91, 366, '93, 344.

philadelphia (^a Bonaparte's Gull, ^b Chrocephalus, ^c Sternia), *Alas.* '87, 12, '98, 125; *Bahamas*, '88, 76?; *Cal.* '85, 232, '86, 89; *Colo.* '94, 182; *Engl.* '77, 107^b, '85, 374; *Fla.* '88, 374, '92, 211; *g. dist.* '93, 125; *G. Br.* '80, 219; *Helg.* '80, 219, '91, 300, '95, 340; *Hud. B.* '90, 320; *Ida.* '97, 350; *Ind.* '88, 345; *Kan.* '79, 190; *Man.* '86, 147; *Mass.* '92, 304; *Mich.* '80, 62, '93, 222; *N. C.* '93, 242; *N. S.* '87, 16, '91, 165; *N. Y.* '81, 235, '99, 284; *Ore.* '91, 366 (fossil), '93, 344 (fossil); *Pa.* '99, 309; *P. E. I.* '85, 266; *R. I.* '80, 237^b; *Wash.* '92, 41, '94, 73^a, '97, 181.—*nst.* '80, 62; *syn.* '88, 171, '95, 72; *misc.* '83, 116 (corr.), '90, 82, '95, 73^a.

ridibundus (^a Black-headed Gull), *Helg.* '95, 327.—*plm.* '96, 69^a, 1900, 333 (mlt.); *misc.* '97, 335.

robustus (fossil), *Ore.* '91, 366, '93, 344.

schistisagus (Slaty-backed Gull), *g. dist.* '93, 125; *N. Pacific*, '84, 231*; *N. Am.* '84, 384; *Siberia*, '88, 197.—*meas.* '84, 231; *syn.* '84, 232, '88, 197.

smithsonianus (^a American Herring Gull), *Cal.* '85, 232, '86, 88, '95, 102^a, 177^a; *Colo.* '86, 285; *Fla.* '87, 274^a, '88, 374, '90, 306, '92, 211; *g. dist.* '93, 125; *Ida.* '97, 350; *Ill.* '95, 215^a; *Ind.* '88, 345; *Ky.* '89, 311;

Man. '86, 147; *Mass.* '79, 128^a, '81, 127, '88, 107^a, '92, 304, 388^a, '93, 76, '94, 84, '96, 78^a, 88; *Me.* '82, 152, 1900, 63, 169; *Mich.* '93, 222; *N. B.* '83, 7^a; *N. E.* '92, 221, 228; *N. F.* 1900, 71; *N. J.* '79, 227; *N. S.* '87, 14^a, '95, 89, '99, 251; *N. Y.* '81, 235, '95, 312; *Ont.* '82, 116^a; *Orc.* '91, 366 (fossil), '93, 344 (fossil); *Pa.* '99, 309; *P. E. I.* '85, 266^a, '93, 7; *Que.* '82, 241, '89, 146, '92, 388^a; *R. I.* '93, 76, '94, 22, 73, '95, 76, '97, 205; *S. D.* '85, 288; *Tex.* 1900, 338; *Wash.* '93, 17; *W. I.* '88, 75^b.—*fd.* '92, 221, 332^a, '94, 22; *hbt.* '92, 99, 221–228, 388^a; *mig.* '88, 374, '92, 221, '94, 84, '98, 49; *nst.* '78, 24^a, '79, 23^b, '92, 99, 221; *plm.* '88, 374, '92, 221, 1900, 63, 169; *song.* '92, 221; *syn.* '88, 75^b, '96, 161^a, 1900, 63, 169; *misc.* '81, 245, '84, 187^a, '94, 68, 1900, 199^a.

vegae (Vega Gull), *Cal.* '95, 177 [smithsonianus?]; *g. dist.* '93, 125.—*syn.* '88, 310, 402.

larvata (Aplopelia), see Aplopelia. latebricola (Scytalopus), see Scytalopus.

lateralis (Poospiza), see Poospiza.

Lathria cinerea, *Boliv.* '90, 382; *Braz.*, *song.* '91, 25.

plumbea, *Boliv.* '90, 382.

latimeri (Vireo), see Vireo.

— (Vireonella), see Vireo.

Latirostris, '81, 35.

latirostris (Blacicus), see Blacicus.

— (Circe), see Iache.

— (Contopus), see Blacicus.

— (Iache), see Iache.

— (Myiobius), see Blacicus.

latissimus (Buteo), see Buteo.

— (Falco), see Buteo.

laudabilis (Icterus), see Icterus.

lautus (Aulacorhamphus), see Aulacorhamphus.

lawesii (Parotia), see Parotia.

Lawrence, George Newbold.

Descr. of new Jay of genus *Cyanocitta*; also of a supposed new species of *Cyanocorax* (rev.), '76, 47.

Description of five new species of American birds (rev.), '76, 47.

Birds of southwestern Mexico (rev.), '76, 93.

Occurrence of Barnacle Goose (*Bernicla leucopsis*) on Long Island, N. Y. '77, 18.

Note on *Cupidonia cupido* var. *pallidincinctus*, '77, 52.

Note on *Doricha enicura*, '77, 108.

- Deser. of new species of birds from Dominica (rev.), '79, 48.
 Deser. of seven new species of birds from St. Vincent (rev.), '79, 48.
 Deser. of supposed new species of birds from Grenada and Dominica, West Indies (rev.), '79, 49.
 Cat. of birds of Dominica from collections by Ober, with his notes (rev.), '79, 49.
 Cat. of birds of St. Vincent from collections by Ober, with his notes thereon (rev.), '79, 49.
 Cat. of birds of Antigua and Barbuda from collections by Ober, with his observations (rev.), '79, 228.
 Cat. of birds of Grenada from a collection by Ober (rev.), '79, 229.
 Cat. of birds collected in Martinique by Ober (rev.), '79, 229.
 Cat. of a collection obtained in Guadeloupe by Ober (rev.), '79, 229.
 General cat. of birds noted from the Lesser Antilles visited by Ober; with table of distribution (rev.), '79, 229.
 Deser. of a new subspecies of *Loxigilla* from St. Christopher, West Indies (rev.), '83, 114.
 Deser. of a new species of Swift of genus *Chætura*, with notes on two other little known birds (rev.), '83, 114.
 Deser. of new species from Yucatan, of the Columbidae and Formicariidae (rev.), '83, 114.
 Deser. of a new species of the family Cypselidae (rev.), '83, 114.
 Characters of a new species of Pigeon of genus *Engyptila*, from Grenada, West Indies, '84, 180.
 Occurrence of White-winged Gull (*Larus leucopterus*) in New York, '84, 240-242.
 Deser. of new species of genera *Chrysotis*, *Formicivora* and *Spermophilus* (rev.), '84, 387.
 Deser. of supposed new species of families Tyrannidae, Cypselidae and Columbidae (rev.), '85, 290.
 Descriptions of new species of family Columbidae, '85, 357-359.
 Deser. of a new species of *Engyptila* (rev.), '86, 268.
 Characters of two new species from Yucatan, '86, 269.
 List of birds new to Guadeloupe, West Indies (rev.), '86, 269.
- Rediscovery of *Helmithophila bachmani* in the United States, '87, 35-37.
 Deser. of new Thrush from Grenada, W. I. (rev.), '87, 251.
 Specimens of Bachman's and Swainson's Warblers taken in 1887, '87, 262.
 Deser. of new species of Wren from Tobago, West Indies, '88, 404.
 Account of breeding habits of *Puffinus auduboni* in Grenada, West Indies with a note on *Zenaida rubripes*, '89, 19-21.
 Remarks upon abnormal coloring of plumage in several species of birds, '89, 46-50.
 A new name for the *Sporophila* from Texas, known as *S. morelleti*, '89, 53.
 Deser. of new species of *Cathartes* from Ecuador (rev.), '89, 173.
 Account of former abundance of some species of birds on New York island at time of their migration to the south, '89, 201-203.
 Deser. of a new subspecies of *Chætura*, with a note on the Diablotin, '91, 59-62.
 Obituary of, '95, 198.
 Lawrence, G. N., and Wells, J. G., see Wells and Lawrence.
Lawrence, Newbold Trotter.
 European Widgeon (*Marcca penelope*) in United States, '78, 98.
 Ipswich Sparrow (*Passerculus princeps*) on Long Island, N. Y., '78, 102.
 Greater Long-beak, *Macrorhamphus scolopaceus*, '80, 154-157.
 Long Island, N. Y., bird notes, '85, 272-274.
Lawrence, Robert Bowne.
 Notes on some of the rarer birds of Long Island, N. Y., '80, 116.
 Capture of Great Gray Owl in the Adirondacks, N. Y., '80, 122.
 Red Phalarope on Lake Erie, '90, 204.
 A new Long Island, N. Y., record for Red-bellied Woodpecker (*Melanerpes carolinus*), '96, 82.
Lawrence, Robert Hoe.
 A breeding place of *Pelecanus fuscus*, '91, 231.
 Preliminary list of birds of Gray's Harbor region, Washington, '92, 39-47.
Aphelocoma californica in Washington, '92, 301.

- Further notes on birds of Gray's Harbor region, Washington, '92, 352-357.
- Coccyzus americanus occidentalis* in Washington, '92, 393.
- Pseudogryphus californianus*, '93, 300.
- Fregata aquila* in California, '93, 362.
- California Vulture in San Gabriel Range, California, '94, 76.
- Western Winter Wren in southern California, '94, 181.
- Obituary of, '97, 342.
- lawrencei* (Amazilia), see Amazilia.
- (Astragalinus), see Astragalinus.
- (Carduelis), see Astragalinus.
- (Chætura), see Chætura.
- (Chrysomitris), see Astragalinus.
- (Cichlherminia), see Cichlherminia.
- (Dendronnis), see D. nana.
- (Empidonax), see Empidonax.
- (Gymnasio), see Gymnasio.
- (Gymnoglaux), see Gymnasio.
- (Helminthophila), see Helminthophila.
- (Icterus), see Icterus.
- (Lanio), see Lanio.
- (Mimus), see Mimus.
- (Myiarchus), see M. lawrenceii or olivaceus.
- (Myrmelastes), see Myrmelastes.
- (Picumnus), see Nesotites micromegas.
- (Pseudocolaptes), see Pseudocolaptes.
- (Spinus), see Astragalinus.
- (Thryothorus), see Thryothorus.
- (Turdus), see Merula leucops.
- Lawrencia*, '86, 382*.
- Layard*, Edgar Leopold.
Obituary of, 1900, 321.
- layardi* (Picolaptes), see Picolaptes.
- (Thalassogeran), see Thalassogeran.
- lazula* (Guiraca), see Guiraca.
- lazulus* (Pitylus), see Guiraca.
- leachii* (Thalassidroma), see Oceanodroma leucomelas.
- leclancheri* (Cyanospiza), see Cyanospiza.
- (Passerina), see Cyanospiza.
- lecontei* (Ammodramus), see Ammodramus.
- (Coturniculus), see Ammodramus.
- (Harporhynchus), see Harporhynchus.
- (Toxostoma), see Harporhynchus.
- Lee*, Leslie Alexander.
- Breeding of Loggerhead Shrike at Canton, New York, '80, 118.
- Protection of nest by a Marsh Hawk (*Circus cyaneus hudsonius*), '80, 185.
- Occurrence of Gannet (*Sula bassana*) in northern New York, '80, 190.
- Lee*, Oswin A. J.
Among British birds in their nesting haunts (rev.), '97, 106, 247, 334, '98, 334.
- leei* (Centurus), see Centurus.
- Legatus albicollis*, *Braz.* '90, 270; *C. R.* '92, 250; *Venez.* '97, 365.—*plm.* '92, 250.
- Leiotrichidae*, '81, 34.
- Leistes*, '88, 414.
— *guianensis*, *Braz.* '90, 269.
— *superciliaris*, *Urug.*, *hbt.*, *nst. song.* '83, 136.
- lembeyei* (Aulanax), see Sayornis phœbe.
- (*Culicivora*), see Polioptila.
- (*Muscicapa*), see Sayornis phœbe.
- (*Myiarchus*), see Sayornis phœbe.
- (*Polioptila*), see Polioptila.
- Lemmon*, William P.
Virginia Rail killed by striking telephone wire, '98, 51.
- lentiginosa* (Ardea), see Botaurus.
- lentiginosus* (Botaurus), see Botaurus.
- leocadie* (Floricola), see Floricola.
- leopeutes* (Caprimulgus), see Stenopsis cayennensis.
- leotaudi* (Chlorospingus), see Chlorospingus.
- lepida* (Euethebia), see E. olivacea.
- Lepidogrammus*, '94, 233, 234.
- Leptasthenura boliviiana*, *Boliv.* '90, 382.
— *fuscescens*, *Boliv.* '90, 382.
— *platensis* (^b *ægithaloides*), *Urug.*, *hbt.*, *nst.* '83, 206; *syn.* '89, 269^b.
- Leptodon cayennensis*, *Braz.* '91, 161.
- Leptopœcile*, '84, 280.
- Leptopogon superciliaris*, *Venz.* '97, 365, 369.
- Leptoptila*, see Leptotila.
- leptorhynchus* (*Nucifraga*), see N. macrorhynchus.
- Leptosoma*, '81, 74, '93, 99, 1900, 173.
- Leptosomatidae*, '81, 75, '93, 68.
- Leptosominae*, '81, 74.
- Leptotila* (^b *Echmoptila*, ^c *Engyptila*), '80, 92^b, 100, '87, 111^c, '93, 99, '94, 61, '95, 167.
— *brachyptera* (White-fronted Dove or Pigeon, ^b *albifrons*, ^c *Echmoptila albifrons*, ^d *Engyptila albifrons*), *g. dist.* '93, 141^d; *Tex.* '77, 82^b, '78,

- 144^c, '79, 51^c.—meas., song, '77, 82^b; syn. '80, 100^d, '94, 50, 61^d, '95, 167. *capitalis*, Mex. '98, 340. *chalcauenia*, Argent., Urug., hbt., nst., plm., '84, 275. *collaris* (^b Engyptila), *W. I.* '86, 498^{**}, 502^b, '87, 112^b.—meas., plm., '87, 112^b. *fulviventris* (^b Engyptila), *Yucatan*, '83, 114, '86, 268^b.—syn. '94, 62. *gaumeri* (^b Engyptila), *Yucatan*, '85, 290^b. *insularis*, *W. I.* '96, 333. *jamaicensis* (^b *Aechmoptila*, ^c Engyptila), *W. I.* '87, 111^c, '92, 123^c, '94, 123^c.—hbt., '92, 123^c, '94, 123^c; meas., '87, 111^c; nst., '94, 123; plm., '87, 111; syn. '80, 92^b, '87, 111^c, '94, 61. *neoxena* (^b Engyptila), *W. I.* '87, 179^{**}, 181^b.—meas., '87, 179^b. *ochroptera*, syn. '94, 61. *reichenbachi* (^b erythrothorax, ^c *Columba erythrothorax*, ^d Engyptila erythrothorax), *Braz.* '90, 133^b, '91, 162^d; *Venez.* '97, 366^d.—syn. '94, 61^c. *rufaxilla* (^b *Columba*, ^c Engyptila), *Braz.* '91, 162^c.—syn. '94, 61^b. *verreauxi* (^b Engyptila), *C. R.* '92, 329^b; *W. I.* '93, 220^b. *vinaceifulva* (^b Engyptila), *Yucatan*, '86, 268^b.—plm., '86, 268^b. *vinaceiventris* (^b Engyptila), *Honduras*, '89, 172^b. *wellsi* (^b Engyptila), *W. I.* '84, 180^{**}, '87, 111^b, 231^b.—meas., plm., syn. '87, 111^b; misc., '89, 21^b (corr.). *lereboulleti* (*Turdus*), see *Merula jamaicensis*. *lessoni* (*Momotus*), see *Momotus*. *Lestornis crassipes*, misc. '76, 49. Lettuce-bird, see *Astragalinus tristis*. *leucauchen* (*Merula*), see *Merula*. *leucaysiensis* (*Myiarchus*), see *M. sagræ*. *leuce* (*Ardea*), see *A. egretta*. *Leucilis*, see *Guara*. *leucobronchialis* (*Helminthophila*), see *Helminthophila*. *leucocephala* (*Amazona*), see *Amazona*. — (*Arundinicola*), see *Arundinicola*. — (*Chrysotis*), see *Amazona leucocephala* or *collaria*. — (*Columba*), see *Columba*. — (*Emberiza*), see *Emberiza*. *leucocephalus* (*Haliæetus*), see *H. leucocephalus* or *alascanus*. — (*Lybius*), see *Lybius*. — (*Patagioenas*), see *Columba*. — (*Psittacus*), see *Amazona vittata*,

- collaria* or *leucocephala*. — (*Stephanophorus*), see *Stephanophorus*. *leucocyanæa* (*Cyanecula*), see *C. suecica*. *leucogaster* (*Creciscus*), see *Porzana cinereiceps*. — (*Dryopicus*), see *Thripotax javensis*. — (*Dysporus*), see *Sula sula*. — (*Hemiura*), see *Hemiura*. — (*Lybius*), see *Lybius*. — (*Thryomanes*), see *Thryomanes*. — (*Thryothorus*), see *Thryomanes*. — (*Troglodytes*), see *Hemiura*. *leucogastra* (*Ardea*), see *A. ruficollis*. — (*Pelecanus*), see *Sula sula*. — (*Polioptila*), see *Polioptila*. — (*Porzana*), see *P. cinereiceps*. — (*Sula*), see *S. sula*. — (*Troglodytes*), see *Thryomanes*. — (*Uropsila*), see *Hemiura*. *leucogenus* (*Turdus*), see *Merula aurantia*. *leucogenys* (*Merula*), see *M. aurantia*. *leucognaphalus* (*Corvus*), see *Corvus*. — (*Frugilegus*), see *Corvus*. — (*Microcorax*), see *Corvus*. *leucolæma* (*Eremophila*), see *Otocoris leucolæma* or *arenicola*. — (*Otocoris*), see *Otocoris*. *leucolophos* (*Penelope*), see *Pipile cumanensis*. *leucomelas* (*Dryobates*), see *Dryobates*. — (*Merula*), see *Merula*. — (*Turdus*), see *Merula*. *leuconensis* (*Tanygnathus*), see *Tanygnathus*. *leuconotus* (*Dryobates*), see *Dryobates*. — (*Tityra*), see *Platyparis nigra*. *leuconucha* (*Sitta*), see *Sitta*. *leucopareius* (*Anser*), see *Branta hutchinsii*. *leucoparia* (*Bernicla*), see *Branta minima*. — (*Branta*), see *B. minima*. *Leucopeza*, '80, 64, '86, 40. *semperi*, *W. I.*, '80, 166, '86, 40. — meas., plm., '86, 40; syn. '80, 164, '86, 40. *leucophæus* (*Mimus*), see *Mimus*. *Leucophoyx*, '99, 202. *leucophrys* (*Certhneis*), see *Falco dominicensis*. — (*Emberiza*), see *Zonotrichia*. — (*Falco*), see *F. dominicensis*. — (*Henicorhina*), see *Henicorhina*. — (*Thryomanes*), see *Thryomanes*. — (*Thryothorus*), see *Thryomanes*.

- (Tinnunculus), see Falco dominicensis.
 — (Zonotrichia), see Zonotrichia.
 leucophthalmus (*Turdus*), see Merula jamaicensis.
 leucopogon (*Thryophilus*), see Thryophilus.
 leucoprymna (*Ardea*), see A. ruficollis.
 leucops (*Merula*), see Merula.
 leucopsis (*Bernicia*), see Branta.
 — (Branta), see Branta.
 — (Pipilo), see P. allenii.
 leucoptera (*Aegithina*), see Aegithina.
 — (Æstrelata), see Æstrelata.
 — (Columba), see Melopelia.
 — (Curvirostra), see Loxia.
 — (Fulica), see Fulica.
 — (Hydrochelidon), see Hydrochelidon.
 — (Loxia), see Loxia.
 — (Melopelia), see Melopelia.
 — (Piranga), see Piranga.
 — (Turtur), see Melopelia.
 — (Zenaida), see Melopelia.
 — (Viralva), see Hydrochelidon.
 leucopterus (*Larus*), see Larus.
 leucopteryx (*Icterus*), see Icterus.
 — (Melanopsar), see Icterus.
 — (Pendulinus), see Icterus.
 — (Psarocolius), see Icterus.
 leucopygus (*Rostrhamus*), see Rost-
 rhamus.
 leucorodia (*Platalea*), see Platalea.
 leucorhoa (*Cymochorea*), see Oceanodroma.
 — (Hirundo), see Tachycineta.
 — (Oceanodroma), see Oceanodroma.
 — (Tachycineta), see Tachycineta.
 leucorrhœa (*Thalassidroma*), see Ocean-
 odroma leucorhoa.
Leucosticte, '77, 75, '88, 412.
 arctous, misc. '80, 88.
 atrata (Black Leucosticte), Colo.
 '85, 16; g. dist. '93, 124.
 australis (* Brown-capped, or
 Brown Leucosticte), Colo. '81, 89,
 '85, 16, '87, 257, '90, 49 [not 'australis', see '90, 258], '95, 152^a; g.
 dist. '93, 124.—hbt., song, '81, 89;
 nst. '95, 152^a; plm. '81, 89, '87, 257.
 griseinucha (Aleutian Leucosticte),
Alas. '85, 157, '88, 410; g. dist. '93,
 126.—plm. '79, 46.
 littoralis (Hepburn's Leucosticte),
B. C. 1900, 106; Colo. '85, 16; *Ida.*
 '98, 15; Minn. '89, 341; Mont. '80,
 75, '95, 216; *Wash.* '97, 92, 177.—
 hbt. '80, 75; meas. '80, 76; mig. '95,
 216; song, '78, 189; plm. '80, 27
 (alb.), 75.

- tephrocotis (* Gray-crowned Leu-
 costicte or Finch), *B. C.* 1900, 106;
Cal. '93, 287; *Colo.* '85, 16; g.
 dist. '93, 124; *Ia.* '83, 240^a; *Man.*
 '93, 50; *Minn.* '93, 290; *Mont.*
 '80, 75, '95, 216; *Wyo.* '81, 177.
 —/d. '81, 177, '95, 216; *hbt.* '80,
 75, '81, 177, '83, 240, '95, 216; *meas.*
 '80, 76; *mig.* '95, 216; *plm.* '80, 75,
 '81, 177, '83, 240, '87, 258; *song*, '81,
 177; *misc.* '83, 3 (fig.).
 Leucosticte, Aleutian, see Leucosticte
 griseonucha.
 Black, see Leucosticte atrata.
 Brown, see Leucosticte australis.
 Brown-capped, see Leucosticte aus-
 tralis.
 Gray-crowned, see Leucosticte tephro-
 cotis.
 Hepburn's, see Leucosticte littoralis.
 leucostriatus (*Budytès*), see Budytès.
 leucotis (*Basilinna*), see Basilinna.
 — (*Galbalcyrhynchus*), see Galbal-
 cyrhynchus.
 — (*Pyrgisoma*), see Pyrgisoma.
 — (*Thryophilus*), see Thryophilus.
 — (*Trochilus*), see Basilinna.
 leucotos (*Dryobates*), see Dryobates.
 leucura (*Saxicola*), see Saxicola.
 — (*Serpophaga*), see Mecocerculus
 calopterus.
Leucuria, '99, 91.
 phalerata, *Colom.* '99, 91, 135 (col.
 pl.), 138, 1900, 82.—*plm.* 1900, 82.
 leucurus (*Elanus*), see Elanus.
 — (*Lagopus*), see Lagopus.
 — (*Scolopax*), see Gallinago major.
 levaillantii (*Chrysotis*), see Amazona
 oratrix.
 — (*Lybius*), see Lybius.
Leverkühn, Paul.
 Fremde Eier im Nest (rev.), '92, 185.
 levipes (*Rallus*), see R. obsoletus.
 Lewis and Clark 'expedition,' new ed.
 '93, 212.
Lewis, Stewart.
 Red-bellied Woodpecker in north-
 western New Jersey, '90, 206.
 leylandi (*Colinus*), see Colinus.
 l'herminieri (*Anous*), see Sternula fuli-
 ginosa.
 — (*Anthus*), see Seiurus novebor-
 aensis.
 — (*Melanerpes*), see Melanerpes.
 — (*Thriothorus*), see Cinclocerthia
 ruficauda.
Libby, Orin Grant.
 The nocturnal flight of migrating
 birds, '99, 140–146.

Liberia.

Oberholser, H. C., 1900, 186, 187.

Lichenops andinus, *Chili*, '80, 42.
 perspicillatus, *Urug.*, *nst.*, *plm.*,
 song, '83, 141.

Lichtensteinipicus, see *Microstictus*.

Life-histories, see *Biographies*.

Ligea, '84, 1*, see *Microligea*.
 palustris, '84, 1*, see *Microligea*.

Ligurinus, '84, 168.

chloris (^b *Chloris*), *Hclg.* '95, 326^b;
 N. Y. '80, 119 (cage).

sinicus, *Denmark*, '94, 173.

lilfordi (*Grus*), see *Grus*.

Limicola pygmæa, *Hclg.* '95, 339.

Limicola (Shore-birds or Waders), '81,
 30, 78, 81, 83, 162, '82, 47, 116^a,
 '83, 117^a, '84, 383, '86, 272^a, '87,
 339^a, 341^a, '88, 331, '93, 108, '96,
 64, 165, '97, 102, 1900, 368.

Limnogerus, see *Grus*.

Limnopardalus maculatus (^b *Rallus*),
Urug. '84, 276?; *W. I.*, *meas.*, *plm.*,
 syn. '88, 52^b.

rytirhynchus (^b *Rallus*), *Argent.*,
Urug., *hbt.*, *nst.*, *plm.* '84, 176^b; *misc.*
 '94, 243.

vigilantis, *misc.* '94, 243.

Limonites, see *Tringa*.

Limosa, '87, 315, '88, 331.
 baueri (Pacific Godwit, ^b *novæ-*
 zelandie), *Alas.* '79, 53 [^c Hudsonian
 Godwit 'I], '84, 79^c, '85, 63^c, 201; *g.*
 dist. '93, 123.—*mig.* '85, 63^c; *syn.*
 '84, 79^c.
 fedoa (^a Marbled Godwit), *Ariz.*
 '86, 386?; *Cal.* '86, 91; *Colo.* '85, 18;
 Fla. '81, 19, '89, 157, '92, 212; *Ga.*
 '96, 215; *g. dist.* '93, 125; *Ind.* '88,
 349; *La.* '97, 288; *Man.* '86, 152;
 Me. '85, 385, 1900, 386; *Minn.* '80,
 13, 18, '89, 340^a; *Mo.* '79, 147; *N. J.*
 '79, 225; *N. Y.* '82, 256, '86, 436; *O.*
 '90, 393; *S. D.* '85, 286; *Tex.* '82,
 222; *W. I.* '87, 316, '92, 13?.—*anat.*
 '86, 446; *hbt.* '80, 13, 18, 181, '93,
 293, 293; *meas.* '80, 13, 18; *syn.* '87,
 316; *misc.* '86, 124.

hæmostica (^a Hudsonian or Ring-tailed Godwit, ^b *hudsonica*), *Alas.* '79,
 53^a [*baueri?*]; *Argent.* '99, 292^b; *Dak.*
 '80, 59; *g. dist.* '93, 123; *Hud. B.* '90,
 321; *Man.* '86, 152; *Mass.* '79, 64^b;
 Md. '87, 341^a; *Minn.* '89, 340; *N. Y.*
 '86, 437, '94, 163; *Pa.* '79, 235^b; *S.*
 D. '85, 286; *W. I.* '87, 316.—*hbt.* '93,
 293, 293; *meas.* '80, 60; *mig.* '80, 60,
 '99, 292^b; *plm.* '80, 29^b (*alb.*), '94,
 163; *syn.* '80, 100, '87, 316, '97, 103;
 misc. '93, 295.

lapponica (^b *rufa*), *Helg.* '95, 338.

—*anat.* '86, 446^b.

belgica (^b *melanurooides*), *Hclg.* '95,

 338.—*Kamts.* '88, 197^b.

limosa (*Limosa*), see *Limosa*.

Limpkin, see *Aramus giganteus*.

Linaria (*Acanthis*), see *Acanthis*.

— (*Ægiothous*), see *Acanthis*.

— (*Fringilla*), see *Acanthis linaria*
 or *cabaret*.

— (*Linota*), see *Acanthis*.

linchii (*Collocalia*), see *Collocalia*.

lincolni (*Melospiza*), see *M. lincolni* or
 striata.

Lindahl, Joshua.

Black-capped Petrel (*Æstrelata hasi-*
 tata) on Ohio river at Cincinnati,
 '99, 75.

Linden, Charles.

Domestication of some of our wild
 ducks (rev.), '83, 233.

Obituary of, '88, 220.

lindeni (*Coccyzus*), see *C. americanus*.

linearis (*Chiroxiphia*), see *Chiroxiphia*.

— (*Geotrygon*), see *Geotrygon*.

lineata (*Spermophilus*), see *Sporophila*.

— (*Sporophila*), see *Sporophila*.

— (*Thalassidroma*), see *Thalassidroma*.

lineatus (*Buteo*), see *B. lineatus* or
 alleini.

— (*Ceophleus*), see *Ceophleus*.

— (*Cymbilanius*), see *Cymbilanius*.

— (*Euplocamus*), see *Euplocamus*.

— (*Picus*), see *Ceophleus*.

lineolatus (*Dactylortyx*), see *Dactylor-*
 tyx.

linnaea (*Agyrtaria*), see *Agyrtaria*.

Linnæan Society of New York, '83, 50-
 55, '88, 222, '89, 196-204, '90, 387.

Linnet, American, see *Carpodacus pur-*
 pureus or *frontalis*.

Blue, see *Cyanospiza amœna*.

Brewster's, see *Acanthis brewsterii*.

European, see *Acanthis cannabina*.

Pine, see *Spinus pinus*.

Red-poll, see *Acanthis linaria*.

Linota, see *Acanthis*.

Lintner, G. A.

Capture of Golden Eagle at Albany,
 N. Y. '83, 123.

Capture of Yellow-breasted Chat at
 Albany, N. Y. '83, 180.

Duck Hawks breeding in Helderberg
 Mountains, New York, '84, 391.

Liosceles erithacus, *syn.* '90, 380.

Liotriches, '84, 279.

Lipaagus simplex, *Braz.* '91, 25.

Lipoglossae, '81, 31, 74.

- Lippincott's Magazine, titles (Nos. 1670-1671), '90, 201.
 litoreus (Totanus), see *T. nebularius*.
Little Cayman Island, West Indies.
Cory, C. B., '87, 7, '89, 30-32.
Littlejohn, Chase.
 Notes on Ancient Murrelet (*Synthliboramphus antiquus*), '95, 271-277.
littoralis (Cardinalis), see *Cardinalis*.
 — (Cyanocitta), see *C. stelleri*.
 — (Leucosticte), see *Leucosticte*.
 — (Parus), see *P. hudsonicus*.
Livermore, J.
 Yellow-crowned Night Heron in Rhode Island, '94, 177.
livia (Columba), see *Columba*.
lizanoi (Grallaria), see *Grallaria*.
Lloyd, William.
 Birds of Tom Green and Concho Counties, Texas, '87, 181-193, 289-299.
lloydii (Psaltriparus), see *Psaltriparus*.
lobata (Tringa), see *Phalaropus*.
lobatus (Lobipes), see *Phalaropus*.
 — (Phalaropus), see *Phalaropus*.
Lobipes, see *Phalaropus*.
Lobivanellus, see *Jacana*.
 Localities, see their names.
Lockwood, Emma H.
 Bird protection in New York, '98, 90.
Lockwood, Samuel.
 A black Robin, '80, 46.
 Obituary of, '94, 189.
loculator (Tantalus), see *Tantalus*.
Locustella, '94, 233.
certhiola, *Helg.* '95, 333.
fluvialis, *Helg.* '95, 333.
hondoensis, *Japan*, '94, 170.
nævia, *Helg.* '95, 333.
locutrix (Columba), see *Columba*.
Logcock, see *Ceophlebeus pileatus*.
Loggerhead, see *Pitangus caudifasciatus*.
lomitensis (Thryothorus), see *Thryothorus*.
Lomvia, see *Uria*.
lomvia (Uria), see *Uria*.
Long-beak, Greater, see *Macrorhamphus scolopaceus*.
longicauda (Bartramia), see *Bartramia*.
 — (Icteria), see *Icteria*.
 — (Leptostoma), see *Geococcyx californianus*.
 — (Palaeornis), see *Paleornis*.
 — (Psittacus), see *Paleornis*.
 — (Totanus), see *Bartramia*.
 — (Tringa), see *Bartramia*.
longicaudata (Icteria), see *I. longicauda*.
longicaudatus (Actiturus), see *Bartramia longicauda*.
 — (Stercorarius), see *S. longicaudus*.
longicaudus (Actiturus), see *Actiturus*.
 — (Stercorarius), see *Stercorarius*.
Longipennes, '81, 82, '83, 232, '84, 383, '93, 106, 345, '96, 160.
longipennis (Dendrochelidon), see *Dendrochelidon*.
 — (Dendrochelidon), see *Dendrochelidon*.
 — (Geositta), see *Geositta*.
 — (Hirundo), see *Dendrochelidon*.
 — (Sturna), see *S. paradisea*.
longipes (Thryothorus), see *Thryothorus*.
longirostris (Æstrelata), see *Æstrelata*.
 — (Agelaius), see *Agelaius*.
 — (Arbelorhina), see *Cæreba*.
 — (Chrysomitrus), see *Spinus*.
 — (Cæreba), see *Cæreba*.
 — (Cyanerpes), see *Cæreba*.
 — (Dendroplex), see *Dendroplex*.
 — (Eulaemps), see *E. holosericeus*.
 — (Floricola), see *Floricola*.
 — (Harporhynchus), see *Harporhynchus*.
 — (Icterus), see *Icterus*.
 — (Linaria), see *Acanthis*.
 — (Melanotis), see *Melanotis*.
 — (Nasica), see *Nasica*.
 — (Numenius), see *Numenius*.
 — (Rallus), see *R. longirostris*, *crepitans*, or *caribœus*.
 — (Scolopax), see *Macrorhamphus scolopaceus*.
 — (Spinus), see *Spinus*.
 Long Island, see *New York*.
longissimus (Phororhacos), see *Phororhacos*.
 Longspur, Alaskan, see *Calcarius alascensis*.
 Chestnut-collared, see *Calcarius ornatus*.
 Kamtschatkan, see *Calcarius coloratus*.
 Lapland, see *Calcarius lapponicus* or *alascensis*.
 McCown's, see *Rhynchosphanes mccownii*.
 Painted, see *Calcarius pictus*.
 Smith's, see *Calcarius pictus*.
longuemareus (Pygmornis), see *Pygmornis*.
Loomis, Leverett Mills.
 A partial list of birds of Chester Co., South Carolina, '79, 209-218.
 Northern Phalarope in Chester Co., South Carolina, '80, 242.

- New bird (*Plectrophanes pictus*) for South Carolina, '81, 115.
- Occurrence of *Coturniculus lecontei* in Chester Co., South Carolina, '82, 54.
- Xanthoccephalus icterocephalus* in Chester Co., South Carolina, '84, 293.
- Supplementary notes on ornithology of Chester Co., South Carolina, '85, 188-193.
- Breeding of *Psaltriparus minimus* in South Carolina, '86, 137.
- Dendroica dominica albifrons* in South Carolina, '86, 139.
- Phainopeplus ruber* in South Carolina, '86, 408.
- Bonasa umbellus* in Alpine regions of South Carolina, '86, 483.
- Absence of *Ammodramus lecontei* in South Carolina in 1885, '86, 486.
- Addition to ornithology of South Carolina, '87, 76.
- Remarks on four examples of Yellow-throated Warbler from South Carolina, '87, 165.
- Otocoris alpestris praticola* in Chester Co., South Carolina, '87, 255.
- Another addition to avifauna of South Carolina, '87, 261.
- Hemimela swainsonii* near Chester C. H., S. C. '87, 347.
- Notice of presence of *Quiscalus quiscula cencus* in upper South Carolina, '88, 113.
- Further occurrence of *Otocoris alpestris praticola* in Chester Co., S. C. '88, 206.
- Sciurus noveboracensis notabilis* in S. C. '88, 324.
- A rare bird in Chester Co., S. C. '89, 74.
- Another western bird in South Carolina, '89, 194.
- Raven as a South Carolinian, '89, 277.
- Observations on summer birds of mountain portion of Pickens Co., South Carolina, '90, 30-39, 124-130.
- Further review of avian fauna of Chester Co., South Carolina, '91, 49-59, 167-173, '92, 28-39, '94, 26-39, 94-117.
- A forgotten volume [of Audubon's ornith. biography], '91, 230.
- June birds of Caesar's Head, South Carolina, '91, 323-333.
- Description of new Junco from California, '93, 47.
- Notes on plumage of some birds from upper South Carolina, '93, 151-155.
- Bobolink on coast of South Carolina, '94, 255.
- Point Pinos Junco (*Junco hyemalis pinosus*), '94, 265 (col. pl.).
- California water birds (rev.), '95, 378, '96, 168, 329, 1900, 182.
- Bird protection in California, '98, 109.
- Loon, see *Gavia imber*.
- Black-throated, see *Gavia arctica*.
- Pacific, see *Gavia pacifica*.
- Red-throated, see *Gavia lumme*.
- Sheldrake, see *Gavia lumme*.
- Yellow-billed, see *Gavia adamsii*.
- Loons, see *Gaviidae*.
- Loon, The (magazine), titles (Nos. 1954-1957), '90, 107.
- Lophodytes*, '88, 69, '93, 107.
- cucullatus* (* Hooded Merganser, ^b *Mergus*), Ariz. '86, 384; B. C. '93, 291; Cal. '86, 89; Colo. '85, 18, 144; Cuba, '88, 69; Engl. '77, 107^b; Fla. '81, 41^a, '88, 268, 378, '92, 211; France, '77, 107^b, '80, 217^b; Ga. '96, 215; G. Brit. '80, 217^b; Ida. '97, 350; Ind. '82, 22, '88, 346; Kau. '85, 112; Ky. '89, 312; La. '97, 285; Man. '86, 148; Mass. '96, 203; Me. 1900, 208^a; Minn. '84, 249; Mo. '95, 351^a, '96, 221; Mont. '92, 212; N. D. '99, 162; N. Y. '81, 235, '84, 288^a; Ont. '85, 372^b; Orc. '79, 198^b, '86, 163, '88, 141, '91, 366 (fossil), '93, 344 (fossil); S. C. '85, 193^b; S. D. '85, 288; Tex. '87, 184, '92, 231, 1900, 338; Wash. '93, 17, 291.—hbt. '78, 40^b, '95, 351^a; nst. '84, 288^a, '95, 351^a, 1900, 209^a; syn. '88, 69.
- Lophophanes, see *Parus*.
- Lophorina minor*, New Guinea, '86, 399.
- Lophornis adorabilis*, C. R. '92, 324.
- Lophortyx*, '97, 214, '98, 64, '99, 106.
- californicus* (California Partridge or Quail, ^b *Callipepla*, ^c *brunnescens*), Cal. '85, 247, '86, 92^b; Colo. '85, 14 (introduced); g. dist. '85, 208^c, '93, 134^b; Mo. '82, 115^a (introduced); Wash. '92, 43^b.—hbt. '94, 70^a; plm. '76, 22 (alb.), '85, 247, '86, 92^b (alb.), 1900, 48^b (mlt.); syn. '85, 372, 372^c, '99, 106; misc. '82, 115^a, '83, 177^a, '85, 205^a, '90, 85^b, '92, 66^a, 196^c.
- elegans*, Cal. '77, 95?.
- fulvipectus* (^b *Callipepla*), Mex. '99, 26^b*
- gambelii* (* Gambel's Partridge or Quail, ^b *Callipepla*, ^c *Callipepla de-*

serticola), *Ariz.* '83, 32, '86, 65^a, 388^b, '90, 48^b, '90, 393^{b?}, '92, 198^a, '94, 218^a, '99, 27^b, 1900, 32^a; *Cal.* '83, 32, '84, 355, '85, 247, '89, 280, '90, 297^b, '93, 204^b, '95, 371^{c*}; *g. dist.* '93, 134^b; *Mass.* '93, 296^a; *Mcr.* '85, 228, 231; *N. M.* '93, 294^b, '98, 307^b; —*hbt.* '94, 128^b (3 pl.); *plm.* '80, 29 (alb.), '85, 247, '86, 389^b (mlt.), 1900, 49^b (mlt.), '96, 265^c; *syn.* '97, 132^c, '99, 27^b, 106; *misc.* '85, 301, '92, 386^a, '93, 320^b, '94, 68^b, 68^b.

vallicola (^a Valley Partridge or Quail, ^b californica, ^c Callipepla), *B. C.* '93, 16^c; *Cal.* '83, 32^b, '84, 355^b, '89, 221, '96, 81^c, 116^c, 265^c, '97, 404, '98, 234^c; *L. Cal.* '95, 136^c; *Wash.* '93, 17^c.—*fd.* '95, 136^c, '96, 116^c; *hbt.* '83, 184^b, '85, 213^a, '95, 136^c, '96, 81^c, 116^c; *plm.* '96, 265^c (hyb.), 1900, 48^c (mlt.); *nest.* '97, 404^c; *syn.* '85, 372^c, '99, 106; *misc.* '97, 197, 307^a.

Lophostrix cristata, *Braz.* '91, 160. *stricklandi*, *C. R.* '92, 327.

Lophotriorchis, '94, 233.

minor, *C. R.* '92, 173.

subcristatus, *Venez.* '94, 66.

zeledoni, *C. R.* '92, 173.

lophotus (*Homorus*), see *Homorus*.

Lords and Ladies, see *Histrionicus histrionicus* (males and females).

Loriculus, '94, 234, 235.

chrysonotus, *P. I.* '94, 235.

galgulus, *Borneo*, *syn.* '91, 12.

hartlaubii (^b *worcesteri*), *P. I.* '94, 235, 235^b.

mindorensis, *P. I.* '94, 235.

philippensis, *P. I.* '94, 235.

regulus, *P. I.* '94, 235.

siquijorensis, *P. I.* '94, 235.

Lorus garrulus, *plm.* '92, 90.

Louisiana.

Allen, J. A., '80, 135–137, '88, 324–325, 1900, 187, 392–393.

Allison, A., '99, 82–83, 1900, 170, 297.

Beckham, C. W., '82, 159–165, '87, 299–306.

Bendire, C. E., '93, 366–367.

Beyer, G. E., 1900, 97–99.

Bicknell, E. P., '80, 182.

Brewster, W., '82, 48–49.

Chapman, F. M., '91, 318, '99, 10.

Coombs, F. E., '92, 204–206.

Coues, E., '80, 203.

Fisher, A. K., '88, 108, 111, 113.

Galbraith, C. S., '88, 323.

Ingersoll, E., '81, 184.

Kohn, G., '86, 475, '89, 76, 190, '94, 181.

Langdon, F. W., '82, 48–49.

Lawrence, G. N., '87, 35–37, 262–263.

McIlhenny, E. A., '97, 285–289.

Merriam, C. H., '87, 262.

Ridgway, R., '80, 140.

Ufford, H. P., '90, 392.

Lowe, Willoughby Prescott.

List of birds of West Mountains, Huerfano Co., Colorado, '94, 266–270.

Scarlet Ibis (*Guara rubra*) in Colorado, '95, 324.

Addition to birds of Colorado, '95, 298.

Lower California, Mexico.

Allen, J. A., '84, 83–84, 284–285, '90, 281–282, '91, 305, '93, 138–139, 306–307, '94, 167–168, '99, 346–347.

Anthony, A. W., '92, 188, '94, 210–214, '95, 52–53, 109–112, 134–143, 183, 280, 347, '97, 164–168, '98, 36, 39, 140–144, 267, 1900, 247–252.

Batchelder, C. F., '90, 281.

Belding, L., '84, 83, 284.

Brewster, W., '88, 83–86, 90, 136, '89, 87, 92, '90, 377–379, '91, 144–145, 146–149.

Bryant, W. E., '92, 188, 188, 289.

McGregor, R. C., '98, 265–267.

Mearns, E. A., '95, 257–259.

Merriam, C. H., '93, 305–307.

Oberholser, H. C., '97, 390–394.

Rhoads, S. N., '93, 238–241.

Ridgway, R., '84, 284, '87, 347, '98, 227.

Streets, T. H., '78, 80–81.

Loxia, '83, 170, '96, 113.

amurensis, *syn.* '83, 170.

bifasciata, *Denmark*, '81, 64?;

Helg. '95, 336.—*syn.* '83, 170.

curvirostra (^a European Crossbill), *Helg.* '95, 336.—*plm.* '83, 121^a; *syn.* '83, 170, '85, 207.

himalayana, *syn.* '83, 170.

japonica, *syn.* '95, 207.

leucoptera (^a White-winged Crossbill, ^b Curvirostra), *Alas.* '88, 410;

B. C. 1900, 106; *Colo.* '81, 89, '85, 16; *Engl.* '77, 107; *Europe.* '80, 66, 71;

Ga. '96, 210^a, 213; *g. dist.* '93, 126;

Hud. B. '90, 322; *Ida.* '97, 349^b; *Ill.* '90, 239; *Ind.* '85, 98^a, '89, 241; *Man.* '86, 322; *Mass.* '83, 148; *Mc.* '83, 47;

Mich. '93, 226; *Minn.* '84, 244^a; *N.* '83, 174^a; *N. H.* '88, 152, 1900,

176; *N. S.* '95, 90, '99, 252; *N. Y.* '78, 53, '79, 33, '81, 229, '83, 52^a, '93, 276, '99, 195, 1900, 295; *O.* '89, 201, '92, 397; *Ont.* '83, 146^a, '84, 159; *Ore.* '86, 168; *P. E. I.* '85, 264^a, '93, 11; *Que.* '82, 235, 254, '83, 233^b, '89, 148; *R. I.* 1900, 175.—*anat.* '83, 47; *hbt.* '83, 11; *mig.* 1900, 295; *nst.* '83, 174^a, '85, 210; *plm.* '78, 117, '82, 254, '83, 46, 233^b, '88, 410; *song.* '93, 11, 1900, 295; *syn.* '83, 170; *misc.* '80, 141^a.
macroura, *syn.* '91, 92.
minor (^a American Red Crossbill, ^b curvirostra, ^c americana), *Alas.* '98, 128; *Atlantic Ocean*, '96, 176; *Colo.* '81, 143^c [*stricklandi?*], '85, 16; *D. C.* '85, 379^c, '88, 22; *Ida.* '97, 349 [*stricklandi?*], '98, 15; *Ill.* '90, 239; *Ind.* '85, 98^a, '89, 24; *Ky.* '85, 212^a, '94, 244^b; *La.* '88, 325; *Man.* '86, 322; *Mass.* '83, 148, '85, 105^c, '88, 389, 390, '89, 43^a, 100, '90, 225; *Ind.* '84, 292^c, '88, 22; *Mc.* '83, 46^c, '95, 390, 1900, 175; *Mich.* '93, 225; *Minn.* '84, 244^a, '86, 322; *Mont.* '94, 305, '95, 216; *N. B.* '89, 118^b; *N. C.* '86, 107, '87, 242; *N. E.* '86, 261; *N. H.* '87, 105, '88, 152, 154; *N. M.* '85, 333^c [*stricklandi?*]; *N. S.* '99, 252; *N. Y.* '78, 53^c, '79, 33^c, '80, 7-11^b, '81, 229^c, '84, 327^a, 404, '85, 100^a, '95, 304, 1900, 295; *O.* '79, 62^b, '89, 201; *Ont.* '84, 88^c, 88^e, 159^c; *Ore.* '86, 168; *Pa.* '92, 134, 137, '94, 182^a, '99, 312; *P. E. I.* '85, 264^a, '93, 10; *Que.* '89, 148; *S. C.* '87, 287, 289, '88, 115, 208, 324, '89, 197^a, '94, 38^a; *Tenn.* '81, 56^a; *Va.* '96, 179; *W. T.* '79, 121^a, '80, 50^c; *Wash.* '92, 45, '97, 177.—*anat.* '83, 46^c; *fd.* '87, 287, '88, 208, '93, 11, '99, 362^a; *hbt.* '80, 7^c, 50^c, '81, 56^c, '88, 317, '92, 45, 190^a, '93, 11, '98, 15, '99, 252; *meas.* '80, 9^b, '84, 292^c; *mig.* '94, 38^a; *nst.* '77, 74^b, '80, 7-11^c, 50^c, '84, 88^b, 88^b, 292^c, '85, 100^a, 105^c, 379^c, '90, 228, '95, 304; *plm.* '78, 117^c, '81, 56^c, '83, 46^c, '86, 261; *song.* '80, 7^c, '84, 327^a, '93, 11; *syn.* '83, 170^c, '85, 206^b, '86, 261; *misc.* '83, 3^b (fig.), '90, 80^a, '92, 196^b.

pityopsittacus, *Helg.* '95, 336.—*syn.* '83, 170.

stricklandi, (^a Mexican Crossbill, ^b mexicana, ^c bendirei, ^d Curvirostra mexicana), *Ariz.* '82, 193^b, '87, 197, '88, 114, '90, 49, 258; *Colo.* '79, 93^b, '80, 229^b, '81, 143 [^c *americana?*], '83, 160^b; *g. dist.* '85, 207^c; *Ida.* '97,

349^d; *Kan.* '86, 256^a, 258-261; *N. M.* '85, 128, 333 [^c *americana?*]; *Ore.* '88, 358.—*fd.* '87, 197; *hbt.* '86, 258, '87, 197; *meas.* '82, 193^b, '83, 161^b, '86, 260; *plm.* '82, 193^b, '86, 258; *song.* '80, 229^b; *syn.* '83, 160^b, 371, '86, 261; *misc.* '98, 4^c.

Loxigilla, see *Pyrrhulagra*.

barbadensis, '86, 382*, see *Pyrrhulagra*.
richardsoni, '86, 382*, see *Pyrrhulagra*.

Loximitris, '86, 206.

dominicensis, *W. I.* '81, 152, '86, 207, '95, 279.—*meas.*, *plm.*, *syn.* '86, 207.

Loxipasser anoxantha (^b *Loxigilla*), *W. I.* '86, 205, '93, 180^b.—*meas.*, *plm.*, *syn.* '86, 205.

Lucar, see *Galeoscoptes*.

Lucas, Frederic Augustus.

Birds and windows, '81, 125.

Notes on the os prominens, '82, 86-89 (figs.).

Note on habits of young of *Gallinula galactea* and *Podilymbus podiceps*, '82, 124.

Plumage of young of *Eclectus polychlorus*, '82, 183.

Affinities of *Chætura*, '86, 444-451, '87, 171.

Notes of a bird catcher, '87, 1-6.

Bird rocks of Gulf of St. Lawrence in 1887, '88, 129-135.

Notes on osteology of Spotted Tinamou (*Nothura maculosa*) (rev.), '88, 198.

Great Auk notes, '88, 278-283.

Abnormalities in ribs of birds, '88, 329.

Main divisions of Swifts, '89, 8-13.

Costal variations in birds, '89, 195.

see Walker, M. L., ‘quadrate bone in birds’ (rev.), '90, 198.

The Great Auk in the U. S. National Museum, '90, 203.

Osteology of the Thrushes, Miminæ, and Wrens (rev.), '90, 277.

Some bird skeletons from Guadalupe Island, '91, 218-222.

see Thompson, D'A. W., ‘systematic position of *Hesperornis*’ (rev.), '91, 304.

Observations upon history and anatomy of Great Auk (rev.), '91, 306.

Osteology of the Paride, *Sitta*, and *Chamaea* (rev.), '92, 172.

Structure of the tongue in Hummingbirds (rev.), '92, 172.

Catalogue of skeletons of birds col-

lected at Abrolhos Is. [Brazil], etc. (rev.), '92, 172.
 An egg of Great Auk, '92, 198.
 Habits of Herring Gull, '92, 388.
 Up to date, '92, 395.
 A neglected branch of ornithology, '93, 210.
 Food of Hummingbirds, '93, 311–315.
 Swifts and Hummingbirds (rev.), '93, 345.
 Number of ribs in *Cypseloides*, '93, 365.
 The tongue of Cape May Warbler, '94, 141–144 (7 figs.).
 Notes on anatomy and affinities of Cerebidae and other American birds (rev.), '95, 71.
 Additional characters of Macropygidae, '95, 155–157 (10 figs.).
 A new family of birds, '95, 186.
 Tongues of birds, '95, 186.
 Tongues of Woodpeckers (rev.), '95, 380.
 see Ameghino, E., 'oiseaux fossiles de Patagonie' (rev.), '96, 61–63.
 Weapons and wings of birds (rev.), '96, 72.
 Deltoid muscle in Swifts, '96, 82.
 Taxonomic value of the tongue in birds, '96, 109–115 (12 figs.).
 Skull of the young Cormorant, '96, 172.
 Woodpeckers' tongues—a plea for aid, '96, 174.
 Nostrils in young Cormorants, '97, 87.
 Osteological and pteryographical characters of Procniatidae (rev.), '96, 334.
 Notes on myology of *Hemiprocne zonaris*, '99, 77.
 [Recent papers on the Great Auk] (rev.), '99, 91.
 see Pycraft, W. P., 'osteology of Impennies' (rev.), '99, 363.
 see Thompson, D'A. W., 'cranial osteology of the Parrot,' 1900, 84.
 Lucas, F. A., and Stejneger, L., see Stejneger and Lucas.
 lucasanus (Buteo), see Buteo.
 — (Dryobates), see Dryobates.
 — (Vireo), see Vireo.
 lucasi (Pediocetes), see Pediocetes.
 lucayensis (Myiarchus), see Myiarchus.
 — (Tyrannula), see Myiarchus sagrae.
 luce (Ardea), see A. egretta.
 — (Egretta), see Ardea egretta.
 — (Herodias), see Ardea egretta.

luciae (Helminthophila), see Helminthophila.
 lucida (Arbelorhina), see Cereba.
 — (Cereba), see Cereba.
 lucidus (Cyanerpes), see Cereba.
 lucifer (Calothorax), see Calothorax.
 — (Trochilus), see Calothorax.
 luctuosa (Sterna), see S. fuliginosa.
 luctuosus (Tachyphonus), see Tachyphonus.
 — (Thamnophilus), see Thamnophilus.
 ludoviciana (Ardea), see A. ruficollis.
 — (Demigretta), see Ardea ruficollis.
 — (Goniaphea), see Zamelodia.
 — (Gonophea), see Zamelodia.
 — (Guiraca), see Zamelodia.
 — (Habia), see Zamelodia.
 — (Hedymeles), see Zamelodia.
 — (Henicocichla), see Seiurus motacilla.
 — (Herodias), see Ardea ruficollis.
 — (Hydranassa), see Ardea ruficollis.
 — (Loxia), see Zamelodia.
 — (Motacilla), see Compsothlypis usneae.
 — (Piranga), see Piranga.
 — (Sturnella), see S. hippocrepis or magna.
 — (Tanagra), see Piranga.
 — (Zamelodia), see Zamelodia.
 ludovicianus (Anthus), see A. pensylvanicus.
 — (Coccoborus), see Zamelodia.
 — (Collurio), see Lanius ludovicianus or gambeli.
 — (Lanius), see L. ludovicianus or Tyrannus tyrannus.
 — (Seiurus), see S. motacilla.
 — (Siurus), see S. motacilla.
 — (Thryothorus), see Thryothorus.
 — (Turdus), see Seiurus motacilla.
 lugens (Motacilla), see Motacilla.
 luggeri (Tyrannus), see Myiozetetes sulphureus.
 lugubris (Chaleophanes), see Quiscalus brachypterus.
 — (Contopus), see Contopus.
 — (Horizopus), see Contopus.
 — (Hypocnemis), see Hypocnemis.
 — (Motacilla), see Motacilla.
 — (Ninox), see Ninox.
 — (Quiscalus), see Quiscalus.
 luminosus (Quiscalus), see Quiscalus.
 — (Quiscalus), see Q. inflexirostris.
 lumme (Colymbus), see Gavia.
 — (Gavia), see Gavia.
 — (Urinator), see Gavia.
Lunda cirrhata (Tufted Puffin, ^b Mor-

- mon), *Alas.* '80, 33-35^b, '85, 159, '98, 124, 230; *Greenl.* '85, 388; *Mc.* '85, 388; *Wash.* '92, 41.—*anat.* '88, 328; *hbt.* '80, 33^b, 35^b; *nst.* '80, 34^b, '98, 124; *plm.* '80, 126, 128 (mlt.); *syn.* '80, 128.
lunifrons (*Hirundo*), see *Petrochelidon*.
— (*Petrochelidon*), see *Petrochelidon*.
luridus (*Picus*), see *Meiglyptes tukki*.
luscinia (*Daulias*), see *Daulias*.
— (*Daulias*), see *Daulias*.
Lusciniola fuscata, *Helg.* '95, 332.
luteicapilla (*Euphonia*), see *Euphonia*.
luteiventris (*Myiodynastes*), see *Myio-*
dynastes.
luteola (*Cæreba*), see *Cæreba*.
— (*Emberiza*), see *Emberiza*.
— (*Sicalis*), see *Sicalis*.
lutescens (*Helminthophila*), see *Hel-*
minthophila.
luteus (*Colaptes*), see *Colaptes*.
lutosus (*Polyborus*), see *Polyborus*.
luxuosa (*Xanthoura*), see *Xanthoura*.
luzonensis (*Parra*), see *Hydrophasianus*
chirurgus.
Lybius, 1900, 179.
abbotti (^b *Melanobucco*), *Africa*, '97, 164^b*.—*meas.* '97, 164^b; *syn.* 1900, 179.
æquatorialis, *syn.* 1900, 179.
albicauda, *syn.* 1900, 179.
bidentatus, *syn.* 1900, 179.
conicus, *syn.* 1900, 179.
irroratus, *syn.* 1900, 179.
leucocephalus, *syn.* 1900, 179.
leucogaster, *syn.* 1900, 179.
levaillantii, *syn.* 1900, 179.
maccouloni, *syn.* 1900, 179.
melanopterus, *syn.* 1900, 179.
senex, *syn.* 1900, 179.
torquatus, *syn.* 1900, 179.
tridactylus, *syn.* 1900, 179.
undatus, *syn.* 1900, 179.
vieilloti, *syn.* 1900, 179.
zombæ, *syn.* 1900, 179.
Lydekker, Richard, and **Slater**, Philip
 Littley.
 Royal Natural History, birds, vols. iii,
 iv (rev.), '96, 156-160, 252.
Lyncornis, '94, 233.
 Lyre-bird, see *Menura superba*.
lyrura (*Doricha*), see *Doricha*.
Lyrurus tetrix (^a *Blackcock*), *misc.*
 1900, 110*.
Lysurus, '98, 223, 225*.
Lyttleton, Thomas.
 Obituary of, '96, 348.

- M
- Mabbett**, Gideon.
 Query in regard to Least Tern, '90,
 410.
 Macaw, Blue, see *Ara hyacinthina*.
maccallii (*Ortalix*), see *Ortalix*.
— (*Scops*), see *Megascops*.
maccounii (*Lybius*), see *Lybius*.
maccouni (*Plectrophanes*), see *Rhyn-*
chophanes.
— (*Rhynchophanes*), see *Rhyncho-*
phanes.
macdonaldi (*Nesomimus*), see *Nesomi-*
mus.
macei (*Dryobates*), see *Dryobates*.
— (*Picus*), see *Dryobates*.
MacFarlane, Robert.
 Notes on and lists of birds and eggs
 collected in Arctic America (rev.),
 '92, 64.
macfarlanei (*Megascops*), see *Mega-*
scops.
macgillivraii (*Ammodramus*), see *A.*
macgillivraii or *fisheri*.
— (*Fringilla*), see *Ammodramus*.
macgillivrayi (*Geothlypis*), see *G. tol-*
miei.
— (*Sylvia*), see *Geothlypis tolmiei*.
Machetes, see *Pavoncella*.
Machetornis rixosa, *Urug.*, *hbt.* '83,
 142.
Mackay, George Henry.
 Notes on several species of water
 birds at Muskeget I., Massachusetts, '90, 294.
Somateria dresseri, the American
 Eider, '90, 315-319.
 Habits of Golden Plover (*Charadrius*
*dominicu*s) in Massachusetts, '91,
 17-24.
 Uncommon birds for Nantucket
 Island, Massachusetts, '91, 120.
 Scoters (*Oidemia americana*, *de-*
glandi and *perspicillata*) in New
 England, '91, 279-290.
'Fire-lighting' '91, 340-343.
 Habits of Eskimo Curlew (*Numenius*
borcalis) in New England, '92,
 16-21.
Calidris arcuaria in Massachusetts in
 winter, '92, 72.
 Habits of Black-bellied Plover (*Cha-*
radrius squatarola) in Massachu-
 setts, '92, 143-152, 300.
Anas carolinensis and *Gallinago deli-*
cata in winter, '92, 199.
 Migration of *Charadrius dominicus*
 in Massachusetts in 1891, '92, 199.
 Habits of American Herring Gull

- (*Larus argentatus smithsonianus*) in New England, '92, 221-228.
 Migration of *Urinator imber*, '92, 292.
 Spring migration of Scoters in 1892, '92, 292-294.
 Red Phalarope (*Crymophilus fulicarius*) at Nantucket I., Massachusetts, '92, 294-298.
 Water birds at Nantucket, Massachusetts, '92, 304-306.
 Habits of Oldsquaw (*Clangula hyemalis*) in New England, '92, 330-337.
 Habits of Hudsonian Curlew in Massachusetts, '92, 345-352.
Totanus flavipes and *Charadrius dominicus*, '92, 389.
Tryngites subruficollis, '92, 389.
 Observations on Knot (*Tringa canutus*), '93, 25-35.
Larus argentatus smithsonianus, '93, 76.
Branta canadensis, '93, 77.
Branta bernicla at Nantucket, Massachusetts, '93, 77.
 Migration of *Numenius borealis* in Massachusetts in 1892, '93, 79.
Charadrius squatarola, '93, 79.
 Migration of *Charadrius dominicus* in Massachusetts in 1892, '93, 79-82.
 Fly lines, '93, 245-249.
 Behavior of a Sandhill Crane, '93, 300.
 Observations on breeding habits of *Larus atricilla* in Massachusetts, '93, 332-336.
 Stray notes from vicinity of Muskeget Island, Massachusetts, '93, 370.
 Habits of Double-crested Cormorant (*Phalacrocorax dilophus*) in Rhode Island, '94, 18-25, 175.
 Further news of the Gull 'Dick,' '94, 73, '95, 76.
 The 1893 migration of *Charadrius dominicus* and *Numenius borealis* in Massachusetts, '94, 75, 76.
 Stray notes from Massachusetts, '94, 84, 85.
 Notes on certain water birds in Massachusetts, '94, 223-228, 324.
 Terns of Muskeget I. Massachusetts, '95, 32-48, 178, '96, 47-55, '97, 383-390, '98, 168-172.
Branta canadensis, '95, 77.
Numenius hudsonicus, '95, 77.
 The 1894 migration of *Charadrius dominicus* in Massachusetts, '95, 78.
 Nantucket notes, '95, 310.
 Gull 'Dick' again, '96, 78.
- The 1895 migration of *Charadrius dominicus* in Massachusetts, '96, 80.
 A correction, '96, 86.
 Nantucket and Muskeget Island notes, '96, 88.
 Gätke's birds of Heligoland, '96, 89-92.
 Sundry notes, '96, 182, '97, 228.
 The 1896 migration of *Charadrius dominicus* and *Numenius borealis* in Massachusetts, '97, 212-214.
 Terns of Penikese Island, Massachusetts, '97, 278-284.
 Arrival of Terns at Penikese Island in 1897, '97, 313.
 Great flight of Robins in Florida, '97, 325.
 Terns of Penikese—a correction, '97, 402.
 Gull 'Dick,' '98, 49.
 The 1897 migration of Golden Plover (*Charadrius dominicus*) and Eskimo Curlew (*Numenius borealis*) in Massachusetts, '98, 52.
 Bird protection in Massachusetts, '98, 84-89, '99, 63-66.
 Turkey Vulture (*Cathartes aura*) in Somerville, Mass. '99, 181.
 Fauna of Muskeget Island—a reply, '98, 210.
 White-winged Scoters (*Oidemia deglandi*), '99, 179.
 The 1898 migration of the Golden Plover (*Charadrius dominicus*) and Eskimo Curlew (*Numenius borealis*) in Mass. '99, 180.
 Barn Swallows (*Hirundo erythrogaster*), '99, 184.
 Terns of Muskeget and Penikese Islands, Massachusetts, '99, 259-266.
- Macoun, John.**
 Extract from a report of exploration [Canada] (rev.), '82, 113.
 Catalogue of Canadian birds, pt. i (rev.), 1900, 394.
- Macpherson, Hugh Alexander.**
 [Chapters in Royal Natural History] (rev.), '96, 157.
 History of fowling (rev.), 1900, 85.
- Macrochires, '81, 36, '86, 404, 414, 491-495, '87, 80-82, 170-172, '90, 278.
- macrodactyla (*Oceanodroma*), see *Oceanodroma*.
 — (Sterna), see *S. hirundo*.
 macrollopha (*Cyanocitta*), see *Cyanocitta*.
 — (*Cyanura*), see *Cyanocitta*.

- macromystax (Antrostomus), see Antrostomus.
 — (Caprimulgus), see Antrostomus.
Macronus, '94, 234.
 macroptera (Spinus), see Spinus.
 — (Sturna), see S. hirundo.
 Macropterygidae, '95, 155-157, '97, 419, '99, 78, 382 (corr.).
 Macroptryx, see Dendrochelidon.
 macropus (Phalacrocorax), see Phalacrocorax.
Macropygia, '94, 235.
Macrorhamphus, '87, 312, '88, 193, '93, 108.
 griseus (^a Dowitcher or Red-breasted Snipe), *D. C.* '80, 112; *Engl.* '85, 374, '92, 290^a; *Europe*, '77, 107, '80, 145; *Fla.* '81, 19, '87, 219, 279, '89, 156, 157, '92, 212; *g. dist.* '80, 157-160, '93, 125; *Hud. B.* '90, 321; *Ida.* '97, 351; *Ill.* '96, 180; *Ind.* '97, 199, '98, 62; *Jamaica*, '92, 13, '94, 122; *La.* '97, 288; *Man.* '86, 151; *Mass.* '93, 296; *N. C.* '99, 246^a; *N. E.* '76, 73; *N. J.* '79, 225; *N. Y.* '95, 313; *O.* '90, 393; *Ont.* '90, 400; *Ore.* '79, 197 [*scolopaceus?*]; *Que.* '82, 238; *Tex.* '87, 185, '88, 110; *W. I.* '87, 312.—*hbt.* '81, 19, '93, 293, 293; *meas.* '80, 155, 160; *mig.* '87, 219, 279; *mlt.* '88, 110, 1900, 370; *plm.* '80, 154, 158, '86, 413, '89, 156, 1900, 370; *song.* '80, 156; *syn.* '80, 155, 158, '87, 312; *misc.* '93, 296.
 scolopaceus (Long-billed Dowitcher), *Alas.* '85, 63; *Cal.* '87, 87; *Colo.* '83, 197, '85, 18 [^b 'griseus?']; *D. C.* '88, 147; *Fla.* '81, 19, '88, 184, '89, 156, '92, 212; *g. dist.* '80, 157-160, '93, 125; *Ill.* '96, 180; *Jamaica*, '92, 13; *La.* '97, 288; *Mass.* '79, 64, '96, 88; *N. E.* '76, 73; *N. Y.* '80, 154-157, '84, 32, '85, 37, 273, '86, 436, '95, 313; *Ore.* '79, 197 [^c 'griseus?']; *S. D.* '85, 286; *Tex.* '92, 345; *Wash.* '92, 354; *W. I.* '87, 312, '90, 374.—*hbt.* '81, 19; *meas.* '80, 155, 160, '84, 32, '85, 37; *mig.* '85, 63; *plm.* '80, 154, 157, 1900, 370, 372, 375 (mlt.); *song.* '80, 156; *syn.* '80, 154, 159, '87, 312, '97, 103; *misc.* '80, 88.
 macrorhyncha (Cinclocerthia), see Cinclocerthia.
 macrorhynchus (Cymborhynchus), see Cymborhynchus.
 — (Nucifraga), see Nucifraga.
 — (Turdus), see Cymborhynchus.
 macrotarsa (Gelochelidon), see G. nilotica.
 — (Sterna), see Gelochelidon nilotica.
Macrotarsus, 1900, 167.
 macroura (Columba), see Zenaidura.
 — (Eupetomena), see Eupetomena.
 — (Loxia), see Loxia.
 — (Sturna), see S. paradisea.
 — (Zenaidura), see Zenaidura.
 macrourus (Dendrocyx), see Dendrocyx.
 — (Quiscalus), see Quiscalus.
 macrura (Ectopistes), see E. migratorius.
 macrurus (Emberizoides), see Emberizoides.
 — (Thryothorus), see Thryothorus.
 macularia (Actitis), see Actitis.
 — (Tringa), see Actitis.
 — (Tringoides), see Actitis.
 macularius (Totanus), see Actitis.
 maculata (Actodromas), see Tringa.
 — (Fringilla), see Zamelodia melanoccephala.
 — (Tringa), see Tringa.
 — (Zenaida), see Zenaida.
 maculatum (Todirostrum), see Todirostrum.
 maculatus (Aramides), see Limnopardalus.
 — (Bucco), see Bucco.
 — (Colinus), see Colinus.
 — (Falco), see F. islandus.
 — (Harporhynchus), see Harporhynchus.
 — (Limnopardalus), see Limnopardalus.
 — (Pipilo), see Pipilo.
 — (Rallus), see Limnopardalus.
 maculipennis (Coccothraustes), see C. abeillii.
 maculirostris (Selenidera), see S. gouldi.
 maculosa (Anas), see Anas.
 — (Columba), see Columba.
 — (Dendroica), see Dendroica.
 — (Motacilla), see Motacilla.
 — (Nothura), see Nothura.
 — (Sylvia), see Dendroica.
 — (Sylvicola), see Dendroica.
 — (Tringa), see T. maculata.
 maculosus (Circus), see Circus.
 — (Rhiamphus), see Dendroica.
Madagascar.
 Allen, J. A., 1900, 304.
Madarasz, Julius von.
Zeitschrift für die gesammte ornithologie (rev.), '86, 398.
 maderensis (Fringilla), see Fringilla.
 madrensis (Columba), see Columba.
 magaei (Ornithomya), see Sporadinus maugaei.

- Magazines (noticed), see each title.
magdalena (*Thryothorus*), see *Thryothorus*.
Magdalen Islands, see *Quebec*.
magellanica (*Chrysomitris*), see *Spinus notatus* or *barbatus*.
magellanicus (*Carduelis*), see *Spinus notatus*.
— (*Chloephaga*), see *Chloephaga*.
magister (*Myiarchus*), see *Myiarchus*.
magna (*Sturnella*), see *Sturnella*.
magnifica (*Ptilorhis*), see *Ptilorhis*.
magnirostris (*Asturina*), see *Rupornis*.
— (*Cæra*), see *Cæra*.
— (*Eribates*), see *Eribates*.
— (*Fringilla*), see *Acanthis holboellii*.
— (*Linaria*), see *Acanthis holboellii*.
— (*Melittarchus*), see *Tyrannus*.
— (*Mimus*), see *Mimus*.
— (*Myiarchus*), see *Eribates*.
— (*Myiobius*), see *Eribates*.
— (*Phæthusa*), see *Phæthusa*.
— (*Pipilo*), see *P. megalonyx*.
— (*Ramphocelus*), see *Ramphocelus*.
— (*Rupornis*), see *Rupornis*.
— (*Sterna*), see *Phæthusa*.
— (*Tyrannus*), see *Tyrannus*.
magnoides (*Saltator*), see *Saltator*.
magnus (*Epimachus*), see *Epimachus*.
— (*Saltator*), see *Saltator*.
Magpie, American, see *Pica hudsonica*.
 Black-billed, see *Pica hudsonica*.
 European, see *Pica pica*.
 Yellow-billed, see *Pica nuttalli*.
Magpies, see *Garrulinae*.
maguari (*Ciconia*), see *Ciconia*.
Mailliard, Joseph.
 Remarkable persistency in nesting of
 Western Yellow-bellied Flycatcher,
 '81, 119.
Baird's Sandpiper (*Tringa bairdii*)
 on California coast, '98, 51.
Occasional visitors at San Geronimo,
 Marin Co., California, '98, 196.
California bird notes, '98, 197.
Notes on nesting of Fork-tailed Petrel
 (*Oceanodroma furcata*), '98, 230–
 233.
Formaldehyde as an aid in collecting
 ornithological specimens, 1900,
 318–320.
Maine.
 Allen, J. A., '78, 195, '80, 109, 119–
 120, 131–132, 184, '86, 482.
 Allen, F. H., '98, 60–61.
 Bangs, O., '98, 176, 1900, 136.
 Batchelder, C. F., '79, 241–242, '82,
 106–111, 147–152, '90, 284.
 Batchelder, E. A., '89, 175.
 Bates, A. F. C., '95, 48–51.
 Berry, H. E., '90, 84, 84.
 Bicknell, E. P., '80, 9–10.
 Boardman, G. A., '80, 64, 115, '90,
 393.
 Bowler, E. S., '85, 196.
 Brewer, T. M., '77, 79, 81.
 Brewster, W., '76, 19, 30, '80, 1–7, 81,
 60–61, 125, '83, 125, 164–166, '84,
 288, '85, 108, '87, 75, 158, 160, '88,
 424, '90, 92, '93, 82–83, '95, 180,
 '96, 44–46, '97, 207, 1900, 207–216.
 Brock, H. H., '96, 79, 173, 255, 256.
 Brown, J. C., '88, 209, '89, 71, 74,
 280.
 Brown, N. C., '76, 31, '77, 27, '78, 98,
 102, '79, 106–108, '80, 52, 236–
 237, '81, 187, '82, 58, 60, 119, 122,
 123, 189–190, '83, 112, 186, 243,
 '84, 394, 395, '85, 385, '86, 136–
 137, '89, 69, 70, '90, 201, '94, 331,
 '96, 80, 264–265, '97, 224, 324,
 1900, 175, 386.
 Butters, C. S., '91, 108, 109.
 Cahoon, C. E., '89, 175.
 Carpenter, F. H., '84, 94, '85, 99.
 Chadbourne, A. P., '86, 278–279, '89,
 256.
 Crosby, S. L., '93, 296.
 Coues, E., '80, 24–25, '83, 112–113.
 Deane, R., '76, 74, '79, 37–39, '80,
 50, 64.
 Dutcher, W., '93, 82, 83.
 Eddy, N. A., '80, 241, '83, 176.
 Ford, T., '94, 70, 70.
 Goodale, J. L., '85, 215, 216, '86, 277,
 '87, 77, 77–78.
 Gushee, R. A., '84, 286.
 Grant, W. G., '87, 341.
 Hardy, F. P., '90, 394.
 Hardy, M., '80, 186, 241, '85, 108.
 Henshaw, F., '88, 314.
 Jencks, F. T., '86, 270, 272.
 Job, H. K., '98, 55.
 Knight, O. W., '95, 387, 388, '96, 82,
 177, '97, 371–374, '99, 281–283.
 Lee, L. A., '80, 185–186.
 Lewis, L., '93, 295.
 Merrill, H., '81, 249–250, '82, 190–
 191, '83, 177, '86, 413, '90, 201,
 '92, 292, 300, '99, 182.
 Norton, A. H., '93, 302, '94, 78–79,
 '96, 229–234.
 Piston, V. E., '90, 80.
 Powers, W. L., '97, 219.
 Purdie, H. A., '76, 75–76, '79, 186,
 189, '80, 44, 242, '82, 124.
 Rich, J. G., '94, 69.
 Ridgway, R., '87, 256.
 Sage, J. H., '83, 176.
 Smith, E., '81, 113, '83, 117, 117, 164,

- '84, 186, 285, 287, 287, 288, '85.
 301, '87, 66, 67.
 Stillwell, E. M., '81, 113.
 Swain, J. M., 1900, 387-388.
 Todd, L. M., '87, 260, 351.
 Townsend, C. W., '81, 60, '85, 106.
 Wilson, C. B., '90, 81.
 Maine, report of commission of fisheries and game, 1880, title (No. 160), '81, 113.
 Maine Ornithological Society, '99, 212.
 maingayi (*Syrnium*), see *Syrnium*.
Majaqueus æquinoctialis, *Cape Horn*, *hbt.* '87, 3.
 major (*Aechmophorus*), see *Aechmophorus*.
 — (*Bathmidurus*), see *Pachyramphus*.
 — (*Crotophaga*), see *Crotophaga*.
 — (*Dendrocopus*), see *Dryobates*.
 — (*Dryobates*), see *Dryobates*.
 — (*Gallinago*), see *Gallinago*.
 — (*Hemicocichla*), see *Sciurus motacilla*.
 — (*Lanius*), see *Lanius*.
 — (*Pachyramphus*), see *Pachyramphus*.
 — (*Parus*), see *Parus*.
 — (*Picus*), see *Dendrobates*.
 — (*Puffinus*), see *P. gravis*.
 — (*Quiscalus*), see *Quiscalus*.
 — (*Scolopax*), see *Gallinago*.
 — (*Sterna*), see *S. caspia*.
majuscula (*Certhiola*), see *Cerebra chloropyga*.
makavouanna (*Macrocerus*), see *Ara tricolor*.
malaccensis (*Callophilus*), see *Chrysophlegma*.
 — (*Chrysophlegma*), see *Chrysophlegma*.
 — (*Picus*), see *Chrysophlegma*.
Malacoptila rufa, *Braz.* '91, 158.
malayensis (*Chaptia*), see *Chaptia*.
Malimbus nigricollis, *syn.* '91, 92.
Mallard, see *Anas boschas*.
 Black, see *Anas obscura*.
 Summer Black, see *Anas maculosa*.
Malmgren, Anders Johan.
 Obituary of, '98, 79, 214.
Maltese Islands.
 Brewer, T. M., '77, 70.
 Dalgleish, J. J., '80, 144, 149.
 Grant, W., '77, 70.
malura (*Drymophila*), see *Drymophila*.
malurooides (*Synallaxis*), see *Synallaxis*.
Manacus, '90, 381.
abditivus, *Colom.* '99, 292.
gutturosus, *Braz.* '99, 292?
manacus, *Braz.* '91, 25, '99, 292.
purus, *Braz.* '99, 292.
manacus (*Manacus*), see *Manacus*.
mandtii (*Cephus*), see *Cephus*.
 — (*Uria*), see *Cephus*.
mango (*Lampornis*), see *Lampornis*.
 — (*Trochilus*), see *Lampornis*.
Mangrove Hen, see *Rallus caribaeus*.
Manikup, 1900, 179.
albifrons, *syn.* 1900, 179.
peruviana (^b*Pithys*), *syn.* '90, 381^b, 1900, 179.
manillæ (*Penelopides*), see *Penelopides*.
manimbe (*Ammodramus*), see *Ammodramus*.
 — (*Coturniculus*), see *Ammodramus*.
Manitoba.
 Allen, J. A., '91, 301-302.
 Batchelder, C. F., '90, 404.
 Brodie, W. G. A., '84, 185.
 Christy, R. M., '85, 375.
 McArthur, A., '87, 351-353.
 Raine, W., '96, 256.
 Thompson, E. E. [or Seton], '84, 192-193, '85, 21-24, 218, 267-271, 314, '86, 145-156, 320-329, 453, '93, 49-50.
 Wood, T. B., '85, 375.
Man-o'-War Bird, see *Fregata aquila*.
Maps, see *Plates*.
maracana (*Ara*), see *Ara*.
Maraguana Island, West Indies.
 Cory, C. B., '92, 48.
Marble, Charles C.
 Obituary of, 1900, 404.
Marbleheader, see *Fulmarus glacialis*.
marchi (*Euetheia*), see *E. bicolor*.
 — (*Fringilla*), see *Euetheia bicolor*.
 — (*Phonipara*), see *Euetheia bicolor*.
Marcy, Oliver.
 Obituary of, '99, 211.
Mareca, '88, 63, '96, 162, '99, 103.
americana (^a*Baldpate Duck* or *Widgeon*, ^b*Anas*), *Alas.* '84, 80^a, '85, 158^b; *Ariz.* '86, 384^b, '90, 48^b, 50^b, '92, 198^a; *Cal.* '86, 89^a; *Colo.* '77, 51, '85, 18; *Engl.* '77, 107; *Fla.* '88, 269^b, '88, 378^b, '91, 137^b, '92, 211^b, '95, 364^b; *France*, '80, 212^b; *G. Br.* '80, 212^b, '80, 213^b; *Hud.* '90, 320^b; *Ida.* '97, 350^b; *Ill.* '77, 68; *Ind.* '88, 346^b, '94, 179^b, 292^a; *Jamaica*, '91, 363^b; *La.* '97, 285^b; *Man.* '86, 148^a; *Mass.* '82, 185, '92, 304^b, '96, 200; *Me.* '84, 394; *Mo.* '95, 11^a; *N. D.* '99, 161^a, 162^a, 164^a, 165^a; *N. J.* '89, 302^b; *N. Y.* '82, 256; *Ore.* '79, 198, '88, 141^b, '91, 366^b (fossil), '93, 344^b (fossil); *R. I.* '83, 61; *S. C.* '79, 218; *S. D.* '85, 288; *Tex.* '82, 224, '87, 184^b, '92, 231^b, 1900, 339; *Utah*,

- '86, 266; *Wash.* '92, 42^b, '97, 171^b; *II.* '88, 63.—*ust.* '86, 266, '99, 164^a, 165^a; *plm.* '90, 50^b, '92, 165^a (hyb.) ; *syn.* '88, 63, '99, 103; *misc.* '85, 301^a, '86, 125, 144^b 401 403.
- penelope** (^a European Widgeon, ^b *Anas*), *Alas.* '84, 80, '85, 373; *Cal.* '86, 491, '87, 339^b; *Helg.* '95, 326; *Ind.* '95, 179^b, 292^b, '96, 255^b, '99, 270^b; *Md.* '90, 283^b; *N. C.* '79, 190, '80, 126; *N. J.* '83, 116^a, '89, 302^b; *N. S.* '89, 64^b; *N. W. T.* 1900, 181; *N. Y.* '78, 98; *Va.* '78, 98, '90, 88^b, 204^b.—*meas.* '90, 88^b; *ust.* '85, 373; *plm.* '92, 165^b (hyb.); *syn.* '99, 103; *misc.* '86, 144^b, '90, 397^a.
- sibilatrix**, *Argent.*, *Urug.*, *hbt.*, *mlt.* '84, 274.
- margaretha** (*Delattria*), see *Delattria*.
- margaritaceus** (*Lampornis*), see *L. dominicus*.
- (*Polytmus*), see *Lampornis dominicus*.
- (*Trochilus*), see *Lampornis dominicus*.
- Margarops**, '84, 14, 182, '93, 357.
- densirostris**, *W. I.* '80, 166, '86, 15, '87, 95.—*meas.*, *syn.* '86, 15; *plm.* '86, 15, '87, 95.
- fuscatus**, *Bahamas*, '92, 48, 49; *g. dist.* '91, 43; *W. I.* '86, 14, '90, 374, 375, '91, 297, 298, 337, 338, 351, '91, 48, '93, 356.—*meas.* '86, 14; *plm.*, *syn.* '86, 14, '91, 42.
- rufus**, '88, 47*, see *Allenia montana*.
- Margarornis brunnescens**, *C. R.* '92, 173.
- Margaulx**, see *Sula bassana*.
- marginata** (*Zenaidura*), see *Z. marginata*.
- maria** (*Trochilus*), see *Aithurus polytmus*.
- mariae** (*Cardinalis*), see *Cardinalis*.
- marianae** (*Cistothorus*), see *Cistothorus*.
- (*Troglodytes*), see *T. aztecus*.
- marila** (*Anas*), see *Aythya marila* or *affinis*.
- (*Aythya*), see *Aythya*.
- (*Fuligula*), see *Aythya affinis*.
- (*Fulix*), see *Aythya*.
- marilandica** (*Trichas*), see *Geothlypis trichas*.
- mariloides** (*Aythya*), see *Aythya*.
- (*Fuligula*), see *Aythya affinis*.
- marina** (*Pelagodroma*), see *Pelagodroma*.
- marinus** (*Larus*), see *L. marinus*, *argentatus* or *schistisagus*.
- Maris**, Willard Lorraine.
- Unspotted eggs of Chipping Sparrow, '95, 482.
- Obituary of, '96, 193.
- maritima** (*Agriornis*), *Agriornis*.
- (*Arquatella*), see *Tringa*.
- (*Certhiola*), see *Dendroica tigrina*.
- (*Fringilla*), see *Ammodramus*.
- (*Sylvia*), see *Dendroica tigrina*.
- (*Sylvicola*), see *Dendroica tigrina*.
- (*Tringa*), see *Tringa*.
- maritimus** (*Ammodramus*), see *A. maritimus* or *maeggillivraii*.
- (*Corvus*), see *C. ossifragus*.
- (*Rhimamphus*), see *Dendroica tigrina*.
- markhami** (*Oceanodroma*), see *Oceanodroma*.
- Marlin**, see *Limosa fedoa*.
- Brown, see *Limosa fedoa*.
- Ring-tailed, see *Limosa fedoa*.
- Marlingspike**, see *Stercorarius longicaudus*.
- Black, see *Stercorarius pomarinus*.
- marmoratus** (*Brachyramphus*), see *Brachyramphus*.
- (*Charadrius*), see *C. dominicus*.
- (*Megascops*), see *M. guatemalae*.
- Marschall**, August Friedrich.
- Obituary of, '89, 80.
- Marsh**, Othniel Charles.
- Extinct birds with teeth (rev.), '76, 49.
- Odontornithes** (rev.), '80, 234–236.
- Affinities of *Hespcornis* (rev.), '98, 70.
- Obituary of, '99, 211.
- Marshall**, William B.
- Birds recently added to collection of New York State museum, '92, 203.
- Marshall**, William B., and Dutcher, William.
- A specimen of *Numenius arquatus* said to have been taken on Long Island, N. Y. '92, 390–392.
- Marsh-Tit**, British, see *Parus dresserii*.
- Martin**, see *Progne subis*; *Hirundo urbica* (foreign references).
- Bank, see *Stelgidopteryx serripennis*.
- Bee, see *Tyrannus tyrannus*.
- Black, see *Progne subis*.
- Creek, see *Stelgidopteryx serripennis*.
- Cuban, see *Progne cryptoleuca*.
- European, see *Hirundo urbica*.
- Purple, see *Progne subis*.
- Sand, see *Clivicola riparia*.
- Western, see *Progne hesperia*.
- martinica** (*Columba*), see *Geotrygon chrysia*.
- (*Elænia*), see *Elænia*.
- (*Fulica*), see *Ionornis*.

- (Gallinula), see Ionornis.
 — (Geotrygon), see G. chrysaea.
 — (Ionornis), see Ionornis.
 — (Muscicapa), see Elenia.
 — (Oreopeleia), see Geotrygon chrysia.
 — (Porphyruia), see Ionornis.
 — (Tyrannula), see Elenia.
martinicana (*Certhiola*), see Cereba.
 — (Cereba), see Cereba.
 — (*Columba*) see Zenaida.
 — (*Elenia*), see Elenia.
 — (Oreopeleia), see Geotrygon chrysia.
 — (Zenaida), see Zenaida.
martinicensis (*Psittacus*), see Amazona leucocephala.
martinicensis (*Blacicus*), see Blacicus.
 — (*Hylemathrourus*), see Troglodytes.
 — (*Saltilator*), see S. guadeloupensis.
 — (*Thryothorus*), see Troglodytes.
 — (*Troglodytes*), see Troglodytes.
martinicus (*Myiobius*), see Elenia.
 — (Porphyrio), see Ionornis.
Martinique Island, West Indies.
 Allen, J. A., '79, 228-230.
 Cory, C. B., '87, 95-96.
 Lawrence, G. N., '79, 228-230.
martius (*Picus*), see Picus.
maruetta (*Porzana*), see Porzana.
Maryland.
 Batchelder, C. F., '81, 114-115.
 Beckham, C. W., '85, 306.
 Ellzey, M. G., '87, 341, '90, 391.
 Figgins, J. D., '97, 219.
 Fisher, W. H., '97, 219.
 Foster, L. S., '90, 283.
 Hasbrouck, E. M., '93, 91-92.
 Hess, C. D., '88, 316.
 Kirkwood, F. C., '99, 76, 1900, 64.
 Kumlien, L., '80, 182-183.
 Mearns, E. A., '90, 204.
 Miller, H. H., '93, 296.
 Norris, J., '88, 316.
 Palmer, W., '96, 83, '97, 208-209.
 Pleasants, J. H., Jr., '93, 371-372.
 Resler, A., '89, 175, '92, 166.
 Richmond, C. W., '95, 307.
 Ridgway, R., '84, 292, '90, 289, 392.
 Shufeldt, R. W., '93, 88.
 Smith, H. M., '85, 385, '86, 140.
 Small, E. A., '83, 177, 177, '85, 97, 98, 100.
 Trotter, S., '82, 115.
marylandica (*Trichas*), see Geothlypis trichas.
Mascarinus, '92, 278.
Mason, Edward Campbell.
 Turkey Buzzard in Massachusetts, '89, 70.

- masoni (*Pyroderus*), see Pyroderus.
Massachusetts.
 Allen, F. H., '88, 426, '95, 87-89.
 Allen, G. M., '97, 326-327.
 Allen, J. A., '76, 53-60, '78, 48, 101, 138, 152, 192, '80, 89, 108, 120, 132-133, 184, '81, 183, '83, 123, 185, '85, 311, 383, 388, '86, 129, '91, 384-385, 1900, 187-188.
 Baird, S. F., '87, 71-72.
 Ball, H. A., '96, 259, '97, 324.
 Bangs, E. A., '81, 124.
 Bangs, O., '81, 124, '94, 77-78, '98, 177, 179.
 Bartlett, H. W., '93, 293, 294, 297.
 Batchelder, C. F., '82, 252, 253, '92, 73-74, '95, 308.
 Bean, T. H., '92, 385.
 Bent, A. C., '90, 289, '98, 59-60.
 Brackett, F. H., '89, 183, '96, 256, 258, '98, 59.
 Brewer, T. M., '77, 78, '78, 48, 146-147, 151, 188, 193, 194, '79, 63, 64, 191, 243.
 Brewster, W., '76, 1-2, 19, 30, 31, 51-52, 94, '78, 39, 190, 198, '79, 124-125, '80, 2, '81, 54, 55-56, 62-63, 124-125, 143-145, 180-181, 182, 183, 186, 186-187, 237-239, '82, 23-25, 125-126, '83, 95-99, 119, 120, 120-121, 122, 184, '84, 5-16, 93, '85, 80-84, 112, 384, '86, 278, 410-411, 487-488, '87, 75, 160, 162, 163-164, '88, 111, 337-344, 386-393, '89, 66-67, 69, 71-72, '90, 91-92, 204, 205, 360-373, 400-401, '91, 1-7, 232, '92, 67, '93, 82-83, '94, 326-327, '96, 341, '97, 207.
 Bridge, F. W., '89, 183.
 Brown, N. C., '86, 136-137.
 Browne, F. C., '80, 44, 52, '81, 112, 126-127, '82, 119, '83, 117, 181-182, '84, 291, 389, '85, 105, 220, 384, '87, 97-100, 344, '90, 392, '95, 84-85.
 Cahoon, J. C., '83, 117, 118, '84, 286, 286, '85, 299, '90, 289-290.
 Canterbury, C. T., '93, 294 (7 items).
 Carpenter, F. H., '85, 100, 100, 101.
 Chadbourne, A. P., '83, 233, '85, 216, 380-381, '88, 207, '89, 182, 183, 255-263, '96, 346.
 Chamberlain, C. W., '90, 394.
 Churchill, G. B., '91, 313, 314.
 Clark, E. H., '92, 69, 386.
 Clark, H. L., '87, 251, '90, 210.
 Colburn, W. W., '84, 286.
 Comstock, S. W., '85, 100.
 Cory, C. B., '77, 27, '81, 84, '82, 60,

- '84, 91, 96, '88, 110, 205, '89, 336, '91, 395.
 Coues, E., '83, 61, 186.
 Davis, M., '99, 80.
 Deane, O. B., '85, 99.
 Deane, R., '77, 27, 84, '78, 45, 188, '79, 60, 122, '80, 47, 56, 63, 117.
 Dexter, N., '92, 387.
 Eastman, H. D., '91, 310, '97, 327.
 Farley, J. A., '82, 122, '95, 302, '97, 322.
 Faxon, W., '89, 39-46, 72, 99-107, '90, 407-408, 408-410, '92, 201-202, '95, 84, 392-393, '96, 344, '97, 320.
 Forbush, E. H., '90, 210, 396.
 Francis, N. A., '81, 185, '83, 243.
 Frazar, M. A., '77, 27, '90, 397, '95, 84.
 Gates, H. T., '80, 239-240.
 Gilman, A. S., '96, 176-177.
 Goodale, C. I., '85, 299.
 Gould, A. C., '93, 294, 295, 296, 297, 297 (many items).
 Goss, N. S., '84, 395-396.
 Haagwood, W., '90, 392, '93, 292, 294, 296.
 Hardy, F. P., '90, 393.
 Harwood, R., '93, 294.
 Hayward, R., '83, 233.
 Henshaw, H. W., '85, 384, '86, 486.
 Hitchcock, F. H., '90, 407.
 Hoffmann, R., '95, 188-189, '99, 196.
 Hogg, R. W., '83, 233.
 Holden, E. F., '92, 72-73.
 Holder, J. B., '86, 129.
 Howe, R. H., Jr., '95, 182, '96, 178, 257, 260, 261, '97, 203-205, 402, 406, '98, 162-167, 189, 1900, 175.
 Howland, J. E., '92, 67.
 Ingalls, C. E., '82, 116, '86, 135, '94, 331-332.
 Ingersoll, E., '81, 184.
 Jeffries, J. A., '79, 118.
 Jeffries, W. A., '79, 121, '85, 112, '89, 68, '91, 112-113.
 Jencks, F. T., '83, 236, '86, 271, 272.
 Job, H. K., '83, 147-151, 244, '96, 197-204, '97, 206, 216, '98, 50.
 Johnson, H. P., '88, 116.
 Judd, S. D., '96, 285-289.
 Kennard, F. H., '95, 301-302, '97, 212.
 Kimball, R. E., '90, 291-292.
 Lamb, C. R., '83, 233, '89, 183, 183.
 Lathrop, E. H., '87, 339, '90, 393, '92, 68.
 Loring, R. F., '91, 391.
 Lucas, F. A., '92, 388-389.
 Mackay, G. H., '90, 294, '91, 17-24, 120, '92, 16-21, 72, 143-152, 199, 199-200, 292, 292-294, 294-298, 304-306, 345-352, 389-390, '93, 25-35, 76, 77, 77, 79-82, 333-336, 370-371, '94, 75-76, 84-85, 223-228, '95, 32-48, 78-79, 310, '96, 47-55, 80, 88-92, '97, 212-214, 228, 278-284, 383-390, 402, '98, 52-53, 168-172, '99, 179, 180, 181, 259-266.
 Marshall, W. B., '92, 203.
 Mason, E. C., '89, 70.
 Maynard, C. J., '89, 183, 183.
 Merrill, A. B., '91, 392.
 Miller, G. S., Jr., '90, 226-229, '91, 117-120, '92, 298-299, 396-397.
 Minot, H. D., '76, 76.
 Morris, R. O., '87, 72-73, 253, '88, 107, '89, 340, '90, 289, '91, 117, '92, 74, 395, '94, 181, '95, 86-87, '96, 86, '97, 100, '99, 85-86.
 Newcomb, R. L., '85, 299, '87, 339.
 Norton, R., '88, 111.
 Osgood, F., '85, 220.
 Pierce, M. P., '90, 394.
 Plummer, G., '81, 120.
 Purdie, H. A., '78, 44, 45, 146, '81, 123, '82, 57, 125, 251, 252, '83, 242, '86, 488.
 Reddots, C., '84, 188, 188.
 Richards, E. H., '83, 59.
 Robbins, R. C., 1900, 173.
 Sage, J. H., '87, 164.
 Scudder, B. A., '98, 333.
 Sikes, A. C., '90, 393.
 Slade, D. D., '88, 204-205.
 Slade, E., '81, 52, 116, 117-118, 123-124, 181-182, '85, 212.
 Smith, G. S., '81, 47.
 Spelman, H. M., '81, 114, 246, '82, 54, '83, 121-122, '90, 288-289.
 Stearns, W. A., '80, 122, '83, 238, 243, '84, 288, '85, 209, 295.
 Tarr, R. S., '85, 300.
 Tenney, S., '77, 74.
 Tenney, S. G., '89, 180.
 Thayer, H. J., '90, 390, 394, '94, 68.
 Thorndike, A., '82, 185.
 Tobey, H. P., '81, 49.
 Torrey, B., '83, 173, '88, 426-427, '89, 1-8, 274-275, '90, 199, 200, 201, '91, 239-240, '93, 205.
 Townsend, C. W., '80, 53, '81, 60, '84, 192.
 Warren, J., '76, 6-8.
 Wetherell, L., '84, 189.
 White, F. B., '94, 250.
 massena (Cyrtonyx), see C. montezumae.
 Matthews, Renick Seymour.

- Baird's Sandpiper near Washington, D. C. '94, 325.
- matutinus** (*Tyrannus*), see *T. dominicensis* or *cubensis*.
- mauduyti (*Spizaetus*), see *S. ornatus*.
- maugaei (*Marsyas*), see *Sporadinus*.
- (*Ornismya*), see *Sporadinus*.
- (*Sporadinus*), see *Sporadinus*.
- maugeus (*Chlorolampis*), see *Sporadinus*.
- (*Trochilus*), see *Sporadinus*.
- maugei (*Trochilus*), see *Sporadinus*.
- Mavis, Red, see *Harporrynchus rufus*.
- maxillaris** (*Cyrtotes*), see *Molothrus bonariensis*.
- (*Icterus*), see *Molothrus bonariensis*.
- (*Molothrus*), see *M. bonariensis*.
- maxima** (*Anas*), see *Anas*.
- (*Sterna*), see *Sterna*.
- maximiliani (*Pionus*), see *Pionus*.
- maxwellie (*Megascops*), see *Megascops*.
- (*Scops*), see *Megascops*.
- May-bird, see *Coccyzus americanus*, *C. minor*, or *Dolichonyx oryzivorus*.
- Maynard**, Charles Johnson.
The common Buzzard Hawk (*Buteo vulgaris*) of Europe in North America, '76, 2-6.
- Birds of Florida [and eastern North America] (rev.), '78, 145, '79, 114, '80, 170-173.
- Catalogue of Bahama birds, skins, nests and eggs (rev.), '85, 115.
- Correct descr. of five new species of birds from the Bahamas (rev.), '87, 155.
- Eggs of North American birds (rev.), '89, 206, '90, 280.
- Contributions to science, vol. i (rev.), '89, 206, '91, 385-387.
- Appendix to catalogue of birds of West Indies (rev.), 1900, 187.
- Maynard**, Lucy Warner.
Birds of Washington [D. C.] (rev.), '99, 87.
- maynardi (*Coccyzus*), see *Coccyzus*.
- (*Dryobates*), see *Dryobates*.
- (*Geothlypis*), see *Geothlypis*.
- (*Vireo*), see *Vireo*.
- mazepa (*Glaucis*), see *G. hirsuta*.
- (*Trochilus*), see *Glaucis hirsuta*.
- McArthur**, Alexander.
A bird scare, '87, 351-353.
- mccallii (*Megascops*), see *Megascops*.
- (*Scops*), see *Megascops*.
- McCallum**, George Alexander.
Albinism, '85, 113.
- McCauley**, Charles Adams Hoke.
- Notes on Texan ornithology (rev.), '77, 76.
- McChesney**, Charles English.
Notes on some winter and spring birds of Fort Sisseton, Dakota, '79, 187-188.
- Notes on birds of Fort Sisseton, Dakota Territory (rev.), '80, 42.
- Report on mammals and birds of the Big Horn region, Montana (rev.), '80, 107.
- McCook**, Philip James.
Capture of Little Blue Heron in Connecticut, '97, 402.
- McCormick**, Lewis Morse.
'Avifauna columbiana'—a protest, '84, 396-398.
- Notes on a few birds from northern Ohio, '92, 397.
- A hybrid Tanager, '93, 302.
- Nesting habits of the Robin, '98, 274.
- mccownii** (*Rhynchophanes*), see *Rhynchophanes*.
- McGee**, W. J.
Western Meadow Lark in northeastern Iowa, '80, 53.
- McGregor**, Richard Crittenden.
Junco ridgwayi in Colorado, '93, 205.
- Broad-tailed Hummingbird in California, '97, 91.
- Note on *Speotyto cunicularia obscura* Stephens, '98, 187.
- Young plumages of Mexican birds, '98, 264.
- Descri. of a new *Ammodramus* from Lower California, '98, 265-267.
- Pica pica hudsonica* in California, '99, 78.
- mcgregori** (*Carpodacus*), see *Carpodacus*.
- McIlhenny**, Edward Avery.
List of species of *Anseres*, *Paludicole*, and *Limicole* occurring in Louisiana, '97, 285-289.
- mcilhennyi (*Asio*), see *A. accipitrinus*.
- McIlwraith**, Kennedy Crawford.
Prothonotary Warbler in Ontario, '88, 222.
- McIlwraith**, Thomas.
Bird notes from western Ontario, '83, 143-147.
- Yellow-breasted Chat and Summer Redbird in Canada, '84, 389.
- Pelicans on the move, '84, 395.
- Birds of Ontario (rev.), '85, 320, '87, 245-249 : 2d ed. '94, 190, 240.
- McIlwraith**, William.
[Ornithologist's union in Queensland, Australia]. '95, 96.
- McKinlay**, James.

- Field notes from Pictou Co., Nova Scotia, '85, 39-43.
 Corn Crake in Nova Scotia, '99, 75.
McLain, Robert Baird.
 California Vulture in Santa Barbara Co., Cal. '98, 185.
 Rose-breasted Grosbeak in California, '98, 190.
 Capture of Short-tailed Albatross on coast of southern California, '98, 267.
 Philadelphia Vireo in West Virginia, '99, 359.
 mcleodi (*Aimophila*), see *Aimophila*.
 — (*Otophanes*), see *Otophanes*.
McMullin, S. H.
 'Etymological key' in Jones and Shulze's nest and eggs of Ohio birds (rev.), '87, 152.
Mead, George Smith.
 Western Meadowlark at Racine, Wisc., etc. '95, 302.
 Red-headed Woodpecker near Chicago, Ill. 1900, 67.
 Habits of the Goony, and notes on variability of birds' songs, 1900, 403.
 Meadowlark, see *Sturnella magna*.
 Highland, see *Sturnella alticola*.
 Rio Grande, see *Sturnella hopei*.
 Western, see *Sturnella neglecta*.
Mearns, Edgar Alexander.
 Capture of several rare birds at West Point, New York, '78, 45.
 Descri. of unusually developed individuals and remarks on uncommon plumages taken near West Point, N. Y. '78, 69-72.
 Golden Eagle in the Hudson highlands, '78, 100.
 Capture of two rare birds in Hudson River valley, '78, 146.
 Notes on winter residents in Hudson River valley, '79, 33-37.
 List of birds of Fort Klamath, Oregon, collected by Lieut. Wittich, '79, 161-166, 194-199.
 Birds of the Hudson highlands (rev.), '80, 175, '81, 172.
 Capture of Glaucous Gull (*Larus glaucus*) on Long Island, N. Y. '80, 189.
 Some birds of Arizona, '86, 60-73, 289-307.
 Observations on avifauna of portions of Arizona, '90, 45-55, 251-264.
 Addendum to 'list of birds of the Hudson highlands,' '90, 55.
 Capture of Widgeon (*Anas penelope*) on the James River, Virginia, '90, 88.
 New York city owls, '90, 90.
 Another capture of Widgeon (*Anas penelope*) on Atlantic coast, '90, 204.
 Descri. of a new species and three new subspecies of birds from Arizona, '90, 243-251.
 [U. S. and Mexican Boundary Commission], '92, 208, '94, 340.
 A study of the Sparrow Hawks (subgenus *Tinnunculus*) of America, '92, 252-270.
 Descri. of new Heron (*Ardea virescens anthonyi*) from arid region of interior of N. Am. '95, 257-259.
 Ornithological vocabulary of Moki Indians (rev.), '97, 420.
 Descri. of two new birds from the Santa Barbara Is., California, '98, 258-264.
 mearnsi (*Cyrtonyx*), see *Cyrtonyx*.
 — (*Harporhynchus*), see *Harporhynchus*.
 — (*Junco*), see *Junco*.
 Meat-bird or Meat-hawk, see *Nucifraga columbiana*, *Perisoreus canadensis*, *capitalis* or *obscurus*.
Mecocerculus calopterus (^b *Serpophaga leucura*), *Ecuador*, '76, 47^b, nigriceps, *Venez.* '99, 370, 1900, 185.
 urichi, *Venez.* '99, 370, 1900, 185.
 uropygialis, *Colom.*, syn. '90, 384.
 media (*Gallinago*), see *G. media* or major.
 — (*Geospiza*), see *G. conirostris*.
 — (*Scopolax*), see *Gallinago major*.
 medianus (*Dryobates*), see *Dryobates*.
 mediuss (*Picus*), see *Picus*.
Megalestris antarcticus (^b *Buphagus*), *Cape Horn*, '87, 1^a; *Kerguelen I.*, nst. '94, 281^b.
 skua (Skua, ^b *Stercorarius cataractes*, ^c *Stercorarius*), *Held.* '95, 341; *Ill.* '95, 379; *Mass.* '78, 188^b, '84, 395, '87, 158; *N. E.* '84, 238^b, '89, 176; *N. F.*, *Gd. Banks*, '79, 127^b; *N. Y.* '86, 432, '89, 331; *Que.* '90, 387. — *hbt.* '84, 238; *meas.*, *flm.* '84, 395; *syn.* '96, 161; *misc.* '94, 174^b.
 megalonyx (*Pipilo*), see *Pipilo*.
 Megalophonous, see *Corypha*.
 Megalopterus, see *Chaleopsar*.
Megalurus, '94, 238.
 palustris, *P. I.* '94, 238.
 ruficeps, *P. I.* '94, 238.
Megapodus, '82, 88, '94, 56, 233, 234.

- duperreyii* (^b tumulus), *nst.* '83, 172^b.
Megapodiidae, '81, 80.
megarhyncha (Passerella), see *Passerella*.
megarhynchos (Sternia), see *S. caspia*.
Megarhynchus pitangua, *Braz.* '90, 270; *C. R.*, *meas.*, *nst.* '92, 251.
megarhynchus (Dendroornis), see *Dendroornis*.
Megascops (^b Scops), '80, 41^b, '85, 183^b, 184, '93, 250, 347, '94, 233^b, 234^b.
 aikeni (Aiken's Screech Owl), *Cal.* '91, 139^{*}, '93, 258; *g. dist.* '94, 46; *N. M.* '93, 258.—*syn.* '92, 108, '93, 63, 251, '94, 46.
 asio ("Screech or Mottled Owl, ^b Scops), *Cal.* '86, 93 [bendirei?]; *Conn.* '89, 189^a; *D. C.* '88, 20; *Engl.* '77, 107^b; *Ga.* '82, 41 [*floridanus?*], '90, 83; *g. dist.* '82, 33^b, '93, 133, 134, 250, 252; *G. Br.* '80, 74^b; *Ill.* '94, 261^a; *Ind.* '88, 351; *Ky.* '89, 313; *La.* '82, 164^a [*floridanus?*]; *Mass.* '88, 389, '95, 88; *Miss.* '82, 93^b [*floridanus?*]; *Mo.* '79, 146^b; *Mont.* '95, 214 [*maxwelliae?*]; *N. C.* '86, 104, 314; *N. J.* '79, 85^a, '94, 136; *N. Y.* '81, 232^b, '85, 260^b; *O.* '92, 189^a; *S. C.* '79, 216^b; *S. D.* '85, 284^b; *Tenn.* '86, 319, '87, 128, 129.—*anat.* '82, 87^b; *fd.* '77, 80^b, '89, 189^a, '96, 321, '99, 313; *hbt.* '82, 184^a, '83, 117^b, 175^a, '96, 321; *mlt.* '96, 321, '97, 140, '99, 313; *nst.* '85, 101^a, '88, 20; *plm.* '82, 33^b, '83, 171, '88, 351, '93, 348, '95, 287, '96, 321–325, '97, 33–39 (fig.), 140, '99, 313–318; *song.* '85, 260^b, '96, 322; *syn.* '80, 41^b, '85, 184, '93, 250, 251, 252; *misc.* '85, 296^a, '86, 144^a, '87, 67^a, 67^a, '97, 396^a (fig.).
 aspersus, '88, 87^{*}, see *trichopsis*.
 atricapillus (^b Scops), *syn.* '80, 41^b.
 barbarus (^b Scops), *Guatemala*, '93, 262^b.—*syn.* '80, 41^b, '93, 251.
 bendirei ("California Screech Owl, ^b Scops), *Cal.* '82, 31^{**}, 258^b, '86, 93 [^c asio'], '93, 255; *Ore.* '93, 255.—*meas.* '82, 31^b; *syn.* '85, 184, '93, 251; *misc.* '90, 81^a, '98, 4.
 brasilianus (^b Scops), *Argent.* '84, 29^b; *C. R.* '92, 327; *Trinidad*, '95, 209 [^f brasiliensis'].—*anat.* '82, 87^b; *hbt.*, *plm.*, *song.* '84, 29; *syn.* '80, 41^b.
 cassini (^b Scops), *Mex.* '93, 262.—*syn.* '80, 41^b, '93, 251.
 cineraceus (Mexican Screech Owl,
- ^b trichopsis), *Ariz.* '86, 423^b; *N. M.* '92, 361 (sp.?).—*syn.* '95, 390.
 cooperi (^b Scops), *C. R.* '93, 263.—*syn.* '80, 41^b, '93, 251.
 elegans (^b japonicus), *Japan*, '87, 250.—*syn.* '87, 250^b.
 flammeolus (Flammulated Screech Owl, ^b Scops), *Cal.* '94, 78; *Colo.* '79, 188^b, '80, 121^b, 185^b, '83, 123^b, '85, 17^b, '93, 364, '97, 403; *g. dist.* '93, 134, 260, 1900, 186; *Mex.* '92, 170.—*meas.* '94, 78; *nst.* '79, 188^b, '80, 121^b, '97, 403; *syn.* '80, 41^b, '85, 184, '93, 251.
 floridanus (Florida Screech Owl, ^b Scops, ^c Scops asio, ^d asio), *Fla.* '88, 271, '89, 249, '92, 212, 216, '93, 337, '95, 364; *Ga.* '83, 41^c, '90, 83^d, '81, 18^b; *g. dist.* '82, 33^b, '93, 253; *La.* '82, 164^c, '88, 111, 324; *Miss.* '82, 93^c.—*nst.* '83, 41^c, '92, 216; *plm.* '80, 41^b, '81, 18^b, '82, 33^b, '91, 387^a, '92, 216, '93, 348; *syn.* '80, 41^b, '85, 184, '93, 251.
 guatemalae (^b marmoratus, ^c vermiculatus, ^d Scops), *C. R.* '88, 194^c, '93, 264^c; *g. dist.* '93, 263; *Mex.* '97, 49^{**}.—*syn.* '80, 41^d, '93, 251, 251^c.
 hastatus, *Mex.* '88, 194, '93, 263.—*syn.* '93, 251.
 idahoensis (Dwarf Screech Owl), *Ida.* '91, 385, '92, 105 (col. pl.), 169–171, '93, 261; *g. dist.* 1900, 186.—*plm.* '92, 170; *syn.* '92, 105, '93, 251, 251^c.
 kennicottii (Kennicott's Screech Owl, ^b Scops, ^c saturatus), *Atlas.* '93, 256; *B. C.* '97, 89; *g. dist.* '82, 27–33^b, '91, 141–144^{**}, '93, 259^c; *Ore.* '86, 165, '88, 146; *Wash.* '81, 128^b, 185^b, '82, 27, 33^b, 227^b, '89, 299, '93, 17, 1900, 352.—*fd.* '89, 299, 1900, 352; *meas.* '81, 185^b, '82, 29^b, 30^b; *nst.* '81, 185^b, '83, 174^b; *plm.* '82, 27^b, 33^b; *syn.* '80, 41^b, '85, 184, '86, 165, '92, 108^c, '93, 63^c, 251, 251^c, '94, 49, 49c.
 macfarlanei (MacFarlane's Screech Owl), *g. dist.* '91, 140^{*}, '93, 259, '94, 47; *Ida.* '97, 353.—*meas.* '91, 140; *syn.* '92, 108, '93, 63, 251, '94, 47; *misc.* '91, 237.
 marmoratus, '97, 49^{*}, see *guatemale*.
 maxwelliae ("Rocky Mountain Screech Owl, ^b Scops, ^c asio), *Colo.* '79, 114^b, '80, 90, '82, 33^b, '85, 17^b, '89, 298–302, '90, 91, '94, 268; *g. dist.* '93, 256; *Mont.* '89, 301, '95, 214^c.—*fd.* '89, 298, 300, 301, '90,

91; *meas.* '89, 302; *nst.* '89, 298, '90, 80^a, '91, 109^a; *plm.* '82, 33^b; *syn.* '80, 41^b, '85, 184, '93, 251.

mccallii (Texan Screech Owl, ^b Scops), *g. dist.* '82, 33^b, '93, 254; *N. M.* '78, 94^b; *Tex.* '82, 172^b, '87, 190, '89, 237, '92, 234, 1900, 343.—*hbt.* '82, 172^b; *plm.* '82, 33^b, '93, 348; *syn.* '80, 41^b, 90^b, '85, 184, '93, 250, 251, '95, 389^b, '99, 109.

nudipes (^b Scops), *C. R.* '92, 327, '93, 262; *Teragua*, '93, 262.—*syn.* '80, 41^b, '93, 251.

pinosus, *Mex.*, *meas.* '94, 39^a.

ridgwayi, *Mex.*, *meas.* '94, 40^a.

saturatus, '91, 141^a; see *kennicotti*.

scops (^b giu), *Hulg.* '95, 329^b.

trichopsis (Mexican or Spotted Screech Owl, ^b Scops, ^c *aspersus*), *Ariz.* '83, 26^b [*cineraceus?*], '86, 423 [*cineraceus?*], '98, 106^c; *g. dist.* '82, 33^b, '93, 257, '98, 186^c, '99, 109; *Mex.* '88, 87^{a*}, 264^c; *N. M.* '98, 308.—*meas.* '83, 26^b [*cineraceus?*], '98, 186^c; *plm.* '82, 33^b, '83, 26^b [*cineraceus?*], '91, 323^c (col. pl.), '98, 186^c; *song.* '83, 26^b [*cineraceus?*]; *syn.* '80, 41^b, '82, 32^b, '83, 26^b, '85, 184, '93, 250, 251, '95, 389, 390, '98, 186^c, '99, 109, 110^c.

ustus (^b Scops), *syn.* '80, 41^b.

vinaceus, *Mex.* '88, 88^a, '93, 264.—*plm.* '91, 323 (col. pl.); *syn.* '93, 251.

mehleri (Piaya), see *Piaya*.

Meiglyptes tukki (^b *Picus luridus*), *Borneo*, '91, 8.—*syn.* '91, 8; *plm.* '88, 212^b, 214^b.

melæna (Cymochorea), see *Oceanodroma melania*.

melaleucus (Tachyphonus), see *T. rufus*.

melanauchen (Ptilopus), see *Ptilopus melanoccephalus*.

melancholicus (Laphyctes), see *Tyrannus*.

— (Tyrannus), see *Tyrannus*.

melancorypha (Sthenelides), see *Cygnus*.

Melanerpes, '83, 114, '84, 41, '86, 376. *aculeatus*, '90, 249^a; see *bairdi*.

angustifrons (Narrow-fronted Woodpecker), *L. Cal.*, *meas.* '90, 215.

aurifrons (Golden-fronted Woodpecker, ^b *Centurus*), *Cal.* '90, 215^b; *Tex.* '80, 46^b, '82, 40^b, '87, 191, '89, 238, '90, 401, '92, 235, 1900, 344.—*hbt.*, *song.* '89, 238; *nst.* '87, 191.

bairdi (Californian Woodpecker,

^b *formicivorus*, ^c *aculeatus*), *Cal.* '86, 94, '89, 221, '96, 85, 117; *g. dist.* '90, 250^{a*}, '93, 134; *Ore.* '88, 240.—*fd.* '78, 97^b, '84, 87^b, '96, 85, 117; *hbt.* '78, 97^b, '86, 94, '87, 194^b, '96, 117; *meas.* '90, 251; *nst.* '96, 117; *syn.* '91, 89, 94; *misc.* '90, 395, 320. *cactorum* (^b *Ficus*), *Argent.*, *Urug.*, *hbt.* '84, 25^b.

candidus (^b *Leuconerpes*), *Argent.*, *Urug.*, *hbt.*, *plm.* '84, 25^b.

carolinus (^a Red-bellied Wood-pecker, ^b *Centurus*, ^c *Picus*), *Ala.* '79, 11^b; *Colo.* '85, 17^b; *Conn.* '77, 108^b, '81, 183^b; *D. C.* '88, 21; *Fla.* '81, 41^a, '88, 271, '89, 251, 337, '90, 223, 339, '91, 127^a, 138, '92, 213, '95, 365; *Ga.* '82, 95^a, '83, 40^b, '96, 213; *g. dist.* '93, 133; *Ill.* '81, 121^b; *Ind.* '89, 22; *Ky.* '89, 314; *La.* '82, 164^b, '87, 303^a; *Mass.* '81, 120^b, 183^b; *Mich.* 1900, 174; *Minn.* '99, 241; *Mo.* '79, 146^b, '96, 220; *N. C.* '86, 179; *N. E.* '79, 73^b; *N. J.* '89, 179, '90, 206; *N. Y.* '78, 146^b, '79, 6^b, 175^b, '92, 201, '93, 275, '95, 313, '96, 82; *Ont.* '85, 335^b, '89, 204; *Pa.* '99, 311; *S. C.* '79, 216^b, '90, 38; *S. D.* '85, 283^b; *Tenn.* '86, 319; *Tex.* '82, 40^b, 171^b, '87, 191, '89, 238.—*fd.* '79, 111^a, '89, 337, '90, 339, '92, 201, '95, 380, 1900, 174; *hbt.* '82, 171^b; *mig.* 1900, 174; *nst.* '83, 40^b, '88, 21; *plm.* '78, 181^b, '88, 212^c; *song.* '82, 171^b.

cruentatus, *Braz.* '91, 31.

erythrocephalus (^a Red-headed Woodpecker), *Ala.* '79, 11; *Ark.* '82, 93; *Cal.* '77, 94^a; *Colo.* '83, 196, '85, 17, 143, '87, 121^a; *Conn.* '82, 57, '83, 177^a, '95, 262; *Dak.* '81, 120; *D. C.* '88, 21, '92, 308; *Fla.* '81, 121, '85, 63, '88, 271, '89, 251, '91, 138, '92, 213, '95, 365; *Ga.* '83, 40, '96, 213; *g. dist.* '93, 133; *Ia.* '95, 123, 235; *Ill.* '78, 165, '81, 120, '88, 433, '99, 272, 1900, 67; *Ind.* '81, 121, '82, 18^a, 21, '87, 193–196^a, '89, 22; *Ky.* '89, 313, '99, 353; *La.* '82, 164, '87, 303^a; *Man.* '86, 156; *Mass.* '76, 54, 55^a, '82, 57, '83, 150^a, '85, 209^a, '89, 340, '95, 86, 88, '96, 258; *Mc.* '83, 117^a; *Mich.* '81, 196, '93, 224, 1900, 174; *Minn.* '84, 246; *Miss.* '82, 93; *Mo.* '79, 146, '96, 220; *Mont.* '82, 63, '95, 215; *N. C.* '86, 104, 314, '87, 242; *N. Y.* '79, 31, 36, '81, 11, 232, '82, 57, 188, '83, 234^a, '85, 101^a, 259, '89, 198, 202, '90, 231; *O.* '95, 242; *Pa.* '92, 135, '93, 39, 44, '96, 293; *R. I.* '99, 189; *S. C.* '79, 216, '90, 38,

'91, 56, '92, 29^a; *S. D.* '85, 283; *Tenn.* '86, 319, '87, 130; *Tex.* '82, 171, '87, 191, '89, 238, '92, 231, 1900, 344; *I'a.* '86, 161, '89, 53^a; *U't.* '82, 63, *Wis.* '82, 188, 1900, 67; *W. I'a.* '98, 135.—*fd.* '77, 74, '78, 97, 189, '79, 111^a, '82, 116^a, 117^a, '85, 283, '87, 193^a, '95, 380, 1900, 174; *hbt.* '78, 97, 123, '82, 117^a, '83, 116^a, 171, '84, 189, '85, 99^a, '87, 193^a, '90, 83^a, 85^a, '99, 353; *meas.* '81, 121; *mig.* '78, 123, '81, 120, '85, 63, '88, 433, '92, 29^a, '95, 123, 235, 242, 1900, 174; *nst.* '81, 120, '82, 171, '83, 40, 118^a, '85, 283, '88, 21, '90, 84^a; *plm.* '76, 24 (melan.), '80, 28 (alb.); *song.* '85, 259; *misc.* '81, 196, '85, 99^a, '90, 394.

formicivorus (^a Ant-eating Wood-pecker, ^b bairdi, ^c aculeatus), *Ariz.* '83, 24^b, '85, 174^b, 356^b, '86, 427^b, '90, 48^b, 249–251^{c,b}, 253^c, '94, 220^a [not 'California Wood-pecker']; *g. dist.* '97, 120; *N. M.* '86, 79^b, '87, 345^b, '98, 308^b; —*anat.* '87, 346; *hbt.* '83, 24^b, '86, 79^b, '90, 253^c; *meas.* '90, 250^c, 251, 251^c; *nst.* '86, 427^b; *plm.* '83, 24^b, '87, 345 (mlt.); *syn.* '91, 88^c, 89, 94, '97, 120, 132^c.

frontalis, 1900, 257^a, see *Centurus*.
fumosus, 1900, 258^a, see *Centurus*.
l'herminieri, *W. I.* '79, 229, '86, 377, '91, 48.—*meas.*, *plm.*, *syn.* '86, 377.

portoricensis, *W. I.*, *meas.*, *plm.*, *syn.* '86, 377.
torquatus (^a Lewis's Wood-pecker, ^b *Asyndesmus*, ^c *Picus*), *Ariz.* '85, 356^b, '86, 427, '90, 48, 254; *Cal.* '86, 94, '96, 85, '98, 197; *Colo.* '81, 143, '83, 196, '85, 17, 143, '94, 268, '95, 153^a, '98, 188; *g. dist.* '93, 134; *Ida.* '94, 394^c, '97, 354; *Kan.* '94, 260; *Mont.* '94, 303; *N. M.* '88, 319; *Ore.* '79, 195^b, '86, 165, '88, 240, 255; *Tex.* '87, 183^a, 191; *Wash.* '82, 227, '92, 355, '97, 175, 1900, 352; —*anat.* '88, 319; *fd.* '86, 427, '88, 255, '96, 85, '98, 188; *hbt.* '86, 165, 427, '88, 255, '90, 254, '98, 188, 1900, 352; *mig.* '86, 427, '88, 255; *plm.* '86, 427, '92, 394^c; *nst.* '88, 255.

uropygialis (Gila Wood-pecker, ^b *Centurus*), *Ariz.* '81, 73^b, '83, 24^b, '85, 226^b, '86, 428; *g. dist.* '93, 134; *L. Cal.* '95, 138; *Mex.* '85, 228^b.—*fd.* '86, 428; *plm.* '83, 24^b.

veracrucis, 1900, 259^a, see *Centurus*.

Melanetta, see *Oidenia*.

melania (*Cymochorea*), see *Oceanodroma*.

— (Oceanodroma), see *Oceanodroma*.
— (Thalassidroma), see *Oceanodroma*.

melanicterus (*Gymnomystax*), see *Gymnomystax*.

Melanipitta, see *Mellopitta*.

Melanism, see *Albinism*.

Melanitta, see *Oidenia*.

Melanobucco, see *Lybius*.

abbotti, '97, 164^a; see *Lybius*.

melanocephala (*Arenaria*), see *Arenaria*.

— (*Emberiza*), see *Emberiza*.

— (*Goniaphea*), see *Zamelodia*.

— (*Habia*), see *Zamelodia*.

— (*Hedymeles*), see *Zamelodia*.

— (*Motacilla*), see *Motacilla*.

— (*Strepsilas*), see *Arenaria*.

— (*Sylvia*), see *Melizophilus*.

— (*Zamelodia*), see *Zamelodia*.

melanocephalus (*Icterus*), see *Icterus*.

— (*Melizophilus*), see *Melizophilus*.

— (*Ptilopus*), see *Ptilopus*.

melanochloris (*Parra*), see *Metopidius indicus*.

Melanocorypha calandra, *Heig.* '95, 334.

— *sibirica*, *Heig.* '95, 334.

— *yeltoniensis*, *Heig.* '95, 334.

melanocoryphus (*Coccyzus*), see *Coccyzus*.

— (*Sthenelides*), see *Cygnus nigercollis*.

melanocorys (*Calamospiza*), see *Calamospiza*.

melanogaster (*Cinclus*), see *Cinclus*.

— (*Hirundo*), see *Petrochelidon fulva*.

— (*Myrmotherula*), see *Myrmotherula*.

— (*Petrochelidon*), see *Petrochelidon*.

— (*Thalassidroma*), see *Thalassidroma*.

melanoleuca (*Gambetta*), see *Totanus*.

— (*Glottis*), see *Totanus*.

— (*Lamprospiza*), see *Lamprospiza*.

— (*Poospiza*), see *Poospiza*.

melanoleucus (*Aëronautæ*), see *Aëronautæ*.

— (*Ammodramus*), see *A. nigrescens*.

— (*Anseranas*), see *Anseranas*.

— (*Buteo*), see *Geranoætus*.

— (*Ceophlœus*), see *Ceophlœus*.

— (*Cypselus*) see *Aëronautæ*.

— (*Geranoætus*), see *Geranoætus*.

— (*Micropus*), see *Aëronautæ*.

— (*Scolopax*), see *Totanus*.

— (*Totanus*), see *Totanus*.

- melanomus (Plectrophanes), see *Calcarius ornatus*.
melanonota (*Sarcidiornis*), see *Sarcidiornis*.
melanonotus (*Euplocamus*), see *Euplocamus*.
melanope (*Motacilla*), see *Motacilla*.
melanophaia (*Porzana*), see *Porzana*.
melanophrys (*Diomedea*), see *Diomedea*.
melanopis (*Psarocolius*), see *Icterus hypomelas*.
 — (*Theristicus*), see *Theristicus*.
Melanopitta, see *Mellopitta*.
melanopogon (*Melanerpes*), see *M. formicivorus*.
melanops (*Geothlypis*), see *Geothlypis*.
 — (*Phloeocryptes*), see *Phloeocryptes*.
melanopsis (*Otus*), see *Asio stygius*.
melanoptera (*Dendroica*), see *D. ruficapilla*.
 — (*Sterna*) see *S. anetheta*.
 — (*Tanagra*), see *Tanagra*.
melanopterus (*Lybius*), see *Lybius*.
 — (*Mimus*), see *M. gilvus*.
Melanoptila glabrirostris, *anat.* '88, 329.
melanopygia (*Parra*), see *Jacana nigra*.
melanopygus (*Lanio*), see *Lanio*.
melanospilus (*Ptilopus*), see *Ptilopus*.
Melanospiza, '98, 224*.
melanostoma (*Harporthynchus*), see *H. guttatus*.
Melanotis cærulescens, *hbt.* '92, 288.
 — *longirostris*, *Mex.* '98, 340.
melanotis (*Psaltriparus*), see *Psaltriparus*.
 — (*Sterna*), see *S. caspia*.
 — (*Sylochelidon*), see *Sterna caspia*.
 — (*Thalassites*), see *Sterna caspia*.
melanoviridis (*Parra*), see *Metopidius indicus*.
melanura (*Ceyx*), see *Ceyx*.
 — (*Glaucus*), see *G. hirsuta*.
 — (*Limosa*), see *L. belgica*.
 — (*Polioptila*), see *P. californica* or *plumbea*.
melanuroides (*Limosa*), see *L. belgica*.
melanurus (*Puffinus*), see *Priofinus cinereus*.
 — (*Thamnophilus*), see *Thamnophilus*.
 — (*Trogon*), see *Trogon*.
melba (*Cypselus*), see *Cypselus*.
Meleagrina, '81, 80.
Meleagris, '93, 99, 109, '99, 107.
 — *elliotti*, '92, 167*, see *intermedia*.
 — *fera* (^ Wild Turkey, ^ *occidentalis*, ^ *gallopavo*, ^ *americana*, ^ *sylvestris*), *Ala.* '79, 12^d; *Ark.* '90, 396^a; *Colo.* '85, 17^d; *Europ.* '80, 66^c; *Fla.* '88, 270^c [*osceola?*], '89, 246^c [*osceola?*]; *Ga.* '83, 41^d; *g. dist.* '90, 390^a, 391^a?; '93, 133^c, '99, 108, 232; *Ind.* '82, 21^d, '88, 349^c, '97, 245^a; *Ky.* '89, 313^c; *Mass.* '76, 53^b, 55^b, '78, 139^a, '81, 60, '88, 204^c, '90, 393^a, 394^c; *Me.* '81, 60; *Mich.* '90, 393^a, '93, 295^a; *Minn.* '84, 247^d; *Miss.* '82, 93^a; *Mo.* '79, 147^c, '96, 221^c; *N. C.* '86, 103^c, 314^a, '89, 121^a, 275^a; *N. E.* '76, '90, 394^a; *Ont.* '94, 69^c; *Pa.* '93, 39^c, '96, 292^a, '99, 310; *S. C.* '79, 217^d, '91, 327^c; *S. D.* '85, 285^d; *Tenn.* '86, 319^c, '87, 129^c; *Tex.* '82, 175 [*intermedia?*]; *Va.* '88, 18^c; *Vt.* '88, 204^a—*anat.* '87, 342^a; *fd.* '87, 129^c; *hbt.* '96, 221^c; *nst.* '83, 41^c, '89, 313^c; *plm.* '80, 29^c (alb.), '90, 376^c, 397^a, '92, 169^c; *syn.* '80, 100^d, '97, 272^a, '98, 64^c, '99, 77, 108, 231, 232; *misc.* '77, 74^a, '83, 116^a, '84, 187^a, '87, 340^a, '88, 314^a, '91, 388^c, 391^a, '92, 286^c.
gallopavo (^ Mexican Turkey, ^ *merriami*, ^ *mexicana*), *Ariz.* '86, '89, '90, 49^c, 52^c, '92, 168^c; *Cal.* '90, 216^c; *g. dist.* '93, 134^c, '99, 107, 232, 1900, 121^a*; *N. M.* '86, 80, '92, 360^a, '98, 307^c; *Tex.* '87, 187^c, '92, 233^c [*intermedia?*].—*hbt.* '86, 80; *nst.* '87, 187^c; *plm.* '90, 376^c, '92, 169^c; *syn.* '97, 272^c, '98, 64, '99, 107, 231, 232, 1900, 122^c, 123^b.
intermedia (Rio Grande Turkey, ^ *gallopavo*, ^ *elliotti*), *Tex.* '82, 41^b, 175^b, '92, 167^a*, 233^c, 1900, 341; *g. dist.* '93, 60^c, 134^c, '99, 232^c—*fd.* *hbt.* '82, 175^b; *syn.* '93, 60^c, '97, 275, '98, 64, '99, 108, 231, 232.
merriami, 1900, 120*, see *gallopavo*.
osceola (Florida Wild Turkey, ^ *gallopavo*), *Fla.* '88, 270^b, '89, 246^b, '90, 376^a*, '91, 136^b, 137^b, '92, 105, 212, 215, '95, 364; *g. dist.* '99, 232.—*hbt.* '92, 215; *plm.* '92, 169, 215; *syn.* '91, 89, '92, 105, '99, 108, 231, 232.
meleagris (*Cyrtonyx*), see *Cyrtonyx*.
 — (*Numida*), see *Numida*.
meligera (*Anorthura*), see *A. alascensis*.
Meliphagidae, '81, 34, '94, 143, '96, 111.
Melizophilus melanocephalus (^ *Sylvia*), *Helg.* '95, 332^b.
undatus, *Helg.* '95, 332.
Mellisuga, '86, 353.
 — *coccinea*, *misc.* '96, 266.
 — *minima*, *Jamaica*, '92, 277, '94.

126; *W. I.* '81, 153, '86, 354.—*meas.* '86, 354; *nst.* '94, 126; *plm.* '86, 354; *song.* '81, 153; *syn.* '86, 354.

mellivora (*Florisuga*) see *Florisuga*.
Mellopitta (^b *Coracopitta*), '89, 79, '93, 52^a, 184, '94, 238.

meloda (*Ægilialis*), see *Ægilialis*.

— (Melospiza), see *M. fasciata*.

melodia (*Fringilla*), see *Melospiza fasciata*.

— (Melospiza), see *M. fasciata*.

melodus (*Ægialeus*), see *Ægilialis*.

— (*Ægilialis*), see *Æ. meloda* or *circuncincta*.

— (*Charadrius*), see *Ægilialis*.

Melopelia, '87, 115.

leucoptera (^a White-winged Dove), *Ariz.* '77, 95, '83, 32, '86, 68, 421, 1900, 33^a; *Bahamas*, '91, 351; *Cal.* '77, 95^a, '90, 216; *Colo.* '77, 83, '85, 17; *Fla.* '89, 160, 246, '97, 89; *Jamaica*, '92, 123, '94, 123; *L. Cal.* '95, 137; *Mex.* '85, 229; *Tex.* '92, 233; *W. I.* '87, 115, 180.—*fd.* '83, 32, '92, 123, '97, 89; *hbt.* '92, 123; *meas.* '83, 32; *nst.* '83, 32, '86, 421, '92, 123, '94, 123; *plm.* '86, 296; *song.* '83, 32, '86, 68; *syn.* '87, 115; *misc.* 1900, 33^a.

Melopyrrha, '86, 206.

nigra, *W. I.* '86, 206, 501, '92, 272.—*meas.*, *plm.*, *syn.* '86, 206.

Melospiza, '96, 112, 113, '97, 231.
adusta, *Mex.* '99, 28*—*syn.* '99, 183.

caurina, '99, 36*, see *rufina*.

cinerea (Aleutian Song Sparrow), *Alas.* '85, 157, '95, 144; *g. dist.* '93, 126.—*meas.*, *nst.* '95, 148; *syn.* '95, 149, 391.

clementæ (San Clemente Song Sparrow), *Cal.* '86, 453 [^c *samuelis*], '91, 86, 305.—*syn.* '91, 86, '99, 183.
cooperi, '99, 35*, see *samuelis*.

fallax (Desert Song Sparrow), *Ariz.* '82, 196, '84, 224, '87, 203; *Cal.* '78, 66 [*heermannii*?]; *N. M.* '84, 224.—*meas.* '79, 160, '82, 196; *plm.* '82, 196, '92, 85; *syn.* '79, 157, '82, 229; '84, 223, '99, 183.

fasciata (^a Song Sparrow, ^b *melodia*, ^c *Fringilla*), *Ala.* '79, 8^b; *Bermuda*, '85, 95; *D. C.* '88, 22; *Fla.* '88, 274, '89, 323, '95, 365; *Ga.* '96, 214; *g. dist.* '93, 133, 135; *Ia.* '95, 122, 236; *Ill.* '90, 242; *Ind.* '89, 25; *I. T.* '84, 335^a; *Kan.* '94, 215^a; *Ky.* '89, 315; *La.* '82, 49^a?; *Man.* '86, 324; *Mass.* '78, 191^b, '84, 6^a, '87, 260, '88, 380, '89, 45, 101, '95, 87^a, '98, 76, '99, 182; *Me.* '82,

148, '87, 260; *Mich.* '81, 196^a, '93, 226; *Minn.* '79, 153^a, '80, 14^b, '84, 245; *Miss.* '99, 269; *Mo.* '79, 143^b, '95, 3^a, '96, 218, '98, 27; *Mont.* '95, 217 [*montana*?]; *N. B.* '82, 148, '83, 7^a, '87, 260^a, '89, 118, 241, 242^a; *N. C.* '86, 101^a, 314; *N. H.* '87, 105, '88, 150, 152, 154, '89, 77, 78; *N. J.* '79, 82^a, '94, 139; *N. S.* '84, 269^a, '87, 16, '99, 253; *N. Y.* '79, 32^b, 35^b, '81, 230, '82, 188^a, '84, 176, 177, 178, '85, 147, '89, 130, 138^a, '95, 82; *O.* '95, 242; *Ont.* '83, 144^a, '88, 211; *Pa.* '92, 138, '93, 40, 45, '96, 283, 291^a, 294; *P. E. I.* '85, 263^a, '93, 6^a, 12; *Que.* '82, 235, '89, 148; *R. I.* '97, 204; *S. C.* '79, 214^b, '92, 37^a, 38^a, '99, 198; *S. D.* '85, 280; *Tenn.* '86, 318; *Tex.* '82, 13, 39, '87, 259^a, 293, '92, 338; *Va.* '82, 48^a; *W. Va.* '82, 188^b, '88, 326; *W. Va.* '98, 136.—*anat.* '95, 187, '96, 114 (fig.); *fd.* '88, 211; *hbt.* '83, 7^a, '84, 189^a, '92, 68^a, '95, 82, '99, 221–225; *meas.* '79, 160^b, '99, 222; *mig.* '83, 7^a, '84, 176, 177, 178, '87, 260, 260, '88, 326, '92, 37^a, 38^a, '95, 122, 129^a, 236, 239^a, 242, 244^a, '99, 198; *nst.* '80, 14^b, '83, 117^b, 235^a, '87, 260, '88, 22, '89, 183^a, '95, 82, '96, 294, '99, 182, 221; *plm.* '76, 21^b (alb.), '78, 120^b, '81, 158^b, '82, 39, '92, 85, '96, 242 (mlt.), '99, 221; *song.* '84, 65^a, 70^a, 71^a, '85, 147, '89, 197; *syn.* '77, 73, '79, 138^b, 155–160^b, '80, 37^c, 97, 106^b, 177, 178, '84, 103, '99, 183; *misc.* '81, 179^a, 106^a, '86, 271^a, '87, 74^a, '90, 389^a.

georgiana (^a Swamp Sparrow, ^b *palustris*), *Ala.* '79, 8^b; *Colo.* '87, 264; *Fla.* '88, 274, '89, 323, '91, 133^a, 138, '92, 213, '95, 365, '98, 270^a; *Ia.* '95, 122^b, 236^b; *Ill.* '90, 242; *Ind.* '89, 25; *La.* '82, 163^b, '87, 302^a; *Man.* '86, 324; *Mass.* '83, 58, '84, 14^b, '85, 216^b, 307^a, 380^a, '86, 136^a, '88, 380, '89, 45, 183^a; *Me.* '82, 148^a; *Mich.* '93, 230; *Minn.* '79, 153^a; *Miss.* '99, 270; *Mo.* '79, 143^b, '95, 3^a, 224^a, '96, 218; *N. B.* '87, 239^a, '89, 118; *N. C.* '98, 275; *N. F.* 1900, 72; *N. H.* '88, 150, 152, '89, 78; *N. J.* '92, 204; *N. S.* '87, 16, '91, 165; *N. Y.* '79, 32^b, 35^b, '81, 230^a, '83, 235^a, '84, 176^b, '85, 149^b; *O.* '86, 277^b; *Pa.* '99, 312; *P. E. I.* '93, 12; *Que.* '84, 295^b, '89, 148; *S. C.* '79, 214^b, '85, 189^b, '99, 198; *S. D.* '85, 280^b; *Tenn.* '86, 318; *Tex.* '87, 293, '92, 339; *Vt.* '84, 7^a; *W. Va.* '82, 188^b, '88, 327.—*anat.* '95, 187, '96, 112, 114 (fig.); *hbt.* '81, 179^b:

meas. '89, 148; *mig.* '84, 176^b, 176^b. '85, 380^a '88, 327, 328, '89, 183^a, '95, 122^b, 129^a, 236^b, '99, 198, 270; *nst.* '83, 235^a; *plm.* '78, 120^b, '79, 29^a (alb.), '83, 58^b, '86, 277^b, '89, 148; *song.* '84, 67^a, '85, 149; *syn.* '83, 58^b, '85, 371; *mise.* '85, 100^a (corr.). *goldmani*, *Mex.*, *meas.* '99, 29*;—*syn.* '99, 183.

graminea (Santa Barbara Song Sparrow), *Cal.* '91, 86, 305.—*syn.* '91, 86, '99, 183.

guttata (^aRusty Song Sparrow, ^bmorphna), *Cal.* '78, 66, '86, 182 [*samuelis?*]; *Ore.* '86, 169, '88, 359 [*merrilli?*]; *Wash.* '81, 128, '82, 227, 229, '92, 45, '97, 178, 1900, 355.—*meas.* '79, 160; *nst.* '86, 169, 1900, 355; *plm.* '82, 229, '88, 359, '92, 86, 1900, 10^a; *syn.* '79, 158, '82, 229, '99, 183^b.

heermannii (Heermann's Song Sparrow), *Cal.* '78, 66, '86, 182 [*samuelis?*], '89, 221 [*samuelis?*]; *L. Cal.* '95, 141; *Ore.* '88, 359 [*merrilli?*].—*meas.* '79, 160; *plm.* '88, 359 [*merrilli?*], '92, 85; *syn.* '79, 157, '90, 191, '99, 183.

insignis (Bischoff's Song Sparrow, ^bkenaiensis), *Alas.* '95, 144, 1900, 29^b*.—*meas.* '79, 160, '95, 146, 147, 148; *nst.* '95, 148; *plm.* '79, 159; *syn.* '79, 159, '95, 149, '97, 122.

juddi (Dakota Song Sparrow), *g. dist.* '97, 122; *N. D.* '96, 132*.—*syn.* '97, 122.

kenaiensis, 1900, 29*, see *insignis*. *lincolni* (^aLincoln's Sparrow or Finch), *Alas.* '98, 128; *Ariz.* '82, 107, '85, 354, '87, 204, '94, 218^a; *B. C.* '93, 21 [*striata?*]; *Cal.* '78, 66, '87, 93 [*striata?*], '98, 235 [*striata?*]; *Colo.* '80, 229, '81, 90, '83, 189, '85, 16, 142, '87, 125; *Conn.* '86, 487, '93, 206^a, 207, '94, 181, '95, 86; *D. C.* '84, 397, '88, 148; *g. dist.* '93, 126; *Ia.* '95, 123; *Ill.* '90, 242; *Ind.* '82, 21, '89, 25; *Labrador.* '98, 203^a; *Man.* '86, 324; *Mass.* '99, 196^a; *Md.* '88, 148; *Mich.* '85, 65; *Minn.* '79, 154; *Mo.* '79, 143, '95, 222^a; *Mo. River.* '95, 227^a; *Mont.* '88, 18, '94, 306, '95, 217; *N. B.* '98, 189; *N. M.* '86, 74; *N. Y.* '78, 197, '79, 6, '81, 126, 230, 246, '84, 31, 175, '96, 87; *Ore.* '88, 359 [*striata?*]; *Oue.* '84, 295; *S. D.* '85, 280; *Tex.* '82, 13, 39, '84, 121, '87, 293, '92, 338, 1900, 346.—*anat.* '96, 112, 114 (fig.); *hbt.* '81, 90, '93, 206; *meas.* '78, 198, '81, 246;

mig. '84, 31, 175, '85, 65, '95, 123, '99, 196^a; *nst.* '78, 197, '81, 246; *plm.* '93, 21, '98, 128; *song.* '80, 229, '88, 359, '98, 128, 189; *syn.* '79, 138, '93, 21, '94, 50; *misc.* '98, 203^a.

merrilli (Merrill's Song Sparrow, ^bingersolli), *Cal.* '99, 342^b; *Ida.* '96, 46^a, '97, 122, '98, 16; *Ore.* '88, 359 [*heermannii?*].—*mig.* '98, 16; *nst.* '96, 46, '98, 16; *syn.* '97, 122.

mexicana, *Mex.* '79, 158, 160, '94, 67.—*meas.* *plm.* '79, 160; *syn.* '90, 191, '99, 183.

montana (^aMountain Song Sparrow, ^bfallax), *Ariz.* '84, 223, '87, 204; *Colo.* '83, 189^b, '85, 16^b '85, 141^b, '87, 125, '94, 216; *g. dist.* '84, 224^b; *Ida.* 1900, 245; *Mont.* '82, 6^b, '88, 17^a, '94, 306, '95, 217 [*'fasciata'*]; *N. M.* '85, 124, 236, '98, 310; *Ore.* '79, 165^b [*merrilli?*], '88, 139, 359 [*merrilli?*]; *Tex.* '89, 240; *Wash.* 1900, 245 [*merrilli?*].—*mig.* '84, 224; *plm.* '88, 359, '92, 85; *song.* '85, 236, '98, 310; *syn.* '84, 223, '90, 191, '99, 183.

pusilla, '99, 35*, see *samuelis*.

rivarularis (Brown's Song Sparrow), *L. Cal.* '92, 188.—*nst.* '89, 329; *plm.* '92, 86; *syn.* '99, 183.

rufina (Sooty Song Sparrow, ^bcaurina), *Alas.* '95, 148, '98, 128, '99, 36*; *Ore.* '86, 169.—*meas.* *plm.* '79, 160; *syn.* '79, 159, '99, 183, 183^b.

samuelis (Samuel's Song Sparrow, ^bAmmodramus, ^ccooperi, ^d*pusilla*), *Cal.* '86, 182, 453 [*graminea?*], '90, 215^b, '99, 35*, 35^a*; *Colo.* '87, 93.—*meas.* '79, 160; *plm.* '79, 157, '87, 93, '92, 86; *syn.* '79, 158, '99, 183, 183^c, 183^d.

striata (Forbush's Sparrow, ^blincolni), *B. C.* '90, 63, '93, 21; *Cal.* '87, 193^b, '89, 221^b, '98, 235^b; *g. dist.* '89, 89*; *plm.* '93, 21; *syn.* '90, 63, '93, 21, 292, '94, 50.

melpoda (Estrilda), see *Habropyga*.

—(Fringilla), see *Habropyga*.

—(Habropyga), see *Habropyga*.

melpomene (Catharus), see *Catharus*.

Melzer, James Pearson.

Little Blue Heron in New Hampshire, '97, 316.

mendozae (Pseudochloris) see *Pseudochloris*.

meninting (Alcedo), see *Alcedo*.

menstruus (Pionus), see *Pionus*.

mentalis (Calloolphus), see *Chrysophlegma*.

— (Chrysophlegma), see Chrysophlegma.
 — (Chrysopicus), see Chrysophlegma.
 — (Dendornis), see Dendornis.
 — (Picus), see Chrysophlegma.
 — (Rhodospingus), see Rhodospingus.
Menura, '81, 32, 36.
 superba, plm. '81, 240.

Menuridae, '81, 33.

Menzbier, Michael Alexander.

Ornithologie du Turkestan (rev.), '88, 447, '90, 77.

Merganetta frænæta, Chili, '96, 162.

Merganser, '93, 99, 107.

americanus (^a American Merganser, Goosander or Sheldrake, ^b Mergus), Ariz. '86, 384, '90, 48, 50; Cal. '87, 87; Colo. '85, 18^a, 144^b; g. dist. '93, 125; Ida. '97, 350; Ind. '88, 346; Ky. '89, 312; La. '97, 285; Man. '86, 148; Mass. '96, 203; Me. 1900, 208^a; Mich. '93, 222; Minn. '84, 249^b; Mont. '95, 212; N. B. '82, 152^b, '89, 117; N. M. '87, 344; N. Y. '81, 235^b; Ont. '85, 372^b, '87, 247^a; Ore. '79, 198^b, '86, 163, '88, 141; Que. '82, 240^b; S. D. '85, 288^b; Tex. '82, 42^b, '87, 184; Wash. '92, 41, '97, 171, 1900, 242.—fd. '86, 272^b, '89, 117; nst. '87, 344; syn. '86, 127^a, '97, 316, '99, 103; misc. '93, 293^a, '94, 69^a.

comatus, Asia, '96, 162.

merganser (^a European Goosander, ^b Mergus), Helg. '95, 327^b.—syn. '86, 127^a, '96, 164.

serrator (^a Red-breasted Merganser or Sheldrake, ^b Mergus), Alas. '80, 35^b, '85, 158, 201^b, 241^b, '87, 12, '95, 276, '98, 126, 1900, 183^a; Cal. '86, 89, '89, 222^b; Colo. '87, 264, '94, 183^b; Fla. '88, 378, '92, 211; Ga. '96, 215; g. dist. '93, 125; Greenl. '89, 215; H. I. 1900, 203^b; Helg. '95, 327^b; Hud. B. '90, 320; Ida. '97, 350; Ill. '77, 68^b; Ind. '88, 346; Kan. '94, 260^a; Ky. '89, 312; Man. '86, 148; Mass. '92, 304, '94, 225, '96, 203, '97, 228; Me. '82, 152^b, '95, 387^a; Mich. '93, 222; Minn. '84, 240^b; Mont. '94, 301, '95, 212; N. F. 1900, 71; N. J. '79, 226^b; N. S. '87, 14^a, '95, 90, 377; N. Y. '81, 235^b, '84, 177^b; Ont. '85, 372^b; Ore. '79, 198^b, '86, 163, '88, 141; Que. '82, 240^b, '89, 146; Wash. '93, 17, '97, 171, 1900, 350.—anat. '96, 111^a; fd. 1900, 203^b; hbt. '92, 223; meas. '95, 388; mig. '84, 177^b; nst. '87, 14^a, '89, 146, '93, 223, '95, 388; plm. '83, 126^b (alb.), 1900, 183^a (mlt.).

merganser (Merganser), see Merganser.
 Merganser, American, see Merganser americanus.

Hooded, see Lophodytes cucullatus.
 Red-breasted, see Merganser serrator.
Mergulus, see Alle.

Mergus, '85, 96, '97, 118.
 albellus (Smew, ^b Mergellus), g. dist. '97, 118; Helg. '95, 327^b; N. Am. '84, 384, '96, 163.—syn. '97, 118; misc. '80, 88^b, '88, 422.

anatarius, plm. '88, 422 (hyb.).
 Meriden Scientific Association, Transactions, titles (Nos. 2282-2283), '92, 193.

meridianalis (Dryobates), see D. medianus.
 — (Gelochelidon), see G. nilotica.
 — (Heterospizias), see Heterospizias.
 — (Lanius), see Lanius.
 — (Parus), see P. sclateri.
 — (Serinus), see S. serinus.
 — (Sturnella), see Sturnella.
 — (Trogon), see Trogon.

merle (Turdus), see Mimus orpheus.
Merlin, see Falco regulus.

American, see Falco columbarius.
 Black, see Falco suckleyi.

Richardson's, see Falco richardsonii.
 merlini (Coccygus), see Saurothera.
 — (Saurothera), see Saurothera.

Meropidae, '81, 74, 75.

Meropidae, '93, 68.

Merops, '94, 236, 237.

apiaster, Helg. '95, 336.
 bicolor, P. I., hbt. '94, 237.
 philippinus, P. I., hbt. '94, 237.

Merriam, Augustus Chapman.

The Coues lexicon of North American birds, '84, 36-49.

Merriam, Clinton Hart.

Passerculus princeps and *Parus hudsonicus* in Connecticut, '76, 52.

Review of birds of Connecticut (rev.), '77, 107.

Correction [*Colymbus cristatus* not a Conn. bird], '78, 47.

Remarks on some birds of Lewis Co., New York, '78, 52-56, 123-128.

see Willard, S. L., 'birds of central N. Y.' (rev.), '78, 83.

see Rathbun, F. R., 'birds of Cayuga, Seneca and Wayne counties' (rev.), '78, 85.

Nesting of Banded Three-toed Wood-pecker (*Picoides americanus*) in northern N. Y. '78, 200.

Remarks on some birds of Lewis Co., New York, '79, 1-7.

see Rathbun, F. R., 'revised list of

- birds of central New York' (rev.), '79, 172-175.
 Preliminary list of birds in Adirondack region, New York, '81, 225-235.
Xanthocephalus icterocephalus in Lower Canada, '81, 246.
 Breeding of Barrow's Golden-eye in Lower Canada, '81, 249.
 Breeding of Pine Grosbeak (*Pinicola enucleator*) in Lower Canada, '82, 120.
 Addenda to preliminary list of birds in Adirondack region, New York, '82, 128, 256, '84, 58.
 List of birds within ten miles from Point de Monts, Quebec, Canada; based upon notes of N. A. Comeau, '82, 233-242, '83, 244, '84, 295, '85, 113, 315.
 see Gentry, T. G., 'nests and eggs of birds of U. S.' (rev.), '82, 246-249.
 A bird new to northern North America, '83, 213.
 Breeding of Harlequin Duck (*Histrionicus minutus*), '83, 220.
 Bird migration, '84, 71-76.
 Plea for metric system in ornithology, '84, 203-205.
Iireo philadelphicus in northern New York, '84, 291.
 Breeding of *Passerculus princeps* on Sable Island, '84, 390.
 Preliminary report of committee on bird migration, '85, 53-65.
 see Langille, J. H., 'our birds in their haunts' (rev.), '85, 91-94.
 A bird new to the Bermudas (rev.), '85, 95.
 Nest and eggs of Blackburnian Warbler, '85, 103.
 Swainson's Warbler off southern Florida, '85, 104.
 A remarkable migration of Canada Jays, '85, 107.
 White Pelican on Lake Ontario, '85, 111.
 Committee on migration and geographical distribution of N. Am. birds. Circular for 1885, '85, 117-120.
 Change of color in wing-feathers of Willow Grouse, '85, 201-203.
 Probable breeding of Wheatear (*Saxicola ananthe*) on north shore of Gulf of St. Lawrence, '85, 305.
 Eggs of Knot (*Tringa canutus*) found at last! '85, 312-313.
 Kirtland's Warbler from Straits of Mackinac, '85, 376.
 Odd nesting habits of Blue Yellow-backed Warbler in Missouri, '85, 377.
 Swainson's Warbler in Jamaica, '85, 377.
 An albino Surf Duck (*Edema perspicillata*), '85, 386.
 What birds indicate proximity to water?, '88, 119.
Eudreia canora from Sombrero Key, Florida—a bird new to United States, '88, 322.
 Descr. of breeding plumage of Chadbourn's Field Sparrow (*Spizella arenacea*), with evidence of specific distinctness, '88, 402.
 A hawk bearing a legend, '89, 276.
 Biological survey of San Francisco mountain region and desert of Little Colorado, Arizona [N. Amer. Fauna, No. 3] (rev.), '91, 95-98.
 Birds observed in Idaho [N. Amer. Fauna, No. 5] (rev.), '91, 385.
 Dwarf Screech Owl (*Megascops hammondi idahoensis*), '92, 169-171 (col. pl.).
 Carolina Paroquet (*Conurus carolinensis*) in Missouri, '92, 301.
 Geographic distribution of life in N. America (rev.), '92, 377-382.
 Report of ornithologist and mammalogist for 1892 (rev.), '93, 347.
 Faunal position of Lower California, '93, 305.
 Water Ouzel in coast range of Monterey, Cal. '94, 258.
 Leconte Thrasher, *Harporhynchus lecontei*, '95, 54-60 (col. pl., 5 figs., map).
 Report of ornithologist and mammalogist for 1893 (rev.), '95, 98.
 Laws of temperature control of the geographical distribution of terrestrial animals and plants (rev.), '95, 174.
 Geographic distribution of animals and plants in North America (rev.), '95, 384.
Syrnius occidentalis caurinum, a new Owl from the Puget Sound region, '98, 39.
 Results of a biological survey of Mount Shasta, Cal. [in N. Amer. Fauna, No. 16] (rev.), 1900, 73.
 Merriam, Florence Augusta.
 Birds through an opera glass (rev.), '89, 330.

- Was he a philanthropist? '90, 404-407.
 Interesting nesting site of a Winter Wren (*Troglodytes hiemalis*), '90, 407.
 Nesting habits of *Phainopepla nitens* in California, '96, 38-43.
 Notes on some birds of southern California, '96, 115-124.
 How birds affect the farm and garden (rev.), '96, 337.
 A-birding on a bronco (rev.), '97, 107.
 Bird protection in New York, '98, 111, '99, 58.
 Birds of village and field (rev.), '98, 206.
merriami (*Cyrtonyx*), see *Cyrtonyx*.
 — (*Meleagris*), see *M. gallopavo*.
Merrill, Harry.
 Notes on a few Maine birds, '81, 249-250.
 Maine notes, '82, 190.
 Occurrence of *Larus glaucescens* at Grand Menan, N. B. '83, 125.
 Connecticut Warbler—a correction, '86, 413.
Pelcanus erythrorhynchos in Maine, '92, 202.
Lagopus lagopus in Maine, '92, 300.
 Black Gyrfalcon (*Falco rusticolus obsoletus*) in Maine, '99, 182.
Merrill, James Cushing.
 Notes on Texan birds, '76, 88-89.
 A Hummingbird new to fauna of the United States, '77, 26.
 Notes on *Molothrus aeneus*, '77, 85-87.
 Occurrence of *Myiarchus crinitus erythrocercus* at Fort Brown, Texas, '78, 99.
 Notes on ornithology of southern Texas (rev.), '79, 50-52.
 see Maynard, C. J., 'birds of Florida' (rev.), '79, 114.
 Notes on winter plumage of *Leucosticte tephrocotis* and var. *littoralis*, '80, 75-77.
 Oölogical notes from Montana, '81, 203-207.
 Nesting habits of Canada Goose (*Berinda canadensis*), '83, 124.
 Republication in 'The Auk' of descriptions of N. Am. birds.—a suggestion, '85, 389.
 Notes on birds of Fort Klamath, Oregon, with remarks by Wm. Brewster, '88, 139-146, 251-262, 357-366.

- Notes on birds of Fort Sherman, Idaho, '97, 347-357, '98, 14.
 Obituary of Charles E. Bendire, '98, 1-6 (portrait).
 Spotted Sandpiper removing its young, '98, 52.
merrilli (*Meiospiza*), see *Melospiza*.
 — (*Nyctidromus*), see *Nyctidromus*.
 — (*Otocoris*), see *Otocoris*.
merrilli (*Accipiter*), see *Falco regulus*.
Merula, '81, 171, '83, 100, 101, '84, 182, '86, 2, 450, '88, 443, '90, 194, 277, '93, 113, 131, '94, 233.
albiventris, *Venez.* '97, 363.
aurata, *W. I.* '86, 3, '93, 342.—*meas.*, *plm.*, *syn.* '86, 3.
cacozeala, *Colom.* '99, 91.
celænops (^b *Turdus*), *Japan*, '88, 196^b.
confinis (Saint Lucas Robin), *L. Cal.* '84, 284, 285.—*mise*, '93, 142.
conradi (^b *Turdus*), *Ecuador*, 1900, 81^b.
flavirostris (^b *Turdus*), *Cal.* '77, 90^b?.
fumigata, *Braz.* *meas.* '90, 135.
fusa, *Colom.* 1900, 82.
grayi (^b *Turdus*), *C. R.* '91, 274.—*anat.* '82, 215^b; *meas.* '91, 274, 275; *nst.* '91, 274.
graysoni, *Mex.* '83, 169.
gymnophtalma (^b *Turdus caribbeus*), *Venez.* '97, 363; *W. I.* '79, 49, 229, '86, 4, '93, 220.—*anat.* '79, 49^b, 229^b; *meas.*, *plm.*, *syn.* '86, 4.
incompta, *Colom.* '98, 339.
intermedia, *Turkestan*, '96, 331.
jamaicensis, *W. I.* '86, 2, '93, 342.—*meas.*, *plm.*, *syn.* '86, 2.
leucauchen, *Mex.*, *syn.* '98, 161.
leucomelas (^b *Turdus*), *Argent.* '83, 85^b; *Braz.* 1900, 299^b; *Urug.*, *hbt.*, *nst.* '83, 85^b.
leucops (^b *Turdus lawrencei*), *syn.* '97, 225^b.
merula (^a European Blackbird, ^b *Turdus*), *Germany*, '96, 307^a, 310^a; *Helg.* '95, 331; *N. Y.* '80, 120^a (introduced).—*misc.* '85, 129; *song*, '96, 298^b.
migratoria (^a American Robin, ^b *Turdus*), *Ala.* '78, 169^b; *Alas.* '81, 5^a, '87, 13; *Ark.* 1900, 55^a; *B. C.* 1900, 107; *Canada*, '88, 211; *Conn.* '84, 90^b; *Cuba*, '86, 3; *D. C.* '88, 25; *Engl.* '77, 110^b; *Europe*, '80, 68; *Fla.* '88, 277, '90, 120, '91, 138, '92, 214, '95, 188^a, '97, 325; *Ga.* '96, 213; *g. dist.* '77, 9^b; *G. Br.* '92, 290^b; *Helg.* '91, 300, '95, 331; *Hud. B.* '90, 322;

Ia. '84, 86^a, 86^a, '95, 121, 236; *Ill.* '88, 434; *Ind.* '89, 30; *Kan.* '94, 215^a; *Ky.* '89, 316; *La.* '82, 160, '92, 206; *Man.* '86, 328; *Mass.* '83, 149^a, '84, 6^a, '88, 389, '89, 46, 107, '90, 360–373, '95, 87^a, '98, 162–167; *Me.* '82, 108^b, '89, 281^a; *Mich.* '81, 196^a, '93, 230; *Minn.* '80, 13^b, '84, 244; *Mo.* '79, 140^b, '95, 1–11^a, 219^a, '96, 219; *N. B.* '82, 108^b, '83, 7^a, 11^a, 235^a, '84, 294^a, '87, 213^a, '89, 119, 241, 1900, 177; *N. C.* '86, 101^a, 178, 311^a, 314, '87, 245, '89, 119^a, 122^a; *N. E.* '76, 72^b, 90^b, '77, 12^b, '92, 68^a, 68^a; *N. F.* 1900, 73; *N. H.* '87, 108, '88, 151, 153, 155, '89, 78, 79; *N. J.* '79, 81^a, '80, 134^a, '92, 204, '94, 140; *N. S.* '82, 115^b, '84, 269^a, '87, 15^a, 16, '99, 253; *N. Y.* '79, 31^b, 33^b, '81, 226, '82, 187^b, '84, 126^b, 178, '89, 131, 202, '98, 274, 332; *O.* '95, 242; *Ont.* '83, 144^a, '84, 161; *Pa.* '89, 141^a, '92, 141, '93, 41, 46, '96, 285, 297; *P. E. I.* '85, 265^a, '93, 6^a, 15; *Que.* '82, 234^b, '85, 102^b, '89, 150, '91, 317; *S. C.* '79, 210^b, '92, 29, 30^a, 31^a, 32^a, 33^a, '94, 34^a; *S. D.* '85, 277; *Tenn.* '86, 315, '87, 133; *Tex.* '82, 6^b, '84, 123, '87, 298, '92, 345, 1900, 348; *Va.* '86, 159^a, '89, 52; *Wash.* '82, 227^b; *Wis.* '82, 187^b, '88, 327^a; *W. Va.* '98, 137.—*anat.* '83, 172^a, '85, 303^a; *fd.* '81, 25^a, 110^a, 226, '82, 6^b, '84, 87^b, '85, 265^a, 277, 299^a, 300^a, '86, 477^b, '88, 211, '93, 15, '97, 421^a, '99, 253, 284, 362^a; *hbt.* '79, 178^a, '83, 11^a, '84, 87^a, 189^a, '86, 315, '90, 86^a, 110^a, 360–373, 394, '91, 107^a, '92, 286^a, '94, 68^a, 68^a, 71^a, 71^a, 261^a, 278^a, '95, 1–11^a, '96, 219, '97, 413^a, '98, 162–167, 274, 1900, 100–103 (2 pl.), 300^a; *meas.* '77, 9^b, '98, 164, 166; *mig.* '80, 134^a, '84, 178, 189^a, '85, 97^a, 277, '86, 475, '87, 67^a, '88, 277, 327^a, 434, '89, 141^a, 202, 241, '90, 396, '91, 109, 195, '92, 29^a, 30^a, 31^a, 32^a, 33^a, '94, 104^a, '95, 121, 129^a, 236, 239^a, 242, 244^a, '97, 325; *nst.* '78, 97^a, 103^a, '83, 117^b, 235^a, 237^a, '85, 97^a, 277, '86, 315, '87, 245, 264, '89, 30, 150, 182^a, 182^a, 182^a, '90, 82^a, 83^a, 394^a, '91, 106^a, 109, '94, 135^a, '98, 162, 240^a, 274, 332; *plm.* '76, 21^b (alb.), 24^b (melan.), '77, 9^b, '78, 47^b (melan.), 104^a (alb.), '80, 46^b (melan.), '84, 90 (melan.), 126^b (mlt.), 287^a (alb.), '85, 102^b (alb.), 114^b (alb.), 303^a (melan.), 304 (alb.), '86, 178, 284^b (melan.), '92, 304^a (melan.), '98, 166; *song.* '84, 70^a, 126^b, '88, 277, '90, 199, 1900,

403; *syn.* '84, 123, '86, 3; *misc.* '77, 8^b, '78, 104^a, '81, 125^a, 196^a, '83, 73, 175^a, '84, 244, '85, 211^a, 300^a, '86, 400^a, '88, 316^a, '90, 82^a, 391^a, 396^a, 397^a, '91, 391^a, '94, 71^a, '95, 304^a, '96, 348^a, 1900, 55^a, 56^a, 109^a. *minuscula*, *Colom.* '99, 91. *nigrirostris*, *W. I.* '79, 48, '86, 4.—*mcas.*, *plm.*, *syn.* '86, 4. *obscura* (^b *Turdus*), *Helg.* '95, 331^b. *plebeius*, *Mer.* '98, 161. *propinqua* (^a Western Robin, ^b *Turdus*, ^c *Turdus migratorius*), *Alas.* '98, 130; *Ariz.* '82, 68^b, '88, 167, '90, 49, 264; *B. C.* 1900, 107; *Cal.* '86, 186, '89, 222^a, '90, 297, '99, 159^a; *Colo.* '79, 91^c, '81, 85^b, '83, 152^b, '85, 15, 140, '87, 123, '94, 216, 270; *g. dist.* '77, 9^b* '80, 89^a; *Ida.* '98, 21, 1900, 245; *Kan.* '84, 100, '86, 115; *Minn.* '93, 289; *Mont.* '82, 62^b, '94, 308, '95, 219; *Neb.* '96, 245?; *N. M.* '78, 92^c, '85, 330, '89, 73, '92, 369, '94, 216^a, '98, 311; *Ore.* '79, 163, '86, 172, '88, 365, '91, 397; *Tex.* '82, 34, '87, 298; *Wash.* '82, 227^b, '92, 47, '97, 181, 1900, 245, 357; *Wyo.* '89, 193.—*fd.* '79, 163^b, '89, 73, 193; *hbt.* '97, 318^a, 319^a; *meas.* '82, 68^a, '83, 152^b; *nst.* '79, 163^b, '81, 85^b, '88, 365, '99, 159^a; 1900, 245; *plm.* '81, 85^b, '82, 68^a, '83, 152^b, '86, 172 (alb.); *syn.* '84, 123; *misc.* '92, 69. *rufiventris* (^b *Turdus*), *Urug.*, *nst.* '83, 85^b. *tamaulipensis*, *Mer.* '97, 75^a. *tristis*, *syn.* '98, 161. *xanthosceles*, *W. I.* '93, 220, '97, 362. *merula* (*Cinclus*), see *Cinclus*. —— (*Dendrocinela*), see *D. castanoptera*. —— (*Merula*), see *Merula*. —— (*Turdus*), see *Merula*. *merulinus* (*Larus*), see *Hydrochelidon surinamensis*. *Mesitidae*, '94, 242. *mesoleuca* (*Ruticilla*), see *Ruticilla*. *mesoleucus* (*Contopus*), see *Contopus*. —— (*Pipilo*), see *Pipilo*. —— (*Thryothorus*), see *Troglodytes*. —— (*Troglodytes*), see *Troglodytes*. *Mesomyodi*, '81, 32. *Mesotreron*, 1900, 80. *Metallura districta*, *Colom.* 1900, 82. *smaragdinicollis*, *Colom.*, *plm.* '99, 139. *tyrianthina*, *g. dist.* '99, 130. *Methriopterus*, '83, 169.

- occidentalis*, *Mer.* '83, 169.
Metopiana peposaca, *Argent.*, *Urug.*,
hbt. '84, 274.
Metopidius, '88, 292.
 africanus, *g. dist.*, *fd.*, *hbt.*, *meas.*,
plm., *syn.* '88, 289, 292, 293, 301.
 albinucha, *Madagascar*, '88, 293,
 300.
 indicus (^b *Jacana*), *g. dist.*, *hbt.*,
meas., *nst.*, *plm.*, *syn.* '88, 292^b, 299^b.
Meves, Wilhelm.
 Die Grösse und Farbe der Augen aller
 Europäischen Vögel, etc. (rev.),
 '86, 265.
mexicana (*Anas*), see *Spatula clypeata*.
—— (*Certhia*), see *C. albescens*.
—— (*Chrysomitris*), see *Astragalinus*.
—— (*Cereba*), see *Cereba*.
—— (*Coturniculus*), see *Peucæa arizone*.
—— (*Culicivora*), see *Polioptila mexicana* or *plumbea*.
—— (*Curvirostra*), see *Loxia stricklandi*.
—— (*Grus*), see *Grus*.
—— (*Henicorhina*), see *Henicorhina*.
—— (*Loxia*), see *L. stricklandi*.
—— (*Meleagris*), see *M. gallopavo*.
—— (*Melospiza*), see *Melospiza*.
—— (*Muscivora*), see *Muscivora*.
—— (*Peucæa*), see *P. arizone*.
—— (*Platalea*), see *Ajaja ajaja*.
—— (*Polioptila*), see *Polioptila*.
—— (*Sialia*), see *S. mexicana*, *occidentalis* or *hairdi*.
—— (*Sitta*), see *Sitta*.
—— (*Spinus*), see *Astragalinus*.
—— (*Spizella*), see *Spizella*.
—— (*Sturnella*), see *S. hoopensi* or *inexpectata*.
—— (*Thaumophilus*), see *T. dolliatus*.
—— (*Tyrannula*), see *Myiarchus*.
mexicanoides (*Colaptes*), see *Colaptes*.
mexicanus (*Accipiter*), see *A. gundlachi*.
—— (*Asio*), see *Asio*.
—— (*Astragalinus*), see *Astragalinus*.
—— (*Carbo*), see *Phalacrocorax*.
—— (*Carpodacus*), see *Carpodacus*.
—— (*Catherpes*), see *C. mexicanus*, *albifrons* or *conspersus*.
—— (*Charadrius*), see *Himantopus*.
—— (*Cinclus*), see *Cinclus*.
—— (*Coccothraustes*), see *Coccothraustes*.
—— (*Colaptes*), see *C. cafer*.
—— (*Crypturus*), see *Crypturus*.
—— (*Falco*), see *Falco*.
—— (*Geococcyx*), see *G. affinis*.
—— (*Graculus*), see *Phalacrocorax*.
—— (*Himantopus*), see *Himantopus*.
—— (*Legriocinclus*), see *Ramphocinclus brachyurus*.
—— (*Myiarchus*), see *Myiarchus*.
—— (*Nyetibius*), see *Nytibius*.
—— (*Peucæa*), see *P. arizone*.
—— (*Phalacrocorax*), see *Phalacrocorax*.
—— (*Phasianus*), see *Geococcyx affinis*.
—— (*Psilorhinus*), see *Psilorhinus*.
—— (*Pterodroma*), see *Ramphocinclus brachyurus*.
—— (*Pyrocephalus*), see *Pyrocephalus*.
—— (*Spinus*), see *Astragalinus*.
—— (*Tantalus*), see *Plegadis autumnalis*.
—— (*Todus*), see *T. hypochondriacus*.
—— (*Trogon*), see *Trogon*.
—— (*Xanthornus*), see *Gymnomystax melanicterus*.
Mexico (see also separate States of).
 Allen, J. A., '76, 93, '87, 65, '98, 339–340.
 Butler, A. W., '81, 49.
 Chapman, F. M., '94, 245, '98, 279.
 Ferrari-Perez, F., '87, 65.
 Goss, N. S., '88, 240–244.
 Lawrence, G. N., '76, 93.
 Nelson, E. W., '94, 39–45, '97, 42–76, '98, 115–122, 155–161, 217–223, '99, 25–31, 296, 1900, 253–270.
 Oswald, F. L., '81, 51.
 Palmer, T. S., '94, 39–45.
 Stone, W., '92, 195.
Mexico, Mexico.
 Butler, A. W., '88, 264–266.
 Nelson, E. W., '97, 75.
Meyer, Adolph Bernhard.
 A supposed new species of Hummingbird in Royal Zoological Museum of Dresden, '90, 315.
 Another specimen of Labrador Duck, '92, 389.
Meyer, A. B., and **Wiglesworth**, L. W.
 Birds of Celebes and neighboring islands (rev.), 1900, 399–401.
Mezotroteron dohertyi, *syn.* 1900, 80.
miamensis (*Thryothorus*), see *T. mia-*
mensis.
Michigan.
 Allen, J. A., '79, 123, '80, 54, 110, '81, 46.
 Atkins, H. A., '79, 238, '83, 174, 174, 175, 175, 237, '85, 98.
 Barrows, W. B., '95, 387.
 Brewster, W., '89, 286–291.
 Collins, W. H., '80, 61–62, '81, 47, '83, 176, 234.
 Coues, E., '80, 49–50.

- Covert, A. B., '77, 75, '81, 47, '96, 255-256.
 Deane, R., '97, 316.
 Dunn, J. O., '95, 389.
 Eddy, N. A., '83, 235.
 George, A. B., '90, 388.
 Gibbs, M., '80, 110, '85, 212, 302, '87, 66, 339, '88, 312, 312, '90, 84, 85, '92, 67, 68.
 Gunn, C. W., '79, 186, '81, 119-120.
 Henshaw, H. W., '81, 195-196.
 Herlert, A., '81, 48.
 Lawrence, R. B., '87, 69, '90, 204, 391, '92, 67.
 Lockwood, E. A., '88, 315.
 Maynard, C. J., '76, 2-6.
 Merriam, C. H., '85, 64-65, 376.
 Mosely, E. L., '89, 174, '90, 391.
 Mulliken, W. E., '96, 174.
 Purdie, H. A., '79, 185.
 Purdy, J. B., '97, 220-221, 406, '99, 77, 1900, 174.
 Ridgway, R., '84, 389.
 Roney, H. B., '80, 180.
 Selous, P. S., 1900, 293.
 Swales, B., '94, 70.
 Trombley, J., '82, 250-251.
 Warren, O. B., '94, 180, '95, 191-192, '98, 193, '99, 12-19.
 Washburn, F. L., '89, 279-280.
 Watkins, L. W., '95, 77.
 White, S. E., '93, 221-230.
 Wood, J. C., 1900, 390-391.
 Wood, N. A., '97, 216.
 Michigan Ornithological Club, '96, 194, '97, 101, 256.
Michoacan, Mexico.
 Nelson, E. W., '94, 40-41, '99, 28, 1900, 254-255.
 Palmer, T. S., '94, 40-41.
Micrastur, '77, 72, '85, 205.
Micrasturites, '77, 70.
Micrathena, see **Micropallas**.
Micrathene, see **Micropallas**.
 graysoni, '86, 333*, see **Micropallas**.
microcephala (*Sylvania*), see **Wilsonia**.
 — (*Wilsonia*), see **Wilsonia**.
Microcerculus daulias, C. R. '89, 171.
microceros (*Ciceronia*), see **Simorhynchus pusillus**.
 — (*Phaleris*), see **Simorhynchus pusillus**.
 — (*Simorhynchus*), see **S. pusillus**.
Microglossus, '92, 279.
 aterrimus, *plm.* 95, 74.
Microhierax, '94, 233.
Microligea (^b*Ligea*), '84, 1^{**}, 236^b, 290^{*}, '85, 295, 367, '86, 44, 1900, 217.
 palustris (^b*Ligea*, ^c*Geothlypis*), *W. I.* '84, 1^{**} (*col. pl.*), 285, '86, 44,

- 1900, 217^c.—*meas.* '84, 1^b, '86, 44; *plm.* '86, 44, 1900, 217^c; *syn.* '84, 290, '86, 44.
micromegas (*Nesoctites*), see **Nesocmites**.
 — (*Picumnus*) see **Nesocmites**.
Micropalama, '87, 312, '88, 193, '93, 108.
himantopus (Stilt Sandpiper), *B.* C. 1900, 104; *Colo.* '87, 264; *Colom.* 1900, 364; *Fla.* 89, 156, '92, 212; *g. dist.* '93, 125; *Hud. B.* '90, 321; *Ill.* '77, 68, '96, 180; *Jamaica*, '92, 13; *Man.* '93, 49; *Mass.* '79, 63, '80, 44, '95, 310, '96, 88; *Md.* '86, 140, '99, 76; *Me.* '78, 102; *N. B.* '82, 105; *N. C.* '99, 246; *N. E.* '76, 73, 92, '77, 17, 48; *N. J.* '79, 63, '95, 171; *N. Y.* '78, 148, '85, 273, '95, 313; *O.* '90, 393; *R. I.* '80, 237; *Sask.* '86, 151; *S. D.* '85, 286; *Tex.* '87, 186, '88, 110, '92, 232; *Ia.* '97, 88; *W. I.* '87, 312; *Wyo.* '89, 341.—*hbt.* '85, 273, '93, 293; *plm.* 1900, 370 (*mlt.*); *syn.* '87, 312.
Micropallas, '89, 71, '93, 110, 130.
 graysoni (^b*Micrathene*), *Mex.* '86, 333*, '98, 317.
 whitneyi (Elf Owl, ^b*Micrathene*), *Ariz.* '83, 27-29^b, '86, 424, '88, 372^b?; *g. dist.* '93, 134; *Mer.* '85, 231; *N. M.* '92, 362; *Tex.* '89, 276.—*hbt.* '83, 27^b, '86, 424; *meas.* '83, 29^b; *nsf.* '83, 27^b; '86, 424, '88, 372^b; *plm.* 'song.', '83, 27^b; *syn.* '89, 71^a.
Microparra capensis (^b*Aphalus*).
Africa, '88, 293^b, 301^b.—*hbt.*, *meas.* '88, 302^b; *plm.* '88, 293^b, 302^b; *syn.* '88, 301^b.
Micropodidae, '86, 404, '89, 13, '95, 156.
Micropodina, '89, 13.
Micropodoideæ, '86, 406, '89, 12, 196.
Micropsitta, '92, 279.
Micropotrus badius, *Borneo*, *syn.* '91, 8.
Micropus, see *Cypselus*.
microrhyncha (*Arbelorhina*), see *Cerebra* *cæruleus*.
 — (*Cerebra*), see *C. cæruleus*.
microsoma (*Halocyptena*), see *Halocyptena*.
Microstictus, '91, 93.
Micuria, see *Brachyrhamphus*.
micrus (*Vireo*), see *Vireo*.
Middendorff, Alexander Theodor von. Obituary of, '94, 264.
migrans (*Lanius*), see *L. ludovicianus*.
Migration.
 A. O. U. committee, '84, 71, '85, 117.
 Allen J. A., '80, 151.

- Bain, F., '85, 262.
 Baker, C. F., '96, 20.
 Brewster, W., '95, 245.
 Butler, A. W., '92, 238, '93, 155.
 Chadbourne, A. P., '88, 255.
 Chapman, F. M., '88, 37, '94, 12.
 Cooke, W. W., '84, 332, '95, 150.
 Cox, P., '89, 241.
 Deane, R., '77, 9.
 Drew, F. M., '85, 11.
 Dutcher, W., '84, 174.
 Grundtvig, F. L., '83, 65.
 Job, H. K., '83, 147.
 Jones, L., '95, 117, 231, 237.
 Libby, O. G., '99, 140.
 Loomis, L. M., '92, 28, '94, 26, 94.
 Mackay, G. H., '93, 245.
 Merriam, C. H., '85, 53.
 Murdoch, J., '78, 75.
 Scott, W. E. D., '79, 81, '81, 97.
 Stone, W., '89, 139, '91, 194.
 Trowbridge, C. C., '95, 259.
 Willard, S. W., '84, 221.
migratoria (*Columba*), see *Ectopistes*.
 —— (*Merula*), see *Merula*.
migratorius (*Ectopistes*), see *Ectopistes*.
 —— (*Planesticus*), see *Merula*.
 —— (*Turdus*), see *Merula migratoria*
 or *propinquia*.
miliaria (*Emberiza*), see *Emberiza*.
militaris (*Ara*), see *Ara*.
 —— (*Trupialis*), see *Trupialis*.
Millais, John Guille.
 Change of birds to spring plumage
 without a moult (rev.), '97, 109–
 111.
Miller, Fanny.
 Strange story of a California bird,
 '79, 109.
Miller, Gerritt Smith, Jr.
 Description of an apparently new
 Pooecetes from Oregon, '88, 404.
 Cape Cod bird notes, '90, 226–229.
 Further Cape Cod notes, '91, 117–
 120.
 First plumage of *Otocoris alpestris*
 strigata, '91, 314.
Crymophilus fulicarinus in Province-
 town harbor, '92, 298.
 Two Cape Cod records, '92, 396–397.
 Plumbeous Vireo in central New
 York, '94, 79.
 Ground Cuckoo of Andros Island [W.
 I.], '94, 164.
Dryobates scalaris lucasanus in San
 Diego Co., California, '94, 178.
 The systematic name of the Mexican
 Creeper, '95, 185.
 Description of a new Jay [*Aphelo-*
- coma gracilis*] from Mexico, '96,
 34–37 (fig.).
 Some abnormal color markings, '97,
 275–278.
 see Winge, O., ['birds at Danish
 lighthouses, 1883–1897'] (rev.),
 '97, 415–417.
 Treatment of *nomina nuda*, '97, 427–
 430.
 Fauna of Muskeget Island—a pro-
 test, '98, 75–77.
Miller, James Henry.
 Great Gray Owl in Lewis Co., New
 York, '90, 206.
Miller, Mary Mann.
 Birds feeding on hairy caterpillars,
 '99, 362.
Miller, Olive Thorne.
 Bird-ways (rev.), '86, 400.
 Little brothers of the air (rev.), '92,
 279.
 Popular vs. scientific ornithology, '94,
 85.
 A bird-lover in the West (rev.), '94,
 243.
 Captive wild birds, '97, 251.
 Upon the tree tops (rev.), '97, 333.
 First book of birds (rev.), '99, 368.
Miller, Walter.
 Scientific names of Latin and Greek
 derivation (rev.), '97, 332.
Milne-Edwards, Alphonse.
 Obituary of, 1900, 320.
Milvago, '77, 71.
chimango, *Argent.* '84, 111; *Braz.*
 '91, 161; *Urug.* '84, 111.—*anat.* '82,
 88; *hbt.* *fd.*; *nst.* '84, 111.
Milvida, '92, 174.
Milvulus, '93, 132.
forficatus (a Scissor-tailed or
 Swallow-tailed Flycatcher), *Conn.*
 '77, 21; *Fla.* '86, 134, '89, 161, 318;
Mass. '85, 218, '86, 320; *Md.* '96, 68,
 83; *N. W. T.* '85, 218; *O.* '83, 118^a;
Tex. '82, 40, 168, '87, 192, '89, 239,
 '92, 235, '94, 222, 1900, 344; *Va.*
 '83, 59, '96, 83; *I.* '86, 271.—*fd.* '82,
 168; *hbt.* '82, 168; *mig.* '92, 235; *nst.*
 '77, 86^a, '82, 168, '87, 192; *plm.* '80,
 28 (alb.); *misc.* '83, 177^a (not Fork-
 tailed'), 178^a, 178^a, '90, 80^a.
tyrannus (Fork-tailed Flycatcher),
C. R. '90, 333, '92, 251, 322; *Braz.*
 '90, 271, 1900, 299; *Urug.* '82, 203;
W. I. '88, 158.—*meas.*, *nst.* '92, 322.
Milvus, '85, 205, '93, 99, 1900, 167.
ater, *Helg.* '95, 329.
ictinus, *Helg.* '95, 329.

- Milwaukee Public Museum, circular of, title (No. 965), '85, 372.
- Mimeta**, '94, 58.
- Mimidae**, '97, 341.
- Miminæ**, '83, 104, '89, 277, '93, 112.
- Mimocichla**, '83, 101, '84, 182, '86, 5. *ardosiacæ, W. I.* '81, 151, '86, 6—*fd.* '81, 151; *meas., plm., syn.* '86, 6; *nst.* '84, 285, '85, 295; *song*, '81, 151.
- plumbea, Bahamas**, '80, 107, '86, 6, '91, 66, 294, 298, 333, 335, 336, 350, 350, 351, 1900, 289.—*fd.* '91, 66; *hbt.* '91, 387; *meas., plm., syn.* '86, 6, 1900, 289.
- ravida, W. I.** '86, 499*; 501, '88, 156.
- rubripes, W. I.** '86, 5, '89, 30, 31, '91, 300, '92, 272.—*hbt.* '91, 387; *meas., syn.* '86, 5; *plm.* '86, 5, '91, 189 (alb.).
- schistacea, W. I.**, *meas., nst., plm., syn.* '86, 5.
- verrillorum, Dominica**, *meas., syn.* '91, 217*.
- Mimodes**, '83, 169.
- graysoni** (^b *Harporrynchus*), *Socorro I.*, *fd.*, *song*, '98, 317; *syn.* '83, 169*.
- Mimus**, '77, 64, '82, 215, '86, 19, '93, 112, '97, 97.
- arenaceus, Braz.** '90, 135*.
- elegans, W. I.** '86, 19, 20, '91, 298, 333, 351.—*meas., plm.* '86, 20; *syn.* '86, 20, '91, 45, 298.
- gilvus, Venez.** '97, 363; *W. I.* '80, 166, '86, 20, '87, 95, '93, 220.—*meas., syn.* '86, 20; *plm.* '86, 20, '93, 220.
- gracilis, Mex.**, *syn.* '98, 159.
- gundlachi, Bahamas**, '86, 21, '91, 67, 295, 297, 298, 335, 336, 336, 337, 337, 338, 339, 351, 351, '92, 48, 49, 1900, 289; *Cuba*, '86, 21.—*fd.* '91, 67; *meas., syn., plm.* '86, 21, '91, 67.
- hillii, W. I.** '86, 22, '93, 341, '94, 127; *hbt.* '94, 127; *nst.* '94, 127; *meas., plm., syn.* '86, 22.
- lawrencei, Mex.** '83, 169, '98, 159.—*syn.* '98, 159.
- leucophaeus, Yucatan**, '89, 171.
- magnirostris, W. I.** '87, 178*; 181.
- modulator** (^b *calandria*), *g. dist.* '90, 136; *Urug.*, *nst.*, *song*, '83, 85^b.
- orpheus** (^b *dominicæ*), *Bahamas*, '91, 294, 295, 296, 350, 350, '92, 48; *g. dist.* '91, 45; *Jamaica*, '93, 341, '94, 127; *W. I.* '81, 151^b, '86, 20^b, 501.—*meas., plm., syn.* '86, 20^b.
- patagonicus, Patagonia**, '83, 86?.
- polyglottos** (^a *Mockingbird*), *Ala.* '78, 169; *Ariz.* '78, 93, '82, 68, '86, 299^a, '88, 159–161, '90, 48, '94, 220; *Ark.* '82, 90; *Bahamas* '91, 66; *Bermuda*, '96, 237; *Cal.* '78, 65, '86, 87^a, 185, '90, 297, '98, 197, 236; *Colo.* '83, 153, '85, 15, '85, 140; *Cuba*, '86, 19; *D. C.* '88, 24; *Fla.* '88, 276, '90, 115, 343, '91, 138, '92, 214, '95, 365; *Ga.* '82, 96^a, 99^a, '83, 37, '96, 213; *Ill.* '83, 58^a; *Ind.* '85, 98^a; *Kan.* '83, 188, 240; *Ky.* '83, 171, '89, 316; *La.* '82, 160, '87, 300^a; *Mass.* '76, 30, '78, 139, '79, 64, '83, 233, '84, 192, 286^a '89, 340, '90, 393^a, '91, 117, 119, 120, 395, '92, 68^a, 74^a, '93, 295^a, '95, 84^a, 308, '97, 100, 324, '98, 59, 333, '99, 196^a; *Me.* '97, 224, 324^a; *Mo.* '79, 140, '90, 393, '96, 222^a; *N. C.* '86, 99^a, 175; *N. E.* '76, 73; *N. J.* '85, 86, '88, 421, '89, 304, '94, 140; *N. J.* 1900, 390; *N. M.* '78, 93; *N. S.* '96, 344; *N. Y.* '78, 129, '79, 32, '80, 46, '81, 125, '84, 131, '88, 183, 1900, 390^a?; *Ont.* '84, 85^a, '96, 344; *Pa.* '95, 190; *S. C.* '79, 210, '90, 30, 129, '92, 28^a, 30^a, 36^a, 39^a, '94, 103^a, '99, 198^a; *Tenn.* '86, 315; *Tex.* '82, 7, 34, '87, 297, '88, 119; '89, 240, '92, 342, '94, 222^a, 1900, 348; *Wyo.* '82, 180, '94, 258, '95, 309.—*fd.* '82, 7, '92, 342, '94, 258^a, '96, 167^a, '97, 224, 319^a, '98, 59; *hbt.* '82, 101^a, 160, '88, 119^a, 159, '97, 319^a; *meas.* '82, 68; *mig.* '91, 109, '92, 28^a, 30^a, 36^a, 39^a, '94, 103^a, 104^a, '99, 198^a; *nst.* '82, 7, 180, '83, 37, '87, 297, 300^a, '88, 276, '89, 304, '90, 200^a, '91, 109, '92, 338^a, '94, 258, '95, 308; *plm.* '79, 27^a (alb.), '82, 69, '88, 159, '94, 258; *song*, '82, 101^a, '84, 69^a, '88, 131, '85, 307, '86, 185, '87, 297, '90, 343; *syn.* '86, 19, '90, 192; *misc.* '88, 314^a, '89, 197, '90, 199^a, 200, '92, 285^a, '94, 69, 1900, 109^a.
- portoricensis, Porto Rico**, '91, 46.—*syn.* '91, 46.
- rostratus, W. I.** '85, 291.
- saturninus, Braz.** '90, 135*.
- mindorensis** (*Loriculus*), see *Loriculus*.—(*Penelopides*), see *Penelopides*.
- miniata** (*Setophaga*), see *Setophaga*.
- miniatus** (*Chrysonotus*), see *Chrysophlegma malaccensis*.
- minima** (*Branta*), see *Branta*.—(*Fringilla*), see *Acanthis cabaret*.—(*Habrura*), see *H. pectoralis*.—(*Mellisuga*), see *Mellisuga*.—(*Ornithya*), see *Mellisuga*.
- minimus** (*Empidonax*), see *Empidonax*.—(*Myiopagis*), see *Myiopagis*.—(*Parus*), see *Psaltriparus*.

- (Psaltriparus), see *P. minimus* or *californicus*.
- (*Trochilus*), see *Mellisuga*.
- (*Turdus*), see *Hylocichla fuscescens* or *Seiurus aurocapillus*.
- Minnesota.**
 - Benner, F., '80, 11-20, '92, 193.
 - Brackett, F. H., '89, 183.
 - Brauns, E. O., '88, 313.
 - Cantwell, G. G., '89, 340-341.
 - Cooke, W. W., '81, 186, '84, 242-250, '85, 32.
 - Coues, E., '82, 47.
 - Gault, B. T., '95, 80, '97, 222-223.
 - Guilford, H. M., '93, 86.
 - Hallock, C., '84, 187-188, '88, 314, '92, 193.
 - Hatch, P. L., '82, 47.
 - Lano, A., '96, 78-79, 342, '97, 317, '98, 54-55, 186-187, '99, 76-77.
 - Mackay, G. H., '93, 300.
 - McGee, W. J., '80, 53.
 - Mitchell, W., '95, 185.
 - Peabody, P. B., '95, 11-16, '96, 79.
 - Roberts, T. S., '77, 34-36, '79, 152-155, 237-238, '80, 11-20, 61, '81, 48, 49, '90, 213, '93, 288-290, '99, 236-246, '900, 272-283.
 - Tiffany, W. L., '81, 51, '85, 297.
 - Walford, W. L., '80, 183-184.
 - Williams, R. S., '79, 182.
- Minnesota Academy of Natural Sciences, Bulletin, titles (Nos. 2284-2285), '92, 193.
- minor (*Egialitis*), see *E. dubia*.
- (*Botaurus*), see *B. lentiginosus*.
- (*Chionis*), see *Chionis*.
- (*Chordeiles*), see *Chordeiles minor* or *chapmani*.
- (*Coccyzus*), see *Coccyzus*.
- (*Colymbus*), see *Colymbus*.
- (*Crotophaga*), see *C. ani*.
- (*Cuculus*), see *Coccyzus*.
- (*Diuca*), see *Diuca*.
- (*Dryobates*), see *Dryobates*.
- (*Fulica*), see *Fulica*.
- (*Fulmarus*), see *Fulmarus*.
- (*Furnarius*), see *Furnarius*.
- (*Hadrostomus*), see *Platyparis*.
- (*Hemipalama*), see *Ereunetes pusillus*.
- (*Hemiprocnæ*), see *H. zonaris*.
- (*Icterus*), see *Molothrus bonariensis*.
- (*Lanius*), see *Lanius*.
- (*Linaria*), see *Acanthis cabaret*.
- (*Lophorina*), see *Lophorina*.
- (*Lophotriccus*), see *Lophotriccus*.
- (*Loxia*), see *Loxia*.
- (*Pediæcetes*), see *Pediæcetes*.

- (*Philohela*), see *Philohela*.
- (*Picus*), see *Dryobates*.
- (*Platyparis*), see *Platyparis*.
- (*Podiceps*), see *Colymbus*.
- (*Psittacus*), see *Amazona agilis*.
- (*Rusticola*), see *Philohela*.
- (*Scolopax*), see *Philohela*.
- (*Sicalis*), see *S. chapmani*.
- (*Turdus*), see *Hylocichla fuscescens*.
- Minor ornithological papers (Nos. 1-2697), '76, 30, '77, 73-76, '80, 43-46, 112-115, 180-181, '81, 47-53, 112-113, '82, 115-118, '83, 116-119, 171-178, 233-238, '84, 85-89, 185-190, 285-289, '85, 96-101, 209-214, 295-302, 372-375, '86, 270-272, 475-478, '87, 66-69, 337-342, '88, 312-317, '89, 174-184, '90, 79-86, 198-201, 388-398, '91, 106-110, 387-392, '92, 66-69, 187-196, 282-290, 383-387, '93, 292-297, '94, 67-71.
- Minot, Henry Davis.**
 - Great Carolina Wren in Massachusetts, '76, 76.
- Land birds and game birds of New England (rev.), '77, 49, '81, 241; 2d ed. '94, 190, '95, 284-286.
- Summer birds of Adirondacks (rev.), '78, 36.
- Diary of a bird (rev.), '80, 112.
- Notes on Colorado birds, '80, 223-232.
- Obituary of, '91, 121.
- Memorial of, '97, 431.
- Minot, H. D., and Brewster, W.**
 - Land and game birds of New England (rev.), '81, 241-244; 2d ed. '94, 190, '95, 284-286.
- Minot, H. D., and Roosevelt, T., Jr., see Roosevelt and Minot.
- minuscula (*Merula*), see *Merula*.
- minuta (*Ardetta*), see *Ardetta*.
- (*Buteola*), see *Buteo brachyurus*.
- (*Crex*), see *Porzana flaviventris*.
- (*Erythra*), see *Porzana flaviventris*.
- (*Euphonia*), see *Euphonia*.
- (*Ortygometra*), see *Porzana flaviventris*.
- (*Piaya*), see *Piaya*.
- (*Porzana*), see *P. flaviventris*.
- (*Sporophila*), see *Sporophila*.
- (*Sterna*), see *S. minuta* or *antillarum*.
- (*Tringa*), see *Tringa*.
- minutilla (*Actodromas*), see *Tringa*.
- (*Tringa*), see *Tringa*.

- minutulus (*Trochilus*), see *Mellisuga minima*.
 minutus (*Anser*), see *A. erythropus*.
 —— (*Antichromus*), see *Antichromus*.
 —— (*Buteo*), see *B. brachyurus*.
 —— (*Chroicocephalus*), see *Larus*.
 —— (*Coloeus*), see *Corvus*.
 —— (*Corvus*), see *Corvus*.
 —— (*Crybatus*), see *Porzana flavigularis*.
 —— (*Frugilegus*), see *Corvus*.
 —— (*Histrionicus*), see *H. histrionicus*.
 —— (*Larus*), see *Larus*.
 —— (*Myiodictes*), see *Wilsonia microcephala*.
 —— (*Picumnus*), see *Picumnus*.
 —— (*Rallus*), see *Porzana flavigularis*.
Mionectes oleagineus, *Braz.* '90, 270; *Venez.* '97, 365.
olivaceus, *Venez.* '97, 365.
Mirafra, '94, 233.
Miranda' expedition, '94, 341.
Mississippi.
 Allison A., '99, 266–270, 1900, 297.
 Cooke, W. W., '85, 31.
 Hay, O. P., '82, 89–94.
 Nesbitt, N. B., '85, 213.
 Wood, C. H., '88, 314.
Mississippi Valley.
 Cooke, W. W., '83, 118, 119, '85, 212, 301.
 Widmann, O., '85, 212.
mississippiensis (*Ictinia*), see *Ictinia*.
Missouri.
 Abert, J. W., '83, 172.
 Allen, J. A., '78, 148–149.
 Baskett, J. N., '96, 258–259.
 Blines, J., '90, 393, '92, 69, '94, 68.
 Bryant, J. A., '95, 82, 181–182.
 Cooke, W. W., '83, 118, '84, 188, '85, 97, '87, 67.
 Coues, E., '80, 20–25.
 Deane, R., '97, 316–317.
 Ewing, H. C., '82, 115.
 Gault, B. T., '92, 396.
 Lawrence, G. N., '77, 52.
 Merriam, C. H., '85, 377, '92, 301.
 Merrill, J. C., '77, 73.
 Sampson, F. A., '85, 210.
 Scott, W. E. D., '79, 139–147.
 Shipley, E. P., '91, 392.
 Smith, E., '80, 181.
 Smith, P. W., Jr., '90, 81.
 Widmann, O., '80, 191–192, '83, 118, '84, 188, '85, 380, 381–382, '95, 11, 112–117, 219–225, 350–355, '96, 216–222, '97, 305–310, '98, 22–27.
Missouri Botanical Garden, report (rev.), '96, 167.
Mitchell, Robert H.

- Capture of Clarke's Nutcracker in Crittenden Co., Arkansas, '94, 327.
Mitchell, Walton Irving.
 Breeding of Blue-gray Gnatcatcher in Minnesota, '95, 185.
 Birds killed by a storm, '96, 348.
 Peculiar nesting of Maryland Yellow-throat, '97, 408.
 Summer birds of San Miguel Co., New Mexico, '98, 306–311.
mitrata (*Cyanolyca*), see *C. ornata*.
 —— (*Motacilla*), see *Wilsonia*.
 —— (*Nectarina*), see *Chlorophanes atricapilla*.
 —— (*Setophaga*), see *Wilsonia*.
 —— (*Sylvania*), see *Wilsonia*.
 —— (*Sylvia*), see *Wilsonia*.
 —— (*Wilsonia*), see *Wilsonia*.
mitratus (*Myioctonus*), see *Wilsonia*.
 —— (*Myiodictes*), see *Wilsonia*.
 —— (*Parus*), see *Parus*.
 —— (*Sylvania*), see *Wilsonia*.
Mitrephanes, '82, 55*, '87, 66.
atriceps (^b *Empidonax*), *C. R.* '85, 291^b.
aurantiiventris, syn. '92, 55.
phaeocercus, *Guatemala*, '88, 137; *Mex.* '88, 137.—syn. '82, 55.
tenuirostris, *Mex.* '88, 137*.
Mitrephorus, see *Mitrephanes*.
Mitrospingus, '98, 225*.
Mixornis, '94, 235.
mixtus (*Dryobates*), see *Dryobates*.
 —— (*Picus*), see *Dryobates*.
Mniotila, '86, 26, '93, 112, 130.
varia (^a Black-and-white Warbler or Creeper, ^b borealis), *Ala.* '78, 172; *Ark.* '82, 90; *Bahamas*, '91, 67, 294, 295, 296, 298, 335, 336, 337, 338, '92, 48; *Cal.* '96, 260; *Colo.* '80, 226, '85, 15; *Colom.* 1900, 367; *C. R.* '90, 335, '91, 277; *Cuba*, '92, 273; *D. C.* '88, 23, '92, 307; *Fla.* '85, 62, '87, 275, '90, 16, 313, '91, 127^a, 138, '92, 213, '93, 338, '95, 365; *Ga.* '96, 214; *Gulf of Mex.* '81, 251^a; *Ia.* '95, 123, 235; *Ill.* '87, 433^a, 434; *Ind.* '82, 17^b, '89, 26; *Jamaica*, '93, 340; *Kan.* '85, 112; *Ky.* '89, 315; *La.* '82, 49^a?, '82, 161, '87, 301; *Man.* '86, 325, '87, 353^a; *Mass.* '84, 6^a, 191^a, '87, 389, '89, 45, 102, '90, 217, '97, 326; *Me.* '82, 109; *Mich.* '93, 227, 1900, 391; *Miss.* '82, 90; *Mo.* '79, 141; *N. C.* '86, 173, '87, 244, '89, 121; *N. H.* '88, 150, 152, '89, 77; *N. J.* '94, 139; *N. S.* '87, 15^a, 16; *N. Y.* '79, 32, '81, 227, 245^a, '84, 176, 210, '89, 130, 131^a; *O.* '95, 241; *Ont.* '84, 193; *Pa.* '79, 234, '92, 138, '93, 37^a, 40, 45, '96, 284, 295;

- P. E. I.* '93, 13; *Quc.* '89, 148; *S. C.* '79, 211, '90, 127, '91, 331, '92, 31^a, 32^a, 33^a, '94, 109^a; *S. D.* '85, 278; *Tenn.* '86, 316, '87, 132; *Tex.* '82, 8, 36, '87, 295, '92, 303, 340, 1900, 347; *Ia.* '89, 51; *W. I.* '81, 151, '86, 26, 501, '87, 181, '91, 47, 48; *Wis.* '83, 66, 67, '87, 326.—*hbt.* '87, 301; *mig.* '81, 251^a, '83, 66, 67, '84, 176, '85, 62; '88, 326, 433^a, 434, '89, 130, 131^a, '91, 69, '92, 31^a, 32^a, 35^a, '94, 109^a, '95, 123, 235, 241; *nst.* '84, 87^a, 193^a, '87, 301, '96, 284; *plm.* '78, 22, '84, 190^a, '89, 148; *song.* '84, 210; *syn.* '81, 170^b, '86, 26.
- Mniotiltidae (^a Warblers), '81, 28, 34, '82, 252, '83, 117^a, '85, 365–368, '87, 149, '93, 111, '94, 142^a, '95, 289, '97, 341, 1900, 109^a, 311.
- Moas, see Dinornithes.
- mocinno (Pharomachrus), see Pharomachrus.
- Mockbird, see *Mimus polyglottos*.
- Mockingbird, see *Mimus polyglottos* or *Galeoscoptes carolinensis*.
- American, see *Harporhynchus rufus*.
- Carolina, see *Harporhynchus rufus*.
- English, see *Mimus polyglottos*.
- Ferrugineus, see *Harporhynchus rufus*.
- French, see *Harporhynchus rufus* or *Lanius ludovicianus*.
- Gundlach's, see *Mimus gundlachi*.
- Mountain, see *Oroscoptes montanus*.
- Sandy, see *Harporhynchus rufus*.
- modesta (Elænia), see Elænia.
- (Eudromias), see *Eudromias*.
- (Galerita), see Galerita.
- modestus (Geothlypis), see *Geothlypis*.
- (Thryophilus), see *Thryophilus*.
- (Vireo), see *Vireo*.
- (Vireonella), see *Vireo*.
- modularis (Accentor), see *Accentor*.
- modulator (*Mimus*), see *Mimus*.
- mollis (Æstrelata), see Æstrelata.
- mollissima (Somateria), see *S. mollissima*, borealis or *dresseri*.
- Molly-hawk or Molly-mawk, see *Diodonea melanophrys*.
- Molothrus, '84, 45, 48, 53, '88, 413, 414, 441, 443, '91, 344, '96, 71, '97, 341.
- ater (^a Cowbird or Cow Bunting, ^b *peccoris*), *B. C.* 1900, 106; *Colo.* '83, 192, '85, 16, 142; *D. C.* '88, 21, '89, 72; *Fla.* '88, 272, '89, 320, '91, 138, '92, 213, '95, 365; *g. dist.* '93, 133; *Ga.* '83, 39, '96, 212; *Ida.* '95, 121, 236; *Ida.* '98, 14; *Ind.* '89, 23; *Ky.* '89, 314; *Man.* '86, 321, '93, 50^a;

- Mass.* '83, 121, '88, 207, '89, 44, 72, 100, '90, 368^a, '99, 196^a; *Mich.* '81, 196^a, '93, 225; *Minn.* '80, 15, '84, 245; *Mo.* '79, 145, '95, 4^a, '98, 25^a; *Mont.* '88, 15, '94, 305, '95, 215; *N. B.* '82, 176^a; *N. C.* '87, 241; *N. H.* '88, 151, '95, 182; *N. J.* '90, 329, '92, 204, '94, 138; *N. M.* '92, 364^a, '98, 309; *N. Y.* '79, 32, '81, 230, '82, 188^b, '85, 152^b, 309; *O.* '89, 201, '95, 242; *Ont.* '85, 106, '87, 248^a, '90, 80; *Pa.* '92, 136, '93, 39, '96, 283, '97, 102^a; *S. C.* '79, 215; *S. D.* '85, 282; *Tenn.* '86, 318; *Tex.* '77, 85^a, '82, 40, 166, '87, 290, '92, 237, 1900, 345; *Wash.* '89, 113, '97, 177.—*anat.* '88, 441; *fd.* '89, 72; *hbt.* '82, 166, '84, 186, 189^a, '88, 21, '89, 23, 72, '90, 368^a, '96, 71, '98, 26^a; *meas.* '76, 75^b; *mig.* '85, 282, '89, 72, '95, 121, 128^a, 236, 242, '99, 196^a; *nst.* '80, 230, '83, 39, '84, 125, 193^a, 293^a, '85, 103, 106, '87, 264^a, '88, 21, '89, 23, 113, '90, 81^a, '92, 237, 302^a, '93, 90^a, '94, 138, '95, 215; *plm.* '76, 22^b (alb.), '78, 123, '83, 121, '86, 323, '98, 26^a (mlt.); *song.* '85, 152^b; *syn.* '85, 49^a; *misc.* '79, 111^a, '81, 196^a, '90, 81^a, 390^a, '92, 386^a, '97, 102^a (corr.).
- atronitens, *g. dist.* '91, 346; *W. I.* '93, 220.—*plm.*, *syn.* '91, 346.
- badius, *misc.* '96, 72.
- bonariensis, *Braz.* '90, 269; *Urug.* '83, 133; *W. I.* '86, 220.—*hbt.*, *nst.* '83, 133; *plm.*, *syn.* '91, 345; *misc.* '96, 71.
- cabanisii, *g. dist.*, *meas.*, *plm.*, *syn.* '91, 346; *misc.* '92, 202 (corr.).
- obscurus (Dwarf Cowbird), *Ariz.* '79, 123, '82, 85, 200, '85, 163, '87, 22, '90, 257; *g. dist.* '93, 134; *N. M.* '92, 364; *Tex.* '77, 85, '79, 123, '82, 11, 40, 166, '87, 290, '92, 237, 1900, 345.—*hbt.* '77, 85, '82, 166, '87, 22; *meas.* '76, 75, '79, 123, '82, 200, '85, 163; *nst.* '82, 11, '85, 166, '85, 163, '87, 22, 290, '92, 237; *plm.* '82, 200, *purpurascens*, *Peru*, *plm.*, *syn.* '91, 347.
- rufo-axillaris, *Urug.*, *hbt.*, *nst.* '83, 134; *misc.* '96, 72.
- venezuelensis, *Vencz.* '91, 347*.
- moluccensis (Pitta), see Pitta.
- Momotidae, '81, 29, 31, 74, 75, '83, 238, '93, 68.
- Momotus cæruleiceps, *misc.* '80, 88, '82, 242.
- goldmani, *Mex.* 1900, 256*.
- lessoni, *C. R.* '92, 322; *g. dist.* 1900, 257.—*fd.*, *hbt.*, *nst.*, *plm.* '92, 323.

- nattereri*, *Braz.* '91, 158.
saturatus, *Mer.* '97, 49*.
subrufescens, *Colom.* '99, 137.
swainsoni, *Venez.* '97, 362; *W. I.* '93, 220.
Mona Island, West Indies.
 Cory, C. B., '92, 228-229.
monachus (*Bolborhynchus*), see *Bolborhynchus*.
Monasa morphæus, *Braz.* '91, 158.
nigrifrons, *Braz.* '91, 159.
mondetura (*Peristera*), see *Peristera*.
monedula (*Corvus*), see *Corvus*.
mongola (*Ægialitis*), see *Ægialitis*.
mongolicus (*Ægialitis*), see *Æ. monogola*.
 —— (*Charadrius*), see *Ægialitis*.
 —— (*Phasianus*), see *Phasianus*.
Monilipitta, '96, 60.
monocerata (*Ceratorhina*), see *Cerorhinca*.
 —— (*Cerorhinca*), see *Cerorhinca*.
Montana.
 Bendire, C. E., '89, 150-152.
 Coues, E., '79, 49-50.
 Grinnell, G. B., '90, 389, '92, 385.
 Henshaw, H. W., '80, 107-108.
 Hoffman, W. J., '85, 7-10.
 Knowlton, F. H., '94, 298-308.
 McChesney, C. E., '80, 107-108.
 Merrill, J. C., '80, 75-77, '81, 203-207.
 Richmond, C. W., '94, 298-308.
 Ridgway, R., '98, 319, 321.
 Thorne, P. M., '89, 336, '95, 211-219.
 Williams, R. S., '82, 61-63, 118, 122-123, '83, 59, '86, 274, '88, 14-18, '90, 98, 292-293.
montana (*Ægialitis*), see *Ægialitis*.
 —— (*Allenia*), see *Allenia*.
 —— (*Atticora*), see *Atticora*.
 —— (*Certhia*), see *Certhia*.
 —— (*Cichlerminia*), see *Allenia*.
 —— (*Columba*), see *Geotrygon*.
 —— (*Dendroica*), see *Dendroica*.
 —— (*Geotrygon*), see *Geotrygon*.
 —— (*Melospiza*), see *Melospiza*.
 —— (*Peristera*), see *Geotrygon*.
 —— (*Pinicola*), see *Pinicola*.
 —— (*Pyrgita*), see *Passer*.
 —— (*Saxicola*), see *S. oreophila*.
 —— (*Spizella*), see *S. monticola* or *ochracea*.
 —— (*Zenaida*), see *Geotrygon chrysia*.
montanus (*Buteo*), see *B. swainsoni*.
 —— (*Coccothraustes*), see *Coccothraustes*.
 —— (*Dryobates*), see *D. monticola*.
 —— (*Junco*), see *Junco*.
 —— (*Margarops*), see *Allenia*.
- (Myadestes), see *Myadestes*.
 — (Oroscoptes), see *Oroscoptes*.
 — (Orpheus), see *Oroscoptes*.
 — (Parus), see *P. gambeli*.
 — (Passer), see *Passer*.
 — (Picus), see *Dryobates major*.
 — (Podasocys), see *Ægialitis*.
 — (Turdus), see *Allenia*.
montensis (*Myiopatis*), see *Myiopatis*.
montezumæ (*Cyrtonyx*), see *Cyrtonyx*.
 — (Gymnostinops), see *Gymnostenops*.
 — (Ostinops), see *Gymnostenops*.
Montgomery, Thomas H., Jr.
 Extensive migration in birds as a check upon production of geographical varieties (rev.), '96, 335.
 Birds of West Chester, Pa. (rev.), '98, 72.
 Observations on food of Owls (rev.), '99, 363.
Monticola, '94, 233.
cyanus, *Helg.* '95, 331.
saxatilis, *Helg.* '95, 331.
monticola (*Dryobates*), see *Dryobates*.
 — (Spizella), see *S. monticola* or *ochracea*.
 — (Troglodytes), see *Troglodytes*.
monticolor (*Columba*), see *C. corensis*.
Montifringilla nivalis, *Helg.* '95, 335.
montifringilla (*Fringilla*), see *Fringilla*.
montium (*Acanthis*), see *A. flavirostris*.
Moore, Henry Frank.
Protonotaria citrea in Montgomery Co., Pennsylvania, '88, 210.
Moore, William Henry.
 Lincoln's Sparrow in New Brunswick, '98, 189.
 Long-billed Marsh Wren in New Brunswick, '98, 192.
 New Brunswick notes, 1900, 177.
Moose-bird, see *Perisoreus canadensis*, *P. obscurus* or *Nucifraga columbiana*.
Moran, Daniel E.
 Tufted Titmouse on Staten Island, N. Y. '82, 52.
 Capture of Baird's Sandpiper on Long Island, '82, 60.
morcomi (*Atthis*), see *Atthis*.
 — (Dendroica), see *D. aestiva* or *sonorana*.
Morden, John A.
 Cowbirds in a Black-and-white Creeper's nest, '84, 193.
Morden, John A., and **Saunders**, W. E.
 Birds of western Ontario (rev.), '84, 85.
More, A. G., Harvie-Brown and others,

- see Harvie-Brown, Cordeaux, Ker-mode, Barrington and More.
- moreleti** (*Spermophila*), see *Sporophila sharpei*.
- morelleti** (*Fringilla*), see *Fringilla*.
— (*Sporophila*), see *S. sharpei*.
- Morelos**, Mexico.
Nelson, E. W., '97, 44, 68, 1900, 269.
- Morinella**, see *Arenaria*.
- morinella** (*Arenaria*), see *A. interpres*.
- morinellus** (*Eudromias*), see *Eudromias*.
- morio** (*Psilorhinus*), see *Psilorhinus*.
- Mormonidae**, '80, 127, 128.
- Morocco**.
Dalgleish, J. J., '84, 97.
- Morococcyx**, '97, 91.
- morpheus** (*Monasa*), see *Monasa*.
- morphna** (*Melospiza*), see *M. guttata*.
- Morrell**, Clarence Henry.
Some winter birds of Nova Scotia, '99, 250-253.
- Morris**, George Spencer.
Notes and extracts from a letter of Edward Harris, '95, 225-231.
- Morris**, Robert Oliver.
Occurrence of Florida Gallinule at Springfield, Massachusetts, '87, 72.
- Double-crested Cormorant near Springfield, Mass. '87, 253.
- The Evening Grosbeak (*Coccothraustes vespertina*) near Springfield, Mass. '90, 289.
- Mockingbird at Springfield, Mass. '91, 117.
- Larus atricilla* at Springfield, Mass. '88, 107.
- Birds near Springfield, Mass. '89, 340.
- Notes from Springfield, Mass. '92, 74.
- Perisoreus canadensis* in Mass. '92, 395.
- Rare visitants to Connecticut River valley in 1893, '94, 181.
- Bird notes from Springfield, Mass. '95, 86.
- Rare visitors to Connecticut River valley in Mass. in 1895, '96, 86.
- Unusual visits of birds in western Mass. during 1896, '97, 100.
- Springfield, Mass., bird notes, '99, 85.
- Morris**, Robert O., and Colburn, W. W., see *Colburn and Morris*.
- Morrison**, George A.
Bird protection in Wisconsin, '98, 99.
- Morse**, Albert Pitts.
Annotated list of birds of Wellesley [Mass.] and vicinity (rev.), '97, 335.
- Mortimer**, [D. =] Benjamin.
Notes on habits of a few birds of Orange Co., Florida, '90, 337-343.
- mortonii** (*Fringilla*), see *Brachyspiza peruviana*.
- moschata** (*Cairina*), see *Cairina*.
- moschitus** (*Chrysolampis*), see *Chrysolampis*.
- Mosjísovics**, von Mojsvár, Felix G. Hermann August.
Obituary of, '98, 79, 214.
- Motacilla**, '84, 44, 46, '85, 365, 368, '93, 99, '94, 233.
alba (^ White Wagtail), *Helg.* '95, 324; *Germany*, '96, 301, 305^a, 309^a.—*hbt.* '96, 301; *mlt.* '96, 149^a.
citreola, *Helg.* '95, 334.
lugens, *mlt.* '96, 240.
lugubris (^ Pied Wagtail, ^b *yarrelli*), *Helg.* '93, 334; *N. Atlantic Ocean*, '84, 398^b.—*mlt.* '96, 149^a.
melanocephala, *Helg.* '95, 334.
melanope, *Helg.* '95, 334.
ocularis (*Swinhoe's Wagtail*), *Alas.* '84, 77, 78, 81, '85, 157?, '88, 410; *Cal.* '84, 78; *L. Cal.* '82, 257; *Siberia*, '84, 78.—*plm.* '84, 81; *syn.* '84, 387.
rayi, *Helg.* '95, 324.
- motacilla** (*Henicocichla*), see *Seiurus*.
— (*Seiurus*), see *Seiurus*.
— (*Siurus*), see *Siurus*.
— (*Turdus*), see *Seiurus motacilla* or *noveboracensis*.
- Motacillidae**, '81, 28, 34, '85, 365, '93, 112, 1900, 189.
- motmot** (*Ortalida*), see *Ortalida*.
- Motmot**, Coast, see *Momotus saturatus*.
- Goldman's, see *Momotus goldmani*.
- motzfeldi** (^ *cepphus*), see *Cephus*.
- motzfieldi** (*Cephus*), see *C. motzfeldi*.
- Moult** (see also *Plumage*).
Allen, J. A., 1900, 327.
Dwight, J., Jr., 1900, 34, 143, 368.
Merriam, C. H., '85, 201.
- Mountain-dick, see *Platyparis nigra*.
- Mountain-witch, see *Geotrygon cristata*.
- moussieri* (*Ruticilla*), see *Ruticilla*.
- Mud-hen, see *Botaurus lentiginosus* or *Fulica americana*.
- Red-billed, see *Gallinula galeata*.
- mugitans** (*Botaurus*), see *B. lentiginosus*.
- Muller**, A., **Blasius**, R., and **Rohweder**, J.
[Migration in 1880], '83, 229, see *Blasius R.*
- mülleri** (*Brachyrus*), see *Pitta sordida*.
— (*Pitta*), see *P. sordida*.
- Mulleripicus**, '94, 234.

- Mulliken**, W. Earle.
 Baird's Sandpiper in Michigan, '96, 174.
 multicolor (Spindalis), see Spindalis.
 — (Tanagra), see Spindalis multicolor or pretrei.
 — (Todus), see Todus.
 multiguttata (Dendrocnis), see Dendrocnis.
 — (Nucifraga), see Nucifraga.
 multipunctata (Nucifraga), see Nucifraga.
Munia, '94, 235.
 fuscans, *Borneo*, syn. '90, 355.
 oryzivora (* Java Sparrow), *Mass.*, '85, 314^a (cage).
 rubronigra (* Amadina), *Maine*, '80, 120^b (cage).
 muraria (*Tichodroma*), see *Tichodroma*.
Murdoch, John.
 Pigeon Hawk (*Falco columbarius*) at sea, '77, 79.
 Effects of the warm winter on migration of birds, '78, 75.
 Second capture of Orange-crowned Warbler (*Helminthophaga eclata*) in New Hampshire, '78, 96.
 Phalarope—an etymological blunder, '78, 150.
 Birds attributed to Point Barrow, Alaska, '85, 200.
 Birds of Point Barrow, Alaska (rev.), '86, 122-124.
 A historical notice of Ross's Rosy Gull (*Rhodostethia rosca*), '99, 146-155.
 murinus (*Thamnophilus*), see *Thamnophilus*.
 — (*Thryomanes*), see *Thryomanes*.
 — (*Thryothorus*), see *Thryomanes leucogaster*.
 Murre, see *Uria troile*.
 Brünnich's, see *Uria lomvia*.
 California, see *Uria californica*.
 Common, see *Uria troile*.
 Pacific, see *Uria arra*.
 Pallas's, see *Uria arra*.
 Murrelet, Ancient, see *Synthliboramphus antiquus*.
 Craveri's, see *Brachyramphus craveri*.
 Kittlitz's, see *Brachyramphus kittlitzii*.
 Marbled, see *Brachyramphus marmoratus*.
 Xantus's, see *Brachyramphus hypoleucus*.
Muscaccipiter, '81, 243.
Muscicapa, '94, 233.
 atricapilla, *Helg.* '95, 330.
 collaris, *Helg.* '95, 330.
 ferruginea, misc. '96, 266.
 grisola, *Helg.* '95, 330.
 parva, *Helg.* '95, 330.
Muscicapidae, '81, 34, '83, 99, '89, 330.
Muscisaxicola occipitalis, *Peru*, '88, 194.
Muscivora, 1900, 167.
 mexicana, *Colom.* '99, 137.
 regius, *Braz.* '90, 270.
 tyrannus, *Vencz.* '97, 365.
 Museum, The (magazine, *Albion*, N. Y.), '85, 320, 391, '95, 96.
 Museum of Comparative Zoölogy, bird collection of, '85, 224.
 Museum of Natural History, Palm Beach, Florida, '96, 268.
 Museum of Natural History, Providence, R. I. '96, 350.
 musica (Cyanophonias), see *Euphonia flavigrons*.
 — (Euphonia), see *Euphonia*.
 — (Pipra), see *Euphonia*.
 — (Tanagra), see *Euphonia*.
 Musician, see *Myadestes montanus*.
 musicus (Contopus), see *Contopus pertinax*.
 — (Cygnus), see *Olor cygnus*.
 — (Thryothorus), see *Troglodytes*.
 — (Troglodytes), see *Troglodytes*.
 — (Turdus), see *Turdus*.
Musophaga, '81, 156.
 cristata, misc. '93, 186.
Musophagidae, '81, 73, 75, '82, 114, 177.
 mustelina (*Hylocichla*), see *Hylocichla*.
 — (*Synallaxis*), see *Synallaxis*.
 mustelinus (*Turdus*), see *Hylocichla*.
 mutus (*Lagopus*), see *Lagopus*.
Myadestes, '83, 170, '84, 56, 182, '86, 9, '90, 194, 279, '93, 113, 131, '95, 72.
 armillatus, *W. I.*, meas., plm., syn. '86, 14.
 cinereus, *Mex.* '99, 296.
 dominicanus, *W. I.* '83, 170, '86, 11.—meas., plm., syn. '86, 11.
 elizabeth, *W. I.*, meas., plm., syn. '86, 13.
 genibarbis, *W. I.* '80, 166, '86, 10.—meas., plm., syn. '86, 10.
 insularis, *Mex.* '83, 170.
 montanus, *W. I.* '81, 130*, 151, '86, 12, '95, 297.—meas., plm., syn. '86, 12; misc. '84, 285.
 occidentalis, *Mex.* '83, 170.
 sanctæ-luciae, *W. I.*, meas., plm., syn. '83, 170, '86, 11.
 sibilans, *W. I.* '79, 48, '86, 9.—meas., plm., syn. '86, 9.
 solitarius, *W. I.* '86, 13, '93, 341.—meas., plm., syn. '86, 13.

townsendii (^a Townsend's Solitaire), *Ariz.* '82, 76, '88, 167; *Cal.* '78, 65, '84, 91, '86, 186, '87, 86, '90, 297, '98, 197; *Colo.* '79, 93, '81, 86, '83, 160, 239, '85, 15, 140, '87, 125, '94, 270; *g. dist.* '93, 135; *Ida.* '98, 21; *Ill.* '76, 40; *Kan.* '84, 100; *Mont.* '90, 98, '95, 218; *Neb.* '84, 286^a, '90, 408; *N. M.* '85, 128, 331, '92, 369, '94, 217, '98, 311; *Ore.* '88, 365; *Wash.* '82, 227, '97, 180; *Wyo.* '89, 193.—*fd.* '89, 193, '97, 319^a; *hbt.* '82, 76, '85, 128, 140, '88, 365, '89, 193, '97, 319^a; *meas.* '77, 78, '83, 239, '84, 92; *nst.* '77, 77, '81, 86, '83, 239, '84, 91, '89, 184, '98, 311; *plm.* '85, 331; *song.* '81, 86, '85, 128; *misc.* '87, 169.

unicolor (^b obscurus), *misc.* '90, 200^b, '97, 334.

Myadestinae, '84, 181.

Mycteria americana (Jabiru, ^b Ciconia), *Europ.* '80, 66^b.

Myiadectes, see *Myadestes*.

Myiadectinæ, '83, 104.

Myadestes, see *Myadestes*.

myiadestina (Phœornis), see *Phœornis*.

Myiarchus, '77, 64, '86, 237, 253, '94, 168.

antillarum, *W. I.*, *meas.*, *plm.*, *syn.* '86, 238.

barbirostris (^b Blacicus), *W. I.*, '86, 241^b, '93, 177^b.—*meas.*, *plm.* '86, 241^b; *syn.* '86, 241^b, '94, 168, '99, 330^b.

berlepschii, *W. I.* '88, 266*, '91, 48.

boreus, '98, 179*, see *crinitus*.

brevipennis, *W. I.* '93, 355.

cinerascens (Ash-throated Flycatcher), *Ariz.* '85, 356; *Calif.* '78, 66, '85, 98, '86, 180, '89, 223, '96, 85, 119; *Colo.* '85, 17; *g. dist.* '93, 134; *L. Cal.* '95, 140; *N. M.* '92, 358, 363; *Tex.* '87, 192, '92, 236.—*fd.* '96, 85; *nst.* '85, '98, '87, 192, '95, 140; *plm.* '79, 42; *song.* '96, 119; *syn.* '97, 92.

crinitus (^a Crested or Great Crested Flycatcher, ^b cristatus, ^c boreus), *Ala.* '79, 10; *Ark.* '82, 92; *Colom.* 1900, 364; *C. R.* '90, 334, '92, 251; *Cuba*, '86, 241; *D. C.* '88, 21, '92, 307; *Fla.* '88, 272, '89, 319, '91, 138, '92, 213, 218, '95, 365, '98, 174^a, 179**; *Ga.* '82, 96^a, '83, 40; *g. dist.* '93, 133; *Ia.* '95, 124, 235; *Ill.* '78, 165; *Ind.* '82, 17, '89, 23; *Ky.* '89, 314; *La.* '82, 163, '87, 303^a; *Man.* '86, 320, 453, '93, 50; *Mass.* '88, 389,

'89, 44, 100; *Me.* '76, 95^a; *Miss.* '82, 92; *Mo.* '79, 145; *N. B.* '82, 149; *N. C.* '86, 105, '89, 121; *N. E.* '76, 73, '77, 16; *N. H.* '88, 149, 151^b, 154, '89, 78, '90, 111^a; *N. J.* '94, 137; *N. M.* '78, 94; *N. Y.* '81, 231, '85, 254; *O.* '95, 241; *Pa.* '84, 391, '92, 136, '93, 39, 44, '96, 280^a, 282; *S. C.* '79, 215, '85, 72^a, '90, 39, '91, 328; *Tenn.* '86, 319; *Tex.* '82, 40, 169, '87, 192, '92, 236, 1900, 345; *T. t.* '84, 7^a, '95, 311. —*fd.* '90, 290^a, '99, 362^a; *hbt.* '78, 25^a, '90, 111^a, 290^a; *meig.* '91, 135, '95, 124, 129^a, 235, 241, '98, 174^a; *nst.* '82, 169, '83, 40, '84, 301, '87, 192, '88, 21, '90, 85, 288, 290^a; *plm.* '89, 319; *song.* '84, 65^a, '85, 254; *syn.* '86, 241, '99, 131^c; *misc.* '82, 113 (corr.), '84, 86^a, '88, 200^b.

denigratus, *W. I.* '86, 500*, 502, '88, 158.

dominicensis (^b ruficaudatus), *S. C.* '89, 184; *W. I.* '83, 95^b, '86, 240.

—*meas.*, *plm.*, *syn.* '86, 240.

ferox, *Braz.* '90, 270.

flammulatus, *syn.* '94, 168.

inquietus, *Mex.* '94, 66, 67.

lawrencei (Lawrence's Flycatcher), *Ariz.* '81, 252.—*nst.* '89, 329; *misc.* '80, 88.

lucayensis, *Bahamas*, '91, 72, 1900, 288.

magister (Arizona Crested Flycatcher, ^b cooperi, ^c Tyrannula cooperi), *Ariz.* '82, 203^b, 258^b, '85, 198, 207, '87, 17; *g. dist.* '81, 252^b; *Mex.* '85, 207; *N. M.* '82, 203^b.—*fd.*, *meas.* '82, 203^b; *nst.* '82, 203^b, '87, 17; *plm.* '85, 198, '92, 196; *song.* '82, 203^b; *syn.* '79, 51^b, '82, 203^b, '85, 208^c; *misc.* '80, 88^b.

mexicanus (Mexican Crested Flycatcher, ^b erythrocercus, ^c Tyrannula), *g. dist.* '93, 134; *Tex.* '78, 99^b, 144^b, '80, 90^b, '81, 252^b, '92, 236?—*meas.*, *nst.* '78, 100^b; *syn.* '80, 178, '81, 252^b, '82, 203, '85, 208^c, '97, 92, 127.

nigricapillus, *C. R.* '92, 251.

nuttingi (Nutting's Flycatcher, ^b cinereascens), *Ariz.* '82, 240^b, '87, 18^b, '92, 394; *C. R.* '83, 228; *g. dist.* '93, 60; *nst.* '87, 18^b, '92, 394; *plm.* '87, 18^b; *syn.* '93, 60.

oberi, *W. I.* '79, 48, '80, 166, '86, 239.—*meas.*, *plm.*, *syn.* '86, 239.

olivascens (Olivaceous Flycatcher, ^b lawrencei), *Ariz.* '81, 252^b, '82, 204^b, '85, 199, '85, 208, '87, 18, '90, 49; *Colo.* '89, 276; *Mex.* '85, 208.—*meas.* '82, 205^b; *plm.* '82, 204^b,

- '85, 199, '92, 196; *song*, '82, 204^b.
platyrhynchus, *Yucatan*, '85, 295.
ruficaudatus, '83, 95*, see dominicensis.
sagræ (^b pheebe), *Bahamas*, '86,
 238^b, '91, 294, 295, 297, 298, 334,
 335, 339, 350, 351, '92, 49; *Cuba*, '86,
 238^b, '92, 272.—*meas.*, *plm.*, *syn.* '86,
 238^b; *plm.* '91, 190 (alb.).
sclateri, *W. I.* '79, 229, '86, 240.—
meas., *plm.*, *syn.* '86, 240.
stolidus, *Jamaica*, '94, 126; *W. I.*
 '81, 153, '86, 237, '93, 177.—*meas.*
 '86, 238; *nst.* '94, 126; *plm.* '83, 95,
 '86, 237; *syn.* '86, 237.
tuberculifer (^b coalei), *S. Am.* '87,
 156^b; *Venez.* '97, 365.—*syn.* '94, 168.
tyrannulus, *Braz.* '90, 270; *Urug.*
 '83, 202; *Venez.* '97, 365; *W. I.* '93,
 220, '96, 332.—*nst.* '83, 202, '96, 332;
syn. '90, 270.
validus, *W. I.* '86, 237, '93, 177.—
meas., *plm.*, *syn.* '86, 237.
yucatanensis, *syn.* '80, 178, '94,
 168; *misc.* '94, 71.
Myioibius nævius, *Urug.* '83, 201;
Venez. '97, 365.—*hbt.* '83, 201.
ridgwayi, *Braz.* '88, 457*.
xanthopygus, *Braz.*, *plm.*, *syn.* '88,
 458.
Myiochanes, see Blacicus.
Myiodiotes, see Wilsonia.
Myodynastes audax, *C. R.* '92, 251;
Venez. '97, 365.
bairdi (^b Saurophagus), *Cal.* '77,
 93^b?.
solitarius, *Braz.* '90, 270; *Urug..*
hbt. '83, 201.
luteiventris (Sulphur-bellied Fly-
 catcher), *Ariz.* '80, 90, '88, 385; *C.*
R. '91, 272, '92, 250.
Myiopagis jaliscensis, *Mex.* 1900, 264*.
minimus, *Mex.* '98, 340.
Myiopatis montensis, *Colom.* 1900, 82.
Myiothera, '76, 51.
Myiotheretes rufiventris, *Urug..* *hbt.*
 '83, 140.
Myiozetetes cayennensis, *Braz.* '90,
 270; *Venez.* '97, 365.
similis, *syn.* 1900, 124.
■ *sulphureus* (^b Tyrannus luggeri).
Braz. '90, 270; *misc.* '80, 42^b.
texensis (Giraud's or Texas Fly-
 catcher, ^b superciliosus), *C. R.* '90,
 235, 333, '92, 250; *g. dist.* '93, 141,
 1900, 124; *Mex.* '95, 357; *Venez.*
 '97, 365.—*meas.* '90, 235; *nst.* '89,
 329, '90, 235; *syn.* 1900, 124.
virescens (^b Sublegatus), *Braz.* '90,
 384^b.
Myospiza, '98, 224*.
Myristicivora, '94, 233.
Myrmeciza, '84, 229.
albiventris, *Venez.* '97, 365; *W. I.*
 '93, 343*, '97, 362.
occidentalis, '91, 191*, see Myrme-
 lastes.
pelzelni, *syn.* '90, 380.
Myrmecophaga, 1900, 167.
Myrmelastes immaculata (^b Myrme-
 ciza), *Mex.*, *meas.* '91, 193^b.
intermedia (^b Myrmeciza), *Costa*
R. '92, 173^b.
lawrencei, *Nicaragua*, '94, 171.
occidentalis (^b Myrmeciza), *Costa*
R. '91, 191^b*.
Myrmochanes hypoleucus, *Bolivia*, '90,
 382.
Myrmotherula melanogastra, *Braz.* '91,
 28.
cineriventris, *Braz.* '91, 29.
inornata, *syn.* '90, 380.
myrtha (Ciccaba), see Syrium.
— (Syrnium), see Syrium.
Myrtle Bird, see Dendroica coronata.
mystacea (Columba), see Geotrygon.
— (Dendrochelidon), see Dendro-
 chelidon.
— (Geotrygon), see Geotrygon.
mysticalis (Thryothorus), see Thryo-
 thorus.

N

- nacunda* (Podager), see Podager.
Nænia, '77, 24, '78, 141.
nævia (Ardea), see Nycticorax.
— (Hesperocichla), see Hesperi-
 cichla.
— (Locustella), see Locustella.
— (Motacilla), see Seiurus novebo-
 racensis.
— (Nyctiardea), see Nycticorax.
— (Rissa), see R. tridactyla.
— (Sterna), see Hydrochelidon suri-
 namensis.
nævius (Diploterurus), see Diploterurus.
— (Falco), see F. anatum.
— (Myiobius), see Myiobius.
— (Nycticorax), see Nycticorax.
— (Siurus), see Siurus novebor-
 acensis or notabilis.
— (Thamnophilus), see Thamnophi-
 lus.
— (Turdus), see Hesperocichla.
namiyei (Chelidon), see Hirundo.
— (Hirundo), see Hirundo.
— (Icterus), see Icterus.
nana (Dendroornis), see Dendroornis.
— (Psittacara), see Conurus.
Nannochordeiles, '97, 419.

- Nannocnus**, '88, 196.
Nannopterum, 1900, 80.
 Nansen, Fridtjof, and Collett, Robert,
 see Collett and Nansen.
 nanus (*Conurus*), see *Conurus*.
 —— (*Empidonax*), see *Empidonax*.
 —— (*Hylocichla*), see *H. pallasi*.
 —— (*Pediocetes*), see *Pediocetes*.
 —— (*Turdus*), see *Hylocichla aonala-*
 laschke or *pallasi*.
 —— (*Vireo*), see *Vireo*.
 napaea (*Dacnis*), see *Dacnis*.
 napæum (*Ornithion*), see *Ornithion*.
 narcissina (*Zanthopygia*), see *Zantho-*
 pygia.
Nash, Charles W.
 Bird notes from Toronto, Canada, '96,
 347.
 Birds of Ontario in relation to agri-
 culture (rev.), '99, 204.
 Nelson's Sparrow (*Ammodramus nelsoni*) at Toronto, Ontario, '99, 277.
 Check list of the birds of Ontario
 (rev.), 1900, 394.
Nasica longirostris, *Braz.* '91, 27.
 nasica (*Treron*), see *Treron*.
 nasicus (*Corvus*), see *Corvus*.
 —— (*Frugilegus*), see *Corvus*.
 —— (*Microcorax*), see *Corvus*.
 Nasiterna, see *Micropsitta*.
 nasutus (*Cymborhynchus*), see *C. mac-*
 rorynchus.
 Natatores, '78, 17, '81, 77, 78.
 National Academy of Sciences, '84, 306.
 nativitatis (*Puffinus*), see *Puffinus*.
 nattereri (*Momotus*), see *Momotus*.
 —— (*Rupornis*), see *Rupornis*.
 Naturalist (magazine), '90, 219.
 Naturalist in Florida (mag.), '85, 115.
 Naturalists and Feather Merchants
 (mag.), '91, 247.
 Naturalists' Advertiser (mag.), '85, 391.
 Naturalists' Companion (mag.), '85, 391.
 Nature's Realm (mag.), '91, 247.
 nearctica (*Aythya*), see *A. marila*.
 nebouxii (*Sula*), see *Sula*.
Nebraska.
 Allen, J. A., '79, 110–112, '89, 332–
 333.
 Aughey, S., '79, 110–112.
 Barbour, E. H., '95, 297, '96, 263.
 Bruner, L., '97, 323.
 Cary, M., '99, 352–353.
 Coleman, G. A., '88, 425–426.
 Cooke, W. W., '85, 32.
 Deane, R., '98, 185.
 Hall, A., '84, 286.
 Kline, H. A., '83, 236, '85, 97.
 Libbey, D. S., '80, 44.
 Ragsdale, G. H., '81, 62.
 Taylor, W. E., '89, 181.
 Toppan, G. L., '90, 408.
 Nebraska Ornithological Club, '99, 303.
 Nebraska Ornithologists' Union, 1900,
 311.
 nebularius (*Totanus*), see *Totanus*.
 nebula (Strix), see *Syrnium*.
 nebula (Syrnium), see *Syrnium*.
 Nectariniidae, '81, 34, 1900, 189.
 nectarinoides (*Cinnyris*), see *Cinnyris*.
Nectris, '86, 402.
 neglecta (*Sturnella*), see *Sturnella*.
 neglectus (*Parus*), see *Parus*.
 —— (*Salpinctes*), see *Salpinctes*.
 nehrkorni (*Cyanolesbia*), see *Cyano-*
 lesbia.
Nehrling, Heinrich.
 Ornithological observations in Texas
 (rev.), '81, 109.
 The Bluebird (rev.), '81, 109.
 List of birds observed at Houston,
 Harris Co., Texas, and in the coun-
 ties Montgomery, Galveston and
 Ford Bend, '82, 6–13, 166–175,
 222–225.
 North American birds [or Die Nord-
 Amerikanische Vogelwelt] (rev.),
 '89, 283, '90, 78, '93, 387.
 Our native birds of song and beauty
 (rev.), '94, 166, '96, 334, '97, 335.
 Bird protection in Wisconsin, '98, 97.
 Evening Grosbeak (*Coccothraustes*
 vespertinus), 1900, 294.
 Bird notes from Sao Paulo, Brazil,
 1900, 298.
Nelson, Edward William.
 Additions to avi-fauna of Illinois,
 with notes, '76, 39–44.
 Contribution to biography of Wil-
 son's Phalarope, '77, 38–43.
 Louisiana Heron in Indiana, '77, 51.
 Birds of northeastern Illinois (rev.),
 '77, 68.
 Notes upon birds observed in south-
 ern Illinois (rev.), '78, 36.
 Rock Ptarmigan (*Lagopus rufestris*)
 in Aleutian Islands, '78, 38.
 An afternoon in the vicinity of St.
 Michael's, Alaska, '80, 33–36.
Coturniculus lecontei [in Illinois],
 '80, 51.
 Door-yard birds of the far north, '81,
 1–6.
 Habits of Black Brant in vicinity of
 St. Michael's, Alaska, '81, 131–138.
 Birds of Behring Sea and the Arctic
 Ocean (rev.), '84, 76–81.
 Brief diagnoses of two new races of
 North American birds, '84, 165.

- Ornithological report in 'Cruise of the Corwin'—[Letter], '84, 202.
 Breeding habits of Pectoral Sand-piper (*Actodromas maculata*), '84, 218–221.
 Counter-notes on some species of birds attributed to Point Barrow, Alaska, '85, 239–241.
 Scott's Oriole (*Icterus parisorum*) in central New Mexico, '91, 237.
 Preliminary descriptions of new birds from Mexico and Guatemala, '97, 42–76.
 With Bob-white in Mexico, '98, 115–122 (col. pl.).
 Notes on certain species of Mexican birds, '98, 155–161.
 Imperial Ivory-billed Woodpecker, *Campephilus imperialis*, '98, 217–223 (col. pl.).
 New birds from Tres Marias Is. (rev.), '98, 340.
 New birds from Mexico (rev.), '98, 340.
 Descriptions of new birds from Mexico, '99, 25–31.
 Natural history of the Tres Marias (rev.), '99, 296.
 New birds from north-western Mexico (rev.), '99, 296.
 Description of a new subspecies of *Meleagris gallopavo* and proposed changes in nomenclature of certain North American birds, 1900, 120–126.
 Descriptions of thirty new North American birds, 1900, 253–270.
Nelson, E. W., and Henshaw, H. W.
 Natural history collections made in Alaska (rev.), '89, 61–63.
Nelson, E. W., and Palmer, T. S.
 Descriptions of five new birds from Mexico, '94, 39–45.
Nelson, Julius.
 Catalogue of birds of New Jersey (rev.), '91, 104.
nelsoni (*Ammodramus*), see *Ammodramus*.
 — (Dryobates), see *Dryobates*.
 — (Geothlypis), see *Geothlypis*.
 — (*Icterus*), see *Icterus*.
 — (*Lagopus*), see *Lagopus*.
 — (*Larus*), see *Larus*.
nengeta (*Tenioptera*), see *Tenioptera*.
Neocorys, see *Anthus*.
Neocrex columbianus, *Colom.* '99, 91.
Neolesbia, '93, 67.
Neomorphinæ, '97, 91, '99, 110.
Neomorphus, '97, 91.
Neorhynchos, '77, 64.
 neoxena (Ardetta), see *Ardetta*.
 — (Engyptila), see *Leptotila*.
 — (Leptotila), see *Leptotila*.
neoxenus (*Botaurus*), see *Ardetta*.
 — (Euptilotis), see *Euptilotis*.
nepalensis (*Pitta*), see *Pitta*.
Nephocetes, see *Cypseloides*.
Nesacanthis, '91, 92.
nesiotes (*Coccycus*), see *C. minor*.
Nesoceleus, '86, 380.
 fernandinæ, *W. I.*, meas., plm., syn. '86, 380.
Nesochen, '96, 162.
Nesocites, '91, 93.
 micromegas (^b *Picumnus*, ^c *Picus* *passerinus*, ^d *Picumnus lawrencei*), *W. I.* '81, 129^a, 153^a* (col. pl.), 155^c; '86, 372^b, '96, 333.—*hbt.* '81, 153^a; *meas.* '81, 129^a, '86, 373^b; *bst.* '81, 153^a; *plm.* '86, 373^b; *syn.* '81, 129^b, '86, 372^b, '91, 93^b.
Nesomimus, '90, 273, '95, 71, '97, 330, '98, 208.
 macdonaldi, *Galap. Is.* '90, 273.
 personatus, *Galap. Is.* '90, 273.
nesophilus (*Thryomanes*), see *T. leucocephrys* or *spilurus*.
Nesopsar, '86, 223, '88, 414.
 nigerrimus, *W. I.* '86, 223, '93, 178.—*meas.*, *plm.*, *syn.* '86, 223.
Nesospingus, '86, 199.
 speculiferus, *W. I.* '76, 47, '86, 199; *meas.*, *plm.*, *syn.* '86, 199.
Nesotriccus ridgwayi, *Cocos I.*, '96, 75.
 Nesting, see Nidification.
Nestor, '82, 88.
Netta rufina (Rufous-crested Duck, ^b *Fuligula*), *N. Am.* '84, 384^b; *N. Y.* '81, 173^b.
Nettion, '96, 162, '99, 103.
 carolinensis (^a Green-winged Teal, ^b *Querquedula*, ^c *Anas*), *Alaska*, '85, 158^c, 201, 241, '87, 12^c; *Ariz.* '86, 384^c, '92, 198^a; *Cal.* '86, 89^c, '90, 297^c; *Colo.* '85, 18, 144; *Fla.* '88, 269^c, 378^c, '92, 211^c, '95, 364^c; *Ga.* '96, 215^c; *g. dist.* '93, 125^c; *G. Br.* '80, 213^b; *Hud. B.* '90, 320^c; *Ia.* '95, 121^c, 236^c; *Ida.* '97, 350^c; *Ind.* '88, 346^c; *Jamaica*, '91, 364^c; *Ky.* '89, 312^c; *La.* '97, 286^c; *Man.* '86, 148^c; *Mass.* '81, 127^c, '92, 199^c, '96, 200^c; *Minn.* '84, 248; *Mo.* '79, 147^b; *Mont.* '88, 17^a, '94, 301^c, '95, 212^c; *N. D.* '99, 161^a, 162^a, 163; *N. E.* '83, 162^a, 163^a; *N. F.* 1900, 71^c; *N. M.* '85, 238^c, '86, 80, '92, 359^c, '98, 307^c; *N. Y.* '81, 234; *Ont.* '85, 372^b; *Ore.* '79, 198^b, '86, 163^c, '88, 141^c, '91, 366 (fossil); '93, 344 (fossil); *Pa.* '99,

309^c; *Que.* '82, 239^b; *S. C.* '85, 193^b; *S. D.* '85, 288; *Tex.* '82, 42, 224^b, '87, 184^c, '92, 231^c, 1900, 339; *Wash.* '92, 353^c, '97, 171^c, 1900, 350; *W. I.* '88, 64^b.—*hbt.* '85, 238^b, '92, 384^c; *mag.* '95, 121^c, 236^c; *ust.* '85, 288; *plm.* '81, 162^b, '85, 295^a (alb.); *syn.* '88, 64^b, '99, 103.

crecca (European Teal, ^bQuerqueedula, ^cAnas), *Cal.* '86, 125; *Conn.* '91, 112^c; *D. C.* '86, 140^c; *Helg.* '95, 340^b; *Mass.* '90, 294^c; *N. E.* '76, 72, 91, '77, 13, 46; *N. J.* '95, 171^c; *N. Y.* '95, 70^c.—*fd.* '90, 294^c; *plm.* '80, 30^b (alb.); *syn.* '99, 103.

neumayeri (Sitta), see Sitta.
Nevada.

Allen, J. A., '80, 105–107.
Brewster, W., '82, 51.
Bryant, W. E., '88, 316.
Henshaw, H. W., '80, 105.
Hoffman, W. J., '82, 51.
Merriam, C. H., '95, 54–60.
Oberholser, H. C., '98, 304.
nevadensis (Amphispiza), see Amphispiza.
—— (Poospiza), see Amphispiza.

Newberry, John Strong.

The flight of birds (rev.), '88, 418.
Obituary of, '93, 95.

New Brunswick.

Allen, J. A., '80, 184.
Bangs, O., '94, 81–82.
Banks, J. W., '84, 95–96.
Batchelder, C. F., '82, 106–111, 147–152, 249–250.
Boardman, G. A., '80, 241–242, '81, 47, 58.
Brewster, W., '76, 52, '81, 186, 187–188, '82, 176–177, '83, 125.
Brittain, J., '89, 116–119.
Chadbourne, A. P., '89, 183, 256.
Chamberlain, M., '82, 104–106, '83, 6–11, 126, 174, 234, 234, 236, 237, '84, 185, 186, 294–295, '85, 33–36, '87, 260, 264, '92, 193.
Cox, P., Jr., '87, 205–213, '89, 116–119, 241–243.
Deane, R., '79, 63, '80, 63, 118.
Dwight, J., Jr., '87, 232–239.
Gilbert, H., '83, 235, '84, 89.
Jack, E., '90, 392.
Jeffries, J. A., '82, 181–182.
Jencks, F. T., '86, 272.
Merrill, H., '81, 249, '83, 125.
Moore, W. H., '92, 386, '98, 189–190, 192, 1900, 177.
Osborne, S. D., '78, 187–188.
Pearsall, R. F., '80, 45, '81, 244–245.
Purdie, H. A., '82, 122.

Rowe, R., '84, 88.

Smith, E., '80, 181, '85, 301.

New Brunswick Natural History Society, Bulletin, titles (Nos. 2286–2287), '92, 193.

Newcomb, Raymond L.

Notes on sea birds of the Grand Banks, '79, 127.

newellii (Puffinus), see Puffinus.

New England.

Ames, C. H., '90, 394.

Brewster, W., '90, 395.

Newcomb, R. L., '89, 176.

Osgood, F., '93, 293, 294, 295.

Purdie, H. A., '77, 20.

Zerega, L. A., '85, 296.

Newfoundland.

Allen, J. A., '79, 127–128.

Brewster, W., '85, 193–195.

Collins, J. W., '84, 380.

Howe, R. H., Jr., 1900, 270–271.

Howley, J. P., '84, 309–313.

Ingersoll, E., '81, 184.

Jones, J. M., '85, 297.

Merriam, C. H., '84, 188, '85, 98.

Murdoch, J., '77, 79.

Porter, L. H., 1900, 71–73.

Stejneger, L., '84, 369.

New Hampshire.

Allen, F. H., '89, 76–79, '94, 334, 335.

Allen, J. A., '88, 149, 153–155, '99, 204.

Berry, M. C., '96, 342–343.

Brewster, W., '81, 125, '82, 53, '83, 12–17, '86, 277–278.

Chadbourne, A. P., '85, 104, '87, 100–108, '89, 256.

Colburn, W. W., '90, 397.

Cory, C. B., '82, 184.

Deane, R., '78, 39, 195, '79, 119.

Faxon, W., '88, 149–153, '92, 201–202.

Fox, W. H., '77, 78, '83, 61, '84, 192.

Frost, E. B., '85, 379.

Goodhue, C. F., '77, 76.

Herrick, F. H., '84, 188.

Jencks, F. T., '86, 272.

Melser, J. P., '97, 316.

Minot, H. D., '77, 73.

Murdoch, J., '78, 96–97.

Prime, W. C., '89, 68.

Sage, J. H., '85, 311.

Smith, E., '80, 181.

Spaulding, F. B., '95, 182, '98, 50.

Spelman, H. M., '81, 54, 61, '82, 119.

Torrey, B., '89, 275.

Webster, E. E., 1900, 169, 175–176.

New Haven Ornithological Club, '88, 222.

New Jersey.

- Abbott, C. C., '76, 31, '77, 74, '84, 188, '85, 86-88.
 Abbott, W. L., '81, 49.
 Allen, J. A., '80, 89, 134, 137, '81, 100, 188, '86, 482.
 Bailey, H. B., '86, 410.
 Bellows, C. E., '85, 97, 298.
 Berier, de L., '96, 175.
 Braislain, W. C., '96, 81-82.
 Brewster, W., '81, 219, '86, 411-412.
 Burns, F. L., '95, 189.
 Chadbourne, A. P., '89, 257.
 Chapman, F. M., '86, 136, 485, '87, 348-349, '88, 37-39, '89, 302-305, '90, 291, '91, 104-105, 395, '92, 302-303, '93, 87, '94, 252, '96, 341, '98, 54.
 Childs, J. L., 1900, 67-68, 390.
 Davis, W. T., '94, 228-231.
 Dutcher, W., '82, 116.
 Dwight, J., Jr., '79, 63.
 Foster, L. S., '90, 394.
 Haines, B. B., '85, 96.
 Hales, H., '83, 174.
 Herrick, H., '77, 19, '80, 44.
 Howland, K. V. S., '94, 71.
 Judd, S. D., '97, 326.
 Kram, S. A., '95, 80.
 Lewis S., '90, 206.
 Lockwood, S., '80, 46.
 Martin, E., '90, 84.
 Morgan, T., '85, 99.
 Morris, R. T., '89, 179.
 Nichols, G. L., '80, 45.
 Oberholser, H. C., '95, 185.
 Owen, C. C., '98, 51.
 Reed, J. H., '97, 202, 323.
 Rhoads, S. N., '82, 55-56, '83, 179, '88, 318.
 Ricker [= Riker], C. B., '85, 297, 378.
 Rutgers, C. T., '89, 177.
 Sage, J. H., '95, 179.
 Scott, W. E. D., '79, 81-85, 222-228, '80, 56-57, '81, 56, 97-100, 115, 116, 188.
 Shick, C. S., '90, 81, 326-329.
 Southwick, W. C., '92, 303.
 Stone, W., '92, 203-204, '93, 85, '94, 133-140, '98, 268, 1900, 172.
 Thurber, E. C., '86, 411, '87, 349.
 Treat, M., '90, 201.
 Wilde, M. L. C., '97, 289-294.
 Zerega, L. A., '79, 239, '80, 205-208.

New Mexico.

- Abert, J. W., '83, 172.
 Allen, '79, 237, '80, 89, 123-124, '99, 345-346.
 Anthony, A. W., '92, 357-369.

- Batchelder, C. F., '85, 121-128, 233-239, 306, '89, 253-255.
 Brewster, W., '81, 68.
 Coale, H. K., '87, 330-331, '94, 216-217.
 Drew, F. M., '81, 91, 142.
 Goss, N. S., '81, 116-117, 118-119, '87, 344.
 Henshaw, H. W., '85, 326-333, '86, 73-80.
 Marsh, C. H., '91, 110.
 Mitchell, W. I., '98, 306-311.
 Nelson, E. W., '91, 237-238.
 Oberholser, H. C., '97, 186-196.
 Shufeldt, R. W., '87, 345-346, '88, 319-320, '89, 72-74, 176, '90, 390.
 Stephens, F., '78, 92, '79, 189.
 Thurber, E. C., '90, 89-90.
 Wilson, S. S., '99, 188-189.
 New Orleans Exhibition, birds of, '84, 403.
 Newport Natural History Society, Proceedings, titles (Nos. 968-969), '85, 372, (Nos. 2288-2290), '92, 193.
 New Providence Is., West Indies.
 Allen, J. A., 1900, 305.
 Bangs, O., 1900, 283-293.
 Bonhote, J. L., 1900, 305.
 Cory, C. B., '91, 294.
 Ridgway, R., '91, 335-336.
 New Species, Subspecies and Genera.
Astrelata scalaris, '86, 390.
Agelaius gubernator californicus, '97, 59.
Agelaius phoeniceus grandis, '97, 57.
Agelaius phoeniceus richmondi, '97, 58.
Agyrtaria allenii, '88, 263.
Aimophila cahooni, '88, 93, see *meleodii*.
Aimophila meleodii, '88, 92.
Aimophila rufescens pallida, '94, 43.
Aimophila rufescens sinaloa, '99, 254.
Aimophila rufoiceps sororia, '98, 226.
Aimophila sartorii, '98, 227.
Allenia, '91, 42.
Amazona imperialis, '99, 186.
Amazona oratrix tresmariae, 1900, 256.
Amazilia aliciae, '95, 368.
Amazilia cerviniventris chalconota, '98, 32.
Amazilia lawrencei, '89, 209.
Ammiodramus caudacutus subvirgatus, '87, 233.
Ammiodramus halophilus, '98, 265.
Ammiodramus henslowii occidentalensis, '91, 145.
Ammiodramus maritimus fisheri, '99, 10.

- Ammodramus maritimus peninsulae*, '88, 284.
Ammodramus maritimus sennetti, '88, 286.
Ammodramus sandwichensis brunneascens, '88, 265.
Ammodramus savannarum obscurus, '97, 61.
Amphispiza belli clementae, '98, 230, see *belli*.
Amphispiza bilineata deserticola, '98, 229.
Amphispiza bilineata pacifica, 1900, 267, see *deserticola*.
Amphispiza ferrarioperezi, '86, 332, see *Aimophila*.
Amydrus dubius, '97, 158.
Anas diazi, '86, 332.
Anas maculosa, '89, 263.
Anorthura meligera, 1900, 25, see *alascensis*.
Anous stolidus ridgwayi, '98, 36.
Antichromus, '99, 187.
Antrostomus chiapensis, 1900, 261.
Antrostomus oaxace, 1900, 260.
Antrostomus ridgwayi, '97, 50.
Antrostomus vociferus arizone, '81, 69, see *macromystax*.
Aphelocoma gracilis, '96, 34.
Aphelocoma insularis, '86, 452.
Aphelocoma sieberi colime, '99, 27.
Aphelocoma sieberi potosina, '99, 27.
Ardea bahamensis, '88, 83.
Ardea virescens anthonyi, '95, 257.
Ardea virescens frazari, '88, 83.
Ardea wardi, '82, 5.
Ardetta neoxena, '86, 262.
Arremonops richmondi, '98, 228.
Arremonops venezuelensis, '98, 228.
Arquatella couesi, '80, 160, see *Tringa*.
Astragalinus mexicanus jouyi, '98, 320.
Astur atricapillus henshawi, '84, 166, see *Accipiter striatulus*.
Atlapetes pileatus dilutus, '98, 228.
Atthis morcomi, '98, 325.
Aulacorhamphus dimidiatus, '86, 333.
Auriparus flaviceps lamprocephalus, '97, 391.
Automolus pectoralis, '97, 54.
Basileuterus belli scitulus, 1900, 268.
Basileuterus flavigaster, '97, 67.
Basileuterus godmani, '88, 450.
Basileuterus vermivorus olivascens, '93, 343.
Blacops, '99, 186.
Brachyspiza, '98, 224.
Brachyspiza capensis insularis, '98, 321.
Bubo virginianus occidentalis, '96, 155, see *arcticus*.
Calcarius lapponicus alascensis, '98, 320.
Calcarius lapponicus coloratus, '98, 320.
Callipepla gambeli deserticola, '95, 371, see *Lophortyx gambeli*.
Callipepla gambeli fulvipectus, '99, 26.
Callipepla squamata pallida, '81, 72, see *castanogastris*.
Callipepla squamata castanogastris, '83, 34.
Callothrush aeneus assimilis, 1900, 266.
Calocitta formosa azurea, '97, 55.
Calyptophilus, '84, 3.
Campylorhynchus zonatus costaricensis, '88, 449, see *Heleodytes*.
Canachites canadensis osgoodi, 1900, 114.
Cardinalis cardinalis littoralis, '97, 64.
Cardinalis cardinalis superbus, '85, 344.
Cardinalis robinsoni, '95, 370.
Carpodacus clementis, '98, 258.
Carpodacus mategrenori, '97, 165.
Catharus occidentalis fulvescens, '97, 75.
Centurus bahamensis, '92, 270.
Centurus blakei, '86, 337.
Centurus caymanensis, '86, 499.
Centurus nyeanus, '86, 336.
Ceophleus pileatus abieticola, '98, 176.
Cephus snowi, '97, 201.
Certhia mexicana albescens, '88, 450.
Certhiola godmani, '89, 219, see *Cœreba luteola*.
Certhiola sharpei, '86, 497, see *Cœreba*.
Certhiola wellsi, '89, 219, see *Cœreba*.
Chætura dominicana colardeau, '91, 59, see *acuta*.
Chaulelasmus couesi, '76, 46.
Chloropeta similis, '97, 163.
Chlorospingus atriceps, '97, 65, see *postocularis*.
Chlorospingus leotaudi, '93, 342.
Chordeiles chapmani, '88, 38.
Chordeiles virginianus aserriensis, '96, 136.
Chrysotis caymanensis, '86, 497.
Cichlherminia lawrencei, '91, 44.
Cinnyris nectarinioides, '97, 158.
Cissolopha pulchra, '97, 56.
Cistothorus mariane, '88, 188.
Cistothorus palustris griseus, '93, 216.
Cistothorus palustris plesius, '97, 188.

- Coccothraustes vespertinus mexicanus*, '97, 311.
Colaptes auratus luteus, '98, 177.
Colaptes chrysoides brunnescens, '95, 347.
Colaptes Gundlachi, '86, 498.
Colinus godmani, '97, 45.
Colinus graysoni nigripectus, '97, 47.
Colinus insignis, '97, 46.
Colinus ridgwayi, '85, 199.
Colinus salvini, '97, 45.
Colinus virginianus maculatus, '99, 26.
Columba fasciata vioscae, '88, 86.
Compsothlypis americana usneae, '96, 44.
Compsothlypis pulchra, '89, 93.
Contopus frazari, '83, 94. see *Blacicus hispaniolensis*.
Contopus pertinax pallidiventris, '97, 310.
Contopus richardsonii peninsulae, '91, 144.
Contopus richardsoni saturatus, 1900, 116, see *richardsonii*.
Crithagra kilimensis, '97, 155.
Crithagra striolata affinis, '97, 156.
Crypturus inornatus, 1900, 253.
Cumana, 1900, 65.
Cupidonia pinnata, '85, 82, see *Tympanuchus americanus*.
Cyanerpes, '99, 32, see *Cæreba*.
Cyanocitta stelleri azteca, '99, 256.
Cyanocompsa concreta cyanescens, '98, 229.
Cyanocorax affinis zeledoni, '99, 255.
Cyanolyca mitrata, '99, 255, see *ornata*.
Cyanomyia salvini, '93, 214.
Cypselus brunneitorques griseifrons, 1900, 262.
Cyrtonyx merriami, '97, 48.
Cyrtonyx montezuma mearnsi, 1900, 255, see *montezumæ*.
Delatria pringlei, '97, 51.
Dendrocopos purus, '84, 35, see *Dryobates cissa*.
Dendroeca palmarum hypochrysea, '76, 84.
Dendroica achrusteria, 1900, 292.
Dendroica aestiva rubiginosa, '97, 76.
Dendroica aestiva sonorana, '88, 137.
Dendroica flava, '87, 179.
Dendroica goldmani, '97, 66.
Dendroica nigrifrons, '89, 94.
Dendroica pityophila bahamensis, '91, 348.
Dendroica vitellina, '86, 497.
Dendroornis flavigaster megarhynchus, 1900, 265.

- Dendrotyx oaxacæ*, '97, 43, see *macrourus*.
Dendrotyx macrourus dilutus, 1900, 254, see *macrourus*.
Dendrotyx macrourus griseipectus, '97, 44, see *macrourus*.
Dendrotyx macrourus striatus, '97, 44, see *macrourus*.
Doleromyia pallida, '95, 369.
Dryobates pubescens oreocucus, '89, 253.
Dryobates sanctorum, '97, 50.
Dryobates villosus intermedius, 1900, 259.
Dryobates villosus montanus, '96, 32.
Elainea albiventris, '97, 368.
Elainea barbadensis, '88, 47.
Elainea cherriei, '95, 279.
Empidonax bairdi occidentalis, '97, 53.
Empidonax bairdi perplexus, 1900, 263.
Empidonax cineritius, '88, 90.
Empidonax griseus, '89, 87.
Empidonax insulicola, '97, 300, see *difficilis*.
Empidonax pulverius, '89, 86.
Empidonax timidus, 1900, 263.
Empidonax traillii alnorum, '95, 161.
Engyptila collaris, '86, 498, see *Lepotilia*.
Engyptila neoxena, '87, 179, see *Lepotilia*.
Engyptila wellsi, '84, 180, see *Lepto-tilla*.
Eriocnemis aurea, '90, 315.
Eriocnemis incultus, '89, 210.
Estrilda cyanocephala, '97, 157.
Eucometis cristata affinis, '88, 451.
Eucometis spodocephala pallida, '88, 451.
Eucometis spodocephala stictothorax, '88, 451.
Euetheia bryanti, '98, 322.
Euetheia coryi, '98, 322.
Euetheia grandior, '87, 245.
Euphonia godmani, '89, 90.
Falco sparverius æquatorialis, '92, 269.
Falco sparverius deserticolus, '92, 263.
Falco sparverius peninsularis, '92, 267.
Fulmarus glacialis columba, '95, 105.
Geothlypis coryi, '86, 334.
Geothlypis flaviceps, '99, 31.
Geothlypis maynardi, 1900, 290.
Geothlypis tanneri, '86, 335.
Geothlypis trichas arizela, '99, 237, see *occidentalis*.

- Geothlypis trichas ignota*, '90, 11.
Geothlypis trichas modestus, 1900,
 269.
Geothlypis trichas occidentalis, '83,
 159.
Glaucidium fisheri, '94, 41.
Glaucidium gnoma hoskinsii, '88, 136.
Gymnostinops cassini, '98, 327.
Hæmatopus frazari, '88, 84.
Hæmatopus galapagensis, '86, 331.
Harporrynchus cinereus mearnsi, '95,
 53.
Harporrynchus curvirostris macula-
tus, 1900, 269.
Harporrynchus lecontei arenicola,
 '97, 167.
Harporrynchus redivivus pasadenen-
sis, '98, 237.
Heleodytes alticolus, '97, 68.
Heleodytes brunneicapillus bryanti,
 '94, 212.
Heleodytes capistratus nigricaudatus,
 '97, 70.
Heleodytes humilis rufus, '97, 69.
Heleodytes occidentalis, '97, 69.
Helminthophaga cincinnatiensis, '80,
 208.
Helminthophaga leucobronchialis, '76,
 1.
Hemithraupis, '98, 226, see *Spora-*
thraupis.
Hemiura pacifica, '97, 72.
Henicorhina mexicana, '97, 73.
Henicorhina leucophrys capitalis, '97,
 74.
Heterospingus, '98, 225.
Hirundo sclateri, '84, 2.
Horizopus, '99, 331, see *Contopus*.
Hyetornis fieldi, '95, 278.
Hylocichla fuscescens fuliginosa,
 1900, 271, see *fuscescens*.
Hylocichla ustulata almae, '98, 304,
 see *swainsoni*.
Hylocichla ustulata cedula, '99, 23.
Hylorchilus, '97, 71.
Icterus bairdi, '86, 500.
Icterus gularis yucatanensis, '88, 454.
Icterus lawrencii, '87, 178.
Icterus northropi, '90, 343.
Icterus wagleri castaneopectus, '88,
 91, see *wagleri*.
Incaspiza, '98, 224.
Junco fulvescens, '97, 61.
Junco hyemalis carolinensis, '86, 108.
Junco hyemalis shufeldti, '87, 330, see
connectens.
Junco mearnsi, '97, 94.
Junco montanus, '98, 321.
Junco pinosus, '93, 47.

- Junco ridgwayi*, '90, 243, see *annec-*
tens.
Lagopus alba allenii, '84, 369.
Lagopus evermanni, '96, 25.
Lagopus rupestris nelsoni, '84, 226.
Lagopus rupestris townsendi, '96, 26.
Lagopus welchi, '85, 194.
Lamponnis ellioti, '90, 374, see *vir-*
ginalis.
Lamponnis hendersoni, '87, 177.
Laniarius abbotti, '97, 161.
Lanius ludovicianus anthonyi, '98,
 261.
Lanius ludovicianus migrans, '98, 248,
 see *ludovicianus*.
Larus barrovianus, '86, 330.
Larus kumlieni, '83, 216.
Larus nelsoni, '84, 250.
Larus schistisagus, '84, 231.
Lawrenzia, '86, 382.
Ligea, '84, 1, see *Microligea*.
Ligea palustris, '84, 1, see *Micro-*
ligea.
Loxigilla barbadensis, '86, 382, see
Pyrrhulagra.
Loxigilla richardsoni, '86, 382, see
Pyrrhulagra.
Lysurus, '98, 225.
Margarops montanus rufus, '88, 47,
 see *Allenia montana*.
Megascops asio aikenii, '91, 139.
Megascops asio macfarlanei, '91, 140.
Megascops asio saturatus, '91, 141,
 see *kennicotti*.
Megascops aspersus, '88, 87, see *tri-*
chopsis.
Megascops marmoratus, '97, 49, see
guatemale.
Megascops pinosus, '94, 39.
Megascops ridgwayi, '94, 40.
Megascops vinacens, '88, 88.
Melanerpes dubius veracrucis, 1900,
 259, see *Centurus*.
Melanerpes formicivorus aculeatus,
 '90, 249, see *bairdi*.
Melanerpes frontalis, 1900, 257, see
Centurus.
Melanerpes santacruzi fumosus, 1900,
 258, see *Centurus*.
Melanobucco abbotti, '97, 164, see
Lybius.
Melanospiza, '98, 224.
Meleagris gallopavo ellioti, '92, 167,
 see *intermedia*.
Meleagris gallopavo merriami, 1900,
 120, see *gallopavo*.
Meleagris gallopavo osceola, '90, 376.
Melospiza adusta, '99, 28.
Melospiza fasciata caurina, '99, 36,
 see *rufina*.

- Melospiza fasciata cooperi*, '99, 35.
see *samuelis*.
Melospiza fasciata juddi, '96, 132.
Melospiza fasciata merrilli, '96, 46.
Melospiza fasciata montana, '84, 224.
Melospiza fasciata pusillula, '99, 35,
see *samuelis*.
Melospiza goldmani, '99, 29.
Melospiza lincolni striata, '89, 89.
Melospiza melodia kenaiensis, 1900,
29, see *insignis*.
Melospiza melodia morphna, '99, 183,
see *guttata*.
Merula tamaulipensis, '97, 75.
Micrathene graysoni, '86, 333, see
Micropallas.
Mimocichla raviga, '86, 499.
Mimocichla verrillorum, '91, 217.
Mimus arenaceus, '90, 135.
Mimus magnirostris, '87, 178.
Mimus saturninus, '90, 136.
Mitrephanes, '82, 55.
Mitrephanes phaeocercus tenuirostris,
'88, 137.
Mitrospingus, '98, 225.
Molothrus venezuelensis, '91, 347.
Momotus goldmani, 1900, 256.
Momotus mexicanus saturatus, '97,
49.
Myiadestes montanus, '81, 130.
Myiarchus berlepschii, '88, 266.
Myiarchus crinitus boreus, '98, 179,
see *crinitus*.
Myiarchus denigratus, '86, 500.
Myiarchus ruficaudatus, '83, 95, see
dominicensis.
Myioius ridgwayi, '88, 457.
Myiopagis placens jalicensis, 1900,
264.
Myospiza, '98, 224.
Myrmeciza immaculata occidentalis,
'91, 191, see *Myrmelastes*.
Myrmeciza longipes albiventris, '93,
343.
Nyctibius jamaicensis mexicanus,
1900, 260.
Nyctidromus albicollis merrilli, '88,
44.
Oceanodroma kaedingi, '98, 37.
Oedicnemus dominicensis, '84, 4.
Ornithium imberbe ridgwayi, '82, 208,
see *Ornithion*.
Otocoris alpestris adusta, '90, 148.
Otocoris alpestris arenicola, '84, 265.
Otocoris alpestris giraudi, '84, 266.
Otocoris alpestris hoyti, '96, 130, see
leucolæma.
Otocoris alpestris merrilli, '90, 153.
Otocoris alpestris oaxacæ, '97, 54.
Otocoris alpestris pallida, '90, 154.

- Otocoris alpestris praticola*, '84, 264.
Otocoris alpestris rubea, '84, 267.
Otocoris alpestris strigata, '84, 267.
Otophanes, '88, 88.
Otophanes mcleodii, '88, 89.
Pachyrhamphus major uropygialis,
'99, 28.
Pachyrhamphus salvini, '99, 186.
Pan, '99, 77, see *Semnornis*.
Parra violacea, '81, 130, see *Jacana*
spinosa.
Parus atricristatus castaneifrons, '87,
28, see *atricristatus*.
Parus bicolor floridanus, '98, 181, see
bicolor.
Parus bicolor texensis, '87, 29.
Parus carolinensis agilis, '88, 46.
Parus hudsonicus columbianus, '93,
23.
Parus hudsonicus ungava, '93, 328.
Passerella iliaca annexens, 1900, 30,
see *unalaschensis*.
Passerella iliaca insularis, 1900, 30,
see *unalaschensis*.
Passerella iliaca fuliginosa, '99, 36,
see *unalaschensis*.
Passerella stephensi, '95, 348.
Pealea, '86, 334.
Perisoreus obscurus griseus, '99, 255,
see *obscurus*.
Peucaea illinoensis, '79, 219, see *bach-*
mani.
Peucaea ruficeps australis, '97, 63.
Peucaea ruficeps fusca, '97, 62.
Peucaea ruficeps eremicæca, '82, 26, see
Aimophila.
Peucaea ruficeps scottii, '88, 41, see
Aimophila.
Phalaenoptilus nuttalli nitidus, '87,
147.
Philyryx personatus, '86, 333, see
fasciatus.
Phœnicophilus dominicensis, '81, 129,
see *Phœnicophilus*.
Phœnicothraupis rubicoides affinis,
'97, 66.
Pholidauges femoralis, '97, 160.
Picoides americanus bacatus, 1900,
136, see *americanus*.
Picoides arcticus labradorius, 1900,
138, see *americanus*.
Picoides arcticus tenuirostris, 1900,
131, see *arcticus*.
Picoides tridactylus alascanus, '84,
165.
Picolaptes compressus insignis, '97,
54.
Picumnus lawrencii, '81, 120, see *Ne-*
soctites micromegas.

- Pinicola enucleator alascensis*, '98, 319.
Pinicola enucleator californica, '97, 182.
Pinicola enucleator montana, '98, 319.
Pipilo clementæ, '97, 294.
Pipilo complexus, '86, 332.
Pipilo fuscus potosinus, '99, 254.
Pipilo fuscus senicula, '95, 111.
Pipilo maculatus atratus, '99, 254, see *megalonyx*.
Pipilo maculatus magnirostris, '91, 146, see *megalonyx*.
Pipilo orizabæ, '94, 161, see *maculatus*.
Pipilo submaculatus, '86, 332, see *maculatus*.
Plagiospiza, '98, 224.
Platysparis aglaiae sumichrasti, '97, 52.
Polioptila californica, '81, 103.
Polioptila nigriceps restricta, '89, 97.
Poocætes gramineus affinis, '88, 404.
Prionops vinaceigularis, '97, 162.
Progne subis hesperia, '89, 92.
Psaltriparus lloydii, '88, 43.
Pselliophorus, '98, 225.
Psittacula cyanopyga pallida, '89, 85.
Pterocorys, '84, 228.
Puffinus borealis, '81, 84.
Puffinus newelli, 1900, 246.
Pyroderus masoni, '86, 333.
Pyrrhulagra affinis, '98, 322.
Pyrrhulagra coryi, '98, 323.
Pyrrhulagra crissalis, '98, 323.
Pyrrhuloxia dominicana, '98, 323.
Pyrrhuloxia sinuata beckhami, '87, 347, see *sinuata*.
Pyrrhuloxia sinuata peninsulae, '87, 347.
Quiscalus caymanensis, '86, 499.
Quiscalus macrourus obscurus, 1900, 267.
Rallus longirostris scottii, '88, 305.
Ramphocelus costaricensis, '91, 62.
Regulus calendula grinnelli, '97, 399, see *calendula*.
Rhamphocinclus sanctæ-luciae, '87, 94, see *Ramphocinclus*.
Rhodothraupis, '98, 226.
Rhynchospiza, '98, 224.
Rougetius abbotti, '94, 74.
Rupornis ridgwayi, '84, 4.
Salpinetes obsoletus neglectus, '97, 70.
Salpinetes obsoletus pulverius, '98, 238, see *obsoletus*.
Saurothera andria, '94, 164.

- Sayornis dominicensis*, '83, 95, see *Blacicus hispaniolensis*.
Sayornis saya yukonensis, 1900, 115, see *saya*.
Scops asio bendirei, '82, 31, see *Megascops*.
Selasphorus allenii, '77, 53.
Selasphorus henshawi, '77, 102, see *rufus*.
Sennornis, 1900, 179.
Serinopsis, '98, 225.
Sialia mexicana bairdi, '94, 157.
Sialia sialis grata, '98, 182, see *sialis*.
Sicalis chapmani, '99, 37.
Sitta carolinensis atkinsi, '90, 118.
Sitta carolinensis lagunæ, '91, 149, see *aculeata*.
Sitta carolinensis mexicana, '94, 45.
Sitta pusilla caniceps, '98, 180, see *pusilla*.
Sittasomus phelpsi, '97, 369.
Sittasomus sylviooides jaliscensis, 1900, 264.
Speotyto cunicularia bahamensis, '91, 348.
Speotyto cunicularia cavicola, 1900, 287.
Speotyto cunicularia obscura, '95, 372, see *hypogaea*.
Spindalis salvini, '86, 499.
Spindalis zena stejnegeri, '91, 348.
Spinus allenii, '99, 37.
Spinus pinus macroptera, '97, 311.
Spinus tristis pallidus, '90, 244, see *Astragalinus*.
Spinus tristis salicamans, '97, 397, see *Astragalinus*.
Spizella monticola ochracea, '82, 228.
Spizella pusilla arenacea, '86, 248.
Spizella socialis mexicana, '99, 30.
Sporathraupis, '98, 331.
Stelgidostomus, '98, 226.
Strix dominicensis, '83, 95, see *glaucopterus*.
Sturnella magna alticola, 1900, 266.
Sula brewsteri, '88, 242.
Sula gossii, '88, 241, see *nebouxii*.
Sympnemnia semipalmata inornata, '87, 145.
Synallaxis coryi, '88, 458.
Syrnius occidentale caurinum, '98, 40.
Thalurania ridgwayi, 1900, 262.
Thryothorus cerroensis, '97, 166, see *Thryomanes*.
Thryothorus felix grandis, 1900, 269.
Thryothorus felix β lawrencii, '78, 10.
Thryothorus guadeloupensis, '86, 381, see *Troglodytes*.

- Thryothorus leucophrys, '95, 52, see Thryomanes.
 Thryothorus ludovicianus lomitensis, '90, 58.
 Thryophilus sinaloa cinereus, '89, 96.
 Tityra nigriceps, '88, 287.
 Tityra personata griseiceps, '88, 263.
 Totanus solitarius cinnamomeus, '90, 377, Helodromas.
 Trochilus violajugulum, '88, 168.
 Troglodytes aëdon mariana, '85, 351, see aztecus.
 Troglodytes cahooni, '88, 94.
 Troglodytes tobagensis, '88, 404.
 Turdus migratorius propinquus, '77, 9, see Merula.
 Tyrannus cubensis, '98, 330.
 Tyrannus tyrannus vexator, '98, 178, see tyrannus.
 Vireo allenii, '86, 500.
 Vireo amauronotus strenuus, 1900, 268.
 Vireo caymanensis, '87, 7.
 Vireo huttoni insularis, '93, 239, see obscurus.
 Vireo huttoni stephensi, '82, 142.
 Vireo nevadensis maynardi, '87, 148.
 Vireo nevadensis micrus, '99, 30.
 Vireo perquisitor, 1900, 267.
 Vireo solitarius alticola, '86, 111.
 Vireo solitarius lucasanus, '91, 147.
 Vireo vicinior californicus, '90, 159, see vicinior.
 Vireosylvia canescens, '87, 178, see Vireo.
 Xanthoura luxuosa glaucescens, 1900, 28.
 Xanthoura luxuosa speciosa, 1900, 265.
 Xanthoura luxuosa vivida, 1900, 28.
 Xanthoura yncas galeata, 1900, 27.
 Zenaida bogotensis, '85, 358, see ruficauda.
 Zenaida rubripes, '85, 357, see vinaeo-rufa.
 Zenaida richardsoni, '87, 7, see zenaida.
 Zenaida spadicea, '86, 498.
 Zonotrichia leucophrys nuttalli, '99, 37, see gambelii.

Newton, Alfred.

Article 'Ornithology' from Encyclopaedia Britannica, 9th ed. '85, 205.

Fossil birds (rev.), '92, 183.

Dictionary of birds (rev.), '93, 308, 357-360, '94, 56-60, '95, 96, 169,

'96, 351, '97, 234-244, 1900, 77.

Orcadian home of the Garefowl (rev.), '99, 91.

Newton, H., Harvie-Brown, J. A., and Cordeaux, J., see Harvie-Brown, Cordeaux and Newton.

Newton, Edward.

Obituary of, '97, 431.

newtoni (Certhiola), see Cæreba.

— (Cæreba), see Cæreba.

— (Gymnoglaux), see Gymnasio nudipes.

New York.

Adney, E. T., '84, 390, '86, 409-410.
 Akhurst, J., '77, 52.

Aldrich, S., '92, 385.

Allen, C. S., '92, 313-321, '93, 53-59.

Allen, J. A., '76, 96, '77, 110, '78, 34-35, 36, 47, '79, 171, '80, 62-63, 119, 120, 133-134, 136-137, 175, 233, '81, 172, 173, '83, 233, '86, 274-275, 479, 490, '87, 154, 284-286, '94, 168, 1900, 313-314.

Badger, G. B., '89, 67-68.

Bagg, E., '78, 197-198, '79, 237, '80, 238, '81, 246, '85, 109, '87, 154, '90, 229-232, '94, 162-164, '97, 226-227, 1900, 177-178.

Bailey, H. B., '77, 78-79.

Balloo, W. H., '81, 52.

Bamber, O. S., '90, 395.

Barnum, M. K., '83, 177, 236.

Batchelder, C. F., '90, 295, '91, 392.

Beard, D. C., '92, 286.

Bergtold, W. H., '90, 209-210, 400.

Berier, deL., '80, 46-47, '81, 11-13, 125-126, 247, 248, '86, 281.

Bicknell, E. P., '77, 74, '78, 128-132, '79, 60, 183-184, '80, 7-11, 182, '82, 152-159, '83, 50, '95, 306.

Bowdish, B. S., '91, 394, 396.

Braislin, W. C., '96, 87-88, '97, 99-100, '98, 55-56, 58, '99, 190-193, 1900, 69-71.

Brewer, T. M., '78, 148.

Brewster, W., '81, 219-220, '83, 50-54, 57-58, '85, 82, '86, 389-393, '93, 83.

Brownell, C. L., '97, 406.

Bruce, D. T., '85, 212.

Burtsch, V., '97, 93.

Chadbourne, A. P., '88, 202, '89, 257.

Chapman, F. M., '93, 87-88, '96, 341, 343, '97, 202.

Cheney, A. N., '93, 294.

Childs, J. L., 1900, 390.

Chubb, S. H., '97, 408.

Clark, E., '90, 389.

Clute, W. N., '90, 85.

Conklin, C. E., '97, 97-98.

Coues, E., '78, 41, '79, 31, '80, 63,

187, '82, 250, '83, 124.

Coues, G. H., '79, 31-33.

- Dakin, J. A., '83, 176.
 Damon, J. L. [misprint for Davison, J. L.], '85, 309.
 Davis, F. J., '81, 47, 47.
 Davison, J. L., '84, 294, '85, 217-218,
 296, 298, 309, '87, 67, 159, '88,
 430-431, '89, 176, 191-192, '90,
 391, 393, '91, 396.
 Deane, R., '79, 184, '80, 118.
 Dorr, E. P., '90, 389, '92, 68.
 Dutcher, B. H., '89, 124-131.
 Dutcher, W., '79, 242, '80, 186-187,
 '84, 31-35, 174-179, '85, 36-39, 99,
 '86, 432-444, '88, 169-183, '89,
 131-139, 175, 181, '90, 396, 396,
 '92, 390-392, '93, 83-84, 265-266,
 '95, 181, 290-291.
 Dwight, J., Jr., '88, 324, '97, 95.
 Eagle, C. H., '78, 47, 94.
 Earle, C., '81, 58.
 Eaton, E. H., '96, 178-179.
 [Editors], '82, 123-124.
 Edson, J. M., '86, 479.
 Evans, E. M., '89, 192.
 Fish, E. E., '83, 171.
 Fisher, A. K., '78, 191-192, '79, 61-
 62, 234, '80, 117, '81, 245, '82, 249,
 251, '83, 116, 121, 180-181, '85,
 221, 306-307, 378, '90, 395.
 Floyd, H. W., '98, 190.
 Foote, F. H., '97, 224.
 Foster, L. S., '87, 341, '89, 177, 179,
 '95, 179, '96, 175, '99, 351.
 Fowler, H. G., '77, 75, '78, 34-35,
 85.
 Frazer, A., '89, 178.
 Fraser, A. A., '92, 68.
 Fraser, D., '95, 290.
 Fraser, J. T., '84, 293.
 Fuertes, L. A., '98, 188-189.
 Fuller, A. R., '83, 118.
 Furness, C. E., '96, 175.
 Geipel, P., Jr., '87, 67.
 Gray, H., '83, 176.
 Green, M. M., '87, 73, 350, '89, 68,
 '90, 390, '92, 67.
 Gregg, W. H., '80, 173, '81, 52.
 Griffing, M. B., '83, 177, '85, 97, 101.
 Grinnell, G. B., '78, 147, '85, 299.
 Hale, W. A., '92, 67.
 Harris, G. E., '88, 320-321.
 Hason, I. N. D., '89, 178.
 Hasbrouck, E. M., '90, 206.
 Helme, A. H., '83, 234, '85, 100, 1900,
 295-296.
 Hendrickson, W. F., '84, 290-291,
 '89, 190-191.
 Henshaw, H. W., '85, 384.
 Higgins, F. W., '90, 83.
 Higgins, H. C., '93, 301.
- Hollick, A., '86, 476.
 Hough, R. B., '80, 119.
 Howell, A. H., '92, 306-307, 395, '93,
 90-91, '94, 82-84, '99, 85.
 Howey, J. M., '78, 40, '83, 174, '85,
 97.
 Hutchins, J. P., '80, 44.
 Ingersoll, E., '80, 173, '81, 184.
 Ingersoll, S. I., '85, 301.
 Jencks, F. T., '81, 48.
 Johnson, F. E., '79, 189, '91, 114, 116.
 Johnson, W. S., '95, 177, 301, '97,
 88, 316.
 Jones, H. T., '78, 189.
 Kennard, F. H., '95, 304-305.
 King, F. H., '78, 194-195, '82, 186-
 189.
 Kirkover, H. D., Jr., '98, 50.
 Knapp, G. A., '85, 298.
 Langille, J. H., '82, 119-120, '83, 238,
 '84, 285.
 LaRue, G. W., '91, 390.
 Lattin, F. H., '83, 174.
 Lawrence, G. N., '77, 18, '81, 49, '84,
 240-242, '89, 201-203.
 Lawrence, N. T., '78, 102, '80, 154-
 157, '85, 272-274.
 Lawrence, R. B., '80, 116-117, 122,
 '85, 300, '87, 340, 341, '90, 388,
 388, '96, 82.
 Lee, L. A., '80, 118-119, 190.
 Linden, C., '81, 50, '84, 184, '89, 177.
 Lintner, G. A., '83, 123-124, 180, '84,
 391.
 Lock, B., '85, 296.
 Loring, J. A., '90, 392, 395.
 Lucas, F. A., '81, 125.
 Marshall, W. B., '92, 203, 390-391.
 Mather, F., '84, 288.
 Maxfield, C. C., '91, 108.
 Mearns, E. A., '78, 45-46, 69-72,
 100, 146, '79, 33-37, '80, 175, 189,
 '81, 172, '90, 55-56, 90-91.
 Merriam, C. H., '78, 52-56, 83-86,
 123-128, 200, '79, 1-7, '81, 225-
 235, '80, 44, '82, 128, 256-257, '83,
 50, 117, 178, 237, '84, 58-59, 291,
 '85, 59-60, 103, '86, 475.
 Mickle, W., '84, 288.
 Miller, G. S., Jr., '92, 201, '94, 79.
 Miller, J. H., '90, 206.
 Minot, H. D., '78, 36, 83-86.
 Moran, D. E., '82, 52, 60.
 Murphy, M. D., Jr., '90, 83.
 Nicholas, G. L., '81, 49, 1900, 386.
 Osborn, S. D., '81, 50.
 Paine, A. G., Jr., '87, 339.
 Park, A. F., '80, 185, 190, 239, '81,
 177, '82, 61, '84, 196, '85, 296, '86.

- 484-485, '88, 111, '90, 400, '91.
 114.
 Perrior, A. W., 1900, 68.
 Pentz, J., '93, 297.
 Porter, L. H., '95, 76.
 Posson, N. F., '90, 85, '99, 193-196.
 Proctor, T., '95, 390.
 Purdie, H. A., '80, 240.
 Ralph, W. L., '87, 154, '90, 229-232.
 Rathbun, F. R., '78, 85, '79, 172-175,
 '83, 235.
 Rathbun, S. F., '79, 116-117, 172-
 175, '83, 174.
 Reed, J. H., '98, 40-43.
 Rich, G. C., '83, 175, 177, 178.
 Rich, L. R., '85, 98.
 Ridgway, R., '80, 119.
 Rintoul, W. H., '84, 186.
 Roe, E., '83, 179.
 Roosevelt, T., '78, 36, 83-86, '79, 171.
 Sampson, J. A., '90, 396.
 Sargent, H. B., '93, 369.
 Savage, J., '95, 312-314, 393.
 Short, E. H., '94, 168.
 Spears, R. S., '92, 386.
 Spencer, L. F., '85, 298.
 Stearns, W. A., '80, 233, 242.
 Stevenson, W. G., '85, 212.
 Stone, C. F., '99, 284-285.
 Swift, E., '88, 432, '89, 176, 179.
 Tarrant, W. P., '83, 235.
 Thayer, G. H., 1900, 388-389.
 Townsend, A. H., '83, 117, '85, 298.
 Tremby, C. C., '90, 86.
 Turner, M. H., '84, 291.
 Vaughan, C. W., '96, 80.
 Voorhees, C. G., '88, 427.
 Whitfield, R. P., '90, 284-285.
 Willard, S. L., '78, 83.
 Williams, W. J. B., '98, 331-332.
 Wilson, T. J., '83, 176.
 Wood, A. H., '88, 110-111.
 Woodruff, L. B., '87, 339.
 Worthington, W. W., '83, 175, 176,
 '91, 113, '93, 301-303, '96, 78, '99,
 85, 1900, 63.
 Wright, F. S., '79, 116-117, 172-
 175, '83, 236.
 Wyman, W. B., '84, 288.
 Young, C. C., '93, 78, '94, 78.
 Zerega, L. A., '80, 205, '81, 248, '83,
 117, '84, 288.
 New York Academy of Sciences, Trans-
 actions, titles (Nos. 2291-2296),
 '92, 194.
 New York Lyceum of Natural History,
 Annals, titles, '76, 31.
 New York Staatszeitung, title (No.
 608), '84, 190.
 New York Zoological Park, '98, 79, '99,
 96.
New Zealand.
 Wakefield, E., '90, 395.
Nicaragua.
 Chapman, F. M., '94, 171.
 Nutting, C. C., '83, 228, '84, 84, '85,
 293-294.
 Richmond, C. W., '93, 84-85, '95, 19-
 32, '98, 7-10.
 Ridgway, R., '83, 228, '84, 84, '85,
 291, '98, 228.
 Zeledon, J. C., '85, 370.
Nicholas, G. L.
 Swallow-tailed Kite at Piermont,
 New York, 1900, 386.
nichollsi (*Chrysotis*), see *Amazona bou-
 queti*.
Nichols, Howard Gardner.
 Obituary of, '97, 115.
Nicholson, Francis.
 Sundevall's 'Tentamen' [transla-
 tion] (rev.), '91, 227.
Nicterodius, see *Nycticorax*.
Nidification.
 Allen, J. A., '78, 23, '79, 25-27, '85,
 129, '87, 284.
 Allen, C. S., '92, 313, '93, 53.
 Anthony, A. W., '98, 140, 1900, 247.
 Bailey, H. B., '76, 24-28, '83, 37.
 Barlow, C., '97, 14, '99, 156.
 Bicknell, E. F., '80, 7.
 Bendire, C. E., '76, 44, '88, 225, 351,
 366, '89, 32, 107, 150, 226, 298,
 '90, 22, '95, 270.
 Bowles, C. W., and Bowles, J. H.,
 '98, 138.
 Brewer, T., '78, 72, '79, 87, 96, 148.
 Brewster, W., '77, 37-38, '78, 133-
 135, '79, 75, 99, '81, 143, '85, 346,
 '88, 337, 1900, 207.
 Brimley, C. S., '90, 323, '91, 199.
 Chamberlain, M., '85, 33.
 Cherrie, G. K., '90, 233, 329.
 Clarke, C. K., '98, 328.
 Cooper, J. G., '76, 79, '78, 8, 68, '79,
 86.
 Coues, E., '80, 20, '88, 405.
 Deane, R., '79, 37-39.
 Goss, B. F., '83, 43.
 Goss, N. S., '78, 32-34, '84, 18, 124,
 '85, 19, 274, '88, 27.
 Hazard, R. G., '94, 280.
 Henshaw, H. W., '76, 14-17, '78,
 112-115.
 Holterhoff, G., Jr., '83, 48.
 Howe, R. H., Jr., '98, 162.
 Hoxie, W., '86, 245.
 Ingersoll, E., '76, 77-79.
 Job, H. K., '99, 161.

- Jones, C. M., '76, 11-13.
 Kennard, F. H., '94, 197.
 Lawrence, G. N., '89, 19.
 Mackay, G. H., '93, 333, '95, 32, '96,
 47, '97, 278, 383, '98, 168, '99, 259.
 Mailliard, J., '98, 230.
 Merriam, C. H., '83, 220.
 Merriam, F. A., '96, 38.
 Merrill, J. C., '77, 85-87, '81, 203.
 Osborne, S. D., '79, 23.
 Palmer, W., '96, 99.
 Peabody, P. B., '95, 11.
 Pennock, C. J., '90, 56.
 Price, W. W., '88, 385, '95, 17.
 Purdie, H. A., '78, 166.
 Reed, J. H., '98, 40.
 Rhoads, S. N., '92, 1.
 Ridgway, R., '80, 221.
 Roberts, T. S., '77, 34-36.
 Saunders, W. E., 1900, 358.
 Scott, W. E. D., '85, 1, 159, 242, 321,
 '86, 81.
 Shufeldt, R. W., '96, 312.
 Van Fleet, W., '76, 9-11.
 Warren, J., '76, 6-8.
 Widmann, O., '97, 303.
 Wilde, M. L. C., '97, 289.
 Nidiologist. The (magazine), '94, 89,
 '95, 200, '96, 268.
niger (*Anous*), see *A. stolidus*.
 — (*Centrites*), see *Centrites*.
 — (*Cypseloides*), see *C. niger* or
 borealis.
 — (*Cypselus*), see *Cypseloides*.
 — (*Hadrostomus*), see *Platyparsis*.
 — (*Hematopus*), see *H. bachmani*.
 — (*Himantopus*), see *H. mexicanus*.
 — (*Hirundo*), see *Cypseloides*.
 — (*Holochirus*), see *Quiscalus*.
 — (*Hydrochelidon*), see *H. surinamensis*.
 — (*Hylocharis*), see *Mellisuga minima*.
 — (*Lanius*), see *Platyparsis*.
 — (*Molothrus*), see *M. bonariensis*.
 — (*Nechopætes*), see *Cypseloides*.
 — (*Nephocætes*), see *Cypseloides*.
 — (*Oriolus*), see *Quiscalus*.
 — (*Pachyramphus*), see *Platyparsis*.
 — (*Quiscalus*), see *Quiscalus*.
nigerrimus (*Agelaius*), see *Nesopsar*.
 — (*Agelaeus*), see *Nesopsar*.
 — (*Icterus*), see *Nesopsar*.
 — (*Nesopsar*), see *Nesopsar*.
 Nigger-Boy, see *Aramus giganteus*.
 Nighthawk, see *Chordeiles virginianus*.
 Florida, see *Chordeiles chapmani*.
 Little, see *Chordeiles minor*.
 Sennett's, see *Chordeiles sennetti*.
 Texan, see *Chordeiles texensis*.

- Western, see *Chordeiles henryi*.
 Nightingale, see *Hylocichla mustelina*.
 English, see *Mimus orpheus*.
 French, see *Mimus hillii*.
 Spanish, see *Mimus hillii*.
 Night-jar, see *Chordeiles virginianus*.
nigra (*Astrapia*), see *Astrapia*.
 — (*Ciconia*), see *Ciconia*.
 — (*Hydrochelidon*), see *H. leucopelta* or *surinamensis*.
 — (*Jacana*), see *Jacana*.
 — (*Loxia*), see *Melopyrrha*.
 — (*Melopyrrha*), see *Melopyrrha*.
 — (*Oidemia*), see *Oidemia*.
 — (*Parra*), see *Jacana*.
 — (*Penelopina*), see *Penelopina*.
 — (*Platyparis*), see *Platyparsis*.
 — (*Pyrhula*), see *Melopyrrha*.
 — (*Rhyncops*), see *Rynchops*.
 — (*Rynchops*), see *Rynchops*.
 — (*Sterna*), see *Hydrochelidon surinamensis*.
 — (*Virvala*), see *Hydrochelidon surinamensis*.
nigrescens (*Ammodramus*), see *Ammodramus*.
 — (*Antrostomus*), see *Antrostomus*.
 — (*Blacicus*), see *Blacicus*.
 — (*Bernicla*), see *Branta nigricans*.
 — (*Branta*), see *B. nigricans*.
 — (*Dendroica*), see *Dendroica*.
 — (*Myiochanes*), see *Blacicus*.
 — (*Pachyramphus*), see *Platyparsis nigra*.
 — (*Sayornis*), see *S. nigricans*.
 — (*Strix*), see *Strix*.
nigricans (*Alle*), see *A. alle*.
 — (*Bernicla*), see *Branta*.
 — (*Branta*), see *Branta*.
 — (*Sayornis*), see *Sayornis*.
 — (*Serpophaga*), see *Serpophaga*.
nigricapillus (*Formicarius*), see *Formicarius*.
 — (*Myiarchus*), see *Myiarchus*.
 — (*Perisoreus*), see *Perisoreus*.
nigricaudatus (*Heleodetes*), see *Heleodetes*.
nigricephalus (*Spindalis*), see *Spindalis*.
 — (*Tanagra*), see *Spindalis*.
nigriceps (*Falco*), see *F. peregrinus*.
 — (*Mecocerculus*), see *Mecocerculus*.
 — (*Polioptila*), see *Polioptila*.
 — (*Tityra*), see *Tityra*.
nigricollis (*Busarellus*), see *Busarellus*.
 — (*Colymbus*), see *C. nigricollis* or
 californicus.
 — (*Cygnus*), see *Cygnus*.
 — (*Himantopus*), see *H. mexicanus*.
 — (*Lampornis*), see *Lampornis*.

- (Macrotarsus), see *Himantopus mexicanus*.
 — (Malimbus), see *Malimbus*.
 — (Stachyris), see *Stachyris*.
 — (Timalia), see *Stachyris*.
nigririctatus (*Thamnophilus*), see *Thamnophilus*.
nigrifrons (*Chlorospingus*), see *Chlorospingus*.
 — (Dendroica), see *Dendroica*.
 — (Formicarius), see *Formicarius*.
 — (Monasa), see *Monasa*.
nigrilora (*Compsothlypis*), see *Compsothlypis*.
 — (Parula), see *Compsothlypis*.
nigripectus (*Colinus*), see *Colinus*.
nigripes (*Diomedea*), see *Diomedea*.
nigrirostris (*Arremon*), see *Arremon*.
 — (Merula), see *Merula*.
 — (Turdus), see *Merula*.
nigrocinereus (*Thamnophilus*), see *Thamnophilus*.
nigrogularis (*Colinus*), see *Colinus*.
nigro-lineata (*Grallaria*), see *Grallaria*.
nigrorufa (*Poospiza*), see *Poospiza*.
nilotica (*Gelochelidon*), see *Gelochelidon*.
 — (Sterna), see *Gelochelidon*.
Ninox, '94, 236.
 albigulare, *anat.* '82, 87.
 lugubris, *P. I.* '94, 236.
 philippensis, *P. I.* '94, 236.
nistoria (*Surnia*), see *S. ulula*.
 — (*Sylvia*), see *Sylvia*.
Nisus, see *Accipiter*.
nisus (*Accipiter*), see *Accipiter*.
nitens (*Columba*), see *Columba*.
 — (*Janthoenas*), see *Columba*.
 — (*Phainopepla*), see *Phainopepla*.
nitida (*Arbelorhina*), see *Cereba*.
 — (*Asturina*), see *Asturina*.
 — (*Cæreba*), see *Cæreba*.
nitidus (*Cyanerpes*), see *Cæreba*.
 — (*Phalæoptilus*), see *Phalæoptilus*.
 — (*Phylloscopus*), see *Phylloscopus*.
nivalis (*Chen*), see *Chen*.
 — (*Emberiza*), see *Passerina*.
 — (*Fringilla*), see *Junco hyemalis*.
 — (*Montifringilla*), see *Montifringilla*.
 — (*Passerina*), see *Passerina*.
 — (*Plectrophanes*), see *Passerina*.
 — (*Plectrophenax*), see *Passerina nivalis* or *townsendi*.
nivaria (*Haplospiza*), see *Haplospiza*.
nivea (*Egretta*), see *Ardea cærulea*.
 — (*Nyctea*), see *N. nyctea*.
niveigularis (*Tyrannus*), see *Tyrannus*.

- niveus* (*Chasmorhynchus*), see *Chasmorhynchus*.
 — (*Larus*), see *L. californicus*.
nivæa (*Nycticardea*), see *Nycticorax nivæus*.
nivosa (*Ægialitis*), see *Ægialitis*.
nobilis (*Euplocamus*), see *E. ignitus*.
 — (*Gracula*), see *Gracula*.
nocticolor (*Diglossa*), see *Diglossa*.
noctis (*Fringilla*), see *Pyrrhulagra*.
 — (*Loxigilla*), see *Pyrrhulagra noctis* or *scateri*.
 — (*Pyrrhulagra*), see *Pyrrhulagra*.
noctua (*Athene*), see *Athene*.
Noddy, see *Anous stolidus* or *Fulmarus glacialis*.
 Ridgway's, see *Anous ridgwayi*.
noguchii (*Picus*), see *Picus*.
 Nomenclature, see *Synonymy*.
Nomonyx, '80, 178, '88, 68.
 dominicus (Masked Duck, ^b *Eris-matatura*), *Argent.* '84, 27^a; *Cuba*, '92, 272; *Jamaica*, '91, 364; *Mass.* '89, 336; *N. Y.* '81, 235; *Tex.* '95, 297; *Urug.* '84, 274^b; *W. I.* '88, 68.—*hbt.* '84, 274^b, '91, 364; *meas.* '88, 68; *flm.* '88, 68, '91, 364; *syn.* '80, 178^b, '88, 68.
 Nonpareil, see *Cyanospiza ciris*.
 Western, see *Cyanospiza versicolor*.
North America.
 Baird, S. F., '80, 180.
 Bates, F. A., '93, 295.
 Coues, E., '80, 180–181.
 Merriam, C. H., '86, 271.
 Nehrling, H., '82, 117–118.
North Carolina.
 Allen, J. A., '80, 134, 1900, 82.
 Atkinson, G. F., '92, 190.
 Batchelder, C. F., '86, 307–314.
 Berier, deL., '79, 190.
 Brewster, W., '86, 94–112, 173–179.
 Brimley, C. S., '90, 323–326, '91, 108, 108, 199–200, 316–317, '93, 241–244, '94, 332–333.
 Brimley, H. H., '92, 299–300.
 Coues, E., '78, 40, '97, 96.
 Deane, R., '80, 126.
 Fisher, A. K., '90, 203.
 Hallock, C., '92, 386.
 Jeffries, J. A., '89, 119–122.
 Jeffries, W. A., '89, 119–122.
 Jencks, F. T., '81, 122.
 Johnson, L. N., '89, 275.
 Lawrence, G. N., '77, 18.
 Mackay, G. H., '92, 389.
 Morgan, G. H., '80, 44.
 Pearson, T. G., '97, 202, '98, 275, '99, 246–250.
 Sennett, G. B., '87, 240–245.

- Stone, W., 1900, 171-172.
- North Dakota** (see also Dakota).
- Abbott, W. L., '81, 49.
 - Bishop, L. B., '96, 129-135.
 - Boardman, G. A., '84, 286.
 - Coues, E., '79, 49-50.
 - Job, H. K., '99, 161-165.
 - Judd, E. T., '92, 385, '94, 70.
 - Rolfe, E. S., '99, 356-357.
- Northrop, John L.**
- Birds of Andros I., Bahamas, '91, 64-80 (col. pl.).
 - Obituary of, '91, 400.
- northropi (Icterus)**, see Icterus.
- Northwest Territory, Canada**.
- Allen, J. A., 1900, 181-182.
 - Bishop, L. B., 1900, 114.
- Norton, Arthur Herbert**.
- Xanthocephalus xanthocephalus* and *Spiza americana* in Maine, '93, 302.
 - Corrections.—*Xanthocephalus xanthocephalus* and *Spiza americana* in Maine, '94, 78.
 - Recent observations on *Histrionicus histrionicus* in Maine, '96, 229-234.
 - A noteworthy plumage observed in American Eider Drake (*Somateria dresseri*), '97, 303.
 - Sharp-tailed Sparrows of Maine (rev.), '97, 334.
 - Perfected plumage of King Eider (*Somateria spectabilis*), 1900, 16-18.
- Norton, Richard**.
- Ceophalus pileatus* in Franklin Co., Massachusetts, '88, 111.
 - norvegicus* (Archibuteo), see *A. lagopus*.
- Norway**.
- Dalgleish, J. J., '80, 74, 143-144, 215.
 - notabilis* (*Sciurus*), see *Sciurus*.
 - notata* (*Bleda*), see *Bleda*.
 - (*Chrysomitrus*), see *Spinus*.
 - (*Phlegopsis*), see *Phlegopsis*.
 - notatus* (*Picolaptes*), see *Dendroornis multiguttata*.
 - (*Spinus*), see *Spinus*.
 - Notes and calls, see Song.
- Nothoprocta**, '97, 417.
- Nothura maculosa**, Argent., *hbt.*, *nst.* '84, 317; *anat.* '84, 317, '88, 106, 108.
- Notornis**, '81, 109, '85, 209.
- notosticta* (*Peucæa*), see *Peucæa*.
- novæ-guineæ* (*Parra*), see *Hydralector gallinaceus*.
- (*Pitta*), see *P. atricapilla*.
- novæ-hollandie* (*Calopsittacus*), see *Calopsittacus*.
- (*Hydralector*), see *H. gallinaceus*.
- (*Nymphicus*), see *Calopsittacus*.
- novæ-zelandie* (*Limosa*), see *L. baueri*.
- Nova Scotia**.
- Allen, F. H., '91, 164-166, '95, 89-90.
 - Bangs, O., '94, 81-82.
 - Brewer, T. M., '78, 49.
 - Chadbourne, A. P., '89, 256.
 - Chamberlain, M., '83, 176, '87, 253, 256.
 - Coues, W. P., '90, 212.
 - Deane, R., '79, 64, '80, 118.
 - Downs, A., '92, 194.
 - Dwight, J. Jr., '87, 13-16, '96, 344.
 - Gilpin, J. B., '92, 194, 194, '83, 234, '84, 89.
 - Goss, N. S., '85, 221-222.
 - Jack, E., '93, 292.
 - Jones, J. M., '80, 44, '81, 50, '82, 115, '83, 117, '84, 286, 287, '86, 135-136, '87, 68, 339, '89, 174.
 - Kempton, A. C., '90, 398.
 - McKinlay, J., '85, 39-43, '99, 75-76.
 - Merriam, C. H., '84, 390.
 - Morrell, C. H., '99, 250-253.
 - Piers, H., '98, 195-196.
 - Smith, E., '80, 181.
 - Thompson, E. E., '89, 64.
 - Tufts, H. F., '96, 341.
- Nova Scotian Institute of Natural Sciences**, titles (Nos. 2297-2301), '92, 194.
- noveboracensis (Coturnicops)**, see Porzana.
- (*Falco*), see *F. sparverius*.
 - (*Fulica*), see *Porzana*.
 - (*Henicocichla*), see *Seiurus*.
 - (*Laniivireo*), see *Vireo*.
 - (*Motacilla*), see *Seiurus*.
 - (*Muscicapa*), see *Vireo*.
 - (*Porzana*), see *Porzana*.
 - (*Scolopax*), see *Macrorhamphus griseus*.
 - (*Sciurus*), see *Seiurus*.
 - (*Sylvia*), see *Seiurus*.
 - (*Sylvicola*), see *Vireo*.
 - (*Turdus*), see *Seiurus*.
 - (*Vireo*), see *V. noveboracensis* or *modestus*.
- Novitates Zoologicae** (magazine), '93, 388.
- Nowell, John Rowland**.
- Song season of Cardinal (*Cardinalis cardinalis*), '99, 278-280.
- Nowotny, Dr.**
- Breeding of the Carolina Paroquet in captivity, '98, 28-32.
 - nuchalis* (*Buteo*), see *B. harlani*.
 - (*Dulus*), see *Dulus*.
 - (*Sphyrapicus*), see *Sphyrapicus*.
- Nucifraga**, '78, 79, '94, 179, '95, 167, 168, '96, 73.

caryocatactes, *Helg.* '95, 330; *Japan*, '90, 276.—*mig.* '87, 156, 251, '88, 422; *nst.* '95, 74; *syn.* '94, 179; *misc.* '88, 422.

columbiana (^a Clarke's Nutcracker or Crow, ^b *Picicorvus*), *Alas.* '87, 255^b 256^b; *Ariz.* '90, 49^b, 256; *Ark.* '94, 327^b; *B. C.* '87, 341^b; *Cal.* '87, 88^b, '97, 276; *Colo.* '79, 94^b, '81, 139^b, '83, 43–45^b, '84, 16^b, '85, 16^b, '89, 124, '90, 92^b, '94, 269^b; *g. dist.* '89, 226–236^b, '93, 126^b; *Ida.* '97, 357; *Kan.* '89, 123^b, '94, 260^b; *Mo.* '95, 82^b, 181^a; *Mont.* '82, 62^b, '94, 305; *Neb.* '89, 123; *N. M.* '86, 75^b, '98, 309; *Ore.* '76, 44^b, '79, 194^b, '88, 26^b, '89, 124; *S. D.* '85, 101^a, 282^b, '89, 123; *Wash.* '97, 177.—*fd.* '89, 123^b, 226^b, 234^b, '94, 305, '97, 357; *hbt.* '83, 234^b, '89, 123^b, 226–236^b, '94, 305, '97, 357; *meas.* '76, 45^b, '84, 17^b, '89, 124^b, 229^b, 233^b, '90, 92^b; *nst.* '76, 44^b, '83, 43^b, 234^b, '89, 123^b, 226–236^b, '90, 92^b; *plm.* '84, 16^b, '97, 276; *song.* '81, 139^b, '89, 226^b, 234^b; *syn.* '78, 79^a, '94, 179, '95, 168.

macrorhynchus (^b *leptorhynchus*), *Japan*, '90, 276.—*misc.* '88, 422^b.

multiguttata, *syn.* '94, 179.

multipunctata, *syn.* '94, 179.

nudigenis (*Turdus*), see *Merula gymnophthalmia*.

nudipes (*Athene*), see *Gymnasio*.
— (*Ephialtes*), see *Gymnasio lawrenceii*.

— (*Gymnasio*), see *Gymnasio*.
— (*Gymnoglaux*), see *Gymnasio nudipes* or *lawrenceii*.

— (*Megascops*), see *Megascops*.
— (*Noctua*), see *Gymnasio nudipes* or *lawrenceii*.

— (*Scops*), see *Megascops*.
— (*Strix*), see *Gymnasio*.

— (*Surnia*), see *Gymnasio*.

Numenius, '84, 45, 142, '87, 319, '88, 331, '93, 99.
arquatus, *Helg.* '95, 338; *N. Y.* '92, 390–392, '93, 61.—*syn.* '84, 142, '93, 61.

borealis (^a Eskimo Curlew), *Alas.* '85, 63, 201; *Argent.* '84, 316; *Cal.* '84, 393; *Fla.* '92, 212; *g. dist.* '93, 123; *G. Br.* '80, 210, '81, 64; *La.* '97, 289; *Mass.* '93, 79, '94, 75, '97, 212, '98, 52, '99, 180; *N. E.* '92, 16–21; *N. S.* '85, 41^a; *N. Y.* '85, 273; *P. E. I.* '93, 79, '96, 182; *Que.* '82, 239; *Scotland*, '77, 107; *S. D.* '85, 287; *Tex.* '82, 42; *Urug.* '84, 316; *W. I.* '87, 320.—*fd.* '84, 393, '92, 16, '96,

182; *hbt.* '92, 16–21, '93, 28, 293, 293; *mig.* '85, 63, '92, 16, '93, 79, 248, '94, 75, '95, 260, '96, 92, '97, 212, '98, 52, '99, 180; *song.* '92, 16; *syn.* '78, 105, '87, 320; *misc.* '91, 24^a.

cyanops, *Kamts.* '88, 197.

hudsonicus (^a Hudsonian Curlew, ^b *rufiventris*), *Alaska*, '85, 201, 241; *Argent.* '99, 292; *Bahamas*, '91, 339; *Cal.* '84, 393^a, '86, 92, '89, 223; *Colo.* '85, 143, '87, 264; *Conn.* '92, 384; *Engl.* '77, 107; *Fla.* '92, 212; *g. dist.* '93, 123; *H. I.* 1900, 203; *Hud.* '90, 321; *Iceland*, '77, 107, '80, 150; *Jamaica*, '92, 14?; *La.* '97, 289; *Mass.* '92, 21^a, 306, 345–352, '93, 370, '95, 77, '97, 213; *N. Am. W. coast*, '77, 95^b; *N. J.* '79, 226; *N. Y.* '85, 273, '99, 195, 1900, 177; *Que.* '82, 239; *S. D.* '85, 287; *Spain*, '80, 150; *Wash.* '92, 43, 1900, 351; *W. I.* '81, 128, '87, 320, '90, 374.—*hbt.* '92, 345–349, '93, 293, 293; *fd.* '84, 393^a, '92, 345, 348, 1900, 351; *mig.* '85, 273, '92, 345, '93, 247, 370, '97, 213, '99, 292; *plm.* '80, 29 (alb.), '92, 345; *song.* '92, 345; *syn.* '87, 320.

longirostris (^a Long-billed Curlew), *Ariz.* '86, 386; *Cal.* '84, 393^a, '86, 92; *Colo.* '85, 18; *Fla.* '81, 19, '89, 158, '92, 212; *Ga.* '96, 215; *Ida.* '97, 351; *Ill.* '96, 181; *Ind.* '97, 199; *Jamaica*, '92, 14, '99, 246^b; *La.* '97, 288; *Man.* '86, 152; *Mass.* '92, 350, '93, 296; *Mo.* '79, 147; *Mont.* '94, 302; '95, 213; *N. C.* '99, 246^a; *N. E.* '76, 73, '77, 17; *N. J.* '79, 225; *N. M.* '92, 360; *N. S.* '85, 41^a; *N. Y.* '82, 256, '85, 273, '92, 391, '93, 272; *Ont.* '87, 247^a; *Ore.* '79, 197, '88, 145; *R. I.* '99, 190; *S. D.* '85, 286; *Tex.* '82, 42, 222, '87, 186, '92, 232, 1900, 341; *Wash.* '92, 354, '97, 172; *W. I.* '87, 320; *anat.* '85, 208; *hbt.* '93, 293, 293; *meas.* '79, 197; *nst.* '97, 172, '86, 124; *plm.* '80, 29 (alb.), 1900, 370 (mlt.); *syn.* '87, 320.

phaeopus (Whimbrel), *Grecul.* '89, 217; *fd.* '95, 338.

tahitiensis (Bristle-thighed Curlew), *Alas.* '84, 79, '87, 12.

tenuirostris, *Helg.* '95, 338.

Numida, '87, 223.

meleagris, *Cuba*, '92, 272; *Jamaica*, '92, 121; *W. I.* '81, 155, '87, 223.—*hbt.* '92, 121; *syn.* '87, 223.

Numidinae, '81, 80.

Nutcracker, Blue, see *Cyanocephala cyanocephala*.

Clarke's, see *Nucifraga columbiana*.

Nuthatch, '83, 76.

Brown-headed, see *Sitta pusilla*.

European, see *Sitta neumayeri*.

Florida Brown-headed, see *Sitta [caniceps ==] pusilla*.

Florida White-breasted, see *Sitta atkinsi*.

Pygmy, see *Sitta pygmæa*.

Red-bellied, see *Sitta canadensis*.

Red-breasted, see *Sitta canadensis*.

Slender-billed, see *Sitta aculeata*.

White-bellied, see *Sitta carolinensis*.

White-breasted, see *Sitta carolinensis*.

White-naped, see *Sitta leuconucha*.

Nuthatches, see *Sittinae*.

Nuttall Ornithological Club [historical sketch of], '76, 29-32; [list of papers read], '76, 30; [notes], '84, 106, '85, 116, 224, 390, '86, 143, '89, 83; [memoir], '86, 287, '95, 317, 377.

Nuttall, Thomas, and Chamberlain, Montague.

A popular handbook of ornithology of eastern U. S. (rev.), '92, 59-61; 2d ed., '97, 109.

nuttalli (*Antrostomus*), see *Phalaenoptilus nuttallii* or *nitidus*.

— (Dryobates), see *Dryobates*.

— (Phakenoptilus), see *P. nuttallii*, *nitidus* or *californicus*.

— (Pica), see *Pica*.

— (Picus), see *Dryobates*.

— (Zonotrichia), see *Z. gambelii*.

Nuttallornis, see *Contopus*.

Nutting, Charles Cleveland.

Zoological explorations on the lower Saskatchewan River (rev.), '93, 353.

Nutting, C. C., and Ridgway, R.

Birds from Gulf of Nicoya, Costa Rica (rev.), '83, 228.

Catalogue of a collection of birds made in the interior of Costa Rica (rev.), '84, 84.

Birds from Nicaragua (rev.), '85, 293.

nuttingi (*Myiarchus*), see *Myiarchus*.

— (*Oryzoborus*), see *Oryzoborus*.

Nyctala acadica (^a Saw-whet or ^b Acadian Owl, ^b *albibrons*), *Ariz.* '90, 48, 54, '92, 170^a; *Cal.* '87, 88; *Colo.* '94, 183; *D. C.* '84, 397, '87, 161, '89, 189, '91, 313; *G. Br.* '80, 74; *Ida.* '97, 353; *Ill.* '77, 83; *Ind.* '88, 351; *Lake Superior*, '89, 178; *Man.* '86, 155; *Mass.* '77, 84, '81, 143-145, 145, 185, '82, 23-25, '88, 389, 390, '94, 77; *Mc.* '82, 150, '84, 94; *Mich.* '93, 224, '95, 191; *Mo.* '95, 82; *N. B.* '82,

150; *N. C.* '93, 242; *N. E.* '76, 72, '77, 14; *N. H.* '90, 113^a; *N. J.* '79, 85^a; *N. Y.* '81, 232, '85, 272, '86, 240, '87, 341, '90, 90, 231; *O.* '89, 329, '95, 191; *Ont.* '83, 145^a; *Ore.* '86, 165, '88, 146; *Pa.* '79, 235, '96, 291^a, 293, '99, 311; *P. E. I.* '85, 266^a; *Que.* '82, 237; *S. D.* '85, 284; *Vt.* '82, 64, '95, 312^a; *Wash.* '92, 44.—*fd.* '82, 237, '89, 189, '94, 77, '97, 353; *hbt.* '77, 83, '82, 23; *meas.* '77, 84, '81, 144; *nst.* '81, 143, 185, '82, 23, 183^a, '84, 94, '88, 351, '90, 231, '91, 107, '92, 170^a, '94, 77, 78; *plm.*, *syn.* '82, 23; *song.* '82, 23, '85, 266^a; *misc.* '80, 87^b, '87, 67^a, '90, 395.

richardsoni (^a Richardson's Owl, ^b *tengmalmi*), *Alas.* '84, 79; *B. C.* 1900, 105; *g. dist.* '93, 126; *Ida.* '97, 353; *Man.* '86, 155; *Mass.* '83, 122, '85, 384; *N. H.* '83, 61; *Ore.* '77, 94^b; *Pa.* '99, 311; *Que.* '82, 237; *R. I.* '81, 123, '86, 271^a.—*hbt.* '83, 61, '85, 384; *song.* '82, 237.

tengmalmi, *Helg.* '95, 329.

Nyctale, see *Nyctala*.

Nyctanassa, see *Nycticorax*.

Nyctea, '80, 172.

nyctea (^a Snowy Owl, ^b *scandiacica*, ^c *nivea*), *Alas.* '85, 63^b, 155^a, 157; *Arctic Am.* '78, 86^b; *B. C.* '97, 89; *Cal.* '90, 215^c; *Colo.* '94, 183; *Conn.* '90, 394^a; *Ga.* '96, 210^a, 212; *g. dist.* '93, 126; *Grecln.* '89, 293; *Helg.* '95, 330; *Ida.* '83, 237^b, 240^a, '84, 186^a; *Ida.* '97, 353; *Ill.* '87, 341^a; *Ind.* '88, 351; *Man.* '86, 155; *Mass.* '83, 148^a, '90, 304^a, '91, 392^a; *Md.* '83, 177^a; *Mc.* '85, 96^a, '90, 394^a; *Mich.* '88, 315^a; *Minn.* '84, 246^b; *Mo.* '91, 392^a; *Mont.* '95, 214; *N. E.* '77, 9-11^b; '92, 68; *Neb.* '92, 68^a; *N. J.* '79, 223^c, '90, 394^a, '92, 68; *N. Y.* '81, 232^b, '85, 37, '91, 392^a, '92, 68, 69^a; *Pa.* '89, 174^a, '90, 394^a, '92, 135, '99, 311; *P. E. I.* '85, 266^a; *Que.* '82, 237^b; *R. I.* '86, 272^a; *S. C.* '91, 55; *S. D.* '85, 284^b; *Siberia*, 1900, 309^a; *Va.* '89, 195; *Vt.* '82, 64^b; *Wash.* '81, 128^c, '82, 58^b, 227^b, '92, 355.—*anat.* '82, 87^b; *mig.* '83, 245, '85, 63^b, '94, 107^a, 108^a; *nst.* 1900, 307^a; *plm.* '83, 237^b; *misc.* '79, 111^a, '89, 179^a, '90, 394^a (6 items), 395^a (4 items), '91, 110^a, '92, 67^a, 69^a, 286, '94, 69^a.

nyctea (*Nyctea*), see *Nyctea*.

Nyctherodius, see *Nycticorax*.

Nycthemerus (*Phasianus*), see *Phasianus*.

Nyctherodius, see *Nycticorax*.

Nyctiardea, see *Nycticorax*.

Nyctibius, '81, 74, '82, 88, '86, 338.
jamaicensis (^b pallidus), *Jamaica*, '94, 125; *Trinidad*, '95, 204, 208 (col. pl.); *W. I.* '86, 338, 339^b, '92, 275, 276^b; *hbt.* '92, 275, '94, 125, '95, 208–211; *meas.* '86, 338, 339^b, 1900, 260; *plm.* '86, 338, 339^b, '92, 275; *song.* '92, 275, 276^b, '95, 208; *syn.* '86, 338.

mexicanus, *Mex.* 1900, 260*.

Nycticorax (^b *Nyctherodius*), '77, 64, '87, 335^b, '88, 48, 196.
cyanoccephalus (^b *obscurus*), *Patagonia*, '90, 274^b.
gardeni, *Argent.*, *Urug.*, *hbt.* '84, 271.

nævius (^a Black-crowned Night Heron, ^b *Nyctiardea*), *Ariz.* '83, 36^b, '86, 385, '90, 51; *Assiniboina*, '86, 150?; *Bahamas*, '91, 78, 335; *Cal.* '86, 91; *Colo.* '86, 285, '94, 183; *Fla.* '87, 136, '87, 281^a, '88, 269, '89, 18, '90, 308, '91, 137, '92, 212, '95, 364; *Ga.* '83, 42^b, '96, 79^a, 215; *Ind.* '88, 348; *Jamaica*, '92, 10, '94, 121; *Man.* '86, 150; *Mass.* '80, 133^a, '81, 127^b; *Me.* '82, 151^b; *Mo.* '79, 147^c, '80, 191^b; *N. B.* '87, 264; *N. C.* '99, 246; *Nev.* '80, 45^b; *N. J.* '79, 226^b, '90, 327, '94, 136; *N. Y.* '79, 175^b, '82, 128^b, '92, 318^a, '93, 53^a, '97, 227, '99, 193; *Ore.* '88, 144; *S. C.* '85, 192^b; *S. D.* '84, 96^b, '85, 287^b; *Tenn.* '86, 319; *Tex.* '82, 223^b, '84, 122^b, '92, 232, 1900, 340; *Va.* '88, 20; *Wash.* '92, 42; *W. I.* '88, 49; *W. Is.* '85, 97^a, '88, 327^a, 328^a.—*anat.* '88, 198, '96, 172; *hbt.* '83, 174^a, '87, 281^a; *mig.* '80, 133^a, '88, 327^a, 328; *nst.* '77, 69^b [*l' nivæa*'], '83, 42^b, '85, 97^a, '87, 136, '92, 318^a, '99, 246; *syn.* '88, 49, '99, 202; *misc.* '86, 272^a.

nycticorax, *syn.* '99, 202.

violaceus (^a Yellow-crowned Night Heron, ^b *Nyctherodius*, ^c *Nyctiardea*, ^d *Ardea cayennensis*), *Bahamas*, '91, 78, 295, 339, 339, 351, '92, 487; *Colo.* '79, 114^b, '85, 18^b; *C. R.* '90, 332, '92, 329; *Fla.* '81, 21^c, '87, 136, 281^a, '89, 18, '90, 308, '91, 132^a, 137, '92, 212, '95, 364; *Ga.* '83, 42^b, '96, 215; *g. dist.* '93, 132; *Ill.* '76, 43^b; *Ind.* '82, 18^b, 22^b; *Jamaica*, '92, 10, '94, 121; *Kan.* '81, 248^b; *Mass.* '79, 124^c; *Minn.* '93, 289; *Mo.* '80, 191^c; *N. C.* '93, 243, '94, 333; *N. Y.* '89, 331, '93, 266; *Revill Is.* '98, 316; *R. I.* '89, 184^a, '94, 177; *Tex.* '78, 145^c, '92, 232; *W. I.* '80, 169^c, '86, 502, '87.

96^c, '88, 48, '90, 375, '91, 47, 48.—*anat.* '90, 277; *fd.* '98, 316; *hbt.* '87, 281^a, '91, 132^a, '92, 10; *nst.* '76, 43^b, '82, 18^b, 22^b, '83, 42^b, '87, 136, '92, 10, '94, 121; *plm.* '91, 190 (alb.); *syn.* '88, 48; *misc.* '80, 66^a.

nycticorax (*Ardea*), see *Nycticorax nævius*.

Nyctidromus, '86, 445, '88, 205, '93, 110, 132, '95, 287.

albicollis, *Braz.* '91, 30; *C. R.* '92, 324; *Venez.* '97, 366.—*syn.* '88, 402; *misc.* '92, 324.

derbyanus, *Braz.*, *syn.* '88, 46.

insularis, *Mex.* '98, 340.

merrilli (Merrill's Parauque, ^b *albicollis*), *g. dist.* '88, 44^a, '93, 141; *Tex.* '76, 88^c, '79, 51^b, '80, 90^b, 1900, 344.—*syn.* '88, 402.

Nyctinassa, see *Nycticorax*.

Nyctiornis amicta, *Borneo*, *syn.* '91, 11.

Nye, Willard, Jr.

[see Benedict and Nye, '84, 307.]

A Bahaman bird (*Centurus nyceanus*) apparently extinct, '99, 273.

nyeanus (*Centurus*), see *Centurus*.

nympha (*Pitta*), see *Pitta*.

Nyroca, '96, 162, '97, 133.

nyroca (^b *Fuligula*, ^c *ferruginea*), *Helg.* '95, 340; *W. I.* '88, 64^c.—*plm.* '92, 162^b (*hyb.*); *syn.* '96, 164.

nyroca (*Fuligula*), see *Nyroca*.

— (*Nyroca*), see *Nyroca*.

O

oahuensis (*Sterna*), see *S. anætheta*.

Oaxaca, Mexico.

Nelson, E. W., '97, 43–44, 49, 51, 53, 54, 63, 66, 1900, 260, 263, 265.

Ridgway, R., 1900, 28.

oxaceae (*Antrostomus*), see *Antrostomus*.

— (*Dendrocyx*), see *D. macrourus*.

— (*Otocoris*), see *Otocoris*.

Ober, Frederick Albion.

[see Lawrence, G. N., '79, 49, 228, 229.]

Camps in the Caribbees (rev.), '80, 179.

oberi (*Icterus*), see *Icterus*.

— (*Myiarchus*), see *Myiarchus*.

Oberholser, Harry Church.

Golden Eagle in Ohio, '92, 200.

Dendroica palmarum in New Jersey, '95, 185.

A question of nomenclature, '96, 190–192.

Critical remarks on Mexican forms of *Certhia*, '96, 314–318.

- Description of two new subspecies of the Downy Woodpecker (rev.), '96, 330.
- Description of a new subspecies of *Dendroica*, '97, 76-79.
- Preliminary list of birds of Wayne Co., Ohio (rev.), '97, 112.
- Critical remarks on *Cistothorus palustris* (Wils.) and its western allies, '97, 186-196.
- Description of a new *Empidonax*, with notes on *Empidonax difficilis*, '97, 300-303.
- Critical notes on genus *Auriparus*, '97, 390-394.
- Deser. of new *Amazilia*, '98, 32-36.
- Colinus virginianus* in peculiar plumage, '98, 184.
- Amazilia cerviniventris chalconota*.—A correction, '98, 188.
- Description of a new North American Thrush, '98, 303-306.
- Synopsis of the Blue Honey-Creepers of tropical America, '99, 31-37.
- Description of a new *Hylocichla*, '99, 23-25.
- Authority for the combination *Cypseloides niger borealis*, '99, 78.
- Wrens of genus *Thryomanes* (rev.), '99, 89.
- Gallinago major* versus *Gallinago media*, '99, 179.
- Names of the Song Sparrows, '99, 182.
- Specific name of *Falco regulus*, '99, 182.
- Certhia familiaris americana*, not *Certhia f. fusca*, '99, 185.
- Second reference for *Anorthura hic-malis pacifica*, '99, 185.
- Piranga rubra* and *Carpodacus mexicanus frontalis* preoccupied, '99, 185.
- Description of new *Geothlypis*, '99, 256-258.
- Piranga rubra* not preoccupied, '99, 278-281.
- Clivicola* versus *Riparia*, '99, 281.
- Family and subfamily names based on subgenera, '99, 285.
- Synopsis of the genus *Contopus* and its allies, '99, 330-337.
- Some untenable names in ornithology (rev.), '99, 370.
- New Wren from Alaska, 1900, 25.
- A further note on specific name of *Falco regulus*, 1900, 173.
- List of birds collected by Currie in Liberia (rev.), 1900, 186.
- Flammulated Screech Owls, *Megascops hammeolus* and *M. f. idahoensis* (rev.), 1900, 186.
- Notes on birds collected by Abbott in central Asia (rev.), 1900, 304.
- Catalogue of collection of birds from Madagascar (rev.), 1900, 304.
- Notes on some birds from Santa Barbara Is., Calif. (rev.), 1900, 304.
- Obituaries, see individual names.
- obscura* (*Anas*), see *Anas*.
- (Aphelocoma), see *Aphelocoma*.
- (Canace), see *Dendragapus*.
- (Helminthophilus), see *H. celata*.
- (Merula), see *Merula*.
- (Muscicapa), see *Hemipus*.
- (Penelope), see *Penelope*.
- (Polioptila), see *Polioptila*.
- (Procellaria), see *Puffinus auduboni*.
- (Speotyto), see *S. hypogaea*.
- obscurus* (*Ammodramus*), see *Ammodramus*.
- (Anthus), see *Anthus*.
- (Dendragapus), see *Dendragapus*.
- (Empidonax), see *E. wrightii*.
- (Heleodytes), see *Heleodytes*.
- (Hemipus), see *Hemipus*.
- (Molothrus), see *Molothrus*.
- (Myadestes), see *M. unicolor*.
- (Nycticorax), see *N. cyanocephalus*.
- (Perisoreus), see *Perisoreus*.
- (Platysaris), see *Platysaris*.
- (Puffinus), see *P. auduboni*.
- (Quiscalus), see *Quiscalus*.
- (Regulus), see *Regulus*.
- (Tetrao), see *Dendragapus*.
- (Turdus), see *Merula*.
- (Vireo), see *Vireo*.
- Observer, The (magazine), '90, 220.
- obsoleta* (*Muscicapa*), see *Ornithion*.
- (*Rhodospiza*), see *Rhodospiza*.
- obsoletum* (*Ornithion*), see *O. cineras-cens*.
- obsoletus* (*Dendrocolaptes*), see *Dendrocolaptes* or *Dendrornis*.
- (*Dendrornis*), see *Dendrornis*.
- (*Falco*), see *Falco*.
- (*Hierofalco*), see *Falco*.
- (*Picumnus*), see *Picumnus*.
- (*Rallus*), see *Rallus*.
- (*Salpinctes*), see *Salpinctes*.
- obtectus* (*Parus*), see *P. alascensis*.
- (*Picolaptes*), see *Picolaptes*.
- occidentale* (*Syrnium*), see *Syrnium*.
- occidentalis* (*Æchmophorus*), see *Æchmophorus*.

— (Ammodramus), see Ammodramus.
 — (Ardea), see Ardea.
 — (Audubonia), see Ardea.
 — (Bernicla), see Branta.
 — (Branta), see Branta.
 — (Bubo), see B. arcticus.
 — (Certhia), see Certhia.
 — (Coccyzus), see Coccyzus.
 — (Crypturus), see Crypturus.
 — (Dendroica), see Dendroica.
 — (Empidonax), see Empidonax.
 — (Ereunetes), see Ereunetes.
 — (Geothlypis), see Geothlypis.
 — (Heleodytes), see Heleodytes.
 — (Herodias), see Ardea.
 — (Lagopus), see L. althensis.
 — (Larus), see Larus.
 — (Meleagris), see M. fera.
 — (Myrmelastes), see Myrmelastes.
 — (Methriopterus), see Methriopterus.
 — (Myadestes), see Myadestes.
 — (Myrmeciza), see Myrmelastes.
 — (Parus), see Parus.
 — (Pelecanus), see P. fuscus.
 — (Podiceps), see Aechmophorus.
 — (Procnias), see Procnias.
 — (Recurvirostra), see R. americana.
 — (Sialia), see Sialia.
 — (Syrnium), see S. occidentale.
 — (Sylvia), see Sialia.
 — (Strix), see Syrnium occidentale.
 occipitalis (Hypothymis), see Hypothymis.
 — (Muscicapa), see Hypothymis.
 — (Muscisaxicola), see Muscisaxicola.

oceania (Procellaria), see Oceanites.
oceanicus (Oceanites), see Oceanites.
Oceanites, '88, 80.

oceanicus (^a Wilson's Petrel, ^b Procellaria wilsoni), *Cal.* '87, 87; *Europe*, '80, 217^b; *Jamaica*, '91, 357^b; *Mass.* '83, 244^a; *N. C.* '99, 249; *N. E.* '83, 162^a, 163^a; *N. J.* '79, 228; *N. S.* '87, 68 [*Oceanodroma leucorhoa?*]; *N. Y.* '84, 294, '87, 341, '89, 128, 132, 197; *Que.* '84, 380; *Spain*, '81, 64^a; *I. t.* '95, 311; *W. I.* '88, 80.—*hbt.* '84, 380, '89, 132; *nst.* '94, 101^a; *syn.* '88, 80; *misc.* '99, 249.

Oceanitinæ, '97, 315, '99, 100.

Oceanodroma, '96, 160.

castro (^b Procellaria, ^c Thalassidroma), *syn.* '99, 129^b, 177^c.

cryptoleucura (Hawaiian or Knudsen's Petrel, ^b Cymochorea), *D. C.* '97, 297–299; *Denmark*, '97, 415; *H.*

I. '83, 168^b; *g. dist.* '99, 101; *Madeira*, '99, 177.—*meas.*, *plm.* '97, 298; *syn.* '97, 415, '99, 101, 129, 177.

furcata (Fork-tailed Petrel), *Alas.* '85, 158, '95, 273, '98, 125, 230–233; *g. dist.* '93, 125.—*anat.* '89, 333; *hbt.*, *song.* '98, 230; *nst.* '98, 125, 230.

homochroa (Ashy Petrel, ^b Cymochorea), *Cal.* '86, 125^b.—*misc.* '86, 267^b, 402^b.

hornbyi (Hornby's Petrel), *misc.* '88, 401.

kaedingi (Kaeding's Petrel), *g. dist.* '99, 101; *L. Cal.* '98, 37*. 143; *Revill Is.* '98, 314, 316, 317.—*fd.*, *hbt.* '98, 142*; *syn.* '99, 101.

leucorhoa (^a Leach's Petrel, ^b Thalassidroma, ^c Cymochorea), *Alas.* '85, 158^c, '95, 272, 273^a, 274^a, '98, 125, 231; *Bermuda*, '85, 95^c; *Denmark*, '97, 415?; *Europe*, '77, 107; *Grenl.* '89, 215; *g. dist.* '93, 125; *Helg.* '95, 341^b; *Mass.* '89, 340, '91, 119; *Me.* '77, 28^b, 80, '81, 249^c; *N. E.* '83, 162^a, 163^a; *N. F.*, *Grand Banks*, '79, 128^c; *N. H.* '98, 50; *N. S.* '87, 68^a, '88, 280^b; *N. Y.* '80, 190^b, '89, 128^{?b}, 131; *Que.* '82, 241^c, '88, 132^a, '89, 146; *Scotland*, '84, 98^c.—*hbt.* '81, 125^c, 249^c, '88, 132^a, '98, 231; *meas.* '97, 298, '98, 125; *nst.* '77, 28^b, 80^b, '81, 249^c, '84, 98^c, '88, 132^a, 280^a, '90, 390^a, '98, 125, 231; *plm.* '97, 297; *song.* '95, 272, '98, 231; *syn.* '97, 415.

macrodactyla (Guadalupe Petrel), *Cal.* '98, 141; *Guadalupe I.* '88, 394, '89, 178, '92, 187.—*nst.* '98, 141.

markhami, *syn.* '94, 170.

melania (Black Petrel, ^b Cymochorea melena, ^c townsendi), *Cal.* '86, 125^b, '87, 87, '94, 321^c, '98, 140, 141, 144; *N. Pacific Ocean*, '84, 81^b; *Mex.* '94, 169.—*fd.* '94, 321^c; *hbt.* '94, 321^c, '98, 141, 144; *nst.* '98, 141; *song.* '98, 140; *syn.* '94, 169, 170; *misc.* '86, 125^b, 267^b, 402^b.

socorroensis (Socorro Petrel), *Cal.* '95, 387, '98, 140, 141, 144; *g. dist.* '97, 117; *L. Cal.* '91, 305.—*hbt.* '98, 141, 144; *nst.* '98, 140; *plm.* '98, 141; *syn.* '97, 117.

tristrami, *syn.* '96, 161.

ocellata (Agriocharis), see Agriocharis.

— (Dendronnis), see Dendronnis.

— (Meleagris), see Agriocharis.

ocellatus (Dendrocopos), see Dendronnis.

— (Harporhynchus), see Harporhynchus.

ochracea (*Spizella*), see *Spizella*.
 ochraceiventris (*Grallaria*), see *Grallaria*.
 ochraceus (*Celeus*), see *Celeus*.
 —— (*Contopus*), see *Contopus*.
 —— (*Horizopus*), see *Contopus*.
 —— (*Troglodytes*), see *Troglodytes*.
 ochrocephala (*Amazona*), see *Amazona*.
 —— (*Cyclorhis*), see *Cyclorhis*.
 ochrocephalus (*Centronyx*), see *Ammodramus bairdii*.
 ochrochlora (*Certhia*), see *Certhia* *cerulea*.
 ochromelas (*Eurylaimus*), see *Eurylaimus*.
 ochroptera (*Amazona*), see *Amazona*.
 —— (*Leptotila*), see *Leptotila*.
 ochropterus (*Euscarthmus*), see *Euscarthmus*.
 ochropus (*Helodromas*), see *Helodromas*.
 —— (*Totanus*), see *Helodromas*.
Ochthodæta pernix, *Colom.* 1900. 82.
 Ochthodromus, see *Ægialitis*.
Octhœca frontalis, *syn.* '99, 78.
 ocularis (*Motacilla*), see *Motacilla*.
Ocydromus, '82, 88.
 Odontoglossæ, '81, 79, 83, '93, 107.
 Odontolæcæ, '80, 235.
 Odontophorinæ, '97, 214.
Odontophorus consobrinus, *Mex.* '93, 346.
 guianensis, *Braz.* '91, 162.
 odontopteron (*Caprimulgus*), see *Stenopsis cayennensis*.
 Odontornithes, '80, 235, '81, 107.
 Odontotormæ, '80, 235.
 Ædemia, see *Oidemia*.
 œdica (*Hylocichla*), see *Hylocichla*.
 Ædiennemidæ, '81, 81, '97, 102.
Ædicnemus, '81, 81, '87, 226, '88, 331.
 dominicensis, *W. I.* '84, 4*, '87,
 226.—*meas.* '84, 4, '87, 227; *plm.*,
 syn. '87, 226: *song*, '85, 110.
 scolopax, *Helg.* '95, 338.
 œnanthe (*Saxicola*), see *Saxicola*.
 œnas (*Columba*), see *Columba*.
 œnea (*Parra*), see *Metopidius indicus*.
 œneus (*Metopidius*), see *M. indicus*.
 œnone (*Chrysuraonia*), see *Chrysuraonia*.
 œnops, see *Cathartes*.
 Æstrelata, see *Æstrelata*.
 Æstrelatae, '97, 315.
Ogilvie-Grant, William Robert.
 see British Museum, 'cat. of birds'
 (rev.), vol. xvii, '93, 66–68; vol.
 xxii, '94, 171–173; vol. xxvi, '99,
 198–203.
Ognorhynchus, '92, 279.

Ohio.

Allen, J. A., '80, 232–233.
 Ballou, W. H., '80, 112.
 Brown, E. A., '83, 118.
 Bulley, R. H., '86, 277.
 Butler, A. W., '85, 210.
 Chubb, H. E., '81, 50, '84, 287, '85,
 296.
 Comstock, F. M., '96, 171.
 Coues, E., '79, 52, '80, 39–40, '82, 45–
 46, 112–113, '83, 62–63, 110–112,
 '85, 289, '86, 277, '87, 150–152.
 Davie, O., '82, 123.
 Douglas, W., '83, 172.
 Dury, C., '77, 50, '92, 189, 190.
 Ernst, H., '77, 76.
 Fisher, W. H., '85, 211, '92, 189.
 Hall, A., '84, 286, '85, 98, '87, 339.
 Harper, S. M., '84, 186.
 Henninger, W. F., '98, 331, '99, 75,
 284.
 Ingersoll, S. R., '81, 50, 50, '83, 117,
 '84, 286, 287, 289, '85, 297.
 Jones, G. E., '79, 52, '80, 39–40.
 Jones, H., '83, 186, '85, 99, '87, 150.
 Jones, L., '95, 237–244.
 Kirtland, J. P., '83, 127.
 Koch, H. A., '90, 84.
 Langdon, F. W., '77, 109, '78, 34, '79,
 112–113, 120, 236–237, '80, 200–
 210, 232, '92, 190.
 Lindahl, J., '99, 75.
 McCormick, L. M., '92, 397.
 Oberholser, H. C., '92, 200.
 Shorten, J. W., '83, 172, '92, 189.
 Shulze, E. J., '79, 52, '80, 39–40, '82,
 45–46, '87, 150.
 Sterling, E., '87, 68, 69, '90, 393, 397.
 Thompson, F. J., '85, 109.
 Tuttle, C., '95, 190–191.
 Wheaton, J. M., '77, 83, '79, 58, 62–
 63, '83, 110.
Oidemia (=*Melanetta*), '88, 67, '93,
 168.
 americana (= *American Scoter*),
 Alas. '79, 53^a, '85, 158; *Cal.* '87, 87;
 Colo. '79, 114, '85, 18; *g. dist.* '93,
 123; *Hud. B.* '90, 320; *Mass.* '91,
 279–290; '96, 203. '97, 228; *Mo.* '78,
 148; *N. Y.* '78, 54, '81, 235, '84, 178;
 Que. '82, 240; *R. I.* '92, 292–294^a;
 Wash. '92, 354, 1900, 351.—*hbl.* '91,
 279–290; *mig.* '84, 178, '91, 279, 287,
 '92, 292^a; *plm.* '80, 30 (alb.), '92,
 153–157, '93, 166; *syn.* '96, 186, 190,
 '97, 125; *misc.* '96, 89.
 carbo, *Alas.* '96, 163, '97, 135.—
 syn. '97, 135, '99, 131.
 deglandi (= *White-winged or Vel-*

vet Scoter, ^b fusca, ^c (Edemia velveta, ^d Melanetta velvetina, ^e bimaculata), *Alas.* '98, 126; *Cal.* '86, 90, '94, 97^a; *Colo.* '94, 183; *g. dist.* '93, 125; *Man.* '86, 149; *Mass.* '79, 128^c, '90, 394, '91, 279-290, '92, 305, 385, '96, 88, 203^a, '97, 228, '99, 179; *Mo.* '78, 148^b; *N. C.* '93, 242; *N. D.* '99, 161^a, 162^a, 163; *N. Y.* '81, 235^a; *O.* '92, 397; *Que.* '82, 240^b, '89, 146; *R. I.* '92, 292-294^a; *Wash.* '92, 354, '97, 172, 1900, 351; *Wis.* '81, 187^b.—*hbt.* '92, 305; *mcas.* '93, 168; *mig.* '91, 287, '92, 292^a, '94, 97^a, '99, 179; *nst.* '99, 163; *flm.* '76, 23^b (alb.), '92, 157-160, '93, 168, '94, 97^a (mlt.); *syn.* '80, 88^a; *misc.* '96, 90.

fusca (European Velvet Scoter, ^b Melanetta), *Alas.* '85, 291^b; *Helg.* '95, 326; *Ill.* '76, 148 [deglandi?]; *Que.* '82, 240 [deglandi?].—*flm.* '76, 23 [deglandi?], '93, 175.

nigra, *Helg.* '95, 326.

perspicillata (^a Surf Scoter, ^b Pelionetta), *Alas.*, '80 34, '85, 158, '98, 126; *Assiniboina*, '86, 149; *Bermuda*, '85, 95^b; *Cal.* '87, 87, '89, 222, '94, 97^a; *Conn.* '95, 295-297; *Europe*, '77, 107, '80, 215-217; *g. dist.* '93, 125; *Fla.* '88, 319, '95, 188^a; *Helg.* '95, 340; *Ill.* '76, 41; *Jamaica*, '91, 364; *Kan.* '88, 202, 203, '89, 123; *Mass.* '91, 279-290, '96, 203^a, '97, 228; *Mc.* '85, 386; *Mo.* '78, 149; *N. C.* '93, 242; *N. J.* '79, 226; *N. Y.* '81, 235^b, '86, 281; *Que.* '82, 240; *R. I.* '92, 292-294^a; *Wash.* '92, 42, 1900, 350; *W. I.* '88, 67.—*fd.* '89, 123, 1900, 350; *hbt.* '89, 123, '91, 279-290; *mcas.* '88, 203; *mig.* '91, 279, 287, '92, 292^a, '94, 97^a, '96, 90; *flm.* '79, 30^a (alb.), '81, 162, '85, 386 (alb.), '88, 203, '92, 157-160, '93, 174, '94, 97^a (mlt.), '95, 295; *syn.* '88, 67; *misc.* '96, 90.

stejnegeri, *plm.* '93, 176.

Oil-bird, see Fulmarus glacialis.

olax (*Columba*), see Osmotreron.

— (Osmotreron), see Osmotreron.

— (Treron), see Osmotreron.

Old-man-bird, see Saurothera vetula or *Hyetornis pluvialis*.

Young, see *Coccyzus minor*.

Old Providence Island, West Indies.

Cory. C. B., '87, 177-181, 245.

Old-squaw, see Harelda hyemalis.

Old-wife, see Harelda hyemalis.

oleagineus (*Mionectes*), see *Mionectes*.

Oligomyodae, '81, 32, 33, 34, 35.

olivacea (*Dendroica*), see *Dendroica*.

— (*Emberiza*), see *Euetheia*.

— (*Euetheia*), see *Euetheia*.

— (*Fringilla*), see *Euetheia*.

— (*Phonipara*), see *Euetheia*.

— (*Spermophila*), see *Euetheia*.

— (*Vireosylvia*), see *Vireo olivaceus* or *calidris*.

— (*Sylvia*), see *Dendroica*.

olivaceus (*Chlorospingus*), see *Chlorospingus*.

— (*Mionectes*), see *Mionectes*.

— (*Muscicapa*), see *Vireo*.

— (*Myiarchus*), see *M. olivascens*.

— (*Peucedramus*), see *Dendroica*.

— (*Phylloptenes*), see *Vireo*.

— (*Regulus*), see *Regulus*.

— (*Sittasomus*), see *Sittasomus*.

— (*Vireo*), see *V. olivaceus* or *barbatula*.

olivascens (*Basileuterus*), see *Basileuterus*.

— (*Catharus*), see *Catharus*.

— (*Myiarchus*), see *Myiarchus*.

— (*Pithys*), see *Pithys*.

— (*Saltator*), see *Saltator*.

olivetorum (*Hypolais*), see *Hypolais*.

Olor, '83, 231, '93, 99, '96, 162, '99, 129, 226-229, 289, see also *Cygnus*.

bewickii (^b *Cygnus*), *Helg.* '95, 340^b.

— *misc.* '83, 62.

buccinator (^a Trumpeter Swan, ^b *Cygnus*), *Cal.* '86, 91; *g. dist.* '93, 125; *G. Br.* '80, 212^b; *Ind.* '88, 347; *Ky.* '89, 312?; *La.* '97, 287; *Man.* '86, 150; *Minn.* '84, 248^a, '96, 78, 79; *Ore.* '79, 197^b, '86, 162, 163, '88, 143; *S. D.* '85, 287; *Tex.* '82, 224^b, '87, 185; *Wash.* '93, 17, '97, 181.—*mcas.* '96, 79; *syn.* '83, 62; *misc.* '92, 384.

columbianus (^a Whistling or American Swan, ^b *Cygnus americanus*, ^c *americanus*, ^d *Cygnus*), *Alas.* '81, 131^a, '85, 157, '87, 12; *Cal.* '86, 91; *Conn.* '94, 74; *g. dist.* '93, 123; *G. Br.* '80, 212^b; *Ind.* '88, 347; *Ky.* '89, 312?; *La.* '97, 287; *Man.* '86, 150; *Mass.* '76, 53^b, '78, 198^b, '81, 123^b, '87, 68^a, '91, 232^c; *Minn.* '84, 248^a; *N. B.* '83, 9^b, '84, 89^b; *N. E.* '76, 73^b, '79, 125^b; *N. J.* '79, 226^b; *N. Y.* '81, 234^c, '88, 176, '90, 230, 391^a; *O.* '87, 68^a; *Ore.* '86, 162^c, 163, '88, 143?; *Pa.* '80, 125^a, '92, 386, '99, 309?; *P. E. I.* '86, 131^a?; *Que.* '82, 230^b; *R. I.* '80, 45^b; *S. C.* '85, 193^d; *Tex.* '82, 224^b, 1900, 339; *Wash.* '92, 42.—*hbt.* '92, 384; *mcas.* '86, 131^a; *mig.* '80, 125^a, '81, 123^b; *song.* '81, 123^b; *syn.*

'83, 62, '84, 115, 385, '95, 72; *misc.*, '81, 64^a, '92, 384.

cygnus (Whooping Swan, ^b *Cygnus musicus*), *Helg.* '95, 326^b; *N. Am.* '84, 384?.—*misc.* '84, 173^b; *syn.* '83, 62.

paloregonus (fossil), *Ore.* '91, 367, '93, 344.

olor (*Cygnus*), see *Cygnus*.

Olphe-Galliard, Leon.

Contributions à la faune ornithologique de l'Europe occidentale (rev.), '87, 336.

omissa (*Euetheia*), see *Euetheia*.

omnicolor (*Regulus*), see *Cyanotis azarae*.

Ontario.

Allen, J. A., '84, 85, '91, 302–303, '94, 240–241, '99, 204–205, 1900, 394.

Ames, J. H., '97, 411–412.

Bell, J. T., '84, 88.

Brewster, W., '93, 364.

Brodie, W., '88, 211.

Brown, H. H., '93, 363–364.

Clarke, C. K., '97, 410–411, '98, 274–275, 328–329, '99, 351–352.

Coues, E., '83, 122, '87, 245–246.

Dwight, J., Jr., '96, 344.

Ewart, J., '90, 395.

Fleming, J. H., 1900, 176.

Fraser, J. G., '84, 89.

Garnier, J. H., '84, 88, 88.

Kells, W. L., '84, 88, 88, '91, 109.

Kingston, A. G., '92, 285.

Langille, J. A., '82, 116, '92, 187.

Lees, A. D., '92, 284.

Lett, W. P., '85, 372.

Macoun, J., '84, 88, '92, 284.

McIlwraith, K. C., '88, 322.

McIlwraith, T., '83, 143–147, '84, 185, 389–390, '87, 245, '92, 191.

Morden, J. A., '84, 85, 89, 89, 185, 185, 186, 186.

Merriam, C. H., '85, 111.

Nash, C. W., '92, 386, '96, 347, '99, 277.

Palmer, W., '98, 248.

Rathbun, S. F., '83, 174.

Samuel, I. H., 1900, 386, 391–392.

Saunders, W. E., '84, 85, 89, 89, 186, 186, '85, 307–308, '87, 246–249, '88, 205, 208, '92, 284, '99, 80, 1900, 358–362.

Scott, W. L., '83, 55, 115, '84, 156–161, '85, 110, 373, '86, 476.

Seton, E. E., see Thompson, E. S.

Smith, L. H., '81, 112.

Thompson, E. S., '85, 305–306, 334–

337, '87, 256–257, '89, 204, '90, 211, 396, '92, 189.

Vennor, H. G., '84, 286.

White, G. R., '83, 55, '85, 373, '86, 476, '90, 204, 400, '91, 114, '92, 284, '96, 173, '98, 183.

Young, C. J., '92, 284, '98, 191–192.

Onychoprion (^b *Haliplana*), '78, 141^b, '97, 314, '99, 99.

Onychopterus, '94, 168.

Onychotes gruberi, *Cal.* '77, 89.—*syn.* '85, 293.

Oölogist (Willard-Lattin's magazine), titles (Nos. 55–70), '81, 47, '86, 478, (Nos. 1519–1635) '90, 81.

Oöologists' Exchange (mag.), '88, 224, titles (Nos. 1944–1953), '91, 106.

Oölogy, see *Nidification*.

Opisthocomi, '81, 30, 80, 83, '94, 172.

Opisthomocomus, '81, 80.—*cristatus*, *Braz.* '91, 162.—*anat.* '96, 72; *hbt.* '85, 213.

opisthomelas (*Puffinus*), see *Puffinus*.

Opornis, see *Geothlypis*.

Orange-bird, see *Spindalis nigricepsphala*.

Oratrix (*Amazona*), see *Amazona*.

Orchilus atricapillus, *C. R.* '76, 47.

Ord, George.

see Rhoads, 'reprint of [Ord's] N. Am. Zoology in Guthrie's Geography' (rev.), '94, 190, 339, '95, 72.

ordii (*Falcinellus*), see *Plegadis autumnalis*.

— (*Ibis*), see *Plegadis autumnalis* or *gaurauna*.

Oregon.

Allen, J. A., '76, 50, 52, '80, 105–107, '93, 343–345.

Anthony, A. W., '86, 161–172, '92, 288, 288, '93, 87.

Bacon, G. R., '77, 74.

Bangs, O., 1900, 131.

Bendire, C. E., '76, 44–45, '78, 81, '83, 177, 235, 242, '88, 226–240, 366–370, '89, 36, 37, 71, 115, 234–236.

Brewer, T. M., '80, 56.

Brewster, W., '88, 139–146, 251–262, 357–366.

Cooper, J. G., '77, 88–97.

Dwight, J., Jr., '90, 153.

Farrell, T. G., '91, 391.

Henshaw, H. W., '80, 105.

Johnson, O. B., '81, 52.

Law, G., '88, 316.

Mearns, E. A., '79, 161–166, 194–199.

Merrill, J. C., '88, 139–146, 251–262, 357–366.

- Miller, G. S., Jr., '88, 404-405.
 Shufeldt, R. W., '91, 365-368.
 Swallow, C. W., '91, 396-397.
 Wilcox, T. E., '85, 315.
 Wilcox, W. A., '92, 68.
 oregonia (Fringilla), see Junco.
 oregonus (Junco), see J. oregonus or connectens.
 — (Larus), see Larus.
 — (Pipilo), see Pipilo.
 oreocæsus (Dryobates), see D. homorus.
Oreomyza bairdi, H. I. '88, 197.
 wilsoni, H. I. '90, 275.
Oreophasis derbianus, Mex. '98, 156.
 oreophila (Saxicola), see Saxicola.
Oreortyx, '93, 130.
 confinis (San Pedro Partridge), L. Cal. '90, 61, 281, '92, 188.—plm. 1900, 46 (mlt.); nst. '92, 287; syn. '90, 61.
 pictus ("Mountain Partridge or Quail"), B. C. '93, 291; Cal. '86, 92; g. dist. '93, 134, '94, 195; Ida. '98, 22 (introduced); Neb. '85, 300^a (introd.); Ore. '86, 164; Wash. '92, 43 [Lophortyx californicus?]. '93, 17, 291.—plm. '76, 22 ('Ortyx') (alb.), '86, 164, '94, 193-197, 1900, 46 (mlt.); misc. '86, 162, '94, 68.
 plumiferus ("Plumed Partridge"), Cal. '84, 355, '93, 286, 1900, 55^a; g. dist. '94, 195; Nev. '93, 286.—mig. '94, 101^a; plm. '94, 195 (col. pl.), 1900, 46 (mlt.); misc. '82, 243, 1900, 55^a.
Oreoscotes, see Oroscoptes.
Oreospiza, '97, 129, 221, 232, '99, 120.
 chlorura (Green-tailed Towhee or Finch, "Pipilo"), Ariz. '82, 197^b, '87, 204^b, '90, 49^b, 259^b, '94, 220^b; Cal. '96, 265^b; Colo. '79, 94^b, '80, 230^b, '81, 139^b, '83, 192^b, '85, 16^b, 142^b, '94, 269^b; g. dist. '93, 135^b; Mont. '94, 306^b; N. M. '78, 93^b, '86, 74^b, '92, 366^b, '98, 310; Ore. '79, 165^b, '88, 359^b; Tex. '87, 293^b, '92, 339^b—anat. '83, 17-21^b, '88, 440^b, 442^b, 444^b; hbt. '80, 230^b, '81, 139^b; song. '80, 230^b, '88, 359^b; syn. '88, 412^b, '90, 193^b, '96, 185^b, '97, 129, 221, 232, '99, 121.
 organiste (Euphone), see Euphonia flavifrons.
 orientalis (Coracias), see Eurystomus.
 — (Corvus), see Corvus.
 — (Eurystomus), see Eurystomus.
 Original descriptions, see New Species.
 Oriole, Arizona Hooded, see Icterus nelsoni.
 Audubon's, see Icterus audubonii.
- Baltimore, see Icterus galbula.
 Black, see Molothrus ater.
 Bullock's, see Icterus bullocki.
 Chestnut-breasted, see Icterus castaneopectus [=] wagleri.
 European, see Oriolus galbula.
 Hooded, see Icterus cucullatus.
 Northrop's, see Icterus northropi.
 Orchard, see Icterus spurius.
 Scott's, see Icterus parisorum.
 Southern Orchard, see Icterus fuscatus [=] spurius.
 Water, see Cinclus mexicanus.
 Orioles, see Icteridae.
 Oriolidae, '81, 34, 35, '92, 282, 1900, 189.
Oriolus, '94, 234.
 galbula ("European Oriole"), Helg. '95, 331.—plm. '82, 115^a.
 xanthornotus, Borneo, syn. '90, 351.
 orizabæ (Pipilo), see P. maculatus.
 ornata (Bellona), see Bellona.
 — (Cyanolyca), see Cyanolyca.
 — (Emberiza), see Calcarius.
Ornatipitta, '96, 60.
 ornatus (Auriparus), see A. flaviceps.
 — (Calcarius), see Calcarius.
 — (Centrophanes), see Calcarius.
 — (Colopteryx), see Colopteryx.
 — (Orthorhynchus), see Bellona cristata.
 — (Pachyramphus), see Pachyramphus.
 — (Pardalotus), see Pardalotus.
 — (Plectrophanes), see Calcarius.
 — (Spizaëtus), see Spizaëtus.
 Ornis (magazine), '86, 416.
Ornithion cinerascens, syn. '90, 384.
 imberbe (Beardless Flycatcher), g. dist. '82, 209; Tex. '80, 90.—meas. '82, 208.
 napæum, Braz. '89, 172, '90, 270.
 pusillum, Venez. '97, 365.
 ridgwayi (Ridgway's Flycatcher), Ariz. '82, 208*.
 Ornithium, see Ornithion.
 ridgwayi, '82, 208*, see Ornithion.
 Ornithological periodicals, see each title.
 Ornithologische Monatsberichte (mag.), '93, 96.
 Ornithologisches Centralblatt (mag.), titles (Nos. 183-185), '82, 117.
 Ornithologisches Jahrbuch (mag.), '90, 220.
 Ornithologist and Botanist (magazine), '91, 247.
 Ornithologist and Oölogist (mag.), '84, 106, '86, 478, '87, 272; titles (Nos.

- 269-363), '83, 173, (Nos. 372-446) '83, 234, (Nos. 669-772) '85, 96.
 Ornithologists' and Oölogists' Semi-
 Annual (mag.), '89, 206, titles
 (Nos. 1958-1990), '91, 107.
 Orocetes, see Petrophila.
 Oropendula, see Gymnostinops monte-
 zuma.
 Cassin's, see Gymnostinops cassini.
Oroscoptes, '82, 216, 217, '93, 112, 131.
montanus (Sage Thrasher, ^bOr-
 phus), Ariz. '82, 68, '88, 159; Cal.
 '86, 185, '87, 86, '90, 297; Colo. '79,
 91, '81, 86, '83, 153, '85, 15, 140; g.
dist. '93, 135; L. Cal. '95, 142; Mont.
 '94, 218, 307; N. M. '92, 367; Tex.
 '87, 297, '92, 342, 1900, 348; Wyo.
 1900, 68^b.—*anat.* '82, 215 (fig.); *hbt.*,
sing. '85, 140; *meas.* '82, 68; *mig.*
 '85, 13; *misc.* '82, 118.
 orpheus (*Mimus*), see M. hillii or or-
 phus.
 — (Sylvia), see Sylvia.
 — (Turdus), see Mimus.
 Ortalida, see Ortalis.
Ortalis, '93, 109.
maccallii (Chachalaca, ^bOrtalida
vetula), g. *dist.* '93, 141; Tex. '79,
 51^b.—*misc.* '91, 390.
motmot (^bOrtalida), Braz. '91,
 162^b.
ruficauda (^bOrtalida), W. I. '87,
 223^b, '93, 220.
Orthonyx, '81, 36.
Orthorhynchus, '80, 169, 1900, 167.
Orthotomus, '94, 236.
cineraceus, Borneo, syn. '90, 350.
 Ortolan, see Porzana carolina, or Am-
 pelis cedrorum.
 ortoni (*Cyanocorax*), see Cyanocorax.
 Ortygia, see Colinus.
Ortygodes variegata, syn. '93, 186.
 Ortygometra, see Crex.
 Ortygopsis, see Porzana.
 Ortyx, see Colinus.
 oryzivora (*Cassidix*), see Cassidix.
 — (*Emberiza*), see Dolichonyx.
 — (*Munia*), see Munia.
 oryzivorus (*Dolichonyx*), see Doli-
 chonyx.
Oryzoborus funereus, *nst.* '94, 171.
nuttingi, *Nicaragua*, '85, 294.
Osborn, Herbert.
 Parasites of birds [Letter], '94, 336.
Osborne, Samuel Duffield.
 Nesting of Yellow-bellied Flycatcher
 (*Empidonax flaviventris*), '78, 187.
 Coloration of eggs, '79, 23-25.
 Another nest of Yellow-bellied Fly-
 catcher (*Empidonax flaviventris*),
 '79, 240.
 osburni (*Laletes*), see Laletes.
 osceola (*Meleagris*), see Meleagris.
Oscines, '76, 60-63, '81, 28, 30, 32-35,
 156, 158-160, 163, 168, 236, '86,
 405, '90, 190.
Osgood, Fletcher.
 Chuck-will's-widow in Massachusetts,
 '85, 220.
 Feeding habits of Pine Siskin, 1900,
 295.
Osgood, Wilfred Hudson.
Chamaea fasciata and its subspecies
 (rev.), '99, 291.
 osgoodi (*Canachites*), see C. canaden-
 sis.
Osmotreron, '94, 236.
olax (^bTreron), Borneo, syn. '91,
 13^b.
vernans, P. I. '94, 237.
Osprey, American, see Pandion caro-
 linensis.
Osprey, The (magazine), '96, 268, 350,
 '97, 255, '99, 95, 213, 379.
Ossifraga gigantea (Giant Fulmar,
^bFulmarus), g. *dist.*, *hbt.* '87, 3; *plm.*
 '76, 23^b (alb.), '86, 404, '87, 3 (alb.).
 ossifragus (*Coloeus*), see Corvus.
 — (*Corvus*), see Corvus.
Ostinops decumanus, Braz. '90, 132,
 269; Venz. '97, 364; W. I. '93, 220.
ostrealegus (*Hæmatopus*), see Hæmato-
 pus.
 Ostrich, see *Struthio camellus*.
 Ostriches, see *Struthiones*.
 Otidae, '81, 81.
 Otididae, '94, 242.
Otis, '81, 81, '88, 331.
tarda, Helg. '95, 337.
tetrax, Helg. '95, 337.
Otocoris (^bEremophila), '76, 61^b, '82,
 179, '88, 442, 443, '90, 123, '91, 90,
 91, '93, 110, 347, '94, 60, '97, 231.
adusta (Scorched Horned Lark),
 Ariz. '82, 202 [^bEremophila chrysolo-
 läma?], '90, 256; g. *dist.* '90, 148*,
 '91, 85; N. M. '92, 364.—*meas.* '90,
 148, 149, 158; *plm.* '90, 157, 158;
 syn. '91, 85.
alpestris (^ Horned or Shore Lark,
^bEremophila), Cal. '87, 329 [*chryso-*
läma?]; D. C. '87, 347^a, '88, 148; Ga.
 '96, 214; g. *dist.* '84, 257, 263, '90,
 141 (map), '93, 124, 134; Helg. '95,
 334; Hud. B. '90, 322; Ia. '80, 115^a
 [*praticola?*]; Mass. '83, 148^a, '89,
 72; Me. '97, 371-374; Mich. '93,
 225; Minn. '80, 13^b [*praticola?*], '84,

245^b [praticola?]: *N. C.* '93, 243; *N. E.* '81, 238^a; *N. J.* '79, 81^b, 223^b, '92, 204; *N. Y.* '79, 175^b, '81, 177^b [praticola?], 231^b [praticola?], '84, 179^b [praticola?], '86, 441^a, '88, 111, '89, 137, 190^a, 191^a; *Ont.* '83, 145^b, '84, 160; *Que.* '82, 234^b; *S. C.* '79, 211^b, '82, 54^a, '85, 189^b, '93, 205; *S. D.* '85, 282, 283^b; *Tenn.* '96, 181^{??}; *Va.* '89, 195^a—*anat.* '80, 115^a, '81, 110^a, '83, 56^b, 166^b, '88, 442^b; *fd.* '84, 160^b; *meas.* '84, 263, '90, 142, 158; *mig.* '84, 160^b, 179^b; *nst.* 1900, 307^a; *plm.* '83, 145^b, '84, 257, 263, '85, 282, '90, 141, 157, 158; *syn.* '83, 194^b, '84, 257, '91, 91; *misc.* '91, 110^a, '92, 194^a, 327, 333.

arenicola (^a Desert Horned Lark, ^b *Eremophila alpestris*, ^c *Eremophila chrysolaema*, ^d *Eremophila leucolæma*), *Ariz.* '87, 20 [*chrysolaema*] '90, 256; *Colo.* '79, 92^b, '81, 88^c, '85, 17^c, 142^d [see '87, 124]; '87, 124, '94, 244, '95, 153^a; *g. dist.* '84, 259, 263, 265^{*b}, '90, 146; *Mont.* '85, 15^a, '94, 304, '95, 215; *Neb.* '95, 187^a; *N. M.* '85, 239^c, '94, 217, '98, 309; *Tex.* '82, 40^c, '84, 121^c, 123^c, '87, 193; *Wash.* 1900, 244 [*merrilli*?].—*hbt.* '94, 217; *meas.* '84, 263, 266, '90, 147, 158; *mig.* '94, 304; *nst.* '88, 260^a; *plm.* '84, 259, 263, '90, 146, 157, 158, '94, 304 (mlt.); *syn.* '84, 259, '91, 91; *misc.* '95, 187^a.

chrysolaema (^a Mexican Horned Lark, ^b *Eremophila*), *Ariz.* '82, 202^b, '86, 65^a?; '87, 20^{?b}; *Cal.* '87, 329 [*alpestris*?]; *Colo.* '81, 88^b [*arenicola*?], '85, 17^b [*arenicola*?]; *g. dist.* '90, 149; *L. Cal.* '94, 168; *Mex.* '84, 260–263; *N. M.* '85, 239^b?; *Tex.* '82, 40^b?; '84, 121^b, 123^b?—*meas.* '84, 263, '90, 150, 158; *plm.* '84, 260, 263, '90, 149, 157, 158; *syn.* '83, 194^b, '84, 260, '91, 91.

giraudi (Texan Horned Lark), *g. dist.* '90, 145; *Tex.* '82, 40 [*chrysolaema*?], '84, 260, 263, 266^{*b}, 1900, 345.—*meas.* '84, 263, 266, '90, 145, 158; *plm.* '84, 260, 263, '90, 145, 157, 158; *syn.* '84, 260, '91, 91.

leucolæma (Pallid Horned Lark, ^b *Eremophila leucolema*, ^c *hoyti*), *B. C.* 1900, 106; *Colo.* '82, 142^{?b}, '87, 124^{?b}, '83, 193–195^b, '85, 16; *g. dist.* '83, 193–195^b, '84, 258, '90, 142, '93, 126; *Ida.* '97, 356; *Man.* '86, 321; *Mont.* '80, 75^a, '94, 304; *N. D.* '96, 130^{*b}; *Ore.* '86, 166, 171; *S. D.* '85, 282; *Wash.* '97, 176.—*meas.* '84, 263,

'90, 143, 158; *plm.* '83, 194^b, '84, 258, 263, '85, 282, '90, 142, 157, 158; *syn.* '83, 194^b, '84, 258, '91, 91, '97, 133^c; *misc.* '87, 124 (corr.), '93, 333.

merrilli (Dusky Horned Lark, ^b *Eremophila alpestris*, ^c *strigata*), *B. C.* 1900, 106; *g. dist.* '90, 153^{*b}, '91, 85; *Ida.* '97, 356; *Mont.* '94, 304; *Ore.* '79, 163^b, '88, 259–261^c; *Wash.* '82, 227^b, '97, 176.—*hbt.* '88, 259^c, '97, 356; *meas.* '88, 259^c, '90, 153, 154, 158; *nst., song.* '88, 259^c; *plm.* '88, 259^c, '90, 157, 158; *syn.* '91, 85; *misc.* '93, 333.

oaxacæ, *Mex.* '97, 54*.

pallida (Sonoran Horned Lark), *g. dist.* '90, 154^{*b}, '91, 85; *Mex.* '91, 305; *L. Cal.* '94, 168, '95, 140.—*meas.* '90, 155, 158; *plm.* '90, 157; *syn.* '91, 85, '96, 185, 188, '97, 127.

peregrina, *syn.* '91, 91.

praticola (^a Prairie Horned Lark, ^b *Eremophila alpestris*), *D. C.* '88, 148; *g. dist.* '84, 258, 264^{*b}, '90, 144, '93, 133; *Ia.* '84, 86^b, '95, 133^a; *Ill.* '78, 165^b; *Ind.* '78, 189^b, '89, 23; *Mass.* '88, 111, '89, 71, '92, 201, '93, 50^a, '94, 326, '95, 393^a, '99, 85, 1900, 175; *Me.* '97, 371–374, 1900, 387; *Minn.* '80, 13^b; *Mo.* '79, 140^b; *N. C.* '93, 243; *N. H.* '92, 201; *N. Y.* '78, 53^b, '78, 189^b, '81, 177^b, 231^b, '82, 187^b, '83, 174^a, '84, 285^a, '85, 217^b, 296^a, '88, 111, 170, 180, 320, '89, 200, '96, 178^a; *Ont.* '83, 145^b, '98, 274; *Pa.* '89, 198, '91, 236, 395, '92, 202, '96, 294, '99, 311; *Que.* '90, 387; *S. C.* '87, 255, '88, 206, '91, 51, 56–59, '92, 28^a, 31^a, 38^a, '94, 107^a; *S. Dak.* '85, 282 [*alpestris*?]; *Tex.* '92, 237; *U. S.* '85, 100^a.—*hbt.* '78, 74^b, '91, 389, '99, 311; *meas.* '84, 263, 264, '88, 206, 207, '90, 145, 158, '91, 58, '94, 326; *mig.* '88, 206, '91, 51, 56, '92, 28^a, 31^a, 38^a, '94, 105^a, 107^a, '95, 133^a; *nst.* '78, 40^b, 53^b, 189^b, '83, 174^a, '84, 86^b, 87^a, 89^b [*cornuta*?], 189^a, '85, 217, '88, 320, '89, 200, '90, 85^a, '94, 326, '98, 274, '99, 311, 1900, 387; *plm.* '79, 28^a (alb.), '84, 258, 263, '88, 206, '90, 144, 157, 158; *syn.* '84, 258, '91, 91; *misc.* '90, 86^a, '91, 109^a.

rubea (Ruddy Horned Lark), *Cal.* '84, 260, 267^{*b}, '86, 181, 453, '89, 222^a, '90, 150, '94, 219^{?b}.—*meas.* '84, 263, 267, '90, 150, 158; *plm.* '84, 260, 263, '86, 181, '90, 150, 157, 158; *syn.* '84, 260, '91, 91.

strigata (Streaked Horned Lark, ^b *insularis*), *B. C.* 1900, 106; *Cal.* '87, 329^a, '91, 305^b; *g. dist.* '84, 267*, '90, 151; *Orc.* '84, 261-263, '86, 166, '88, 259-261?; *Wash.* '84, 261-263, '92, 45.—*mcas.* '84, 264, 267, 268, '90, 152, 158; *plm.* '84, 261, 264, '90, 151, 157, 158, '91, 314; *syn.* '84, 261, '91, 89^b, 91.

Otocoris, see *Otocoris*.

Otogypus auricularis (^b *Vultur*), *syn.* '80, 77^b, 79^b.

calvus, *anat.* '82, 87.

Otophanes, '88, 88*.

mcleodii, *Mex.* '88, 89*, '91, 249 (col. pl.), 320, '93, 68.

Ottawa Field Naturalists' Club, report of ornith. branch (rev.), '83, 55; transactions, titles (Nos. 972-974), '85, 372, (No. 1055) '86, 476, '87, 272, (No. 2336), '92, 283.

Ottawa Naturalist, '87, 272, titles (Nos. 2337-2351), '92, 284.

Otus, see *Asio*.

otus (*Asio*), see *Asio*.

Our Animal Friends (mag.), '95, 397.

Our Birds (magazine), '85, 320.

ourissia (*Thaumatinas*), see *Sporadinus maugaei*.

Ouzel, see *Ouzel*.

Oustalet, Emile.

Oiseaux du Cap Horn (rev.), '92, 281.

Ouzel, American Water, see *Cinclus mexicanus*.

European Water, see *Cinclus merula*.

Oven-bird, see *Seiurus aurocapillus*.

Owen, Charles C.

American Egret at Maplewood, N. J., '98, 51.

Owen, Daniel G.

Notes on captive Hermit Thrush, '97, 1-8.

A family of nestlings, '99, 221-225.

Owl, Acadian, see *Nyctala acadica*.

Aiken's Screech, see *Megascops aikenii*.

American Barn, see *Strix pratincola*.

American Hawk, see *Surnia caparoch*.

American Long-eared, see *Asio wilsonianus*.

Arctic Horned, see *Bubo arcticus*.

Bahama Burrowing, see *Speotyto cavicola*.

Barn, see *Strix pratincola*.

Barred, see *Syrnium nebulosum*.

Bottom, see *Syrnium nebulosum*.

Burrowing, see *Speotyto hypogaea*. California Pygmy, see *Glaucidium californicum*.

California Screech, see *Megascops bendirei*.

California Mottled, see *Megascops bendirei*.

Chihuahua Screech, see *Megascops vinaceus*.

Clarion Burrowing, see *Speotyto rostrata*.

Dusky Burrowing, see *Speotyto obscura* [=] *hypogaea*.

Dusky Eared, see *Pseudoscops grammicus*.

Dusky Horned, see *Bubo saturatus*.

Dwarf Screech, see *Megascops idahoensis*.

Elf, see *Micropallas whitneyi*.

European Hawk, see *Surnia ulula*.

Ferruginous Pygmy, see *Glaucidium phalcooides*.

Flammulated, see *Megascops flammeolus*.

Flammulated Screech, see *Megascops flammeolus*.

Florida Barred, see *Syrnium allenii*.

Florida Burrowing, see *Speotyto floridanus*.

Florida Screech, see *Megascops floridanus*.

Grayson's Elf, see *Micropallas graysoni*.

Great Gray, see *Scotiaptex cinerea*.

Great Horned, see *Bubo virginianus*.

Hawk, see *Surnia ulula* or *caparoch*.

Hoot, see *Syrnium nebulosum*.

Hoskin's Pygmy, see *Glaucidium hoskinsii*.

Kennicott's Screech, see *Megascops kennicottii*.

Lapland Gray, see *Scotiaptex lapponica*.

Lapp, see *Scotiaptex lapponica*.

Little Screech, see *Megascops asio*.

Long-eared, see *Asio wilsonianus*.

MacFarlane's Screech, see *Megascops macfarlanei*.

Marsh, see *Asio accipitrinus*.

Mexican Barred, see *Syrnium sartorii*.

Mexican Screech, see *Megascops trichopsis* or *cineraceus*.

Monkey-faced, see *Strix pratincola*.

Mottled, see *Megascops asio*.

Mrs. Maxwell's, see *Megascops maxwelliae*.

Northern Spotted, see *Syrnium caurinum*.

Pacific Horned, see *Bubo pacificus*.
 Pinny, see *Rissa tridactyla*.
 Prairie, see *Speotyto hypogaea*.
 Puget Sound Screech, see *Megascops [saturatus ==] kennicottii*.
 Pygmy, see *Glaucidium gnoma*.
 Richardson's, see *Nyctala richardsoni*.
 Rocky Mountain Screech, see *Megascops maxwelliae*.
 Saw-whet, see *Nyctala acadica*.
 Screech, see *Megascops asio*.
 Short-eared, see *Asio accipitrinus*.
 Snowy or Snow, see *Nyctea nyctea*.
 Spectral, see *Scotiaptex cinerea*.
 Spotted, see *Syrnium occidentale*.
 Spotted Screech, see *Megascops [asperus ==] trichopsis*.
 Texas Barred, see *Syrnium [helvolum ==] allenii*.
 Texas Screech, see *Megascops mcallii*.
 Western Horned, see *Bubo arcticus*.
 White, see *Nyctea nyctea*.
 White Screech, see *Strix furcata*.
 Whitney's Pygmy, see *Micropallas whitneyi*.
 Owls, see *Striges*.
Oxycerca, '94, 235.
Oxyechus, see *Ægialitis*.
Oxyopon cyanolæmus, *Colom.* '99, 138.
oxypterus (*Buteo*), see *B. swainsoni*.
Oxyrhamphidae, '81, 36, '89, 267.
oyapocensis (*Thryothorus*), see *T. coraya*.
 Oyster-catcher, see *Hæmatopus ostralegus*.
 American, see *Hæmatopus palliatus*.
 Black, see *Hæmatopus bachmani*.
 Frazar's, see *Hæmatopus frazari*.
 Pratt's, see *Hæmatopus prattii*.
 Oyster-catchers, see *Hæmatopodidae*.

P

Pachycephalidae, '81, 34.
Pachyramphus sp.?, *Urug.* '83, 203.
albinucha, *Argent.*, *syn.* '92, 175.
albogriseus, *W. I.* '93, 220.
atricapillus, *Braz.* '91, 25.
cinereiventris, *Venez.* '97, 365, 369.
cinereus, *Braz.* '91, 25; *Venez.* '97, 365.
major (^b *Bathmidurus*), *Mex.* '98, 156; *misc.* '80, 88^b.
ornatus, *C. R.* '92, 173.
rufus, *Braz.* '91, 25.
salvini, *syn.* '99, 186*.

similis, *syn.* '99, 186.
uropygialis, *Mex.* '99, 28*.
Pachyrhamphus, see *Pachyramphus*.
pachyrhyncha (*Geospiza*), see *Geospiza*.
 — (*Nucifraga*), see *N. caryocatactes*.
 — (*Rhynchositta*), see *Rhynchositta*.
pacifica (*Amphispiza*), see *A. deserticola*.
 — (*Gavia*), see *Gavia*.
 — (*Hemiura*), see *Hemiura*.
 — (*Hirundo*), see *H. javanica*.
 — (*Tringa*), see *Tringa*.
pacificus (*Anorthura*), see *Anorthura*.
 — (*Bubo*), see *Bubo*.
 — (*Colymbus*), see *Gavia*.
 — (*Fulmarus*), see *F. glupischa*.
 — (*Troglodytes*), see *Anorthura*.
 — (*Urinator*), see *Gavia*.
Pacific Coast of America.
 Cooper, J. G., '77, 88-97.
Packard, Alpheus Spring.
 Occurrence of Groove-billed Ani at Juniper Inlet, Florida, '91, 313.
 The Labrador coast (rev.), '92, 171.
Pæcilonitta bahamensis (^b *Dafila*, ^c *Dafila urophasianus*), *Argent.*, *Urug.* '84, 274^b; *N. Am.*, *W. coast*, '77, 96^c?; *W. I.* '80, 107^b, '88, 62^b, '90, 373^b, '91, 296^b, 335^b.—*mcas.*, *plm.*, *syn.* '88, 62^b.
galapagensis, *Galap. Is.* '90, 273.
Padda, '94, 233.
pagana (*Elænia*), see *Elænia*.
Pagophila, '78, 186, '82, 179, '97, 313, '99, 98.
alba (^a Ivory Gull, ^b *eburnea*, ^c *Gavia*, ^d *brachytarsa*), *Alas.* '85, 63^b; *Arctic Am.* '78, 86^b; *Arctic Ocean*, 1900, 309^a; *B. C.* 1900, 104^c; *g. dist.* '93, 123^c; *Greenl.* '89, 213^c, '91, 320^c; *Hulg.* '95, 341^c; *N. B.* '81, 187^b; *N. S.* '87, 339^a; *N. Y.* '95, 290^b; *Que.* '82, 241^b; *Siberia*, '84, 80^b; *Spitzbergen*, '88, 202^c.—*meas.*, *inst.* '88, 202^c; *mig.* '85, 63^b; *syn.* '80, 88^a, '82, 179^c, '97, 313, '99, 99.
Palaecycnus, '83, 231.
Palaornis longicauda, *Borneo*, *syn.* '91, 12.
Palaornithidae, '81, 76.
Palaotetrix gilli (fossil), *Ore.* '91, 367, '93, 344.
Palamedea, '81, 79, '96, 63, 164.
cornuta, *plm.* '99, 320.
 Palamedee, '81, 79, 83, '82, 47.
 Palamedeidae, '81, 79, '83, 232.
palawa (*Melcagris*), see *M. fera*.
pallasi (*Cinclus*), see *Cinclus*.
 — (*Hylocichla*), see *Hylocichla*.

- (Turdus), see *Hylocichla*.
- Pallasia, see *Pterocorys*.
- Pallasicarbo**, '99, 297, 1900, 80.
- pallens (*Accipiter*), see *Accipiter*.
- (*Gallula*), see *Gallula*.
- pallescens (*Acanthis*), see *A. exilipes*.
- (*Anorthura*), see *Anorthura*.
- (*Bubo*), see *B. arcticus*.
- (*Columbigallina*), see *Columbigallina*.
- (*Empidonax*), see *E. pygmaeus*.
- (*Mitrephanes*), see *Empidonax pygmaeus*.
- (*Mitrophorus*), see *Empidonax pygmaeus*.
- (*Piaya*), see *Piaya*.
- (*Troglodytes*), see *Troglodytes*.
- palliata (*Dendornis*), see *Dendornis*.
- palliatus (*Hæmatopus*), see *Hæmatopus*.
- (*Junco*), see *Junco*.
- pallida (*Aimophila*), see *Aimophila*.
- (*Callipepla*), see *C. castanogastris*.
- (*Doleromyia*), see *Doleromyia*.
- (*Emberiza*), see *Spizella socialis*.
- (*Eucometis*), see *Eucometis*.
- (*Hypolais*), see *Hypolais*.
- (*Otocoris*), see *Otocoris*.
- (*Psittacula*), see *Psittacula*.
- (*Spizella*), see *Spizella*.
- pallidicinctus (*Tympانuchus*), see *Tympانuchus*.
- pallidiventris (*Contopus*), see *Contopus*.
- (*Horizopus*), see *Contopus*.
- (*Setophaga*), see *Setophaga*.
- pallidus (*Astragalinus*), see *Astragalinus*.
- (*Blacicus*), see *Blacicus*.
- (*Contopus*), see *Blacicus*.
- (*Eupsychortex*), see *Eupsychortex*.
- (*Formicarius*), see *Formicarius*.
- (*Myiobius*), see *Blacicus*.
- (*Nyctibius*), see *N. jamaicensis*.
- (*Polyborus*), see *Polyborus*.
- (*Spilornis*), see *Spilornis*.
- (*Spinetes*), see *Spizella socialis*.
- (*Spinus*), see *Astragalinus*.
- (*Thryothorus*), see *Thryothorus*.
- palmarum (*Arremon*), see *Phænicophilus*.
- (*Corvus*), see *C. solitarius*.
- (*Dendroica*), see *Dendroica*.
- (*Dulus*), see *Phænicophilus palmarum* or *Dulus dominicus*.
- (*Motacilla*), see *Dendroica*.
- (*Phænicophilus*), see *Phænicophilus*.
- (*Sylvia*), see *Dendroica*.
- (*Sylvicola*), see *Dendroica*.

- (*Tachyphonus*), see *Phænicophilus*.
- (*Tanagra*), see *Tanagra*.
- (*Turdus*), see *Phænicophilus*.
- Palmén**, Johan Axel.
- Bidrag till kannedömen om Sibiriska Ishafskustens fogelfauna (rev.), '88, 306-311.
- Palmer**, E. D.
- Capture of another Flammulated Owl in California, '94, 78.
- Palmer**, Theodore Sherman.
- Notes on some birds of Gray's Harbor, Washington, '92, 308-310.
- Helcodytes* vs. *Campylorhynchus*, '93, 86.
- Turdus lawrencii* Coues, '97, 225.
- Extermination of noxious animals by bounties (rev.), '97, 422.
- Bird protection in Washington, D. C., '99, 68.
- Danger of introducing noxious animals and birds (rev.), '99, 294.
- Legislation for protection of birds other than game birds (rev.), 1900, 314.
- Directory of State officials and organizations for protection of birds and game (rev.), 1900, 396.
- Protection and importation of birds (rev.), 1900, 397.
- Review of economic ornithology in U. S. (rev.), 1900, 397.
- Palmer, T. S., and Nelson, E. W., see Nelson and Palmer.
- Palmer**, William.
- Abundance of *Parus atricapillus* near Washington, '85, 304.
- Occurrence of *Helminthophila leucobronchialis* in Virginia, '85, 304.
- Occurrence of Traill's Flycatcher near Washington, D. C. '89, 71.
- First occurrence of Philadelphia Vireo near Washington D. C. '89, 74.
- Notes on birds observed during cruise of 'Grampus' in 1887 (rev.), '91, 305.
- Plumages of young Hooded Warbler, '94, 282-291 (4 figs.).
- Ruff and Western Sandpiper near Washington, D. C. '94, 325.
- An Asiatic Cuckoo on Pribylol Is., Alaska, '94, 325.
- Four additions to birds of the Virginias, '94, 333.
- Scissor-tailed Flycatcher in Virginia and Maryland, '96, 83.

- Second occurrence of Lark Sparrow in Virginia, '96, 84.
 Florida Ground Owl (*Speotyto floridana*), '96, 99-108 (col. pl., 2 figs.), see Stone, W., 'moulting of birds' (rev.), '96, 240-243.
 Note on *Buteo borealis lucasanus*, '96, 342.
 Breeding of Yellow-throated Warbler (*Dendroica dominica*) in Virginia, near Washington, '96, 343.
 Wood Ibis in Virginia and Maryland, '97, 208.
 An addition to North American Petrels, '97, 297-299.
 Bachman's Sparrow in Virginia, '97, 322.
 Sitkan Kinglet, '97, 399-401.
 Tree Swallow breeding in Virginia, '97, 408.
 Our small eastern Shrikes, '98, 244-258.
 Avifauna of Pribilof Islands (rev.), 1900, 74-76.
 Ecology of Maryland Yellow-throat and its relatives, 1900, 216-242.
 Palmer, W., and Smith, H. M., see Smith and Palmer.
 palmeri (*Harporrynchus*), see Harporrhynchus.
 Palmetto-bird, see *Geothlypis ignota*.
 paloccidentalis (*Ardea*), see *Ardea*.
 paloregonus (*Olor*), see *Olor*.
 palpebralis (*Geothlypis*), see *G. palpebralis* or *ralphi*.
 paludicola (*Cistothorus*), see *C. paludicola* or *plesius*.
 — (*Telmatodytes*), see *Cistothorus paludicola* or *plesius*.
 Paludicola, '93, 107, '97, 340.
 palumbarius (*Accipiter*), see *Accipiter*.
 palumbus (*Columba*), see *Columba*.
 palustris (*Acrocephalus*), see *Acrocephalus*.
 — (*Brachyotus*), see *Asio accipitrinus*.
 — (*Cistothorus*), see *C. palustris* or *paludicola*.
 — (*Geothlypis*), see *Microligea*.
 — (*Ligea*), see *Microligea*.
 — (*Megalurus*), see *Megalurus*.
 — (*Melospiza*), see *M. georgiana*.
 — (*Microligea*), see *Microligea*.
 — (*Parus*), see *Parus*.
 — (*Spermophila*), see *Sporophila*.
 — (*Telmatodytes*), see *Cistothorus palustris* or *plesius*.
 pamirensis (*Aegialitis*), see *Aegialitis*.
 Pan, '99, 77*, see *Seimornis*.

- Panama.
 Allen, J. A., '99, 292-293.
 Ridgway, R., '98, 229.
 panaya (*Onychoprion*), see *Sterna anæthetus*.
 — (*Sterna*), see *S. anæthetus*.
 panayensis (*Haliplana*), see *Sterna anæthetus*.
 — (*Onychoprion*), see *Sterna anæthetus*.
 — (*Sterna*), see *S. anæthetus*.
 Pandion, '78, 77, '81, 77, 201, '87, 37, '91, 236, '94, 233.
 carolinensis (^a American Osprey or Fish Hawk, ^b *haliaeetus*), *Alas.*, '84, 79, '87, 12; *Ariz.*, '83, 29, '86, 423, '90, 48; *Assiniboa*, '86, 154; *Bahamas*, '91, 297, 351; *B. C.*, '94, 322; *Cal.*, '87, 91; *Colo.*, '79, 96^b, '85, 17; *Conn.*, '95, 264, 266; *Fla.*, '81, 42, '87, 275^a, '88, 271, '89, 248, '90, 310, '91, 132^a, 137, '92, 212, '95, 364; *Ga.*, '83, 41; *Ida.*, '97, 353; *Ind.*, '88, 350; *Jamaica*, '92, 127; *La.*, '82, 164; *Man.*, '86, 329; *Mass.*, '87, 156^a, '94, 84, '97, 279; *Me.*, '80, 114^a, 186^b; *Mex.*, '85, 230^a; *Mich.*, '93, 224; *Minn.*, '84, 247, '86, 154; *Mont.*, '94, 303; *N. B.*, '89, 117^b; *N. C.*, '99, 247^a; *N. F.*, 1900, 72; *N. H.*, '87, 104; *N. J.*, '79, 224^b, '90, 81^a, 328, '94, 136; *N. M.*, '86, 80, '92, 361; *N. S.*, '91, 165; *N. Y.*, '81, 233, '89, 129, '92, 313^a, '93, 53^a, 54^a, 57^a, '95, 361^a; *Ore.*, '79, 196, '86, 162, 165, '88, 146; *Pa.*, '99, 311; *P. E. I.*, '93, 9; *Que.*, '82, 238^b; *R. I.*, '95, 300^a, 389; *S. C.*, '85, 192^b; *S. D.*, '85, 285; *Tenn.*, '86, 319; *Tex.*, '87, 189, 299, 1900, 343; *Va.*, '76, 26^b; *Wash.*, '92, 43, '97, 174, 1900, 244; *W. I.*, '81, 128^b, '87, 38, '92, 289^a.—*anat.*, '86, 475, '91, 236; *fd.*, '86, 80, '93, 200^a, '95, 361^a; *hbt.*, '84, 86^a, '92, 313-321^a (2 pl.); '95, 361^a; *meas.*, '92, 315^a, 316^a; *mig.*, '85, 212^a, '95, 264, 266, 300^a, 361^a; *nest.*, '76, 26^b, '80, 114^a, 186^b, '81, 42^a, '83, 41, 237^a, '85, 210^a, '90, 394, '91, 106^a, '92, 286^a, 313^a, '94, 322, '95, 300^a, 361^a, 389, '99, 247^a; *song.*, '92, 313^a, '95, 300^a; *syn.*, '78, '78^a, '87, 38; *misc.*, '81, 59^a, '83, 177^a, '89, 178^a, 180^a, '92, 286^a, '97, 396^a (fig.).
haliaeetus, *Helg.*, '95, 326.—*anat.*, '82, 88; *syn.*, '78, 78.
ridgwayi, *Bahamas*, '87, 155.
 Pandiones, '77, 71, '78, 77.
 panini (*Penelopides*), see *Penelopides*.

- pannosa (Dendroca), see *Dendroica cærulescens*.
 — (Sylvicola), see *Dendroica cærulescens*.
Panurus, '84, 280.
 biarmicus, *Helg.* '95, 336.
Panychlora russata, *Colom.* '99, 138.
Panyptila, '80, 178, '86, 446, 447, '87, 171, '89, 9.
 cayennensis, *Nicar.* '94, 171, '98, 7 (col. pl.)—*hbt.* '98, 8; *nst.* '93, 84, '98, 7, 10; *song.* '93, 85, '98, 9; *syn.* '98, 7; *misc.* '84, 386.
 sancti-hieronymi, *Guat.* '98, 7.
papa (*Gypagus*), see *Gyparchus*.
 — (*Sarcoramphus*), see *Gyparchus*.
 — (*Vultur*), see *Gyparchus*.
papantzin (*Trochilus*), see *Eugenes fulgens*.
Papegais, '90, 72.
Parabuteo, '83, 228.
 harrisi (Harris's Hawk, ^b *Buteo*), *Ariz.* '86, 422; *C. R.* '90, 333, '92, 328; *La.* '92, 205; *L. Cal.* '94, 168^a, '95, 137; *Tcr.* '80, 46^b, '92, 233, '90, 342.—*nst.* '95, 137, '90, 342; *plm.* '87, 26.
paradisea (*Sterna*), see *S. paradisea* or *dougalii*.
 — (*Muscipeta*), see *Terpsiphone affinis*.
Paradiseide, '91, 34, 35, '92, 282.
paradiseus (*Ptilorhis*), see *Ptilorhis*.
 — (*Dissemurus*), see *D. brachyphorus*.
Paradisornis, '86, 398.
paradoxus (*Syrrhaptes*), see *Syrrhaptes*.
paraguaiae (*Gallinago*), see *Gallinago*.
Parakeet, Carolina, see *Conurus carolinensis*.
Parasites.
 Kellogg, *V. L.*, '99, 232.
 Osborn, *H.*, '94, 336.
parasiticus (*Stercorarius*), see *Stercorarius*.
Parauque, Merrill's, see *Nyctidromus merrilli*.
Pardalotus, '87, 249.
 affinis, *syn.* '87, 249.
 assimilis, *syn.* '87, 249.
 ornatus, *syn.* '87, 249.
pardalotus (*Dendronis*), see *Dendronis*.
parellina (*Cyanocompsa*), see *Cyanocompsa*.
 — (*Cyanospiza*), see *Cyanocompsa*.
pareola (*Chiroxiphia*), see *Chiroxiphia*.
Paridae ("Titmice"), '81, 28, 34, 163, '84, 280, '87, 249^a, '92, 172, '93, 112, 1900, 189.
parisorium (*Icterus*), see *I. parisorum*.
parisorum (*Icterus*), see *Icterus*.
Park, Austin F.
 An owl-eating owl, '80, 185.
 Capture of Leach's Petrel 160 miles from the sea, '80, 190.
Philadelphia Vireo in eastern New York, '80, 239.
 Breeding of Horned Lark in eastern New York, '81, 177.
 Capture of Sea Dove 150 miles from the sea, '82, 61.
 Lesser Glaucous-winged Gull in New York, '84, 196.
 Swallow-tailed Kite in Rensselaer Co., N. Y., '86, 484.
 Breeding of Prairie Horned Lark in eastern New York—a correction, '88, 111.
 American Barn Owl near Troy, New York, '90, 400.
Strix pratincola again near Troy, N. Y., '91, 114.
 Obituary of, '93, 384–385.
Park, F. T.
Acanthis linaria in Alabama, '93, 205.
Parker, William Kitchen.
Ægithognathus birds (rev.), '77, 23.
 Obituary of, '90, 411.
Parkhurst, Howard Elmore.
 The birds' calendar (rev.), '95, 67.
parkmanii (*Troglodytes*), see *T. parkmani* or *aztecus*.
Paroaria capitata, *Bolivia*, '90, 382.
 cervicalis, *Boliv.* '90, 382.
 cucullata, *Urug.*, *hbt.*, *song.* '83, 129.
 gularis, *Braz.* '90, 268.
Paroquet, Carolina, see *Conurus carolinensis*.
 Cockatoo, see *Calopsitta novochollandiae*.
 Short-footed, see *Conurus brevipes*.
Parotia lawesii, *New Guinea*, '86, 399.
Parra, see *Jacana*.
 violacea, '81, 130^a, see *Jacana spinosa*.
Parrakeet, see *Conurus carolinensis*.
Parridae, '81, 81, '97, 102, 103.
Parroquet, see *Conurus carolinensis*.
Parrot, Black-billed, see *Amazona agilis*.
 Sea, see *Fratercula arctica*.
 Thick-billed, see *Rhynchositta pachyrhyncha*.
Tres Marias, see *Amazona tresmariae*.
 Yellow-billed, see *Amazona collaria*.

- Parrots, see Psittaci.
 Partridge, see Bonasa umbellus (in North); *Colinus virginianus* (in South).
 Birch, see *Bonasa togata*.
 Buff-breasted, see *Callipepla fulvipectus*.
 California, see *Lophortyx californicus*.
 Canadian Ruffed, see *Bonasa togata*.
 Chestnut-bellied Scaled, see *Callipepla castanogastris*.
 Desert, see *Callipepla deserticola*.
 Gambel's, see *Lophortyx gambeli*.
 Massena, see *Cyrtonyx montezumae*.
 Mountain, see *Oreortyx pictus*.
 Plumed, see *Oreortyx plumiferus*.
 San Pedro, see *Oreortyx confinis*.
 Scaled, see *Callipepla squamata*.
 Spruce, see *Canachites canadensis*.
 Valley, see *Lophortyx vallicolus*.
 Virginia, see *Colinus virginianus*.
 Water, see *Porzana concolor*.
 Parula, see *Compsothlypis*.
Parus, '84, 280, '87, 249, '93, 112, '94, 235.
agilis (*Plumbeous Chickadee*, ^b-*carolinensis*), *g. dist.* '93, 135; *Tex.* '79, '76^b, '88, 46*, 400, '89, 241, '92, 344, '94, 261, 1900, 348.—*nst.* '94, 261.
alascensis (*Siberian Chickadee*, ^b-*cinctus*, ^c-*obtectus*), *Alas.* '78, 37^b, '80, 89^b, '84, 77^b, '85, 373^b, '88, 410^c; *g. dist.* '93, 127^c.—*nst.* '85, 373^b; *syn.* '84, 78^b, '85, 371^b, '97, 132.
ater (^a-*Coal Tit*), *Germany*, '96, 300, 308^a; *Helg.* '95, 336.—*hbt.* '96, 300; *syn.* '96, 327.
atricapillus (^a-*Chickadee or Black-capped Titmouse*), *D. C.* '84, 397, '85, 304; *g. dist.* '93, 127; *Ida.* '98, 20; *Ind.* '89, 29; *Kan.* '94, 215^a; *Ky.* '89, 316; *Mass.* '83, 59, '84, 6^a, '88, 389, '89, 46, 105; *Me.* '79, 140, '82, 109; *Mich.* '93, 229; *Minn.* '84, 244; *N. B.* '82, 109, '89, 119; *N. C.* '86, 177, 313^a, 314, '89, 120; *N. F.* 1900, 73; *N. H.* '87, 107, '88, 151, 153, 155, '89, 77, 79; *N. J.* '79, 81; *N. S.* '87, 16, '91, 165, '99, 253; *N. Y.* '79, 32, '81, 12, 226, 245^a, '82, 155, 187, '84, 135; *Ont.* '83, 145^a, '84, 157; *Pa.* '92, 140, '93, 37, 41, 43, 46, '96, 285, 297; *P. E. I.* '85, 265^a, '93, 5^a, 14; *Que.* '82, 234, '89, 144, 149; *Tenn.* '87, 133?; *Tex.* '87, 298, '88, 119 [*atricristatus?*]; *W. Va.* '98, 137.—*fd.* '95, 383, '98, 144, 150–155; *hbt.* '85, 265, '86, 313^a, '90, 107^a, '92, 67, '98, 152^a; *mig.* '81, 12; *nst.* '86, 400, '98, 20; *plm.* '78, 19, '79, 27^a (*alb.*), '84, 135 (*mlt.*), '86, 177, 313^a, '98, 20; *song.* '84, 135, '97, 99; *syn.* '82, 228; *misc.* '90, 394.
atricristatus ^a (*Black-crested Titmouse*, ^b-*Lophophanes*, ^c-*castaneifrons*), *g. dist.* '93, 135; *Tex.* '79, 76^b, '80, 46^a, '81, 114^b, '82, 35^b, '87, 28*; '88, 119^a, 400^c, '89, 241, '92, 343.—*fd.* '92, 343; *hbt.* '88, 119^a, '89, 241; *meas.* '79, 76^b; *nst.* '79, 76^b, '87, 298, '92, 343; *plm.* '87, 28; *song.* '89, 241; *syn.* '88, 400^c.
bicolor (^a-*Tufted Titmouse*, ^b-*Lo-phophanes*, ^c-*floridanus*), *Ala.* '78, 170^b; *Ark.* '82, 90^b; *Conn.* '77, 108^b; *D. C.* '88, 25; *Denmark*, '80, 69?; *Europe*, '80, 66?; *Fla.* '81, 40^a, '88, 277, '90, 119, '91, 127^b, 138, '92, 214, '95, 366, '98, 181*; *Ga.* '83, 37^b, '96, 214; *g. dist.* '93, 133; *Ind.* '82, 18^b, '83, 171^a, '89, 29; *Ky.* '89, 316; *La.* '82, 161^b, '87, 301^a; *Mich.* '83, 237; *Miss.* '82, 90^b; *Mo.* '79, 140^b, '96, 220; *N. C.* '86, 100^b, 177, 314, '87, 245, '89, 121; *Neb.* '85, 277^b; *N. J.* '79, 81^b, 223^b, '86, 410^a, '88, 421, '89, 305, '94, 140, '97, 325; *N. Y.* '78, 129^b, '79, 34^b, '82, 52^b, '84, 134^b, '93, 277, '99, 196; *Pa.* '93, 38, 41; *S. C.* '79, 211^b, '89, 75^a, '90, 130, '91, 333, '97, 98; *S. D.* '85, 277^b; *Sweden*, '80, 69?; *Tenn.* '86, 316, '87, 133; *Tex.* '82, 8^b; *hbt.* '87, 301^a, '97, 325; *meas.* '98, 181; *mig.* '92, 36^a; *nst.* '82, 8^b, '83, 37^b, '86, 410^a, '90, 85^a, '97, 98; *plm.* '78, 19^b, '79, 116^b (*alb.*), '80, 27^b (*alb.*), '87, 29; *song.* '81, 40^a, '84, 134^b, '87, 245; *syn.* '99, 131^c; *misc.* '90, 81^a.
borealis (^b-*colletti*), *Helg.* '95, 336.—*syn.* '90, 275^b.
britannicus, *syn.* '96, 327; *misc.* '87, 65.
carolinensis (^a-*Carolina Chickadee*), *Ala.* '78, 170; *Ark.* '82, 90; *D. C.* '84, 397, '85, 304, '88, 25; *Fla.* '88, 277, '90, 119, '91, 138, '92, 214, '95, 366; *Ga.* '83, 37, '96, 214; *g. dist.* '93, 133; *Ind.* '89, 29; *Ky.* '89, 316; *La.* '82, 161, '87, 301^a; *Mo.* '96, 220; *N. C.* '86, 100, 177, 309^a, 314, '87, 245, '89, 120; *N. J.* '79, 81, 223, '92, 204, '94, 140; *N. Y.* '80, 173?; '89, 331; *Ore.* '77, 90 [*occidentalis?*]; *S. C.* '79, 211, '89, 75^a, '90, 130, '91, 333, '92, 35^a, 37^a; *Tenn.* '86, 316, '87, 133; *Tex.* '82, 8,

35, '87, 298.—*hbt.* '86, 177, '87, 301^a; *mig.* '92, 35^a, 37^a; *nst.* '82, 8, '83, 37, '86, 177, '94, 135^a; *plm.* '79, 39; *song.* '78, 170, '86, 177.

castaneifrons, '87, 28*, see *atricristatus*.

cineraceus (Ashy Titmouse), *L. Cal.* '84, 284.

cœruleus (* Blue Tit), *Germany*, '96, 300, 308^a; *Helg.* '95, 336.—*hbt.* '96, 300.

columbianus (Columbian Chickadee), *B. C.* '93, 16, 23*, 325, 1900, 107; *g. dist.* '93, 331, '94, 47.—*meas.* '93, 23, 332; *syn.* '93, 325, 332, 333, '94, 47; *misc.* '93, 333.

cristatus, *Helg.* '95, 336.

dresseri, *G. Br.*, *plm.*, *syn.* '87, 64; *syn.* '96, 327.

floridanus, '98, 181*, see *bicolor*.

gambeli (* Mountain Chickadee or Titmouse, ^b *montanus*), *Ariz.* '90, 49, 263; *B. C.* 1900, 107; *Cal.* '80, 47^b, '87, 88; *Colo.* '79, 92^b, '81, 87^b, '83, 154^b, 240^b, '85, 15^b, 140^b, '87, 123, 125, '94, 270; *g. dist.* '93, 127; *Ida.* '98, 21; *Mont.* '81, 204^b, '82, 62^b, '88, 118, '94, 308; *N. M.* '85, 126^a, 331^a, '98, 311; *Ore.* '79, 163^a, '88, 359^a, 362^a, 363; *Wash.* '92, 47, '97, 180; *Wyo.* '81, 204^b.—*hbt.* '85, 127^a; *meas.* '80, 47^b, '81, 205^b, '88, 119, 364; *nst.* '78, 102^b, '79, 92^b, '80, 47^b, '81, 204^b, '83, 240^b, '88, 118, 363, '90, 263; *song.* '81, 87^b, '82, 62^b, '85, 127^a, '88, 363, '94, 308.

griseus (Gray Titmouse, ^b *Lophophanes*, ^c *Lophophanes inornatus*), *Ariz.* '82, 79^c, '90, 48; *Colo.* '81, 87^c, '85, 15^b, '94, 270; *g. dist.* '82, 257^b; *N. M.* '99, 189.

hudsonicus (* Hudsonian Chickadee, ^b *evura*, ^c *ungava*), *Alas.* '84, 283^b, '88, 410, 1900, 118^b; *Conn.* '76, 52; *g. dist.* '93, 321–333, 127, 331; *Hud.* 'B.', '90, 322; *Labrador.* '93, 328*; *Man.* '86, 327; *Mass.* '81, 54, 114, '90, 291, 407, '96, 346; *N. B.* '82, 109, '83, 10^a, '87, 261, '89, 119, '94, 82^b; *N. H.* '87, 107, '88, 153; *N. S.* '87, 16, '94, 82^a, '99, 253; *N. Y.* '81, 226, '90, 232; *Ont.* '83, 55 [not *rufescens*, see '83, 116], '84, 157, '89, 204; *P. E. I.* '85, 265, '93, 5^a, 14; *Que.* '82, 234, '84, 88, '89, 149; *R. I.* '81, 54; *Vt.* '90, 407, '96, 345.—*fd.* '96, 346; *hbt.* '85, 265, '94, 82^a; *meas.* '93, 24, 328, 329^c, 330^c, 331^b, 332, 332^b, 332^c; *nst.* '83, 10^a, '87, 261;

plm. '78, 20, '93, 323, 327, 1900, 118^b; *song.* '81, 54, '93, 14, '96, 346; *syn.* '78, 105, '93, 321–333, 324^c, 328^c, 331^b, '94, 49, 49^b, 49^c, 1900, 113^b, 118^b; *misc.* '84, 88^a, 185, '93, 333, 333^b, 333^c.

inornatus (Plain or Gray Titmouse, ^b *Lophophanes*), *Cal.* '78, 68^b, '79, 182^b, '86, 186, '89, 221, '96, 122; *g. dist.* '93, 135.—*meas.* '78, 69^b, '79, 183^b; *nst.* '78, 68^b, '79, 182^b, '96, 122; *plm.* '79, 39^b.

kmatschatkensis (^b *Poecila*), *Helg.* '95, 336.—*syn.* '86, 266^b.

major, *Germany*, '96, 300; *Helg.* '95, 336.—*hbt.* '96, 300.

mitratus, *syn.* '90, 275.

neglectus (Californian Chickadee), *Cal.* '80, 42, 89.—*plm.*, *syn.* '80, 42.

occidentalis (Oregon Chickadee), *Alas.* '81, 6^a [= Black-capped Titmouse 'I]; *B. C.* '93, 291, 382; *Cal.* '86, 186, '87, 86; *g. dist.* '93, 127; *Ore.* '86, 171; *Wash.* '82, 227, 228, '93, 17, 291, 382, '97, 180, 1900, 357.—*plm.*, *syn.* '82, 228; *misc.* '80, 87.

palustris (* Swamp Titmouse), *Germany*, '96, 300, 306^a; *Helg.* '95, 336.—*hbt.* '96, 300; *syn.* '96, 327.

rufescens (Chestnut-backed Chickadee), *Alas.* '98, 130; *B. C.* 1900, 107; *g. dist.* '93, 127; *Ida.* '97, 349, '98, 21; *Ont.* '83, 55 [= *hudsonicus*, see '83, 116]; *Ore.* '86, 171, '88, 363?; '91, 397; *Wash.* '92, 47, 1900, 357.—*nst.* '86, 171, 1900, 357; *plm.* '78, 20; *syn.* '80, 42.

scateri (Mexican Chickadee, ^b *meridionalis*), *Ariz.* '81, 252^b, '82, 79^b, '91, 90^b; *Mex.* '81, 252^b, '95, 358^b.—*meas.*, *plm.*, *song.* '82, 80^b; *syn.* '91, 90^b, '98, 160, '99, 126; *misc.* '80, 88^b.

septentrionalis (Long-tailed Chickadee, ^b *turneri*), *Alas.* '85, 207^b; *B. C.* 1900, 107; *Colo.* '80, 225, '81, 87, '83, 154, '85, 15^a, '87, 123, '94, 270; *g. dist.* '93, 127; *Man.* '86, 327; *Mont.* '88, 119, '94, 308, '95, 218; *N. M.* '85, 331; *S. D.* '85, 277.—*meas.*, *nst.* '88, 119; *plm.* '81, 85, '83, 154, '92, 195^b; *song.* '80, 225, '87, 123; *syn.* '83, 154.

stoneyi (Kowak Chickadee, ^b *hudsonicus*), *Alas.* '87, 13^b, 336, '88, 400, '93, 330; *g. dist.* '93, 127.—*meas.* '93, 24, 331, 332; *plm.*, *syn.* '93, 330; *misc.* '93, 333.

texensis (Texan Tufted Titmouse), *g. dist.* '93, 135; *Tex.* '87, 29*, '88, 400, '92, 343, 1900, 348.

- ungava, '93, 328*; see *hudsonicus*.
 wollweberi (Bridled Titmouse, *Lophophanes*), *Ariz.* '82, 79^b, '85, 349^b, '86, 84-86, '88, 166, '90, 48; *g. dist.* '93, 135.—*meas.* '86, 85, 86; *nst.* '85, 349^b, '86, 84.
- parva (Himatione), see *Himatione*.
 —— (*Muscicapa*), see *Muscicapa*.
 —— (*Porzana*), see *Porzana*.
 —— (*Spermophilus*), see *Sporophila parva* or *sharpei*.
 —— (*Sporophila*), see *S. parva* or *sharpei*.
 —— (*Sula*), see *S. piscator*.
 parvirostris (*Crypturus*), see *Crypturus*.
 parvulus (*Antrostomus*), see *Antrostomus*.
 —— (*Troglodytes*), see *Anorthura troglodytes*.
 parvus (*Phoenicopterus*), see *Phoenicopodus*.
 —— (*Tyranniscus*), see *Tyranniscus*.
 parzudaki (*Ornismya*), see *Sporadinus ricordi*.
 pasadenensis (*Harporhynchus*), see *Harporhynchus*.
 pascuus (*Corvus*), see *Corvus*.
Passer, '84, 57, '86, 211, '93, 99, '94, 233.
domesticus (^a English or European House Sparrow), *Australia*, '82, 117^a, '84, 87^a; *Bermuda*, '96, 239; *Bahamas*, '91, 395; *Canada*, '84, 87^a; *D. C.* '88, 22; *Fla.* '90, 342, '97, 99; *Germany*, '96, 306^a; *Greenl.* '89, 297; *Helg.* '95, 325, '96, 146^b; *Ill.* '84, 85^a, '95, 395; *Ky.* '89, 316; *La.* '87, 304, '92, 206; *Mass.* '89, 45, 101; *Me.* '83, 112, '97, 414^a; *Mich.* '93, 230; *Minn.* '96, 348^a; *Mo.* '80, 192; *N. B.* '84, 295; *N. C.* '86, 314; *N. H.* '88, 152; *N. J.* '89, 198^a; *N. S.* '90, 212, '99, 253; *N. Y.* '79, 32, '82, 256, '85, 309; *O.* '83, 127^a; *Ont.* '83, 145, '84, 159; *Pa.* '89, 140^a, '92, 137; *Que.* '84, 295; *R. I.* '91, 392; *S. C.* '85, 190, '89, 197^a; *N. M.* '98, 309^a; *New Zealand*, '83, 119; *Tenn.* '86, 318, '87, 131; *Tex.* '92, 231; *Va.* '86, 161^a; *W. I.* '86, 211; *W'st.* '86, 286^a; *W. Va.* '98, 136.—*anat.* '96, 114; *fd.* '84, 159, '85, 300, '89, 180^a, '90, 388^a, 388^a, '96, 285^a; *hbt.* '84, 85^a, 159, 188^a, 189^a, 189^a, '85, 99^a, '86, 286^a, '87, 171^a, '88, 22, '89, 197, 297, '92, 395^a, '94, 261^a, '96, 285^a, 239, '98, 193, '99, 287^a, '98, 102^a; *nst.* '80, 192, '88, 22, 152, '91, 110, '92, 206, 319^a, '95, 301, '98, 193; *plm.* '76, 21 (alb.), '80, 30 (alb.), '97, 107; *syn.* '86, 211, '88, 412; *misc.* '79, 111^a, '80, 41, '81, 193^a, '82, 117^a, '83, 119, 171, '84, 87 (5 items), 186^a, 287^a, 287^a, '85, 211^a, 296^a, '86, 400^a, 476^a (7 items), 485, '87, 68^a, 338^a, 360, 177^a (3 items), 179^a, 181^a (4 items), 326^a, '90, 83^a, 200, 392, 413^a, '91, 387^a, 388^a (7 items), 389^a (6 items), 391^a, '92, 286, '96, 338^a, 348^a, '99, 295^a, 1900, 57, 87^a.
griseigularis, *syn.* '88, 412.
montanus (^b *Pyrgita*), *Helg.* '95, 336; *Ky.* (introduced), '89, 316; *Mo.* (introd.), '77, 73^b, '80, 121^b, 191^b, '89, 326.—*hbt.*, *nst.* '80, 191^b; *plm.* '80, 27 (alb.); *syn.* '83, 113; *misc.* '82, 243.
saturatus, *Japan*, '88, 196.
 Passerculus, see *Ammodramus*.
Passerella, '78, 3, 138, '89, 107.
annectens, 1900, 30*; see *unalaschensis*.
fuliginosa, 1900, 30*; see *unalaschensis*.
iliaca (^a Fox Sparrow or Fox-colored Sparrow), *Ala.* '79, 9; *Alaska*, '80, 35, '81, 3^a, 5^a, '87, 13; *Europe*, '80, 66; *Fla.* '81, 15? '89, 323, '92, 213, '95, 365; *Ga.* '96, 214; *g. dist.* '78, 7, '89, 107, 108, '93, 126; *Ia.* '95, 121, 236; *Ill.* '90, 242; *Ind.* '89, 25; *Kan.* '94, 215^a; *Ky.* '89, 315; *La.* '99, 267; *Man.* '86, 324; *Mass.* '83, 150^a, '93, 296; *Mo.* '79, 144, '96, 217; *Mont.* '88, 18^a; *N. B.* '83, 7^a; *N. F.* 1900, 72; *N. J.* '79, 82, '91, 105, '92, 204; *N. S.* '90, 398^a, '99, 253; *N. Y.* '79, 32, 36, '81, 230, '84, 177, 178, '85, 150, '89, 176^a, '99, 283^a; *O.* '95, 242; *Que.* '84, 295, '89, 148; *S. C.* '79, 214, '99, 197; *S. D.* '85, 281; *Tenn.* '86, 318; *Tex.* '82, 39, '92, 339.—*meas.* '78, 6, '89, 109; *mig.* '83, 7^a, 8^a, '84, 177, 178, '87, 67^a, '89, 176^a, '95, 121, 129^a, 236, 242, '99, 197; *nst.* '89, 107, 148, '90, 398^a; *plm.* '76, 21 (alb.); *song.* '81, 3^a, '83, 8^a, '85, 150; *syn.* '78, 3, '96, 265, 266 ('Fringilla').
insularis, 1900, 30*; see *unalaschensis*.
megarhyncha (Thick-billed Sparrow), *Cal.* '78, 66, '95, 349, '98, 235; *g. dist.* '78, 7, '89, 107, 111, '93, 126; *Ore.* '88, 359.—*meas.* '78, 6, '89, 112, '95, 349; *nst.* '89, 107, 111; *syn.* '78, 3.
schistacea (Slate-colored Sparrow), *Ariz.* '82, 197; *B. C.* '93, 16; *Colo.* '85, 16; *g. dist.* '78, 7, '89, 107, 113, '93, 126; *Ida.* '98, 17; *Wash.*

'93, 16, 1900, 245.—*meas.* '78, 6; '89, 116; *nst.* '89, 107, 113; *song.* '89, 113; *syn.* '78, 3.

stephensi (Stephen's Sparrow), *Cal.* '95, 348^a; '97, 122.—*meas.* '95, 349; *syn.* '97, 122.

unalaschensis (^a Townsend's Sparrow, ^b townsendi, ^c fuliginosa, ^d insularis, ^e annectens), *Alas.* '98, 129; *Cal.* '87, 93, '98, 235; *g. dist.* '78, 7^b, '89, 107, 109, '93, 126, '99, 36^{a*}, 1900, 30, 30^b, 30^c, 30^{d*}, 30^{e*}; *Ore.* '79, 165^b, '86, 169, '88, 359; *Wash.* 1900, 356.—*hbt.* '86, 169; *meas.* '78, 6^b, '89, 111; *nst.* '89, 107, 109, '92, 288; *plm.* '86, 169, 1900, 10^a; *song.* '89, 109, '98, 129; *syn.* '78, 3^b, '80, 177^b, '89, 109, '95, 149.

Passeres, '76, 61, '81, 7, 28, 30–36, 45, 80, 83, 224, '89, 266, '90, 279, '94, 315, '97, 229, 341, '99, 78.

Passeriformes, '83, 99, '85, 365, '87, 149, '88, 190, 411, '89, 266, '90, 379, '91, 90.

Passerina (^b *Plectrophenax*), '80, 96, '82, 179^b, '84, 118^b, 119^b, '88, 444^b, '98, 323, '99, 116, see also *Cyanospiza*, '80, 96, '84, 229, '86, 210, '88, 412, '90, 123, '98, 323, '99, 121.

hyperborea (McKey's Snowflake, ^b *Plectrophenax*), *Alas.* '85, 291^b, '86, 276^b, '98, 269^b.—*g. dist.* '93, 124^b; *plm.* '85, 291^b, '86, 276^b (mlt.); *syn.* '86, 135^b, '98, 324, '99, 117.

nivalis (^a Snowflake or Snow Bunting, ^b *Plectrophanes*, ^c *Plectrophenax*), *Alas.* '85, 63^b, '86, 135^c, 276^c, '94, 103^a; *Arctic R.* '78, 86^b, 1900, 310^c; *Cal.* '90, 215^b; *Colo.* '85, 16^b; *g. dist.* '93, 124^c; *Gozo I.* '77, 70^b; *Grecl.* '89, 211^a, 295^c, '92, 282^a; *Holg.* '95, 326^c; *Hud. B.* '90, 322^c; *Ida.* '98, 15^c; *Ind.* '89, 24^c; *Malta.* '77, 70^b; *Man.* '85, 23^b, '86, 323^c; *Minn.* '84, 245^b, '89, 341^a; *Mont.* '80, 75^a, '95, 216^a; *N. B.* '83, 126^a, '84, 294^a; *N. E.* '86, 400^c; *N. J.* '87, 67^a; *N. S.* '99, 253; *N. Y.* '79, 32^a, 33^b, '81, 229^b, '84, 177^b, 178^b, '86, 441^a; *Ont.* '84, 159^b; *Pa.* '90, 395^c; *P. E. I.* '85, 263^a; *Que.* '82, 235^b; *S. D.* '85, 279^b; *Siberia*, 1900, 309^c; *Va.* '89, 195^c; *Wash.* '97, 178^c.—*fd.* '84, 159^b, '85, 263^a; *mig.* '84, 177, 178, '85, 63^b, 263^a, '89, 295^c, '94, 103^a; *nst.* '89, 296^c; *plm.* '79, 46^b, '96, 165^a, 242^c (mlt.); *song.* '85, 263^a, '89, 296^c; *syn.* '98, 324, '99, 116; *misc.* '76, 31^b, '81,

179^b, '83, 2^b (fig.), 177^b, '85, 101^a, '92, 68^a.

townsendi (Prybilof Snowflake, ^b *Plectrophenax*, ^c *Plectrophenax nivalis*), *Alas.* '85, 157^c; *g. dist.* '87, 336^b, '88, 397^b.—*syn.* '98, 324, '99, 117.

passerina (Chamæpeleia), see *Columbigallina terrestris* or *pallescens*.

— (Columba), see *Columbigallina*.

— (*Columbigallina*), see *Columbigallina*.

— (*Emberiza*), see *Ammodramus savannarum*.

— (*Fringilla*), see *Ammodramus savannarum*.

— (*Goura*), see *Columbigallina*.

— (*Psittacula*), see *Psittacula*.

Passerinæ, '81, 30.

passerinii (Rampheoculus), see *Ramphocelus*.

passerinus (*Ammodramus*), see *Ammodramus*.

— (*Chloronoperpes*), see *Nesoctites micromegas*.

— (*Coturniculus*), see *Ammodramus passerinus* or *perpallidus*.

— (*Picus*), see *Nesoctites micromegas*.

Pastor roseus, *Holg.* '95, 331.

patachonica (*Aptenodytes*), see *Aptenodytes*.

Patagonia.

Allen, J. A., '92, 281, '99, 292.

Lucas, F. A., '96, 61–63.

Oustalet, E., '92, 281.

patagonicus (*Mimus*), see *Mimus*.

patagonus (*Conurus*), see *Conurus*.

Patoo, see *Nyctibius jamaicensis*.

Brown, see *Pseudoscops grammicus*.

White, see *Strix furcata*.

White-headed, see *Nyctibius jamaicensis*.

Patten, Jeanie Maury.

[Bird protection in District of Columbia], '98, 95.

paulus (*Hapalocercus*), see *Hapalocercus*.

pauper (*Camarhynchus*), see *Camarhynchus*.

— (*Centurus*), see *Centurus*.

Pavo cristatus, *plm.* '82, 134.

Pavoncella (^b *Machetes*), '80, 100^b, '82, 179.

pugnax (Ruff, ^b *Philomachus*, ^c *Machetes*), *G. Br.* '80, 146^c; *Holg.*

'95, 339; *Md.* '96, 68^a?; *Mc.* '76, 19^b;

N. C. '92, 299; *O.* '77, 83^b; *Ont.* '84,

186^c, '85, 336^b; *Va.* '94, 325.—*hbt.*

- '93, 293; *plm.* '81, 240^c, '85, 336^b, 1900, 333^a; *syn.* '80, 100^c; *misc.* '83, 237^c.
- pavonina (Balearica), see Balearica.
- pavua (Conurus), see Conurus.
- paykulli (Scopulax), see Macrorhamphus griseus.
- Peabody**, Putnam Burton.
- Nesting of Krider's Hawk (*Buteo borealis krideri*) in Minnesota, '95, 11-16.
- White-faced Glossy Ibis breeding in Minnesota, '96, 79.
- Peabody-bird, see *Zonotrichia albicollis*.
- Peach-brigade, see *Contopus richardsonii* or *trailii*.
- Peacock, see *Pavo cristatus*.
- Pealea**, '86, 334*.
- pealei (Ardea), see *A. rufescens*.
- (Demiegretta), see *Ardea rufescens*.
- (Dichromanastra), see *Ardea rufescens*.
- (Falco), see *Falco*.
- (Herodias), see *Ardea rufescens*.
- Pearsall**, Richard Franklin.
- Note on the Purple Finch, '79, 122.
- Notes on breeding habits of Caspian Tern, '81, 63.
- Notes on Winter Wren (*Anorthura troglodytes hysnalis*), '81, 244.
- Pearson**, Henry J.
- Beyond Petsora eastward (rev.), 1900, 307.
- Pearson**, Thomas Gilbert.
- Passer domesticus* at Archer, Fla., and other Florida notes, '97, 99.
- Brünnich's Murre (*Uria lomvia*) at Newberne, N. C. '97, 202.
- An addition and a correction to list of North Carolina birds, '98, 275.
- Notes on some birds of eastern North Carolina, '99, 246-250.
- Preliminary list of birds of Chapel Hill, N. C. (rev.), 1900, 82.
- pecoris (Molothrus), see *M. ater*.
- pectoralis (Automolus), see *Automolus*.
- (Colinus), see *Colinus*.
- (Habrura), see *Habrura*.
- (lynx), see *L. ruficollis*.
- (Pelidna), see *Tringa maculata*.
- (Phaopicus), see *Meiglyptes tukki*.
- (Tringa), see *T. maculata*.
- Pediocetes, see *Pediocetes*.
- Pediocetes**, '83, 167, '84, 54, '90, 73, '93, 109, 130, '98, 65, '99, 20-23, 107.
- campestris ("Prairie Sharp-tailed Grouse, ^b columbianus"), *Colo.* '85, 17^b; *g. dist.* '85, 208, '93, 134; *Ill.*

- '80, 45^a; *Man.* '86, 153^b, 453; *Minn.* '80, 17^b; *Mont.* '89, 301, '94, 302, '95, 213; *S. D.* '85, 285^b; *Wis.* '80, 45^a.—*anat.* '93, 281; *fd.* '95, 213; *hbt.* '92, 283; *meas.* '93, 283; *plm.* '77, 66^b, '92, 196, '93, 281, 1900, 164 (mlt.); *syn.* '99, 23.

- columbianus** (Columbian Sharp-tailed Grouse, ^b *Tetrao*), *Ariz.* '91, 367; *Cal.* '78, 96^b; *Colo.* '85, 17 [campestris?]; *g. dist.* '93, 134; *Ida.* '97, 352; *Man.* '86, 153 [campestris?]; *Minn.* '80, 17 [campestris?]; *Ore.* '79, 197, '88, 145, '93, 344 (fossil); *S. Dak.* '85, 285 [campestris?]; *Wash.* '82, 227-233, '97, 173.—*hbt.* '89, 33, '97, 352; *plm.* '80, 29 (alb.), '82, 233, 1900, 164 (mlt.); *syn.* '95, 72, '99, 23; *misc.* '94, 68, 68.

- lucasi** (fossil), *Ore.* '91, 367, '93, 344.

- minor** (fossil), *Ore.* '91, 367.
- nanus** (fossil), *Ore.* '93, 344.
- phasianellus** ("Sharp-tailed Grouse"), *g. dist.* '93, 126; *Man.* '86, 329, 453, '93, 50^a; *Mass.* '92, 387^a (introduced).—*plm.* '84, 391 (hyb.), 1900, 164 (mlt.); *syn.* '99, 23; *misc.* '92, 189, 385^a.

- Peep**, see *Tringa minutilla* or *Ereunetes semipalmatus*.

- pelagica** (*Chætura*), see *Chætura*.

- (*Procellaria*), see *Procellaria*.

- (*Thalassidroma*), see *Procellaria*.

- pelagicus** (*Haliaëtus*), see *Thalassaëtus*.

- (*Larus*), see *L. schistisagus*.

- (*Phalacrocorax*), see *Phalacrocorax*.

- (*Thalassaëtus*), see *Thalassaëtus*.

- Pelagodroma marina** (White-faced Petrel), *N. Am.* '85, 386.

- Pelargomorphæ**, '81, 78.

- Pelargopsis**, '94, 234.

- pelasgia** (*Chætura*), see *C. pelasgia*.

- Pelecanidae** ("Pelicans"), '81, 78, 194^a, '93, 78^a, 106, '94, 337, '96, 111.

- Pelecanoidea**, '94, 337.

- Pelecanoides**, 1900, 167.

- exsul*, *syn.* '96, 161.

- Pelecanus**, '88, 70, '93, 99, '94, 337.

- californicus** (California Brown Pelican), *Cal.* '77, 74^a, '86, 125^a, 267,

- 401, '87, 87, 329; *L. Cal.* '90, 281; *N. Am.* '84, 384; *Wash.* '92, 353.—*plm.* '86, 267, 401.

- erythrorynchos** ("American

- White Pelican, ^b *trachyrhynchus*),

- Cal.* '86, 89; *Canada*, 1900, 177; *Colo.* '85, 18, 144; *D. C.* '84, 397; *Fla.* '87,

273^a, 274^a, '88, 377, '92, 211, '93, 337; *Ind.* '88, 346; *Ky.* '89, 312; *Man.* '86, 148; *Mass.* '77, 22^b; *Md.* '89, 176; *Mo.* '89, 312; *Me.* '92, 292; *Minn.* '80, 19^b, '84, 249^a; *N. B.* '82, 106; *N. C.* '93, 242; *N. E.* '76, 60^b; *N. Y.* '87, 67^a, '93, 270, '95, 313; *Ont.* '84, 395^a, '85, 111^a; *Ore.* '79, 198, '83, 235^a, '88, 141, '91, 366? (fossil), '93, 344 (fossil); *S. D.* '85, 288; *Tex.* '82, 225, '87, 184, 1900, 338; *Ia.* '88, 147; *Wash.* '97, 171.—*fd.* '88, 25; *hbt.* '87, 274^a, '88, 25, '92, 192; *mig.* '86, 148; *nst.* '80, 19^b, '83, 235^a; *plm.*, *syn.* '80, 36.

fuscus (^a Brown Pelican), *Bahamas*, '91, 79, 295, 296; *Fla.* '87, 136^a, 137^a, 138^a, 139^a, 140^a, 214^a, 215^a, 216^a, 218^a, 219^a, 273^a, 279^a, 280^a, 281^a, '88, 377, '90, 307, '91, 133^a, 137, 231, 233, '92, 211; *Ia.* '90, 397^a; *Ill.* '80, 31, 32; *Jamaica*, '91, 363; *Ky.* '92, 206?; *La.* '82, 165; *Minn.* '84, 249^a, '93, 289; *S. C.* '94, 85; *Tex.* '82, 225, 1900, 338; *Venez.* '97, 367; *W. I.* '81, 155, '88, 70, '91, 46; *Wyo.* '99, 351.—*anat.* '89, 333; *fd.* '87, 139^a; *hbt.* '88, 26; *meas.* '99, 351; *nst.* '87, 218^a, 219^a, 281^a, '91, 231; *plm.* '86, 267, '91, 190, '99, 351 (inlt.); *syn.* '88, 70, '99, 178; *misc.* '91, 107^a, '92, 386^a, 1900, 95^a.

Pelican, American White, see Pelecanus erythrorynchos.

Brown, see Pelecanus fuscus.

California Brown, see Pelecanus californicus.

Frigate, see Fregata aquila.

Pelicans, see Pelecanidae.

Pelidna, see Tringa.

Pelycyornis, '96, 62.

Pelzeln, August von.

Obituary of, '91, 400, '92, 74.

Pelzelni (Euscarthmus), see Euscarthmus.

— (Myrmeciza), see Myrmeciza.

Penelope iacupema, *misc.* '96, 266.

obscura, *Argent.*, *Urug.*, *hbt.*, *nst.*, *song*, '84, 275.

penelope (Anas), see Mareca.

— (Mareca), see Mareca.

Penelopides, '94, 234, 235.

affinis, *P. I.* '94, 236.

basilanica, *P. I.* '94, 236.

manillæ, *P. I.* '94, 236.

mindorensis, *P. I.* '94, 236.

panini, *P. I.* '94, 235.

samarensis, *P. I.* '94, 236.

Penelopina nigra, *Mex.* '98, 156.

Penguin, see Plautus impennis.

King, see Aptenodytes patachonica.

penicillatus (Phalacrocorax), see Phalacrocorax.

peninsulae (Ammodramus), see Ammodramus.

— (Contopus), see Contopus.

— (Cuculus), see Cuculus.

— (Horizopus), see Contopus.

— (Pyrrhuloxia), see Pyrrhuloxia.

peninsularis (Falco), see Falco.

Pennock, Charles John.

Relaying of hawks in same nest when robbed, '78, 41.

Note on nesting of *Buteo brachyurus* at St. Marks, Florida, '90, 56.

Pennsylvania.

Allen, J. A., '76, 96, '84, 184, '92, 176–177, '96, 244, '98, 72–73.

Baily, W. L., '96, 289–297.

Batchelder, C. F., '91, 101–103.

Boudwin, G., '94, 70.

Brewster, W., '80, 1.

Castlebury, F. F., '90, 307.

Chadbourne, A. P., '89, 257.

Collins, W. L., '80, 50.

Congdon, H. W., '95, 189–190.

Coues, E., '80, 179, '83, 171.

Danenhour, F. H., '92, 283.

Dwight, J., Jr., '92, 129–141, 202.

Erdis, E. C., '87, 69.

Fowler, H. W., '97, 326 [not 'W. Stone'], 410.

Gentry, T. G., '76, 49, '78, 36, '80, 179.

Haldeman, V. M., '87, 175.

Homer, F. LeR., '90, 330–331.

Ingersoll, E., '81, 184.

Jacobs, J. W., '90, 84, 85, '91, 106.

Kirkpatrick, H. C., '84, 289, '95, 309–310.

Lawrence, R. B., '87, 349.

Moore, H. F., '88, 210–211.

Munson, S. A., '83, 178.

Pennock, C. J., '90, 84.

Raub, M. W., '92, 200.

Reed, J. H., '88, 432, '89, 339–340, '97, 374–383.

Rhoads, S. N., '79, 234–235, '82, 55–56, '99, 308–313.

Ridgway, R., '80, 118.

Sennett, G. B., '80, 125–126, '82, 58, '89, 76, '90, 88–89.

Stone, W., '86, 475, '87, 161, '88, 115, 116, 322, '89, 140–144, '94, 182,

'97, 317, 324, 326 [see Fowler], '98, 331.

Todd, W. E. C., '91, 116, 236, 238–

- 239, 240, 395, 397-399, '93, 35-46,
209.
Townsend, C. H., '82, 181, 251, '84,
184.
Trotter, S., '77, 79, '79, 235-236,
'80, 115, 121.
Tuelon, J. A., '83, 171, 233.
Van Fleet, W., '76, 9-11.
Warren, B. H., '81, 49, '85, 373, '86,
477, 477, '90, 395, 396.
Warwick, W. T., '85, 98, 100.
Wescott, C. S., '82, 117.
Young, R. T., '96, 278-285.
Pennsylvania [appropriations and statutes for bird protection], '89, 283.
Pennsylvania, State Board of Agriculture, report, titles (Nos. 1059-1062), '86, 477.
pennsylvanica (*Motacilla*), see *Dendroica*.
— (*Vermivora*), see *Helmitherus vermivorus*.
— (*Buteo*), see *B. latissimus*.
pensilis (*Rhimamphus*), see *Dendroica dominica*.
— (*Sylvia*), see *Dendroica dominica*.
— (*Sylvicola*), see *Dendroica dominica*.
pensilvanica (*Alauda*), see *Anthus*.
pensilvanicus (*Anthus*), see *Anthus*.
pensylvanica (*Dendroica*), see *Dendroica*.
Penthetriopsis, '91, 92.
peposaca (*Metopiana*), see *Metopiana*.
percopterus (*Vultur*), see *Vultur*.
perenus (*Thryomanes*), see *Thryomanes*.
percussus (*Chlororoperes*), see *Xiphidiopicus*.
— (*Chloropicus*), see *Xiphidiopicus*.
— (*Dendrobates*), see *Xiphidiopicus*.
— (*Picus*), see *Xiphidiopicus*.
— (*Xiphidiopicus*), see *Xiphidiopicus*.
Perdicinae, '93, 109, '94, 172.
Perdix perdix, *Helg.* '95, 337.
perdix (*Brachyrhampus*), see *Brachyrhampus*.
— (*Perdix*), see *Perdix*.
peregrina (*Helinaia*), see *Helminthophila*.
— (*Helminthophila*), see *Helminthophila*.
— (*Otocoris*), see *Otocoris*.
— (*Sylvia*), see *Helminthophila*.
peregrinator (*Chætura*), see *C. gaumeri*.
peregrinus (*Falco*), see *F. peregrinus* or *anatum*.
Pericrocotus, '94, 243.

- igneus*, *Borneo*, '90, 352.
tegimæ, *Japan*, '87, 250.
Periodicals noticed, see each title.
Perisoreus, '84, 57, '90, 278, '96, 73, 158.
— (*canadensis* ("Canada Jay"), *g. dist.* '93, 126; *Hud. B.* '90, 322; *Man.* '86, 321; *Mass.* '90, 91, '92, 395; *Me.* '82, 122, 149, '85, 99^a; *Mich.* '81, 119^a, '93, 225, '99, 12-19; *Minn.* '84, 245; *N. B.* '82, 181, '89, 117; *N. C.* '86, 101^a; *N. F.* 1900, 72, '87, 103^a, 104; *N. S.* '91, 165, '99, 251; *N. Y.* '78, 53, '81, 231, '83, 52^a; *Ont.* '84, 160, '85, 335; *P. E. I.* '85, 265, '93, 10^a; *Que.* '82, 236, '85, 107^a; *Vt.* '82, 64, '87, 256.—*fd.* '90, 91, '99, 12, 17; *hbt.* '91, 391, '99, 12, 251; *meas.* '99, 15; *mig.* '85, 107^a; *nst.* '82, 181, '85, '99, 12-19 (photos.); *song*, '99, 12, 14, 16; *syn.* '80, 107; *mise.* '83, 4 (fig.), '88, 316^a, '90, 389, 389, 397^a.
— (*capitalis* (Rocky Mountain Jay), *b. canadensis*), *Ariz.* '90, 49, 256; *B. C.* '93, 16; *Colo.* '79, 94^b, 239, '81, 140, '85, 16, '89, 230, '94, 268; *g. dist.* '93, 126; *Ida.* '97, 356; *Mont.* '82, 62, '94, 304; *N. M.* '86, 75, '98, 309; *Wash.* '93, 16.—*fd.* '89, 230; *hbt.* '81, 140, '86, 75; *meas.* '79, 239, 240; *nst.* '79, 239, '97, 356; *syn.* '78, 79, '80, 107.
— (*fumifrons* (Alaskan Jay), *Alas.* '80, 178, '87, 12; *g. dist.* '93, 126; *Wash.* '83, 169.
— (*griseus*), '99, 255^a, see *obscurus*.
— (*infaustus*, *Helg.* '95, 330.—*mise.* '96, 158.
— (*nigricapillus* (Labrador Jay), *g. dist.* '93, 126; *Labrador*, '82, 258, '83, 169.
— (*obscurus* (Oregon Jay), *b. griseus*), *g. dist.* '93, 126, '99, 255^b*; *Ore.* '79, 195, '86, 167, '88, 226, 261, '89, 235, '91, 397; *Wash.* '92, 45, 309.—*hbt.* '86, 167, '92, 45; *meas.*, *nst.*, *song*, '86, 167; *syn.* '78, 79, '80, 107, 178.
Perissoglossa, '94, 141, 144, see *Dendroica*.
Perissospiza, 1900, 304.
Peristera cinerea, *C. R.* '92, 329.
— (*mondetura*), *syn.* '90, 385.
Peristeridæ, '94, 61, '99, 319.
Peristeropodes, '81, 80, '94, 172, '97, 341.
perlata (Leucocerca), see *Rhipidura*.
— (*Rhipidura*), see *Rhipidura*.
— (*Strix*), see *Strix*.

- permagna (Treron), see Treron.
Pernes, '77, 71.
 pernigra (Cathartes), see Cathartes.
Pernis, '94, 233, 234.
 —— *apivorus*, *Heig.* '95, 329.
pernix (Ochthodicta), see Ochthodicta.
peronii (Ægialitis), see Ægialitis.
 —— (Charadrius), see Ægialitis.
perpallida (*Columbigallina*), see Columbigallina.
perpallidus (*Ammodramus*), see Ammodramus.
 —— (*Coturniculus*), see Ammodramus.
perplexus (*Empidonax*), see Empidonax.
perquisitor (Vireo), see Vireo.
Perrior, Albert William.
 Food of Robin, '99, 284.
 Bohemian Waxwing in Onondaga Co., N. Y. 1900, 68.
 Obituary of John A. Dakin, 1900, 196.
persicus (*Cassicus*), see Cassicus.
personata (*Tityra*), see Tityra.
personatus (*Icterus*), see I. leucopteryx.
 —— (*Nesomimus*), see Nesomimus.
 —— (*Phlorhix*), see P. fasciatus.
 —— (*Trichas*), see Geothlypis trichas.
perspicillata (*Anas*), see Oidemia.
 —— (*Oidemia*), see Oidemia.
 —— (*Pelionetta*), see Oidemia.
perspicillatus (*Lichenops*), see Lichenops.
 —— (*Phalacrocorax*), see Phalacrocorax.
pertinax (*Contopus*), see C. pertinax or pallidiventris.
 —— (*Conurus*), see Conurus.
 —— (*Horizopus*), see Contopus.
Peru.
 Saunders, H., '83, 54.
peruviana (*Brachyspiza*), see Brachyspiza.
 —— (*Cereba*), see Cereba.
 —— (*Dendroornis*), see D. chuncho-tambo.
 —— (*Manikup*), see Manikup.
 —— (*Pyrgita*), see Brachyspiza.
peruvianus (*Pithys*), see Manikup.
Petasophora coruscans, *Colom.?*, plm. '89, 210.
 —— *thalassina*, *Mex.* '95, 357.
 Petchary, see *Tyrannus dominicensis*.
petechia (*Dendroica*), see Dendroica.
 —— (*Motacilla*), see Dendroica.
 —— (*Sylvia*), see Dendroica.
 —— (*Sylvicola*), see Dendroica petechia or gundlachi.
- petenica (Aimophila), see Aimophila.
 Peter-bird, or Peto, see *Parus bicolor*.
 Peters, Ernst, and Berlepsch, H. von, see Berlepsch and Peters.
Petrel, Alaskan, see Æstrelata fisheri.
 Ashy, see *Oceanodroma homochroa*.
 Black, see *Oceanodroma Melania*.
 Black-capped, see Æstrelata hasitata.
 Bulwer's, see *Bulweria bulweri*.
 Capped, see Æstrelata hasitata.
 De Filippi's, see Æstrelata defilippiana.
 Fisher's, see Æstrelata fisheri.
 Fork-tailed, see *Oceanodroma furcata*.
 Fulmar, see *Fulmarus glacialis*.
 Guadalupe, see *Oceanodroma macrodactyla*.
 Hawaiian, see *Oceanodroma cryptoleucura*.
 Hornby's, see *Oceanodroma hornbyi*.
 Jamaican, see Æstrelata caribbaea.
 Kaeding's, see *Oceanodroma kaeddingi*.
 Knudsen's, see *Oceanodroma cryptoleucura*.
 Leach's, see *Oceanodroma leucorhoa*.
 Least, see *Halocyptena microsoma*.
 Peale's, see Æstrelata scalaris.
 Pintado, see *Daption capensis*.
 Scaled, see Æstrelata scalaris.
 Socorro, see *Oceanodroma socorroensis*.
 Stormy, see *Procellaria pelagica*.
 Townsend's, see *Oceanodroma townsendi*.
 White-bellied, see *Fregetta grallaria*.
 White-faced, see *Pelagodroma marina*.
 White-faced Stormy, see *Pelagodroma marina*.
 Wilson's, see *Oceanites oceanicus*.
 Petrels, see *Procellariidae*.
petrificatus (*Ereunetes*), see E. pusillus.
Petrochelidon, '84, 43, '86, 56, '93, 111.
 —— *fulva* (Cuban Cliff Swallow), *W. I.* '81, 152, '86, 57; *Fla.* '90, 264, 311; *g. dist.* '91, 86; *Jamaica*, '93, 181, '94, 127.—*hbt.* '93, 181; *meas.*, *plm.* '86, 57; *nst.* '94, 127; *syn.* '86, 57, '91, 86.
 —— *lunifrons* (^ Cliff or Eave Swallow, ^a *pyrronota*, ^c *Hirundo*), *Ariz.* '82, 146, '88, 31, '90, 48; *Braz.* '84, 368^b; *Cal.* '86, 183, '89, 223, '96, 121; *Colo.* '79, 93, '83, 160, '85, 15, '87, 123, '95, 153^a; *Conn.* '95, 83; *D. C.* '88, 23; *Gulf of Mex.* '81, 251; *Ia.* '95, 122, 235; *Ida.* '98, 17; *Ill.*

- '89, 338; *Ind.* '89, 25; *Ky.* '89, 315; *La.* '87, 304; *L. Cal.* '95, 141; *Man.* '86, 324; *Mass.* '84, 6^a, '88, 389, '89, 45, 102; *Me.* '82, 110; *Mex.* '99, 357, 358; *Mich.* '93, 226; *Minn.* '80, 14; *Mo.* '79, 142; *Mont.* '94, 306, '95, 217; *N. B.* '82, 110; *N. C.* '93, 243; *N. H.* '88, 150, 152, 154, '89, 77, '98, 194^a; *N. J.* '94, 139; *N. M.* '92, 366, '98, 310; *N. S.* '87, 15^a, 16, '91, 166^a; *N. Y.* '81, 229, '82, 187; *O.* '80, 233^a, '95, 242; *Ore.* '86, 169, '88, 360; *Pa.* '92, 138, '93, 40, '96, 295; *P. E. I.* '93, 12; *Que.* '82, 235; *S. D.* '85, 279; *Tenn.* '86, 317; *Tex.* '82, 11, 37, '87, 294, '92, 340, 1900, 347; *Utah.* '99, 359^c; *Va.* '86, 161; *Ut.* '81, 55; *Wash.* '92, 356, '97, 179, 1900, 356.—*hbt.* '78, 105–112, '81, 55, '85, 15, '91, 110, '98, 194^a, '99, 287^a; *mig.* '81, 251^a, '87, 15^a, '95, 83, 122, 235, 242; *nst.* '78, 105, 108, '82, 37, '86, 161, 183, '87, 123, 294, '90, 396^a, '91, 110, '95, 217, '97, 179, '99, 358; *plm.* '76, 21 (alb.), '78, 63, 135 (hyb.), '87, 309^a; *syn.* '78, 105, '85, 366^b, '90, 194; *misc.* '89, 338, '95, 375^a, '99, 359^c.
- melanogaster*, *syn.* '95, 375.
- Petrophila*, '84, 229.
- Pettichaps, see *Sylvia orpheus*.
- petzii* (*Conurus*), see *Conurus*.
- Peucæa*, '98, 226, '99, 80, 119.
- aestivalis* ("Pine-woods Sparrow"), *Fla.* '81, 16 [*bachmanii?*], '88, 186, 274, 355, '89, 323, '91, 128^a, 138, '92, 213, '95, 365; *Ga.* '83, 39; *g. dist.* '79, 218, '93, 133, '85, 105; *meas.* '83, 39, '88, 356; *nst.* '83, 39, '88, 274, 355; *plm.* '85, 105; *syn.* '79, 219, '80, 52, '85, 105.
- arizonæ* (Arizona Sparrow, ^b *mexicana*), *Ariz.* '85, 226; *Tex.* '85, 370^b.—*syn.* '79, 219, '85, 370; '87, 336, '88, 401, '98, 227.
- australis*, *Mex.* '97, 63*.
- bachmanii* ("Bachman's Sparrow or Finch, ^b *aestivalis*, ^c *illinoensis*), *Ala.* '79, 8^b; *Fla.* '81, 16^b, '88, 186, 274, '89, 323, '92, 213, '95, 365; *Ga.* '82, 98^a, '83, 39^b; *g. dist.* '79, 219^{*a}, '85, 72^a, '88, 351–356; *Ill.* '76, 42^b, '78, 164^b, '80, 89^c, '83, 58^c, '90, 242; *Ind.* '82, 17^c, 21^c; *Ky.* '82, 50^c, '94, 244^b; *La.* '82, 162^c, '87, 302^a; *Md.* '97, 219; *Miss.* '99, 269; *N. C.* '86, 100, 110; *S. C.* '91, 51, 168, '92, 31^a; *Tenn.* '82, 192^c, '86, 318; *Tex.* '80, 89^c, '85, 299^c, '87, 292, '92, 73; *Va.* '97, 322, 1900, 296.—*hbt.* '79, 218–222, '86, 318, '99, 269; *meas.* '83, 39^b, '88, 356; *mig.* '88, 274, '91, 51, '92, 31^a; *nst.* '83, 39^b, '87, 292, '88, 351–356, '97, 322, 1900, 296; *plm.* '82, 192^c, '85, 105, '86, 110; *song.* '79, 8^b, 220^c, 221^c, '82, 98^c, '88, 351, 354, 355; *syn.* '79, 219^c, '80, 52^c, '85, 105; *misc.* '90, 82^a.
- cassini* ("Cassin's Sparrow"), *Ariz.* '82, 195, '85, 226; *Cal.* '90, 215; *g. dist.* '93, 135; *N. M.* '86, 74, '92, 359^a, 366; *Tex.* '78, 144, '82, 13, '87, 292, '89, 240, '92, 73, 338, 1900, 346.—*hbt.* '87, 292, '92, 73; *meas.* *plm.* '82, 195; *nst.* '87, 292; *song.* '82, 195, '87, 292; *syn.* '79, 219.
- eremœca*, '82, 26*, see *Aimophila fusca*, *Mex.* '97, 62*.
- illinoensis*, '79, 219*, see *bachmani*.
- notosticta*, *Mex.* '94, 67.
- scotti*, '88, 41*, see *Aimophila Peucedramus*, '80, 92, '85, 367, '90, 194. *aurantiacus*, *Guat.* '96, 330.
- Pewee, see *Sayornis phœbe*.
- Alaskan Wood, see *Contopus [saturatus ==] richardsoni*.
- Bahaman Wood, see *Blacicus bahamensis*.
- Bridge, see *Sayornis phœbe*.
- Black, see *Sayornis nigricans*.
- Common, see *Sayornis phœbe*.
- Large-billed Wood, see *Contopus peninsulæ*.
- Least, see *Empidonax minimus*.
- Richardson's, see *Contopus richardsonii*.
- Say's, see *Sayornis sayi*.
- Western Wood, see *Contopus richardsonii*.
- Wood, see *Contopus virens*.
- Pezopetes*, '98, 223.
- Pezophaps*, '94, 60.
- Phabotreron*, '94, 236.
- amethystina*, *P. I.* '94, 237.
- Phacelodomus inornatus*, *Venez.* '88, 194, '97, 365, 369.
- sibilatrix*, *Urug.*, *nst.* '83, 209.
- striaticollis* (^b *ruber*), *Urug.*, *nst.* '83, 210^b *syn.* '89, 269.
- phaea* (*Chamea*), see *C. fasciata*.
- Phænicophæus erythrogynathus* (^b *Rhopodytes*), *Bornco.* '91, 11^b.—*syn.* '91, 11^b, '92, 184.
- Phænicophilus*, '84, 3, '86, 199.
- dominicensis*, *W. I.* '81, 129*, 152, '86, 200.—*fd.* '81, 152; *plm.*, *syn.* '86, 200.

- palmarum, *W. I.* '81, 130, 152, '86, 200.—*fd.*, *song.* '81, 152; *meas.*, *plm.*, *syn.* '86, 200.
- Phenicothraupis, see Phenicothraupis.
phæocephalus (Criniger), see Criniger.
— (Ixos), see Criniger.
- phæocercus (Mitrephanes), see Mitrephanes.
- phæonotus (Junco), see Junco.
- phæopus (Numenius), see Numenius.
- phæopyga (Porzana), see Porzana.
- Phæornis, '95, 72.
 myiadestina, *H. I.* '88, 197.
- Phæospiza thomensis, *misc.* '88, 317.
- Phæthon, '88, 73, '90, 72, '93, 99, '94, 337, 338.
- æthereus (^a Red-billed Tropic Bird), *L. Cal.* '88, 241^a, 244; *Revill. Is.* '98, 314, 316, 317; *W. I.* '80, 169, '88, 74, '91, 362.—*hbt.*, *nst.*, *song.* '88, 244, '98, 314; *meas.* '88, 74, 244; *plm.*, *syn.* '88, 74.
- americanus (^a Yellow-billed Tropic Bird, ^b flavirostris), *Bahamas*, '91, 335^b, 351^b; *Bermuda*, '96, 239^b; *Fla.* '86, 481^a; *g. dist.* '99, 102, 338; *Jamaica*, '91, 249–256^b, 362^b; *N. Y.* '80, 63^b, '99, 193; *W. I.* '81, 155^b, '88, 73^b, '91, 47^b, '92, 229.—*anat.* '94, 338^b; *fd.* '91, 249^b, 255^b; *hbt.* '91, 249–256^b; *meas.* '88, 73^b, '91, 249^b, 254^b; *nst.* '91, 249^b, 253^b; *plm.* '88, 73^b, '91, 249^b, 253^b, 255^b, '99, 338; *syn.* '88, '98, 208, '99, 102, 338.
- rubricaudus (Red-tailed Tropic Bird), *g. dist.*, *syn.* '99, 102; *L. Cal.* '98, 38.
- Phæthontidae, '81, 78, '93, 106, '94, 337.
- Phæthontoidea, '94, 337.
- Phæthornis augusti, *U'nez.* '97, 366.
 guyi, *Trinidad*, '95, 204; *Venez.* '97, 366.
- Phæthusa magnirostris (^b Sturna), *Argent.* '84, 316^b; *Braz.* '91, 163; *Venez.* '97, 367.—*fd.*, *hbt.* '84, 316^b.
- Phainopepla, '93, 111, 131, '95, 72.
 nitens (Phainopepla), *Ariz.* '82, 77, '85, 242–246, '86, 68, '88, 31, '94, 219; *Cal.* '78, 65, '83, 237, '86, 183, '87, 86, '90, 296, '96, 38–43, 265; *g. dist.* '93, 135; *L. Cal.* '95, 142; *Mex.* '85, 228.—*fd.* '82, 77, '85, 242, 243, 244, '86, 183, '95, 142, '96, 38, '97, 319^b; *hbt.* '83, 237, '85, 242–246, '86, 183, '96, 38–43, '97, 319^a; *meas.* '85, 245, 246, '86, 184; *mig.* '85, 242, 244; *nst.* '83, 237, '85, 242, '86, 183, '96, 38; *plm.* '82, 77, '85, 242, 244 (mlt.), '86, 70; *song.* '82, 77, '85, 242, '86, 183, '96, 38; *misc.* '86, 477.
- Phainopepla, see Phainopepla nitens.
- phainopeplus (Campylopterus), see Campylopterus.
- Phalacrocoracidae (^a Cormorants), '81, 78, '83, 174^a, '84, 189^a, 189^a 196^a, '85, 210^a, 211^a, '93, 78^a, 106, '94, 337, '96, 111^a, '97, 87^a, 205^a, 316^a.
- Phalacrocorax, '84, 144, '85, 96, '88, 70, '93, 99, '94, 337, '99, 202.
 albociliatus (^a Farallone Cormorant), *Cal.* '85, 208, '87, 93; *L. Cal.* '90, 281, '97, 205^a; *N. Am.* '84, 384.—*anat.* '97, 205^a; *nst.* '89, 176, '97, 205^a; *plm.* '92, 196.
 carbo (^a Cormorant, ^b Graculus), *B. C.* '77, 96^b [robustus?]; *g. dist.* '93, 125; *Greenl.* '89, 215; *Helg.* '95, 327; *Mass.* '85, 112, '94, 18; *Me.* '85, 112; *N. J.* '85, 97, '95, 171; *Norway*, '96, 312–314; *N. S.* '95, 90?; *N. Y.* '79, 33^b, 175^b; *N. Y.* '83, 175^b [= *Sula bassana*, see '83, 178^b], '89, 133, 200, 332 [dilophus?], '94, 163; *Ont.* 1900, 176; *Ore.* '77, 96?; *F. E. I.* '93, 7 [dilophus?]; *Que.* '82, 240; *R. I.* '86, 272^a, '94, 21; *S. C.* '83, 186; *I. t.* '85, 210.—*fd.* '94, 163; *meas.*, *nst.* '96, 313 (photo); *plm.* '96, 312, '97, 316; *misc.* '86, 125.
 cincinnatus (White-crested Cormorant), *Alas.* '85, 158; *Cal.* '86, 89; *g. dist.* '93, 125?; *Ida.* '97, 350; *Ore.* '88, 141; *Wash.* '93, 17, 1900, 350.—*syn.* '99, 202.
 dilophus (^a Double-crested Cormorant, ^b Graculus), *Colo.* '86, 283; *g. dist.* '93, 125; *Man.* '86, 148; *Mass.* '85, 112, '87, 253, '94, 175^a; *Me.* '96, 178; *Minn.* '80, 20, '84, 249; *N. J.* '79, 236^b; *N. Y.* '79, 62^b, '82, 128, '83, 118^b, '89, 332, '90, 55, '95, 313; *Ore.* '83, 235?; *P. E. I.* '93, 7?; *Que.* '82, 240, '89, 146; *R. I.* '94, 18–25; *S. D.* '85, 288.—*anat.* '84, 196^a; *fd.* '94, 18, 20, 22, 25, 175^a; *hbt.* '94, 18–25, 175^a; *meas.* '90, 55; *mig.* '94, 18, 24, 25; *nst.* '83, 235^a, '91, 107; *plm.* '90, 55, '94, 18, 25, '96, 78; *syn.* '99, 202; *misc.* '92, 192^a.
 floridanus (^a Florida Cormorant, ^b Graculus), *Bahamas*, '91, 79, 337, '92, 48; *Fla.* '81, 41^a, '87, 136, 141^a, 215^a, 219^a, 274^a, 280^a, 282^a, '88, 377, '90, 307, '91, 133^a, 137, 233^a, '92, 211, '95, 364; *Ill.* '76, 44^b; *N. C.* '99, 248; *Tcx.* '87, 184; *W. I.* '88, 70; *hbt.* '87, 136, 215^a, 281^a; *nst.* '87,

^a136^a, 219^a, '88, 377, '99, 248; *syn.* '88, 70, '99, 202.

graculus, *Helg.* '95, 327.

harrisi, *Galap. Is.* '98, 288, 1900, 302.—*syn.* 1900, 80.

macropus (fossil), *Ore.* '91, 366, '93, 344.

mexicanus (Mexican Cormorant, ^b*Graculus*), *Bahamas*, '91, 337; *Cuba*, '88, 71; *Ill.* '80, 31^b; *Tex.* 1900, 338.—*hbt.* '83, 116; *syn.* '88, 71, '99, 202.

pelagicus (Pelagic Cormorant), *Alas.* '85, 158; *g. dist.* '93, 123.—*syn.* '84, 385, '99, 202.

penicillatus (^aBrandt's Cormorant), *Cal.* '86, 89, '87, 329, '94, 97^a; *Wash.* '92, 353?—*mig.* '94, 97^a; *plm.* '97, 316.

perspicillatus, *Bering I.* '84, 82; *g. dist.* '90, 276.—*anat.* '90, 276; *plm.* '97, 316; *misc.* '84, 82, 144, '88, 401. *resplendens* (Baird's Cormorant), *Cal.* '87, 87, 329; *Wash.* '84, 163–165.—*hbt.*, *meas.*, *nst.*, *plm.* '84, 163; *syn.* '84, 165, 385.

robustus (Violet-green Cormorant, ^b*Graculus*), *Alas.* '80, 35^b, '98, 126, 230; *g. dist.* '84, 384, '93, 125; *Wash.* '92, 309, 1900, 350; *hbt.*, *meas.*, *nst.* '98, 126.

urile (Red-faced Cormorant, ^b*cristatus*), *g. dist.* '93, 123.—*anat.* '84, 189^b, '89, 333, '96, 172; *syn.* '84, 385, '99, 202.

vigua (^b*brasiliensis*), *Argent.* '84, 270^b; *Patagonia*, '90, 274; *Urug.*, *hbt.* '84, 270^b; *syn.* '99, 202.

phalena (*Tinnunculus*), see *Falco sparverius*.

phalenoïdes (*Glaucidium*), see *Glaucidium*.

Phalænoptilus, '80, 178, '93, 110, 130, '95, 287.

californicus (California Poor-will, ^b*nuttallii*), *Cal.* '85, 100^b, '86, 179^b, '87, 86^b, 336, '88, 396?; *L. Cal.* '95, 139^b.—*syn.* '93, 68.

nitidus (Frosted Poor-will, ^b*nuttallii*, ^c*Antrostomus nuttallii*), *Ariz.* '81, 71^c, '83, 21^c, '85, 356^b, '86, 429^b, '87, 147^b, '90, 254^b; *g. dist.* '88, 396; *Kan.* '89, 124, '90, 286; *N. M.* '92, 362, '98, 308^b; *Tex.* '87, 147, 191^b, '89, 239, '92, 235.—*hbt.* '83, 21^c, '87, 191^b; *meas.* '90, 286; *nst.* '87, 191^b, '90, 254^b, 286; *song.* '86, 429^b, '89, 239; *syn.* '87, 147, '90, 286, '93, 68.

nuttallii (Poor-will, ^b*Antrostomus*

mus), *Ariz.* '81, 71^b?, '83, 21^b?, '85, 356?; '86, 429?; *B. C.* 1900, 106; *Cal.* '85, 100?; *Colo.* '83, 195^b, '85, 17, 143, '94, 268; *g. dist.* '93, 134; *L. Cal.* '95, 139?; *N. M.* '85, 382, '86, 78?; '98, 308?; *S. D.* '85, 283; *Tex.* '87, 191?; '92, 235; *Wash.* '97, 175.—*anat.* '86, 404, '90, 279; *fd.* '85, 382; *hbt.* '83, 21^b?, 195^b, '85, 382; *nst.* '85, 100; *song.* '86, 429; *syn.* '90, 286, '93, 68; *mise.* '89, 124 (corr.).

Phalaridion, '94, 317.

Phalarope, Northern, see *Phalaropus lobatus*.

Red, see *Crymophilus fulicarius*.

Red-necked, see *Phalaropus lobatus*.

Wilson's, see *Steganopus tricolor*.

Phalaropus, '78, 150, '79, 224, '85, 182, '93, 99, 108, '95, 65.

lobatus (^aNorthern Phalarope, ^b*Lobipes hyperboreus*, ^c*hyperboreus*), *Alas.* '81, 131^a, '85, 63^b, 157^b, '98, 126; *Cal.* '87, 90, '94, 27^a, 97^a; *Colo.* '81, 249^b, '85, 18^b; *Conn.* '87, 78 [= *Crymophilus fulicarius*, see '94, 74], '93, 371^a; *D. C.* '86, 140 [= *Crymophilus fulicarius*, see '86, 482]; *g. dist.* '93, 123; *Helg.* '95, 339; *Hud.* '90, 321; *Ida.* '97, 251; *Kan.* '83, 186^b; *Man.* '86, 151; *Mass.* '78, 151^c, 152^c, '80, 122^b, '91, 113^a, 119, 310, '92, 295, 296, 298, 299, '94, 236; *Mont.* '89, 336, '94, 302, '95, 213; *N. C.* '78, 40^b; *N. H.* '89, 68, 94, 250; *N. J.* '95, 189; *N. Y.* '78, 54^b, '80, 117^b, '81, 234^b, '83, 180^b, '84, 33^b; '86, 436, '87, 73, '89, 134–136, '90, 86^a, 230, '99, 285; *Ore.* '79, 197^b, '91, 367 (fossil), '93, 344 (fossil); *Pa.* '91, 240; *Que.* '85, 315^b; *S. C.* '80, 242^c, '85, 192^b; *Siberia*, 1900, 309; *Wash.* '97, 172; *Wyo.* '83, 240^a.—*fd.* '89, 68, '94, 226; *hbt.* '81, 131^a, '83, 186^a, 240^a, '89, 68, 134, 336, '93, 293, '94, 226; *mig.* '85, 63^b, '89, 134, '90, 86^a, '91, 119, 310, '94, 27^b, 97^a, 110^a, 226, '97, 351; *nst.* 1900, 307^a ('Red-necked Phalarope'); *plm.* '92, 298, 1900, 370 (mlt.); *song.* '94, 226; *syn.* '77, 38, '84, 384^b, '85, 183, '97, 103^c; *misc.* '92, 387, '94, 324^a.

Phalcobænus, '77, 71.

Phalerata (Leucuria), see *Leucuria*.

Phaleridae, '92, 174.

Phalerinae, '99, 286.

Phaleris, see *Cyclorrhynchus*.

pharetra (Dendroica), see *Dendroica*.

— (Sylvicola), see *Dendroica*.

- Pharomachrus festatus**, *Colom.* 1900, 82.
mocinno, *Mcr.* '98, 156.—*syn.* '99, 323.
- Pharomacrus**, see *Pharomachrus*.
phasianellus (*Pediocetes*), see *Pediocetes*.
 — (*Tetrao*), see *Pediocetes*.
- Phasianidae** (^a *Pheasants*), '81, 80, '94, 172, '97, 246^a.
- Phasianus**, '93, 99.
colchicus (^a English Pheasant), *Ga.* '90, 390^a (introduced).—*misc.* '84, 288^a, 288^a.
mongolicus (^a Chinese or Mongolian Pheasant) [introd.], *Conn.* '92, 70; *Ill.* '92, 67^a; *Ore.* '92, 67^a, 68^a, '94, 70^a; *misc.* '91, 389^a, '92, 66^a, 385^a.
nycthemerus, *misc.* '94, 70.
pictus (^a Golden Pheasant), *misc.* '92, 385^a, '94, 70.
torquatus, *plm.* '99, 180 (hyb.); *misc.* '94, 70.
- Pheasant**, see *Phasianus colchicus*; *Bonasa umbellus* (in the South).
Chinese, see *Phasianus mongolicus*.
English, see *Phasianus colchicus*.
Golden, see *Phasianus pictus*.
Mongolian, see *Phasianus mongolicus*.
Oregon, see *Phasianus mongolicus?*
- Pheasants**, see *Phasianidae*.
- Phelps**, William Henry.
 Birds observed on a collecting trip to Bermudez, Venezuela, with critical notes and descr. of two new species by Chapman, '97, 357–371.
- phelpsi** (*Sittasomus*), see *Sittasomus*.
Philacte, '93, 107.
canagica (Emperor Goose, ^b *Chleophaga*), *Alas.* '79, 53^b, '84, 80, '85, 158; *B. C.* '95, 76; *Cal.* '86, 491; *g. dist.* '93, 123; *Kamts.* '88, 311?.
- philadelphia** (*Chroicocephalus*), see *Larus*.
 — (*Chroicocephalus*), see *Larus*.
 — (*Geothlypis*), see *Geothlypis*.
 — (*Larus*), see *Larus*.
 — (*Sterna*), see *Larus*.
Philadelphia Academy of Natural Sciences, Proceedings, titles (No. 364), '83, 178, (Nos. 2302–2306) '92, 194.
- philadelphicus** (*Laniivireo*), see *Vireo*.
 — (*Vireo*), see *Vireo*.
- Philemon**, '94, 58.
- Philentoma**, '94, 34, '99, 353.
- pyrrhopterus**, *Bornco.*, *syn.* '90, 353.
- Philepittidae**, '81, 36, '89, 267.
- Philetairus socius** (^a Social Weaver Bird), *nst.* 1900, 190^a.
- philippensis** (*Loriculus*), see *Loriculus*.
 — (*Ninox*), see *Ninox*.
- Philippine Islands**.
 Allen, J. A., '98, 284–285.
 Steere, J. B., '94, 231–240.
- philippinus** (*Merops*), see *Merops*.
Phillips, Charles Lincoln.
 Egg-laying extraordinary in *Colaptes auratus*, '87, 346.
- Philohela**, '78, 16, '84, 41, '88, 331, '93, 108, 130.
minor (^a American Woodcock), *Ala.* '79, 12, '91, 391^a; *Colo.* '86, 285; *Conn.* '85, 296^a; *D. C.* '88, 20; *Fla.* '78, 151^a, '88, 270, '89, 156, '92, 212, '95, 364; *Ga.* '78, 151^a, '96, 215; *g. dist.* '93, 133; *Ia.* '95, 121, 236; *Ind.* '82, 22, '88, 348; *Jamaica*, '92, 12; *Ky.* '89, 312; *La.* '82, 165, '97, 288; *Man.* '86, 151; *Mass.* '83, 150^a, '86, 153^a, '87, 73, '88, 389, '94, 84, 291–298; *Mc.* '82, 151, '93, 292^a, 296; *Mich.* '93, 223; *Minn.* '80, 18, '84, 248; *Miss.* '82, 94, '85, 213^a; *Mo.* '79, 147; *N. B.* '82, 151; *N. C.* '86, 102, 314^a, '87, 241, '90, 391^a; *N. H.* '93, 293^a; *N. J.* '80, 134^a, '94, 136; *N. S.* '85, 41^a, '93, 292^a, '95, 90; *N. Y.* '81, 234, '85, 261, '92, 67^a; *O.* '95, 242; *Pa.* '96, 291^a, 292; *P. E. I.* '93, 8; *S. C.* '79, 217, '93, 204, '94, 32^a, '99, 197; *S. D.* '85, 286; *Tenn.* '86, 320; *Tex.* '87, 183; *W. I.* '87, 311.—*anat.* '88, 330^a, '91, 390, '92, 286^a; *fd.* '87, 73, '90, 397, '93, 292^a, 293^a, 297^a; *hbt.* '84, 87^a, '90, 392^a, 395^a, 396^a, '91, 390^a, 391^a, '92, 67^a, '93, 296^a, '94, 70^a, 291; *mig.* '80, 134^a, '93, 204, 292^a, 294^a, 295^a, '94, 32^a, 69^a, 84, '95, 121, 236, 242, '99, 197; *bst.* '78, 151^a, '85, 213^a, 298^a, '86, 102, '88, 20, 348, '90, 391^a, '92, 385^a, '93, 296^a, '94, 68^a; *plm.* '76, 23 (*alb.*), '78, 17, '79, 44, '81, 162, '93, 296^a (*mlt.*), 1900, 370 (*mlt.*); *song*, '85, 261, '87, 67^a, '90, 392^a, 392^a, 393^a, 397^a, '91, 389^a, '92, 67^a, 68^a, '94, 69^a, 291–298; *syn.* '87, 311; *misc.* '80, 113^a, '81, 192^a, '83, 173^a, 235^a, '85, 99^a, '89, 178^a, 179^a, '90, 390^a (4 items), '90, 392^a (6 items), 393^a (6 items), 394^a, 396^a, 398^a, '91, 387^a, 388^a, 389^a (5 items), 390^a (4 items), '92, 66^a, 67^a (7 items), 68^a

(7 items), 69^a, 69^a, 69^a, 386^a, '93, 292^a (6 items), 293^a (5 items), 295^a, 296^a (7 items), 297, '94, 69^a (+ items), '96, 126^a (photos).

Philomachus, see Pavoncella.
philomela (Daulias), see Daulias.

— (Luscinia), see Daulias.

Philortyx, '85, 45.

 fasciatus (^b Ortyx, "personatus"), Mex. '86, 333*; Cal. '77, 95^b?

 personatus, '86, 333*, see fasciatus.

Philydor erythrocercus, Braz. '91, 26.

Phlegopsis bowmani, Braz. '91, 290.—
 plm. '86, 93 (alb.).

 notata, Boliv. '90, 382.

 saturata, Nicar. '96, 331.

Phläecryptes melanops, Urug., hbt., nst. '83, 206.

Phlecomotus, see Ceophleæus.

Phlogœnas, '94, 235.

Phlogopsis, see Phlegopsis.

Phodilus, '78, 78.

phebe (Muscicapa), see Sayornis.

— (Myiarchus), see M. sagræ.

— (Sayornis), see Sayornis.

— (Tyrannula), see Contopus richardsonii.

— (Tyrannus), see Myiarchus sagræ.

Phebe, see Sayornis phebe.

Black, see Sayornis nigricans.

Say's, see Sayornis saya.

Yukon, see Sayornis [yukonensis =] saya.

Phebe-bird, see Sayornis phebe.

Phœbetria fuliginosa (Sooty Albatross,

^b Diomedea), Ore. '77, 97^b?; S. Am., hbt. '87, 3.

phœniceus (Agelaius), see A. phœnceus,
 bryanti or longirostris.

— (Cardinalis), see Cardinalis.

— (Oriolus), see Agelaius.

phœnicobius (Cypselus), see Cypselus.

Phœnicophilus, see Phœnicophilus.

 dominicensis, '81, 129*, see Phœnicophilus.

phœnicoptera (Rhodopechys), see Rhodopechys.

Phœnicopteri, '84, 383.

Phœnicopteridae (^a Flamingoes), '77, 64^a, '78, 184, '81, 78^a, 78, 156^a, 163.

Phœnicopterus, '81, 78, 156, '87, 322, '93, 99.

 copei (fossil), Ore. '91, 367, '93, 344.

 parvus, syn. '93, 186.

 ruber (American Flamingo, ^b ignipalliatius), Argent. '84, 272^b; Bahamas, '91, 78; Fla. '89, 13, '90, 221–226, '92, 211; g. dist. '93, 141; Ja-

maica, '91, 365; S. C. '86, 408, '87, 72; Tex. '87, 185; Urug. '84, 272^b; W. I. '80, 107, '81, 155, '87, 323.—fd. '91, 78; hbt. '90, 221–226, '91, 78; syn. '87, 323; misc. '82, 115^a, 131^a, '89, 13.

Phœnothraupis affinis, Mex. '97, 66*.

 carmioli, C. R. '85, 291.

 rhodinolæma, Braz. '90, 267.

 roseus, Mex. '98, 340.

 rubra, Ucnez. '97, 364,

phœnicotis (Anthothreptes), see Anthothreptes.

— (Anthreptes), see Anthreptes.

— (Nectarinia), see Anthreptes.

phœnicura (Parra), see Hydropasianus chirurgus.

Phœnicurus, see Ruticilla.

phœnicurus (Ruticilla), see Ruticilla.

Pholdauges femoralis, Africa, meas. '97, 160*.

Phonipara, see Euetheia.

Phororhacidae, '96, 61, 63.

Phororhacos (fossil), '96, 61, 62, 63.

 inflatus, Patagonia, meas. '96, 61.

 longissimus, Patagonia, meas. '96, 61.

Photogravures, see Plates.

Phox, '88, 196.

phragmitis (Acrocephalus), see Acrocephalus.

phryganophila (Synallaxis), see Synallaxis.

Phrygilus aldunatii (^b Emberiza), syn. '88, 194^b, 412.

 atriceps, syn. '88, 194, 412.

 caniceps, Urug., hbt., mlt., song, '83, 130.

 gayi (^b formosus), syn. '88, 194, 195^b.

 punensis, syn. '88, 194, 412.

 saturatus, syn. '88, 412.

Phyllomyias incanaescens, syn. '90, 384.

Phyllopseustes borealis (Kennicott's Willow Warbler, ^b Phylloscopus, ^c kennicotti), Alas. '81, 5^a, '84, 77^b, '85, 373^b; '87, 13; Helg. '95, 332^b.—nst. '85, 373^b, '89, 329; syn. '80, 95^b, '86, 128^c.

Phyllornithidae, '81, 34.

Phylloscartes ventralis, Urug. '83, 198.

Phylloscopus, '80, 95, '83, 100, '94, 233.

 bonelli, Helg. '95, 332.

 coronata, Helg. '95, 332.

 ijmæ (^b Acanthopneuste), Japan, '93, 346^b.

 nitida, Helg. '95, 332.

 proregulus, Helg. '95, 332.

 rufus, Helg. '95, 332.

- sibilatrix (^a Wood Wren), *Germany*, '96, 308^a; *Helg.* '95, 332.
superciliosus, *Helg.* '95, 332.
tristis, *Helg.* '95, 332.
trochilus (^a Willow Wren), *Germany*, '96, 308^a; *Helg.* '95, 332.—*nst.* '97, 347.
viridana, *Helg.* '95, 332.
Phyllostrephus terrestris, *syn.* 1900, 179.
Phytotoma, '97, 417.
rutila, *Urug.* *fd.*, *nst.*, *song.* '83, 203.
Phytotomidae, '81, 29, 36, '89, 267, '96, 159.
Piaya, '97, 90.
cayana, *Venz.* '97, 366.—*syn.* '92, 184.
minuta, *Braz.* '91, 159.
pallidescens, *Braz.* '91, 159.
mehlerti, *C. R.*, *hbt.*, *meas.*, *nst.* '92, 326.
Pica, '85, 366.
camtschatica, *Kamts.* '85, 95.
hudsonica (^a American or Black-billed Magpie), *B. C.* '93, 291, 382; *Cal.* '99, 78; *Colo.* '79, 94, '81, 139, '83, 193, '85, 16, 142, '87, 124, '90, 80^a, '94, 216^a, 268; *g. dist.* '93, 126; *Ida*, '97, 356, 1900, 244; *Ill.* '95, 395; *Kan.* '86, 115; *Man.* '86, 321; *Minn.* '84, 245, '93, 289; *Mont.* '94, 304, '95, 215; *Neb.* '83, 286^a, '88, 317^a, '89, 181^a; *N. M.* '98, 309; *Ont.* '98, 274; *Ore.* '79, 194, '86, 166, '88, 261; *Que.* '90, 387; *S. D.* '85, 282; *Wash.* '82, 227, '93, 17, 291, 382, '97, 177.—*anat.* '88, 414; *hbt.* '88, 261; *mig.* '88, 317^a, '89, 181^a; *nst.* '79, 194, '85, 142, '88, 261, '91, 107^a, '97, 177; *syn.* '80, 178.
nuttalli (^a Yellow-billed Magpie), *Cal.* '86, 181, '99, 79.—*hbt.*, *nst.* '86, 181; *plm.* '83, 126^a; *misc.* '89, 180^a.
pica (^a European Magpie), ^b *rustica*, *Helg.* '95, 330.—*syn.* '80, 178, '86, 418^a, '87, 62^a.
rufiventris, *syn.* '93, 186.
pica (*Fluvicola*), *see* *Fluvicola*.
— (*Pica*), *see* *Pica*.
Picariae, '81, 31, 36, 73, 75, 76, 80, 83, '86, 406, 444, 445, '91, 92, '92, 184, '93, 66.
picazuro (*Columba*), *see* *Columba*.
Pici (^a Woodpeckers), '81, 30, 36, 37, 75, 75^a, 76, 161, 163, '82, 132^a, 134^a, '83, 116^a, '85, 212^a, '86, 270^a, '87, 64^a, 193^a, 265^a, 340^a, '92, 174,

- '93, 110^a, '95, 380^a, '97, 105^a, 338^a, 421^a, '99, 198^a, 1900, 100^a.
Picicorvus, *see* *Nucifraga*.
Picide, '78, 16, '81, 29, 37, '82, 132, '88, 212, '96, 85.
Piciformes, '81, 74.
Picoidae, '86, 406.
Picoides, '91, 92, '93, 110, 1900, 167.
alascensis (Alaskan Three-toed Woodpecker), *B. C.* '93, 236, 1900, 106; *g. dist.* '84, 165^a, '93, 126; *N. W. T.* 1900, 134.—*plm.* 1900, 134; *syn.* 1900, 128, 129, 132, 133, 134; *misc.* '93, 327, 333.
americanus (^a American or Banded-backed Three-toed Woodpecker), ^b *bacatus*, ^c *labradorius*, *g. dist.* '93, 126, 1900, 132–135, 136^b^c, 138^b^c, 140, 141^b, 142^c; *Hud. B.* '90, 322; *Man.* '86, 156, 329; *Mass.* '83, 122, 1900 173 [= *arcticus*, *see* 1900, 424]; *Minn.* '93, 289; *N. C.* '86, 101?; *N. E.* '76, 73, '77, 16; *N. H.* '87, 104; *N. S.* '99, 251; *N. Y.* '78, 53, 200, '79, 6, '81, 232, '83, 52^a, '98, 333; *Ont.* '84, 85^a, 161, '89, 204; *Que.* '84, 295. *hbt.* '83, 122, '99, 251; *meas.* '78, 200, 1900, 132, 137^b, 138^c, 140, 141^b, 142^c; *nst.* '78, 200; *plm.* 1900, 127, 132; *syn.* 1900, 127, 133, 136^b, 138^c; *misc.* '93, 327, 333.
arcticus (^a Arctic, or Black-backed Three-toed Woodpecker), ^b *tenuirostris*, *B. C.* 1900, 106; *g. dist.* '93, 126, 1900, 129, 130, 131^b^c; *Ida*, '97, 354; *Man.* '86, 155; *Mass.* '80, 56, '81, 182, '83, 122, '84, 12^a?; 93, 288, '88, 390, '89, 183, 1900, 173 [not '*americanus*.' *see* 1900, 424]; *Me.* '82, 150; *Mich.* '81, 119^a, '83, 235^a; *Minn.* '79, 154; *Mont.* '82, 62, '94, 303; *N. B.* '82, 150, '89, 117; *N. C.* '86, 101?; *N. E.* '76, 73, '77, 16, '85, 296; *N. F.* 1900, 72; *N. H.* '88, 151; *N. S.* '91, 165; *N. Y.* '78, 53, '79, 6, '81, 232, '83, 52, '89, 136, '90, 206; *Ont.* '84, 85^a, 161, '89, 204; *Ore.* '79, 195, '88, 240, 254; *P. E. I.* '85, 265^a; *Que.* '82, 236; *Vt.* '82, 63.—*hbt.* '83, 122; *meas.* 1900, 130, 139; *nst.* '85, 210, '88, 254, '97, 354; *plm.* '78, 180, '81, 161, '88, 254, 1900, 129; *syn.* 1900, 126, 127, 129, 131^b.
bacatus, 1900, 136^b, *see* *americanus*.
crissoleucus, *g. dist.*, *plm.* 1900, 127.
dorsalis (Alpine Three-toed Woodpecker), *Ariz.* '90, 48, 252; *Colo.* '79,

95, '81, 141, '85, 17, '94, 268; *g. dist.*
1900, 135, '93, 126; *Mont.* '82, 62,
'94, 303; *N. M.* '86, 78.—*hbt.* '90,
252; *meas.* 1900, 135, 141; *plm.*
1900, 135; *syn.* '91, 94, 1900, 129,
135; *misc.* '93, 327, 333.
funebris, *China*, 1900, 127.
labradorius, 1900, 138*, see *americanus*.
tenuirostris, 1900, 131*, see *arcticus*.
tridactylus, *g. dist.* 1900, 127.—
plm. '88, 212, 1900, 127; *syn.* 1900,
127.

Picolaptes, '76, 51, '90, 166.
angustirostris (^b *Lepidocolaptes atripes*), *Argent.*, *Urug.*, *hbt.* '84, 21b.
compressus, *C. R.* '92, 173; *syn.*
'92, 173, 175.
insignis, *Mex.* '97, 54*.
layardi, *Braz.* '91, 27.
obtectus, *Boliv.* '90, 382.
rikeri (^b *Berlepschia*), *Braz.* '87,
156, '91, 26^b.—*syn.* '88, 194, '91, 26^b.
picta (*Setopaga*), see *Setopaga*.
picturatus (*Turtur*), see *Turtur*.
pictus (*Anser*), see *Philacte canagica*.
— (*Aramus*), see *A. giganteus*.
— (*Calcarius*), see *Calcarius*.
— (*Centrophanes*), see *Calcarius*.
— (*Oreortyx*), see *Oreortyx*.
— (*Phasianus*), see *Phasianus*.
— (*Plectrophanes*), see *Calcarius*.
picui (*Columbula*), see *Columbula*.
Picumnus, '86, 372.
lawrencii, '81, 129* (col. pl.), see
Nesotites micromegas.
cirratus, *Braz.* '91, 30.
guttifer, *plm.* '97, 371.
minutus, *plm.* '88, 212.
obsoletus, *Venez.* '94, 66, '97, 366,
371; *plm.* '97, 371.

Picus, '85, 52, 366, 372, '86, 266, 492,
'87, 170, 265, '91, 95, '93, 99, '95, 187.
bengalensis, *plm.* '88, 212.
marius, *plm.* '88, 212.
medius, *plm.* '88, 212.
noguchii, *syn.* '91, 93.
undatus, *syn.* 1900, 128.

picus (*Dendroplex*), see *Dendroplex*.

Piers, Harry.

Remarkable ornithological occurrences in Nova Scotia. '98, 195.

Pigeon, Bronzed Nutmeg, see *Carpophaga aenea*.

Band-tailed, see *Columba fasciata*.

Cape, see *Daption capensis*.

Passenger, see *Ectopistes migratorius*.

Red-billed, see *Columba flavirostris*.

Sea, see *Cephus grylle*.
Swainson's Fruit, see *Ptilopus swainsoni*.
Viosca's, see *Columba vioscae*.
White-bellied, see *Leptotila jamaiicensis*.
White-crowned, see *Columba leucocephala*.
White-fronted, see *Leptotila brachyptera*.
Wild, see *Ectopistes migratorius*.
Wood, see *Columba palumbus*.
Pigeons, see *Columbidae*.
pikii (*Sterna*), see *S. paradisea*.
pilaris (*Colopterus*), see *Colopteryx*.
— (*Colopteryx*), see *Colopteryx*.
— (*Turdus*), see *Turdus*.
pileata (*Alcedo*), see *Haleyon*.
— (*Entomobius*), see *Haleyon*.
— (*Halcyon*), see *Halcyon*.
— (*Sterna*), see *Anous stolidus*.
— (*Zonotrichia*), see *Brachyspiza canadensis*.
pileatus (*Accipiter*), see *A. gundlachi*.
— (*Blacicus*), see *Blacicus*.
— (*Ceophlebus*), see *C. pileatus* or
abieticola.
— (*Contopus*), see *Blacicus*.
— (*Crypturus*), see *C. soui*.
— (*Cyanocorax*), see *Cyanocorax*.
— (*Furnarius*), see *Furnarius*.
— (*Hylatomus*), see *Ceophlebus pileatus* or *abieticola*.
— (*Nisus*), see *Accipiter gundlachi*.
— (*Picus*), see *Ceophlebus*.
— (*Trochilus*), see *Bellona cristata*.
pileolata (*Motacilla*), see *Wilsonia*.
— (*Myiodioctes*), see *Wilsonia*.
— (*Sylvania*), see *Wilsonia*.
— (*Wilsonia*), see *Wilsonia*.

Pindar, L. Otley.

Breeding of *Branta canadensis* in Tennessee. '86, 481.

Evening Grosbeak in Fulton Co., Kentucky, '87, 257.

Pine Grosbeak in Fulton Co., Kentucky, '88, 321.

List of birds of Fulton Co., Kentucky, '89, 310–316.

pinetorum (*Spizella*), see *Spizella*.

Pinicola alascensis (Alaskan Pine Grosbeak), *g. dist.*, *syn.* '98, 319*, '99, 114.

californica (California Pine Grosbeak, ^b *canadensis*), *Cal.* '78, 66*, '97, 182*; *g. dist.* '99, 113.—*fd.*, *hbt.*, *meas.* '97, 183; *syn.* '98, 320, '99, 113.

canadensis (^a Pine Grosbeak, ^b enu-

cleator), *Colo.* '85, 15 [*montanus?*]; *Conn.* '93, 207^a; *g. dist.* '93, 126^b, '95, 245–256, '99, 113; *Hud. B.* '90, 322^b; *Ill.* '99, 276; *Ky.* '88, 321^b, '89, 314^b; *Man.* '86, 322^b; *Mass.* '82, 116^a, '83, 148^a, '96, 259^b; *Mc.* '96, 21–24^b, 177^b; *Minn.* '84, 244^b, '94, 70^a; *Mont.* '94, 305^b [*montanus?*]; *N. B.* '83, 6^b, '83, 126^a, '84, 294^a, '87, 212^a, '89, 117^b; *N. H.* '87, 104^b, '93, 74^a, '96, 176^b; *N. J.* '96, 175^b; *N. S.* '82, 115^b, '99, 252^b; *N. Y.* '79, 33^b, '81, 229^b, '84, 327^b, '96, 175^b; *Ont.* '83, 143^a, '84, 158^b, '91, 302^b, '94, 1–3; *Pa.* '90, 395^b, '99, 312^b; *P. E. I.* '85, 264^a; *Que.* '82, 120^b, 235^b, 254^b; *S. D.* '79, 187^b; *U's.* '96, 260^b.—*fd.* '83, 143^a, '85, 264^a, '95, 245^b, 251^b, '96, 21^b, 177^b, 259^b; *hbt.* '83, 118^b, 143^a, '84, 158^a, '90, 394^b, '95, 245^b; *meas.* '94, 1^b, '96, 23^b; *mig.* '83, 143^a, 148^a, 245^b, '85, 264^a, '95, 245–256^a (2 maps); *nst.* '83, 6^b, '89, 117^b, '96, 21–24^b; *plm.* '78, 116^b, '79, 46^b, '83, 6^b, 126^a, 143^a, '94, 1–3^b (col. pl.), '96, 21^b, 24^b, 176^b, 177^b (mlt.); *song.* '80, 8^a, '83, 6^b, 143^a, '84, 327^b, '85, 264^a, '95, 245^b, 248^b; *syn.* '84, 115^b, '87, 335, '98, 320, '99, 113; *misc.* '83, 4^b (fig.), 118^b, '94, 69^a, 69^a, 69^a.

enucleator, *Helg.* '95, 336.—*plm.* '80, 27 (alb.).

flammula (*Kadiak Pine Grosbeak*, ^b *kadiaka*), *Alas.* '87, 336^b, '88, 397^b; *g. dist.* '99, 114.—*syn.* '98, 320, '99, 114.

montana (*Rocky Mountain Pine Grosbeak*, ^b *enucleator*), *Colo.* '81, 89^b, '85, 15^b; *g. dist.* '98, 319^a, '99, 113; *Mont.* '94, 305^b.—*song.* '81, 89^b; *syn.* '98, 319, '99, 113.

Pink, see *Dolichonyx oryzivorus*.

pinnata (*Cupidonia*), see *Tympanuchus americanus*.

Piñon-bird, see *Cyanocephalus cyanocephalus*.

pinosus (*Junco*), see *Junco*.

— (*Megascops*), see *Megascops*.

Pintail, see *Dafila acuta*.

pinus (*Chrysomitris*), see *Spinus*.

— (*Dendroca*), see *Dendroica vigorsii*.

— (*Helminthophila*), see *Helminthophila*.

— (*Spinus*), see *Spinus*.

— (*Sylvia*), see *Dendroica vigorsii*.

— (*Sylvicola*), see *Dendroica vigorsii*.

Pionopsitta brachyura, *Braz.* '91, 160.

Pionus maximiliani, *Braz.* 1900, 299.

menstruus, *Braz.* '91, 160.

sordidus, *Colom.* '99, 137; *Venez.* '97, 366, '99, 137.

violaceus, *Brazil*, '91, 160.

Pipile (^b *Cumana*), 1900, 65, 65^b*.

cujubi (^b *Cumana*), *Braz.* '91, 162.

—*syn.* 1900, 65^b.

cumanensis (^b *Cumana*, ^c *Penelope leucolophos*), *Braz.* '91, 162.—*syn.* 1900, 65^b; *misc.* '96, 266^c.

jacutinga (^b *Cumana*), *syn.* 1900, 65^b.

pipile (^b *Cumana*), *W. I.* '97, 362.

—*syn.* 1900, 65^b.

pipile (*Cumana*), see *Pipile*.

—*(Pipile)*, see *Pipile*.

Pipilo, '86, 289, '88, 414, 439, 440, 441, 442, 443, '97, 221, '99, 120, 1900, 65.

aberti (*Albert's Towhee*), *Ariz.* '81, 73, '87, 204, '94, 218; *Cal.* '90, 297; *Colo.* '82, 198, '85, 16; *g. dist.* '90, 27, '93, 135; *N. M.* '78, 93, '98, 310. —*hbt.* '82, 198; *meas.* '82, 198, '90, 29; *nst.* '82, 198, '90, 27; *plm.* '79, 46, '82, 198; *song.* '82, 198, '90, 27.

albigularis (*Saint Lucas Towhee*), *L. Cal.* '90, 23, 215.—*meas.*, *nst.* '90, 23; *plm.* '79, 46, '90, 23.

alleni (*White-eyed Towhee*), *Ala.* '79, 9; *Fla.* '79, 115, '88, 274, '89, 323, '91, 128^a, 138, '92, 213, '95, 365; *Ga.* '82, 95^a, 101, '83, 39 [*Erythrophthalmus?*]; *S. C.* '99, 198^a.—*hbt.* '88, 274; *mig.* '99, 198^a; *nst.* '83, 39 [*Erythrophthalmus?*], '90, 80^a; *plm.* '82, 101; *song.* '82, 101, '88, 274; *syn.* '80, 173; *misc.* '99, 198^a.

arcticus (*Arctic Towhee*), *Colo.* '81, 139^a, '85, 142, '87, 125, 264; *Man.* '86, 324; *Mont.* '81, 206^a, '88, 16, '89, 152^a, '94, 306^a, '95, 217; *Mo. River.* '95, 229; *Neb.* '84, 286^a; *S. D.* '85, 282; *Tex.* '87, 293, '92, 339; *Wash.* '97, 178^a.—*meas.* '81, 206^a; *nst.* '81, 206^a; *plm.* '83, 191; *syn.* '82, 39, '83, 192.

atratus, '99, 254^a, see *megalonyx*.

carmanni, *Socorro I.* '98, 264, 317. —*hbt.* '98, 317; *plm.* '98, 264.

clementæ (*San Clemente Towhee*), *Cal.*, *syn.* '97, 294^a, '99, 120; *meas.*, *song.* '97, 294.

complexus, *Mex.*, *meas.* '86, 332^a.

consobrinus (*Guadalupe Towhee*), *anat.* '91, 220; *meas.* '77, 61; *syn.* '77, 60, 62, 65.

criassalis (*California Towhee*, ^b *carolinæ*), *Cal.* '86, 87^a, 182, '89, 221, '90, 23, '95, 110, 112, '99, 343^b.—

meas. '90, 23, '95, 112, '99, 343^b; *nst.* '90, 23; *plm.* '79, 41, '95, 110, '99, 343^b; *syn.* '95, 109, '99, 343^b; *misc.* '78, 193, '99, 212^b.

erythrophthalmus (^a Towhee, Che-wink or Towhee Bunting), *Ala.* '79, 9; *Conn.* '89, 41^a; *D. C.* '80, 112, '88, 22; *Fla.* '88, 274, '91, 127^a, 138, '95, 365; *Ga.* '82, 95^a, 100, '96, 213; *g. dist.* '93, 133; *Gulf. of Mex.* '81, 251^a; *Ia.* '85, 308, '86, 475, '95, 121, 236; *Ill.* '78, 164, '90, 242; *Ind.* '82, 18, '89, 25; *Ky.* '89, 315; *La.* '82, 163, '87, 302^a; *Labrador.* '85, 369?; *Man.* '86, 324; *Mass.* '84, 14, '88, 388^a, 389, '89, 41^a, 42, '90, 43^a, 45, 101, '96, 178, 260, '97, 276, '98, 189; *Mich.* '80, 110^a, '89, 280, '93, 226; *Minn.* '84, 245; *Mo.* '79, 145, '95, 117^a, '96, 218; *N. B.* '82, 105; *N. C.* '86, 110, '86, 309^a, 314, '89, 121; *N. H.* '88, 150, '89, 77, 78; *N. J.* '94, 139, '98, 190; *N. Y.* '79, 32, 175, '81, 230, '84, 175, '85, 150, '90, 231, 295, '98, 190, 1900, 178; *O.* '95, 242; *Ont.* '87, 248^a; *Pa.* '89, 142^a, '92, 138, '93, 37, 40, 43, 45, '96, 280^a, 283, 291^a, 294, 1900, 396^a; *Que.* '90, 387; *S. C.* '79, 214, '88, 207^a, '90, 30, 125, '91, 329, '92, 29^a, '94, 38^a; *S. D.* '85, 282; *Tenn.* '86, 318, '87, 131; *Tex.* '82, 13, '87, 293, '92, 339; *Va.* '86, 159, 161; *W. Va.* '82, 188; *W. Va.* '98, 136.—*anat.* '91, 220; *mig.* '80, 152^a, '81, 251^a, '84, 175, '85, 308, '89, 142^a, '92, 29^a, '94, 38^a, '95, 121, 128^a, 236, 242; *nst.* '82, 18, '88, 22, '90, 83^a, '91, 108^a; *plm.* '78, 41, 122, '79, 145, 214 (alb.), '80, 28 (alb.), 112, '83, 126 (alb.), '86, 110, '91, 329 (alb.), '97, 276; *song.* '85, 150, '90, 199; *syn.* '82, 39; *misc.* '85, 99^a, '89, 24^a, '90, 81^a, '97, 238, 1900, 109^a.

fuscus, *Mex.* '95, 357.—*misc.* '93, 135.

intermedius, *Mex.* '99, 296.

maculatus (^b orizabae, ^c submaculatus), *Mex.* '86, 332^{a*}, '94, 161^b?, '95, 357^b, '98, 157.—*meas.* '86, 332^c, '94, 161^c, '95, 358^b; *plm.* '95, 357^b; *syn.* '77, 60, 62, '83, 192, '98, 157^b; *misc.* '93, 135.

magnirostris, '91, 146*, see *megalonyx*.

megalonyx (^a Spurred Towhee, ^b atratus, ^c magnirostris), *Ariz.* '78, 93, '82, 197, '85, 174, 355, '87, 204, '90, 48; *Cal.* '86, 182, '87, 330, '89, 223, '97, 296, '98, 235; *Colo.* '83, 191,

'85, 16, '87, 264, '94, 244; *g. dist.* '99, 254^b*; *Ida.* '98, 17; *L. Cal.* '91, 146^b*; *N. M.* '78, 93, '85, 128, '86, 74, '92, 366, '94, 216; *Ore.* '79, 165, '88 139; *Tex.* '82, 39 [*areticus?*]; *Wash.* '82, 227, '97, 178.—*anat.* '88, 438, 439 (fig.), 440, 442, 444, '91, 220; *meas.* '77, 61, '91, 146^c, '97, 296; *plm.* '83, 191, '98, 235; *song.* '82, 197, '98, 235; *syn.* '80, 106, '82, 39, 197, '83, 191, '92, 107^c; *misc.* '90, 82^a.

mesoleucus (Cañon Towhee, ^b *fuscius*), *Ariz.* '78, 93^b, '82, 197, '87, 204, '90, 22-27, '94, 218^a, 219^a, 220; *Cal.* '90, 215; *Colo.* '85, 16, '87, 123, '94, 269; *Mex.* '85, 228; *N. M.* '78, 93^b, '85, 237, '86, 74, '92, 366, '94, 216, '98, 310; *Tex.* '87, 293.—*hbt.* '85, 237, '87, 123, '90, 22-29; *meas.* '82, 197, 198, '90, 25, 26; *nst.* '82, 197, '85, 228, '87, 204, 293, '90, 22-29, 214 (corr.), '92, 366, '94, 220; *plm.* '79, 46, '80, 28 (alb.), '82, 197, '87, 204; *song.* '85, 237, '87, 123.

oregonus (Oregon Towhee), *B. C.* '97, 277; *Ore.* '86, 169, '88, 359; *Wash.* '92, 356, 1900, 356.—*nst.* '86, 169; *plm.* '88, 359; *song.* '92, 356; *syn.* '83, 192; *misc.* '78, 193.

orizabae, '94, 161*, see *maculatus*.
potosinus, *Mex.* '99, 254*.

semicula (Anthony's Towhee), *g. dist.* '95, 111^a, 165; *L. Cal.* '95, 141.—*meas.* '95, 112; *syn.* '95, 165.

submaculatus, '86, 332*, see *maculatus*.

Pipilo, see *Pipilo erythrophthalmus*.
pipiri (Tyrannus), see *T. tyrannus*.
Pipit, American, see *Anthus pensylvanicus*.

Meadow, see *Anthus pratensis*.
Red-throated, see *Anthus cervinus*.
Richard's, see *Anthus richardi*.
Sprague's, see *Anthus spragueii*.
Tree, see *Anthus trivialis*.

Pipra auricapilla, *syn.* '90, 381.
flavicollis [*flaviceps*?], *Braz.* '91, 24.—*song.* '86, 106.

rubericauda, *Braz.* '91, 25.

Pipreola decora, *Colom.* 1900, 82.
Pipride, '81, 32, 36, '89, 267.

Piprime, '81, 31.

Piranga, '83, 81, '86, 198, '88, 442, 443, '93, 111.

ardens, *Venez.* '97, 364.

bidentata, *C. R.* '92, 25; *Mex.*, *meas.*, *syn.* '98, 158; *plm.* '92, 25, '98, 158.

cooperi (Cooper's Tanager), *Ariz.* '82, 147, '85, 198, '88, 30; *Cal.* '87, 88?; *Colo.* '85, 15; *g. dist.* '93, 135; *Tex.* '94, 222.—*mcas.* '82, 147; *plm.* '82, 147, '85, 198, '88, 30; *syn.* '83, 81, '85, 371.

erythrocephala, *misc.* '84, 386.

erythromelas ("Scarlet Tanager, ^a *Pyranga rubra*), *Ala.* '78, 174^b; *Bermuda*, '85, 95^b; *D. C.* '82, 186^a, '88, 23, '97, 277; *Fla.* '89, 324, '90, 311, '92, 213; *Ga.* '96, 214; *g. dist.* '93, 133; *Gulf. of Mex.* '81, 251^a; *Ia.* '95, 123, 235; *Ill.* '88, 433^a; *Ind.* '82, 16^b, '89, 25; *Jamaica*, '93, 180; *Ky.* '89, 315; *La.* '87, 304; *Man.* '86, 324; *Mass.* '84, 14, '88, 389, '89, 42^a, 45, 101; *Mc.* '80, 132^a, '82, 111^b; *Mich.* '83, 174^b; '93, 226; *Minn.* '84, 244; *Mo.* '79, 142^b; *N. B.* '82, 104^b, 111^b, '83, 176^a, '85, 266^a; *N. C.* '86, 110; *N. H.* '88, 150, 152, '89, 77, 78; *N. J.* '96, 261; *N. S.* '85, 43^a, 266^a; *N. Y.* '79, 32^b, '81, 229^b, '84, 178, 179, 326, '88, 181, '97, 277; *O.* '95, 241; *Pa.* '88, 322, '92, 138, '93, 37, 40, 43, 45, '96, 283, 295; *P. E. I.* '85, 266^a?; *S. C.* '79, 212^b, '90, 125, '91, 329, '93, 154; *S. D.* '85, 278^b; *Tenn.* '86, 317, '87, 131; *Tex.* '82, 12^b, '87, 294, '92, 339; *Vt.* '82, 64^b; *W. I.* '86, 199, '91, 47; *Wis.* '82, 187, '88, 327; *Wyo.* '89, 341.—*fd.* '99, 362^a; *hbt.* '84, 190^a, '96, 261; *mcas.* '93, 303; *mig.* '80, 132^a, '81, 251^a, '82, 186^a, '83, 174^b, '84, 178^b, 179^b, '85, 98^a, '88, 327, 433^a, '95, 123, 132^a, 235, 241; *mlt.* '84, 326^b, '96, 241^a; *nst.* '96, 261; *plm.* '78, 62^b, '80, 27^b (*alb.*), '88, 30, 322 (*alb.*), '93, 154, 302 (*hyb.*), '97, 277; *song.* '84, 64^a, 326^b, '86, 110, '90, 199, '91, 36^a; *syn.* '86, 199, '99, 186, 281.

faceta, *Colom.* '98, 339.

hæmalea, *Ucnez.* '97, 364.

hepatica (Hepatic Tanager), *Ariz.* '81, 68, '82, 146, '85, 197, '88, 30, '90, 49, 260; *Cal.* '90, 215; *N. M.* '92, 366.—*hbt.*, *song.* '81, 68; *mcas.* '82, 146; *nst.* '88, 30; *plm.* '82, 146, '85, 197, '88, 30; *syn.* '83, 82.

leucoptera, *C. R.* '92, 25.

ludoviciana ("Louisiana Tanager"), *Ariz.* '82, 146, '85, 354, '88, 29, '90, 260; *Cal.* '86, 183; *Colo.* '79, 92, '80, 228, '81, 88, '83, 159, '85, 15, 141, '94, 269; *Conn.* '93, 86; *g. dist.* '93, 135; *Ida.* '98, 17, 1900, 245; *Kan.* '94, 260; *La.* 1900, 297; *Mont.* '82, 62,

'94, 306; *N. M.* '85, 333, '92, 366; *N. Y.* '90, 55; *Ore.* '79, 164, '86, 169, '88, 359; *Tcr.* '87, 294; *Wash.* '92, 309, 310, '97, 178.—*anat.* '88, 441, 442, 444; *fd.* '85, 141, '88, 29, 1900, 297; *hbt.* '80, 228, '88, 359; *mig.* '90, 55, 1900, 297; *mcas.* '82, 146, '88, 360, '90, 55; *nst.* '82, 62, '88, 359, '98, 17; *plm.* '82, 146; *song.* '80, 228, '86, 169, '88, 359, '97, 178; *syn.* '80, 37^a.

roseigularis, *misc.* '83, 114.

rubra ("Summer Tanager or Redbird, ^a *Pyranga aestiva*), *Ala.* '78, 174^b; *Ark.* '82, 91^b; *Bahamas*, '91, 70, 1900, 305; *Colom.* 1900, 365; *Conn.* '93, 303, '95, 306; *C. R.* '90, 335, '92, 25; *D. C.* '88, 23, '92, 307, '97, 407; *Fla.* '88, 30, 274, '89, 324, '90, 311, '91, 138, '92, 213, '95, 365; *Ga.* '77, 103^b, '82, 99, '83, 39^b, '96, 213; *Gulf. of Mex.* '81, 251^a; *g. dist.* '93, 133; *Ill.* '78, 164^b; *Ind.* '82, 16^b, 20^b, '85, 98^a; *Kan.* '93, 367; *Ky.* '86, 487, '89, 315; *La.* '82, 162^b, '87, 302^a, 1900, 297; *Md.* '91, 315, '97, 407; *Miss.* '82, 91^b; *Mo.* '79, 142^b, '95, 115^a, 351^a; *N. B.* '82, 249^b; *N. C.* '86, 111; *N. J.* '88, 181, *N. Y.* '84, 290^a, '86, 442, '88, 181, '90, 55; *Ont.* '84, 389^a; *Pa.* '79, 235^b, '97, 410, '99, 312; *Que.* '90, 387; *R. I.* '77, 21^b; *S. C.* '79, 213^b, '90, 125, '92, 35^a, '93, 154; *Tenn.* '86, 317, '87, 131; *Tex.* '82, 12^b, 37^b, '87, 294, '89, 240, '92, 339, 1900, 346; *W. I.* '86, 198.—*fd.* '86, 442, '92, 339; *hbt.* '87, 302^a, '93, 367; *mcas.* '79, 213^b, '90, 55, '93, 303; *mig.* '81, 251^a, '91, 135, '92, 35^a; *nst.* '79, 213^b, '82, 12^b, '83, 39^b, '87, 294, '88, 23; *plm.* '82, 20^b, '86, 487, '88, 30, 274, '89, 324 (*mlt.*), '90, 55, '91, 315, '92, 25, '93, 153, 154, 302 (*hyb.*), '97, 406 (*mlt.*), 1900, 365 (*mlt.*); *song.* '82, 12, 99^b, '86, 487; *syn.* '83, 81^b, '86, 198, '99, 186, 278, 281; *misc.* '90, 82^a.

rubriceps (Gray's Tanager), *Cal.* '87, 78, '88, 399.

saira, *Urug.*, *hbt.*, *mig.*, *syn.* '83, 91.

sanguinolenta, *Mcx.*, *mcas.*, *plm.*, *syn.* '98, 158, 159.

piririgua (Guira), see Guira.

piscator (*Dysporus*), see Sula.

— (*Pelecanus*), see Sula.

— (*Sula*), see Sula.

pispoletta (*Calandrella*), see Calandrella.

pitangua (*Megarhynchus*), see *Megarhynchus*.

Pitangus, '85, 231.

bahamensis, *Bahamas*, '86, 233, '91, 71, 294, 298, 334, 335, 350, 350, 1900, 288.—*meas.*, *plm.*, *syn.* '86, 233.

bellicosus, *Urug.*, *fd.*, *hbt.*, *nst.*, *song.* '83, 200.

caudifasciatus, *W. I.* '86, 232, 89, 32, '92, 272, '93, 177, '94, 126.—*meas.*, *plm.*, *syn.* '86, 232.

derbianus (*Derby Flycatcher*), *C. R.* '90, 333, '92, 250; *g. dist.* '93, 141; *Tex.* '80, 90.

gabbi, *W. I.* '81, 153, '86, 233, '95, 279.—*meas.*, *plm.*, *syn.* '86, 233.

jamaicensis, *W. I.* '94, 67.

rufipennis, *Venez.* '97, 365.

sulphuratus, *Braz.* '90, 270, 1900, 299; *Trinidad*, '95, 202.

taylori, *W. I.*, *meas.*, *plm.*, *syn.* '86, 232.

pitiayumi (*Compsothlypis*), see *Compsothlypis*.

— (Parula), see *Compsothlypis pitiayumi* or *nigrilora*.

Pithys, 1900, 179.

olivascens, *Honduras*, '92, 175.

Pitta, '93, 51, 181–184, 187, 188, '96, 60.

angolensis, *Africa*, '96, 60.

arcuata, *syn.* '94, 63, '96, 60.

atricapilla, *syn.* '96, 65.

baudi, *Borneo*, *syn.* '90, 356.

brachyura (b *coronata*), *syn.* '93, 182, 188^b.

cærulea, *Borneo*, *song.* '90, 356.

celebensis, *nst.* '94, 243.

coccinea, *syn.* '92, 220.

concinna, *plm.* '94, 243.

cucullata, *syn.* '96, 60.

granatina, *g. dist.*, *plm.*, *syn.* '92, 218–221.

irena, *syn.* '93, 183.

iris, *syn.* '96, 60.

moluccensis (b *cyanoptera*), *syn.* '93, 183, 183^b, 188, '94, 63.

nepalensis, *nst.*, *plm.* '94, 243.

nympha, *syn.* '91, 100.

sordida (b *Melanopitta*), *Borneo*, '90, 357; *P. I.* '94, 238^b.—*syn.* '90, 357, '93, 188, '94, 63.

steerii (b *Melanopitta*), *P. I.* '94, 238^b.

venusta, *Borneo*, *hbt.*, *syn.* '90, 356.

Pittasoma zeledoni, *C. R.* '85, 291.

Pittidæ, '81, 36, '89, 267, '94, 62, 173, 243, '95, 65, '96, 60.

pittieri (*Henicorhina*), see *Henicorhina*.

Pitylus, '98, 223.

scapularis, *Honduras*, '89, 172.

grossus, *Braz.* '90, 267.

pityophila (*Dendroica*). see *Dendroica*.

— (Sylvicola), see *Dendroica*.

pityophilus (*Rhiamphus*), see *Dendroica*.

pityopsittacus (*Loxia*), see *Loxia*.

Placelodomus, see *Phacelodomus*.

placens (*Myiopagis*), see *M. jaliscensis*.

plagiata (*Asturina*), see *Asturina*.

Plagiospiza, '98, 224*.

Planetis, see *Onychoprion*.

Planesticus, see *Merula*.

Platalea leucorodia, *Helg.* '95, 337.

platalea (*Spatula*), see *Spatula*.

Plataleæ, '99, 201.

Plataleidae ("Spoonbills"), '78, 183, '81, 78, 79, 81, '93, 107^a.

platensis (*Cistothorus*), see *Cistothorus*.

— (Embernagra), see *Embernagra*.

— (Leptasthenura), see *Leptasthenura*.

— (Trogolodites), see *Troglodytes*.

Plates, illustrations, etc.

(Colored plates.)

Helminthophaga leucobronchialis, '76, 1; *Passerculus bairdi*, '78, 1; *Vireo atricapillus*, '79, 193; *Helminthophila cincinnatiensis*, '80, 193; *Picumnus lawrencii*, '81, 129; *Ligea palustris*, '84, 1; *Icterus northropi*, '91, 1; *Otocanthes mcleodii*, '91, 249; *Megascops vinaceus* and *M. aspersus*, '91, 323; *Dendroica nigrifrons*, '92, 1; *Megascops flammolitus idahoensis*, '92, 109; *Meleagris gallopavo ellioti*, '92, 209; *Hybrid. Junco + Zonotrichia*, '93, 213; *Dolichonyx oryzivorus*, '93, 309; *Hybrid. Carpodacus + Pinicola*, '94, 1; *Seiurus aurocapillus*, '94, 91; *Oreortyx pictus* and *O. p. plumiferus*, '94, 193; *Junco hyemalis pinosus*, '94, 265; *Harporhynchus lecontei*, '95, 1; *Tympánichus americanus*, '95, 99; *Nyctibius jamaicensis*, '95, 201; *Æstrelata fisheri*, '95, 319; *Ardetta neoxena*, '96, 11; *Speotyto floridana*, '96, 99; *Lagopus evermanni*, '96, 197; *Ammodramus nelsoni* and *A. n. subvirgatus*, '96, 271; sections of feathers (*Megascops*), '97, 1; sections of feathers (*Dolichonyx*), '97, 137; *Vireo philadelphicus* and *V. gilvus*, '97, 259; *Spizella pusilla arenacea*, '97, 345; *Colinus godmani*, '98,

115; *Campephilus imperialis*, '98, 217; *Dendroica kirtlandi*, '98, 289; *Anisognathus maritimus fisheri* and *A. sennetti*, '99, 1; *Leucura phalerata*, '99, 135; *Icteria virens* and *Dendroica coronata*, '99, 217; *Zamelodia ludoviciana*, '99, 305; *Porzana jamaicensis*, 1900, 1.

(Uncolored plates.)

Speotyto cunicularia hypogaea, '80, 129 (2), 131; sections of feathers, '82, 129; J. J. Audubon, '86, 417; S. F. Baird, '87, 273; *Camptolaimus labradorius*, '91, 125; Fish Hawk's nest, '92, 313 (2); Black Duck's nest, '93, 1; Black Duck group, '93, 1; bills of *Oidemis deglandi*, '93, 176; Gambel's Partridge, '94, 128 (3); *Aptenodytes longirostris*, '94, 281; J. J. Audubon, '94, 309; Geo. N. Lawrence, '96, 1; Ruffed Grouse, '96, 126 (5); Woodcock, '96, 127 (2); breeding Cormorants, '96, 312; Hawks and Owls, directive patterns, '97, 396; Chas. E. Bendire, '98, 1; Canada Jay, '99, 17 (4); Prothonotary Warbler, nest, etc., '99, 238 (2), 242 (2), 244 (2); Robin, nest cleaning, 1900, 102 (2); Bluebird, nest cleaning, 1900, 103 (2); Ptarmigan feathers, 1900, 150; down-feathers of Grouse, 1900, 151; Whistler and nest, 1900, 208 (2), 212 (2); colony of Wedge-tailed Petrels, 1900, 248; Franklin's Gull and nest, 1900, 272, 275, 280; Sage Cock, 1900, 325.

(Maps.)

Haiti, '80, 151; Arizona, '86, 251; Killdeer migration, '89, 261; Horned Larks, distribution, '90, 159; Florida, '90, 301; Ivory-billed Woodpecker, distribution, '91, 187; Carolina Paroquet, distribution, '91, 369; N. Am. faunal areas, '93, 97 (2); Megascops, distribution, '93, 264 (2); Red-shouldered Hawks, local breeding, '94, 198; Philippine Is., '94, 230; Leconte's Thrasher, distribution, '95, 59; Pine Grosbeak, migration, '95, 253, 255; Hawk migration, '95, 267, 268.

(Text-figures.)

Selasphorus allenii, S. rufus, '77, 53, 101; egg-holder, '78, 91; Wilson's school-house, '80, 199; carpus of *Circus hudsonius*, '81, 199; carpus of *Bubo* and *Otus*, '82, 87;

crania of several Passeres, '82, 215; cuts of several N. Am species, '83, 1-5; hermaphrodite, '83, 17; primaries of *Larus kunlunensis*, '83, 216; details of *Ligea palustris*, '84, 2; details of *Calyptophilus frugivorus*, '84, 3; bill of *Diomedea brachyura*, '85, 175-177; head of *Merula gymnophthalma*, '86, 4; head of *Cichlherminia dominicensis*, '86, 8; head of *Margarops montanus*, '86, 15; head of *Ramphocinclus brachyurus*, '86, 16; head of *Catharopeza bishopi*, '86, 41; head of *Microligea palustris*, '86, 44; head of *Glossiptila ruficollis*, '86, 54; pelvis of *Buteo borealis calurus*, '86, 133; head of *Calyptophilus frugivorus*, '86, 201; head of *Loxigilla violacea*, '86, 203; head of *L. noctis*, '86, 204; head of *L. portoricensis*, '86, 205; head of *Spermestes cucullatus*, '86, 214; head of *Hemiprocne zonaris*, '86, 346; head of *Priotelus temnurus*, '86, 360; head of *Todus subulatus*, '86, 370; malformed bill of *Campephilus bairdi*, '86, 374; head of *Conurus euops*, '86, 455; cranium of *Xanthocephalus xanthocephalus*, '87, 267; supernumerary toe of *Buteo latissimus*, '87, 332; spur on wing of *Dolichonyx oryzivorus*, '87, 333; arm muscles of *Xanthocephalus xanthocephalus* and *Tyrannus tyrannus*, '87, 356; pterylosis of *Dryobates villosus harrisi*, '88, 213, 215; pterylosis of *Sphyrapicus varius nuchalis*, '88, 216, 217; crania of *Habia melanocephala* and *Pipilo maculatus megalonyx*, '88, 439; crania of *Antrostomus vociferus*, *Dendrochelidon mystacea* and *Chætura pelagica*, '89, 10; graphic migration charts, '89, 141-143, '90, 195, 196; tongues of seven species, '94, 144; photo-apparatus, '94, 187; bills of *Harporhynchus lecontei*, '95, 57; graphic migration charts, '95, 121-124, 235, 236, 241, 242; tarsus and plantar tendons of several species, '95, 157; egg-blower, '95, 197; *Porzana carolina* caught by mussel, '95, 298; head and foot of *Aphelocoma couchi* and *A. gracilis*, '96, 36; diagram of burrows of *Speotyto floridana*, '96, 102, 107; tongues of twelve species, '96, 114; protective coloration, diagram, '96,

125, 320; microscopic feather barbs, '97, 36; bill of *Carpodacus*, '97, 165; graphic chart of song season of *Cardinal*, '99, 279, 280; *Chelidon erythrogaster* nest building, '99, 358; bills of *Picoides arcticus* and *P. a. tenuirostris*, 1900, 131; bills of *Hæmatopus palliatus* and *H. prattii*, 1900, 285; worn feathers of *Centrocercus urophasianus*, 1900, 326.

Platt, Franklin.

List of birds of Meriden, Conn. (rev.), '87, 154.

platycercus (*Selasphorus*), see *Selasphorus*.

— (*Trochilus*), see *Selasphorus*.

Platycichla, '84, 182.

Platylophus coronatus, *Borneo*, syn. '90, 352.

Platyparsis (^b *Hadrostomus*), '86, 337^b. *albiventris* (*Nantus's Becard*), *Ariz.*, song, '88, 425; g. dist., syn. '90, 62.

aglaiae (^b *Pachyrhamphus*), *C. R.* '94, 169.—syn. '97, 52; misc. '80, 88^b.

hypophaeus, *Honduras*, '92, 175.

minor (^b *Hadrostomus*), *Braz.* '91, 25^b.

nigra (^b *Hadrostomus*, ^c *Pachyrhamphus*), *Boliv.* '90, 382^c; *W. I.* '86, 337^b, '93, 177^b, 220^c.—meas., plm., syn. '86, 337^b.

obscurus, *C. R.* '92, 175.

sumichrasti, *Mex.* '97, 52*.

Platyrhynchus bifasciatus, *Braz.* '90, 384.

insularis, *Venez.* '97, 363; *W. I.* '90, 384, '97, 362.

platyrhynchus (*Myiarchus*), see *Myiarchus*.

Platysmurus aterrimus, *Borneo*, syn. '90, 356.

Plautus, '85, 183, '92, 173.

impennis (^a Great Auk, ^b *Alca*), g. dist. '88, 278–283^a, 380–384^a, '93, 125; *Labrador*, '85, 374^a, 374^a; *Mass.* '76, 53^b; *N. F.* '77, 73, '89, 178^a; *N. S.* '89, 64^a—*anat.* '88, 329^b, 331, '89, 195^a, '91, 306^a, '92, 100^a; *fd.* '88, 278^a, 282^a; *hbt.* '76, 58^b, '88, 278–283^a, 380–384^a; *meas.* '90, 203^a; *nst.* '83, 175^a, '89, 176^a, '92, 198^a, '94, 191^a; *plm.* '80, 127^b (milt.), '81, 111^b; *syn.* '84, 385; *misc.* '83, 238^a, '85, 115^b, 209^a, '86, 262–265^b, '88, 422^a, '89, 176^a, '90, 199, 201^a, 203^a, '91, 306^a, 388^a, '99, 91^a.

Pleasant, Jacob Hall, Jr.

An overlooked volume [Imlay's 'Western Territory'], '92, 206.

Rare birds near Baltimore, Maryland, '93, 371.

plebeius (*Contopus*), see *Contopus*.

— (*Merula*), see *Merula*.

Plectrophanes, see *Passerina*.

Plectrophenax, see *Passerina*.

Plectropterinae, '99, 129.

Plegadis (^b *Falcinellus*), '78, 182^b, '80, 101, '87, 321, '93, 107.

autumnalis (^a *Glossy Ibis*, ^b *Ibis ordii*, ^c *Ibis falcinellus*, ^d *falcinellus*), *Argent.* '84, 272^d; *Ariz.* '86, 385; *Cal.* '85, 311^a; *Conn.* '87, 253^a; *Fla.* '86, 482^b, '89, 15, '92, 211; *Helg.* '95, 338; *Ill.* '81, 124^d; *Mass.* '78, 151^c, 152^c; *N. E.* '76, 73^b, '87, 97–100^a; *Nev.* '80, 45^a?; *N. S.* '85, 43^a, '89, 64; *N. Y.* '87, 254^a, '93, 271, '95, 393, '98, 50, '99, 193; *Out.* '84, 85^a; *Urug.* '84, 272^d; *W. I.* '87, 321.—*hbt.* '84, 27^d; *meas.* '87, 253^a; *syn.* '80, 100^d, '87, 97^a, 253, 321; *misc.* '78, 182^b, 182^c.

guarauna (^a White-faced *Glossy Ibis*, ^b *Ibis ordii*, ^c *Falcinellus*, ^d *Ibis thalassina*), *Ariz.* '86, 385, '90, 51; *Cal.* '86, 91; *Colo.* '85, 18, '97, 316 [not 'Guara rubra'; see '98, 183], '98, 184^a; *g. dist.* '93, 134; *Fla.* '86, 481; *Kan.* '92, 192; *Minn.* '96, 79; *N. Am.* '82, 242^d?; *N. M.* '92, 307, 360; *Ore.* '77, 73^b; *Tex.* '78, 145^c, '79, 51, '92, 345; *W. I.* '87, 322.—*hbt.* '86, 385; *nst.* '86, 481, '96, 79; *syn.* '87, 100; *misc.* '78, 182^c.

ridgwayi (^b *Falcinellus*), *misc.* '78, 182^b.

plesius (*Cistothorus*), see *Cistothorus*.

Pleske, Theodor.

Uebersicht der Säugetiere und Vögel der Kola-Halbinsel (rev.), '87, 61.

pihogryps (*Aquila*), see *Aquila*.

Ploceidae (^a Weaver-birds), '81, 34, '96, 159, 1900, 189, 190^a.

Plotidae, '81, 78, 163.

Plotus, see *Anhinga*.

Plover, American Golden, see *Charadrius dominicus*.

Asiatic Golden, see *Charadrius fulvus*.

Bartram's, see *Bartramia longicauda*.

Belted Piping, see *Ægalitis circumcincta*.

Black-bellied, see *Squatatarola squatarola*.

Field, see *Bartramia longicauda*.

- Golden, see *Charadrius apricarius*; *C. dominicus* (American references).
 Gray, see *Squatarola squatarola*.
 Guinea-hen, see *Macrorhamphus griseus* or *Totanus flavipes*.
 Killdeer, see *Ægialitis vocifera*.
 Little Ring, see *Ægialitis dubia*.
 Mongolian, see *Ægialitis mongola*.
 Mountain, see *Ægialitis montana*.
 Pacific Golden, see *Charadrius fulvus*.
 Piping, see *Ægialitis meloda*.
 Prairie, see *Bartramia longicauda*.
 Ring or Ringed, see *Ægialitis hiaticula*; *Æ. semipalmata* (American references).
 Ring-necked, see *Ægialitis semipalmata*.
 Sea, see *Squatarola squatarola*.
 Semipalmated, see *Ægialitis semipalmata*.
 Snowy, see *Ægialitis nivosa*.
 Upland, see *Bartramia longicauda*.
 Wilson's, see *Ægialitis wilsonia*.
 Plovers, see *Charadriidae*.
Plumage.
 Allen, J. A., '94, 91.
 Batchelder, C. F., '84, 16.
 Birtwell, F. J., '99, 313.
 Brewster, W., '78, 15-23, 56-64, 115-123, 175-182, '79, 39-46, '95, 99.
 Brown, N. C., '83, 46.
 Chadbourne, A. P., '96, 321, '97, 33, 137.
 Chapman, F. M., '90, 120, '93, 309, '97, 149.
 Coues, E., '76, 60-63.
 Dwight, J., Jr., '99, 217.
 Gundlach, J., '91, 187.
 Jeffries, J. A., '81, 156, '82, 129.
 Keeler, C. A., '93, 373.
 Loomis, L. M., '93, 151.
 McGregor, R. C., '98, 264.
 Mearns, E. A., '78, 69.
 Merriam, C. H., '88, 402.
 Merrill, J. C., '80, 75.
 Norton, A. H., '97, 303, 1900, 16.
 Palmer, W., '94, 282.
 Ridgway, R., '80, 92.
 Scott, W. E. D., '92, 141.
 Sennett, G. B., '87, 24.
 Shufeldt, R. W., '88, 312.
 Stone, W., '99, 305.
 Trumbull, G., '92, 153, '93, 165.
 plumbea (*Dacnis*), see *Dacnis*.
 — (*Dendroica*), see *Dendroica*.
 — (*Galeoscoptes*), see *Mimocichla*.
 — (*Hydrochelidon*), see *H. surinamensis*.
 — (*Ictinia*), see *Ictinia*.

- (*Lathria*), see *Lathria*.
 — (*Mimocichla*), see *Mimocichla*.
 — (*Mimocitta*), see *Mimocichla*.
 — (*Polioptila*), see *P. plumbea* or *californica*.
 — (*Spermophila*), see *Sporophila*.
 — (*Sporophila*), see *Sporophila*.
 — (*Sterna*), see *Hydrochelidon surinamensis*.
 plumbeus (*Anous*), see *Hydrochelidon surinamensis*.
 — (*Galeoscoptes*), see *Mimocichla ardosiae* or *plumbea*.
 — (*Laniivireo*), see *Vireo*.
 — (*Mimus*) see *Mimocichla ardosiae*.
 — (*Psaltriparus*), see *Psaltriparus*.
 — (*Rostrhamus*), see *R. sociabilis*.
 — (*Turdus*), see *Mimocichla ardosiae* or *plumbea*.
 — (*Vireo*), see *Vireo*.
plumiferus (*Oreortyx*), see *Oreortyx*.
Plummer, Gordon.
 Capture of Red-bellied Woodpecker (*Centurus carolinus*) in eastern Massachusetts, '81, 120.
pluvialis (*Charadrius*), see *C. apicarius* or *dominiculus*.
 — (*Coccygus*), see *Hyetornis*.
 — (*Cuculus*), see *Hyetornis*.
 — (*Hyetomantis*), see *Hyetornis*.
 — (*Hyetornis*), see *Hyetornis*.
 — (*Piaya*), see *Hyetornis*.
Pluvianus ægyptius, misc. '83, 55.
pluvianus (*Hyetornis*), see *H. pluvialis*.
Pneopyga, '93, 112.
Pochard, American, see *Aythya americana*.
Podager naevia, *Argent.*, *Urug.*, *hbt.*, *mig.*, *nst.* '84, 24.
Podargidae, '81, 37, 74, 75, '93, 67, '97, 419.
Podargus, '81, 37, 74.
Podasocys, see *Ægialitis*.
Podica senegalensis, *anat.* '91, 110.
Podiceps, '81, 156, '85, 96, '88, 155, '93, 99, '99, 286.
 — *cristatus*, *g. dist.* '78, 52.
podiceps (*Colymbus*), see *Podilymbus*.
 — (*Podilymbus*), see *Podilymbus*.
Podicipedes, '92, 174.
Podicipidae (^a *Grebes*), '79, 111^a, '83, 62, '93, 105, '97, 338, '99, 286, 1900, 53^a, 95^a, 200^a.
Podilymbus, '88, 156, '93, 99, 105.
 — (*podiceps* (*Pied-billed, Thick-billed or Carolina Grebe*)), *Ariz.*, '86, 383; *Bahamas*, '91, 294; *Cal.* '86, 88; *Colo.*, '85, 18; *Fla.* '88, 268, 373, '91, 137,

'92, 211, 214, '95, 364; *Ga.* '96, 215; *Ida.* '97, 350; *Ind.* '82, 22, '88, 345; *Jamaica*, '91, 353, '94, 119; *Kan.* '85, 388, '86, 115, '87, 8; *Ky.* '89, 311; *La.* '82, 165; *Man.* '85, 314, '86, 147; *Mass.* '81, 127; *Me.* '82, 152; *Mich.* '93, 222; *Minn.* '80, 20, '84, 249, '96, 79^a, 1900, 281^a; *Mo.* '79, 147; *N. C.* '86, 179; *N. Y.* '81, 235, '82, 124; *Ont.* '87, 247^a; *Ore.* '88, 140, '91, 366 (fossil); '93, 344 (fossil); *Pa.* '99, 309; *Que.* '82, 241; *S. C.* '79, 218; *S. D.* '85, 289; *Tex.* '84, 122, '87, 184, '92, 345; *W. I.* '88, 156, '90, 375, '91, 46; *W's.* '82, 188.—*hbt.* '82, 124, '85, 96, '91, 353; *nst.* '85, 388, '87, 247^a; *syn.* '88, 156; *misc.* '90, 86^a.

pecciloma (*Hirundo*), see *Petrochelidon fulva*.

— (*Petrochelidon*), see *P. fulva*.

Peccilonetta, see *Peclonitta*.

Poke, *Shy*, see *Ardea virescens*.

Poling, Otho C.

Notes on *Fringillidae* of western Illinois, '90, 238-243.

Notes on *Eugenes fulgens*, '90, 402.

Groove-billed Ani (*Crotophaga sulcirostris*) in Arizona, '91, 313.

Polioaëtus, '78, 77, '94, 233.

poliocephala (*Bleda*), see *Bleda*.

— (*Chlephaga*), see *Chlephaga*.

— (*Geothlypis*), see *Geothlypis*.

poliocephalus (*Dulus*), see *Phænicophilus palmarum*.

poliogaster (*Astur*), see *Astur*.

poliogenys (*Falco*), see *Butastur indicus*.

Poliolophus, '94, 235.

polionota (*Spermophilus*), see *Sporophila*.

— (*Sporophila*), see *Sporophila*.

poliophaea (*Grus*), see *G. mexicana*.

Poliopsar, see *Spodiopsar*.

Polioptila, '85, 368, '86, 22, '93, 113, '97, 224.

albiloris, *plm.*, *syn.* '81, 106.

albiventris, *Yucatan*, '86, 269.

bilineata, *plm.*, *syn.* '81, 106.

cærulea (* Blue-gray Gnatcatcher),

Alas. '78, 170; *Ariz.* '82, 77 [obscura?], '85, 349, '88, 166^a, '90, 48^a;

Bahamas, '91, 296, 297, 298, 298, 334,

350, 351, '92, 48; *Colo.* '85, 15; *Conn.*

'77, 20, '83, 179, '86, 487, '93, 89^a;

Cuba, '92, 273; *D. C.* '88, 25, '92,

307; *Fla.* '88, 277, '90, 119, 314, '91,

127^a, 138, '92, 214, '95, 366; *g. dist.*

'93, 133; *Ga.* '83, 37, '96, 214; *Ia.*

'95, 122, 235; *Ind.* '82, 17, '89, 29; *Ky.* '89, 316; *La.* '82, 161, '87, 301; *Mass.* '78, 45, 146, '80, 47, 108, '90, 229; *Me.* '80, 236, '83, 113, '96, 264; *Mich.* '93, 229; *Minn.* '79, 182, '95, 185^a; *Mo.* '79, 140; *N. C.* '86, 178, '89, 120; *N. E.* '77, 14, 47, '86, 400; *N. J.* '94, 140; *N. M.* '92, 368 [obscura?]; *N. Y.* '79, 174, '81, 126, '85, 272, '88, 324, '89, 305, '93, 277; *O.* '82, 46; *Ont.* '85, 334, '89, 204; *R. I.* '77, 20; *S. C.* '79, 211, '90, 130, '92, 31^a, 35^a, 36^a, 37^a, '94, 109^a; *Tenn.* '86, 316, '87, 133; *Tex.* '82, 7, 35, '87, 298, '89, 241, '92, 344, 1900, 348; *W. I.* '86, 23, 501, '87, 7.—*meas.* '98, 161; *mig.* '92, 31^a, 35^a, 36^a, 37^a, '94, 109^a, '95, 122, 235; *nst.* '82, 7, '83, 37, '87, 295, 298, '89, 29, '90, 81^a, '94, 140, '95, 185^a; *plm.* '78, 19; *song.* '79, 170; *syn.* '81, 101, 106, '86, 23; *misc.* '82, 118.

cæsiogaster, *Bahamas*, '88, 157, '91, 67, 335, 1900, 289.

californica (Black-tailed Gnatcatcher), *Cal.* '81, 103^a, '86, 186, '89, 173; *g. dist.* '93, 135; *L. Cal.* '95, 143; *N. M.* '92, 368.—*meas.*, *syn.* '81, 104; *nst.* '89, 173.

dumicola, *Urug.*, *nst.* '83, 86.

lembeyei, *W. I.*, *meas.*, *plm.*, *syn.* '86, 22.

leucogaster, *Venez.* '97, 363.

mexicana, *Mex.*, *meas.*, *plm.*, *syn.* '98, 160.

nigriceps, *plm.*, *syn.* '81, 106.

obscura (* Western Gnatcatcher),

b. cærulea), *Ariz.* '82, 77^b, '85, 349^b, '88, 166^b, '90, 48^b; *Cal.* '86, 186^b, '89, 221^b, '96, 123; *g. dist.* '90, 64, '93, 135; *L. Cal.* '84, 83; *N. M.* '92, 368^b.

— *hbt.*, *nst.* '96, 123; *syn.* '84, 83, '90, 64; *misc.* '97, 107^a.

plumbea (Plumbeous Gnatcatcher), *Ariz.* '82, 77-79, '88, 166; *Cal.* '87, 88, '89, 280, '90, 296; *g. dist.* '81, 101-103, '93, 135; *Mex.* '85, 228; *N. M.* '92, 368.—*meas.*, *nst.* '82, 77; *plm.*

'81, 101, '82, 77, '88, 166 (mlt.), '89, 280; *syn.* '81, 101, 105.

restricta, *Mex.*, *meas.* '89, 97^a.

Poliptile, '81, 173, '83, 228.

poliura (*Chætura*), see *C. acuta*.

pollicaris (*Rissa*), see *Rissa*.

polo-candor (*Larus*), see *Sterna dou-galli*,

polyagrus (*Falco*), see *F. mexicanus*.

— (*Hierofalco*), see *Falco mexicanus*.

Polybori, '77, 70.

- Polyborinæ, '81, 77.
Polyborus, '77, 71, '87, 50.
 pallidus, Mex. '98, 340.
 tharus, Argent., Urug., fd., hbt., meas., nst. '84, 111-113; syn. '77, 60, 65; anat. '82, 88, '91, 219.
 cheriway (Audubon's Caracara), Ariz. '83, 29, '86, 423; Braz. '91, 161; C. R. '90, 333, '92, 328; Cuba, '87, 50; Fla. '87, 222, '92, 212, 215; g. dist. '93, 141; Ont. '93, 364; Tex. '82, 173, '87, 189, '92, 234, 1900, 343. —fd. '87, 189; hbt. '82, 173; meas. '77, 61; nst. '82, 173, '87, 189, '92, 215, 234, 1900, 343; plm. '83, 29, '87, 27, '91, 161, '92, 215; syn. '77, 62, '87, 50.
 lutosus (Guadalupe Caracara), anat. '91, 219; meas. '77, 61; syn. '77, 60, 62, 65.
 polychlorus (Eclectus), see Eclectus.
 polyglotta (Hypolais), see Hypolais.
 polyglottos (Mimus), see Mimus.
 polyglottus (Mimus), see M. polyglottos or orpheus.
 — (Orpheus), see Mimus.
 — (Turdus), see Mimus polyglottos or orpheus.
 polygrammus (Melanerpes), see Centurus santacruzi.
 Polysticta, see Enicocetta.
 polysticta (Dendronnis), see Dendronnis.
 polytmus (Aithurus), see Aithurus.
 — (Trochilus), see Aithurus.
 pomarina (Aquila), see Aquila.
 pomarinus (Stercorarius), see Stercorarius.
 pomatorhinus (Stercorarius), see S. pomarinus.
 Poocetes, see Pooxetes.
Poœctes, '80, 97, '84, 54, '90, 73, '99, 20-23, 117.
 affinis (Oregon Vesper Sparrow), Ore. '86, 168 [not 'confinis?'], '88, 401^a.—meas. '88, 405; syn. '99, 23.
 confinis (Western Vesper Sparrow, ^b gramineus), Ariz. '82, 194, '87, 199, '90, 49, 259, '94, 218^a; Cal. '78, 66, '86, 182, '87, 86; Colo. '79, 93, '81, 90^b, '83, 189, '85, 16, 141; g. dist. '93, 134; Ida. '98, 15; Man. '86, 323; Minn. '80, 14; Mont. '82, 62, '88, 18, 94, 305, '95, 216; N. M. '86, 73, '92, 365, '98, 309; Ore. '79, 164, '86, 168 [affinis?], '88, 358; Tex. '82, 38, '87, 259, 291, '92, 337, 1900, 346; Wash. '97, 178, 1900, 244.—meas. '82, 194, '87, 259; nst. '87, 291; plm. '87, 259; syn. '82, 194, '83, 189, '99, 23.
 gramineus (^a Vesper Sparrow, Bay-winged Bunting or Grass Finch), Ala. '79, 8; Colo. '81, 90 [confinis?]; D. C. '88, 22; Fla. '88, 273, '89, 321, '92, 213, '93, 338, '95, 365; Ga. '82, 99^a, '96, 214; Ia. '95, 122; Ill. '78, 164, '90, 240; Ind. '82, 18, 20, '89, 25; Ky. '89, 314; Man. '85, 23; Mass. '78, 191, '84, 6^b, '88, 389, '89, 44, 100, '93, 50^a; Me. '82, 148; Mich. '81, 196^a, '93, 226; Miss. '99, 267; Mo. '79, 143; N. B. '82, 148; N. C. '86, 101^a, 308^a, 314, '87, 241, 242; N. H. '88, 150, 152, 154, '89, 77, 78, N. J. '79, 82, '92, 204, '94, 139; N. S. '95, 90; N. Y. '81, 229, '82, 188, '84, 31, 330; O. '95, 242; Ont. '87, 248^a; Pa. '92, 137, '93, 40, 44, '96, 283, 291^a, 294; P. E. I. '93, 6^a, 11; Que. '85, 315, '89, 144; S. C. '79, 214, '92, 31^a, '94, 111^a, '99, 198; S. D. '85, 280; Tenn. '86, 317; Tex. '82, 12 [confinis?], 38?, '87, 259, 291, '92, 337; Ia. '86, 161; Wis. '82, 188.—mig. '92, 31^a, '94, 111^a, '95, 122, 242, '99, 197^a, 198; nst. '82, 18, '87, 247^a, '96, 294; plm. '76, 21 (alb.), '79, 40, '80, 27 (alb.); song. '84, 330, '85, 23; syn. '80, '99, 23; misc. '81, 196^a, 1900, 109^a.
 Poor-me-one, see Nyctibius jamaicensis.
 Poor-will, see Phalaenoptilus nuttallii. California, see Phalaenoptilus californicus.
 Frosted, see Phalaenoptilus nitidus.
 Nuttall's, see Phalaenoptilus nuttallii.
Poospiza boliviiana, Boliv. '88, 412.
 lateralis, Urug., mig. '83, 130.
 melanoleuca, Urug., hbt. '83, 130.
 nigrorufa, Urug., hbt., song. '83, 129.
 torquata, Argent. '83, 130?
 popetue (Chordeiles), see C. virginianus or minor.
 Pops, see Cyanospiza ciris.
 Popular Science Monthly, titles (Nos. 1672-1677), '90, 201.
Porphyrio smaragnotus, Engl. '92, 289 [^c Ionornis martinica?]; misc. '92, 290 (corr.).
Porphyriornis comeri, Gough. I. '95, 288.
Porphyrospiza cærulescens (^b pulchra), syn. '88, 412^b, '90, 384.
 Porphyryula, see Ionornis.

- porphyrura (*Eudoxa*), see *Lampornis*
mango.
— (*Florlesia*), see *Lampornis* mango.
— (*Lampornis*), see *L. mango*.
porphyrurus (*Anthracothorax*), see
Lampornis mango.
— (*Lampornis*), see *L. mango*.
— (*Polytmus*), see *Lampornis* mango.
— (*Trochilus*), see *Lampornis* mango.
Porter, Louis Hopkins.
Abnormal plumage of *Habia ludoviciana*, '92, 302.
Southern capture of *Larus leucopterus*, '95, 76.
Connecticut notes, '95, 86.
Newfoundland notes, 1900, 71-73.
Portland Society of Natural History,
'85, 223.
portlandica (*Sterna*), see *S. paradisaea*.
portoricensis (*Asio*), see *Asio*.
— (*Asyndesmus*), see *Melanerpes*.
— (*Certhiola*), see *Cereba portoricensis* or *flaveola*.
— (*Cereba*), see *Cereba*.
— (*Columba*), see *C. corensis*.
— (*Fringilla*), see *Euetheia bicolor*.
— (*Icterus*), see *Icterus*.
— (*Loxia*), see *Pyrrhulagra*.
— (*Loxigilla*), see *Pyrrhulagra*.
— (*Melampicus*), see *Melanerpes*.
— (*Melanopsar*), see *Icterus*.
— (*Melanerpes*), see *Melanerpes*.
— (*Mimocitta*), see *Mimocichla ardosiaeae*.
— (*Mimus*), see *M. orpheus* or *portoricensis*.
— (*Pendulinus*), see *Icterus*.
— (*Picus*), see *Melanerpes*.
— (*Pyrrhulagra*), see *Pyrrhulagra* or
Spindalis.
— (*Spindalis*), see *Spindalis*.
— (*Spizampelis*), see *Spindalis*.
— (*Tanagra*), see *Spindalis*.
— (*Todus*), see *T. multicolor*.
— (*Xanthornus*), see *Icterus*.
Porto Rico, West Indies.
Cory, C. B., '89, 276, '92, 228-229.
Pratt, G. B., '99, 361.
Ridgway, R., '98, 322.
postocularis (*Chlorospingus*), see *Chlorospingus*.
potoricensis (*Turdus*), see *Mimocichla*
ardosiaeae.
potosina (*Aphelocoma*), see *Aphelocoma*.
potosini (*Pipilo*), see *Pipilo*.
Porzana (^b*Coturnicops*, ^c*Creciscus*),
'77, 64, '84, 143, '87, 250, '88, 54, '93,
108, '94, 242^b, 242^c, 317.

- albigularis*, *meas.*, *nst.* '95, 26; *syn.*
'95, 31.
bailloni, *Helg.* '95, 339.
carolina (^a*Sora* or *Carolina Rail*,
^b*Crex*), *Ariz.* '86, 386, '90, 48, 51;
Bahamas, '91, 339; *Cal.* '87, 90, 339;
Colo. '85, 18; *Conn.* '95, 297 (fig.);
C. R. '90, 332, '92, 329; *D. C.* '88, 20;
Fla. '85, 62, '88, 269, '89, 155, '92,
212, '95, 364; *Ga.* '96, 215; *G. Br.*
'80, 211; *g. dist.* '93, 125; *Hud. B.*
'90, 321; *Ia.* '95, 124; *Ida.* '97, 351,
1900, 243; *Ind.* '82, 22, '88, 348; *Jamaica*, '92, 11; *La.* '97, 287; *Man.*
'86, 150; *Mass.* '91, 151, '95, 88;
Me. '82, 151; *Mich.* '93, 223; *Minn.*
'80, 19, '84, 248; *Mo.* '79, 147; *Mont.*
'94, 302? '95, 213; *N. Atlantic*
Ocean, '84, 399^b; *N. C.* '86, 179; *N.*
J. '88, 38^a, 39^a, 422; *N. Y.* '81, 234,
'83, 124, '84, 176, '90, 388; *Ore.* '79,
197, '88, 144; *S. C.* '79, 217, '85, 190;
S. D. '84, 96, '85, 287; *Tex.* '79, 51^a,
'82, 223, '87, 185, '92, 232, 1900,
340; *Wash.* '93, 17, '97, 172; *W. I.*
'81, 128, '88, 55; *Wis.* '88, 328^a?—
anat. '88, 414, '95, 172; *meas.* '88,
144, '92, 11; *mig.* '83, 124, '84, 176,
'85, 62, '88, 38^a, 328^a, '95, 124; *nst.*
'80, 19, '85, 98^a, 209, '88, 144; *plm.*
'76, 23 (alb.), '79, 30^a (melan.), 46,
'92, 11; *syn.* '88, 55; *misc.* '80, 192^a,
'90, 81^a.
cayennensis, *Braz.* '91, 163.
cinereiceps (^b*alfari*, ^c*leucogaster*),
C. R. '88, 194^b; *Nicar.* '85, 294^c, '95,
19-32.—*hbt.* '95, 19-32; *meas.* '95,
26, 27, 29; *nst.* '95, 23; *plm.* '95, 27,
30 (mlt.); *song.* '95, 20; *syn.* '94,
171, '95, 32.
concolor, *W. I.* '88, 54, '92, 11.—
meas., *plm.*, *syn.* '88, 54.
coturniculus (*Farallone Rail*), *syn.*
'91, 89, '92, 108, 175, '93, 61.
flaviventris, *Cuba*, '88, 54; *Jamaica*, '92, 11, '88, 54.—*meas.*, *plm.*
'88, 54, '92, 11; *syn.* '88, 54.
galapagoensis, *syn.* '94, 243.
jamaicensis (*Little Black Rail*),
Ariz. '83, 36?; *Cal.* '87, 87; *Conn.*
'77, 22, '84, 393; *D. C.* '84, 397; *Fla.*
'90, 400, '92, 212; *g. dist.* 1900, 1-8
eol. pl.; *Ill.* '76, 43; *Jamaica*, '92,
11, '94, 122; *Kan.* '80, 60, '86, 408,
'94, 260; *La.* '97, 287; *Mass.* '77, 22;
Minn. '93, 289; *N. C.* 1900, 171; *N.*
J. 1900, 172; *N. Y.* '78, 85, '80, 117,
'85, 299; *S. C.* '91, 55; *Tex.* '82, 224,
'86, 139; *W. I.* '88, 55.—*hbt.* 1900,

- 2-8; *meas.* '80, 61, '84, 394, 1900, 7; *mig.* 1900, 1, 5; *nest.* '76, 43, '84, 393, '94, 260, 1900, 2, 4, 171, 172; *song.* 1900, 1, 4; *syn.* '88, 55, 1900, 1.
maruetta, *Helg.* '95, 339.—*misc.* '84, 173.
melanophoia, *Braz.* '95, 28.
noveboracensis ("Little Yellow Rail"), *Cal.* '86, 491, '87, 339; *Conn.* '88, 319, '90, 389^a, '95, 311; *Cuba*, '88, 56; *D. C.* '84, 397, '88, 147; *g. dist.* '93, 125; *Ill.* '76, 43, '92, 67^a, '96, 179; *Kan.* '85, 385, '86, 113, 115; *La.* '97, 287; *Man.* '86, 150; *Mass.* '81, 186, '83, 177^a, '95, 87; *Mich.* '92, 67^a; *N. C.* '93, 243; *N. E.* '76, 73, '77, 17; *N. Y.* '85, 274, '88, 177, '93, 272, '99, 194; *Ont.* '85, 110, '87, 247^a, '96, 173, 347; *S. C.* '91, 55; *Tex.* '82, 224.—*fd.* '88, 319; *hbt.* '86, 113; *syn.* '88, 56.
parva, *Helg.* '95, 339.
phœopyga, *Japan.* '88, 196.
porzana (Spotted Crake), *Greenl.* '89, 217.
salinazi, *g. dist.* 1900, 5.
spilonota, *Galap. Is.*, *syn.* '92, 175.
vagans, *Honduras.* '89, 172; *Nicar.* '95, 22.
porzana (*Porzana*), see *Porzana*.
Posson, Cornelius Franklin.
 Birds of unusual occurrence in Orleans Co., N. Y. '99, 193-196.
 Postage on specimens, '93, 388.
 Potomac Valley Ornithological Club, '92, 400.
Powers, William L.
 Two new birds for Maine, '97, 219.
Praeger, William Emilius.
 Protective coloration of genus *Egialitis*, '91, 236.
 Two records from Keokuk, Iowa, '95, 85.
 Bird protection in Iowa, '98, 101.
 Birds in horticulture (rev.), 1900, 188.
Prairie-chicken, see *Tympanuchus americanus*.
Attwater's, see *Tympanuchus attwateri*.
prasinoptera (*Certhia*), see *Eulampis jugularis*.
 —— (*Souimanga*), see *Eulampis jugularis*.
pratensis (*Anthus*), see *Anthus*.
 —— (*Crex*), see *C. crex*.
 —— (*Grus*), see *G. mexicana*.
pratincola (*Otocoris*), see *Otocoris*.
Pratincola, '94, 233.
rubetra, *Helg.* '95, 333.
rubicola, *Helg.* '95, 333; *misc.* '85, 129.
salax, *syn.* '89, 331.
pratincola (*Aluco*), see *Strix*.
 —— (*Strix*), see *S. pratincola* or *fusata*.
Pratt, George Buffett.
 Puerto Rico Honey Creeper, '99, 361.
prattii (*Hæmatopus*), see *Hæmatopus*.
Prejevalsky, Nicolas Michaelovitch.
 Obituary of, '89, 80.
Premnocopus, '90, 166.
Premnoplex, '92, 173.
Prentiss, Daniel Webster.
 Notes on birds of Bermuda, '96, 237-240.
 Obituary of, 1900, 91.
Prentiss, D. W., and Coues, E., see Coues and Prentiss.
petrei (*Spindalis*), see *S. petrei* or *zena*.
 —— (*Tanagra*), see *Spindalis*.
prevostii (*Lamponnis*), see *Lamponnis*.
Pribilof Islands, Alaska.
 Palmer, W., '94, 325, 1900, 74-76.
Price, William Wightman.
 Nest and eggs of Olive Warbler (*Dendroica olivacea*), '95, 17-19.
 Occurrence of *Vireo flavoviridis* at Riverside, California, '88, 210.
 Nesting of Red-faced Warbler (*Cardellina rubrifrons*) in Huachuca Mts., southern Arizona, '88, 385.
 Xantus's Becard (*Platyparis albiventris*) in Huachuca Mts., southern Arizona, '88, 425.
 Description of new Pine Grosbeak from California, '97, 182-186.
Prime, William Cooper.
 Northern Phalarope (*Phalaropus lobatus*) in Franconia Mts., New Hampshire, '89, 68.
Prince Edward Island, Canada.
 Bain, F., '85, 262-267, '86, 131.
 Brewster, W., '77, 28.
 Chamberlain, M., '86, 272, '87, 260.
 Dwight, J., Jr., '93, 1-15.
 Hitchcock, F. H., '92, 71.
 Mackay, G. H., '92, 199-200, '93, 77, 79, 82.
princeps (*Ammodramus*), see *Ammodramus*.
 —— (*Passerculus*), see *Ammodramus*.
principalis (*Campephilus*), see *Campephilus*.
 —— (*Corvus*), see *Corvus*.
pringlei (*Delattria*), see *Delattria*.
Priocella, '96, 162, '97, 315, '99, 100.

- glacialoides** (Slender-billed Fulmar, ^b tenuirostris, ^c Fulmarus), *Alas.* '84, 80^b [= *Puffinus tenuirostris*, see '84, 233]; *Cal.* '87, 87^c; *Cape Horn*, '87, 4^c; *Wash.* '95, 109^c.—*hbt.* '87, 4^c; *syn.* '84, 233^b, 385, '99, 100.
- Priofinus**, '97, 315, '99, 100.
- cinereus** (Black-tailed Shearwater, ^b *Puffinus*), *Que.* '90, 387^b.—*syn.* '84, 385, '99, 101.
- Prion**, '97, 315, 1900, 167.
- turtur**, *Cape Horn*, *hbt.* '87, 1.
- Prioneæ**, '97, 315.
- Prioniturus**, '94, 234.
- Prionochilus**, '94, 235.
- Prionopidae**, '81, 32, 35.
- Prionops vinaceigularis**, *Africa*, *meas.* '97, 162^a.
- Priotelus**, '86, 359, '96, 112.
- temnurus**, *W. I.* '86, 360, '92, 272.
—*meas.*, *plm.*, *syn.* '86, 360.
- priscus** (*Lapoptyryx*), see *Lapoptyryx*.
- Probosciger**, see *Solenoglossus*.
- Procellaria pelagica** (^a Stormy Petrel, ^b *Thalassidroma*), *Cape Horn.* '87, 5^a; *Helg.* '95, 327; *Mass.* '85, 99^b; *N. J.* '95, 171^a; *N. Y.* '89, 132, '95, 70^a; *Scotland.* '84, 98.—*hbt.* '87, 5^a.
- Procellariidae** (^a Petrels), '77, 69, '81, 82, 162^a, '86, 390, '97, 314, '99, 99.
- Procellariinae**, '97, 315, '99, 100.
- procerus** (*Xiphocolaptes*), see *Xiphocolaptes*.
- Procnias**, '95, 157, 186, 187, '96, 334.
- occidentalis**, *Venez.* '97, 364.
- tersa** (^b *viridis*), *plm.* '89, 48; *syn.* '90, 381^b.
- Procnatiadæ**, '96, 334.
- Proctor**, Thomas.
Skylarks nesting on Long Island [New York], '95, 390.
- Unusual song of Red-winged Blackbird, '97, 319.
- Disgorgement among song-birds, '97, 412.
- Progne**, '77, 64, '86, 55, '88, 443, '93, 111.
- chalybea**, *C. R.*, *plm.* '92, 22; *Urug.. fd.*, *hbt.*, *mig.* '83, 88; *nest.* '83, 88, '92, 22.
- cryptoleuca** (Cuban Martin), *Fla.* '89, 325, '92, 213; *g. dist.* '88, 399.—*nest.* '89, 329; *syn.* '87, 336, '90, 66.
- dominicensis**, *W. I.* '80, 166, '81, 155, '86, 56, '91, 47, 48, 294, '93, 181, 120, '94, 127; *meas.*, *plm.*, *syn.* '86, 56.
- elegans**, *Urug.* '83, 89.
- hesperia** (Western Martin, ^b *subis*), *Cal.* '86, 183^b, '96, 347; *g. dist.* '89, 92^a, '90, 63; *L. Cal.* '95, 141; *Nicar.* '94, 171.—*nest.* '86, 183^b, '95, 141; *syn.* '90, 63.
- sinaloæ**, *Mex.* '98, 340.
- subis** (^a Purple Martin, ^b *purpurea*, ^c *Hirundo purpurea*), *Ala.* '79, 7^b; *Ariz.* '82, 146, '88, 31, '90, 49, 260; *B. C.* '93, 291; *Braz.* '84, 368; *Colo.* '85, 15; *Conn.* '95, 83; *Cuba.* '86, 56; *D. C.* '88, 23, '92, 307; *Engl.* '77, 107^b; *Fla.* '81, 15, '88, 275, '89, 325^a, '91, 138, '92, 213, '95, 365; *Ga.* '83, 39, '96, 214; *G. Br.* '80, 70^c; *Ia.* '95, 122, 235; *Ill.* '89, 339; *Ind.* '89, 25; *Ky.* '89, 315; *La.* '82, 162, '87, 302, '92, 205; *Man.* '86, 324, '93, 50^a; *Mass.* '81, 193^a, '84, 6^a, '88, 389; *Mc.* '82, 110, '94, 68, '95, 50^a; *Mex.* '85, 228 [*Hesperia?*], '99, 357, 358?; *Mich.* '93, 226; *Minn.* '80, 14^b, '84, 244; *Miss.* '82, 91; *Mo.* '79, 143, '80, 192^b, '85, 300^a, '98, 22; *N. B.* '82, 110; *N. C.* '86, 111; *N. D.* '99, 165^a; *N. H.* '88, 150, 152, '89, 77, 78; *N. J.* '94, 139; *N. Y.* '81, 13^b, 229, '94, 164; *O.* '89, 201, '95, 242; *Ore.* '86, 169; *Pa.* '92, 138, '96, 283; *S. C.* '79, 213, '90, 125; *S. D.* '85, 279; *Tenn.* '86, 317, '87, 131; *Tex.* '82, 11, 37, '87, 294, '92, 340, 1900, 346; *Va.* '86, 161^a, '89, 53^a; *Wash.* '92, 356, '93, 17, 291; *Wis.* '82, 187^b; *W. Va.* '98, 136.—*anat.* '90, 279; *hbt.* '85, 299^a, 300^a, '98, 22, '99, 286, 287^a, 358; *meas.* '82, 146; *mig.* '85, 57, 98^a, '95, 50^a, 83, 122, 128^a, 235, 242; *nest.* '80, 14^b, 192^b, '81, 15, '82, 11, '83, 39, '86, 111, '88, 23, 275, '92, 205, '97, 407, '98, 193; *plm.* '76, 21^b (alb.), '82, 146, '84, 368, '89, 93; *syn.* '80, 98, '84, 368, '86, 56, '90, 192, '95, 375; *misc.* '81, 193^a, '86, 477, '90, 83.
- tapera**, *Urug.. fd.*, *hbt.*, *mig.*, *nest.* '83, 89.
- Promeropidae**, 1900, 189.
- propinqua** (*Branta*), see *Branta*.
- (Merula), see *Merula*.
- propinquus** (*Selerurus*), see *Selerurus*.
- (*Turdus*), see *Merula*.
- proregulus** (*Phylloscopus*), see *Phyllo-*
scopus.
- prosphora** (*Fraseria*), see *Fraseria*.
- Protection of birds.**
- Dutcher, W., '97, 21, '98, 81.
- Stone, W., '99, 55, 1900, 51.
- Protective Coloration.**
- Thayer, A. H., '96, 124, 318, 1900, 108.
- Thompson, E. S., '97, 395.

Protonotaria, '86, 27, '93, 112, 130.
 citrea (^a Prothonotary Warbler),
Ala. '78, 172; *Ark.* '82, 90; *Bahamas*,
 1900, 305; *Colom.* 1900, 367; *C. R.*
 '90, 335, '91, 278; *Cuba*, '86, 27; *Dcl.*
 1900, 197^a; *Fla.* '88, 275, '90, 16, 313,
 '91, 132^a, 138, '92, 213, '95, 365; *Ga.*
 '82, 96^a, '83, 38, '96, 214; *g. dist.* '93,
 133; *Gulf of Mex.* '81, 55^a, 251^a; *Ill.*
 '76, 42, '78, 163, '80, 32, '95, 395;
Ind. '82, 16, 18, 19, '89, 26, '95, 395;
Kan. '85, 97^a; *Ky.* '89, 315; *La.* '80,
 136^a, '82, 49^a?; '87, 37^a, 304, '88,
 325; *Mass.* '86, 410, 487, 488, '87,
 164, '92, 387^a, '95, 84; *Me.* '78, 139,
 '84, 290; *Minn.* '99, 236-246; *Miss.*
 '82, 90; *Mo.* '79, 141, '95, 117^a, 350;
N. B. '88, 323^a; *N. C.* '93, 244; *N. Y.*
 '88, 170, 182, '93, 276, '95, 306; *Ont.*
 '88, 322; *Pa.* '79, 235, '80, 115, '88,
 210, '99, 312; *R. I.* '84, 290, '86,
 271^a; *Tex.* '82, 9; *Va.* '89, 195; *Wis.*
 '83, 66, 68, '85, 32.—*hbt.* '78, 153-
 162, '95, 306, '99, 236-246 (6
 photos); *meas.* '78, 160; *mig.* '80,
 136^a, '81, 251^a, '83, 66, 68, '88, 182,
 '91, 135; *nst.* '78, 153, 158, '82, 9,
 18, '83, 38, '87, 304, '89, 26, '99, 236,
 242; *plm.* '78, 22, '88, 325 (alb.);
song. '78, 153, 156, 172, '95, 306, '99,
 236, 245; *syn.* '86, 27; *misc.* '83, 177,
 '92, 191.

Pryer, Henry James Stovin.
 [Edible birds' nests], '88, 335.

Obituary of, '88, 332.

pryori (Hypsipetes), see Hypsipetes.

Psalidoprocne, '95, 373.

Psalidoprocneina, '95, 373.

psaltria (Astragalinus), see Astragalinus.

— (Chrysomitris), see Astragalinus.

— (Fringilla), see Astragalinus.

— (Spinus), see Astragalinus.

Psaltriparus, '84, 280, '92, 172, '93,
 112, 131.

californicus (California Bush-Tit,
^b minimus), *Cal.* '85, 207, '86, 186^b,
 '89, 221, '96, 123; *L. Cal.* '95, 143.—
meas. '86, 186^b; *nst.* '86, 186^b, '92,
 287, '96, 123; *plm.* '92, 195; *song.*
 '96, 123.

grindæ (Grinda's Bush-Tit), *L. Cal.*
 '84, 284.—*syn.* '85, 208, '92, 196.

iulus, *Mex.* '94, 245.

lloydii (Lloyd's Bush-Tit), *g. dist.*
 '93, 135; *Tex.* '88, 43*, 400.—*meas.*

 '88, 43; *nst.* '88, 43, '89, 329.

melanotis, *misc.* '80, 88.

minimus (^a Bush-Tit or Least Tit-

mouse, ^b Parus), *B. C.* 1900, 107;
Cal. '83, 174^a, '86, 87^a, 186?; *g. dist.*
 '93, 135; *Ore.* '86, 171, '88, 364; *S.*
C. '86, 137^b.—*nst.* '83, 174^a, '86,
 137^b, 171, 186?; *misc.* '90, 82^a.

plumbeus (Lead-colored Bush-Tit)
Ariz. '82, 80, '86, 84, '88, 166, '89,
 173, '90, 48, '94, 218; *Colo.* '85, 15,
 '94, 270; *g. dist.* '93, 135; *Nev.* '88,
 364; *N. M.* '99, 189.—*nst.* '88, 166,
 '89, 173, '94, 218.

santaritæ (Santa Rita Bush-Tit),
Ariz. '89, 172; *g. dist.* '93, 135.

Pselliophorus, '98, 223, 225*.

Pseudochloris, '88, 411.

aureiventeris, *syn.* '88, 412.

mendozae, *syn.* '88, 412.

Pseudocolaptes lawrencii, *C. R.* '80, 42.

Pseudodacnis, '87, 150.

Pseudogryphus, '80, 79, '93, 130.

californianus (^a California Vulture),
Alberta, '97, 89; *Ariz.* '83, 31,
 '99, 272; *Cal.* '80, 82, '86, 92, '93,
 287^a, 300, '94, 76, '95, 81, '98, 185;
g. dist. '93, 134; *L. Cal.* '95, 137.—
anat. '80, 82; *fd.* '86, 92, '93, 300,
 '95, 81; *hbt.* '92, 288; *meas.* '80,
 82, '85, 169, '98, 185; *plm.* '83, 55,
 '85, 167, '93, 300; *syn.* '80, 79, 82,
 '85, 167.

Pseudogyps, '80, 80.

Pseudolalage, '94, 234.

Pseudoleistes virescens, *Urug.*, *hbt.*,
nst. '83, 135.

Pseudomitris, '99, 79.

Pseudoscines, '81, 33, 34, 36.

Pseudoscops, '86, 465.

grammicus, *Jamaica*, '86, 465, '92,
 127.—*hbt.*, *nst.* '92, 127; *fd.*, *meas.*
 '86, 465; *plm.*, *syn.* '86, 465, '92, 128.

Pseudotantalus, '84, 83.

Pseuduria, see Uria.

Psilopædes, '81, 80.

Psilorhinus, '91, 304.

morio, *syn.* '91, 304.

mexicanus (^b cyanogenys), *C. R.*
 '92, 250.—*plm.* '92, 250; *syn.* '91,
 304, 304^b.

vociferus, *syn.* '91, 304.

Psiloscoops, '99, 297, 1900, 80.

psittacea (Psittirostra), see Psittirostra.

Psittaci (^a Parrots), '81, 30, 76, 83, '82,
 135^a, '83, 169, '92, 277, '93, 110,
 1900, 84^a.

Psittacidæ, '81, 29, 76.

Psittacula, '88, 460, '89, 172.

cyanochlora, *Braz.*, *plm.* '88, 461,
 462.

- cyanopyga*, Mex. '89, 85.
deliciosa, Braz. '88, 461, 462, '89,
 172, '91, 160.—*plm.* '88, 461, 462;
syn. '91, 160.
 — *exquisita*, *Colom.* '88, 461, 462, '89,
 172.—*plm.* '88, 461, 462.
 — *guianensis*, *Guiana*, '88, 462; *Venez.*
 '88, 462, '97, 366.—*plm.* '88, 462.
 — *insularis*, Mex. '89, 172.
 — *pallida*, Mex., meas. '89, 85*.
 — *passerina*, *Braz.* 1900, 299; *Venez.*
 '88, 462.
 — *spengeli*, *Colom.* *plm.* '88, 461, 462.
 — *vivida*, *Braz.* '88, 460, '89, 172.—
plm. '88, 460.
- psittacula* (*Ombria*), see *Cyclorrhynchus*.
 — (*Phaleris*), see *Cyclorrhynchus*.
psittacus (*Cyclorrhynchus*), see *Cy-
 clorrhynchus*.
 — (*Symorphynchus*), see *Cyclorrhynchus*.
- Psittacus*, '92, 279, '93, 99.
 — *augustus*, *syn.* '99, 186.
- Psittirostra psittacea*, *H. I.* '88, 197.
- Pittrichas*, '92, 279.
- Psophia*, '96, 62, 63.
- Psophiidae*, '81, 81, '94, 242.
- Ptarmigan*, Allen's, see *Lagopus aleni*.
 Atkhan, see *Lagopus atkhensis*.
 Evermann's, see *Lagopus evermanni*.
 Greenland, see *Lagopus reinhardi*.
 Nelson's, see *Lagopus nelsoni*.
 Newfoundland, see *Lagopus aleni*.
 Reinhardt's, see *Lagopus reinhardi*.
 Rock, see *Lagopus rupestris*.
 Subalpine, see *Lagopus nelsoni*.
 Townsend's, see *Lagopus townsendi*.
 Turner's, see *Lagopus atkhensis*.
 Welch's, see *Lagopus welchi*.
 White-tailed, see *Lagopus leucurus*.
 Willow, see *Lagopus lagopus*.
- pteroctes* (*Buteo*), see *Buteo*.
Pterocletes, '81, 80, 83, '94, 171.
- Pteroclidae*, '81, 80.
- Pterocorys*, '84, 228*.
- Pteroglossus aracari*, *Braz.* '91, 159.
 — *bitorquatus*, *Braz.* '91, 159.
 — *inscriptus*, *Braz.* '91, 139.
 — *torquatus*, *Nicar.* '93, 84.
 — *wiedi*, *Braz.* '91, 159.
- Pteronetta*, '96, 162.
- Pteroptochidae*, '81, 29, 36, '90, 379,
 '96, 159.
- Pteroptochus*, '97, 417.
 — *albifrons*, *Boliv.* '90, 382.
- Ptilocichla*, '94, 235.
- ptilocnemis* (*Arquatella*), see *Tringa*.
 — (*Tringa*), see *Tringa*.
- Ptilocolpa*, '94, 233.
- Ptilonorhynchiae*, '83, 104.
- Ptilopachys*, '94, 172.
- Ptilopus*, '92, 81, '94, 61, 236.
 — *jambu*, *Borneo*, *hbt.*, *syn.* '91, 14.
 — *melanocephalus*, *misc.* '92, 81.
 — *melanospilus*, *misc.* '92, 81.
 — *swainsoni*, *plm.* '99, 319.
 — *xanthorrheus*, *misc.* '92, 81.
- Ptilorhynchus magnifica*, *syn.* '92, 282.
- paradiseus*, *misc.* '80, 236.
- Ptiloxena*, '94, 67.
- Ptychorhamphus aleuticus* (* Cassin's
 Auks), *Alaska*, '95, 272*; *Cal.* '86,
 '88, '87, 86, 93, '93, 298–300; *Wash.*
 '92, 353.—*fd.*, *hbt.* '93, 298; *plm.*
 '80, 126 (*mlt.*), '93, 298; *song.* '95,
 272*.
- pubescens* (*Dryobates*), see *D. pubes-
 cens* or *medianus*.
 — (*Picus*), see *Dryobates pubescens*
 or *medianus*.
- Publications received.** '84, 89, 190,
 289–290, 387–388; '85, 101–102,
 214–215, 302–303, 375; '86, 130, 272,
 406, 479; '87, 69–71, 156–158, 251,
 342; '88, 108, 200, 317, 422; '89,
 65, 184, 272, 334; '90, 86, 201–203,
 282, 398; '91, 110, 230, 306, 392–394;
 '92, 70, 196, 290, 387; '93, 75, 203,
 297, 360; '94, 71, 173, 249, 319–321;
 '95, 74, 176, 288, 385–387; '96, 76,
 169, 253, 338–340; '97, 113, 248–
 250, 338–340, 425–427; '98, 73–75,
 208, 285, 342; '99, 92–94, 207, 297–
 300, 373; '00, 89, 190–192, 315–
 317, 401.
- pucherani* (*Asturina*), see *Rupornis*.
 — (*Cymindis*), see *Regerhinus unci-
 natus*.
 — (*Rupornis*), see *Rupornis*.
pubica (*Synallaxis*), see *Synallaxis*.
- Puebla**, Mexico.
- Allen, J. A., '87, 65, '91, 303.
 Cox, U. O., '94, 161–162, '95, 356–
 359.
 Nelson, E. W., '94, 41, '97, 47, 57,
 1900, 253–260.
 Palmer, T. S., '94, 41.
 Ridgway, R., '86, 331–333.
- puella* (*Hirundo*), see *Hirundo*.
Puffin, see *Fratercula arctica*.
 Horned, see *Fratercula corniculata*.
 Large-billed, see *Fratercula glacialis*.
 Tufted, see *Lunda cirrhata*.
- Puffineae*, '97, 315.
- Puffiniidae* (* Puffins), '83, 174*, '97, 315.
- Puffiniæ*, '97, 315, '99, 100.
- Puffins, see *Puffiniidae*.

Puffinus, '88, 81, '93, 99, '96, 160.

assimilis (Allied Shearwater), g. dist. '99, 100; syn., *N. Am.* '98, 48.

auduboni (^a Audubon's Shearwater, ^b obscurus), *Engl.* '77, 107^b; *France*, '77, 107^b; *N. Y.* '88, 173; *S. C.* '94, 85; *N. Am.*, *west coast*, '77, 97^b?; *W. I.* '81, 155^b, '87, 181, '88, 81, '89, 19–21, '94, 246^a;—*meas.* '88, 82, '89, 20; *nst.*, *song.* '89, 19; *plm.* '88, 81, '89, 19, '91, 387^a; *syn.* '80, 178, '88, 81, '96, 161, '97, 133.

auricularis (Townsend's Shearwater), g. *dist.* '99, 101; *L. Cal.* '91, 305, '98, 38, 1900, 249; *Revill Is.* '98, 313, 316, 317.—*hbt.*, *nst.*, *plm.* '98, 313, 1900, 249; *syn.* '99, 101.

borealis (Cory's Shearwater), *Mass.* '81, 84^a; '83, 244, '87, 71; *N. Am.* '82, 61; *R. I.* '88, 108; *N. Y.* '88, 170, 173, 202, '89, 128.—*fd.* '87, 71, '88, 108, '89, 128; *hbt.* '83, 244, '87, 71, '89, 128; *meas.* '81, 84; *plm.* '83, 244, '89, 183; *syn.* '96, 161, '97, 135, '99, 129.

bulleri, *Cal.* 1900, 183.

creatopus (^a Pink-footed Shearwater), *Cal.* '86, 125, '87, 87, '94, 30^a, '95, 100.—*fd.* '96, 227^a; *mig.* '94, 30^a, '96^a.

cuneatus (^b knudseni), *H. I.* '90, 275; *Revill. Is.* '98, 39, 313, 316, 1900, 250.—*nst.* '98, 313, 1900, 250; *plm.* 1900, 251; *syn.* '90, 275.

fuliginosus (^a Sooty Shearwater, ^b griseus, ^c stricklandi), *Cal.* '87, 87^c?; *Engl.* '77, 107; *Europe*, '80, 218^b; *France*, '77, 107; *Helg.* '95, 341; *Mass.* '83, 244, '87, 71^c, '97, 228^c; *N. E.* '83, 162^a, 163^a, '84, 237. —*fd.* '87, 71^c; *hbt.* '84, 380, '87, 71^c; *mig.* '84, 237; *syn.* '84, 385, '86, 267^c, 402^c, '96, 161^c, '97, 135^c, 315^c, '99, 101, 132^c.

gravis (^a Greater Shearwater, ^b major), *Bahamas* '88, 81^b; *Helg.* '95, 341^b; *Mass.* '83, 244^a; *N. E.* '83, 162^a, 163^a, '84, 237^b, 381^b; *N. F.*, *Grand Banks*, '79, 127^b; *S. C.* '94, 85^b.—*hbt.* '84, 380^b, 381^b; *mig.* '84, 237^b; *plm.* '89, 183^b; *syn.* '86, 267^b, '88, 81^b, '96, 161, '97, 124.

griseus (^a Dark-bodied Shearwater), *Alas.* '98, 125; *Cal.* '87, 87 [not 'stricklandi'!], '94, 30^a, '95, 100, 105, '98, 197; *W. Ash.* 1900, 349.—*fd.* '96, 227^a; *meas.*, *plm.* 1900, 349; *mig.* '94, 30^a, 96^a; *mlt.* '96, 228; *syn.* '86, 267, 402, '96, 161, '99, 132.

kuhlii, *syn.* '96, 161, '97, 135.

nativitatis, *Christmas I.* '78, 81.

newelli, *H. I.* 1900, 246^a.

opisthomelas (^a Black-vented Shearwater, ^b gavia), *Cal.* '94, 97^a, 321^b, '95, 100^b; *g. dist.* '96, 223–228; *L. Cal.* 1900, 247.—*fd.*, *hbt.*, *mig.*, *mlt.*, *nst.*, *song.* '96, 223–228; *hbt.*, *nst.*, *song.* 1900, 247–252; *syn.* '96, 161, '97, 124; *misc.* '99, 235.

puffinus (Manx Shearwater, ^b angulorum), *Helg.* '95, 341^b; *N. F.*, *Grand Banks*, '79, 128^b; *N. Am.* '83, 115^b; *N. Y.* '95, 70.

tenuirostris (^a Slender-billed Shearwater), *Alas.* '84, 80 [not *Priocella tenuirostris*, see '84, 233], 108; *Cal.* '96, 171, '98, 197; *g. dist.* '93, 125; *fd.* '96, 227^a; *syn.* '84, 233.

puffinus (*Puffinus*), see *Puffinus*.

pugnax (Machetes), see *Pavoncella*.

— (Pavoncella), see *Pavoncella*.

— (*Philomachus*), see *Pavoncella*.

pulchellus (*Vireolanius*), see *Vireolanius*.

pulcherrimus (*Todus*), see *Todus*.

pulchra (*Cissolopha*), see *Cissolopha*.

— (*Cyanocitta*), see *Cyanocitta*.

— (*Compsothlypis*), see *Compsothlypis*.

— (*Cyanospiza*), see *Cyanospiza*.

— (*Passerina*), see *Cyanospiza*.

— (*Porphyospiza*), see *P. caerulescens*.

Pulchripitta, '96, 60.

Pulsatrix torquata, *Braz.* '91, 160.

pulverius (*Empidonax*), see *Empidonax*.

— (*Salpinctes*), see *S. obsoletus*.

pumilus (*Coccyzus*), see *Coccyzus*.

— (*Zebrilus*), see *Zebrilus*.

punctatus (*Thamnophilus*), see *Thamnophilus*.

puncticeps (*Thamnophilus*), see *Thamnophilus*.

punctigula (*Chrysotilus*), see *Chrysotilus*.

— (*Dendroornis*), see *Dendroornis*.

punctipectus (*Chrysotilus*), see *C. guttatus*.

punctulatus (*Catherpes*), see *Catherpes*.

punensis (*Blacicus*), see *Blacicus*.

— (*Contopus*), see *Blacicus*.

— (*Phrygilus*), see *Phrygilus*.

punicea (*Pyrrhospiza*), see *Pyrrhospiza*.

puniceus (*Trochilus*), see *Bellona cristata*.

Purdie, Henry Augustus.

see Brewer, T. M., 'cat. of birds of New England' (rev.), '76, 72.
 Nest and eggs of Frail's Flycatcher as observed in Maine, '76, 75.
 Distribution of New England birds—a reply to Dr. T. M. Brewer, '77, 11-17.
 Notice of a few birds of rare or accidental occurrence in New England, '77, 20-22.
 Lark Finch (*Chondestes grammacus*) again in Massachusetts, '78, 44.
 Black-throated Bunting (*Euspiza americana*) nesting in Mass. '78, 45.
 see Sennett, G. B., 'ornith. of lower Rio Grande' (rev.), '78, 144.
 Capture of Yellow-throated Warbler in Massachusetts and notes on other rare Mass. birds, '78, 146.
 Nest and eggs of Yellow-bellied Flycatcher (*Empidonax flaviventris*), '78, 166-168.
 Golden-cheeked Warbler and Black-chinned Hummingbird in Texas, '79, 60.
 Great Carolina Wren (*Thryothorus ludovicianus*) in Connecticut, '79, 61.
 Record of additional specimens of White-throated Warbler (*Helmintophaga leucobronchialis*), '79, 184.
 Another Kirtland's Warbler, '79, 185.
 Loggerhead Shrike breeding in Maine, '79, 186.
 MacFarlane's Gerfalcon (*Falco gyrfalco sacer*) in Maine, '79, 188.
Corvus ossifragus on Long and Staten Islands, N. Y., '80, 240.
 Purple Gallinule in New England, '80, 242.
 Avocet (*Recurvirostra americana*) in Massachusetts, '81, 123.
Melanerpes erythrocephalus about Boston, '82, 57.
Ammodramus caudacutus,—a somewhat inland record on Atlantic coast, '82, 122.
Pelidna subarquata on Maine coast, '82, 124.
Rhynchos nigra,—an early record for Massachusetts coast, '82, 125.
Garzetta candidissima at Nantucket, Massachusetts, '82, 251.
 Rare Warblers in Massachusetts, '82, 252.
 A flock of White Herons (*Herodias egretta*), in eastern Massachusetts, '83, 242.

An earlier occurrence of Prothonotary Warbler in Massachusetts, '86, 488.
Purdy, James Britton.
 A relative of Alexander Wilson, '95, 396.
 Henslow's Sparrow (*Ammodramus henslowi*) breeding at Plymouth, Michigan, '97, 220.
 Henslow's Sparrow in Michigan—a correction, '97, 406.
 Golden Eagle and Barn Owl at Northville, Wayne Co., Mich. '99, 77.
 Red-headed and other woodpeckers in Michigan in winter, 1900, 174.
purpurascens (*Molothrus*), see Molothrus.
 — (Xanthornus), see Molothrus.
purpurea (*Ardea*), see Ardea.
 — (*Chamæpelia*), see Columbigallina terrestris.
 — (*Columbigallina*), see C. terrestris.
 — (*Hirundo*), see Progne subis.
 — (*Progne*), see P. subis.
purpureus (*Carpodacus*), see Carpodacus.
 — (*Centropus*), see Centropus.
 — (*Quiscalus*), see Q. quiscula or aeneus.
purus (*Dendrocopos*), see Dryobates cissa.
 — (*Manacus*), see Manacus.
pusilla (*Ciceronia*), see Sinornithynchus.
 — (*Emberiza*), see Emberiza.
 — (*Euetheia*), see Euetheia.
 — (*Muscicapa*), see Empidonax virescens or Wilsonia pusilla.
 — (*Myiarchus*), see Empidonax virescens.
 — (*Pelidna*), see Tringa minutilla or Ereunetes pusillus.
 — (*Porzana*), see P. parva.
 — (*Serinus*), see Serinus.
 — (*Sitta*), see Sitta.
 — (*Spizella*), see Spizella.
 — (*Sylvania*), see Wilsonia.
 — (*Sylvia*), see Compsothlypis usneae.
 — (*Tringa*), see T. minutilla or Ereunetes pusillus.
 — (*Tyrannula*), see Empidonax traillii?.
 — (*Wilsonia*), see Wilsonia.
pusillula (*Melospiza*), see M. samuelis.
pusillum (*Ornithion*), see Ornithion.
pusillus (*Cyphorhinus*), see Hemiura leucogastra.
 — (*Empidonax*), see E. traillii.

- (Ereunetes), see *E. pusillus* or *occidentalis*.
 — (Fratercula), see *Simorhynchus*.
 — (Myiodiocytes), see *Wilsonia*.
 — (Platyrhynchus), see *Empidonax traillii*.
 — (*Simorhynchus*), see *Simorhynchus*.
 — (*Vireo*), see *Vireo*.
 — (*Xiphorhynchus*), see *Xiphorhynchus*.
pustulatus (*Icterus*), see *Icterus*.
Pycnonotidae, '81, 34.
Pycnonotus, '83, 104, '94, 235.
 — *xanthopygus*, *Helg.* '95, 331.
Pycnorhamphus, see *Perissopspiza*.
Pycraft, William Plane.
 Osteology of the Impennines (rev.), '99, 363.
pygmæa (*Alca*), see *Simorhynchus*.
 — (*Fratercula*), see *Simorhynchus*.
 — (*Limicola*), see *Limicola*.
 — (*Sitta*), see *Sitta*.
pygmæus (*Centurus*), see *Centurus*.
 — (*Empidonax*), see *Empidonax*.
 — (*Eurynorhynchus*), see *Eurynorhynchus*.
 — (*Phalcris*), see *Simorhynchus*.
 — (*Simorhynchus*), see *Simorhynchus*.
pygmea (*Porzana*), see *P. bailloni*.
Pygmornis longuemareus, *Trinidad*, song, '95, 207.
Pygopodes, '81, 30, 82, 83, '82, 47, '84, '86, 126, '92, 174, '93, 105, '99, 201.
Pyranga, see *Piranga*.
Pyrgisoma biarcuatum, *N. Am.*, *W. coast*, '77, 92?
 — *cabanisi*, *C. R.*, *hbt.*, *meas.*, *nst.*, *plm.*, '92, 248.
 — *kieneri*, *syn.* '98, 156.
 — *leucotis*, *C. R.*, *plm.*, '92, 249.
 — *rubicratus* (^b*Atlapetes*), *syn.* '98, 157.
 — *xantusi*, *Mex.*, *syn.* '98, 156.
Pyrocephalus, '77, 64, '93, 132, '95, 71, '97, 330, '98, 208, 1900, 303.
 — *dubius*, *syn.* '95, 71.
 — *mexicanus* (^a*Vermilion Flycatcher*), *Ariz.* '82, 207, '87, 19, '94, 218, 220^a; *Cal.* '87, 92; *Tex.* '92, 236, '96, 258; *Utah*, '93, 286.—*hbt.*, *meas.*, *plm.*, '82, 207; *nst.* '82, 207, '87, 19, '92, 236.
 — *rubineus*, *Urug.*, *hbt.*, *nst.* '83, 201.
Pyroderus masoni, *Venez.* '86, 333*.
Pyrrhococentor, '94, 233.
Pyrrhocorax alpinus, *Helg.* '95, 330.
Pyrrhomitrus, see *Spinus*.
pyrrhonota (*Petrochelidon*), see *P. lunifrons*.
pyrrhoptera (*Muscicapa*), see *Philentoma*.
 — (*Philentoma*), see *Philentoma*.
pyrrhopterus (*Icterus*), see *Icterus*.
Pyrrhospiza humii, *syn.* '88, 412.
 — *punicae*, *syn.* '88, 412.
pyrrhotorax (*Ægialitis*), see *Æ. monogala*.
Pyrrhula, '84, 48, 56, '88, 197.
 — *cassini* (*Cassin's Bullfinch*), *Alas.* '84, 77, '88, 410.—*syn.* '88, 197.
 — *europæa*, *Helg.* '95, 336.—*syn.* '88, 197.
 — *griseiventris*, *syn.* '88, 197.
 — *inornata*, *N. Am.*, *W. coast*, '77, 92?
 — *kamtschatica*, *syn.* '88, 197.
 — *kuriensis*, *syn.* '88, 197.
 — *pyrrhula* (^a*Bullfinch*), *Germany*, '96, 310^a; *Helg.* '95, 336.—*syn.* '88, 197.
pyrrhula (*Pyrrhula*), see *Pyrrhula*.
Pyrrhulagra (^b*Loxigilla*), '86, 203^b, '93, 70.
 — *affinis*, *Hayti*, *meas.* '98, 322*.
 — *barbadensis* (^b*Loxigilla*), *W. I.* '86, 382^b, '88, 158^b.
 — *coryi*, *W. I.* '98, 323*.
 — *crissalis*, *W. I.* '98, 323*.
 — *dominicana*, *meas.* '98, 323*.
 — *grandis* (^b*Loxigilla*), *W. I.* '83, 114^b, '86, 206^b.—*meas.*, *plm.*, *syn.* '86, 206^b.
 — *grenadensis*, *W. I.* '93, 70.
 — *noctis* (^b*Loxigilla*), *Bahamas*, '91, 46^b, 47^b, 47^b, 48^b, 49^b, 300^b; *W. I.* '80, 166^b, '86, 204^b, '87, 95^b.—*meas.*, *syn.* '86, 204^b; *plm.* '80, 166^b, '86, 204^b, '87, 95^b.
 — *portoricensis* (^b*Loxigilla*), *W. I.*, *meas.*, *plm.*, *syn.* '86, 205^b.
 — *richardsoni* (^b*Loxigilla*), *W. I.* '86, 382^b, '88, 158^b.
 — *ridgwayi*, *W. I.* '93, 70.
 — *slateri* (^b*Loxigilla*), *W. I.* '80, 166^b, '86, 204^b.—*plm.*, *syn.* '86, 204^b.
 — *violacea* (^b*Loxigilla*), ^c*Loxigilla bahamensis*, *Bahamas*, '91, 70^b, 294^b, 295^b, 297^b, 298^b, 334, 335, 336, 337, 350^b, 351^b, 351^b, '92, 48^b, 49^b; *Jamaica*, '93, 180^b; *W. I.* '80, 42^c, '81, 152, '86, 203^b, '94, 126^b, 1900, 293.—*nst.* '94, 126^b; *meas.* '86, 203^b; *plm.* '86, 203^b, '93, 180^b; *song.* '93, 180^b; *syn.* '86, 203^b, 204^c.

Pyrrhulagra, Cory's, see Pyrrhulagra coryi.

Dominican, see Pyrrhulagra dominicana.

Haytien, see Pyrrhulagra affinis.

St. Vincent, see Pyrrhulagra crissalis.

pyrrhuloides (Emberiza), see Emberiza. Pyrrhuloxia beckhami, '87, 347, see sinuata.

peninsulæ (Saint Lucas Pyrrhuloxia), *L. Cal.* '87, 347*, '88, 398.

sinuata (Arizona Pyrrhuloxia, ^bbeckhami), *Ariz.* '82, 199, '87, 204; *g. dist.* '87, 347^{b*}, '88, 398*, '97, 130; *L. Cal.* '90, 215; *Mex.* '85, 228.—*fd.*, *plm.* '82, 199; *syn.* '97, 95, 130.

texana (^aTexas Pyrrhuloxia or Cardinal, ^bsinuata), *g. dist.* '93, 135^b '97, 129; *Tex.* '84, 122^b, '87, 293^b, '88, 119^a; '92, 339^b, 1900, 346^b.—*hbt.* '88, 119^a; *inst.* '92, 339^b; *plm.* '78, 122^b, '79, 46^b; *syn.* '97, 95, 129.

Pyrrhuloxia, Arizona, see Pyrrhuloxia sinuata.

St. Lucas, see Pyrrhuloxia peninsulæ. Texas, see Pyrrhuloxia texana.

Q

Qua-bird, see Nycticorax nævius.

Quail, see Colinus virginianus.

American, see Colinus virginianus.

Arizona, see Colinus ridgwayi.

Blue, see Callipepla squamata.

California, see Lophortyx californicus.

Chestnut-bellied Scaled, see Callipepla castanogastris.

Cuban, see Colinus cubanensis.

European, see Coturnix coturnix.

Florida, see Colinus floridanus.

Fool, see Cyrtonyx montezumæ.

Gambel's, see Lophortyx gambelii.

Guatemalan, see Colinus insignis.

Masked, see Colinus ridgwayi.

Massina, see Cyrtonyx montezumæ.

Mearn's, see Cyrtonyx [mearnsi] = montezumæ.

Mountain, see Oreortyx pictus.

Scaled, see Callipepla squamata.

Spanish, see Spindalis nigriceps.

Texas, see Colinus texanus.

Valley, see Lophortyx vallicolus.

Virginia, see Colinus virginianus. Quail-Dove, Blue-headed, see Starnonas cyanocephala.

Key West, see Geotrygon chrysia.

Ruddy, see Geotrygon montana.

Quailly, see Bartramia longicauda.

Quandy, see Harelda hyemalis.

Quebec, Canada.

Batchelder, C. F., '90, 387.

Bishop, L. B., '89, 144–150.

Brewster, W., '82, 253–256, '84, 379–380.

Caulfield, F. B., '92, 283, 283.

Chamberlain, M., '88, 107–108.

Comeau, N. A., '88, 318–319, '90, 294, '91, 317–318.

Cory, C. B., '79, 171.

Couper, W., '81, 50, '84, 88.

Dionne, C. E., '98, 53.

Emmett, W. T., '85, 301.

Field, G. W., '89, 183.

Fisher, A. K., 1900, 65.

Goss, N. S., '83, 238.

Hardy, F. P., '88, 381.

Le Moine, J. M., '84, 185, '90, 389, 397.

Lucas, F. A., '88, 129–135, 280–282.

Maynard, C. J., '83, 233.

Merriam, C. H., '81, 246, 249, '82, 120–121, 233–242, '83, 244–245, '84, 185, 295, '85, 107, 113, 305, 315.

Neilson, J., '83, 118.

Vennor, H. G., '80, 114, '81, 49.

Williams, J. B., 1900, 174–175.

Wintle, E. D., '84, 88, 185, '90, 209, '91, 396.

Querquedula, '84, 144, '88, 63, '96, 162, 164, '99, 103.

brasiliensis, *Argent.*, *Urug.*, *hbt.* '84, 273.

cyanoptera (^aCinnamon Teal, ^bAnas), *Argent.* '84, 273; *Ariz.* '83, 36, '86, 384^b, '90, 51^b; *B. C.* 1900, 104^b; *Cal.* '86, 89^b, '89, 223^b; *Colo.* '77, 51, '83, 198, '85, 18, 144; *Fla.* '89, 160^b, '93, 362^b; *g. dist.* '93, 134^b; *Ida.* '97, 350^b; *Kan.* '85, 112, '94, 260^a; *La.* 1900, 170; *L. Cal.* '95, 136^b; *Man.* '86, 328^b; *Minn.* '82, 47, '93, 289^b; *N. Y.* '77, 75; *Ore.* '79, 198, '88, 141^b, '91, 366^b (fossil), '93, 344? (fossil); *Tex.* '82, 224, '87, 184^b, '92, 232^b; *Wash.* '97, 171^b; *W. I.* '88, 64.—*hbt.* '80, 181; *inst.* '88, 141^b; *syn.* '99, 104.

discors (^aBlue-winged Teal, ^bAnas), *Alas.* '79, 13; *Ariz.* '83, 36, '86, 384^b, '90, 48^b, 51^b; *B. C.* 1900, 104^b; *Chili.* '99, 292; *Colo.* '81, 142, '85, 18, 144; *C. R.* '90, 332^b, '92, 329^b; *Engl.* '85, 375 [^aquerquedula?]; *Fla.* '88, 269^b, 378^b, '92, 211^b, '95, 364^b; *France.* '77, 107, '80, 213; *g. dist.* '93, 125^b; *G. Br.* '80, 213; *Ind.*

'82, 19^a, 22, '88, 346^b; *Jamaica*, '91, 364^b; *Ky.* '89, 312^b; *La.* '82, 165, '97, 286^b; *Man.* '86, 148^b; *Mass.* '81, 127, '96, 200^a; *Minn.* '80, 19, '84, 248; *Mo.* '79, 147, '95, 10^a; *Mont.* '88, 17^a, '95, 212^b; *N. D.* '99, 161^a, 162^a; *N. E.* '83, 162^a, 163^a; *N. M.* '92, 360^b, '98, 307^a; *N. Y.* '79, 33, '81, 234, '92, 69^b; *Ont.* '85, 372; *Ore.* '91, 366 (fossil), '93, 344^b (fossil); *Que.* '82, 239; *S. C.* '79, 218; *S. D.* '85, 288; *Tenn.* '86, 320^b; *Tex.* '82, 224, '87, 184^b, '92, 231^b, 1900, 339; *Wash.* '93, 17^b; *W. I.* '81, 128, 155, '88, 63.—*hbt.* '90, 393^b, '92, 383^b; *nst.* '80, 19, '91, 389^a; *plm.* '76, 23 (alb.); *syn.* '88, 63, '99, 104; *misc.* '85, 375 (corr.).

eatonii, *syn.* '97, 207.

flavirostris, *Argent.*, *hbt.* '84, 273.

hartlaubii, *syn.* '96, 162.

querquedula (^b *circia*), *Helg.* '85, 375^b, '95, 340^b.—*syn.* '96, 164.

versicolor, *Argent.*, *Urug.*, *hbt.* '84, 274.

querquedula (*Querquedula*), see *Querquedula*.

Querula cruenta, *Braz.* '91, 25.

querula (*Muscicapa*), see *Contopus virrens*.

— (*Zonotrichia*), see *Zonotrichia*.
querulus (*Picus*), see *Dryobates borealis*.

quindiuana (*Cyanolyca*), see *Cyanolyca*.
quinquestriata (*Aimophila*), see *Aimophila*.

— (*Zonotrichia*), see *Aimophila*.

Quiscalus, '84, 57, '85, 43, '86, 223, '92, 180, '93, 111, 130.

æneus (^a Bronzed Grackle or Crow Blackbird, ^b *purpureus*, ^c *quiscula*), *Ark.* '82, 92^b; *Canada*, '84, 185^a, 185^a; *Colo.* '85, 16; *D. C.* '88, 19; *Hud. B.* '90, 322; *Ia.* '88, 207, '95, 121, 236; *Ill.* '88, 207; *Ind.* '82, 21, '89, 24; *Ky.* '89, 314; *La.* '87, 302^a, 303, '88, 113, 324; *Man.* '86, 322; *Mass.* '81, 180, '84, 6^a, '88, 389, '89, 44, '90, 368^a, '99, 196^a; *Me.* '82, 149, '94, 70, 1900, 208^a; *Mich.* '93, 225; *Minn.* '80, 15, '84, 245^b, '93, 290; *Miss.* '82, 92^b; *Mo.* '79, 145^b, '95, 3^a, 223, 350^a, '98, 25^a; *Mont.* '88, 15^a, '95, 216; *N. B.* '82, 149, '89, 117^c; *N. C.* '93, 242, '94, 333; *N. D.* '99, 162^a; *Neb.* '96, 245^c; *N. S.* '99, 252; *N. Y.* '81, 231, '82, 188^b, '85, 253^a; *O.* '89, 201, '95, 242; *Pa.* '92, 136^a, '93, 39, '96, 294; *P. E. I.* '93, 10; *Que.* '82,

236^b; *R. I.* 1900, 76^a; *S. C.* '88, 113, 208, 324, '91, 51, 167; *S. D.* '85, 282; *Tenn.* '86, 319, '87, 131^c; *Tex.* '82, 163^b, 167, '87, 291, '92, 238, 1900, 346; *W. Va.* '98, 135.—*fd.* '81, 181, '87, 303, '90, 208, '97, 421^a; *hbt.* '81, 181, '84, 86^a, '90, 208, 368^a, '95, 216, 303^a, '98, 25^a; *mig.* '81, 98^b, '88, 207, '91, 51, '95, 121, 129^a, 236, 239^a, 242, 244^a, '99, 144^a, 196^a; *nst.* '80, 15, '82, 167, '96, 294; *plm.* '78, 176^b, '86, 318, '92, 180; *song.* '82, 21, '85, 253^a; *syn.* '90, 77, '92, 180; *misc.* '80, 40.

aglæus (Florida Grackle), *Ala.* '79, 10; *Fla.* '88, 273, '89, 321, '91, 138, '92, 213, '95, 365; *La.* '88, 113; *S. C.* '88, 208.—*syn.* '92, 180.

atroviolaceus (^b *Scolecopagus*), *W. I.*, *meas.*, *plm.*, *syn.* '86, 227; *syn.* '94, 67^b.

brachypterus, *W. I.*, *meas.*, *plm.*, *syn.* '86, 224.

caymanensis, *W. I.* '86, 499*, 502, '88, 158.—*meas.* '86, 499.

fortirostris, *W. I.*, *meas.*, *plm.*, *syn.* '86, 223.

guadeloupensis, *W. I.* '79, 229, '86, 226, '91, 49.—*meas.*, *plm.*, *syn.* '86, 226.

gundlachii, *W. I.* '86, 226, '89, 31, '92, 272.—*meas.*, *syn.* '86, 226; *plm.* '86, 226, '91, 190 (alb.).

inflexirostris, *W. I.* '79, 229, '86, 224, '87, 96.—*meas.*, *plm.*, *syn.* '86, 224.

insularis, *W. I.* '96, 333.

jamaicensis (^b *crassirostris*), *W. I.* '86, 225^b, '93, 179^b, '94, 126^b—*hbt.* '92, 370^b; *meas.*, *plm.*, *syn.* '86, 225^b; *song.* '93, 179^b.

lugubris, *Venez.* '97, 364.—*syn.* '80, 166.

luminosus, *W. I.* '79, 49, '80, 166, '86, 225.—*meas.*, *plm.*, *syn.* '86, 225.

macrourus (^a Great-tailed, or Long-tailed Grackle), *Mex.* '98, 269; *Tex.* '77, 85^a, '92, 238, 1900, 346.—*hbt.*, *nst.* '98, 269.

major (^a Boat-tailed Grackle), *Cal.* '77, 93?; *Canada*, '84, 185 [*æneus*?], 185^a [*æneus*?]; *Fla.* '87, 277^a, '88, 273, '89, 321, '90, 341, '91, 132^a, 138, '92, 213; *Ga.* '83, 39, '96, 212; *g. dist.* '87, 346, '93, 133; *La.* '92, 205; *Mex.* '77, 93; *Md.* '85, 100^a; *Me.* '83, 165^a [*æneus*?]; *N. E.* '76, 72, '77, 12, 45; *N. S.* '80, 44; *S. C.* '99, 197; *Tex.* '82, 168.—*fd.* '86, 477, '90, 341.

'99, 197; *hbt.* '90, 341; *mig.* '99, 197; *nst.* '82, 168, '83, 39, '85, 100^a, '87, 346, '89, 321; *mlt.* '87, 346; *song.* '88, 273; *misc.* '87, 277^a.

niger, *W. I.* '81, 153, '86, 226.—*meas.*, *plm.*, *syn.* '86, 226.

obscurus, *Mex.*, *meas.* 1900, 267*.

quiscula (^a Purple Grackle or Crow Blackbird, ^b purpleus, ^c versicolor), *Cal.* '77, 93^b?; *D. C.* '88, 19^a, 22; *Ga.* '83, 39^b; *g. dist.* '93, 133; *Ky.* '89, 314; *La.* '82, 163^b, '87, 302 [*eneus?*], '88, 113^b, 324; *Mass.* '76, 53^b; *N. C.* '86, 107; *Neb.* '96, 245 [*eneus?*]; *N. J.* '94, 138; *N. Y.* '79, 32^c, '81, 231, '85, 253^a, '92, 319^a, '93, 54^a; *Ore.* '77, 93^b?; *Pa.* '87, 69^a, '89, 141, '92, 136, '96, 283; *R. I.* 1900, 76^a; *S. C.* '79, 215^b, '85, 189, '88, 208, 324, '90, 208; *Tenn.* '86, 318, '87, 131 [*eneus?*]; *Va.* '86, 161^a—*anat.* '88, 329^b; *fd.* '84, 86^a, 86^a, '85, 210^a, '86, 477^b, '97, 421^a; *hbt.* '85, 189, '95, 303^a; *mig.* '80, 152^a, '81, 98^b, '89, 141, '91, 195, '99, 144^a; *nst.* '83, 39^b, '88, 22, '92, 319^a, '93, 54^a; *plm.* '76, 22^b (alb.), '86, 318, '92, 180; *song.* '85, 253^a; *syn.* '92, 180; *misc.* '83, 235^b, '86, 130^b, '93, 297.

quiscalus (Chalcophanes), see *Ptiloxena atroviolaceus*.

quiscula (Quiscula), see *Q. quiscula* or *eneus*.

Quit, Banana, see *Cœraea flaveola*.

Blue, see *Glossiptila ruficollis*.

Orange, see *Glossiptila ruficollis*.

quixensis (*Drymophilà*), see *Drymophilà*.

Quok, see *Nycticorax naevius* or *violetaceus*.

R

Races (new), see New Species.

radiolatus (*Centurus*), see *Centurus*.

— (*Picus*), see *Centurus*.

— (*Zebra*), see *Centurus*.

Ragsdale, George Henry.

Painted Lark Bunting (*Plectrophanes pictus*) in Texas, '78, 92.

Olive-backed Thrush (*Turdus swainsoni*) in Texas, '79, 116.

Nesting of Snowbird (*Junco hyemalis*) in eastern Tennessee, '79, 238.

Additional notes concerning the Black-capped Vireo in Texas, '80, 239.

Note on *Tryngites rufescens* in Texas, '81, 61.

Range of *Lophophanes atro cristatus* in Texas, '81, 114.

Larus glaucus in Texas, '81, 187.

Peucaea ruficeps cremaeca, '82, 122.

Addition to Texas avifauna, '86, 281.

Change of winter habitat in Grass Finch, '87, 259.

Hiatus existing between breeding ranges of Loggerhead and White-rumped Shrikes, '89, 224–226.

Melanerpes aurifrons in Young Co., Texas, '90, 401.

Breeding range of Sparrow Hawk (*Falco sparverius*) in Texas, '91, 312.

Distribution of the species of *Peucaea* in Cooke Co., Texas, '92, 73.

Obliteration of tarsal scutella in *Accipiter cooperi*, '94, 251.

Temperature and nest-building, '94, 260.

Obituary of, '95, 316.

Rail, Bahama, see *Rallus coryi*.

Belding's, see *Rallus beldingi*.

Black, see *Porzana jamaicensis*.

California Clapper, see *Rallus obsoletus*.

Caribbean Clapper, see *Rallus caribaeus*.

Carolina, see *Porzana carolina*.

Clapper, see *Rallus crepitans*.

Farallone, see *Porzana coturniculus*.

King, see *Rallus elegans*.

Little Black, see *Porzana jamaicensis*.

Little Yellow, see *Porzana noveboracensis*.

Louisiana Clapper, see *Rallus saturatus*.

Red, see *Porzana concolor*.

Red-breasted, see *Rallus elegans*.

Scott's, see *Rallus scottii*.

Sora, see *Porzana carolina*.

Virginia, see *Rallus virginianus*.

Wayne's Clapper, see *Rallus [waynei] crepitans*.

Yellow, see *Porzana noveboracensis*.

Rails, see *Rallidae*.

raimondi (*Chlorestes*), see *Sporadinus ricordi*.

— (*Gnathospiza*), see *Sicalis tacazowskii*.

— (*Riccordia*), see *Sporadinus ricordi*.

— (*Sicalis*), see *S. raimondi*.

Rain-bird, see *Cypselus phoenicobius*.

Hemiprocne zonaris, *Petrochelidon fulva*, *Saurothera vetula*, *Hyetornis pluvialis*, or *Tachornis phoenicobius*.

Rain-crow. see *Hæmatopus palliatus* or *Coccyzus americanus*.

Raine, Walter.

Bird-nesting in northwest Canada (rev.), '94, 247.

Discovery of eggs of Belted Piping Plover, '96, 256.

Nidification of Dusky Horned Owl, '96, 257.

Rallidae (^a Rails), '78, 17, '81, 81, '82, 116, '87, 67^a, 249^a, '90, 84, '94, 242, '97, 340.

Rallina, '94, 317.

^burizonoïdes (^bGallinula), *P. I.*, '89, 173^b.

fasciata, *Borneo*, syn. '91, 16.

Rallinae, '94, 317.

Rallites, '94, 317.

Rallus, '87, 250, '88, 52, '93, 99, 108.

^aequatorialis, syn. '94, 242, 243.

^bantarcticus, *Argent.*, *Urug.*, *hbt.*, '84, 276.

^aquaticus, *Helg.* '95, 339.

^beldingi (Belding's Rail), *L. Cal.*, '82, 258; *N. Am.*, '84, 384.—syn. '94, 242.

^caribæus (Caribbean Clapper Rail).

g. dist. '89, 163–165; *Jamaica*, '92, 11, '94, 122; *Tex.* '88, 319, 394; *W. I.*, '80, 140, '88, 53.—*hbt.*, *song*, '92, 11; *meas.* '80, 140, '89, 165; *nst.* '92, 11, '94, 122; *plm.* '80, 140, '89, 163, 165; *syn.* '80, 140, '88, 53, '89, 162, '94, 242.

coryi, *W. I.*, '87, 155, '88, 53, '89, 163, '91, 77, 294, 295, 386.—

meas. '88, 53, '89, 165; *nst.* '91, 77; *plm.* '88, 53; *syn.* '88, 53, '94, 242.

^dcrassirostris, *syn.* '80, 140, '89, 161.

^ecrepitans (^a Clapper Rail, ^b longi-

^crostris, ^d waynei), *Bahamas*, '88, 53; *Fla.* '89, 153, '92, 212; *Ga.* '83, 42; *g. dist.* '80, 140, '89, 161, 163, 165, 166, '99, 33^c; *La.* '88, 108, '97, 287; *Mass.* '77, 22^b, '81, 62^b, '87, 344, '92, 74^a; *Me.* '79, 108^b, '83, 113; *N. J.* '79, 226^b, '85, 98^a, '90, 327, '97, 24^b; *N. Y.* '78, 85 [*legelans*?], '85, 274, '84, 175, '93, 271; *I. a.* '76, 27^b.—

anat. '95, 172^b; *hbt.* 1900, 197^a; *meas.* '80, 140, '89, 166, '99, 339^c; *mig.* '84, 175; *nst.* '76, 27^b, '79, 24, '83, 42, '85, 98^a; *plm.* '80, 140, '89, 161, 163, 165, '93, 271 (alb.), '99, 291^c, 339^c; *syn.* '80, 140, '88, 53, '89, 161, '90, 64, '94, 242, '99, 339^c.

^ecubanus, *W. I.* '94, 67.—*syn.* '94, 242.

^felegans (King Rail), *Conn.* '81, 62, '82, 60, 124, '93, 207; *Cuba*, '88, 52, '92, 272; *D. C.* '88, 20; *Fla.* '88, 269, '89, 153, '92, 212, '95, 364; *Ga.* '83, 42, '96, 215; *g. dist.* '80, 139, '93, 132; *La.* '82, 165, '97, 287; *Mass.* '77, 22, '78, 146, '81, 62, '82, 60, '92, 396, '96, 86; *Me.* '82, 60, '96, 79; *N. H.* '88, 176; *N. J.* '94, 136; *N. Y.* '78, 85, '92, 68, '99, 194; *S. D.* '84, 97, '85, 287; *Tex.* '87, 299.—*fd.* '83, 172; *meas.*, *plm.* '80, 139; *mig.* '88, 176; *nst.* '83, 42, '88, 20, '94, 136; *syn.* '80, 138, 139, '88, 52, '94, 242.

^glongirostris, *g. dist.* '80, 138–140, '89, 161.—*anat.* '95, 172; *meas.* '80, 140, '89, 161–166; *plm.* '80, 139, '89, 161, 165; *syn.* '80, 138–140, '89, 161, '94, 242.

^hobsoletus (California Clapper Rail, ^b levipes), *Cal.* '80, 124, 139, '87, 87, 90, '99, 291^b, 339^b; *g. dist.* '89, 165, 166.—*hbt.*, *nst.* '80, 124; *meas.* '80, 125, 139, '89, 166, '99, 340^b; *plm.* '80, 139, '89, 165, 166, '99, 339^b; *syn.* '80, 139, '89, 162, 163, '94, 242, '99, 339^b.

ⁱsaturatus (Louisiana Clapper Rail), *La.* '80, 140, '89, 164, 166, '97, 287.—*meas.*, *plm.* '80, 140, '89, 166; *syn.* '80, 140, '89, 164, '90, 65, '94, 242.

^jscottii (Scott's Rail), *Fla.* '88, 305*, 394, '89, 153–155, 166, '91, 133, 137, '92, 212.—*hbt.* '89, 153, '91, 133; *meas.* '89, 166; *nst.* '89, 153; *plm.* '89, 154, 163, 165, 166, '91, 135; *syn.* '89, 165, '90, 65, '91, 135, '94, 242.

^kstriatus, *misc.* '87, 157.

^ltenuirostris, *Mex.*, *meas.*, *plm.* '80, 139.

^mvirginianus (^a Virginia Rail), *Ariz.* '86, 385; *Cal.* '87, 90; *Colo.* '85, 18, 144, '87, 124; *D. C.* '88, 20; *Fla.* '89, 155, '91, 137, '92, 212; *Kan.* '86, 115; *La.* '82, 165, '97, 287; *Man.* '86, 150; *Mass.* '95, 88, 188; *Md.* '92, 68; *Mich.* '93, 223; *Minn.* '79, 153^a; *Mont.* '95, 213; *N. Am.* '80, 140; *N. Atlantic Ocean*, '84, 399; *N. J.* '89, 177^a, '98, 51; *N. S.* '87, 16; *N. Y.* '82, 188, 256, '84, 178, '87, 67^a, '92, 68, 385^a, '94, 163; *O.* '83, 186^a; *Ore.* '79, 197, '86, 164; *S. C.* '85, 192; *S. D.* '85, 287; *Wash.* '92, 309, '97, 172; *W. I.* '88, 53; *Wis.* '82, 188.—*meas.* '80, 140; *mig.* '84, 178; *nst.* '85, 96^a, 98^a, '94, 163; *plm.* '78, 17, '79,

- 45, '80, 140; *syn.* '88, 53, '94, 242; *misc.* '98, 51.
- Ralph**, William LaGrange.
Egg of Marbled Murrelet, '98, 49.
- Ralph**, W. L., and **Bagg**, E.
Annotated list of birds of Oneida Co., N. Y. (rev.), '87, 154.
Additional notes on birds of Oneida Co., New York, '90, 229-232.
- ralphi** (*Geothlypis*), see *Geothlypis*.
- Ramphastos**, '88, 122.
ariel, *Braz.* '91, 159.
carinatus, *Nicar.* '93, 84.
cuvieri, *anat.* '88, 122.
erythrorhynchus, *Braz.* '91, 159.
- Ramphocelus**, see *Ramphocelus*.
- Ramphocelus**, '94, 66.
capitalis, *Vencz.* '94, 66.
costaricensis, *C. R.* '91, 62^a, '93, 278.—*hbt.* '93, 279; *meas.* '91, 62; *plm.*, *sing.* '93, 278.
festæ, *Panama*, '99, 292.
flammingerus (^b *Ramphopis*), *Columbia River*, '77, 92^b?.
jacapa, *Braz.* '90, 267.
magnirostris, *Venez.* '97, 364.
passerini, *Nicar.* '95, 25.—*nst.* '94, 171.
- Ramphocinclus**, '86, 16.
brachyrus, *W. I.* '80, 166, '86, 16.
—*meas.*, *plm.*, *syn.* '86, 16.
sanctæ-luciae, *W. I.* '87, 94^a, '88, 157.—*meas.* '87, 94.
- Ramphocelus**, see *Ramphocelus*.
- Ramphocænus trinitatis**, *Vencz.* '97, 365; *W. I.* '97, 362.
- Ramphocron dorsale**, *Colom.* '99, 138.
- rajab** (*Lorius*), see *L. garrulus*.
- Random Notes on Natural History (magazine), '84, 206; titles (Nos. 1003-1036), '86, 270, (Nos. 1460-1486) '89, 183.
- rapax** (*Muscicapa*), see *Contopus vires*.
- Raptatores**, '83, 232.
- Raptores** (^a Birds of Prey), '77, 24^a, 70^a, '78, 16, 77^a, 78^a, '81, 194^a, 201, '85, 203^a, '86, 270^a, '90, 85, '93, 109, '97, 229, 341.
- rara** (*Dendroica*), see *Dendroica*.
- Rasores**, '83, 232.
- Rathbun**, Frank Root.
Revised list of birds of New York (rev.), '79, 172-175.
Bright feathers, or some North American birds of beauty (rev.), '80, 234, '81, 172.
- Rathbun**, F. R., and **Fowler**, H. G.
- A partial catalogue of birds of central N. Y. (rev.), '78, 34, 85.
Birds of Cayuga, Seneca and Wayne counties (rev.), '78, 85.
- Rathbun**, Samuel Frederick, and **Wright**, Frank Smith.
Hooded Warbler in western New York, '79, 116.
- Ratite**, '81, 82, 83, 108, '96, 62, 162, 163, '98, 338.
- Raub**, Michael W.
Golden Eagle in Pennsylvania, '92, 200.
- Raven**, American, see *Corvus sinuatus* or *principalis*.
Mexican, see *Corvus sinuatus*.
Northern, see *Corvus principalis*.
White-necked, see *Corvus cryptoleucus*.
- ravida** (*Mimocichla*), see *Mimocichla*.
- Rawson**, Calvin Luther.
Another Golden Eagle in Connecticut, '97, 215.
- rayi** (*Motacilla*), see *Motacilla*.
- rectirostris** (*Holochrus*), see *Quiscalus fortirostris*.
— (*Quiscalus*), see *Q. fortirostris*.
- Recurvirostra**, '87, 232.
americana (^a American Avocet), *Arctic Am.* '80, 109^a; *Ariz.* '86, 386; *Assiniboina*, '86, 151; *Cal.* '85, 311^a, '86, 91, '89, 223; *Colo.* '85, 18, 144; *Ida.* '97, 351; *Jamaica*, '92, 12; *La.* '97, 288; *Man.* '86, 151, 328; *Mass.* '81, 123, '97, 212; *Mc.* '79, 108; *Mont.* '88, 16^a, '95, 213; *N. B.* '80, 241, '82, 105; *N. J.* '79, 224; *N. M.* '92, 360, '98, 307; *N. Y.* '93, 272; *Ont.* '84, 85^a; *S. D.* '85, 286; *Tex.* '82, 222, '87, 185, '92, 232, 1900, 340; *Ut.* '85, 210 [see 211]; *W. I.* '87, 232.—*hbt.* '93, 293; *plm.* 1900, 370 (mlt.); *syn.* '81, 123, '87, 232.
avocetta, *Holg.* '95, 339.
- Recurvirostridæ** (^a Stilts or Avocets), '93, 108^a.
- Redbird**, see *Cardinalis cardinalis* or *Piranga rubra*.
Cardinal, see *Cardinalis cardinalis*.
Piney-woods, see *Piranga erythromelas*.
Summer, see *Piranga rubra*.
Redbreast, see *Erithacus rubecula*.
Redhead, see *Aythya americana*.
redivivus (*Harporhynchus*), see *Harporhynchus*.
Red-legs, see *Himantopus mexicanus*.
Redpoll, see *Acanthis linaria*.
Greater, see *Acanthis rostrata*.

- Greenland, see *Acanthis hornemannii*.
 Hoary, see *Acanthis exilipes*.
 Holboell's, see *Acanthis holboelli*.
 Lesser, see *Acanthis linaria*.
 Mealy, see *Acanthis linaria* or *exilipes*.
 Redshank, Common, see *Totanus totanus*.
 Spotted, see *Totanus ater*.
 Redstart, see *Setophaga ruticilla*.
 American, see *Setophaga ruticilla*.
 Black, see *Ruticilla titys*.
 European, see *Ruticilla phenicura*.
 Painted, see *Setophaga picta*.
 Red-bellied, see *Setophaga miniata*.
 Red-tail, see *Buteo borealis*.
 Black, see *Buteo calurus*.
 Saint Lucas, see *Buteo lucasanus*.
 Western, see *Buteo calurus*.
 Red-wing, see *Agelaius phoeniceus*.
 Bahaman, see *Agelaius bryanti*.
 Florida, see *Agelaius floridanus*.
 Richmond's, see *Agelaius richmondi*.
 Sonoran, see *Agelaius longirostris*.
 Table-land, see *Agelaius grandis*.
- Reed**, J. Harris.
 Albino Blackpoll Warbler, '88, 432.
Troglodytes aédon (House Wren), building in a hornet's nest, '89, 339.
 Unusual occurrence of Brünnich's Murres at Beverly, New Jersey, '97, 202.
 Breeding of Rose-breasted Grosbeak at Beverly, New Jersey, '97, 323.
 A novel idea of a Tufted Titmouse, '97, 325.
 Notes on American Barn Owl in eastern Pennsylvania, '97, 374-383.
 Terns of Great Gull Island, N. Y., during 1897, '98, 40-43.
 Birds nesting under arc-light hoods, '98, 193.
 Use of hornets' nests by birds, '98, 193.
 Accidental death of a hooded Warbler (*Sylvania mitrata*), '98, 272.
 Nest building under difficulties, '98, 330.
- Reed-bird, see *Dolichonyx oryzivorus*.
refulgens (*Thalurania*), see *Thalurania Regerinus*, '87, 47.
uncinatus, *W. I.*, *meas.*, *plm.*, *syn.* '87, 48-50.
wilsonii, *W. I.*, *meas.*, *plm.*, *syn.* '87, 47.
- regia* (*Muscivora*), see *Onychorhynchus regius*.
 — (*Phætusa*), see *Sterna maxima*.
 — (*Sterna*), see *S. maxima* or *caspia*.
regius (*Cicinnurus*), see *Cicinnurus*.
 — (*Muscivora*), see *Muscivora*.
 — (*Thalasseus*), see *Sterna maxima*.
reguloides (*Tyrannulus*), see *Tyrannulus*.
- Regulus**, '93, 113.
- calendula* (^ Ruby-crowned Kinglet or Ruby-crested Wren, ^ *grinnelli*), *Ala.* '78, 170; *Alaska*, '97, 399*; '98, 130^; *Ariz.* '82, 79, '85, 173, '88, 166, '90, 49, '97, 263; *Cal.* '86, 186, '95, 181, '98, 236; *Colo.* '79, 91, '80, 225, '81, 87, 204, '83, 154, '85, 14, 15, 100^, '87, 123; *D. C.* '93, 206; *Engl.* '77, 107; *Fla.* '88, 277, '90, 119, 127^, 138, '92, 214, '95, 366; *Ga.* '82, 96^, '96, 214; *g. dist.* '93, 127; *G. Br.* '80, 69; *Hud. B.* '90, 322; *Ia.* '95, 122, 236; *Ida.* '98, 21; *Ind.* '89, 29; *Ky.* '89, 316; *La.* '87, 306; *Man.* '86, 326; *Mich.* '85, 65, '93, 229; *Mo.* '79, 140, '96, 220; *Mont.* '81, 204, '82, 62, '88, 15^, '94, 308, '95, 218; *N. C.* '87, 241; *N. E.* '81, 237; *N. H.* '89, 79; *N. J.* '91, 105; *N. M.* '85, 238^, 331, '92, 368; *N. S.* '91, 165, 166^; *N. Y.* '79, 32, '81, 226, '84, 134, 179; *O.* '95, 242; *Ont.* '84, 185; *Ore.* '86, 162, 172, '88, 365; *Pa.* '89, 142^; *Que.* '82, 234, '84, 90; *S. C.* '79, 211, '89, 75^, '92, 38^; *S. D.* '85, 277; *Tenn.* '86, 316; *Tex.* '82, 7, 35, '87, 298, '92, 344; *Wash.* '92, 47, '97, 180, 1900, 245, 357; *Wyo.* '81, 204.—*hbt.* '76, 77, '79, 91, '80, 225; *meas.* '77, 61, '79, 92, 98, '81, 87, 204, '82, 70, '84, 91, '90, 97, '97, 401; *mig.* '84, 179, '85, 65, '92, 38^, '95, 122, 128^, 132^, 236, 242; *nst.* '76, 77, '79, 91, '81, 87, 204, '84, 90, '85, 100^, '90, '97, 263, '92, 385^, '94, 67; *plm.* '81, 87, '85, 99^, 173, '86, 172, 268, 406, '87, 123, '90, 292, '92, 368, '95, 181 (alb.); *song.* '84, 134; *syn.* '77, 59, 61, '81, 225, '97, 399^, '99, 132^; *misc.* '82, 117.
- cristatus* (^ European Kinglet), *Germany*, '96, 308^; *Helg.* '95, 333.—*nst.* '79, 97, 98; *syn.* '82, 179.
- cuvieri* (^ Cuvier's Kinglet), *plm.* '81, 224^; *misc.* '76, 79, '81, 167, '88, 401.
- grinnelli*, '97, 399*, see *calendula*.
- himalayensis*, *nst.* '79, 98.
- ignipennis*, *Helg.* '95, 333.—*nst.* '79, 97, 98.
- obscurus* (Dusky Kinglet), *meas.* '77, 61; *syn.* '77, 59, 61.

olivaceus (Western Golden-crowned Kinglet, ^b satrapa, ^c aztecus), *Alas.* '98, 130; *Cal.* '78, 65^b, '86, 186, '87, 86; *g. dist.* '93, 127; *Ida.* '98, 21; *Mex.* '95, 359^c, '98, 160; *Mont.* '94, 308; *Ore.* '86, 162, 172, '88, 364, '91, 397; *Wash.* '82, 227, '92, 47, '97, 180, 1900, 357.—*hbt.*, *song.* '98, 130; *syn.* '98, 160.

satrapa (^a Golden-crowned Kinglet), *Ala.* '78, 170; *Colo.* '81, 87, 244, '83, 154, '85, 15; *Fla.* '91, 137, 138, '95, 366; *Ga.* '96, 214; *g. dist.* '93, 127; *Ia.* '95, 122, 236; *Ill.* '88, 433; *Ind.* '89, 29; *Ky.* '89, 316; *Man.* '86, 328; *Mass.* '88, 337-344, 388^a, 389, 393, '89, 42^a, 105, '95, 89, '96, 346; *Mich.* '93, 229; *Mo.* '96, 220; *Mont.* '88, 15^a; *N. B.* '84, 294^a; *N. C.* '86, 99^a, 177, 309^a, 314, '87, 245; *N. E.* '76, 73, '77, 17; *N. H.* '87, 103^a, 107, '88, 153, '89, 79; *N. J.* '91, 105; *N. S.* '87, 16, '91, 165, '99, 253; *N. Y.* '81, 226, '84, 134, 177, '87, 350^a, '89, 105, '90, 232; *O.* '95, 242; *Ont.* '83, 145^a; *Pa.* '89, 142^a, '92, 134, 140; *P. E. I.* '85, 265, '93, 5^a, 14; *Que.* '85, 301, '89, 149; *S. C.* '79, 211, '92, 38^a; *S. D.* '85, 277; *Tenn.* '86, 316; *Tex.* '82, 7, 35, '87, 298, '92, 344; *Va.* '89, 51; *Wis.* '88, 326.—*anat.* '89, 181; *meas.* '79, 97, '88, 341; *mig.* '84, 177, '88, 326, 433, '92, 38^a, '95, 122, 236, 242; *nst.* '76, 78, '79, 96-99, '83, 176, '85, 301, '88, 337-344 (photos), '89, 149; *plm.* '78, 19, '85, 98^a; *song.* '81, 225, 244, '84, 134, '88, 337, 343; *syn.* '98, 160 [*f. oblivious*]; *misc.* '82, 118.

regulus (Falco), see Falco.

— (Loriculus), see Loriculus.

reichenbachi (Homoptila), see Leptotila.

— (Leptotila), see Leptotila.

reichenovi (Corethrura), see Corethrura.

Reichenow, Anton von.

Systematische Uebersicht der Schreitvögel (rev.), '78, 183-185.

Conspectus psittacorum (rev.), '83, 169.

Die Vögel der zoologischen Gärten (rev.), '83, 232.

Die Entenvögel der zoologischen Gärten (rev.), '83, 232.

Die Vögel Deutsch-Ost-Afrikas (rev.), '95, 73.

Reichenow, A. von, and Schalow, H.

Zoologischer Jahresbericht für 1879 (rev.), '81, 111.

Compendium der neu beschriebenen Gattungen und Arten (rev.), '81, 111, '83, 169.

reinhardi (Lagopus), see Lagopus.

reinhardtii (Lagopus), see *L. reinhardi*.

Remiza, '87, 249.

Resler, Arthur.

Note on flexor hallucis brevis in Night Heron (*Nycticorax nycticorax naevius*), '96, 172.

resplendens (Phalacrocorax), see *P. resplendens* or *mexicanus*.

república (Diphyllodes), see *Schlegelia wilsoni*.

restricta (Geothlypis), see *G. trichas*.

— (Polioptila), see *Polioptila*.

Revillagigedo Islands, Mexico.

Anthony, A. W. '98, 311-318, 1900, 247-252.

Ridgway, R., '86, 333-334.

rhacocephalus (Ixos), see *Alophoixus phaeocephalus*.

Rhamphastidae, '81, 29, 37, 75.

rhamphastinus (Semnornis), see *Semnornis*.

Rhamphastos, see *Ramphastos*.

Rhamphocenus, see *Ramphocænus*.

Rhamphocinclus, see *Ramphocinclus sancte-luciae*, '87, 94*, see *Ramphocinclus*.

Rhamphocelus, see *Ramphocelus*.

Rhamphomicro, see *Ramphomicro*.

Rhea, '81, 8, 83, 202, '96, 74, 110.

americanæ, Argent., *hbt.*, *nst.*, *plm.*

'84, 318.—*syn.* '91, 164.

Rhegmatorhina, '89, 172.

gymnops, *Braz.* '89, 172, '91, 29.—*syn.* '91, 29.

rhinoceros (Buceros), see *Buceros*.

Rhinocerotidae, '94, 242.

Rhinogryphus, see *Cathartes*.

Rhinothra chlorophæa, *Borneo*, *syn.* '91, 11.

Rhipidura, '94, 233.

perlata, *Borneo*, *syn.* '90, 353.

Rhoads, Samuel Nicholson.

Helminthophaga pinus, *Oporornis formosa* and *Mniotilla varia* breeding in Pennsylvania, '79, 234-235.

Nesting of *Empidonax minimus* and *Helmintherus vermivorus* in Pennsylvania and New Jersey, '82, 55.

Early capture of Orange-crowned Warbler, '83, 179.

Occurrence of *Larus marinus* on southern coast of New Jersey, '88, 318.

- The Wild Pigeon (*Ectopistes migratorius*) on the Pacific coast, '91, 310-312.
- Breeding habits of Florida Burrowing Owl (*Spectoptyo cunicularia floridana*), '92, 1-8.
- Notes on certain Washington and British Columbia birds, '93, 16-24.
- Vireo huttoni* group, with description of a new race from Vancouver Island, '93, 238-241.
- Observations on British Columbia and Washington birds (rev.), '93, 290-292.
- Hudsonian Chickadee and its allies, with remarks on geographic distribution of bird races in boreal America, '93, 321-333.
- Cinnamon Teal in Florida, '93, 362.
- Birds of British Columbia and Washington, '93, 380-383.
- Reprint of the North American Zoology by George Ord in Guthrie's Geography (rev.), '94, 190, '95, 72.
- Unseasonable nesting of Ground Dove in Florida, '95, 79.
- Winter Wren a night singer, '95, 84.
- Additions to avifauna of Tennessee, '96, 181, 244.
- 'Ord's Zoology' again, '96, 192.
- Zoology of Tennessee, No. 2. Birds (rev.), '96, 244.
- Notes on some of the rarer birds of western Pennsylvania, '99, 308-313.
- Rhode Island.**
- Allen, J. A., '80, 133, 240, '85, 208-209, 1900, 76-77.
- Armstrong, E. H., 1900, 175.
- Bent, A. C., '98, 54.
- Brewster, W., '81, 186, '90, 89.
- Brown, N. C., '80, 237.
- Chadbourne, A. P., '89, 257.
- Deane, R., '80, 116, 123.
- Dexter, N., '80, 45, '89, 175, '90, 394.
- Dexter, S. F., '83, 118.
- Glezen, F. L., '94, 69.
- Hazard, R. G., '84, 290, '99, 83.
- Howe, R. H., Jr., '97, 219, '99, 179-180, 189-190, 1900, 271.
- Jencks, F. T., '80, 114, 237, '81, 54, 123, '82, 124, '83, 61-62, 122, 183, 234, 234, '84, 94, '86, 270+, 271+, 272+, '89, 183.
- Lawton, C. H., '92, 193.
- Livermore, J., '94, 177.
- Mackay, G. H., '92, 292-294.
- Powell, J. H., '85, 372.
- Rives, W. C., '85, 208-209, '87, 73, '88, 108.
- Robinson, W., '89, 194, '99, 356.
- Skinner, F., '81, 113.
- Southwick, J. M., '89, 183, 184+, '92, 193.
- Sturtevant, E., '97, 322, '99, 284.
- Taylor, A. O'D., '92, 300-301.
- Rhodinicichla rosea*, hbt. '92, 288.
- schistacea*, Mex. '80, 41.
- rhodinolema* (*Phoenicothraupis*), see *Phoenicothraupis*.
- rhodoculpus* (*Carpodacus*), see *C. frontalis* or *clementis*.
- rhodogaster* (*Temnotrogon*), see *T. rosegaster*.
- (*Trogon*), see *Temnotrogon rosegaster*.
- Rhodopechys phoenicoptera*, syn. '80, 97.
- Rhodospingus*, '88, 411.
- cruentus*, syn. '88, 411.
- mentalis*, syn. '88, 412.
- Rhodospiza*, '88, 411.
- obsoleta*, syn. '88, 411.
- Rhodostethia*, '78, 186.
- rosea* (Ross's Gull, ^b *Larus rossii*), Alas. '84, 80, '85, 63, '86, 123; Arctic R. '98, 193, 1900, 309; g. dist. '93, 123, '99, 146-155; Grecln. '86, 273^b; Helg. '91, 300, '95, 328, 341; Siberia, '84, 80—hbt. '99, 146, 151; meas., nst. '86, 274^b; mig. '85, 63, '86, 123; plm. '86, 123, '99, 146; syn. '78, 187, '99, 146.
- Rhodothraupis*, '98, 226*.
- Rhopoterpe torquata*, Braz. '91, 29.
- Rhyacophilus*, see *Helodromas*.
- Rhynchoscyrus ruficauda*, Braz. '90, 270.
- sulphurescens*, Venez. '97, 365.
- Rhynchoea*, '88, 204.
- semicollaris*, Argent., Urug., hbt., nst. '84, 314.
- Rhynchophanes*, '93, 131.
- mccownii* (^a McCown's Longspur, ^b *Plectrophanes*), Ariz. '88, 321; B. C. '93, 237, 1900, 107; Cal. '77, 92^b?; Colo. '83, 161, '85, 16; g. dist. '93, 134; Ill. '77, 52^b; Mass. '93, 50; Minn. '89, 340, '93, 290; Mont. '79, 50^b, '88, 14^b, '95, 216; N. D. '79, 50^b; N. M. '92, 365, '94, 216; Tex. '78, 92^b, '82, 38, '84, 121?, '87, 291, '92, 337.—syn. '80, 97.
- Rhynchositta pachyrhyncha*, g. dist. '88, 395; Mexico. '94, 66.—syn. '88, 395; misc. '80, 88.
- Rhynchortyx*, '97, 214.

- Rhynchospiza**, '98, 224*.
Rhynchotus rufescens, *Argent.*, *hbt.*,
nst., *song*, '84, 317.
riccordi (*Chlorestes*), see *Sporadinus*.
 — (*Hylochlaris*), see *Sporadinus*.
 — (*Orthorhynchus*), see *Sporadinus*.
 — (*Sporadicus*), see *Sporadinus*.
 — (*Sporadinus*), see *Sporadinus*.
 — (*Trochilus*), see *Sporadinus*.
 Rice-bird, see *Dolichonyx oryzivorus*.
Richard, Harriet Eliza.
 [Bird protection in Mass.], '98, 83.
richardi (*Anthus*), see *Anthus*.
Richards, Edward Horton.
 Cardinal Grosbeak in Massachusetts,
 '83, 59.
Richardson, Jenness.
 Florida Gallinule breeding in Ver-
 mont, '89, 273.
 Obituary of, '93, 307.
richardsoni (*Æsalon*), see *Falco*.
 — (*Contopus*), see *Contopus*.
 — (*Dendragapus*), see *Dendragapus*.
 — (*Falco*), see *Falco*.
 — (*Horizopus*), see *Contopus*.
 — (*Loxigilla*), see *Pyrhrulagra*.
 — (*Nyctala*), see *Nyctala*.
 — (*Pyrhrulagra*), see *Pyrhrulagra*.
 — (*Tetrao*), see *Dendragapus*.
 — (*Tyrannula*), see *Contopus*.
 — (*Zenaida*), see *Z. zenaida*.
Richmond, Charles Wallace.
 Annotated list of birds breeding in
 District of Columbia, '88, 18-25.
 Another Saw-whet Owl (*Nyctala*
acadica) in District of Columbia,
 '89, 189.
 The Yellow-throated Warbler (*Den-
 droica dominica*) near Washington,
 D. C., '89, 339.
 Barrow's Golden-eye (*Glaucionetta*
islandica) near Washington, D. C.
 '91, 112.
 Nest of *Panyptila cayennensis* (Gm.),
 '93, 84.
 Collection of birds from eastern
 Nicaragua and Rio Frio, Costa
 Rica, and descr. of new Tropic
 (rev.), '94, 170.
 Contribution to life history of *Por-
 zana cinereiceps*, with notes on
 some allies, '95, 19-32.
 Status of Bischoff's Song Sparrow
 (*Melospiza insignis* Baird), '95,
 144-150.
Helminthophila leucobronchialis in
 Maryland, '95, 307.
 Descriptions of three new birds from
- island of Margarita, Venezuela,
 '95, 367-371.
 Partial list of birds collected at Alta
 Mira, Mexico, by Armstrong (rev.),
 '96, 330.
 Descr. of a new species of Plover
 from east coast of Madagascar
 (rev.), '96, 331.
 Descr. of a new species of Ant
 Thrush from Nicaragua (rev.),
 '96, 331.
 Catalogue of collection of birds made
 in Kashmir, Baltistan and Ladak,
 with descr. of a new species of
Cyanecula, '96, 331.
 Cat. of collection of birds made in
 eastern Turkestan, the Thian-Shan
 Mts. and Tagdumbash Pamir, cen-
 tral Asia (rev.), '96, 331.
 Descr. of ten new species of birds
 discovered in Kilimanjaro region
 of east Africa, '97, 154-164.
 see Chapman, F. M., 'notes on birds
 observed in Yucatan' (rev.), '97,
 333.
 Western Field Sparrow (*Spizella pu-
 silla arenacea* Chadbourne), '97,
 345-347 (col. pl.).
 Cat. of collection of birds made in
 Madagascar with descr. of three
 new species (rev.), '97, 417.
 The Cayenne Swift (*Panyptila cayen-
 nensis*), '98, 7-10 (col. pl.).
 Description of a new species of *Gym-
 nostinops*, '98, 326.
Tyrannus magnirostris d'Orb., re-
 named, '98, 330.
 New name for genus *Tetragonops*,
 '99, 77.
Thalassidroma castro of Harcourt,
 '99, 177.
Pelecanus occidentalis vs. *P. fuscus*,
 '99, 178.
 The name *Xenocichla*, '99, 183.
 Four preoccupied names, '99, 186.
 Overlooked descriptions of five Hum-
 mingbirds, '99, 323-325.
 Date of Lacépède's 'Tableaux,' '99,
 325-329.
 Note on name *Drymophila*, '99, 353.
 Further notes on Lacépède's 'Ta-
 bleaux,' 1900, 166.
 The earliest name for the Roadrun-
 ner, 1900, 173.
 Some necessary changes in nomen-
 clature, 1900, 178.
 New *Dendronnis* (rev.), 1900, 305.
 Descr. of three new birds from Siam
 (rev.), 1900, 305.

- Richmond**, C. W., and **Knowlton**, F. H.
Birds of south-central Montana, '94,
298-308.
- Richmond**, C. W., and **Robinson**, Wirt,
see **Robinson** and **Richmond**.
- richmondi** (*Agelaius*), see *Agelaius*.
— (*Arremonops*), see *Arremonops*.
- Ricker**, Everett W.
Notes on birds of Hull, Mass. (rev.),
'97, 246.
- Ridgway**, John.
see Chapman, F. M., 'bird studies
with a camera' (rev.), 1900, 312.
- Ridgway**, Robert.
Regarding *Buteo vulgaris* in North
America, '76, 32-39.
- Geographical variation in *Dendræca
palmarum*, '76, 81-87.
- Geographical variation in *Turdus
migratorius*, '77, 8-9.
- Birds of Guadalupe I. discussed with
reference to the present genesis of
species, '77, 58-66.
- Studies of American Falconidae
(rev.), '77, 70-73.
- Description of new Wren from Tres
Marias Is. '78, 10.
- Three additions to avifauna of North
America, '78, 37.
- Eastward range of *Chondestes gram-
maca*, '78, 43.
- Notes on some birds of Calaveras Co.,
California, '78, 64-68.
- Report on ornithology of fortieth
parallel (rev.), '78, 81.
- Notes on birds observed at Mt. Carmel,
southern Illinois, '78, 162-
166.
- Studies of American Herodiones
(rev.), '78, 182.
- [Maxwell collection of birds of Col-
orado] (rev.), '79, 114.
- Use of trinomials in zoological no-
menclature, '79, 129-134.
- Partial list of birds of central Califor-
nia (rev.), '79, 167-171.
- A new species of *Peuæa* from south-
ern Illinois and central Texas, '79,
218-222.
- Note on *Helminthophaga gunni*, '79,
233.
- Henslow's Bunting (*Coturniculus
henslowi*) near Washington, '79,
238.
- Six species of birds new to fauna of
Illinois, with notes on rare Illinois
birds, '80, 30-32.
- Current objectionable names of
North American birds, '80, 36-38.
- New Hummingbird (*Atthis ellioti*)
from Guatemala (rev.), '80, 41.
- Review of American species of genus
Scops (rev.), '80, 41.
- Descr. of several new species and
geog. races of birds in U. S. Na-
tional Museum (rev.), '80, 41.
- Descr. of two new species of birds
from Costa Rica and notes on rare
species from that country (rev.),
'80, 41.
- Descr. of new species and races of
American birds including a synop-
sis of genus *Tyrannus* (rev.), '80,
41.
- Note on *Peuæa illinoensis*, '80, 52.
- Late breeding of Blue Grosbeak, '80,
53.
- Description of unusual plumage of
Buteo harlani, '80, 58.
- Notes on American Vultures (Sarco-
rhamphidae), with special reference
to their generic nomenclature, '80,
77-84.
- Descr. of adult plumage of *Hierfalco
gyrfalco obsoletus*, '80, 92-95.
- Northern Waxwing (*Ampelis garru-
lus*) in southern Illinois, '80, 118.
- [Note on 'Greenfinch (*Ligurinus
chloris*) in northern New York'],
'80, 119; see Hough, R. B.
- Supposed identity of *Ardea occiden-
talis* and *A. würdemanni*, '80, 122.
- Moult of bill, or parts of its cover-
ing, in certain Alcidæ, '80, 126.
- Rallus longirostris* and its geograph-
ical races, '80, 138-140.
- Macrorhamphus griseus* and *M. scolo-
paceus*, '80, 157-160.
- A new Alaskan Sandpiper, '80, 160-
163.
- Revisions of nomenclature of certain
N. Am. birds (rev.), '80, 177-179.
- Scops flammeola* in Colorado, '80, 185.
- Little Brown Crane (*Grus fratercu-
lus*), '80, 187.
- Descr. of eggs of Caspian Tern
(*Sterna caspia*), '80, 221-223.
- Note on *Helminthophaga cincinnati-
ensis*, '80, 237.
- Swainson's Warbler (*Helonæa swain-
soni*) in Texas, '81, 54.
- Southern range of Raven on Atlantic
coast of United States, '81, 118.
- An unaccountable migration of the
Red-headed Woodpecker, '81, 120-
122.
- Caspian Tern in California, '81, 124.

- Nomenclature of North American birds (rev.), '81, 164-171.
- Revised catalogue of birds of Illinois (rev.), '81, 171.
- A Duck new to the North American fauna (rev.), '81, 173.
- Amazilia yucatanensis* and *A. cerviniventris* (rev.), '81, 173.
- A tropical American hawk to be added to the North American fauna, '81, 207-214.
- The generic name *Helminthophaga*, '82, 53.
- Great Black-backed Gull (*Larus marinus*) from a new locality, '82, 60.
- Additions to catalogue of N. Am. birds, '82, 61.
- An apparently new Heron from Florida, '82, 1-6.
- Notes on birds observed near Wheatland, Knox Co., Indiana, '82, 15-23.
- Distribution of Fish Crow (*Corvus ossifragus*), '82, 250.
- Birds new to or rare in District of Columbia, '82, 253.
- List of additions to catalogue of North American birds, '82, 257.
- Leconte's Bunting (*Coturniculus lecontei*) and other birds observed in southeastern Illinois, '83, 58.
- Scissor-tail (*Milvulus forficatus*) at Norfolk, Virginia, '83, 59.
- Remarkable points of relationship between the American Kingfishers, '83, 59.
- Geographical variation in size among Anatidae and Gruidæ, '83, 62.
- Critical remarks on Tree-creepers (*Certhia*) of Europe and North America (rev.), '83, 113.
- Review of the genus *Centurus* (rev.), '83, 114.
- Notes on some Costa Rican birds (rev.), '83, 168.
- Descr. of a new Flycatcher and a supposed new Petrel from Sandwich Is. (rev.), '83, 168.
- Descr. of a new Owl from Porto Rico (rev.), '83, 168.
- Descr. of two new Thrushes from the United States (rev.), '83, 168.
- Two recent additions to North American bird fauna, by Belding (rev.), '83, 168.
- Descr. of new races of American birds (rev.), '83, 168.
- The genera *Harporrynchus* and *Metriopterus*, with description of a new genus of Miminae (rev.), '83, 168.
- Descr. of some new North American birds (rev.), '83, 168.
- List of species of middle and South American birds not contained in U. S. Nat. Museum (rev.), '83, 170.
- Catalogue of Old World birds in U. S. Nat. Museum (rev.), '83, 231.
- Descr. of some birds supposed to be undescribed from Commander Is. and Petropavlovski (rev.), '84, 82.
- Descr. of new Warbler from Santa Lucia, W. I. (rev.), '84, 83.
- Descr. of a supposed new Plover from Chili (rev.), '84, 83.
- Descr. of new Petrel from Alaska (rev.), '84, 83.
- The genus *Tantalus* (rev.), '84, 83.
- Cat. of a collection of birds of Costa Rica, by Nutting (rev.), '84, 84.
- Note on *Zenaidura yucatanensis*, '84, 96.
- Note on *Phalacrocorax violaceus resplendens*, '84, 165.
- Remarks upon close relationship between the White and Scarlet Ibises (*Eudocimus albus* and *E. ruber*), '84, 239.
- Note on *Astur atricapillus striatus*, '84, 252.
- Possible specific identity of *Buteo cooperi* with *B. harlani*, '84, 253.
- New birds from Lower California (rev.), '84, 284.
- Anthus cervinus* in Lower California (rev.), '84, 284.
- Probable breeding of Red Crossbill (*Loxia curvirostra americana*) in central Maryland, '84, 292.
- Probable breeding-place of *Passerculus princeps*, '84, 292.
- Notes on some rare neotropical birds (rev.), '84, 386.
- Probable identity of *Motacilla ocularis* and *M. amurensis* with remarks on *M. blakistoni* (rev.), '84, 387.
- Another Kirtland's Warbler from Michigan, '84, 389.
- Buteo harlani* (Aud.) and *B. cooperi* Cass. '85, 165.
- Remarks on California Vulture (*Pseudogryphus californianus*), '85, 167-169.
- Note on *Sarcophamphus aequatorialis* Sharpe, '85, 169-171.
- see Gurney, J. H., 'diurnal birds of prey' (rev.), '85, 203-205.

- Review of American Crossbills (*Loxia*) of the *L. curvirostra* type (rev.), '85, 206.
- Notes on *Anas hyperboreus* and *Anser albatus* (rev.), '85, 207.
- Remarks on type specimens of *Muscicapa fulvifrons* and *Mitrephorus pallescens* (rev.), '85, 207.
- Note regarding earliest name for *Carpodacus hamorrhous* (rev.), '85, 207.
- Descr. of some new N. Am. birds (rev.), '85, 207.
- Descr. of new American Kingfisher (rev.), '85, 208.
- Note on *Psaltriparus griseus* (rev.), '85, 208.
- Note on generic name *Calidromas* (rev.), '85, 208.
- Notes on some Japanese birds related to N. Am. species (rev.), '85, 290.
- Some Costa Rican birds with descr. of several supposed new species (rev.), '85, 291.
- Note on *Selasphorus torridus* (rev.), '85, 291.
- Melanitta fusca* in Alaska (rev.), '85, 291.
- Descr. of new Snow Bunting from Alaska (rev.), '85, 291.
- Collection of birds by Benedict and Nye of steamer Albatross (rev.), '85, 291.
- Descr. of new species of Field Sparrow from New Mexico (rev.), '85, 291.
- Descr. of new species of Coot from West Indies (rev.), '85, 292.
- Descr. of new race of Red-shouldered Hawk from Florida (rev.), '85, 292.
- Two hitherto unnamed Sparrows from coast of California (rev.), '85, 292.
- Estrilda fisheri* and *CE. defilippiana* (rev.), '85, 292.
- Icterus cucullatus* and its geographical variations (rev.), '85, 292.
- Descr. of a new species of *Contopus* from tropical America (rev.), '85, 292.
- Note on the *Anser leucopareius* of Brandt (rev.), '85, 292.
- Descr. of new Warbler from Yucatan (rev.), '85, 293.
- Descr. of two new birds from Costa Rica (rev.), '85, 293.
- Descr. of three supposed new Honey Creepers from the Lesser Antilles and a synopsis of the species of the genus *Certhiola* (rev.), '85, 293.
- Cathartes burrovianus* and *C. urubitinga* (rev.), '85, 293.
- Onychotus gruberi* (rev.), '85, 293.
- Descr. of some new species of birds from Cozumel I., Yucatan (rev.), '85, 294.
- Descr. of a new Cardinal Grosbeak from Arizona, '85, 343-345.
- Helminthophila leucobronchialis*, '85, 359-363.
- Junco cinereus* and its geographical races, '85, 363.
- Descr. of new species of Boat-billed Heron from Central America (rev.), '85, 370.
- Descr. of new Hawk from Cozumel (rev.), '85, 370.
- Review of the Golden Warblers (rev.), '85, 370.
- Remarks on type specimen of *Buteo oxypterus* (rev.), '85, 371.
- Some emended names of N. Am. birds (rev.), '85, 371.
- A new Petrel for North America, '85, 386.
- Nomenclature of colors (rev.), '85, 390, '87, 152.
- Proper name for the Prairie Hen, '86, 132.
- Milvulus forficatus* at Key West, '86, 134.
- Vernacular name of *Plectrophenax hyperboreus*, '86, 135.
- Water birds of North America—a few corrections rectified, '86, 266-268.
- Cat. of birds of Cozumel I., Yucatan (rev.), '86, 269.
- Tringa damacensis* in Alaska, '86, 275.
- Breeding place of *Plectrophanes hyperboreus*, '86, 276.
- Abnormally colored specimen of *Sialia sialis*, '86, 282.
- [Annotations to Fox's Birds of Tennessee, '86, 315, 318.
- Glaucous Gull of Bering's Sea, '86, 330.
- Descr. of new species of Oystercatcher from Galapagos Is. '86, 331.
- Preliminary descr. of new species of birds from southern Mexico, '86, 331-333.
- Descr. of two new species of birds supposed to be from Venezuela, '86, 333.
- Descr. of new species of Elf Owl from Socorro I., Mexico, '86, 333.

- Descr. of new genus of Oceanitidae, '86, 334.
 Deser. of four new species of birds from Bahama Is. '86, 334-337.
 Deser. of new genus of Tyrannidae from Santo Domingo, '86, 382.
 [Answer to J. G. Cooper's 'water-birds of North America—explanations'], '86, 403.
 Melanistic phase of Broad-winged Hawk (rev.), '87, 66.
 Deser. of new species of *Empidonax* from Guatemala (rev.), '87, 66.
Empidochanes furcatus and *Empidonax brunneus* (rev.), '87, 66.
 Species of genus *Empidonax* (rev.), '87, 66.
 Singularly marked specimen of *Sphyrapicus thyroideus*, '87, 75.
 A nomenclature of colors for naturalists, and compendium of useful knowledge (rev.), '87, 152.
 Deser. of a new species of *Myiarchus* presumably from Orinoco district, South America (rev.), '87, 156.
 Deser. of a new species of *Picolaptes* from the lower Amazon (rev.), '87, 156.
 Deser. of a new subspecies of *Cyanochloris* from Yucatan (rev.), '87, 156.
 Deser. of a new Plumed Partridge from Sonora (*Callipepla elegans bennoni*) (rev.), '87, 156. '88, 194.
 A probable hybrid between *Dryobates nuttalli* and *D. pubescens gairdneri* (rev.), '87, 156.
Campetherus insiprialis in northern Sonora, '87, 161.
Trogon ambiguus breeding in southern Arizona, '87, 161.
 List of birds breeding at Mt. Carmel, Illinois (rev.), '87, 251.
 Clarke's Nutcracker (*Picicorvus columbianus*) in Bristol Bay, Alaska, '87, 255.
 Clarke's Nutcracker from the Kowak River, Alaska, '87, 256.
Xanthoccephalus xanthoccephalus in Maine, '87, 256.
 Note on *Spicella monticola ochracea*, '87, 258.
 Manual of North American birds (rev.), '87, 333-336; 2d ed., '97, 232.
 Correct subspecific title of Baird's Wren, '87, 349.
 Deser. of two new races of *Pyrrhuloxia sinuata*, '87, 347.
 Spencer Fullerton Baird [Memorial address], '88, 1-14.
 Deser. of a new species of *Cotinga* from Pacific coast of Costa Rica (rev.), '88, 194.
 Deser. of a new form of *Spindalis zena* from the Bahamas (rev.), '88, 194.
 Deser. of adult female *Carpodectes antonia*, with critical remarks, notes on habits, etc., by Zeledon (rev.), '88, 194.
 Deser. of a new species of *Porzana* from Costa Rica (rev.), '88, 194.
 Deser. of a new genus [*Berlepschia*] of Dendrocolaptine birds from the lower Amazon (rev.), '88, 194.
 Deser. of a new species of *Phacellodomus* from Venezuela (rev.), '88, 194.
 Deser. of two new species of *Megascops* (rev.), '88, 194.
 Deser. of a new *Muscisaxicola* from Peru (rev.), '88, 194.
Phrygilus gayi and allied species (rev.), '88, 194.
 Review of genus *Dendrocincla* (rev.), '88, 195.
 Notes on *Ardea wurdemanni* (rev.), '88, 195.
Trogon ambiguus breeding in Arizona (rev.), '88, 195.
 Deser. of a new *Tityra* from western Mexico, '88, 263.
 Obituary of Charles Wickliffe Beckham, '88, 445.
 Supplementary remarks on genus *Psittacula*, '88, 460-462.
 Remarks on *Catharus berlepschi* (rev.), '89, 171.
 Deser. of some new species and subspecies of birds from middle America (rev.), '89, 171.
 Note on generic name *Uropsila* (rev.), '89, 171.
 Deser. of new species and genera of birds from the lower Amazon (rev.), '89, 172.
 Review of genus *Psittacula* (rev.), '89, 172.
 Cat. of collection of birds made by Townsend on islands in Caribbean Sea and in Honduras (rev.), '89, 172.
 Deser. of new *Psaltriparus* from southern Arizona (rev.), '89, 172.
 Notes on some type-specimens of American Troglodytidae in the Lafresnaye collection (rev.), '89, 172.

- Ornithology of Illinois (rev.), vol. i, '90, 74-77; vol. ii, '95, 379.
Butco brachyurus and *B. fuliginosus*, '90, 90.
 Intergradation between *Zonotrichia leucophrys* and *Z. intermedia*, and between the latter and *Z. gambeli*, '90, 96.
 see Salvin and Godman, 'biologia Centrali-Americana.—Aves' (rev.), '90, 189-195.
 Harlan's Hawk a race of the Red-tail, and not a distinct species, '90, 205.
 Review of genus *Xiphocolaptes* (rev.), '90, 271.
 Review of genus *Sclerurus* (rev.), '90, 272.
 Birds collected on Galapagos Is. in 1888 (rev.), '90, 273.
 Birds collected on Santa Lucia, W. I., the Abrolhos Is., Brazil, and in the Straits of Magellan, in 1887-88 (rev.), '90, 274.
Junco hyemalis shufeldti in Maryland, '90, 289.
 A Yellow-crowned *Regulus calendula*, '90, 292.
 see Allen, J. A., 'birds from Quito, Ecuador' (rev.), '90, 380.
 see Allen, J. A., 'birds collected in Bolivia' (rev.), '90, 381.
 see Allen, J. A., 'genus *Cyclorhis*', '90, 382-384.
 see Allen, J. A., 'new species of South American birds,' '90, 384.
 see Allen, J. A., 'individual and seasonal variation in genus *Elainea*', '90, 385-386.
 see Allen, J. A., 'Maximilian types of South American birds in American Museum' (rev.), '90, 386.
Falco dominicensis versus *Falco sparverioides*, '91, 113.
 A new name necessary for *Selasphorus floresii*, '91, 114.
 Note on alleged occurrence of *Trochilus helios* within North American limits, '91, 115.
Cistothorus marianae, *Butco lineatus allenii* and *Syrnius nebulosum allenii* in South Carolina, '91, 240.
 List of birds collected on Bahama Is. by naturalists of Fish Commission steamer 'Albatross,' '91, 333-339.
 New or little known Central American and South American birds (rev.), '92, 174.
 Descr. of a new species of Whippoor-

- will from Costa Rica (rev.), '92, 174.
 Notes on some birds from Honduras (rev.), '92, 175.
 Descr. of two supposed new forms of *Thamnophilus* (rev.), '92, 175.
 Further notes on genus *Xiphocolaptes* (rev.), '92, 175.
 Note on *Pachyrhamphus albinucha* (rev.), '92, 175.
 Notes on some Costa Rican birds (rev.), '92, 175.
 Notes on genus *Sittasomus* (rev.), '92, 175.
 Observations on Farallone Rail (*Porzana jamaicensis coturniculus*) (rev.), '92, 175.
 Descr. of a new Sharp-tailed Sparrow from California (rev.), '92, 175.
 Directions for collecting birds (rev.), '92, 176.
Zonotrichia albicollis in California, '92, 302.
 Spring arrivals at Washington, D. C. '92, 307.
 The Humming Birds (rev.), '92, 376.
 Shufeldt on anatomy of Hummingbirds and Swifts (rev.), '93, 345.
 Descr. of two new forms of *Basileuterus rufifrons* from Mexico (rev.), '93, 346.
 Descr. of a supposed new species of *Odontophorus* from Mexico (rev.), '93, 346.
 Descr. of two supposed new species of Swifts (rev.), '93, 346.
 see Allen, J. A., 'some Venezuelan birds' (rev.), '94, 66.
 see Allen, J. A., 'birds collected in Sonora and Chihuahua (rev.), '94, 66.
 see Chapman, F. M., 'birds observed near Trinidad, Cuba' (rev.), '94, 67.
 Note on *Rougetius aldabranus*, '94, 74.
 Geographical variations in *Sialia mexicana*, '94, 145, 160.
 Remarks on genus *Myiarchus* with special reference to *M. yucatanensis* (rev.), '94, 168.
 A small collection of birds from Costa Rica (rev.), '94, 169.
 Cat. of a collection of birds made in Alaska by Townsend, of the steamer 'Albatross' (rev.), '94, 169.
 Descr. of new Storm Petrel from

- coast of western Mexico (rev.), '94, 169.
 Revision of genus *Formicarius* (rev.), '94, 169.
 see Chapman, F. M., 'birds of island of Trinidad' (rev.), '94, 173.
Picicorvus an untenable genus, '94, 179.
 Geographical, versus sexual, variation in *Orcortyx pictus*, '94, 193-197 (col. pl.).
Colinus virginianus cubanensis not a Florida bird, '94, 324.
 Descr. of twenty-two new species of birds from the Galapagos Is. (rev.), '95, 70.
 Descr. of some new birds from Aldabra, Assumption, and Gloriosa Islands (rev.), '95, 71.
 Fisher's Petrel (*Æstrelata fisheri*), '95, 319-322 (col. pl.).
 Correct subspecific names of the Texan and Mexican Screech Owls, '95, 389.
Junco phaeonotus Wagler, not *J. cinereus* (Swainson), '95, 391.
 Descr. of new species of Ground Warbler from eastern Mexico (rev.), '96, 330.
 Preliminary descr. of new birds from Galapagos Archipelago (rev.), '96, 330.
 Descr. of a new subspecies of the genus *Peucedramus* (rev.), '96, 330.
 Birds collected in the Seychelles, Amirantes, Gloriosa, Assumption, Aldabra, and adjacent islands, with notes on habits, etc., by the collector (rev.), '96, 331.
 Characters of a new American family of Passerine birds (rev.), '96, 334.
Melopelia leucoptera in Osceola Co., Florida, '97, 88.
 Note on *Junco annectens* and *J. ridgwayi*, '97, 94.
 Correct nomenclature of Texas Cardinal, '97, 95.
Dendroica carulea vs. *Dendroica rara*, '97, 97.
 Desc. of nest and eggs of Bachman's Warbler, *Helminthophila bachmani*, '97, 309.
 An earlier name for *Ammodramus lecontei*, '97, 320.
 Status of *Lanius robustus* as a North American bird, '97, 323.
- Birds of Galapagos Archipelago (rev.), '97, 329.
 see Chapman, F. M., 'bird life' (rev.), '97, 336-338.
 Descr. of supposed new genera, species and subspecies of American birds, '98, 223-230, 319-324, '99, 35-37, 254-256, 1900, 27-30.
 Descr. of a new species of Hummingbird from Arizona, '98, 325.
Hemithraupis—a correction, '98, 330.
 The genus *Astragalinus*, '99, 79.
 The generic name *Aimophila* versus *Peucæa*, '99, 80.
 Ridgway, R., Baird, S. F., and Brewer, T. M., see Baird, Brewer and Ridgway.
 Ridgway, R., and Belding, L., see Belding and Ridgway.
 Ridgway, R., and Nutting, C. C., see Nutting and Ridgway.
 Ridgway, R., and Stejneger, L., see Stejneger and Ridgway.
 Ridgway Ornithological Club of Chicago, '83, 246, '84, 106, 307, 404, '85, 116, 224, 319, '86, 287, 416, '87, 83, 251.
 ridgwayi (Anous), see Anous.
 — (Antrostomus), see Antrostomus.
 — (Colinus), see Colinus ridgwayi.
 — (Cotinga), see Cotinga.
 — (Falcinellus), see Plegadis.
 — (Junco), see J. annectens.
 — (Lagopus), see Lagopus.
 — (Megascops), see Megascops.
 — (Myioibius), see Myioibius.
 — (Ornithion), see Ornithion.
 — (Ornithium), see Ornithion.
 — (Plegadis), see Plegadis.
 — (Nesotriccus), see Nesotriccus.
 — (Pandion), see Pandion.
 — (Pyrrhulagra), see Pyrrhulagra.
 — (Rupornis), see Rupornis.
 — (Scardafella), see Scardafella.
 — (Thalurania), see Thalurania.
 — (Urubitinga), see Urubitinga.
Ridgwayia, '84, 181.
ridibundus (*Larus*), see Larus.
rieffleri (*Pyrrophæna*), see *Amazilia fuscicaudata*.
riisi (*Elainea*), see *E. martinica*.
Riker, Clarence B.
Helminthophila leucobronchialis in New Jersey, '85, 378.
 List of birds observed at Santarem, Brazil. With annotations by F. M. Chapman, '90, 131-137, 265-271, '91, 24-31, 158-164.
rikeri (*Berlepschia*), see *Picolaptes*.

- (Picolaptes), see Picolaptes.
 Ring-neck, see *Ægialitis semipalmata*.
 Ring-Ouzel, Alpine, see *Turdus alpestris*.
 Northern, see *Turdus torquatus*.
 ringvia (Uria), see *U. troile*.
 Riparia, see *Clivicola*.
 riparia (Clivicola), see *Clivicola*.
 — (Cotile), see *Clivicola*.
 — (Cotyle), see *Clivicola*.
 — (Hirundo), see *Clivicola*.
 risorius (Turtur), see *Turtur*.
Rissa, '78, 186, '84, 144.
 brevirostris (Red-legged Kittiwake), *Alas.* '84, 80, '85, 158; *g. dist.* '93, 123; *Siberia*, '84, 358.—*syn.* '96, 161.
 pollicaris (^a Pacific Kittiwake, ^b kotzebui, ^c Larus kotzebuii), *Alas.* '80, 34^c, 35^c, '84, 80^b, '85, 158, '98, 125; *Cal.* '85, 313^b, '95, 177; *g. dist.* '93, 123; *Greml.* 1900, 185; *L. Cal.* '98, 267; *Wash.* '85, 222^a, '92, 353?.—*syn.* '84, 385, '88, 310, '96, 161, 1900, 185.
 tridactyla (^a Kittiwake, ^b Larus, ^c naevia), *Arctic R.* '78, 86, 1900, 309^a; *Greml.* '89, 213, 1900, 185; *Helg.* '95, 327; *Ill.* '97, 228; *Malta*, '77, 70; *Mass.* '82, 125^a; *Mich.* '93, 222; *N. Pacific Ocean*, '88, 310?; *N. Y.* '79, 175^b, '94, 162, '99, 193; *Ont.* 1900, 177; *P. E. I.* '85, 266; *Que.* '82, 241, '84, 380, '88, 134^a, '89, 145; *Siberia*, 1900, 309^a; *Vt.* '86, 271^a.—*fd.* '82, 125^a, '84, 380; *hbt.* '82, 125^a, 241, '84, 380, '85, 266, '89, 178, 213; *nst.* '88, 134^a, '89, 213, '97, 247; *plm.* 1900, 64^a, 169^a, 185^a (milt.); *song.* '85, 266, '89, 213; *syn.* '80, 88^c, '96, 161, 1900, 185.
Rives, William Cabell.
 Nesting of Worm-eating Warbler in Virginia, '85, 103.
 Birds of Newport, Rhode Island (rev.), '85, 208.
 Notes on birds of Salt Pond Mountain, Virginia, '86, 156–161.
Steganopus tricolor in Rhode Island, '87, 73.
 Cory's Shearwater at Newport, R. I. '88, 108.
 Notes on birds of White Top Mountain, Virginia, '89, 50–53.
 Catalogue of birds of the Virginias (rev.), '91, 105.
 A new bird for the Virginias, '97, 88.
 Summer birds of the West Virginia spruce belt, '98, 131–137.

- rivialaris (Cinclodes), see *Cinclodes*.
 — (Cinclus), see *Cinclus*.
 — (Melospiza), see *Melospiza*.
 rixosa (Machetornis), see *Machetornis*.
 Road-runner, see *Geococcyx californianus*.
Robbins, Reginald Chauncey.
 New song of Baltimore Oriole, '99, 354.
 Arctic Three-toed Woodpecker in Beverly, Massachusetts, 1900, 173.
Roberts, Thomas Sadler.
 Notes on breeding of Black Tern (*Hydrochelidon lariformis*) in Minnesota, '77, 34–36.
 Notes on some Minnesota birds, '79, 152–155.
 Notes on *Hesperophona vespertina*, '79, 237–238.
 Breeding of *Fuligula collaris* in southeastern Minnesota, and description of nest and eggs, '80, 61.
 Convolutions of trachea in the Sandhill and Whooping Cranes (rev.), '80, 179.
 Water birds of Minnesota (rev.), '82, 47.
 Notes on some Minnesota birds, '90, 213.
 see Hatch, P. L., 'birds of Minnesota' (rev.), '93, 288–290.
 Prothonotary Warbler (*Protonotaria citrea*) a common summer resident of southeastern Minnesota, '99, 236–246.
 Account of nesting habits of Franklin's Rosy Gull (*Larus franklinii*) at Heron Lake, southern Minnesota, 1900, 272–283 (3 pl.).
Roberts, T. S., and **Benner**, Franklin. Contribution to ornithology of Minnesota, '80, 11–20.
 Robin, see *Merula migratoria* (N. Am.); *Erithacus rubecula* (Europe); *Todus viridis* (W. I.).
 American, see *Merula migratoria*.
 European, see *Erithacus rubecula*.
 Ground, see *Pipilo erythrrophthalmus*.
 Ground Swamp, see *Hylocichla pallasi*.
 Little Swamp, see *Hylocichla pallasi*.
 Mountain, see *Hesperocichla naevia*.
 St. Lucas, see *Merula confinis*.
 Swamp, see *Hylocichla swainsonii*, *mustelina* or *Hesperocichla naevia*.
 Tamaulipas, see *Merula tamaulipeca*.
 Varied, see *Hesperocichla naevia*.
 Western, see *Merula propinquia*.

- Wood, see *Hylocichla mustelina*.
 Robin-red-breast, see Robin.
Robinson, Wirt.
 Some rare Rhode Island birds, '88, 194.
 Some rare Virginia birds, '88, 194.
 Taming Chipping Sparrows, '94, 328.
 A flying trip to the tropics (rev.), '95, 172.
Ammodramus henslowii—a correction, '99, 356.
Robinson, W., and Richmond, C. W.
 Annotated list of birds observed on Margarita, and at Guanta and Laguayra, Venezuela, with descr. of new species (rev.), '96, 332.
robinsoni (*Butorides*), see *Butorides*.
 — (*Cardinalis*), see *Cardinalis*.
 — (*Pyrrhula*), see *Pyrrhulagra violacea*.
robustus (*Callothrush*), see *Callothrush*.
 — (*Lanius*), see *L. elegans*.
 — (*Larus*), see *Larus*.
 — (*Molothrus*), see *Callothrush*.
 — (*Phalacrocorax*), see *Phalacrocorax*.
 Rod and Gun (magazine), '76, 30.
Roddy, Harry Justin.
 Feeding habits of some young Raptors, '88, 244–248.
rodgersii (*Fulmarus*), see *Fulmarus*.
Roe, Ettinge.
 Breeding of Short-billed Marsh Wren (*Cistothorus stellaris*) in the Hudson highlands, '83, 179.
 Rohweder, J., Blasius, J., and Müller, A., see Blasius, Müller and Rohweder.
Rolfe, Eugene S.
 Nesting of Nelson's Sparrow (*Ammodramus nelsoni*) in North Dakota, '99, 356.
rollandi (*Colymbus*), see *Colymbus*.
 — (*Podiceps*), see *Colymbus*.
Rolulus roulroul, *Bornco*, hbt. '91, 15.
Rood, E. Irene.
 [Bird protection in Texas], '99, 68.
Rood, E. I., and Coues, E.
 Papers presented to world's congress on ornithology (rev.), '97, 108.
Rook, see *Corvus frugilegus*.
Roosevelt, Theodore.
 Notes on some of the birds of Oyster Bay, Long Island (rev.), '79, 171.
Roosevelt, Theodore, and Minot, H. D.
 Summer birds of the Adirondacks (rev.), '78, 36, 85.
rosacea (*Pyrrhula*), see *P. griseiventris*.
roscoe (*Geothlypis*), see *G. ignota* or *trichas*.
 — (*Sylvia*), see *Geothlypis trichas*.
rosea (*Ajaja*), see *A. ajaja*.
 — (*Rhodinicichla*), see *Rhodinicichla*.
 — (*Rhodostethia*), see *Rhodostethia*.
roseifrons (*Conurus*), see *Conurus*.
roseigaster (*Temnotrogon*), see *Temnotrogon*.
 — (*Trogon*), see *Temnotrogon*.
roseigularis (*Piranga*), see *Piranga*.
roseipectus (*Carpodacus*), see *Carpodacus*.
 Rosenstock, Rudolph, see Gätke, H.
 Rosette, see *Sterna dougalli*.
roseus (*Carpodacus*), see *Carpodacus*.
 — (*Pastor*), see *Pastor*.
 — (*Phoenicothraupis*), see *Phoenicothraupis*.
rositea (*Cyanospiza*), see *Cyanospiza*.
 — (*Passerina*), see *Cyanospiza*.
rossii (*Anser*), see *Chen*.
 — (*Chen*), see *Chen*.
 — (*Larus*), see *Rhodostethia rosea*.
rostrata (*Acanthis*), see *Acanthis*.
 — (*Geothlypis*), see *Geothlypis*.
 — (*Speotyto*), see *Speotyto*.
 — (*Trichas*), see *Geothlypis*.
Rostratula, see *Rhynchaea*.
Rostratulæ, '88, 204.
rostratus (*Ammodramus*), see *Ammodramus*.
 — (*Mimus*), see *Mimus*.
 — (*Passerculus*), see *Ammodramus*.
 — (*Tyrannus*), see *Tyrannus*.
Rostrhamus, '85, 205, '87, 47.
leucopygus, *Argent.*, *Urug.*, hbt. '84, 111.
sociabilis, *Braz.* '91, 161; *Fla.* '81, 16, 42^a; '84, 95, '89, 247; '92, 212, '95, 364, 366; *g. dist.* '93, 141; *W. I.* '87, 47.—*fd.* '81, 16, '84, 95, '93, 200^a, '95, 364, 366; *hbt.* '81, 16; *meas., nst.* '84, 95; *flm.* '81, 16, '95, 366 (mlt.); *syn.* '87, 47.
rostriplallens (*Dendronnis*), see *Dendronnis*.
Rothschild, Walter.
 Novitates Zoologicae (magazine), '93, 388.
 [Museum and collections], '93, 388.
 Avifauna of Laysan (prospectus), '93, 388.
Rothschild, W., and Hartert, E.
 A review of the ornith. of the Galapagos Is. (rev.), 1900, 300–303.
rothschildi (*Amazona*), see *Amazona*.
Rotzell, Willett Enos.

- Birds of Narberth, Pa., and vicinity (rev.), '96, 244.
- Rougetius abbotti**, *Assumption I.* '94, 74*.
 — *aldaeanus* (^b *Dryolimnas*), *Aldabra I.* '94, 74, '96, 332^b.—*syn.* '94, 74.
 — *bernieri* (^b *gularis*), *Madagascar*, '94, 74; *Mauritius*, '94, 74^b.
- Rough-leg, Ferruginous, see Archibuteo ferrugineus.
- Red, see Archibuteo ferrugineus.
- roulroul (*Rolulus*), see Rolulus.
- rousseau (*Anous*), see A. stolidus.
- Rowley**, George Dawson.
 The Pied Duck (rev.), '78, 79.
- Rowley**, John.
 Art of taxidermy (rev.), '98, 282.
- Royal Society of Canada, Proceedings and Transactions, title (No. 1224), '92, 188.
- rubecula** (*Erithacus*), see Erithacus.
- rubeca** (*Otocoris*), see Otocoris.
- ruber** (*Cardinalis*), see Cardinalis.
- (*Endocimus*), see Guara.
- (*Ergaticus*), see Ergaticus.
- (*Eudocimus*), see Guara.
- (*Loxia*), see Cardinalis cardinalis.
- (*Phacellodomus*), see P. striaticollis.
- (*Phenicopterus*), see Phenicopterus.
- (*Sphyrapicus*), see Sphyrapicus.
- (*Tantalus*), see Guara rubra.
- rubetra** (*Pratincola*), see Pratincola.
- rubicola** (*Pratincola*), see Pratincola.
- rubicundus** (*Empidonax*), see Empidonax.
- rubida** (*Anas*), see Erismatura jamaicensis.
- (*Erismatura*), see E. jamaicensis.
- (*Fuligula*), see Erismatura jamaicensis.
- rubidicollis** (*Melanerpes*), see M. portoricensis.
- (*Picus*), see Melanerpes portoricensis.
- rubiginosa** (*Dendroica*), see Dendroica.
- rubiginosus** (*Chloronorus*), see Chloronorus.
- rubineus** (*Pyrocephalus*), see Pyrocephalus.
- rubirostris** (*Anas*), see *Pæcilonitta bahamensis*.
- rubra** (*Cardellina*), see Ergaticus.
- (*Cotinga*), see Cotinga.
- (*Fringilla*), see Piranga.
- (*Guara*), see Guara.
- (*Ibis*), see Guara.
- (*Leucibis*), see Guara.
- (*Muscicapa*), see Piranga.
- (*Phoenicothraupis*), see Phœnicothraupis.
- (*Phœnicosoma*), see Piranga erythromelas.
- (*Piranga*), see Piranga.
- (*Pyranga*), see Piranga erythromelas.
- (*Tanagra*), see Piranga erythromelas.
- rubicilla** (*Helminthophila*), see Helminthophila.
- (*Pipra*), see Pipra.
- rubicatus** (*Atlapetes*), see Pyrgisoma.
- (*Pyrgisoma*), see Pyrgisoma.
- rubicaudus** (*Phaethon*), see Phaethon.
- rubriceps** (*Piranga*), see Piranga.
- ruberifrons** (*Cardellina*), see Cardellina.
- rubripes** (*Galeoscoptes*), see Mimocichla.
- (*Mimocichla*), see Mimocichla.
- (*Mimus*), see Mimocichla.
- (*Turdus*), see Mimocichla.
- (*Zenaida*), see Z. vinaceo-rufa.
- ruberiventris** (*Centurus*), see Centurus.
- rubromitratus** (*Trochilus*), see Selasphorus floresii.
- rubronigra** (*Amadina*), see Munia.
- (*Munia*), see Munia.
- Rudolf**, of Austria (Crown Prince).
 Notes on sport and ornithology (rev.), '90, 196.
- rufa** (*Ardea*), see A. rufescens.
- (*Certhia*), see C. fusca.
- (*Dichromonassa*), see Ardea rufescens.
- (*Demigretta*), see Ardea rufescens.
- (*Dimigretta*), see Ardea rufescens.
- (*Formicivora*), see Formicivora.
- (*Hirundo*), see H. erythrogaster.
- (*Limos*), see L. lapponica.
- (*Malacoptila*), see Malacoptila.
- rufalbus** (*Thryophilus*), see Thryophilus.
- (*Thryothorus*), see Thryophilus.
- rufater** (*Thamnophilus*), see Formicivora rufa.
- rufatratra** (*Drymophila*), see Drymophila.
- rufaxilla** (*Columba*), see Leptotila.
- (*Engyptila*), see Leptotila.
- (*Leptotila*), see Leptotila.
- rufescens** (*Acanthis*), see A. cabaret.
- (*Ægiothous*), see Acanthis cabaret or linaria.
- (*Aimophila*), see Aimophila.
- (*Ardea*), see Ardea.
- (*Herodias*), see Ardea.

- (Linaria), see *Acanthis cabaret*.
 — (Parus), see *Parus*.
 — (Rhynchotus), see *Rhynchotus*.
 — (Saurothera), see *S. vieilloti*.
 — (Thryothorus), see *Troglodytes*.
 — (Tringa), see *Tryngites subruficollis*.
 — (Tringites), see *Tryngites subruficollis*.
 — (Troglodytes), see *Troglodytes*.
 — (Tryngites), see *T. subruficollis*.
 Ruff, see *Pavoncella pugnax*.
ruficapilla (*Dendroica*), see *Dendroica*.
 — (*Helmintophila*), see *H. rubripicra* or *gutturalis*.
 — (*Motacilla*), see *Dendroica*.
 — (*Sylvicola*), see *Dendroica*.
ruficapillus (*Rhimamphus*), see *Dendroica palmarum*.
 — (*Thamnophilus*), see *Thamnophilus*.
ruficauda (*Cinclocerthia*), see *Cinclocerthia*.
 — (*Galbula*), see *Galbula*.
 — (*Ortalida*), see *Ortalida*.
 — (*Ortalida*), see *Ortalida*.
 — (*Rupornis*), see *Rupornis*.
 — (*Zenaida*), see *Zenaida*.
 — (*Rhynchoeculus*), see *Rhynchoeculus*.
ruficaudatus (*Myiarchus*), see *M. dominicensis*.
ruficaudus (*Stenorhynchus*), see *Cinclocerthia*.
ruficeps (*Aimophila*), see *Aimophila*.
 — (*Ammodramus*), see *Aimophila*.
 — (*Hylophilus*), see *Hylophilus*.
 — (*Megalurus*), see *Megalurus*.
 — (*Peucea*), see *Aimophila ruficeps* or *eremicæa*.
ruficollis (*Ardea*), see *Ardea*.
 — (*Cotile*), see *Stelgidopteryx*.
 — (*Demiegretta*), see *Ardea*.
 — (*Egretta*), see *Ardea*.
 — (*Glossiptila*), see *Glossiptila*.
 — (*Herodias*), see *Ardea*.
 — (*Iynx*), see *lynx*.
 — (*Pyrrhulagra*), see *Glossiptila*.
 — (*Stelgidopteryx*), see *Stelgidopteryx*.
 — (*Tanagra*), see *Glossiptila*.
 — (*Tanagrella*), see *Glossiptila*.
 — (*Tringa*), see *Tringa*.
 — (*Turdus*), see *Turdus*.
rufifrons (*Basileuterus*), see *B. caudatus*.
 — (*Tachyphonus*), see *Tachyphonus*.
rufigula (*Dendroica*), see *Dendroica*.
rufigularis (*Falco*), see *F. albicularis*.
 — (*Tachyphonus*), see *Glossiptila ruficollis*.
rufina (*Columba*), see *Columba*.
 — (*Fuligula*), see *Netta*.
 — (*Melospiza*), see *Melospiza*.
 — (*Netta*), see *Netta*.
rufipectus (*Automolus*), see *Automolus*.
rufipennis (*Columbigallina*), see *Columbigallina*.
 — (*Pitangus*), see *Pitangus*.
rufipileus (*Colaptes*), see *Colaptes*.
rufitorques (*Anas*), see *Aythya collaris*.
 — (*Fuligula*), see *Aythya collaris*.
rufiventris (*Merula*), see *Merula*.
 — (*Myiotheretes*), see *Myiotheretes*.
 — (*Numenius*), see *N. hudsonicus*.
 — (*Pica*), see *Pica*.
 — (*Saltator*), see *Saltator*.
 — (*Turdus*), see *Merula*.
rufivertex (*Dendroica*), see *Dendroica*.
rufivirgata (*Arremonops*), see *Arremonops*.
 — (*Embernagra*), see *Arremonops*.
rufo-axillaris (*Molothrus*), see *Molothrus*.
rufomaculatus (*Antrostomus*), see *Antrostomus*.
rufo-olivacea (*Dendrocincla*), see *Dendrocincla*.
rufopileata (*Dendroica*), see *Dendroica*.
rufovirens (*Galbula*), see *Galbula*.
rufula (*Hirundo*), see *Hirundo*.
rufulus (*Troglodytes*), see *Troglodytes*.
rufus (*Anthus*), see *Anthus*.
 — (*Antrostomus*), see *Antrostomus*.
 — (*Caprimulgus*), see *Antrostomus*.
 — (*Furnarius*), see *Furnarius*.
 — (*Harporhynchus*), see *Harporhynchus*.
 — (*Heleodetes*), see *Heleodetes*.
 — (*Lanius*), see *Lanius*.
 — (*Margarops*), see *Allenia montana*.
 — (*Pachyramphus*), see *Pachyramphus*.
 — (*Phylloscopus*), see *Phylloscopus*.
 — (*Selasphorus*), see *Selasphorus*.
 — (*Tachyphonus*), see *Tachyphonus*.
 — (*Trochilus*), see *Selasphorus*.
rugirostris (*Crotophaga*), see *C. ani*.
Rum Cay, West Indies.
 Ridgway, R., '91, 337-338.
rupestris (*Lagopus*), see *Lagopus*.
Rupicola, '81, 32.
Rupornis, '87, 38.
 — *gracilis*, *Yucatan*, plm. '85, 370.
 — *magnirostris* (^b*Asturina*), *Venez.*
 '97, 366^b; *W. I.* '87, 39.
 — *nattereri*, *Braz.* '91, 160.

- pucherani (^b Asturina). *Argent.*, Urug. '84, 30.—*anat.* '82, 87; *fd.*, *hbt.* '84, 30.
ridgwayi, *W. I.* '84, 4*; '87, 38.—*meas.*, *plm.*, *syn.* '87, 38.
ruficauda, *C. R.* '92, 328.
rupPELLI (*Picus*), see *Niphidiopicus per-*
cussus.
rusbyi (*Conopophaga*), see *Conopo-*
phaga.
russata (*Panychlora*), see *Panychlora*.
Russell, Frank.
Explorations in the far North (rev.), 1900, 181.
Russia.
Dalgleish, J. J., '80, 143, 217.
Harvie-Brown, J. A., '77, 51, '78, 35.
Ridgway, R., '98, 320.
Stejneger, L., '84, 35–36, 81–82,
231–232, '85, 95, '86, 126–129, '87,
62, '88, 197, '98, 183.
rustica (*Emberiza*), see *Embernagra*.
— (*Hirundo*), see *Hirundo*.
— (*Pica*), see *P. pica*.
rusticola (*Scolopax*), see *Scolopax*.
rusticolus (*Falco*), see *F. rusticulus* or
islandus.
rusticula (*Scolopax*), see *S. rusticola*.
Ruticilla, '82, 179.
mesoleuca, *Helg.* '95, 332.
moussieri, *Helg.* '95, 332.
phoenicura, *Germany*, '96, 306;
Helg. '95, 332.
titys, *England*, '87, 163; *Germany*, '96, 299; *Helg.* '95, 332.—*hbt.* '96, 299; *nst.*, *plm.* '96, 299.
ruticilla (*Muscicapa*), see *Setophaga*.
— (*Setophaga*), see *Setophaga*.
rutila (*Phytotoma*) see *Phytotoma*.
rutilans (*Synallaxis*), see *Synallaxis*.
rutilus (*Antrostomus*), see *A. rufus*.
— (*Thryothorus*), see *Thryothorus*.
Rynchopidae, '93, 106, 345, '96, 160.
Rynchos, '88, 74.
nigra (^a Black Skimmer), *Fla.* '87, 137*; '88, 376, '90, 306, '92, 211; *Ga.* '83, 42, '96, 215; *Mass.* '79, 243, '82, 125, '94, 181; *Mc.* '80, 63^a; *N. E.* '79, 242; *N. J.* '79, 227, '89, 178*, '90, 327; *N. Y.* '85, 299, '94, 162; *S. C.* '85, 193; *Tex.* 1900, 338; *Va.* '76, 28; *W. I.* '88, 74.—*nst.* '76, 28, '83, 42; *syn.* '88, 74; *misc.* '88, 376, '95, 386^a.
rytirhynchus (*Limnopardalus*), see *Lim-*
nopardalus.
— (*Rallus*), see *Limnopardalus*.

- sabini* (*Bonasa*), see *Bonasa*.
— (*Larus*), see *Xema*.
— (*Xema*), see *Nema*.
saccharina (*Certhiola*), see *Cereba*.
— (*Cereba*), see *Cereba*.
saccharivora (*Certhia*), see *Cereba mar-*
tinicana.
sacer (*Falco*), see *F. gyrfalco*, *obsoletus*
or *islandus*.
— (*Hierofalco*), see *Falco gyrfalco*.
sacra (*Ardea*), see *Ardea*.
— (*Demiegretta*), see *Ardea*.
Sage, John Hall.
Birds and windows, '81, 188.
Capture of Great Carolina Wren
(*Thryothorus ludovicianus*) in
Connecticut, in March, '83, 120.
Capture of Blue-gray Gnatcatcher
(*Polioptila caerulea*) in Connecti-
cut, '83, 179.
Partial albino Short-eared Owl, '83,
183.
Another example of *Helminthophila*
leucobronchialis from Connecticut,
'84, 91, '85, 304.
Return of Robins to same nesting-
place, '85, 304.
Nesting of Worm-eating Warbler
(*Helminthotherus vermicivorus*) in
southern Connecticut, '85, 305.
Occurrence of Sharp-shinned Hawk
in New Hampshire in winter, '85,
311.
Icterus galbula in Connecticut in No-
vember, '86, 135.
A partial albino Hermit Thrush, '86,
282.
Lincoln's Sparrow and Blue-gray
Gnatcatcher in Connecticut, '86,
487.
Carolina Wren in Connecticut, '86,
489.
Another Prothonotary Warbler in
Massachusetts, '87, 164.
The Middletown, Conn., Glossy Ibis
of 1850, '87, 253.
Interbreeding of *Helminthophila*
pinus and *H. chrysoptera*, '89, 279.
Black Guillemot in Connecticut, '90,
283.
American Ornithologists' Union,
[Congresses], seventh, '90, 66–71;
eighth, '91, 80–83; ninth, '92,
56–59; tenth, '93, 63–65; eleventh,
'94, 51–56; twelfth, '95, 60–65;
thirteenth, '96, 55–59; fourteenth,
'97, 82–86; fifteenth, '98, 43–48;

- sixteenth, '99, 51-55; seventeenth, 1900, 58-63.
- Ammodramus caudacutus nelsoni* and *subvirgatus* in Connecticut, '91, 115.
- Notes on some Connecticut birds, '93, 206.
- Notes on *Helminthophila pinus*, *chrysoptera*, *leucobronchialis*, and *lawrencii* in Connecticut, '93, 208.
- Summer Tanager in Connecticut, '93, 303.
- Notes on some Connecticut birds, '94, 181, '95, 310.
- A Swallow roost near Portland, Conn., '95, 83.
- A photograph of Audubon, '95, 93.
- Golden Eagle in New Jersey, '95, 179.
- Sora caught by a mussel, '95, 297 (fig.).
- Nesting of *Helminthophila leucobronchialis* in Connecticut, '95, 307.
- An historic letter, '95, 359-362.
- List of birds found about my house at Portland, Conn. (rev.), '98, 284.
- sagittatorrhina* (Lunda), see *L. cirrhata*.
- sagre* (*Myiarchus*), see *Myiarchus*.
- (*Muscicapa*), see *Myiarchus*.
- Saint Andrews Island**, West Indies. Cory, C. B., '87, 178-181.
- Saint Eustatius Island**, West Indies. Ridgway, R., '98, 323.
- Saint Kitts Island**, West Indies. Cory, C. B., '88, 266.
- Saint Thomas Island**, West Indies. Cory C. B., '90, 373-374.
- Saint Vincent Island**, West Indies. Lawrence, G. N., '79, 48-49.
- Ridgway, R., '98, 323.
- saira* (*Piranga*), see *Piranga*.
- salax* (*Pratincola*), see *Pratincola*.
- salicamans* (*Astragalinus*), see *Astragalinus*.
- (*Spinus*), see *Astragalinus*.
- salicicola* (*Hylocichla*), see *Hylocichla*.
- saliculus* (*Turdus*), see *Hylocichla*.
- salinazi* (*Porzana*), see *Porzana*.
- sallei* (*Amazona*), see *A. ventralis*.
- (*Chrysotis*), see *Amazona ventralis*.
- (*Psittacus*), see *Amazona ventralis*.
- Salpinctes**, '76, 50, '82, 216, '92, 85, '93, 112, 131.
- (*guadeloupensis*) (*Guadalupe Rock Wren*), *anat.* '91, 221, '92, 84; *meas.* '77, 61; *syn.* '77, 60, 62, 66.
- (*neglectus*), *Guat.* '97, 70*.
- obsoletus** (^a Rock Wren, ^b *pulverius*), *Ariz.* '82, 82, '88, 162, '90, 49, 262, '94, 218^a; *B. C.* 1900, 107; *Cal.* '86, 185, '89, 221, '98, 236, 238^{b*}; *Colo.* '80, 225, '81, 88, '83, 154, '85, 15, '87, 123, '94, 269, '95, 153^a; *g. dist.* '93, 135; *Ida.* '98, 19; *L. Cal.* '95, 143; *Mont.* '94, 307, '95, 218; *Neb.* '85, 277; *N. M.* '85, 234, '92, 368, '98, 310; *Ore.* '79, 163, '86, 171, '93, 87; *Revill. Is.* '98, 315; *S. D.* '85, 277^b; *Tex.* '82, 35, '84, 121^a, '87, 297, '92, 342, '94, 222; *Wash.* '92, 47, 310, 357, '93, 87, '97, 180.—*anat.* '82, 218, '91, 221; *hbt.* '80, 225, '85, 234, '87, 123; *meas.* '77, 61, '82, 218, '98, 238^b, 239, 239^b; *nst.* '88, 162, '89, 183^a, '92, 368; *plm.* '83, 154, 315; *song.* '80, 225; *syn.* '77, 60, 62, '98, 238^b, '99, 133^b.
- pulverius**, '98, 238*, see *obsoletus*.
- Saltator**, '86, 201, '97, 39.
- (*albicollis*), *Venz.* '97, 364.
- (*aurantiirostris*), *Urug.*, *hbt.*, *song.* '83, 91.
- (*magnoides*), *C. R.*, *plm.* '92, 27.
- (*grandis*), *C. R.*, *hbt.*, *meas.*, *nst.*, *plm.*, *song.* '92, 27.
- (*guadeloupensis*), *W. I.* '80, 166, '86, 201, '87, 95, '91, 49.—*meas.*, *plm.*, *syn.* '86, 201.
- (*magnus*), *Braz.* '90, 267.
- (*olivascens*), *Venz.* '97, 364.
- (*rufiventris*), *N. Am.*, *W. coast.* '77, 92?.
- saltator** (*Merula*), see *M. aurantia*.
- Salt Cay**, West Indies. Cory, C. B., '91, 352.
- saltuensis** (*Amazona*), see *Amazona*.
- Salvadori**, Tommaso. see British Museum 'cat. of birds' (rev.), vol. xx, '92, 277-279; vol. xxi (rev.), '94, 60-62; vol. xxvii (rev.), '96, 162-164.
- Salvadori**, T., and **Festa**, E. *Viaggio nel Darien, Uccelli* (rev.), '99, 292.
- Viaggio nell' Ecuador, Uccelli* (rev.), 1900, 81, 303.
- Salvin**, Osbert. [Procellariidae] (rev.), '77, 69.
- [New Petrels] (rev.), '77, 70.
- Obituary of, '98, 286, 343-346.
- Salvin**, O., and **Godman**, F. Du Cane. *Biologia Centrali-Americanica.—Aves* (rev.), '81, 174, '90, 189-195.
- Salvin**, O., and **Hartert**, E. see British Museum 'cat. of birds', vol. xvi (rev.), '93, 66-69.

Salvin, O., and Saunders, H.

see British Museum 'cat. of birds,' vol. xxv (rev.), '96, 160-162.

Salvin, O., and Sclater, P. L., see Sclater and Salvin.

salvini (Antrostomus), see Antrostomus.

— (Basileuterus), see Basileuterus.

— (Capito), see Capito.

— (Caprimulgus), see Antrostomus.

— (Chlorostilbon), see Chlorostilbon.

— (Colinus), see Colinus.

— (Cyanomyia), see Cyanomyia.

— (Empidonax), see Empidonax.

— (Pachyramphus), see Pachyramphus.

— (Spindalis), see Spindalis.

samarensis (Penelopides), see Penelopides.

Samuel, John Hughes.

Western Red-tail at Toronto, Canada, 1900, 386.

List of rarer birds in vicinity of Toronto, 1900, 391.

samuelis (Ammodramus), see Melospiza.

— (Melospiza), see Melospiza.

sanctæ-luciae (Cichlherminia), see Cichlherminia.

— (Margarops), see Cichlherminia.

— (Myadestes), see Myadestes.

— (Ramphocinclus), see Ramphocinclus.

sanctæ-martæ (Centurus), see Centurus.

— (Cyanocompsa), see Cyanocompsa.

— (Melanerpes), see Centurus.

sancti-hieronymi (Panyptila), see Panyptila.

sancti-johannis (Archibuteo), see A. sancti-johannis or lagopus.

sancti-thomæ (Certhiola), see Cerebra portoricensis.

sanctorum (Ammodramus), see Ammodramus.

— (Dryobates), see Dryobates.

— (Passerculus), see Ammodramus.

Sandbird, see Actitis macularia.

Sanderling, see Calidris arenaria.

Sanderson, Ezra Dwight.

Economic value of White-bellied Nuthatch and Black-capped Chickadee, '98, 144-155.

Sandpiper, Aleutian, see Tringa couesi.

Baird's, see Tringa bairdii.

Bartramian, see Bartramia longicauda.

Bartram's, see Bartramia longicauda.

Black-bellied, see Tringa pacifica.

Bonaparte's, see Tringa fuscicollis.

Buff-breasted, see Tryngites subruficollis.

Cinnamon Solitary, see Helodromas cinnamomeus.

Cooper's, see Tringa cooperi.

Curlew, see Tringa ferruginea.

Green, see Helodromas ochropus.

Least, see Tringa minutilla.

Marsh, see Totanus stagnatilis.

Pectoral, see Tringa maculata.

Prybilof, see Tringa ptilocnemis.

Purple, see Tringa maritima.

Red-backed, see Tringa pacifica.

Red-breasted, see Tringa canutus.

Semipalmated, see Ereunetes pusillus.

Sharp-tailed, see Tringa acuminata.

Solitary, see Helodromas solitarius.

Spoon-bill, see Eurynorhynchus pygmaeus.

Spotted, see Actitis macularia.

Stilt, see Micropalama himantopus.

Western, see Ereunetes occidentalis.

Western Semipalmated, see Ereunetes occidentalis.

Western Solitary, see Helodromas cinnamomeus.

White-rumped, see Tringa fuscicollis.

Wood, see Totanus glareola.

Sandpipers, see Scopacidae.

sandvicensis (Anser), see Anser.

— (Gallinula), see Gallinula.

— (Passerculus), see Ammodramus sandwichensis.

sandwichensis (Ammodramus), see A. sandwichensis or savanna.

— (Sterna), see Sterna.

sanguinolenta (Piranga), see Piranga.

sanguinolentus (Calorhamphus), see C. fuliginosus.

San Luis Potosí, Mexico.

Nelson, E. W. '99, 27, 1900, 259.

Santa Barbara Islands, California.

Allen, J. A., '99, 350.

Oberholser, H. C. 1900, 304.

Ridgway, R., '98, 230.

santacruzi (Centurus), see Centurus.

— (Melanerpes), see Centurus.

Santa Lucia Island, West Indies.

Allen, J. A., '80, 163-169, '81, 128.

Cory, C. B., '86, 382, '87, 94-95.

santarita (Psaltriparus), see Psaltriparus.

Santo Domingo, West Indies.

Cory, C. B., '83, 94-95, '84, 1-5, 285,

'85, 295, '95, 278-279, '89, 183.

Ridgway, R., '86, 382-383.

Sapheopipo, '91, 93.

- sapphirina (*Hylocharis*), see *Hylocharis*.
 Sapsucker, see *Sphyrapicus varius*.
 Red-breasted, see *Sphyrapicus ruber*.
 Red-naped, see *Sphyrapicus nuchalis*.
 Texas, see *Dryobates bairdi*.
 Williamson's, see *Sphyrapicus thyroideus*.
 Yellow-bellied, see *Sphyrapicus varius*.
Sarcidiornis melanotona, *plm.* '99, 321.
Sarcogrammus, '85, 339.
Sarcophanops, '94, 235.
Sarcops, '94, 233, 234.
Sarcoramphus, '80, 79.
 ^a*gryphus* (^a*Condor*, ^b*aequatorialis*),
 Chili, '80, 81^b; *Colom.* '80, 81; *g. dist.*
 '77, 94; *S. Am.* '85, 169–171^b.—
 meas. '80, 82, '85, 171^b; *plm.* '80, 81^b,
 '85, 170^b; *syn.* '80, 78, 79; *misc.* '87,
 52^a, 55^a.
Sarcorhamphus, see *Sarcoramphus*.
Sarcorhamphidae (^a*Vultures*), '80, 77–
 84, '87, 173^a, '93, 109^a.
Sargent, Harry B.
 Breeding of Rough-winged Swallow
 at Shelter Island, New York, '93,
 369.
Sarothrura, see *Corythrura*.
sartorii (*Aimophila*), see *Aimophila*.
 (*Syrnium*), see *Syrnium*.
Sasia everetti, *syn.* '91, 93.
satrapa (*Regulus*), see *R. satrapa* or
 ^a*olivaceus*.
 (*Tyrannus*), see *Tyrannus*.
saturata (*Hirundo*), see *Hirundo*.
 (*Phlegopsis*), see ^a*Phlegopsis*.
saturatior (*Bubo*), see *B. saturatus*.
 (*Colaptes*), see *Colaptes*.
saturatus (*Amazilia*), see *Amazilia*.
 (*Ardea*), see *Butorides*.
 (*Arremon*), see *Arremon*.
 (*Bubo*), see *Bubo*.
 (*Butorides*), see *Butorides*.
 (*Cardinalis*), see *Cardinalis*.
 (*Contopus*), see *C. richardsoni*.
 (*Megascops*), see *M. kennicottii*.
 (*Momotus*), see *Momotus*.
 (*Passer*), see *Passer*.
 (*Phrygilus*), see *Phrygilus*.
 (*Rallus*), see *Rallus*.
saturninus (*Mimus*), see *Mimus*.
Saunders, Howard.
 [Skua or Jager Gulls] (rev.), '77,
 23.
 [Terns] (rev.), '77, 24.
 The Sterninae or Terns (rev.), '78,
 140–144.
 The Larinae (rev.), '78, 185–187.

- Notes on some Laridae from Peru and
 Chili (rev.), '83, 54.
 Manual of British birds (rev.), '90,
 195.
Saunders, H., and **Salvin**, Osbert.
 see British Museum 'cat. of birds,'
 vol. xxv (rev.), '96, 160–162.
Saunders, William Edwin.
 see McIlwraith, T., 'birds of On-
 tario' (rev.), '87, 246–249.
 First occurrence of Western Red-
 tail in Ontario, '88, 205.
 Evening Grosbeak in Ontario, '88,
 208.
 Henslow's Sparrow in Ontario, '99,
 80.
 Nesting habits of Cerulean Warbler,
 1900, 358–362.
 Black-throated Bunting, Yellow-
 breasted Chat and Connecticut
 Warbler in Ontario, '85, 307.
Saunders, W. E., and **Morden**, J. A., see
 Morden and **Saunders**.
Saurothera, '86, 362, '97, 90, 91.
 ^a*andria*, *Bahamas*, *meas.* '94, 164*.
 ^a*bahamensis*, *Bahamas*, '80, 107,
 '86, 364, '91, 74, 294, 336, 351, '94,
 164, 1900, 288.—*meas.* '86, 364, '94,
 165; *plm.* '86, 364, 1900, 288; *syn.*
 '86, 364.
 ^a*dominicensis*, *W. I.* '81, 154, '86,
 362.—*fd.*, *hbt.*, *song.* '81, 154; *meas.*,
 plm., *syn.* '86, 362.
 ^a*merlini*, *W. I.* '86, 363, '92, 272.
 —*meas.* '86, 363; *plm.* '86, 363, '91,
 190 (alb.); *syn.* '86, 363.
 ^a*vetula*, *W. I.* '86, 362, '92, 273,
 371, '94, 124.—*fd.*, *hbt.*, *nest.* '92, 371;
 meas., *plm.*, *syn.* '86, 362.
 ^a*vieilloti*, *W. I.* '81, 155, '86, 363.—
 meas., *plm.*, *syn.* '86, 363.
Sauvotherinæ, '97, 91.
Saurura, '80, 235.
Savage, James.
 Rare birds of recent occurrence near
 Buffalo, N. Y. '95, 312–314.
 Notes from western New York, '95,
 393.
savanna (*Ammodramus*), see *Ammo-*
 dramus.
 — (*Emberiza*), see *Ammodramus*.
 — (*Fringilla*), see *Ammodramus*.
 — (*Passerculus*), see *Ammodramus*.
Savanna-bird, see *Ammodramus savan-*
 narum.
savannarum (*Ammodramus*), see *Am-*
 modramus.
 — (*Fringilla*), see *Ammodramus*.
savignyi (*Hirundo*), see *Hirundo*.

- Sawbill, see *Lophodytes cucullatus*.
 Sea, see *Merganser americanus*.
saxatilis (*Cypselus*), see *Aëronautes melanoleucus*.
 —— (*Monticola*), see *Monticola*.
 —— (*Panyptila*), see *Aëronautes melanoleucus*.
Saxicola, '84, 182, '93, 113.
albicollis, *Helg.* '95, 333.
capistrata, *Helg.* '95, 333.
deserti, *Helg.* '95, 333.
leucura, *Helg.* '95, 333.
œnanthe (a Wheatear), *Alas.* '81, 5, '85, 63; *Bermudas*, '78, 139; *Colo.* '80, 224, '85, 15; g. dist. '93, 124; *Greenl.* '80, 109^a [not 'Stonechat'], '83, 115, '85, 305, '89, 211^a, 297, '92, 282^b; *Helg.* '95, 324; *La.* '89, 76; *Mass.* '78, 139; *Me.* '80, 115; *N. Atlantic Ocean*, '84, 398[?] ; *N. S.* '89, 64^a; *N. Y.* '78, 139, '86, 490, '93, 277; *Quæ.* '78, 139, '84, 295, 378, '85, 113, 305, '90, 294.—*mig.* '85, 63; *nst.* '85, 305, '89, 297; *plm.* '80, 27 (alb.); *song.* '89, 297.
oreophila, *Asia*, syn. 1900, 304.
stapazina, *Helg.* '95, 333.
Saxicolidae, '84, 181.
saya (*Sayornis*), see *Sayornis*.
sayı (*Sayornis*), see *S. saya*.
Sayornis, see *Sayornis*.
Sayles, Ira.
 Sense of smell in *Cathartes aura*, '87, 51–56.
Sayornis, '84, 38, '85, 51, '86, 236, '90, 73, '96, 112.
aquatica, *C. R.* '92, 250; g. dist., *plm.* 1900, 125.
cineracea, *Venez.* '97, 365.
dominicensis, '83, 95*, see *Blacicus hispaniolensis*.
nigricans (a Black Phœbe or Pewee, b semiatra), *Ariz.* '82, 205, '87, 18, '94, 218^a; *Cal.* '78, 66, '81, 119, '86, 180, '87, 329, '89, 222, '96, 85, 120, '98, 235; g. dist. '93, 134, 1900, 124, 125; *L. Cal.* '95, 140 [*'nigrescens*].—*fd.* '96, 86; *nst.* '81, 119, '82, 205, '96, 120; *plm.* '78, 66 (alb.), '79, 42, '82, 205, 1900, 124, 125^b; *syn.* 1900, 124, 125^b.
phœbe (a Phœbe, Pewee or Phœbe-bird, b fuscus), *Ala.* '79, 10^b; *Colo.* '89, 276; *Cuba*, '86, 236; *D. C.* '88, 21; *Fla.* '88, 272, '89, 319, '91, 138, '92, 213, '95, 365; g. dist. '93, 103; *Gulf of Mex.* '81, 251^b; *Ia.* '95, 121, 236; *Ind.* '89, 23; *Ky.* '89, 314; *La.* '92, 205; *Man.* '86, 320; *Mass.* '84, 6^a [*'Bridge Pewee'*], '89, 44, 100; *Md.* '85, 98^a; *Me.* '82, 149^a, '85, 108^b; *Mich.* '81, 196^a, '93, 235; *Minn.* '84, 246^a; *Mo.* '79, 145^b; *N. C.* '86, 105, 314, '89, 120, '93, 243^b; *N. H.* '88, 150, 151, '89, 77, 78; *N. J.* '94, 137; *N. S.* '95, 89; *N. W. T.* 1900, 181; *N. Y.* '81, 231^b, '82, 188^b, '84, 178^b, 179^b, '85, 254; *O.* '95, 242; *Ont.* '89, 247^a; *Ore.* '77, 93^b; *Pa.* '89, 141, '92, 136, '93, 39, 44, '96, 282, 293; *S. C.* '79, 215^b, '90, 39, '91, 328, '94, 109^a; *S. D.* '85, 283^b; *Tenn.* '86, 319; *Tex.* '82, 40^b, 169^b, '87, 192, '92, 236, 1900, 345; *Va.* '86, 160; *Wis.* '82, 188^a; *W. Va.* '98, 135.—*fd.* '97, 421^a, '99, 362^a; *mig.* '81, 251^b, '84, 178^b, 179^b, '89, 141, '94, 109^a, 110^a, '95, 121, 129^a, 236, 242; *nst.* '78, 25^a [*'Bridge Pewee'*]. '80, 115^a [*'Bridge Pewee'*], '86, 105, 319, '87, 192, 247^a, '88, 21, '91, 328, '92, 236, 286^a; *plm.* '78, 176^b; *song.* '82, 169, '84, 65^a, '85, 254; *syn.* '85, 51, '86, 236, '89, 199; *misc.* '81, 196^a.
saya (a Say's Phœbe or Flycatcher, b *yukonensis*), *Ariz.* '82, 205, '87, 18, '90, 48; *Cal.* '86, 180, '89, 221, '90, 297, '96, 85, '98, 235; *Colo.* '83, 195, '85, 17, '95, 153^a; g. dist. '93, 134, 1900, 115^{b*}; 116; *Ida.* '98, 22; *L. Cal.* '95, 140; *Mass.* '90, 228; *Mont.* '94, 304, '95, 215; *Mo. River*, '95, 229^a; *N. M.* '92, 363, '94, 216^a, '98, 309; *Tex.* '82, 169, '84, 122, '87, 192, '92, 236; *Wash.* '97, 176, 1900, 353.—*fd.* '96, 85; *meas.* 1900, 116; *nst.* '83, 195, '92, 363, '95, 140, 215, '98, 309; *plm.* '82, 205, 1900, 116; *syn.* '80, 99, 1900, 116, 116^b.
yukonensis, 1900, 115^{*}; see *saya*.
scalaris (*Dryobates*), see *D. bairdi*.
 —— (*Picus*), see *Dryobates bairdi*.
Scale-bird, see *Chamaea henshawi*.
scandens (*Cactornis*), see *Cactornis*.
scandiacia (*Nyctea*), see *N. nyctea*.
scandulaca (*Certhia*), see *Certhia*.
Scansores, '81, 28–39, 201, '92, 184.
scapularis (*Pitylus*), see *Pitylus*.
Scardafella, '93, 132.
inca (a Inca Dove), *Ariz.* '86, 421, 1900, 33^a; *Mer.* '85, 228; *Tex.* '92, 233.—*hbt.* '85, 228, '86, 421, '92, 288, 1900, 33^a; *song.* '85, 228.
ridgwayi, *Margarita I.* '96, 333.
squamosa, *Venez.* '97, 359, 366.
Scapa, Greater, see *Aythya marila*.
Lesser, see *Aythya affinis*.
Scenopinus, see *Scenopœtes*.

- Scenopœetes, '91, 115.
dentirostris, syn. '91, 115.
- Scenopœus, see Scenopœtes.
- Schalow, Herman.
 Notes on '*Lanius cristatus*' and '*L. borealis*,' of Nelson's 'birds of Bering Sea and Arctic Ocean,' '84, 291.
 Eine Vogelsammlung aus Westgrönland (rev.), '96, 243.
- Anton Reichenow. Ein Verzeichniss seiner bisherige Arbeiten (rev.), '97, 248.
- Die Vögel der Sammlung Plate (rev.), '99, 292.
- Schalow, H., and Reichenow, A., see Reichenow and Schalow.
- Schenckling-Provôt, C.
 Tongues of birds (rev.), '95, 186.
- schierbrandii* (*Volvocivora*), see *Lagage culminata*.
- schillingii* (*Sylochelidon*), see *Sterna caspia*.
- schinzii* (*Pelidna*), see *Tringa fuscicollis*.
 —— (*Tringa*), see *Tringa fuscicollis* or *alpina*.
- schistacea* (*Mimocichla*), see *Mimocichla*.
 —— (*Passerella*), see *Passerella*.
 —— (*Rhodinicichla*), see *Rhodinicichla*.
- schistisagus* (*Larus*), see *Larus*.
Schistochlamys atra, *Venz.* '97, 364.
griseocristata, syn. '88, 411.
- Schistospiza*, '88, 411.
- Schizognathina*, '81, 30.
- Schlegel, Hermann.
 Obituary of, '84, 205.
- Schlegelia wilsoni (^b *Diphylloides respublica*), syn. '92, 282; misc. '81, 240^b.
- schoeniclus* (*Emberiza*), see *Emberiza*.
schottii (*Contopus*), see *Blacicus brachytarsus*.
- Schrenk, Leopold von.
 Obituary of, '94, 264.
- schwaneri* (*Eucichla*), see *Eucichla*.
 Schwarz, Eugene Amandus, and Barrows, W. B.
 see Barrows and Schwarz.
- Science (magazine), titles (Nos. 570-594) '84, 188, (Nos. 792-805) '85, 210, (Nos. 1042-1054) '86, 475, (Nos. 1414-1445) '89, 181, (Nos. 2352-2366) '92, 285.
- Science News (magazine), titles (Nos. 15-18), '80, 45.
- Science Record (magazine), titles (Nos. 806-811), '85, 211.
- Scientific American (magazine), titles (Nos. 2367-2395), '92, 285.
- Scissor-tail, see *Milvulus forcatus*.
 Royal, see *Alectrurus guira-yetapa*.
- scitulus* (*Basileuterus*), see *Basileuterus*.
Sciurus, see *Sciurus*.
- Sclater, Philip Lutley.
 Remarks on present state of the *systema avium*, '81, 28-37, 73-84.
 see British Museum, 'cat. of birds,' vol. xi (rev.), '87, 149; vol. xiv (rev.), '89, 266-268; vol. xv (rev.), '90, 379.
- Geographical distribution of birds (rev.), '92, 183.
- Remarks on divergencies between 'Rules for naming animals' of the German Zoological Society and Stricklandian code of nomenclature (rev.), '96, 325-328.
- Sclater, P. L., and Hudson, W. H.
 Argentine ornithology (rev.), '88, 199, '89, 268.
- Sclater, P. L., and Lydekker, R., see Lydekker and Sclater.
- Sclater, P. L., and Salvin, O.
 Revision of neotropical Anatidae (rev.), '77, 24.
- Sclater, P. L., and Shelley, G. E.
 see British Museum 'cat. of birds,' vol. xix (rev.), '92, 184.
- Sclateri (*Chasiempis*), see *Chasiempis*.
 —— (*Chrysomitris*), see *Spinus*.
 —— (*Cyanocorax*), see *Cyanocorax*.
 —— (*Euphonia*), see *Euphonia*.
 —— (*Hirundo*), see *Hirundo*.
 —— (*Loxigilla*), see *Pyrrhulagra*.
 —— (*Myiarchus*), see *Myiarchus*.
 —— (*Parus*), see *Parus*.
 —— (*Pyrrhulagra*), see *Pyrrhulagra*.
 —— (*Spinus*), see *Spinus*.
 —— (*Tachycineta*), see *Hirundo*.
 —— (*Tanagra*), see *Tanagra*.
- Sclerurus, '90, 272.
propinquus, *Colom.* 1900, 82.
- Scolecophagus, '90, 123. '93, 99, 111.
affinis (fossil), *Ore.* '91, 368, '93, 344.
carolinus (^a Rusty Blackbird or Grackle, ^b ferrugineus), *Ala.* '79, 10; *Alas.* '87, 12; *Colo.* '86, 284, '87, 264; *Fla.* '88, 273, '91, 138, '95, 365; *Ga.* '96, 212; *g. dist.* '93, 126; *Grenl.* '91, 320; *Hud. B.* '90, 322; *Ia.* '88, 207, '95, 121, 236; *Ill.* '88, 207; *Ind.* '89, 24; *Ky.* '89, 314; *La.* '92, 205; *Man.* '86, 322; *Mass.* '83, 150^a, '95, 87^a,

'99, 196^a; *Mich.* '93, 225, '98, 193; *Mo.* '79, 145, '95, 3^a, 223^a, '96, 221; *N. B.* '85, 106^b, '89, 117; *N. C.* '86, 179; *N. F.* 1900, 72; *N. J.* '89, 303; *N. S.* '87, 15^a, 16; *N. Y.* '81, 231^b, '85, 252^b; *O.* '95, 242; *P. E. I.* '93, 10; *Que.* '83, 244^b, '89, 147; *S. C.* '79, 215; *S. D.* '85, 282^b; *Tenn.* '86, 318; *Tex.* '82, 167^b, 1900, 345; *Wales.* '85, 373^b—*hbt.* '95, 303^a; *meas.* '85, 107; *mig.* '88, 207, '95, 121, 129^a, 236, 242, '99, 196^a; *nst.* '85, 106^b, '86, 322, '89, 147; *plm.* '78, 176^b, '79, 29^a (alb.); '96, 242 (mlt.); *song.* '85, 252^b; *misc.* '98, 193 (corr.).

cyanoccephalus (^a Brewer's Blackbird), *Ariz.* '87, 23, '90, 49, 257, '94, 220^a, 221^a; *Cal.* '86, 87^a, 181, '89, 220, '96, 120; *Colo.* '79, 94, '81, 139, '83, 193, '85, 16, 142, '87, 124, 264; *g. dist.* '93, 134; *Ida.* '98, 14; *La.* '89, 190; *L. Cal.* '95, 140; *Man.* '86, 322; *Mont.* '88, 15^a, '94, 305, '95, 216; *N. M.* '86, 75, '92, 364, '98, 309; *Orc.* '79, 166, '86, 167, '88, 262; *S. C.* '87, 76; '91, 50, 167; *S. D.* '85, 282; *Tex.* '77, 85^a, '82, 40, 167, '87, 291, '92, 238, 1900, 345; *Wash.* '81, 128, '82, 227, '92, 45, '97, 177.—*fd.* '79, 111; *hbt.* '79, 166, '81, 139, '82, 167, '94, 221^a, 305, '96, 120; *mig.* '87, 76, '90, 257, '91, 50, 51, '94, 108^a; *nst.* '82, 167, '86, 167, 181, 322, '88, 262, '94, 248^a, '96, 120; *plm.* '79, 29^a (alb.); '80, 26 (alb.); '86, 167, 168 (alb.); *misc.* '78, 193, '82, 118.

scolopacea (*Limosa*), see *Macrorhamphus*.

phus.

scolopaceus (*Aramus*), see *A. giganteus*.
— (*Macrorhamphus*). see *Macrorhamphus*.

— (*Notherodius*), see *Aramus giganteus*.

Scolopacidae (^a Sandpipers or Snipes), '77, 64^a, '79, 111^a, '81, 81, 163, '87, 341^a, '93, 108, 109, '97, 338^a.

Scolopaciæ, '81, 81.

Scolopax, '84, 142, '88, 330, '93, 99.
 rusticola (^a European Woodcock).

I.a. '77, 74^a; *Mich.* '77, 75; *Helg.* '95, 338; *Md.* '96, 68.—*plm.* '80, 29

[^a *rusticola*'] (alb.); *syn.* '84, 173.

scolopax (*Cedienemus*), see *Cedienemus*.

Scopidae, '78, 184.

Scops, see *Megascops*.

bendirei, '82, 31^a, see *Megascops*.

scops (*Megascops*), see *Megascops*.

Scopus, see *Megascops*.

Scoter, American, see *Oidemia americana*.

Black, see *Oidemia americana*.

European Velvet, see *Oidemia fusca*.

Surf, see *Oidemia perspicillata*.

Velvet, see *Oidemia fusca*.

White-winged, see *Oidemia deglandi*.

White-winged Velvet, see *Oidemia deglandi*.

Scotiaptex, '80, 178, '87, 335.

cineræa (^a Great Gray Owl, ^b *Syrnium*, ^c *Ulula*), *Alas.* '84, 79^c; *Colo.* '81, 141^b; *Conn.* '93, 208^a; *g. dist.* '93, 126; *Man.* '86, 155^c; *Mass.* '78, 140^b, '83, 123^b, '84, 286^a, '86, 271^a, '91, 313, '97, 100^c; *Mc.* '83, 113^a; *Minn.* '84, 246^c, '98, 186; *N. F.* 1900, 72; *N. J.* '95, 171; *N. Y.* '80, 122^b, '81, 232^c, '88, 110^c, '90, 206, 395^a, '95, 181, 301; *Orc.* '86, 165^c; *R. I.* '83, 183^b, '86, 271^a; *U. S.* '86, 272^a; *Wash.* '92, 44.—*meas.* '83, 123^b, '98, 187; *song.* '81, 141^b; *misc.* '83, 183^b.

lapponica (Lapp Owl, ^b *Syrnium*, ^c *Strix*, ^d *Ulula*), *Alas.* '77, 31^b, '80, 91^c, '84, 79^d, '88, 410^d—*nst.* '89, 329.

scoticus (*Lagopus*), see *Lagopus*.

Scotland.

Allen, J. A., '96, 251–252.

Dalgleish, J. J., '84, 98.

Millais, J. G., '92, 289.

Scott, William Earle Dodge.

Late fall and winter notes on birds in vicinity of Princeton, N. J., 1878–79, '79, 81–85.

Notes on birds at Twin Lakes, Lake Co., Colorado, '79, 90–96.

Notes on birds observed during spring migration in western Missouri, '79, 139–147.

Notes on birds observed at Long Branch, New Jersey, '79, 222–228.

Golden-winged Woodpeckers nesting in natural cavity in decayed tree, '80, 56.

Birds observed in Sumpter, Levy, and Hillsboro' counties, Florida, '81, 14–21.

Occurrence of *Lirceo philadelphicus* in Mercer Co., New Jersey, '81, 56.

Observations on migration of birds, '81, 97–100.

White-bellied Swallow (*Tachycineta bicolor*) on New Jersey coast in November, '81, 115.

Ipswich Sparrow (*Passerculus princeps*) at Squan Beach, New Jersey, '81, 116.

- Migration of birds at night, '81, 188.
 Breeding habits of Arizona birds, '85, 1-7, 159-165, 242-246, 321-326.
 Winter mountain notes from southern Arizona, '85, 172-174.
 Early spring notes from mountains of southern Arizona, '85, 348-356.
 Breeding habits of some Arizona birds, '86, 81-86.
 Avifauna of Pinal Co., Arizona, '86, 249-258, 383-389, 421-432, '87, 16-24, 196-205.
 Some rare Florida birds, '87, 133-135.
 Present condition of bird rookeries of Gulf coast, Florida, '87, 135-144, 213-222, 273-284.
 Another Bachman's Warbler in Florida, '87, 348.
 [Destruction of birds for their plumes], '88, 128.
 Avifauna of Pinal Co., with remarks on birds of Pima and Gila counties, Arizona, with annotations by J. A. Allen, '88, 29-36, 159-168.
 Supplementary notes from Gulf coast of Florida, with description of a new species of Marsh Wren, '88, 183-188.
 Summary of observations on birds of Gulf coast of Florida, '88, 373-379, '89, 13-18, 152-160, 245-252, 318-326, '96, 14-22, 114-120.
 Bachman's Warbler (*Helminthophila bachmani*) at Key West, Florida, in July and August, '88, 428-430.
Dendroica coronata at Key West in summer, '88, 430.
 Records of rare birds at Key West, Florida and vicinity, with note on capture of a Dove (*Geotrygon monoptera*) new to North America, '89, 160.
 Specific identity of *Buteo brachyurus* and *Buteo fuliginosus*, with additional records in Florida, '89, 243-245.
 Second specimen of Cory's Bittern (*Botaurus neoxenus*), '89, 317.
 Key West Quail-Dove (*Geotrygon martinica*) at Key West, '90, 90.
 Account of Flamingoes (*Phoenicopterus ruber*) observed in vicinity of Cape Sable, Florida, '90, 221-226.
 Two species of Swallow new to North America, '90, 264.
 Birds observed at Dry Tortugas, Florida, '90, 301-314 (map).
- Description of a new subspecies of Wild Turkey, '90, 376-377.
 Little Black Rail (*Porzana jamaicensis*) at Key West, Florida, '90, 400.
 Observations on birds of Jamaica, West Indies, '91, 249-256, 353-365, '92, 9-15, 120-129, 273-277, 369-375, '93, 177-181, 339-342.
 Notes on nest and habits of Cory's Bittern (*Botaurus neoxenus*), '91, 309.
 Florida Heron rookeries, '91, 318.
 Description of adult male *Botaurus neoxenus*, with additional notes on the species, '92, 141.
 Notes on birds of Caloosahatchie region of Florida, '92, 209-218.
 [Exhibition of his mounted birds in Agassiz Museum at Cambridge, Mass.], '95, 318.
 Bird studies (rev.), '98, 275-277.
Scott, William Louis.
 Canadian birds—errata, '83, 115.
 Winter Passeres and Picariae of Ottawa, '84, 156-161.
 Generic name *Troglodytes*, '84, 400.
 Great White Egret and Yellow Rail in Ottawa, Canada, '85, 110.
 The names 'Snowbird' and 'Winter Wren,' '85, 114.
scottii (*Aimophila*), see *Aimophila*.
 — (*Peucea*), see *Aimophila*.
 — (*Rallus*), see *Rallus*.
Screamer, Horned, see *Palamedea cornuta*.
 Scribner's Monthly (magazine), titles (No. 447), '83, 238, '90, 198.
Scudder, Bradford Alexander.
Ectopistes migratorius, *Mimus polyglottos* and *Sturnella magna neglecta* in Bristol Co., Mass. '98, 333.
Scudder, Samuel Hubbard.
 Universal index to genera in zoology (rev.), '84, 305.
Scutiplantares, '81, 35.
scutulata (*Anas*), see *Anas*.
Scytalopus argentifrons, C. R. '92, 175.—*misc.* '94, 169.
boliviensis, *Boliv.* '90, 352.
latebricola, *Colom.* 1900, 82.
Sea-crow, see *Rynchops nigra*.
Sea-goose, see *Phalaropus*.
Sea-hen, see *Megalestris skua*.
Sea-mew, see *Larus canus*.
Sea-nice, see *Histrionicus histrionicus*.
Sea-parrot, see *Fratercula arctica*.
Sea-sawbill, see *Merganser americanus*.
Sea-snipe, see *Limosa fedoa*.
Seebohm, Henry.

- see British Museum 'cat. of birds,' vol. v (rev.), '83, 99-105.
 History of British birds (rev.), '85, 88-91.
 Geographical distribution of *Charadriidae* or the Plovers, Sandpipers, Snipes, and their allies (rev.), '88, 189-194.
 Birds of Japanese Empire (rev.), '91, 99-101.
 Obituary of, '96, 96.
 [Seebohm collection], '96, 195.
 seebohmi (*Yungipicus*), see *Yungipicus*.
 Seed-eater, Sharpe's, see *Sporophila sharpei*.
 setigem (Anser), see *A. fabalis*.
 segoviensis (*Colinus*), see *Colinus*.
Seiurus, '77, 29-33; '80, 172, '82, 216, 218, '86, 41.
aurocapillus (^a Oven-bird or Golden-crowned Thrush), *Alas.* '81, 4^a?; *Bahamas*, '91, 68, 294, 295, 296, 297, 298, 298, 334, 335, 336, 336, 337, 338, 338, 351, '92, 49, 1900, 292; *Colo.* '80, 227, '85, 15; *C. R.* '90, 336, '92, 21; *Cuba*, '92, 273; *D. C.* '88, 24, '92, 307; *Fla.* '81, 15, '85, 61, '88, 276, '90, 21, 223, 314, '91, 138, '92, 214, '93, 338, '95, 365; *Ga.* '96, 213; *Gulf of Mex.* '81, 251^a; *g. dist.* '93, 133; *Ia.* '95, 123, 235; *Ida.* '97, 349; *Ill.* '78, 163, '88, 434; *Ind.* '82, 17, '89, 28; *Jamaica*, '93, 341; *Ky.* '89, 316; *La.* '82, 161, '87, 301^a; *Man.* '86, 326, '87, 352^a, 353^a; *Mass.* '84, 8^a, '88, 389, '89, 46, 103; *Me.* '82, 110, '86, 279; *Mich.* '85, 65, 376, '93, 228; *Mo.* '79, 142, '95, 117^a; *Mont.* '95, 218; *N. B.* '82, 110, '89, 118; *N. C.* '86, 175; *N. H.* '88, 150, 153, 154, '89, 77, 78; *N. J.* '94, 140; *N. S.* '91, 165; *N. Y.* '81, 227, '84, 175, 176, 178, 213; *O.* '86, 400, '95, 241; *Ont.* '87, 248^a; *Orc.* '77, 91?; *Pa.* '92, 139, '93, 37^a, 41^a, 45, '96, 284, 296; *P. E. I.* '93, 5^a, 13; *Que.* '84, 295, '89, 149; *S. C.* '79, 212, '85, 69^a, '90, 128, '91, 171, 332, '92, 35^a; *S. D.* '85, 278; *Tenn.* '86, 316, '87, 132; *Tex.* '82, 10, '87, 296, '92, 341; *Va.* '86, 159; *W. I.* '81, 151, '86, 42, '87, 95, 180, '89, 31; *Wis.* '88, 326, 327.—*hbt.* '90, 107^a; *mig.* '81, 251^a, '84, 175, 176, 178, 179, '85, 61, 65, '88, 326, 327, 434, '92, 35^a, '94, 70, '95, 123, 128^a, 235, 241; *nst.* '86, 400, '88, 24, '89, 28; *plm.* '78, 60, '94, 91-93 (col. pl.); *song.* '84, 67, 213, '85, 98^a, '88, 315, '89, 197; *syn.* '77, 31, '86, 42; *misc.* '85, 210^a, '89, 24^a.
motacilla (^a Louisiana or Large-billed Water-Thrush, ^b *ludovicianus*), *Ala.* '78, 174; *Bahamas*, '91, 295, 296; *Colom.* 1900, 366; *Conn.* '83, 235^a; *C. R.* '90, 336, '92, 21; *D. C.* '88, 24; *Fla.* '81, 39^a, '85, 61, 62, '88, 276, '90, 21, '91, 138, '92, 214; *g. dist.* '93, 133; *Ia.* '95, 124; *Ill.* '76, 42^b, '78, 163; *Ind.* '82, 17, '89, 28; *Jamaica*, '93, 341; *La.* '82, 49^a?, 161; *Mass.* '96, 86, 344; *Me.* '86, 278^b [*aurocapillus?*], 279^b; *Minn.* '99, 241; *Mo.* '79, 142; *N. C.* '86, 100, 175; *N. E.* '76, 73^b, 77, 16^b; *N. J.* '88, 421; *N. S.* '80, 44 [noveboracensis?]; *N. Y.* '78, 56, '80, 116, 117, '81, 228, 245, '83, 53^a, '84, 215, '89, 199, '90, 230, '91, 108^a; *O.* '95, 242; *Ont.* '87, 248^a; *Pa.* '93, 38, 41, '96, 284; *R. I.* '80, 116, '83, 234^a; *S. C.* '90, 128, '91, 172, 332, '92, 34^a; *Tenn.* '86, 316; *Tex.* '82, 37, '84, 121^a, '92, 303, 342, 1900, 347; *W. I.* '79, 230, '81, 151^b, '86, 43, 501, '87, 180.—*hbt.* '80, 116; *meas.* '78, 134; *mig.* '85, 61, 62, '92, 34^a, '94, 101^a, '95, 124, 242; *nst.* '78, 133, '83, 235^a, '96, 284; *plm.* '78, 72; *song.* '84, 215, '86, 316; *syn.* '77, 33, '86, 43.
- notabilis** (^a Grinnell's Water-Thrush, ^b *naevius*), *Alas.* '81, 4^b; *Ariz.* '88, 35; *Colo.* '80, 227^b, '85, 15^b; *Colom.* 1900, 366; *Fla.* '90, 314, '91, 138, '97, 247; *g. dist.* '93, 127; *Ida.* '97, 349; *L. Cal.* '84, 83; *Minn.* '93, 290, '99, 241; *Mont.* '95, 218; *N. J.* '92, 303; *S. C.* '88, 324, '91, 51, 171; *S. D.* '85, 278^b; *Tex.* '86, 139, '92, 341; *Ia.* '88, 148; *W. I.* '87, 180; *Wyo.* '80, 178.—*mig.* '91, 51, 135, '94, 109^a.
- noveboracensis** (^a Water-Thrush or Small-billed Water-Thrush, ^b *naevius*), *Ala.* '84, 286^b [*motacilla?*]; *Alas.* '87, 13; *Ariz.* '82, 138^b; *Bahamas*, '91, 294, 295, 298, 334, 337, 351, 352; *Colom.* 1900, 366; *C. R.* '90, 336, '92, 21; *D. C.* '92, 307; *Europe*, '80, 66 [*Sylvicola?*]; *Fla.* '81, 15^b, '90, 21, 223, 314, '92, 214, '93, 338, '95, 365; *Ga.* '96, 213; *Greenl.* '83, 179, '91, 320; *g. dist.* '93, 127; *Ida.* '97, 349 [notabilis?]; *Ill.* '88, 434; *Ind.* '89, 28; *Jamaica*, '93, 341; *Ky.* '89, 316; *La.* '87, 306^a; *Man.* '86, 326; *Mass.* '81, 127^b, 242^a, '87, 269, '89, 46; *Me.* '82, 110^b; *Mo.* '79, 142^b; *N. B.* '89, 118;

N. E. '81, 239^b; *Neb.* '96, 245; *N. F.* 1900, 72; *N. H.* '88, 150, 153; *N. J.* '91, 105; *N. S.* '80, 44 [not 'motacilla'] '91, 165; *N. Y.* '81, 12^b, 228^b, '83, 177^a, '84, 175^b, 176^b, 178^b, 214^b, '95, 70; *Ont.* '87, 248^a; *Pa.* '92, 133^a, 139, '93, 43, 45, '96, 291^a, 296; *P. E. I.* '93, 6^a, 13; *Que.* '82, 234, '89, 149; *S. C.* '79, 212^b; *Tex.* '82, 10^b, '92, 341, 1900, 347; *W. I.* '79, 230^b, '81, 128^b, '86, 42, '87, 7, 95, 180, 181, '89, 31, '91, 48, 49; *Wis.* '88, 326, 327; *W. Va.* '98, 136, —anat. '82, 215^b (fig.), 218^b; *fd.* '83, 57; *meas.* '82, 138^b, 218^b; *mig.* '81, 12^b, '84, 175^b, 176^b, 178^b, '87, 269, '88, 326, 327, 434; *nst.* '83, 177^a, '92, 139, '96, 296; *plm.* '82, 138^b; *song.* '84, 214^b; *syn.* '77, 32^b, '80, 45^b, '86, 42.

Selasphorus, '86, 449, '91, 114, '93, 62, 131.

allenii (Allen's Hummingbird, ^b *Trochilus*), *Ariz.* '86, 431^b; *Cal.* '77, 53^a (fig.), '80, 112, '86, 180^b, '98, 235; *g. dist.* '93, 134; *Wash.* '92, 44^b—*hbt.* '77, 53, '83, 235; *meas.* '77, 57; *syn.* '77, 53–58, 97–102, '78, 11–15, '79, 231.

flammula, *C. R.* '85, 291.

floresii (Flores's Hummingbird, ^b *Trochilus*), *Cal.* '87, 339, '88, 396^b, '92, 377; *Mex.* '92, 377, 1900, 122.—*syn.* '91, 114, '92, 108^b, '93, 62.

henshawi, '77, 102^a, see *rufus*.

platycercus (Broad-tailed Hummingbird, ^b *Trochilus*), *Ariz.* '82, 211, '86, 431^b, '90, 48^b, 255^b, '93, 315, '94, 326; *Cal.* '97, 91; *Colo.* '79, 95, '80, 232, '81, 140, '83, 196, '85, 17, '94, 244^b, 268^b; *g. dist.* '93, 134; *Mex.* '95, 357; *N. M.* '85, 330, '86, 75, '92, 363^b, '98, 308—*anat.* '90, 279^b; *fd.* '86, 75, '93, 315, '94, 268^b; *hbt.* '86, 75, '90, 255^b; *meas.* '82, 211; *mig.* '85, 330, '86, 75, 77; *nst.* '78, 95; *plm.* '82, 211, '86, 431^b; *song.* '80, 232, '81, 140, '95, 357; *syn.* '93, 62.

rufus (^a Rufous Hummingbird, ^b *Trochilus*, ^c *henshawi*), *Alas.* '98, 128; *Ariz.* '85, 356, '86, 431^a, '90, 48^b, '93, 315; *Cal.* '86, 180^b, '87, 329^b, '89, 221^b, '96, 119; *Colo.* '81, 140, '85, 17; *g. dist.* '77, 101, 102^a, (fig.), '93, 134; *Ida.* '97, 355, 1900, 244; *N. M.* '86, 76–78, '92, 363^b, '93, 315; *Ore.* '79, 195^a, '86, 166^b, '88, 257^b; *Wash.* '92, 44, 352, '97, 175, 1900, 8–15^a, 353^b.—*fd.* '86, 76, 431^b,

'93, 315, 1900, 8^a; *hbt.* '86, 76, '92, 363^b, '96, 119, '97, 175, 1900, 8–15^a; *meas.* '77, 57, 1900, 13^a, 14^a; *mig.* '86, 76, 1900, 8^a, 11^a; *nst.* '86, 76, 166^b, '89, 221^b, '98, 128, 1900, 8^a, 15^a, 244; *plm.* '77, 53 (fig.), 101; *syn.* '77, 53, 97, 101, 102^a, '78, 11, '79, 231, '93, 62.

torridus, *C. R.*, *syn.* '85, 291.

Selenidera gouldi, *Braz.*, *syn.* '91, 159. *Selous*, Percy Sherborn.

Red-necked Grebe in Michigan in winter, 1900, 293.

Obituary of, 1900, 322.

selysi (Chloronerves), see *Chloronerves*. *semiatra* (Sayornis), see *S. nigricans*. *semicinereus* (Dysithamnus), see *Dysithamnus*.

semicollaris (Rhynchæa), see *Rhynchæa*.

semifasciata (Tityra), see *Tityra*.

semiflava (Geothlypis), see *Geothlypis*. *Semimerula*, '84, 182.

semipalmata (Ægilialis), see *Ægilialis*. — (Hemipalama), see *Ereunetes pusillus*.

— (Scopulax), see *Symphearia*.

— (Symphearia), see *S. semipalmata* or *inornata*.

— (Tringa), see *Ereunetes pusillus*.

semipalmatus (Ægialeus), *Ægilialis*.

— (Catoptrophorus), see *Symphearia*.

— (Charadrius), see *Ægilialis*.

— (Ereunetes), see *E. pusillus*.

— (Totanus), see *Symphearia*.

Semnornis (^b *Pan*), '99, 77^b, 1900, 170^a.

frantzii (^b *Pan*), *syn.* '99, 77^b,

1900, 179.

rhamphastinus (^b *Pan*), *syn.* '99, 77^b, 1900, 179.

semperi (Leucopeza), see *Leucopeza*.

— (*Margarops*), see *Cichlherminia sanctæ-luciae*.

senegalensis (Podica), see *Podica*.

— (*Sterna*), see *S. hirundo*.

Sexen australis, *Kerguelon I.* '94, 281.

senex (Lybius), see *Lybius*.

— (*Sterna*), see *Anous stolidus*.

senicula (Pipilo), see *Pipilo*.

seniculus (Coccygus), see *Coccyzus minor*.

— (*Coccystes*), see *Coccyzus minor*.

— (*Cuculus*), see *Coccyzus minor*.

Sennett, George Burritt.

Notes on ornithology of lower Rio Grande (rev.), '78, 144.

Further notes on birds of lower Rio Grande of Texas (rev.), '80, 111.

- An unusual flight of Whistling Swans in northwestern Pennsylvania, '80, 125.
- Capture of Golden Eagle in Crawford Co., Pennsylvania, '82, 58.
- Nest and eggs of Couch's Tyrant Flycatcher (*T. melancholicus couchi*), '84, 93.
- Black-throated Auk (*Synthliborhamphus antiquus*) in Wisconsin, '84, 98.
- [Bird collection of], '85, 319.
- Ammodramus prineiceps* in Texas, '86, 135.
- Undescribed plumages of North American birds, '87, 24-28.
- Descri. of two new subspecies of Tit-mice from Texas, '87, 28-30.
- Observations in western North Carolina mountains, '87, 240-245.
- Notes on *Peucaea ruficeps* group with description of a new subspecies, '88, 40-42.
- Descriptions of a new species and two new subspecies of birds from Texas, '88, 43-46.
- Unexpected occurrence of certain shore birds in Texas in midsummer in breeding plumage, '88, 110.
- Dichromatism in genus *Nyctidromus*, '88, 205.
- A new form of Clapper Rail, '88, 305.
- Addition to list of North American birds, '88, 319.
- First description of egg of *Glaucidium phalaenoides* (Ferruginous Pygmy Owl), '89, 70.
- Troglodytes aedon* (House Wren), breeding in a sand bank, '89, 76.
- Clapper Rails of United States and West Indies, '89, 161-166.
- A new species of Duck from Texas, '89, 263-265.
- Microtus whitneyi* (Elf Owl) taken in Texas, '89, 276.
- New Wren from lower Rio Grande, Texas, with notes on Berlandier's Wren, '90, 57-60.
- King Eider (*Somateria spectabilis*) at Erie, Pennsylvania, '90, 88.
- Bird legislation (rev.), '90, 282.
- Description of a new Turkey, '92, 167-169 (col. pl.).
- Obituary of, 1900, 193.
- sennetti (*Ammodramus*), see *Ammodramus*.
- (Buteo), see *Buteo*.
- (Chordeiles), see *Chordeiles*.
- (*Harporhynchus*), see *Harporhynchus*.
- sepiaria (*Euryzona*), see *Euryzona*.
- sepium (*Orthotomus*), see *O. cinereus*.
- septentrionalis (*Ceryle*), see *Ceryle*.
- (*Colymbus*), see *Gavia lumme*.
- (*Parus*), see *Parus*.
- (*Picoides*), see *P. tridactylus*.
- (*Rissa*), see *Larus brachyrhynchus*.
- (*Larus*), see *L. brachyrhynchus*.
- sequoiensis (*Turdus*), see *Hylocichla auduboni*.
- sericeus (*Icterus*), see *Molothrus bonariensis*.
- (*Molothrus*), see *M. bonariensis*.
- (*Scolecopagrus*), see *Molothrus bonariensis*.
- Serinopsis, '98, 225*.
- Serinus canaria* (^ Canary), misc. '82, 114^a, 115^a, '84, 62^a.
- citrinella* (^ *Spinus*), *Helg.* '95, 335^b.
- pusilla*, *Helg.* '95, 335.
- serinus* (^ *meridionalis*), *Helg.* '95, 335; *Mass.* '80, 120^b (cage).
- serinus* (*Serinus*), see *Serinus*.
- Serpentariidae, '77, 70, '81, 77.
- Serpentarius, '81, 77.
- Serpophaga nigricans, *Urug.*, *fd.*, *hbt.*, *nst.*, *song*, '83, 199.
- subcristata*, *Urug.*, *hbt.*, *nst.* '83, 199.
- serrator (*Merganser*), see *Merganser*.
- (*Mergus*), see *Merganser*.
- serripennis (*Cotyle*), see *Stelgidopteryx*.
- (*Hirundo*), see *Stelgidopteryx*.
- (*Stelgidopteryx*), see *Stelgidopteryx*.
- Setaria*, '94, 234.
- Seton, Ernest E. [T.J.], see Thompson, E. S.
- Setophaga*, '84, 43, '85, 365, '86, 46, '93, 112, '97, 223, '99, 123.
- albibrons*, *Yucatan*, '99, 137.
- flammea*, *Mex.* '98, 159.
- flavivertex*, *Colom.* '99, 137.
- guatemalæ*, *Mex.* '98, 159.
- miniata* (Red-bellied Redstart), *misc.* '80, 88.
- pallidiventris*, *Venez.* '99, 370, 1900, 185.
- picta* (Painted Redstart), *Ariz.* '81, 73, 176, '82, 140, '85, 353, '88, 36, '90, 50, 261; *N. M.* '82, 140, '92, 367.—*hbt.* '81, 176; *meas.* '81, 177, '82, 140; *nst.* '81, 176, '82, 140, 249; *flm.* '82, 140, '85, 353.

ruticilla (a American Redstart),
Ala. '78, 174; *Ariz.* '88, 36; *Ark.* '82, 91; *Bahamas*, '91, 69, 294, 295, 296, 335, 338, 351, 354; *B. C.* 1900, 107; *Cal.* '77, 91?; *Colo.* '80, 228, '83, 159, '85, 15, 141; *Colom.* 1900, 366; *C. R.* '90, 337, '92, 22; *Cuba*, '92, 273; *D. C.* '88, 24, '92, 307; *Europe*, '80, 66; *Fla.* '85, 61, '88, 276, '90, 22, 314, '91, 138, '92, 214, '95, 365; *Ga.* '82, 95^a, '96, 214; *Gulf of Mex.* '81, 251^a; *Ia.* '95, 123, 235; *Ida.* '97, 349, '98, 19; *Ill.* '78, 163, '88, 433; *Ind.* '82, 18^a, '89, 28; *Jamaica*, '93, 341; *Ky.* '89, 316; *La.* '82, 49?, 162, '87, 301^a; *Man.* '86, 327, '87, 353^a; *Mass.* '84, 6^a, 9, '88, 389, '89, 40^a, 46–104, '99, 184; *Me.* '82, 110; *Mich.* '85, 98, '93, 229; *Miss.* '82, 91; *Mo.* '79, 142, '95, 350^a; *Mont.* '94, 307, '95, 218; *N. B.* '82, 110, '89, 119; *N. C.* '86, 175, '89, 121; *N. H.* '88, 151, 153, 154, '89, 77, 79; *N. J.* '94, 140; *N. S.* '84, 269^a, '87, 16; *N. Y.* '81, 228, '82, 187, '84, 175, 176, 217, '89, 131, '98, 332; *O.* '95, 241; *Pa.* '91, 399, '92, 140, '96, 285, 296; *P. E. I.* '93, 5^a, 14; *Que.* '82, 235, '89, 149; *S. C.* '79, 212, '91, 172, '92, 34^a, 35^a, 36^a; *S. D.* '85, 278; *Tenn.* '86, 317, '87, 132; *Tex.* '82, 11, '87, 297, '92, 342, 1900, 348; *Wash.* '80, 50, '97, 180; *W. I.* '79, 230, '80, 166, '81, 151, '86, 46, '87, 95, '89, 31, '90, 375, 375, '91, 47, 48, 48, 49; *W. Is.* '82, 187, '83, 66, 72, '88, 326, 326—*ant.* '81, 7^a; *hbt.* '90, 200^a; *meas.* '79, 118; *mig.* '81, 251^a, '83, 66, 72, '84, 175, 176, '85, 61, 98, '88, 326, 326, 433, '90, 22, '91, 69, 135, '92, 34^a, 35^a, 36^a, '95, 123, 129^a, 235, 241; *nest.* '79, 118, '83, 72, '89, 28, '96, 296, '98, 332, '99, 184; *plm.* '76, 21 (alb.), '78, 70, '86, 414^a; *song.* '84, 69^a, 217, '93, 14; *syn.* '86, 46; *misc.* 1900, 109^a.

Severtzow, Nikolai Aleksyewich.
 Obituary of, '85, 224.

Sewey-sewey, see Vireo modestus.

Shad-spirit, see Colaptes luteus.

Shag, see Phalacrocorax dilophus.

Sharpe, Richard Bowdler.

see British Museum 'cat. of birds,' vols. i–iii (rev.), '78, 77–79; vol. iv and vi (rev.), '83, 99–105; vol. vii (rev.), '84, 278–283; vol. x (rev.), '85, 365–368; vol. xii (rev.), '88, 410–413; vol. xiii (rev.), '91, 90–92; vol. xvii (rev.), '93, 66–68;

vol. xxiii (rev.), '94, 242; vol. xxiv (rev.), '97, 102–104.

Note on genus *Progne*, '84, 367.
 Ornithology at South Kensington
 (rev.), '88, 124.

Birds in nature (rev.), '89, 63.

Recent attempts to classify birds
 (rev.), '91, 379–381.

Birds of Paradise (prospectus), '92,
 207.

Zoogeographical areas of world
 (rev.), '94, 63–65.

see British Ornith. Club, 'index al-
 phabeticus' (rev.), 1900, 78.

Hand-list of genera and species of
 birds (rev.), 1900, 79–81.

Sharpe, R. B., and **Ogilvie-Grant**, W.
 R.

see British Museum 'cat. of birds,'
 vol. xvii (rev.), '93, 66–68; vol.
 xxvi (rev.), '99, 198–203.

Sharpe, R. B., and **Wyatt**, C. W.

Monograph of Hirundinidae or family
 of Swallows (rev.), '95, 373–375.

sharpei (*Certhiola*), see *Cerebra*.

— (*Cereba*), see *Cereba*.

— (*Euetheia*), see *Euetheia*.

— (*Sporophila*), see *Sporophila*.

Shattuck, George Cheever.

An unusual set of Song Sparrow's
 eggs, '99, 182.

Shearwater, Allied, see *Puffinus* as-
 similis.

Audubon's, see *Puffinus auduboni*.

Black-tailed, see *Puffinus cinereus*.

Black-vented, see *Puffinus opistho-*
melas.

Buller's, see *Puffinus bulleri*.

Cinereous, see *Puffinus kuhlii*.

Cory's, see *Puffinus borealis*.

Dark-bodied, see *Puffinus griseus*.

Dusky, see *Puffinus auduboni*.

Greater, see *Puffinus gravis*.

Manx, see *Puffinus puffinus*.

Northern, see *Puffinus borealis*.

Pink-footed, see *Puffinus creatopus*.

Slender-billed, see *Puffinus tenuirostris*.

Sooty, see *Puffinus fuliginosus*.

Townsend's, see *Puffinus auricularis*.

Wedge-tailed, see *Puffinus cuneatus*.

Sheathbill, see *Chionis minor*.

Sheldrake, see *Merganser americanus*.

American, see *Merganser americanus*.

Hooded, see *Lophodytes cucullatus*.

Ocean, see *Merganser americanus*.

Red-breasted, see *Merganser serrator*.

Ruddy, see *Casarca casarca*.

- Shelley**, George Ernest, and **Sclater**, P. L.
see British Museum 'cat. of birds,' vol. xix (rev.), '92, 184.
- Shetland Islands**.
Harting, J. E., '92, 290.
- Shick**, Charles S.
Birds found breeding on Seven Mile Beach, New Jersey, '90, 326-329.
- Shine-eye**, see *Merula jamaicensis*.
- Shining-eyes**, see *Quiscalus jamaicensis*.
- Shoemaker**, Frank Henry.
Peculiar nest of Great Horned Owl, '97, 318.
- Shoemaker**, George.
Abundance of Hermit Thrush in winter near Washington, D. C. '81, 113.
- Shorebirds**, see *Limicolæ*.
- Short**, Ernest Herbert.
Birds of western New York, with notes (rev.), '94, 168. '96, 245.
- Shoveller**, see *Spatula clypeata*.
- Shrike**, Black, see *Platyparsis nigra*.
California, see *Lanius gambeli*.
Great Gray, see *Lanius excubitor*.
Great Northern, see *Lanius borealis*.
Island, see *Lanius anthonyi*.
Loggerhead, see *Lanius ludovicianus*.
Northern, see *Lanius borealis*.
Red-backed, see *Lanius collaris*.
Southern, see *Lanius ludovicianus*.
White-rumped, see *Lanius excubitorides* or *ludovicianus*.
- Shrikes**, see *Laniidae*.
- Shooting and Fishing** (magazine), titles (Nos. 2518-2610), '93, 292.
- Shufeldt**, Robert Wilson.
Osteology of *Spotoyo cunicularia hypogea* (rev.), '81, 109.
Osteology of *Eremophila alpestris* (rev.), '81, 110.
Behavior of *Leucosticte tephrocotis* in confinement, '81, 177.
Ossicle of antibrachium as found in some North American Falconidæ, '81, 197-203.
Osteology of the North American Tetraonidæ (rev.), '82, 44.
Osteology of *Lanius ludovicianus excubitorides* (rev.), '82, 45.
Claw on index digit of Cathartidæ (rev.), '82, 46.
Note on *Mimus polyglottus*, '82, 180.
Notes upon osteology of *Cinclus mexicanus*, '82, 213-221 (fig.).
Contributions to anatomy of birds (rev.), '83, 56, 166.
- Osteology of *Podasocys montanus* (rev.), '84, 183.
Osteology of *Ceryle alcyon* (rev.), '85, 95.
The avian patella (rev.), '85, 96.
Variations in form of beak during growth, in Short-tailed Albatross (*Diomedea brachyura*), '85, 175-178 (4 figs.).
Osteology of *Numenius longirostris* (rev.), '85, 208.
Feeding habits of *Phalænoptilus nuttalli*, '85, 382.
['Osteology of birds'] (prospectus), '85, 390.
The free post-pubis in Falconidæ, '86, 133 (fig.).
Osteology of Trochilidæ, etc. (rev.), '86, 404-406.
Classification of Macrochires, '86, 414, 491-495. '87, 80-82.
Old portrait of Audubon, and a word on his drawings, '86, 417-420 (pl.).
Osteology of *Conurus carolinensis* (rev.), '86, 479.
The skeleton in *Geococcyx* (rev.), '86, 479.
Contributions to science and bibliographical résumé of writings (rev.), '87, 155.
The camera and field ornithology, '87, 168.
Geococcyx californianus—a correction, '87, 254.
Individual variation in skeletons of birds, '87, 265-268 (fig.).
Note on *Melanerpes formicivorus bairdi*, '87, 345-346.
The dermo-tensor patagii muscle, '87, 353-356 (2 figs.).
Muscles used in classification of birds (rev.), '88, 104.
Collection of birds' sterna and skulls, collected by Streets (rev.), '88, 198.
Observations on pterylosis of certain Picidæ, '88, 212-218.
Notes on *Melanerpes torquatus*, '88, 319.
Osteological notes upon Puffins and Ravens, '88, 328.
Sternum in Solitary Sandpiper and other notes, '88, 330-332.
Skeleton in genus *Sturnella*, with osteological notes upon other North American Icteridæ and the Corvidæ (rev.), '88, 413.
Osteology of *Porzana carolina* (rev.), '88, 414.

- Osteology of *Habia melanocephala* with comparative notes upon skeletons of certain other conirostral birds and of Tanagers (rev.), '88, 438-444.
- Notes on Brewster's and the Blue-footed Gannet, '89, 67.
- Notes upon sudden appearance in numbers of Evening Grosbeak at Fort Wingate, New Mexico, '89, 72-74.
- Contributions to the comparative osteology of arctic and sub-arctic water-birds (rev.), '89, 333, '92, 173.
- Observations upon the osteology of the North American Anseres (rev.), '89, 333.
- Observations upon the osteology of the orders Tubinares and Stegano-podes (rev.), '89, 333.
- Osteological studies of the subfamily Ardeinae (rev.), '89, 333, '90, 277.
- The American Hawk Owl near Washington, D. C., '90, 91.
- Notes on *Coccothraustes vespertina* as a cagebird, '90, 93-95.
- Position of *Chamaea* in the system (rev.), '90, 278.
- Studies of the Macrochires, etc. (rev.), '90, 278.
- Comparative osteology of families of the North American Passeres (rev.), '90, 279.
- Notes on anatomy of *Speotyto cunicularia hypogaea* (rev.), '90, 280.
- A peculiar character referable to base of skull in *Pandion*, '91, 236.
- Camera notes for ornithologists, '91, 240-243.
- A female *Piranga rubra* assuming plumage of male, '91, 315.
- Tertiary fossils of North American birds, '91, 365-368.
- Myology of the Raven (rev.), '92, 62.
- Comparative osteology of United States Columbidae (rev.), '92, 174.
- Notes on the classification of the Pigeons (rev.), '94, 174.
- Some comparative osteological notes on N. Am. Kites (rev.), '92, 174.
- Question of saurognathism of the Pici and other osteological notes upon that group (rev.), '92, 174.
- Notes on American Bittern, '93, 77.
- Sitta canadensis* appearing in numbers in District of Columbia, '93, 88.
- The Chionididae, '93, 158-165.
- Notes on the trunk skeleton of a hybrid Grouse, '93, 281-285.
- Nesting habits of *Galeoscoptes carolinensis*, '93, 303.
- A study of the fossil avifauna of the equus beds of the Oregon desert (rev.), '93, 343-345.
- Comparative osteological notes on the extinct bird *Ichthyornis* (rev.), '93, 345.
- Classification of the Longipennes (rev.), '93, 345.
- Ridgway on anatomy of Hummingbirds and Swifts (rev.), '93, 345.
- Ridgway on anatomy of Hummingbirds and Swifts—a rejoinder (rev.), '93, 345.
- Comparative notes on Swifts and Hummingbirds (rev.), '93, 345.
- Notes on photographing a live specimen of Gambel's Partridge, '94, 128-130 (3 photos.).
- Random notes on some parasites of birds, '94, 186-189 (fig.).
- see Raine, W., 'bird-nesting in northwest Canada,' '94, 247.
- Comparative oölogy of North American birds (rev.), '94, 314.
- Scientific taxidermy for museums (rev.), '94, 316.
- Notes on the Steganopodes, and on fossil birds' eggs, '94, 337-339.
- On the osteology of certain Cranes, Rails, and their allies, '95, 172.
- The Cormorant rookeries of the Lofoten Islands, '96, 312-314 (photo.).
- Notes on the moult and certain plumage phases of *Piranga rubra*, '97, 406.
- Shufeldt, R. W., and Audubon, M. R. Last portrait of Audubon, with a letter to his son, '94, 309-313 (pl.).
- Shufeldt, Robert W., 3d. Obituary of, '92, 398.
- shufeldti (Junco), see J. connectens.
- Shulze, Eliza Jane, and Jones, G. E., see Jones and Shulze.
- Sialia, '82, 215, 216, '86, 9, '93, 113. anabelæ (San Pedro Blue Bird). *L. Cal.* '90, 281, '92, 188, '94, 145, 151, 159; *g. dist.* '95, 166.—*mcas.* '94, 159, 160; *plm.* '94, 151, 159; *syn.* '90, 66, '94, 159, '95, 166.
- arctica (^ Mountain or Arctic Bluebird). *Ariz.* '78, 93, '82, 76, '88, 168, 366, '90, 49, 264; *Cal.* '86, 186; *Colo.* '79, 91, '80, 225, '81, 86, '83, 153, '85, 15, 140, '86, 489, '87, 125, '94,

270, '95, 152^a; *g. dist.* '93, 127; *Ida.* '98, 21; *Mont.* '82, 62, '94, 308; *N. M.* '78, 93, '85, 234, '92, 369, '94, 216, 217^a, '98, 311; *Tex.* '82, 35, '87, 299, '92, 231; *Wash.* '82, 227, '92, 47, '97, 181.—*fd.* '87, 299, '88, 168; *hbt.* '83, 153; *nst.* '80, 225, '82, 62, '83, 153, '90, 264, '98, 21; *plm.* '87, 125, 299; *song.* '80, 225, '81, 86, '83, 153; *misc.* '82, 118, '93, 320, '94, 69.

azurea (Azure Bluebird), *Ariz.*, *meas.*, *plm.* '85, 85; *syn.* '90, 191, '96, 185, '97, 132.

bairdi (Chestnut-backed Bluebird, ^b *mexicana*), *Ariz.* '78, 93^b? '85, 172^b? 349^b, '88, 167^b [*occidentalis?*]; *Colo.* '85, 15^b, 140^b; *g. dist.* '94, 151, 157^a, '95, 166; *Ida.* '98, 21; *N. M.* '78, '93^b [*occidentalis?*], '85, 331^b, '98, 311; *Tex.* '84, 121?—*plm.* '94, 151; *syn.* '95, 166.

grata, '98, 182^a, see *sialis*.

guatemaleæ, *Guat.* '83, 169; *Mex.* '98, 161.—*syn.* '90, 191.

mexicana, *g. dist.* '94, 145–160; *Mex.* '95, 359.—*meas.* '94, 151; *plm.* '94, 146, 150, 151; *syn.* '94, 145, 150, '95, 168.

occidentalis (^a Western or Mexican Bluebird, ^b *mexicana*), *Ariz.* '78, 93^b, '82, 76^b, '88, 167^b, '90, 264; *Cal.* '86, 186^b, '89, 221^b, '90, 296, '96, 124, '99, 159^a; *Colo.* '83, 153^b, '87, 125^b, '94, 270^b; *g. dist.* '93, 135^b, '94, 151, 154, '95, 166; *Ida.* '97, 349^b [*bairdi?*], '98, 21; *Minn.* '93, 290^b; *N. M.* '78, 93^b, '92, 369^b; *Ore.* '79, 163^b, '86, 172^b, '88, 365^b; *Tex.* '87, 299^b; *Wash.* '92, 47^b, 310^b, '97, 181, 1900, 358^b; *anat.* '82, 215^b (fig.), 218^b; *meas.* '82, 218^b, '94, 156; *nst.* '86, 172^b, 186^b, '95, 152^a, '96, 124, '99, 159^a; *plm.* '94, 149, 151, 156; *song.* '83, 154^b; *syn.* '94, 148, 154, '95, 166.

sialis (^a Bluebird, ^b *wilsonii*, ^c *grata*), *Ala.* '78, 170; *Ark.* '82, 90; *Bermuda*, '96, 238; *Colo.* '85, 15, 140, '86, 489; *Columbia River*, '77, 90 [*bairdi?*]; *Conn.* '94, 257^a; *Cuba*, '86, 9; *D. C.* '88, 25; *Fla.* '88, 277, '90, 120, '91, 128^a, 138, '92, 214, '95, 366, '98, 182^a*; *Ga.* '82, 97^a, '83, 37, '96, 214; *g. dist.* '93, 133; *Ia.* '95, 121, 236; *Ill.* '88, 433; *Ind.* '89, 30; *Kan.* '94, 215^a; *Ky.* '89, 316; *La.* '82, 161, '87, 301^a; *Man.* '86, 153^a, 328, 453, '93, 50; *Mass.* '78, 76, '83, 149^a, '84, 6^a, '88, 389, '89, 42^a, 46,

107, '91, 239, '99, 196^b; *Me.* '80, 132^a, '82, 109; *Mich.* '93, 230; *Minn.* '84, 244; *Miss.* '82, 90; *Mo.* '79, 140, '95, 4^a, '96, 222; *N. B.* '82, 104, 109, '83, 9^a, '85, 266, '87, 211–213; *N. C.* '86, 178, 308^a, 314, '89, 121; *N. H.* '88, 151, 153, 155, '89, 78, 79; *N. J.* '79, 81^a, '85, 86, '89, 197, '92, 204, '94, 140; *N. S.* '85, 266; *N. Y.* '79, 32, 34, '81, 226, '82, 187, '84, 133, '89, 202; *O.* '95, 242; *Ont.* '83, 144^a; *Pa.* '89, 141^a, '92, 141, '93, 41, 46, '95, 309, '96, 285, 297; *P. E. I.* '85, 266?; *Que.* '82, 234; *S. C.* '79, 210, '90, 130, '91, 333, '92, 31^a, '99, 198; *S. D.* '85, 277; *Tenn.* '86, 315, '87, 133; *Tex.* '82, 7, 34, '87, 299, '89, 241, '92, 345, 1900, 348; *W. Va.* '82, 187; *W. Va.* '98, 137.—*fd.* '77, 74, '79, 34, '81, 26^a, 110^a, '87, 299, '97, 421^a, '99, 362^a; *hbt.* '83, 63, '86, 141, '87, 211, '91, 110, '94, 257^a, 261^a, '99, 287^a, 1900, 100; *meas.* '86, 283, '98, 182; *mig.* '80, 132^a, 152^a, '84, 286^a, '85, 98^a, '88, 433, '89, 141^a, 202, '90, 396, '91, 195, '92, 31^a, '95, 121, 129^a, 236, 242, '98, 174^a, '99, 196^a, 198; *nst.* '80, 115^a, '82, 7, '83, 37, 237^a, '84, 86^a, '86, 178, '87, 299, '88, 22^a, '89, 30, '90, 84, 85, '91, 110; *plm.* '76, 21 (alb.), '78, 19, '81, 160, '82, 34, '86, 282, '96, 238; *song.* '84, 133, '90, 199, '96, 238; *syn.* '81, 170^a, '86, 9, '99, 131^a; *misc.* '81, 109^b, '89, 184^a, '90, 200, '91, 109, '92, 194, '95, 309. *sialis* (*Motacilla*), see *Sialia*. — (*Sialia*), see *Sialia*.

Siberia.

Allen, J. A. '83, 231, '86, 122.

Dalgleish, J. J. '80, 145.

sibilans (*Myadestes*), see *Myadestes*.

sibilatrix (*Ardea*), see *Ardea*.

— (*Mareca*), see *Mareca*.

— (*Phaeclodomus*), see *Phaeclodomus*.

— (*Phylloscopus*), see *Phylloscopus*.

sibirica (*Acanthis*), see *A. exilipes*.

— (*Melanocorypha*), see *Melanocorypha*.

sibiricus (*Lanius*), see *Lanius*.

— (*Parus*), see *P. alascensis*.

Sicalis, '86, 213.

browni, *Colom.* '98, 339.

chapmani (^b *minor*), *Braz.*, *plm.* '90, 268^b, '99, 37^a.

columbiana, *Braz.*, *meas.*, *plm.* '90, 268.

flaveola (^b *brasiliensis*), *Braz.* 1900, 299; *W. I.* '86, 213.—*meas.*,

- plm.* '86, 213; *syn.* '86, 213, '88, 412^b.
jamaicæ, *Jamaica*, '93, 179.—*syn.* '88, 412.
luteola, *Urug.*, *hbt.*, *nst.*, *song.* '83, 132.
raimondi, *syn.* '88, 412.
taczanowskii, *syn.* '88, 412.
sieberi (*Aphelocoma*), see *Aphelocoma*.
siemiradzkii (*Chrysomitris*), see *Spinus*.
— (*Spinus*), see *Spinus*.
signatus (*Chrysotis*), see *Amazona agilis*.
— (*Psittacus*), see *Amazona agilis*.
siguapa (*Asio*), see *A. stygius*.
siju (*Athene*), see *Glaucidium*.
— (*Glaucidium*), see *Glaucidium*.
— (*Noctua*), see *Glaucidium*.
— (*Nyctale*), see *Glaucidium*.
- Silloway**, Perley Milton.
Sketches of some common birds
(rev.), '98, 281.
- similis* (*Chloropeta*), see *Chloropeta*.
— (*Myiozetetes*), see *Myiozetetes*.
— (*Pachyramphus*) [*of Salvin*], see
P. salvini.
Simorhynchinae, '99, 286.
Simorhynchus, '80, 127, '85, 341, 342,
'99, 286.
- cristatellus* (*Crested Auklet*, ^b*Phaleris tetricula*, ^c*Phaleris*), *Alas.* '85, 159, '95, 271, 276; *g. dist.* '93, 125; *Mass.* '85, 388?; *Sweden*, '80, 221^c.—*plm.* '80, 126–128 (mlt.); *syn.* '80, 88^a, 128, '85, 341.
- pusillus* (*Least Auklet*, ^b*microceros*, ^c*Ciceronia microceros*, ^d*Phaleris microceros*, ^e*Ciceronia*, ^f*Fratercula*), *Alas.* '84, 81^a, '85, 159, '95, 276; *B. C.* '93, 16, 17; *g. dist.* '93, 125; *Wash.* '93, 16, 17.—*plm.* '80, 126^a, 128^b (mlt.); *syn.* '80, 88^a, 128, '91, 101^c.
- pygmæus* (*Whiskered Auklet*, ^b*camtschaticus*, ^c*Alca*, ^d*Fratercula*), *Alas.* '85, 159, '88, 410; *g. dist.* '93, 125.—*plm.* '80, 126, 128^b (mlt.); *syn.* '80, 178, '84, 115, 385, '91, 101^d, '99, 203^c.
simplex (*Lipaagus*), see *Lipaagus*.
Sinaloa, Mexico.
Brewster, W., '89, 90–91.
Nelson, E. W., '99, 28.
Ridgway, R., '88, 263, '99, 255.
sinaloa (*Aimophila*), see *Aimophila*.
— (*Thryophilus*), see *Thryophilus*.
sinaloæ (*Arremonops*), see *Arremonops*.
— (*Progne*), see *Progne*.
- sinaloensis* (*Cardinalis*), see *Cardinalis*.
sinensis (*Hydrophasianus*), see *H. chirurgus*.
singalensis (*Chalcoparia*), see *Anthreptes phoenicotis*.
sinicus (*Ligurinus*), see *Ligurinus*.
sinuata (*Pyrrhuloxia*), see *P. sinuata* or *texana*.
sinuatus (*Cardinalis*), see *Pyrrhuloxia*.
— (*Corvus*), see *C. sinuatus* or *principalis*.
Siphia, '94, 234.
beccariana, *Borneo*, *syn.* '90, 353.
Siphonorhis, '86, 344.
americanus, *W. I.* '86, 344, '92, 276.—*meas.*, *plm.*, *syn.* '86, 344.
siquijorensis (*Loriculus*), see *Loriculus*.
Siskin, *Pine*, see *Spinus pinus*.
Sisopygus icterophrys, *Urug.*, *nst.* '83, 141.
Sitta, '87, 249, '92, 172, '93, 99, 112, '94, 235.
aculeata (^a*Slender-billed Nuthatch*, ^b*lagunæ*), *Ariz.* '82, 81, '85, 172, 349, '88, 165, '90, 49, 262; *B. C.* 1900, 107; *Cal.* '78, 65, '86, 186, '89, 223; *Colo.* '79, 92, '81, 142, '83, 154, '85, 15, '94, 270; *g. dist.* '93, 135; *Ida.* '98, 20; *L. Cal.* '91, 149^a?; *Man.* '86, 327; *Mont.* '82, 62, '94, 307, '95, 218; *N. M.* '81, 142, '85, 126, 331, '98, 311; *Orc.* '79, 163, '86, 171, '88, 363; *S. D.* '85, 277; *Wash.* '93, 17, '97, 180.—*nst.* '85, 349; *song*, '81, 142, '85, 127^a; *syn.* '81, 175, '84, 281, '92, 107^b.
atkinsi (*Florida White-breasted Nuthatch*, ^b*carolinensis*), *Fla.* '88, 277^b, '90, 118^a, '91, 87, 138, '95, 366.—*meas.* '90, 118; *syn.* '91, 87.
canadensis (^a*Red-breasted, or Red-bellied Nuthatch*), *Ariz.* '88, 165, '90, 49, 263; *B. C.* '93, 201; *Cal.* '78, 65; *Colo.* '85, 15, '94, 270; *Conn.* '93, 88, 207; *D. C.* '93, 88; *Europe*, '80, 66; *Ga.* '96, 213; *g. dist.* '93, 127; *Ida.* '98, 20; *Ind.* '89, 29; *Ky.* '86, 489, '89, 316; *Man.* '86, 327; *Mass.* '83, 149, '84, 13^a, 15, '87, 269, '88, 389, 392, '89, 42^a, 105, '90, 229, '94, 331, '96, 346; *Me.* '82, 109; *Mich.* '80, 110, '93, 229; *Minn.* '84, 244; *Mo.* '79, 141, '96, 220; *Mont.* '94, 307; *N. B.* '84, 294^a, '89, 119; *Neb.* '85, 277; *N. C.* '86, 99^a, 176, '93, 244; *N. F.* 1900, 73; *N. H.* '87, 107, '88, 153; *N. S.* '95, 90, '99, 253; *N. Y.* '78, 53, '81, 12, 226, '82, 154, '83.

52^a, '84, 136, '88, 118, '89, 332^a, '90, 232, '96, 175; *Ont.* '83, 145^a, '84, 157; *Ore.* '79, 163, '88, 363; *Pa.* '92, 140^a, '97, 324; *P. E. I.* '85, 265^a, '93, 14; *Que.* '82, 234, '89, 149; *S. C.* '79, 211, '91, 173, '92, 38^a, '92, 191, '94, 38^a, '96, 84; *S. D.* '85, 277^a; *Tenn.* '82, 192; *Tex.* '92, 343; *Va.* '89, 52; *Wash.* '93, 17, 291, '97, 170, 180, 1900, 245; *W. Va.* '98, 137; *Wyo.* '89, 193.—*fd.* '84, 157, '88, 118; *hbt.* '78, 196, '88, 118, '91, 151^a, '93, 14; *mig.* '81, 12, '83, 149, '87, 269, '91, 173, '92, 38^a, '94, 38^a; *nst.* '78, 196, '84, 89, '86, 176, '90, 232, '94, 331; *plm.* '78, 20; *song.* '84, 136, '86, 176, '88, 392, '89, 52, 105, '93, 14, '96, 84; *syn.* '84, 281; *misc.* '84, 88^a, '89, 184, '91, 106^a.
caniceps, '98, 180*. see *pusilla*.
carolinensis (^ White-breasted or White-bellied Nuthatch), *Ala.* '78, 171; *D. C.* '88, 25; *Ga.* '96, 213; *g. dist.* '93, 133; *Hud. B.* '90, 322; *Ind.* '89, 29; *Ky.* '89, 316; *Mass.* '83, 149, '85, 100, '89, 105; *Md.* '83, 177^a; *Mc.* '82, 109; *Mich.* '93, 229, '98, 144, 145–150; *Minn.* '84, 244; *Mo.* '79, 141, '96, 220; *N. C.* '86, 176, 309^a, 310^a, 314, '89, 121; *N. E.* 1900, 72; *N. H.* '88, 153, '89, 77, 79; *N. J.* '94, 140; *N. Y.* '79, 32, '81, 12, 226, '82, 187, '84, 135, '85, 98^a, '88, 118^a, '99, 283^a; *Ont.* '83, 145^a, '84, 157; *Pa.* '92, 140, '93, 37^a, 41, 46, '96, 285, 297; *P. E. I.* '85, 265^a; *S. C.* '79, 211, '90, 130, '91, 333, '92, 37^a; *Tenn.* '86, 316, '87, 133; *Tex.* '87, 298, '89, 241; *Wis.* '82, 187.—*fd.* '79, 61, '98, 145–148, '99, 283^a, 362^a; *hbt.* '91, 110, '98, 148, '99, 283^a; *meas.* '90, 118; *mig.* '81, 12, '83, 149, '92, 37^a; *nst.* '83, 177^a, '85, 98^a, 100, '90, 80^a, '91, 106^a, 110; *plm.* '76, 62, '80, 27 (alb.), '81, 157; *song.* '84, 135, '99, 283^a; *syn.* '84, 281; *misc.* '86, 272, '91, 110^a, 387^a.
clara, *Japan.* '87, 249.
lagunæ, '91, 149*. see *aculeata*.
leuconucha (White-naped Nuthatch), *L. Cal.* '90, 64, 281, '92, 188.—*syn.* '90, 64.
mexicana, *Mex.* '94, 45*, '95, 358.
neumayeri (^ European Nuthatch), *Germany.* '96, 308^a.
pusilla (^ Brown-headed Nuthatch, ^ *caniceps*), *Ala.* '78, 171; *Bahamas*, '91, 350; *Fla.* '88, 277, '90, 119, '91, 138, '92, 214, '95, 366; *Ga.* '77, 103.

'82, 97^a, '83, 37, '91, 108^a, '96, 213; *g. dist.* '93, 133, '98, 180**; *Mo.* '80, 191; *Neb.* '96, 245; *N. S.* '80, 44; *N. Y.* '88, 432; *S. C.* '79, 211, '90, 130, '94, 101.—*hbt.*, *song.* '78, 171, '82, 97^a; *meas.* '83, 38; *mig.* '94, 101^a; *nst.* '78, 171, '83, 37, '90, 80^a, 85^a, '91, 108^a; *plm.* '88, 277 (alb.); *syn.* '99, 131^b.

pygmæa (^ Pygmy Nuthatch), *Ariz.* '82, 81, '85, 172, 350, '88, 165, '90, 49, 263; *B. C.* 1900, 107; *Cal.* '87, 88; *Colo.* '79, 92, '85, 15, '94, 270; *g. dist.* '93, 127, 135; *Ida.* '97, 349, '98, 20; *Mex.* '95, 358; *N. M.* '85, 126, 331, '98, 311; *Ore.* '79, 163, '86, 171, '88, 362^a, 363; *Wash.* '97, 180.—*hbt.* '85, 126, 331, '88, 363, '97, 180; *nst.* '85, 350, '90, 83^a, '98, 20; *plm.* '88, 363; *song.* '85, 126, '97, 180.

villosa, *syn.* '84, 281.

whiteheadi, *misc.* '86, 266.

Sittasomus, '92, 175.

æquatorialis, *syn.* '92, 175.

amazonus, *plm.* '97, 370; *syn.* '92, 175, '97, 370.

chapadensis, *plm.* '97, 370; *syn.* '92, 175, '97, 370.

olivaceus, *syn.* '92, 175, '97, 370.

griseus, *plm.*, *syn.* '97, 370.

jaliscensis, *Mex.* 1900, 264*.

phelpsi, *Vencz.* '97, 365, 369*.

sylvioides, *Mex.* '98, 156; *plm.*, *syn.* '97, 370.

Sittinae (^ Nuthatches), '84, 88^a, '87, 249^a, 1900, 110^a.

sitoides (Diglossa), see Diglossa.

Siurus, see Seiurus.

Skiloen, James.

Change from winter to spring plumage in male Bobolink (*Dolichonyx oryzivorus*), '94, 180.

Skimmer, Black, see Rynchops nigra.

Blue, see Falco columbarius.

skua (*Megalestris*), see Megalestris.

— (*Stercorarius*), see Megalestris.

Skua, see Megalestris skua.

Buffon's, see Stercorarius longicaudus.

Giant, see Megalestris antarcticus.

Great, see Megalestris skua.

Pomarine, see Stercorarius pomarinus.

Skunk-head, see Oidemia perspicillata.

Skylark, '83, 78, see Alauda arvensis;

also Anthus pensylvanicus or A.

spraguei.

Missouri, see Anthus spragueii.

- Sky-poke, see *Ardea virescens*.
- Slade**, Daniel Dennison.
Wild Turkey in Massachusetts, '88, 204.
- Slade**, Elisha.
Note on Field Sparrow (*Spizella pusilla*), '81, 116.
Peculiar nidification of Bobolink, '81, 117.
Whistling Swan in Massachusetts, '81, 123.
- Icterus baltimorei* and *Populus tremuloides*, '81, 181.
A new element in diagnosis, '84, 402.
- Slosson**, Annie Trumbull.
Habits of Swamp Sparrow in confinement, '81, 179.
- Small**, Edgar Albert.
Obituary of, '84, 306.
- smaragnotus* (*Porphyrio*), see *Porphyrio*.
smaragdinicollis (*Metallura*), see *Metallura*.
Smew, see *Mergus albellus*.
- Smith**, Clarence Albert.
Obituary of, '96, 267.
- Smith**, Everett.
Birds of Maine (rev.), '83, 164-166.
- Smith**, Greene.
Chordiles popetue minor in Florida, '80, 54.
- Smith**, G. S.
Red Crossbill (*Loxia curvirostra americana*) in Tennessee, '81, 56.
Smith, Horace Gardner.
Additions to the avifauna of Colorado, '86, 284-286.
Another *Megascops flammeolus* for Colorado, '93, 364.
- Smith**, Herbert H.
[Collection made in Brazil], '87, 84.
- Smith**, Hugh McCormick.
Breeding of *Loxia americana* in District of Columbia, '85, 379.
Eremnites occidentalis on the lower Potomac, '85, 385.
- Harclda hyemalis* in Maryland in summer, '85, 385.
- Birds new to District of Columbia, '86, 139.
- Peculiar nest of *Chelidon erythrogaster*, '86, 278.
- Red Phalarope in District of Columbia—a correction, '86, 482.
- Range of *Quiscalus major*, '87, 346.
- Mortality among White-bellied Swallows in Florida, '95, 183.
- Smith**, H. M., and **Palmer**, William.
- Additions to avifauna of Washington and vicinity, '88, 147.
smithsonianus (*Larus*), see *Larus*.
- Smyth**, Ellison Adger, Jr.
Old-squaw (*Clangula hyemalis*) in South Carolina, '88, 203.
Capture of Black-capped Petrel inland in Virginia, '93, 361.
- Snake-bird, see *Anhinga anhinga*.
- Snipe, see *Gallinago delicata*.
American, see *Gallinago delicata*.
European, see *Gallinago gallinago*.
Grass, see *Tringa maculata*.
Gray, see *Macrorhamphus griseus*.
Greater, see *Gallinago major*.
Jack, see *Gallinago delicata* or *Tringa maculata*.
Red-bellied, see *Macrorhamphus scolopaceus*.
Red-breasted, see *Macrorhamphus griseus*.
Robin, see *Tringa canutus*.
Stone, see *Symphearia semipalmata*.
Western Red-breasted, see *Macrorhamphus scolopaceus*.
Wilson's, see *Gallinago delicata*.
- Snipes, see *Scolopacidae*.
- Snodgrass**, Robert Evans.
Anatomy of the Mallophaga [or biting lice] (rev.), '99, 372.
- Snow**, Francis Huntington.
Catalogue of birds of Kansas (rev.), '76, 47.
Discovery of a fossil bird-track in the Dakota sandstones (rev.), '88, 105.
- Echmophorus occidentalis* in Kansas, '88, 201.
- Pacific Eider in Kansas, '92, 198.
- Snowbird, see *Junco*.
- Snowflake, see *Passerina nivalis*.
McKay's, see *Passerina hyperborca*.
Polar, see *Passerina hyperborea*.
Prybilof, see *Passerina townsendi*.
snowi (*Cephus*), see *Cephus*.
— (*Uria*), see *Uria*.
- Snyder**, John Otterbein.
Notes on a few species of Idaho and Washington birds, 1900, 242-245.
- sociabilis** (*Herpetotheres*), see *Rostrhamus*.
— (*Rosthramus*), see *Rostrhamus*.
— (*Rostrhamus*), see *Rostrhamus*.
socialis (*Fringilla*), see *Spizella*.
— (*Spizella*), see *Spizella*.
socius (*Philetairus*), see *Philetairus*.
- Socorro** Island, Mexico.
Anthony, A. W., '98, 36.
Ridgway, R., '86, 333-334.

- socorroensis (*Buteo*), see *Buteo*.
 —— (*Columbigallina*), see *Columbigallina*.
 —— (*Oceanodroma*), see *Oceanodroma*.
sodalis (*Aquila*), see *Aquila*.
Soldier-bird, see *Ramphocelus passerinus*.
Solenoglossus, see *Microglossus*.
Solitaire, see *Myadestes solitarius*.
Townsend's, see *Myadestes townsendii*.
solitaria (*Columba*), see *C. flavirostris*.
 —— (*Muscicapa*), see *Vireo*.
 —— (*Tringa*), see *Helodromas*.
solitarius (*Amblycercus*), see *Amblycercus*.
 —— (*Cassicus*), see *Amblycercus*.
 —— (*Corvus*), see *Corvus*.
 —— (*Frugilegus*), see *Corvus*.
 —— (*Helodromas*), see *Helodromas*.
 —— (*Lanivireo*), see *Vireo*.
 —— (*Microcorax*), see *Corvus*.
 —— (*Myadestes*), see *Myadestes*.
 —— (*Myiodynastes*), see *Myiodynastes*.
 —— (*Onychotus*), see *O. gruberi*.
 —— (*Pandion*), see *Onychotus gruberi*.
 —— (*Rhyacophilus*), see *Helodromas*.
 —— (*Totanus*), see *Helodromas solitarius* or *cinnamomeus*.
 —— (*Vireo*), see *Vireo*.
somalensis (*Hydrochelidon*), see *Sterna fuliginosa*.
Somateria, '93, 107.
borealis (^a Greenland Eider, ^b molissima), *Arctic Am.* '78, 86^b; *g. dist.* '93, 123; *Greenl.* '89, 216, 1900, 185^a, 186; *Ill.* '76, 41^b [*dresseri?*], '77, 68^b [*dresseri?*]; *N. E.* '85, 111; *N. Y.* '79, 175^b [*dresseri?*]; *Que.* '85, 113.—*hbt.*, *nst.* '89, 216; *plm.* 1900, 184^a, 186^a (mlt.); *syn.* '87, 335, '99, 104, 133, 1900, 186.
dresseri (^a American Eider, ^b molissima), *g. dist.* '90, 315-319; *Ill.* '76, 41^b, '77, 68^b; *Man.* '93, 77; *Mass.* '92, 305, '93, 370, '94, 223, 224, 226^a, '95, 310, '96, 202; *Mc.* '94, 69, '95, 388; *Mich.* '87, 69^a; *N. E.* '85, 111; *N. S.* '85, 43^a?; *N. Y.* '79, 175^b, '87, 341, 341, '94, 323; *Ont.* '90, 204; *P. E. I.* '85, 266^a; *Que.* '82, 240^b, '85, 113.—*fd.* '90, 315, 317, '94, 223, 323; *hbt.* '90, 315-319, '92, 334, '96, 202; *meas.*, *nst.* '95, 388; *mig.* '85, 43^a, '93, 248; *plm.* '97, 303; *syn.* '84, 385; *misc.* '94, 69.
molissima (^a European Eider), *Helg.* '95, 327; *Siberia*, 1900, 309^a.

—*syn.* '87, 335, '96, 163, '99, 133, 1900, 186.
spectabilis (^a King Eider), *Alas.* '85, 63, '86, 123, '92, 289, 1900, 183^a; *Arctic Am.* '78, 86; *Cal.* '80, 189; *Ga.* '90, 284; *Great Lakes*, '90, 397; *g. dist.* '93, 123; *Greenl.* '89, 216, 1900, 185^a; *Helg.* '95, 340; *Ia.* '95, 86; *Ill.* '76, 41, '77, 68; *Mass.* '94, 224, '96, 203; *Mc.* '94, 69, 1900, 16-18; *Minn.* '93, 289; *N. Y.* '79, 175, '80, 62, '88, 174, '92, 68, '94, 323; *Ont.* '96, 347; *Pa.* '90, 88; *Que.* '82, 240; *R. I.* '86, 270; *Ua.* '97, 202.—*fd.* '88, 174, '94, 224, 323, 1900, 16; *hbt.* 1900, 16; *meas.* '89, 217, 1900, 18; *mig.* '85, 63, '89, 217, '94, 103^a; *plm.* '90, 89, 1900, 16, 183^a, 186^a (mlt.); *misc.* '94, 69.

v-nigra (^a Pacific Eider), *Alas.* '79, 53, '85, 63, 158, 1900, 183^a; *g. dist.* '93, 123; *Greenl.* '91, 320 [*spectabilis?*]; *Kan.* '92, 198; *Labrador*, '85, 386 [*spectabilis?*], '86, 141^a?.—*meas.* '92, 198; *mig.* '85, 63; *plm.* '85, 386, 1900, 183^a (mlt.).

Song and Notes.

- Allen, C. N., '81, 145.
 Belding, L., '96, 29.
 Bicknell, E. P., '84, 60, 126, 209, 322, '85, 144, 249.
 Brewster, W., '94, 291.
 Cheney, S. P., '91, 32.

sonneratii (*Phyllornis*), see *Chloropsis zosterops*.

sonnini (*Eupsychortex*), see *Eupsychortex*.
 —— (*Ortyx*), see *Eupsychortex*.
 —— (*Perdix*), see *Eupsychortex*.

Sonora, Mexico.

- Belding, L., '84, 284.
 Brewster, W., '85, 196-200, '87, 159-160, '88, 91, 93-95, 137-139, '89, 85, 96-98, '93, 214-215.
 Clark, J. H., '98, 272-274.
 Nelson, E. W., '99, 26, 1900, 267, 269.
 Ridgway, R., '87, 161, '89, 175, '94, 66.
 Stephens, F., '85, 225-231.

sonorana (*Dendroica*), see *Dendroica*.
sonoriensis (*Agelaius*), see *A. longirostris*.

sophiae (*Amazilia*), see *Amazilia*.
Sora, see *Porzana carolina*.
sordida (*Cyanocitta*), see *Aphelocoma sieberi*.
 —— (*Helminthophila*), see *Helminthophila*.

— (Pitta), see Pitta.
 — (Synallaxis), see Synallaxis.
 sordidulus (Contopus), see C. richardsoni.
 sordidus (Brachyurus), see Pitta.
 — (Criniger), see Criniger.
 — (Melanopitta), see Pitta.
 — (Pionus), see Pionus.
 — (Turdus), see Pitta.
 — (Vireo), see Vireo.
 sororia (Aimophila), see Aimophila.
 — (Elenia), see Elenia.
 soui (Crypturus), see Crypturus.
 — (Tinamus), see Crypturus.

South America.

Allen, J. A., '87, 156, '89, 171-173,
 '99, 292.
 Lucas, F. A., '87, 1-6.
 Ridgway, R., '87, 156, '89, 171-173.

South Carolina.

Allen, J. A., '80, 135, '82, 54.
 Brewster, W., '83, 186, '85, 65-80,
 216, '86, 131, 408, 410, 483-484,
 '87, 68, '88, 208, '90, 208, 212.
 Chapman, F. M., '88, 324.
 Coues, E., '83, 61, '85, 301, '97, 203.
 Gregory, J. U., '94, 69.
 Hoxie, W., '86, 245-247, 412-413.
 Loomis, L. M., '79, 209-218, '80, 242,
 '81, 115-116, '82, 55, '84, 293, '85,
 188-193, '86, 137-138, 139, 408,
 483, '87, 76, 165-166, 255,
 261, 347-348, '88, 113, 206-207,
 324, '89, 74-75, 194, 277-278, '90,
 30-39, 124-150, '91, 49-59, 167-
 173, 323-333, '92, 28-39, '93, 151-
 155, '94, 26-39, 94-117, 255.
 Manigault, G., '85, 211, '92, 191.
 Ridgway, R., '91, 240.
 Smyth, E. A., Jr., '88, 203, '89, 184,
 '92, 191 (5 items).
 Wayne, A. T., '85, 211, '86, 138-139,
 '87, 72, 287-289, '88, 109-110,
 115, 208, 210, '90, 88, '91, 232,
 239, 308-309, '92, 72, 201, '93, 204,
 205, '94, 80, 85, 178-179, 256, 324,
 '95, 184, 293, 305, '96, 84, '99,
 197-198.

Worthington, W. W., '90, 82.

South Dakota (see also Dakota).

Agersborg, G. S., '85, 276-289.
 Brewster, W., '85, 82, '91, 145-146.
 Coues, E., '78, 147.
 Deane, R., '77, 76.
 McChesney, C. E., '77, 76, '79, 187-
 188.
 Merriam, C. H., '88, 403.
 Talbot, D. H., '84, 96-97.

Southwick, William Coventry.

Sciurus noveboracensis notabilis in
 New Jersey, '92, 303.

Southwick, James Mortimer, and
 Jencks, F. T.

[Checking-list of North American
 birds] (rev.), '83, 56.

Southern range of *Rissa tridactyla*
kotzebuei, '85, 313.

spadicea (Anous), see A. stolidus.

— (Zenaida), see Zenaida.

— Spadiceus (Falco), see Archibuteo
santi-johannis.

Spain,

Dalgleish, J. J., '80, 150, 218, '81, 64.
 Sparrow, Acadian Sharp-tailed, see

Ammodramus subvirgatus.

Aleutian Song, see *Melospiza cinerea*.

Arizona, see *Peucæa arizonæ*.

Arizona Chipping, see *Spizella arizo-*
næa.

Bachman's, see *Peucæa bachmani*.

Baird's, see *Ammodramus bairdii*.

Bay-winged, see *Pooecetes gramineus*.
 Belding's Marsh, see *Ammodramus*
beldingi.

Bell's, see *Amphispiza bellii*.

Bischoff's Song, see *Melospiza insig-*
næs.

Black, see *Pyrrhulagra violacea*.

Black-chinned, see *Spizella atrigu-*
laris.

Black-headed, see *Zonotrichia quer-*
ula.

Black-throated, see *Amphispiza bi-*
lineata.

Boucard's, see *Aimophila scottii*.

Brewer's, see *Spizella breweri*.

Brown, see *Peucæa fusca*.

Brown's Song, see *Melospiza rivu-*
laris.

Bryant's Marsh, see *Ammodramus*
bryanti.

Cahoon's, see *Aimophila [cahooni =]*
mcleodii.

Cassin's, see *Peucæa cassini*.

Chadbourne's Field, see *Spizella*
arenacea.

Chihuahuan Pileated, see *Atlapetes*
dilutus.

Chipping, see *Spizella socialis*.

Cinereous Song, see *Melospiza gut-*
tata.

Clay-colored, see *Spizella pallida*.

Cotton-tree, see *Pyrrhulagra violacea*.

Curaçao, see *Brachyspiza insularis*.

Dakota Song, see *Melospiza juddi*.

Desert, see *Amphispiza deserticola*.

Desert Song, see *Melospiza fallax*.

Dusky Seaside, see *Ammodramus nigriceps*.
 English, see *Passer domesticus*.
 European House, see *Passer domesticus*.
 European Tree, see *Passer montanus*.
 Field, see *Spizella pusilla*.
 Forbush's, see *Melospiza striata*.
 Fox, see *Passerella iliaca*.
 Fox-colored, see *Passerella iliaca*.
 Gambel's, see *Zonotrichia gambelii*.
 Gambel's White-crowned, see *Zonotrichia gambeli*.
 Golden-crowned, see *Zonotrichia coronata*.
 Goldman's Song, see *Melospiza goldmani*.
 Grasshopper, see *Ammodramus passerinus*.
 Gray Sage, see *Amphispiza cinerea*.
 Ground, see *Melospiza fasciata*.
 Harris's, see *Zonotrichia querula*.
 Hedge, see *Accentor modularis*.
 Heermann's Song, see *Melospiza heermanni*.
 Henslow's, see *Ammodramus henslowii*.
 House, see *Passer domesticus*.
 Huatusco, see *Aimophila sartorii*.
 Intermediate, see *Zonotrichia intermedia*.
 Intermediate White-crowned, see *Zonotrichia intermedia*.
 Ipswich, see *Ammodramus princeps*.
 Jack, see *Pyrrhulagra violacea*.
 Java, see *Munia oryzivora*.
 Kadiak Fox, see *Passerella [insularis =] unalascheensis*.
 Kenai Song, see *Melospiza [kenaiensis =] insignis*.
 Lagoon, see *Ammodramus [halophilus =] guttatus*.
 Laguna, see *Aimophila sororia*.
 Large-billed, see *Ammodramus rostratus*.
 Lark, see *Chondestes grammacus*.
 Leconte's, see *Ammodramus lecontei*.
 Lincoln's, see *Melospiza lincolni*.
 Louisiana Seaside, see *Ammodramus fisheri*.
 Macgillivray's Seaside, see *Ammodramus macgillivraii*.
 McLeod's, see *Aimophila mcleodii*.
 Merrill's song, see *Melospiza merrilli*.
 Mexican, see *Peucaea mexicana*.
 Mexican Chipping, see *Spizella mexicana*.
 Mexican Rufous-crowned, see *Aimophila scottii*.

Michoacan Song, see *Melospiza adusta*.
 Minatitlan, see *Ammodramus obscurus*.
 Mountain, see *Passer montanus*.
 Mountain Song, see *Melospiza montana*.
 Nelson's, see *Ammodramus nelsoni*.
 Nelson's Sharp-tailed, see *Ammodramus nelsoni*.
 Oak-woods, see *Peucaea bachmanii*.
 Oregon Vesper, see *Pooecetes affinis*.
 Pallid, see *Ammodramus princeps*.
 Philip, see *Passer domesticus*.
 Pine-woods, see *Peucaea aestivalis*.
 Plateau, see *Ammodramus [brunneus =] bryanti*.
 Richmond's, see *Arremonops richmondi*.
 Ridgway's, see *Zonotrichia intermedia*.
 Rock, see *Aimophila eremicola*.
 Rufous-crowned, see *Aimophila ruficeps*.
 Rufous-winged, see *Peucaea carpalis*.
 Rusty Song, see *Melospiza guttata*.
 Sage, see *Amphispiza nevadensis*.
 Saint Lucas, see *Ammodramus guttatus*.
 Salt Marsh Song, see *Melospiza [pusilla =] samuelis*.
 Samuel's Song, see *Melospiza samuelis*.
 San Benito, see *Ammodramus sanctorum*.
 San Clemente Song, see *Melospiza clementae*.
 San Diego Song, see *Melospiza [cooperi =] samuelis*.
 Sandwich, see *Ammodramus sandwicensis*.
 Santa Barbara Song, see *Melospiza graminea*.
 Savanna, see *Ammodramus savanna*.
 Scott's, see *Aimophila scottii*.
 Scott's Seaside, see *Ammodramus peninsulae*.
 Seaside, see *Ammodramus maritimus*.
 Sennett's Seaside, see *Ammodramus sennetti*.
 Sharp-tailed, see *Ammodramus caudatus*.
 Sinaloa, see *Aimophila sinaloa*.
 Slate-colored, see *Passerella schistacea*.
 Social, see *Spizella socialis*.
 Song, see *Melospiza fasciata*.
 Sonora Black-throated, see *Amphispiza pacifica*.

Sooty Fox, see *Passerella fuliginoosa* [= *unalascheensis*].
 Sooty Song, see *Melospiza rufina*.
 Southern, see *Peuceta australis*.
 Stephen's, see *Passerella stephensi*.
 Swamp, see *Melospiza georgiana*.
 Swamp Song, see *Melospiza georgiana*.
 Tehama Song, see *Melospiza [inger-solli] merrilli*.
 Texas, see *Arremonops rufivirgata*.
 Texas Seaside, see *Ammodramus sennetti*.
 Thick-billed, see *Passerella megarrhyncha*.
 Titlark, see *Ammodramus beldingi*.
 Townsend's, see *Passerella unalaschensis*.
 Tree, see *Spizella monticola*.
 Tree (of Europe), see *Passer montana*.
 Venezuelan Striped-crowned, see *Arremonops venezuelensis*.
 Vesper, see *Pooecetes gramineus*.
 Water, see *Porzana noveboracensis*.
 Western Chipping, see *Spizella breweri*.
 Western Field, see *Spizella arenacea*.
 Western Grasshopper, see *Ammodramus perpallidus*.
 Western Henslow's, see *Ammodramus occidentalis*.
 Western Lark, see *Chondestes grammacus*.
 Western Savanna, see *Ammodramus alaudinus*.
 Western Song, see *Melospiza fallax*.
 Western Tree, see *Spizella ochracea*.
 Western Vesper, see *Pooecetes confinis*.
 Western White-crowned, see *Zonotrichia intermedia*.
 Western Yellow-winged, see *Ammodramus perpallidus*.
 White-crowned, see *Zonotrichia leucophrys*.
 White-throated, see *Zonotrichia albicollis*.
 Worthen's, see *Spizella wortheni*.
 Worthen's Field, see *Spizella wortheni*.
 Yakutat Fox, see *Passerella lannectens* [= *unalascheensis*].
 Yakutat Song, see *Melospiza leucoura* [= *rufina*].
 Yellow-winged, see *Ammodramus passerinus*.
 Sparrows, see *Fringillidae*.
 sparveria (*Certhneis*), see *Falco*.

sparverioides (*Certhneis*), see *Falco*.
 — (*Falco*), see *F. sparverioides* or *dominicicensis*.
 — (*Pecilornis*), see *Falco*.
 — (*Tinnunculus*), see *Falco*.
 sparverius (*Falco*), see *F. sparverius*, *deserticolus* or *dominicicensis*.
 — (*Tinnunculus*), see *Falco sparverius*, *deserticolus* or *dominicicensis*.
 — (*Pecilornis*), see *Falco*.
 spatiator (*Grallaria*), see *Grallaria*.
Spatula, '88, 64, '93, 99, 107.
 clypeata ("Shoveller Duck"), *Ariz.* '83, 36, '86, 384, '90, 48, 51, '92, 198^a; *B. C.* '93, 291; *Cal.* '86, 89; *Colo.* '77, 51, '83, 198, '85, 18; *Fla.* '88, 269, '91, 137, '92, 211; *Ga.* '96, 215; *H. I.* 1900, 203^a; *Helg.* '95, 340; *Ida.* '97, 350; *Ind.* '82, 19^a, 22^a, '88, 346; *Jamaica*, '91, 364; *Kan.* '85, 112, '86, 115; *La.* '97, 286; *Man.* '86, 149; *Mass.* '94, 84, '96, 201; *Me.* '81, 187; *Minn.* '80, 19, '84, 248; *Mo.* '79, 147, '95, 10; *Mont.* '88, 17^a; *N. D.* '99, 161^a, 162^a, 165^a; *N. Y.* '81, 234; *Ore.* '79, 198, '88, 142, '91, 366 (fossil), '93, 344 (fossil); *S. C.* '85, 193; *S. D.* '85, 288; *Tex.* '82, 224, '87, 184, '92, 232, 1900, 339; *Wash.* '93, 17, 291; *W. I.* '88, 64; *Wst.* '97, 247, '99, 165^a; *plm.* '86, 384, '91, 190 (alb.); *syn.* '88, 64.
 platalea, *Argent.*, *Urug.*, *hbt.* '84, 274.
Spaulding, Fred Benjamin.
 Cowbird wintering in New Hampshire, '95, 182.
 Leach's Petrel at Lancaster, N. H., '98, 50.
 Species (new), see New Species.
 speciosa (*Columba*), see *Columba*.
 — (*Drymophilida*), see *Drymophilida*.
 — (*Geothlypis*), see *Geothlypis*.
 — (*Xanthoura*), see *Xanthoura*.
 speciosus (*Chrysotilus*), see *C. guttatus*.
 — (*Epimachus*), see *E. magnus*.
 Speckle-cheek, see *Dryobates Bairdi*.
 spectabilis (*Dryocephalum*), see *Dryocephalum*.
 — (*Somateria*), see *Somateria*.
 speculifera (*Symphearia*), see *S. inornata*.
 speculiferus (*Catoptrophorus*), see *Symphearia semipalmata*.
 — (*Chlorospingus*), see *Nesospingus*.
 — (*Nesospingus*), see *Nesospingus*.

— (Totanus). see *Symphearia inornata*.

Spelman, Henry Munson.

Great Carolina Wren (*Thryothorus ludovicianus*) in New Hampshire, '81, 54.

Occurrence of Baird's Sandpiper (*Tringa bairdi*) on New Hampshire coast, '81, 61.

Hudsonian Titmouse in Massachusetts, '81, 114.

Capture of Worm-eating Warbler in Massachusetts, '81, 246.

Dendroica palmarum again in Massachusetts, '82, 54.

Short-billed Marsh Wren in New Hampshire, '82, 118.

Cow Bunting wintering in Massachusetts, '83, 121.

Wintering of the Red-winged Blackbird near Cambridge, Mass., '90, 288.

spengeli (*Psittacula*). see *Psittacula*.

Speotyto, '86, 470, 93, 110, '99, 369.

amaura, *W. I.*, '79, 229, '86, 472,

'91, 47, 349.—*meas.*, *plm.*, '86, 472; *syn.*, '86, 472, '91, 349.

bahamensis, *Bahamas*, '91, 348*,

349, 351.—*syn.*, '93, 70.

brachyptera, *Margarita I.*, '96, 333.

cavicola (^b*bahamensis*), *Bahamas*, 1900, 187^b, 287^a.

cunicularia, *Argent.*, *Urug.*, *hbt.*,

'84, 30.

dominicensis, *W. I.*, '81, 154, '86,

471, '91, 75, 349.—*meas.*, *plm.*, '86,

471, '91, 349; *syn.*, '86, 471; *misc.*

'80, 87.

floridana (^a*Florida Burrowing Owl*), *Bahamas*, '91, 349 [*cavicola?*],

350, 352, '93, 70; *Fla.*, '83, 61^a, '86,

139^a, '89, 249, '92, 1–8, 212, 216, '96,

99–108 (col. pl.), 1900, 287; *g. dist.*

'91, 349, '93, 141.—*fd.*, '92, 1, 8, '96,

99, 105; *hbt.*, '92, 1–8, 216, '96, 99–

108; *meas.*, '91, 349, 1900, 287; *plm.*

'91, 349; *nst.*, '92, 1–8, 216, '96, 99–

108; *syn.*, '93, 70, '96, 108, '97, 134.

hypogaea (^a*Burrowing Owl*, ^b*ob-*

scura), *Ariz.*, '86, 424; *B. C.* 1900,

105; *Cal.*, '86, 93, '89, 221, '90, 297,

'95, 372^{b*}; '96, 117, '98, 187^b, 234;

Colo., '83, 197, '85, 17, 143; *g. dist.*, '93,

134; *La.* 1900, 393; *L. Cal.*, '95, 138;

Mass., '76, 31; *Minn.*, '90, 213, '93,

290; *Mont.*, '95, 214; *Neb.*, '84, 286^a;

N. M., '92, 361, '98, 308; *S. D.*, '85,

284; *Tex.*, '82, 173, '87, 190, '92, 234,

'94, 222, 1900, 343; *Wash.*, '97, 174,

1900, 244.—*anat.*, '80, 129 (3 *pll.*), '81, 109^a, '83, 56, 166, '90, 280; *fd.*, '85, 284, '87, 190, '89, 175; *hbt.*, '85, 284, '87, 190, '89, 177^a; *meas.*, *plm.*, '98, 187^b; *nst.*, '82, 173, '83, 175^a, '85, 284, '86, 93, '87, 190, '91, 109^a, '98, 308, 1900, 244; *song*, '98, 57^a; *syn.*, '97, 135^b, '98, 187^b, '99, 131^b; *misc.*, '83, 175, '90, 85^a.

guadeloupensis, *W. I.*, *meas.*, *plm.*, *syn.*, '86, 471.

obscura, '95, 372^{*}; see *hypogaea*.

rostrata, *Clarion I.*, '98, 318; *L. Cal.*, '91, 305.—*hbt.*, *nst.*, '98, 318; *tolimae*, *Colom.*, '99, 369.

Spermestes, '86, 214.

cucullatus, *W. I.*, '80, 121, '86, 214.—*meas.*, *plm.*, *syn.*, '86, 214.

Spermophila, see *Sporophila*.

Sphecotheres flavigaster, *syn.*, '92, 282.

Spheniscidae, '81, 109.

Spheniscus, '77, 64.

Sphenocichlia, '93, 112.

Sphyrapicus, '86, 375, '88, 214, 218, 332, '95, 187.

nuchalis (^a*Red-naped Sapsucker*, or *Nuchal Woodpecker*), *Ariz.*, '83, 23, '85, 174, '86, 427; *Cal.*, '98, 196; *Colo.*, '79, 95, '81, 141, '83, 196, '85, 17, '94, 268; *g. dist.*, '88, 226–229, '93, 126; *Ida.*, '97, 354; *Kan.*, '84, 100, '86, 114; *Mont.*, '81, 206, '94, 303; *N. M.*, '86, 78, '98, 308; *Tex.*, '94, 222; *Wash.*, 1900, 244.—*anat.*, '88, 214; *fd.*, '83, 23; *hbt.*, '81, 141, '86, 78; *meas.*, '81, 207, '88, 228; *nst.*, '81, 206, '88, 226, 240, '97, 354; *plm.*, '86, 427, '88, 216 (fig.), 217 (fig.), 226, 332.

ruber (*Red-breasted Sapsucker*), *Ore.*, '79, 195, '86, 165; *Cal.*, '87, 91, '96, 85; *g. dist.*, '88, 229–234; *Ore.*, '88, 255, '89, 71; *Wash.*, '93, 17, '97, 175.—*fd.*, '88, 229, 234, 255, '96, 85; *hbt.*, '88, 229; *meas.*, '88, 233; *nst.*, '86, 165, '88, 229, 232, 240, '89, 71; *plm.*, '88, 229, 234, 255; *song*, '88, 229, 231, 233, 255.

thyroideus (*Williamson's Wood-pecker*, ^b*williamsoni*), *Ariz.*, '83, 23, '85, 174, 349, '86, 427, '90, 48, 252; *Cal.*, '78, 67, '87, 75, '96, 85; *Colo.*, '79, 95, '83, 196, '85, 17, '94, 268; *g. dist.*, '88, 235–240, '93, 126; *Ida.*, '98, 22; *Mont.*, '94, 303; *N. M.*, '86, 79, '92, 362, '98, 308; *Ore.*, '88, 255; *Tex.*, '87, 191.—*fd.*, '88, 255, '96, 85; *hbt.*, '88, 228, 235, 255; *meas.*, '87, 76, '88, 239; *nst.*, '88, 235, 238, 240, 255, '91, 108^a, '98, 308; *plm.*, '87, 75, '88, 235,

239, '90, 252; *song.* '88, 235, 238, 239; *misc.* '80, 87^b, '82, 242^b, '83, 23. *varius* (* Yellow-bellied Sapsucker or Woodpecker), *Ala.* '79, 11; *Bahamas*, '91, 75, 294, 296, 297, 297, 338, 399; *Colo.* '85, 17; *Fla.* '88, 271, '89, 251, '90, 310, '91, 138, '92, 213, '95, 365; *Ga.* '96, 213; *g. dist.* '88, 225, '93, 126; *Hud. B.* '90, 322; *Ill.* '81, 122; *Ind.* '89, 22; *Jamaica*, '92, 275, 374; *Ky.* '89, 313; *La.* '88, 325, '92, 205; *Man.* '86, 156; *Mass.* '83, 173, '84, 12^a, 15, '89, 43^a, 99, '95, 301; *Mc.* '82, 150; *Mich.* '93, 224, 1900, 174; *Minn.* '79, 154; *Mo.* '79, 146, '96, 220; *N. B.* '82, 150, '89, 117; *N. C.* '86, 104, '87, 242; *N. D.* '99, 165^a; *N. H.* '88, 151, 154, '89, 76, '91, 257^a; *N. S.* '87, 16, '91, 165; *N. Y.* '78, 53, '79, 1-6, 36, '81, 232, '83, 174, 176^a, '84, 179, '85, 258, 301, '88, 430, '95, 70; *Pa.* '92, 134, 135, '96, 293; *P. E. I.* '93, 9; *Que.* '84, 295; *S. C.* '79, 216, '92, 37^a; *Tenn.* '86, 319; *Tex.* '82, 40, 170, '92, 235; *Va.* '89, 53; *Vt.* '82, 63; *W. I.* '86, 375, '87, 181; *Wis.* '82, 188; *W. Va.* '98, 135.—*anat.* '88, 325^a; *fd.* '76, 63, 69, '79, 1, 36, 111^a, '91, 270^a, '92, 109-119^a, '95, 380; *hbt.* '76, 63-70, '79, 1-6, '84, 86^a, 286^a, '85, 258, '90, 394, '91, 256-270^a, '92, 109-119^a, 1900, 174; *meas.* '76, 69, '88, 225; *mig.* '84, 179, '92, 37^a; *nst.* '76, 63-70, '83, 176^a, '85, 301^a, '88, 225, 240, 430; *plm.* '76, 22 (alb.), '78, 180, '86, 104, '90, 310; *song.* '76, 63, 69, '85, 258; *syn.* '86, 375.

Spider-bird, see *Dendroica aestiva*.
spilonota (*Porzana*). see *Porzana*.
Spilornis, '94, 234.
pallidus, *Borneo*, '91, 13.
spilurus (*Thryomanes*). see *Thryomanes*.
 — (*Thryothorus*). see *Thryomanes*.
Spindalis, '86, 195, '93, 357.
benedicti, *Yucatan*, *syn.* '85, 295.
multicolor, *W. I.* '81, 152, '84, 285, '86, 196, '95, 279.—*meas.*, *plm.*, *syn.* '86, 196.
nigriceps, *Jamaica*, '86, 198, '93, 180, '94, 127.—*fd.* '93, 180; *meas.*, *plm.*, *syn.* '86, 198.
portoricensis, *W. I.*, *meas.*, *plm.*, *syn.* '86, 197.
pretrei, *Cuba*, '86, 196, '92, 272; *meas.*, *plm.*, *syn.* '86, 196.
salvini, *W. I.* '86, 499*, 501, '88, 157.

stejnegeri, *Bahamas*, '91, 348*, 351.
townsendi, *W. I.* '88, 157, 194, '91, 298, 334, 350, 350.
zena, *W. I.* '80, 107, '86, 195, '91, 70, 294, 295, 335, 336, 337, 339, 339, '92, 48, 1900, 293.—*fd.* '91, 70; *meas.* '86, 195; *plm.* '86, 195, '87, 176; *syn.* '86, 195.
spinicauda (*Dafila*), see *Dafila*.
spinoletta (*Anthus*), see *Anthus*.
spinosa (*Anas*), see *Nomonyx dominicus*.
 — (*Asarcia*), see *Jacana*.
 — (*Dendrocygna*), see *Nomonyx dominicus*.
 — (*Fulica*), see *Jacana*.
 — (*Erismatura*), see *E. jamaicensis*.
 — (*Jacana*), see *Jacana*.
Spinus (^b *Pyrrhomitraris*), '84, 360-362, '86, 207^b, '88, 444, '99, 79, 115.
allenii, *Braz.* '99, 37*.
barbatus (^b *Hypacanthis stanleyi*, ^c *Chrysomitraris*, ^d *Chrysomitraris stanleyi*), *N. Am.*, *W. coast*, '77, 92^b?; *Urug.* '83, 132^c.—*hbt.*, *song.* '83, 132^c; *misc.* '80, 88^d.
boliviensis (^b *Chrysomitraris*), *syn.* '88, 412^b.
capitalis (^b *Chrysomitraris*), *syn.* '88, 412^b.
capitaneus, *Colom.* '99, 91.
columbianus, *Venez.* '97, 364.
croceus, *Panama*, '94, 245.
cucullatus (^b *Pyrrhomitraris*), *Venez.* '97, 364; *W. I.* '86, 207^b.—*meas.* '86, 208^b; *plm.*, *syn.* '86, 207^b.
ictericus (^b *Chrysomitraris*), *syn.* '88, 412^b.
longirostris (^b *Chrysomitraris*), *syn.* '88, 412^b.
macroptera, *Mer.* '97, 311*.
notatus (Black-headed Goldfinch, ^b *Chrysomitraris magellanicus*), *syn.* '84, 362, '88, 412; *misc.* '80, 88^b, '81, 167^b.
pallidus, '90, 244*, see *Astragalinus*.
pinus (^a Pine Siskin, Finch or Linnet, ^b *Chrysomitraris*), *Ariz.* '82, 194^b, '87, 199, '90, 49, 258; *Cal.* '78, 66^b, '87, 88; *Colo.* '79, 93^b, '81, 90^b, '83, 161^b, '85, 16^b, 141^b, '87, 124, '94, 269; *Cuba*, '86, 208; *Fla.* '91, 138; *g. dist.* '93, 126; *Ia.* '95, 122, 236; *Ida.* '98, 15; *Ill.* '90, 239; *Ind.* '89, 24; *Ky.* '89, 314; *La.* '88, 325^a; *Man.* '86, 323; *Mass.* '83, 147^a, '88, 426, '89, 43, 100; *Me.* '82, 148^b, '88, 209;

Mich. '93, 225; *Mont.* '82, 62^b, '94, 305; *N. B.* '82, 148^b, '89, 118; *N. C.* '86, 107, '93, 243; *N. F.* 1900, 72; *N. H.* '87, 105, '88, 152; *N. J.* '92, 204; *N. M.* '85, 124^b, 239^a, 333^b; *N. S.* '91, 165, '99, 252; *N. Y.* '79, 33^b, '81, 229^b, '83, 57, 58^b, 176^b, 180, 181^b, '84, 176^b, 177^b, 328^b, '87, 284-286, '90, 231, '95, 70, 1900, 295^a; *O.* '95, 241; *Ont.* '83, 146^b, '84, 160^b; *Ore.* '79, 164^b, '86, 168, '88, 358; *Pa.* '99, 312; *P. E. I.* '85, 264^a, '93, 11; *Que.* '82, 235^b, '89, 148; *S. C.* '79, 214^b, '94, 38^a; *Tex.* '82, 12^b; *Vt.* 1900, 295; *Wash.* '92, 356, '97, 177.—*fd.* '83, 180^b, '84, 160^b, '85, 124^b, 239^a, '87, 199, '88, 426, 1900, 295; *hbt.* '83, 57^b, 161^b, 180^b, '85, 124^b, 239^a, '88, 426, '99, 252, 1900, 295; *meas.* '82, 194^b, '83, 180^b, 181^b, '87, 286, '99, 253; *mig.* '83, 57^b, '84, 176^b, 177^b, '94, 38^a, '95, 122, 236, 241; *nst.* '83, 180^b, '85, 99^b, 210^b, '87, 284, '99, 252; *plm.* '78, 117^b, '82, 194^b, '87, 199, '97, 320 (milt.); *song.* '84, 328^b, '87, 284; *syn.* '80, 96^b [*'spinus*]. '81, 225^b, '84, 362; *misc.* '83, 119^b.

salicamans, '97, 397^a; see *Astragalinus*.

sclateri (^b *Chrysomitris*), *syn.* '88, 412^b.

siemiradzkii (^b *Chrysomitris*), *syn.* '88, 412^b.

spinus, *Helg.* '95, 335.

stejnegeri (^b *Chrysomitris*), *syn.* '88, 412^b.

xanthogaster (^b *Chrysomitris*), *syn.* '88, 412^b.

yarrellii (^b *Chrysomitris*), *misc.* '77, 92^b, '80, 88^b.

spinus (*Chrysomitris*), see *Spinus*.

(*Spinus*), see *Spinus*.

Spitzbergen.

Bendire, C. E., '88, 202-203.

Dalgleish, J. J. '80, 143.

spixi (*Dendroornis*), see *Dendroornis*.

Spiza, '80, 177, '93, 130.

americana (^a *Dickcissel* or *Black-throated Bunting*, ^b *Euspiza*), *Ariz.*

'87, 205; *Colo.* '85, 16; *Colom.* 1900, 365; *C. R.* '90, 334, '92, 248; *D. C.* '88, 23; *Fla.* '82, 250, '89, 324; *Ia.* '95, 123, 235; *Ill.* '90, 243; *Ind.* '82, 17, '89, 25; *Jamaica* '94, 126; *Ky.* '89, 315; *La.* '82, 92, '87, 304; *Mass.* '78, 45^b; *Ill.* '78, 164^b; *Mass.* '78, 190^b, '79, 123^b, '87, 251, '90, 229; *Me.* '85, 106, '93, 302, '94, 79; *Minn.* '80, 15^b; *Mo.* '79, 144^b; *N. E.* '76,

73^b; *N. J.* '91, 395; *N. Y.* '89, 137, '91, 116, '93, 276, '97, 95; *Ont.* '85, 307^a; *Pa.* '79, 235^b; *R. I.* '89, 194; *S. C.* '85, 192, '91, 168, '94, 35^a; *S. D.* '85, 281; *Tex.* '82, 13^b, '87, 294, '89, 240, '92, 339, 1900, 346; *W. I.* '87, 180,—*fd.* '92, 339; *hbt.* '85, 307^a, '87, 294; *meas.* '85, 308; *mig.* '92, 339, '94, 35^a, '95, 123, 128^a, 133^a, 235; *nst.* '78, 45^b, '79, 122^b, '85, 307^a, '90, 243, '92, 234^a; *plm.* '78, 122^b, '79, 41^b, '83, 172; *misc.* '94, 79 (corr.).

townsendi (Townsend's Bunting, ^b *Euspiza*), *misc.* '76, 94^b, '81, 167, '88, 401.

spiza (*Chlorophanes*), see *Chlorophanes*. — (*Cœraba*), eee *Chlorophanes atricapilla*.

— (*Dacnis*), see *Chlorophanes atricapilla*.

— (*Merops*), see *Chlorophanes*.

Spizætus, '94, 233.

ornatus (^b *mauduyti*), *Braz.* '91, 161^b; *C. R.* '92, 328; *W. I.* '93, 220^b.

Spizella, '81, 9, '86, 212.

arenacea (Western Field Sparrow), *g. dist.* '88, 398, 402, '97, 345-347 (col. pl.), '93, 134; *La.* '91, 318; *Minn.* '90, 214 [*pusilla*?]; *Tex.* '86, 248^a, '87, 292, '92, 338 [*pusilla*?]. — *meas.* '88, 403, '97, 346; *nst.* '89, 329, '97, 346; *plm.* '88, 402, '97, 345.

arizonæ (^a Western Chipping Sparrow), *Ariz.* '82, 194, '87, 200, '90, 49, 259, '94, 218^a; *Cal.* '78, 66, '83, 188^a, '86, 182, '87, 330, '89, 223; *Colo.* '79, 93 [*'socialis*]^b, '81, 91, '83, 190, '85, 16, 141, '87, 124; *Ida.* '98, 16; *Mont.* '94, 306, '95, 217; *N. M.* '86, 74, '92, 365, '98, 310; *N. W. T.* 1900, 181; *Ore.* '79, 165, '86, 169, '88, 358; *Tex.* '82, 38, '86, 139, '87, 292, '92, 338; *Wash.* '97, 178,—*hbt.* '87, 200, '97, 178; *meas.* '82, 194; *mig.* '83, 190; *nst.* '79, 93 [*'socialis*]^b, '87, 292; *plm.* '82, 194, '83, 190, '86, 74, '87, 200; *syn.* '83, 190, '90, 191, '97, 178; *misc.* '87, 295.

atrigularis (Black-chinned Sparrow), *Ariz.* '90, 48; *Cal.* '98, 58; *g. dist.* '93, 135; *N. M.* '92, 365.—*plm.* '79, 46.

breweri (^a Brewer's Sparrow), *Ariz.* '82, 194, '94, 218^a, 219^a; *Cal.* '87, 93, '98, 58; *Colo.* '83, 191, '85, 16; *g. dist.* '93, 135; *Mont.* '94, 306, '95, 217; *N. M.* '92, 365; *Ore.* '88, 359; *Tex.* '82, 38, '84, 121^b, '87, 292;

Wash. '97, 178.—*nst.* '95, 217; *plm.* '82, 194 (mlt.); *song.* '88, 359; *syn.* '78, 137; *misc.* '93, 320.

mexicana, *Mex.*, *meas.* '99, 30*.

monticola (^a Tree Sparrow, ^b montana), *Colo.* '81, 91^b [*lochracea?*], '85, 16 [*lochracea?*]; *Conn.* '87, 259; *g. dist.* '93, 126; *Hud. B.* '90, 322; *Ia.* '95, 121, 236; *Ill.* '90, 241; *Ind.* '89, 25; *I. T.* '84, 335^a, 336^b; *Kan.* '87, 11; *Ky.* '87, 122, '89, 315; *Labrador.* '87, 258; *Man.* '86, 323; *Minn.* '79, 153^a; *Mo.* '79, 144, '95, 11^a, '96, 218; *N. B.* '84, 294^a; *N. S.* '99, 253; *N. Y.* '81, 230^b, '84, 177^b '85, 144, '86, 443^a; *O.* '95, 242; *Ont.* '83, 144^a; *P. E. I.* '85, 265^a; *Que.* '84, 295; *S. D.* '85, 280; *Tenn.* '96, 181; *Va.* '82, 48^b.—*mig.* '84, 177^b, '95, 121, 236, 242; *plm.* '76, 21 (alb.); *song.* '85, 144, '87, 122; *syn.* '80, 177^b.

ochracea (^a Western Tree Sparrow, ^b *monticola*, ^c *montana*), *Alas.* '80, 35^b, '81, 2^a, 5^a, '87, 12, 258; *Colo.* '81, 91^c, '85, 16^b, '87, 122; *g. dist.* '82, 228^b, '93, 126; *Ida.* '98, 16; *Kan.* '87, 10, 258; *Mont.* '94, 301, '95, 217; *N. M.* '85, 236; *Ore.* '88, 367; *Tex.* '86, 139, '87, 299; *Wash.* '82, 227, 1900, 245.—*hbt.* '81, 2^a; *meas.* '82, 228; *plm.* '87, 10, 258; *song.* '80, 35^b, '87, 122.

pallida (^a Clay-colored Sparrow or Bunting), *Ariz.* '87, 93, 200; *Colo.* '81, 138, '83, 191, '85, 16, 141; *g. dist.* '93, 134; *Ill.* '90, 76, 242; *Man.* '85, 268 [*Shattuck Bunting?*], '86, 324; *Minn.* '79, 154, '80, 15; *Mont.* '95, 217; *Mo. River.* '95, 227^a; *N. C.* '88, 311 [*pusilla?*], '98, 275 [= *Melospiza georgiana*]; *Neb.* '85, 280; *N. M.* '92, 365; *N. W. T.* 1900, 181; *S. D.* '85, 280; *Tex.* '82, 13, '87, 292, '92, 338, 1900, 346.—*song.* '88, 359.

pinetorum, *syn.* '99, 30.

pusilla (^a Field Sparrow), *Ala.* '79, 9; *Conn.* '87, 259; *D. C.* '88, 22; *Fla.* '88, 274, '89, 323, '92, 213, '93, 337, '95, 365; *Ga.* '96, 214; *g. dist.* '93, 133; *Ia.* '95, 122, 236; *Ill.* '90, 242; *Ind.* '82, 18-21, '89, 25; *I. T.* '83, 335^a; *Ky.* '89, 315; *La.* '87, 304; *Man.* '86, 324; *Mass.* '78, 191, '81, 116, '84, 8^a, '88, 389, '89, 42^a, 45-101, '93, 205, '95, 188, '99, 196^a; *Mich.* '93, 226; *Minn.* '90, 214; *Miss.* '82, 91, '99, 269; *Mo.* '79, 144, '96, 222; *N. C.* '86, 108, 308^a, 310^a, 314, '89, 121; *N. E.* '76, 73, '77, 15; *N. H.*

'88, 150, 152, '89, 77, 78; *N. J.* '89, 303, '92, 204, '94, 139; *N. Y.* '81, 230, '83, 53^a, '85, 145, '86, 442; *O.* '95, 242; *Ont.* '87, 248^a; *Pa.* '89, 142^a, '92, 137, '93, 40, '96, 283, 294, '98, 330; *Que.* '89, 148; *S. C.* '79, 214, '90, 124, '91, 329, '92, 31^a; *S. D.* '85, 280; *Tenn.* '86, 318, '87, 131; *Tex.* '82, 13, 38, '87, 292, '92, 338, 1900, 346; *Va.* '82, 48^a; *Wis.* '82, 188; *W. Va.* '98, 136.—*meas.* '86, 249, '97, 346; *mig.* '89, 142^a, '92, 31^a, '95, 122, 128^a, 236, 242, '99, 196^a, 275; *nst.* '81, 116, 230, '82, 18, '89, 148, '96, 294, '98, 330; *plm.* '76, 21 (all.), '78, 121; *song.* '81, 116, '82, 21, '84, 70^a, '85, 145, '86, 108, '90, 199.

socialis (^a Chipping Sparrow or Chipping-bird, ^b *domestica*), *Ala.* '79, 9; *B. C.* '93, 16?; *Colo.* '79, 93 [*arizone?*], '80, 230, '81, 91, '86, 284, '87, 264; *Conn.* '94, 256; *Cuba.* '86, 212; *D. C.* '88, 22, '92, 307; *Fla.* '88, 274, '89, 323, '92, 213, '93, 337, '95, 365; *Ga.* '96, 214; *Ia.* '95, 122, 236; *Ill.* '90, 241; *Ind.* '89, 25; *Ky.* '89, 315; *La.* '87, 304; *Man.* '86, 323; *Mass.* '88, 389, '89, 45, 101, '92, 72, '95, 305, '99, 196^a; *Mc.* '82, 148; *Mich.* '93, 226; *Miss.* '99, 269; *Mo.* '79, 144; *Mont.* '82, 62; *N. B.* '82, 148, '89, 118; *N. C.* '86, 108, '89, 120; *N. H.* '88, 150, 152, 154, '89, 77, 78; *N. J.* '80, 134^a, '94, 139, '96, 263; *N. M.* '99, 189; *N. S.* '87, 15^a, 16, '91, 165; *N. Y.* '79, 32, '81, 230^b, '82, 188, '84, 175^b, '85, 145^b; *O.* '82, 46, '95, 242; *Ont.* '87, 248 [*'Chippy'*]; *Pa.* '89, 142^a, '92, 137, '93, 40, 44, '95, 182, '96, 283, 294; *P. E. I.* '93, 12; *S. C.* '79, 214, '89, 197, '90, 124, '91, 328, '99, 197^a; *S. D.* '85, 280^b; *Tenn.* '86, 318, '87, 131; *Tex.* '82, 13, '84, 122, '87, 292, '92, 338; *Va.* '82, 48^a, '85, 380, '94, 328; *I. T.* '98, 241^a; *Wash.* '93, 16?; *Wis.* '82, 188; *W. Va.* '98, 136.—*anat.* '89, 181^b; *fd.* '94, 256, 328, '99, 362^a; *hbt.* '84, 190^a, '85, 380, '94, 256, 328, 1900, 300 [*'Hair-bird'*]; *meas.* '92, 395; *mig.* '80, 134^a, '84, 175^b, '89, 142, '95, 122, 128^a, 236, 237^a, 242, '99, 196^a, 197^a, 198, 269; *nst.* '87, 247 [*'Chippy'*], '92, 395, '94, 256, 328, '95, 182, 305, '96, 263, 294; *plm.* '76, 21 (all.), '78, 121; *song.* '80, 230, '85, 145^b, '89, 197; *syn.* '86, 212; *misc.* '81, 179

- [‘Chippy’], '85, 106^a, '86, 475^a, '91, 387^a, '94, 69.
wortheni (Worthen’s Sparrow), *N. M.* '85, 291.—*meas.*, *plm.* '86, 249.
splendens (Volatinia), see Volatinia.
splendidus (Chlorostilbon), see *C. aurulentus*.
Spodiopsar, '91, 92.
sodocephala (Eucometis), see Eucometis.
sponsa (Aix), see Aix.
 — (Anas), see Aix.
 — (Dendrocygna), see Aix.
Spoonbill, see *Spatula clypeata*.
Roseate, see *Ajaja ajaja*.
Spoonbills, see *Plataleidae*.
Sporadinus, '86, 357.
elegans, *W. I.* '81, 153, '86, 357.—
meas., *plm.*, *syn.* '86, 357.
maugaei, *W. I.* '86, 359, '92, 229.—
meas., *plm.*, *syn.* '86, 359.
ricordi, *Bahamas*, '86, 358, '91, 74, 298, 300, 334, 350, 350; *Cuba*, '86, 358.—*hbt.* '91, 387; *meas.*, *plm.*, *syn.* '86, 358.
Sporathraupis (^b*Hemithraupis*), '98, 226^a, 331^a.
cyancephala (^b*Aglaias*), '98, 226^a, 330.
Sporophila, '84, 47, 53, '85, 47.
æquatorialis (^b*Spermophila*), *Ecuador*, 1900, 81^b.
albigularis (^b*Spermophila*), *syn.* '89, 53^b.
albitorques (^b*Spermophila*), *Mex.* '88, 411^b.
cærulescens (^b*Spermophila*), *Urug.*, *hbt.*, *mig.*, *nest.* '83, 92^b.
castaneiventris, *Braz.* '90, 268.
colombiana (^b*Spermophila*), *syn.* '88, 412^b.
corvina, *Nicar.* '95, 20.
cucullata (^b*Spermophila*), *syn.* '88, 412^b.
grisea, *Venz.* '97, 364.
gutturalis (^b*Spermophila*), *Venez.* '97, 364; *W. I.* '88, 158^b.
hypoxantha, *plm.* '83, 93.
lineata (^b*Spermophila*), *Braz.* '90, 268; *W. I.* '93, 220^b.
minuta, *Braz.* '90, 268; *Venez.* '97, 364.
palustris (^b*Spermophila*), *Urug.*, *hbt.*, *meas.*, *plm.*, *song.* '83, 92^b.
parva (^b*Spermophila*), *Mex.* '84, 387^b.—*plm.* '89, 54^b; *syn.* '88, 402^b, 412^b; '89, 53^b, 54^b.
plumbea (^b*Spermophila*), *syn.* '88, 412^b.

- polionota* (^b*Spermophila*), *syn.* '88, 412^b.
sharpei (^a*Sharpe’s Seed-eater*, ^b*Spermophila moreletti*, ^c*moreletti*), *C. R.* '92, 27^c; *g. dist.* '88, 412^b, '89, 53, '93, 141; *Tex.* '77, 110^b; *plm.* '89, 53; *syn.* '85, 47^b, '88, 402^c, 412^b, '89, 53.
torqueola (^b*Spermophila*), *misc.* '88, 411^b.
trinitatis, *W. I.* '97, 362.
whiteleyana (^b*Spermophila*), *syn.* '88, 412^b.
Sprague, Ulrich Wellington.
 Dwarf Thrush in Colorado, '96, 85.
spragueii (*Anthus*), see *Anthus*.
 — (*Neocorys*), see *Anthus*.
Sprigtail, see *Dafila acuta*.
Spring-bird, see *Parus bicolor*.
spurius (*Icterus*), see *Icterus*.
 — (*Oriolus*), see *Icterus*.
squamata (*Callipepla*), see *C. squamata* or *castanogastris*.
 — (*Claudia*), see *Claudia*.
 — (*Drymophilus*), see *Drymophilus*.
squamatus (*Cypselus*), see *C. squamata*.
 — (*Ortyx*), see *Callipepla*.
squamosa (*Scardafella*), see *Scardafella*.
Squatarola, '96, 65, '97, 103, 126.
squatarola (^a*Black-bellied Plover*, ^b*Charadrius helvetica*, ^c*helvetica*, ^d*Charadrius*), *Alas.* '85, 63^c; *Bahamas*, '91, 76^d; *Cal.* '86, 92^d; *Colo.* '86, 285^d, '94, 183^d; *Fla.* '81, 18^b, '87, 219^d, 270^a, '89, 158^d, '92, 212^d; *g. dist.* '93, 123^d; *Helg.* '95, 338^d; *Hud.* '90, 321^d; *Ida.* '97, 351; *Ill.* '96, 181^d; *Ind.* '97, 228; *Jamaica*, '92, 14^d, '94, 123^d; *La.* '97, 289; *Man.* '86, 152^d; *Mass.* '92, 143–152^d, 300^a, 306^d, '93, 294^d, 370^d, '94, 225^d, '96, 182^d, '97, 213, 228, '98, 88; *Miss.* '90, 297^d; *N. C.* '99, 246^b; *Neb.* '85, 32^c; *N. J.* '79, 224^b; *N. M.* '92, 360^d; *N. S.* '85, 41^a; *N. Y.* '82, 256^c, '90, 230^d, 1900, 178; *Pa.* '99, 310^d; *P. E. I.* '93, 79^d; *Que.* '82, 238^c; *S. D.* '85, 285^c; *Siberia*, 1900, 309^a; *Tex.* '87, 186, '88, 110^d; *W. I.* '87, 227^d; *anat.*, *fd.* '92, 143^d, 146^d, '93, 27^d, 370^d; *hbt.* '92, 143–152^d, '93, 28^d, 293^d, 293^d; *mig.* '85, 63^c, '87, 219^d, '92, 143^d, 148^d, 151^d, '93, 247^d, '94, 225^d, '96, 91^a, '97, 213; *plm.* '86, 413^a, '92, 143^d, '96, 86^a (*mlt.*), '99, 306, 1900, 297^d (*mlt.*), 370^d (*mlt.*), 371^d, 374^d, 383–385^d; *song.* '92, 143^d, 150^d; *syn.* '87, 227^d,

- '96, 65^c, '97, 126; *misc.* '92, 300^a
(corr.), '93, 295^d, 296^d, '98, 88,
1900, 70^a.
- squatarola (*Charadrius*), see Squatarola.
— (*Squatarola*), see Squatarola.
— (*Tringa*), see Squatarola.
- squatarolus (*Vanellus*), see Squatarola.
- Squaw, Old, see Harelda hyemalis.
- Squawk, see *Nycticorax nevius* or *Ardea virescens*.
- Stachyris nigricollis**, *Bornco*, *syn.* '90,
350.
- stagnatilis (*Totanus*), see Totanus.
- Stake-driver, see *Botaurus lentiginosus*.
- Standard Dictionary.
[Ornithology in] (rev.), '95, 375-377.
- Standard Natural History.
Vol. iv, Birds (rev.), '86, 473.
- stanleyi (*Chrysomitris*), see *Spinus barbatus*.
— (*Hypacanthus*), see *Spinus barbatus*.
- Stannis**, J. A.
Rough-winged Swallow in Connecticut, '79, 119.
- stapazina (*Saxicola*), see *Saxicola*.
- Stark**, Arthur Cowell.
Birds of South Africa, vol. i (rev.),
1900, 189.
- Starling, see *Sturnus vulgaris*.
Red-winged, see *Agelaius phoeniceus*.
- Starlings, see *Sturnidae*.
- Starnænas**, '87, 119, '92, 174.
cyanopephala (Blue-headed Quail-Dove, *Cuba*, '99, 271, 272; *Jamaica*, '92, 125; *H. I.* '87, 120.—*meas.* '87, 120; *plm.* '87, 120, '91, 190 (alb.), '99, 320; *syn.* '87, 120).
- Status (and diagnoses of species).
Anthony, A. W., '94, 210, '95, 280.
Bangs, O., 1900, 126.
Bendire, C. E., '94, 130.
Bishop, L. B., 1900, 113.
Brewster, W., '81, 91, 101, 218, '82,
27, '83, 95, 214, '86, 261, 389, '89,
285, '95, 157.
Chapman, F. M., '90, 9, '96, 1, '99, 1.
Cory, C. B., '91, 37, 41, 348.
Coues, E., '97, 272.
Dutcher, W., '91, 201, '94, 4.
Dwight, J., Jr., '87, 232, '90, 138, '91,
290.
Eames, E. H., '89, 305.
Elliot, D. G., '77, 97, '88, 288, '90,
161, '92, 218, '93, 51, 184.
Goss, N. S., '84, 163.
Hasbrouck, E. M., '89, 167, '91, 174,
369, '93, 250.
- Henshaw, H. W., '78, 3, 11, '79, 134,
155, '81, 214, '84, 254.
Howe, R. H., Jr., 1900, 18.
Jeffries, W. A., '79, 103.
Lawrence, N. T., '80, 154.
Lawrence, G. N., '89, 53.
Mearns, E. A., '92, 252.
Nelson, E. W., '84, 165, 1900, 120.
Oberholser, H. C., '96, 314, '97, 186,
390, '99, 31, 330.
Palmer, W., '98, 244, 1900, 216.
Rhoads, S. N., '93, 238, '93, 321.
Richmond, C. W., '95, 144.
Ridgway, R., '80, 138, 157, '84, 161,
239, 252, 253, '85, 165, 167,
169, 359, 363, '88, 460, '94, 145,
193, '95, 319.
Scott, W. E. D., '89, 243.
Sennett, G. B., '89, 161.
Stejneger, L., '87, 30, 144, '93, 181.
Stone, W., '91, 344, '96, 153.
- Stearns**, Winfred Alden.
Capture of Northern Phalarope (*Lobipes hyperboreus*) in Massachusetts, '80, 122.
List of birds of Fishkill, New York (rev.), '80, 233.
Colymbus septentrionalis again on the Hudson, '80, 242.
Herodias egretta at Amherst [Mass.], '83, 243.
Notes on natural history of Labrador (rev.), '84, 284.
- Stearns**, W. A., and **Coues**, Elliott.
New England bird life (rev.), '81,
236-240, '83, 161-164.
- Stearns's Bulletin of Massachusetts Natural History, titles (Nos. 776-782), '85, 209.
- Stearornis**, '81, 37, 74, '86, 449, '96, 63.
caripensis, *Venez.* '97, 366, 371.
Stearornitha, '81, 37, 75, '93, 67.
- Steere**, Joseph Beal.
Birds of Ann Arbor, Michigan (rev.), '81, 46.
Distribution of genera and species of non-migratory land birds in the Philippines, '94, 231-240 (map).
- steerii (*Melanopitta*), see Pitta.
— (*Pitta*), see Pitta.
- Steganopodes**, '81, 30, 77, 83, '83, 232,
'84, 383, '89, 333, '93, 106, '94, 337,
'99, 201.
- Steganopus**, '84, 367, '93, 108, '96, 65,
'97, 126.
tricolor (^a Wilson's Phalarope,
^b wilsoni, ^c *Phalaropus*), *Alriz*, '86,
386^c; *Colo.* '85, 18^b, '91, 108^a; *Kan.*
'83, 187^a bis, '87, 8^c; *Ky.* '89, 312^c;

Man. '86, 151^c; *Minn.* '80, 18^b; *Mont.* '89, 336^c, '95, 213^c; *N. J.* '98, 268; *N. Y.* '84, 33^b, '85, 273^b, '86, 436^c, '88, 177^c; *Ore.* '79, 197^b, '88, 144^c; *Que.* '82, 238^b; *R. I.* '80, 237^b, '87, 73; *S. D.* '85, 286^b; *Tex.* '87, 185^c; *Wyo.* '83, 240^a.—*hbt.* '76, 71^a, '77, 38-43^b, 75^b, '89, 336^c, '93, 293^c; *mig.* '94, 110^b; *nst.* '85, 286^b, '87, 8^c, '88, 144^c; *plm.* 1900, 370^c (mlt.) ;*syn.* '84, 367, '85, 183^c, '97, 126.

Stejneger, Leonhard.

Some generic and specific appellations of North American birds (rev.), '82, 178-179.

Description of two new races of *Myadestes obscurus* (rev.), '83, 170.

Synopsis of the West Indian *Myadestes* (rev.), '83, 170.

Outlines of monograph of the *Cygninae* (rev.), '83, 231.

Dendrocopos purus, a new species of Woodpecker from Kamtschatka, '84, 35.

Contributions to the history of Commander Is., No. 1. Notes on natural history (rev.), '84, 81.

Changes in ornithological nomenclature—a reply to critics, '84, 114-120.

Notes on the genus *Acanthis*, '84, 145-156.

Analecta ornithologica, '84, 166-173, 225-236, 358-367, '85, 43-52, 178-188, 337-343.

Remarks on the systematic arrangement of the American Turdidae (rev.), '84, 181.

A new subspecies of Willow Grouse from Newfoundland, '84, 369.

Use of trinomials in American ornithology (rev.), '84, 381.

Ueber einige Formen der Untergattung *Anorthura* (rev.), '85, 94.

A brief review of Lagopodes belonging to group *Attagen* (rev.), '85, 94.

Diagnoses of new species of birds from Kamtschatka and the Commander Is. (rev.), '85, 95.

Die wichtigste ornith. Publicationen aus den Vereinigten Staaten. 1883 bis 1884 (rev.), '85, 95.

Remarks on species of the genus *Cephus* (rev.), '85, 294.

Results of ornith. explorations in the Commander Islands and in Kamtschatka (rev.), '85, 319, '86, 126-129.

On the alleged occurrence of the Pacific Eider in Labrador, '85, 386.

see Grieve, S., 'Great Auk' (rev.),

'86, 262-265.

see Meves, W., 'die Grösse und Farbe der Augen aller Europäischen Vögel' (rev.), '86, 265.

Notes on some apparently preoccupied ornithological generic names (rev.), '86, 269.

see Madarász, J. von. 'Zeitschrift für Ornithologie' (rev.), '86, 398.

see Shufeldt, R. W., 'osteology of Trochilidae, etc.' (rev.), '86, 404.

The Standard Natural History—Birds (rev.), '86, 473.

Further notes on genus *Acanthis*, '87, 30-35.

see Pleske, T., 'Säugetiere und Vögel der Kola-Halbinsel' (rev.), '87, 61.

see Brooks, W. E., 'stray ornithological notes' (rev.), '87, 63.

see Brooks, W. E., 'genus *Acanthis*' (rev.), '87, 63.

Review of Japanese birds (rev.), '87, 63, 249, 343, '88, 195, '89, 173, '90, 276.

The British Marsh-Tit (rev.), '87, 64. *Brachyrhamphus perdix* and its allies (rev.), '87, 65.

Supplementary notes on genus *Acanthis*, '87, 144.

Status of *Synthliborhamphus wumizusumi* (rev.), '87, 155.

Classification of the Macrochires, '87, 170.

Notes on species of Australian genus *Pardalotus* (rev.), '87, 249.

Turdus alpestris and *Turdus torquatus* (rev.), '87, 249.

Collection of birds made by Namiye in Liu Kiu Is., Japan, with descr. of new species (rev.), '87, 250.

[Dating of] Proceedings of U. S. National Museum, '87, 270.

see Olphe-Galliard, L., 'faune ornith. de l'Europe occidentale' (rev.), '87, 336.

Hawks and Owls—letter (rev.), '87, 338.

Propatagialis cucullaris, '88, 120-123.

Systematic name of the Kamtschakan and Japanese Carrion Crow (rev.), '88, 196.

Further contributions to avifauna of the Liu Kiu Is., Japan (rev.), '88, 196.

Collection of birds made by Namiye,

- in the Islands of Idzu, Japan (rev.), '88, 196.
- Birds of Kauai I., Hawaiian Archipelago, collected by Knudsen, with descr. of new species (rev.), '88, 196.
- Notes on *Psittirostra psittacea* from Kauai, H. I. (rev.), '88, 197.
- Revised cat. of birds of Commander Islands (rev.), '88, 197.
- Notes on the northern palearctic Bullfinches (rev.), '88, 197.
- see Palinén, J. A., Bidrag till kännedom om Sibiriska Ishafskustens fogelfauna, etc. (rev.), '88, 306-311.
- Obituary of Henry James Stovin Prysor, '88, 332.
- Obituary of Modest N. Bogdanow, '88, 333-335.
- The proper name for genus *Melanipitta* of Schlegel, '89, 79.
- Type-specimen of *Euryzona curizonoides* (rev.), '89, 173.
- Notes on European Marsh-tits (rev.), '90, 275.
- Notes on the European Crested Tit-mice (rev.), '90, 275.
- Further contributions to the Hawaiian avifauna (rev.), '90, 275.
- Third collection of birds made in Kauai, H. I. (rev.), '90, 275.
- see Seebold, H., 'birds of Japanese Empire,' '91, 99-101.
- see Wilson, S. B., 'Aves hawaienses,' '92, 63-64.
- Obituary of Thomas Wright Blakiston, '92, 75.
- Notes on Japanese birds in Science College Museum, Tokyo, Japan (rev.), '92, 176.
- Notes on cubital coverts in Birds of Paradise and Bower Birds (rev.), '92, 176.
- Supplementary remarks on genus *Pitta*, '93, 181-184.
- Two additions to Japanese avifauna including descr. of a new species (rev.), '93, 346.
- Status of Gray Shrike collected in Yezo, Japan (rev.), '93, 346.
- Notes on a third instalment of Japanese birds in Science College Museum, Tokyo, Japan (rev.), '94, 170.
- Obituary of Pierre L. Jouy, '94, 262.
- Description of a new species of Guillemot from Kuril Is. '97, 200.
- Ross's Gull (*Rhodostethia rosea*) on Bering I. '98, 183.
- Obituary of Anders Johan Malmgren, '98, 214.
- Obituary of F. G. H. A. Mosjisovics von Mojsvár, '98, 215.
- Birds of the Kurile Islands (rev.), '99, 205.
- Stejneger, L., and Lucas, F. A. Contributions to history of Pallas' Cormorant (rev.), '90, 276.
- Stejneger, L., and Ridgway, R. Descr. of birds from Commander Islands and Petropavlovski (rev.), '84, 82.
- stejnegeri (Chrysomitrus), see Spinus.
- (Oidemia), see Oidemia.
- (Spindalis), see Spindalis.
- (Spinus), see Spinus.
- Stelgidillas, 1900, 187.
- Stelgidopteryx, '93, 111, '95, 373.
- ruficollis (^b Cotyle), *Urug.*, mig., nst. '83, 90^b.
- serripennis (^a Rough-winged Swallow, ^b Hirundo, ^c Cotyle), *Ala.* '79, 7; *Ariz.* '82, 146, '88, 31, '90, 48, '94, 218^a; *Cal.* '86, 183, '89, 223; *Colo.* '83, 160, '85, 15, 141; *Conn.* '77, 21, '79, 119^a, 1900, 389; *C. R.* '90, 335, '92, 22; *D. C.* '88, 23, '92, 307; *Fla.* '89, 326, '92, 213, '95, 365; *Ga.* '83, 39, '96, 214; *Ill.* '78, 164; *Iud.* '89, 26; *Ky.* '89, 315; *La.* '82, 162, '87, 302^a, 304; *Mass.* '93, 50, '95, 392; *Mich.* '93, 227; *Mo.* '79, 143, '90, 81^a; *Mont.* '94, 308; *N. C.* '86, 111, '93, 243; *N. J.* '94, 139; *N. Y.* '78, 46, 130, '79, 175, '81, 126, '89, 199, '93, 369^a, '97, 408; *O.* '80, 233^a, '89, 201; *Ont.* '84, 85^a, '87, 248^a; *Ore.* '88, 360; *Pa.* '76, 9-11^b; *S. C.* '79, 213, '90, 125, '95, 184; *S. D.* '85, 279; *Tenn.* '86, 317; *Tex.* '82, 12, 37, '84, 121^a, '92, 340, 1900, 347; *Wash.* '92, 46^a, 356.—*hbt.* '76, 9^b, '77, 74^c; *nst.* '76, 9^b, 96, '82, 12, '83, 39, '86, 111, '87, 248^a, 302, '88, 23, 360, '90, 81^a, '93, 369^a, '95, 86, 374 (mlt.), 392, '97, 408, 1900, 389; *plm.* '82, 146, '91, 387^a; *misc.* '95, 375^a.
- uropygialis, *Venz.* '97, 364.
- Stelgidostomus, '98, 226*.
- Stellaria, see Enicocetta.
- stellaris (Botaurus), see Botaurus.
- (Cistothorus), see Cistothorus.
- stellata (Ceryle), see C. torquata.
- stelleri (Cyanocitta), see Cyanocitta.
- (Cyanurus), see Cyanocitta stelleri or macrolopha.

— (Eniconetta), see Eniconetta.
 — (Lampronetta), see Eniconetta.
 — (Polysticta), see Eniconetta.

Stellula, '93, 62.

calliope (Calliope Hummingbird,
^b Trochilus), *Ariz.* '86, 431^b; *Cal.*
 '87, 88^b, '97, 92; *Ida.* '97, 355; *Mont.*
 '83, 59, '94, 304; *N. M.* '86, 78, '92,
 363^b, '93, 314; *Ore.* '79, 195, '88,
 257^b; *Tex.* '91, 115^b [not 'Trocillus
 heloisa'] ; *Wash.* '92, 44^b.—*fd.* '93,
 314; *hbt.* '77, 74, '86, 78, '88, 257^b;
meas., *nst.*, *plm.*, *song.* '88, 257^b;
syn. '91, 88, '93, 62.

Stenopsis, '86, 343.

cayennensis, *W. I.*, *meas.*, *plm.*,
syn. '86, 343.

Stephanophorus leucocephalus, *Urug.*,
hbt., *song.* '83, 90.

Stephens, Frank.

Vireo vicinior in California, '78, 42.
 Notes on a few birds observed in
 New Mexico and Arizona in 1876,
 '78, 92–94.

Nesting of *Butco zonocercus* in New
 Mexico, '79, 189.

A California bird-wave, '83, 188.
 Collecting in the Colorado Desert—

Leconte's Thrasher, '84, 353–358.

Notes of ornithological trip in Ari-
 zona and Sonora, '84, 225–231.

New Vireo from California, '90, 159.

Notes on birds observed in the Col-
 orado Desert in winter, '90, 296.

Notes on *Syrnium occidentale*, '92,
 392.

Notes on Cassin's Auklet, '93, 298–
 300.

Notes on California Vulture, '95, 81.

Vernacular names, '95, 194.

Descriptions of two new subspecies
 of California birds, '95, 371.

stephensi (Vireo), see Vireo.

— (Passerella), see Passerella.

Stephenson, Louise McGowen.
 [Bird protection in Arkansas], '98,
 102–106, '99, 70.

Stercorariidae (^a Jaegers), '93, 106, '96,
 160, 1900, 309^a.

Stercorariinae, '77, 23.

Stercorarius, '77, 24, '88, 197, '98, 317.

longicaudus (^a Long-tailed Jaeger,
^b buffoni, ^c crepidatus), *Alas.* '85, 63^c,
 158; *Arctic Am.* '78, 86; *B. C.* 1900,

104; *Cal.* '95, 379; *g. dist.* '93, 123;
Helg. '95, 341; *Ill.* '80, 31^b; *N. E.*
 '84, 237^b; *I. t.* '84, 97^b.—*hbt.* '84,
 237^b; *mig.* '84, 237^b, '85, 63^c; *syn.*
 '82, 179, '94, 385, '96, 161^a.

parasiticus (^a Parasitic Jaeger, or
 Richardson's Skua), *Alas.* '85, 63,
 158; *Arctic Ocean*, 1900, 309^a; *Cal.*
 '85, 232, '86, 88, '94, 96^a; *Colo.* '79,
 114; *Fla.* '89, 160, '92, 211, 214; *g.*
dist. '93, 123; *Grenl.* '89, 213;
Helg. '95, 341; *Hud. B.* '90, 320;
Mass. '87, 71; *N. C.* '99, 249; *N. E.*
 '84, 237^a; *N. F.*, *Grand Banks*, '79,
 128; *N. Y.* '89, 125; *O.* '96, 171;
Que. '82, 240; *Siberia*, '88, 197;
Wash. '94, 73; *W. I.* '92, 289.—*fd.*
 '87, 71, '89, 125, '96, 171; *hbt.* '84,
 237^a, '87, 71, '89, 125; *meas.*, '94, 237^a, '85,
 63, '94, 96^a; *plm.* '80, 30 (alb.), '87,
 71, '94, 73; *syn.* '82, 179, '88, 197
(mlt.), '96, 161.

poromarinus (^a Pomarine Jaeger, or
 Skua), *Alas.* '85, 63; *Cal.* '95, 96^a; *g.*
dist. '93, 123; *Helg.* '95, 341; *Hud.*
B. '90, 320; *Ill.* '76, 41, '95, 379;
Mass. '83, 244^a, '87, 71; *N. E.* '84,
 237^a; *N. F.*, *Grand Banks*, '79, 127,
 128; *N. J.* '79, 227; *N. Y.* '89, 125;
Que. '82, 240.—*fd.* '87, 71, '89, 125;
hbt. '84, 237^a, '87, 71, '89, 125; *mig.*
 '84, 237^a, '85, 63, '94, 96^a, 97^a; *plm.*
 '87, 71; *syn.* '84, 173.

Stereornithes, '96, 61, 62, 63.

Sterna, '77, 24, 141, '84, 144, '88, 76,
 93, 90, '97, 314.

acutifrons (^a Cabot's or Sandwich
 Tern, ^b cantica), *Bahamas*, '91, 351;
Fla. '87, 274, 278, 279^a, 282, '88,
 374, '92, 211; *Ga.* '83, 43; *Jamaica*,
 '91, 362, '94, 120; *N. E.* '79, 14^b;
Ont. '84, 186^b; *Tex.* '82, 225; *W. I.*
 '88, 77, '91, 46.—*hbt.* '87, 278; *mig.*
 '88, 374; *nst.* '82, 225, '83, 43; *plm.*
 '87, 278, '88, 374; *syn.* '78, 142^b, '84,
 385, '88, 77; *misc.* '88, 376^a.

aleutica (Aleutian Tern), *Alas.*
 '80, 33; *g. dist.* '93, 123.—*syn.* '78,
 143.

anæthetus (Bridled Tern), *Bahamas*,
 '91, 80, 1900, 284; *Europe*, '80,
 67; *Fla.* '86, 131; *G. Br.* '80, 220;
Jamaica, '91, 360, '94, 119; *S. C.* '86,
 131; *W. I.* '80, 107, '87, 96, '88, 77,
 '91, 48.—*hbt.* '91, 360; *meas.* '88, 78,
 '91, 361; *nst.* '91, 360, '94, 119; *plm.*
 '88, 77; *syn.* '78, 143, '88, 77, '99,
 128.

antillarum (^a Least Tern, ^b super-
 ciliosa), *Argent.* '84, 316^b; *Bahamas*,
 '91, 80, 351, 352; *Cal.* '84, 294^a; *Colo.*
 '94, 183; *Colo. River*, '77, 96^a; *Fla.* '81,
 21^b, '87, 138^a, 274, 277^a, 278^a, '88,

375, '90, 306, '92, 211; *Ga.* '83, 43; *Jamaica*, '91, 362; *Kan.* '86, 115; *Mass.* '95, 34, '97, 386, 402, '99, 259-266; *Miss.* '82, 94, '90, 410^a; *Mo.* '98, 27; *N. E.* '79, 15; *N. J.* '79, 227, '90, 327; *N. Y.* '99, 284; *Orc.* '88, 141; *S. D.* '85, 289; *Tex.* 1900, 338; *Va.* '76, 28, '94, 259; *W. I.* '81, 155, '88, 79, '91, 46, 48.—*hbt.* '79, 15; *mig.* '98, 27; *nst.* '79, 15, '83, 43, '87, 278^a, '90, 410^a, '95, 34, 44^a, '97, 386, 402; *plm.* '87, 278^a (mlt.), '88, 375, '91, 387^a; *syn.* '78, 143, '88, 79; *misc.* '87, 276, '97, 23.

caspia (^a Caspian Tern, ^b imperator, ^c tschegraya), *Cal.* '81, 124; *Fla.* '80, 64, '92, 211^c; *Helg.* '95, 341^c; *Mass.* '94, 85^a; *Me.* '80, 64; *Mich.* '93, 222^c; *N. E.* '79, 14; *N. Y.* '84, 34, '95, 313^c, '99, 190, 193; *O.* '83, 62; *Pa.* '89, 198^c; *Tex.* '79, 51^b, 1900, 338; *Va.* '79, 243, '80, 64, 221-223, '81, 63.—*hbt.* '80, 221; *mcas.* '80, 222, '81, 63; *nst.* '79, 243, '80, 221, '81, 63; *plm.* '79, 243, '80, 221; *song.* '80, 221, '84, 34; *syn.* '78, 143, '97, 314, '99, 99.

dougalli (^a Roseate Tern), *Bahamas*, '91, 351, 1900, 284; *Fla.* '88, 375, '92, 211; *Helg.* '95, 341; *Jamaica*, '91, 362, '94, 120^a; *Mass.* '93, 336, '95, 34, '96, 47-55, '97, 278-284, '98, 76, 168-172, '99, 259-266; *N. E.* '79, 15; *N. J.* '90, 327; *N. S.* '95, 377, 378; *N. Y.* '79, 175, '85, 97^a, '89, 127; *R. I.* '97, 204; *Va.* '76, 28^c; *W. I.* '88, 78, '91, 46, 48.—*hbt.* '79, 15, '95, 32-48, '96, 47-55; *mig.* '95, 35; *nst.* '79, 15, '89, 127, '95, 32-48, '96, 47-55, '97, 204, 278-284, 383-390, '98, 168-172, '99, 259-266; *plm.* '88, 375 (mlt.), '95, 44, '96, 52, '97, 148; *syn.* '78, 142, '88, 78.

elegans (Elegant Tern), *Cal.* '86, 125; *Orc.* '91, 366 (fossil), '93, 344? (fossil); *W. I.* '93, 220.—*syn.* '78, 142.

forsteri (^a Forster's Tern, ^b *havelli*), *Colo.* '83, 198, '85, 18; *Fla.* '81, 21, '87, 139, 274, 278^a, '88, 375, '92, 211; *Ky.* '89, 311; *Man.* '86, 147; *Mass.* '89, 66; *Minn.* '80, 12, 20, 1900, 281^a; *N. E.* '79, 14; *N. J.* '79, 227, '90, 327; *Orc.* '91, 366 (fossil), '93, 344? (fossil); *S. D.* '85, 289; *Tex.* '82, 225, 1900, 338; *Va.* '82, 126.—*nst.* '82, 126, 225; *plm.* '87, 274, 278^b; *syn.* '78, 142, '80, 88^b;

misc. '77, 75^a, '88, 376^a, '91, 191.

fuliginosa (^a Sooty Tern), *Bahamas*, '91, 80, 352; *Conn.* '77, 22, '95, 86; *Europe*, '80, 67, 220; *Fla.* '90, 306, '92, 211; *Jamaica*, '91, 361, '94, 120; *Mass.* '77, 27, 74; *Me.* '80, 64; *N. E.* '77, 44, '79, 14; *N. H.* '79, 195^a; *N. Y.* '77, 75, '79, 175, '84, 59, '86, 433, '95, 70^a; *Revill. Is.* '98, 316; *U.* '85, 210; *W. I.* '81, 128, 155, '88, 78.—*hbt.* '91, 361; *mcas.* '86, 434, '91, 361; *nst.* '79, 23, '91, 361, '92, 289^a, '94, 120, '98, 316; *plm.* '86, 433, '87, 24; *syn.* '78, 143, '88, '98, 93, 316, '99, 99.

hirundo (^a Common or Wilson's Tern, ^b *fluvialis*), *Bahamas*, '88, 77; *Fla.* '87, 274, 278, '88, 375, '92, 211; *Greentl.* '91, 319^{??}; *Helg.* '95, 341; *Ind.* '88, 346; *Jamaica*, '91, 362, '94, 120; *Ky.* '89, 311; *Man.* '86, 147; *Mass.* '92, 304, '93, 334-336, '95, 34, '96, 47-55, '97, 278-284, 383-390, '98, 76, 168-172, '99, 259-266; *Mc.* '95, 178; *Mich.* '93, 222; *N. E.* '79, 15^b; *N. F.*, *Grand Banks*, '79, 128, 1900, 71; *N. J.* '79, 227^b, '90, 327; *N. S.* '87, 14^a [not 'Arctic Tern']. 16 [not 'paradisea,' see '89, 1861], '91, 166, '95, 377; *N. Y.* '84, 177^b, '87, 350; '89, 126; *Pa.* '99, 309; *P. E. I.* '93, 7; *Que.* '89, 146; *R. I.* '97, 203; *Va.* '76, 28.—*hbt.* '79, 15^b, '89, 126, '93, 7, '95, 34, '96, 51^a; *mig.* '92, 304, '93, 7, '94, 16, '95, 35, '96, 51^a; *nst.* '76, 28, '79, 15^b, '89, 126, '93, 7, '95, 32-48, 178, '96, 47-55, '97, 23, 203, 278-284, 383-390, '98, 168-172, '99, 259-266; *plm.* '87, 274 (mlt.), 278 (mlt.), '88, 375 (mlt.), '95, 34, 44, '96, 52; *syn.* '78, 142^b, '84, 385, '88, 77, '96, 161; *misc.* '80, 192^a, '88, 376, '92, 191^b.

maxima (^a Royal Tern, ^b *regia*), *Bahamas*, '91, 80, 295, 296, 351; *Cal.* '86, 89, '87, 329; *Fla.* '87, 137, 139^a, 274, 278, '88, 374, '90, 306, '92, 211; *Ga.* '83, 43^b; *Ill.* '95, 379; *Jamaica*, '91, 362, '94, 120; *Mass.* '76, 30^b; *Mich.* '93, 222; *Morocco*, '84, 97^b; *N. E.* '79, 14; *N. J.* '79, 227; *S. C.* '94, 85; *Tex.* '82, 225^a, 1900, 338; *Va.* '76, 28^b, '80, 221^a; *W. I.* '81, 155^b, '88, 76, '90, 374.—*nst.* '76, 28^b, '80, 221^a; *plm.* '80, 223^a, '90, 306 (mlt.), '92, 191^b; *syn.* '78, 142, '84, 385, '88, 76; *misc.* '88, 376.

- minuta** ("Little Tern), *Helg.* '95, 341.—*nst.* '97, 335^a.
paradisaea ("Arctic Tern, "port-landica, "macroura, "pikii), *Alas.* '80, 33^c, '85, 63^c, 158, '87, 12; *Arctic Am.* '78, 86^c; *B. C.* 1900, 104; *g. dist.* '93, 125; *Greenl.* '86, 274^c, '91, 319; *Helg.* '95, 341; *Hud. B.* '90, 320; *Man.* '97, 281–284; *Mass.* '76, 30^b, '93, 336, '95, 34, '96, 53, '97, 383–390, '98, 76, 168–172, '99, 259–266; *Me.* '90, 84, '95, 178; *N. E.* '79, 15^c; *Ncb.* '96, 245?; *N. F.* 1900, 71; *N. S.* '87, 16 [= *hirundo*, see '89, 186], '95, 377; *N. Y.* '95, 70; *Que.* '82, 241^c; *Sibria*, 1900, 309^a.—*hbt.* '79, 15^c, '95, 34, '96, 51^a; *mig.* '85, 63^c; *nst.* '79, 15^c, 23^c, '86, 274^c, '95, 32–48, 178, '96, 47–55, '97, 205, 278–284, 383–390, '98, 168–172, '99, 259–266; *plm.* '95, 44, '96, 53, '97, 148; *syn.* '76, 31^b, '78, 142^c, '84, 385, '88, 78, '96, 161; *misc.* '82, 242^d, '83, 48^b.
sandvicensis ("cantiaca), *Helg.* '95, 341^b.—*syn.* '78, 142^b, '96, 161^b; *misc.* '97, 247^b.
trudeaui (Trudeau's Tern), *N. Y.* '95, 70.—*syn.* '78, 143.
sterna (*Larus*), see *Sterna hirundo*.
Sterninae ("Terns), '78, 140–144, '79, 111^a, '86, 272^a, '87, 341^a, 1900, 53^a, 56^a, 95^a, 199^a, 200^a.
Sternula, '78, 141.
Stevenson, Henry.
 Obituary of, '89, 79.
Sthenelus, '83, 231, '84, 235.
Stickney, Jenny H., and *Hoffmann*, R.
 Bird world (rev.), '99, 92.
stictipennis (*Ceryle*), see *Ceryle*.
stictoptera (*Ceryle*), see *Ceryle*.
Stictospiza, '91, 92.
stictothorax (*Eucometis*), see *Eucometis*.
Stilt, Black, see *Himantopus mexicanus*.
 Black-necked, see *Himantopus mexicanus*.
Stilts, see *Recurvirostridae*.
stimpsoni (*Turtur*), see *Turtur*.
Stint, Little, see *Tringa minuta*.
 Long-toed, see *Tringa damacensis*.
stolida (*Sterna*), see *Anous*.
 — (*Tyrannula*), see *Myiarchus*.
stolidus (*Anous*), see *Anous*.
 — (*Kaupornis*), see *Myiarchus*.
 — (*Megalopterus*), see *Anous*.
 — (*Myiarchus*), see *M. stolidus*, *dominicensis* or *sagræ*.
 — (*Myiobius*), see *Myiarchus*.

- Stone**, Clarence Freedom.
 Rare occurrences in Yates Co., N. Y. '99, 284.
Stone, Witmer.
 A migration of hawks at Germantown, Pa. '87, 161.
Helminthophila leucobronchialis in Pennsylvania, '88, 115.
Sylvania mitrata at Germantown, Pa., in November, '88, 116.
 Abnormal Scarlet Tanager, '88, 322.
 Graphic representation of bird migration, '88, 89, 139–144.
 Catalogue of Muscicapidae in Academy of Natural Sciences, Philadelphia (rev.), '89, 330.
 On *Pratincola salax* and allied species (rev.), '89, 331.
 Delaware Valley Ornithological Club, '90, 298, '91, 244.
 Bird waves and their graphic representation, '91, 194–198.
 Birds collected in Yucatan and southern Mexico (rev.), '91, 303.
 Catalogue of Owls in Academy of Natural Sciences of Philadelphia (rev.), '91, 303.
 The genus *Psilorhinus* (rev.), '91, 304.
 Revision of species of *Molothrus* allied to *M. bonariensis*, '91, 344–347, '92, 202.
 Summer birds of Harvey's Lake, Luzerne Co., Pennsylvania (rev.), '92, 176–177.
 Winter birds of Cape May, New Jersey, '92, 203.
 Birds collected by West Greenland expedition (rev.), '92, 282.
 Catalogue of the Crows, Birds of Paradise, and Orioles in Academy of Natural Sciences of Philadelphia (rev.), '92, 282.
 Sharp-tailed Finches of New Jersey coast, '93, 85.
 Hybrid sparrow (*Zonotrichia albicollis* + *Junco hyemalis*), '93, 213 (col. pl.).
 Additional specimen of Labrador Duck, '93, 363.
 Summer birds of pine barrens of New Jersey, '94, 133–140.
 Capture of *Ceryle torquata* at Laredo, Texas. A species new to the United States, '94, 177.
 Summer birds of the Pocono Mts., Pennsylvania, '94, 182.
 Revision of genus *Anous* (rev.), '94, 317.

- Review of old world Rallinae (rev.), '94, 317.
 see Abbott, C. C., 'birds about us' (rev.), '95, 67-69.
 Birds of eastern Pennsylvania and New Jersey (rev.), '95, 170.
 Priority of names *Calliste*, *Aglaias*, and *Calospiza*, and their use in ornithology (rev.), '95, 385.
 Revision of North American Horned Owls with description of a new subspecies, '96, 153-156.
 Some questions of nomenclature, '96, 183-190.
 Moulting of birds with special reference to plumages of the smaller land birds of eastern North America (rev.), '96, 240-243.
 List of birds collected in North Greenland by Peary expeditions (rev.), '96, 243.
 Golden Eagles in Virginia, '96, 256.
 Breeding of Goshawk in Pennsylvania, '97, 317.
 Spring molt in *Spinus pinus*, '97, 320.
 Breeding of *Sitta canadensis* in Pennsylvania, '97, 324.
 Rare birds in vicinity of Philadelphia, '97, 326.—error, see Fowler, H. W.
 Genus *Sturnella* (rev.), '98, 70.
 Proper name for Western Horned Owl of North America (rev.), '98, 71.
 [Bird protection in Pennsylvania and New Jersey], '98, 92-94.
 Wilson's Phalarope (*Steganopus tricolor*) at Ocean City, N. J. '98, 268.
 McKay's Snowflake (*Plectrophenax hyperboreus*) at Bethel, Alaska, '98, 269.
 see Chapman, F. M., 'birds of Jalapa and Las Vigas' (rev.), '98, 279.
 see Hornaday, W. T., 'destruction of rare birds and mammals' (rev.), '98, 280.
Antrostomus carolinensis devouring other birds, '98, 330.
Dendroica kirtlandii in Pennsylvania: —a correction, '98, 331.
 Report of the A. O. U. committee on protection of North American birds, '99, 55-74, 1900, 51-58.
Ochthaea frontalis and *Cardinalis granadensis*, '99, 78.
 Proper name for Macgillivray's Warbler, '99, 81.
 Some Philadelphia ornithological collections and collectors, 1784-1850, '90, 166-177.
 A study of type specimens of birds in Academy of Natural Sciences of Philadelphia, with history of collection (rev.), '99, 290.
 Hints to young bird students (rev.), '99, 303.
 Winter plumages:—illustrated by Rose-breasted Grosbeak (*Zamelodia ludoviciana*), '99, 305-308 (col. pl.).
 Collection of birds from vicinity of Bogota, with review of South American species of *Speotyto* and *Troglodytes* (rev.), '99, 369.
 New species of *Coccyzus* from St. Andrews (rev.), '99, 369.
 Proper function of binomials and trinomials, '99, 374-376.
 Breeding of Little Black Rail (*Porzana jamaicensis*) at Raleigh, North Carolina, 1900, 171.
 Breeding of Little Black Rail (*Porzana jamaicensis*) in New Jersey in 1844 and 1845, 1900, 172.
 An interesting bit of manuscript, 1900, 179.
 Summer moulting plumage of certain Ducks (rev.), 1900, 183.
 New race of Short-eared Owls (rev.), 1900, 184.
 Report on birds and mammals obtained by McIlhenny expedition to Pt. Barrow, Alaska (rev.), 1900, 310.
 Stonechat, see *Pratincola rubicola*; American references = *Saxicola cenanthe*.
stoneyi (*Parus*), see *Parus*.
Stoparola thalassinoides, *Borneo*, syn. '90, 353.
 Storks, see *Ciconiidae*.
 Storm-bird, see *Parus bicolor*.
 Streets, Thomas Hale.
 Description of a new Duck from Washington Island, '76, 46.
 Contributions to natural history of Hawaiian and Fanning Is. and Lower California (rev.), '78, 80.
strenua (*Callipepla*), see *C. squamata*.
strenuus (*Sylochelidon*), see *Sterna caspia*.
 — (Vireo), see *Vireo*.
strepera (*Anas*), see *Chaulelasnus*.
streperus (*Acrocephalus*), see *Acrocephalus*.
 — (Chaulelasmus), see *Chaulelasmus*.
Strepsilas, see *Arenaria*.

striata (*Dendroica*), see *Dendroica*.
 — (*Drymophila*), see *Drymophila*.
 — (*Enicornis*), see *Enicornis*.
 — (*Melospiza*), see *Melospiza*.
 — (*Muscicapa*), see *Dendroica*.
 — (*Sylvia*), see *Dendroica*.
 — (*Sylvicola*), see *Dendroica*.
 — (*Tanagra*), see *Tanagra*.
striaticeps (*Arremonops*), see *Arremo-nops*.
 — (*Embernagra*), see *Arremonops*.
 — (*Synallaxis*), see *Synallaxis*.
striaticollis (*Euscarthmus*), see *Eus-carthmus*.
 — (*Phacellodomus*), see *Phacellodo-mus*.
striatigularis (*Dendronnis*), see *Den-drornis*.
striatipectus (*Synallaxis*), see *Synal-laxis*.
striatus (*Accipiter*), see *Accipiter*.
 — (*Astur*), see *Accipiter*.
striatus (*Centurus*), see *Chloronerves*.
 — (*Chloronerves*), see *Chloronerves*.
 — (*Dendrotyx*), see *D. macrourus*.
 — (*Picus*), see *Centurus*.
 — (*Rallus*), see *Rallus*.
 — (*Rhimamphus*), see *Dendroica*.
 — (*Zelrapicus*), see *Chloronerves*.
stricklandi (*Cittocincla*), see *Citto-cinela*.
 — (*Copyschus*), see *Cittocincla*.
 — (*Dryobates*), see *D. arizoneæ*.
 — (*Lophostrix*), see *Lophostrix*.
 — (*Loxia*), see *Loxia*.
 — (*Picus*), see *Dryobates arizoneæ*.
 — (*Puffinus*), see *P. fuliginosus*.
stridula (*Strix*), see *Syrnium aluco*.
stridulus (*Heleodytes*), see *Heleodytes*.
strigata (*Otocoris*), see *O. strigata* or
 merrilli.
strigatus (*Chondestes*), see *Chondestes*.
Striges (^a Owls), '78, 77, 78, '79, 111^a,
 '81, 30, 37, 74, 76, 83, 194^a, '83,
 48^a, 175^a, 236^a, '87, 277^a, 283^a,
 338^a, 341^a, '91, 303^a, '93, 109^a, 199^a,
 '95, 176, 318^a, '97, 306^a, '99, 363^a,
 1900, 53^a, 95^a, 102^a, 111^a.
strigiceps (*Brachyspiza*), see *Brachy-spiza*.
 — (*Zonotrichia*), see *Brachyspiza*.
Strigidae, '78, 78, '81, 77, '82, 87, 1900,
 66.
strigilata (*Drymophila*), see *Drymo-phila*.
strigilatus (*Trogon*), see *T. viridis*.
Striker, Big, see *Sterna hirundo*.
 Little, see *Sterna antillarum*.
Stringopidae, '81, 76.

Stringops, '82, 88.
Strix, '77, 64, '78, 78, '86, 463, '93, 99,
 '94, 233, 1900, 65.
 — *dominicensis*, '83, 95*, see glau-cops.
 — *flammea*, *Hclg.* '95, 329.—*anat.* '82,
 87; *syn.* '78, 78.
 — *furcata*, *W. I.* '86, 464, 502, '92,
 127, 272, 276, '94, 124.—*hbt.*, *nst.* '92,
 127; *meas.*, *syn.* '84, 464; *plm.* '86,
 464, 1900, 287.
 — *glaucopterus* (^b *dominicensis*), *W. I.*
 '83, 95^{b*}, '86, 465.—*meas.*, *plm.*, *syn.*
 '86, 465.
 — *guatemalæ*, *C. R.* '92, 327.
 — *nigrescens*, *W. I.*, *meas.*, *plm.* '86,
 464; *syn.* '79, 49, '86, 464.
 — *perlata* (^b *Aluco flammeus*), *Ar-
 gent.*, *fd.*, *nst.* '84, 29^a; *anat.* '82, 87.
 — *pratincola* (^a American Barn Owl,
^b *Americanæ*, ^c *Aluco americanus*),
Ariz. '86, 423; *Bahamas*, '86, 464, '91,
 75, 294, 1900, 287; *Cal.* '86, 93^b, '90,
 82^a, '96, 117; *Canada*, '83, 122^a;
Conn. '92, 202, '93, 207; *D. C.* '88,
 20, '95, 180; *Fla.* '88, 271, '89, 248,
 '92, 212, 216, '95, 364; *Ga.* '83, 41^c;
Ill. '95, 395^a; *Ky.* '89, 313; *L. Cal.*
 '95, 138; *Mass.* '90, 205; *Md.* '93,
 372; *Me.* '77, 28 [error, see '82, 58^c];
 '83, 165^a; *Mich.* '99, 77; *Minn.*
 '84, 246^a; *Mo.* '85, 210^a, '85, 210^a;
N. C. '93, 243; *Neb.* '85, 284^a; *N. J.*
 '86, 485, '89, 303; *N. Y.* '78, 132^b,
 '79, 61^b, 175^b, '86, 439, '88, 180, '90,
 90, 400, '91, 114, '93, 90, 275, 301,
 '95, 393, '99, 85, 1900, 70, 177; *O.*
 '79, 62^a, '83, 172^a, '85, 210^a, 301^a,
 '87, 339^a, '95, 191; *Ont.* 1900,
 177; *Pa.* '97, 374–383, '99, 311;
R. I. '89, 184^a; *S. C.* '79, 210^b,
 '85, 192^c; *S. D.* '85, 284^c?; *Tex.*
 '82, 172^b, '87, 189, '92, 234, 1900,
 343; *U. S.* '94, 253; *Wash.* '92, 43.—
fd. '86, 439, '88, 271, '97, 374, '99,
 85; *hbt.* '83, 234^a, '86, 93^b, '96, 117,
 '97, 374–383; *meas.* '83, 234^a, '94,
 253; *nst.* '82, 172^b, '83, 41^c, 175^a,
 234^a, '86, 93^b, 439, '88, 20, '92, 216,
 288^a, '93, 372, '95, 138, 180, '96, 117,
 '97, 374; *plm.* '97, 374, 378; *syn.* '78,
 '78^a, '86, 464; *misc.* '85, 101^a, 1900,
 200^a.
Struthio, '81, 8, 83, '93, 99.
 — *camellus* (^a Ostrich), *misc.* '92, 95^a,
 101^a.
Struthioformes, '88, 191.
Struthiolithus chersonensis, '98, 338
 (fossil egg).

Struthiones (^a Ostriches), '81, 30, 82, 83, 108, 162, 202^a, '82, 47, '86, 270^a, '87, 337^a.

Sturnella, '84, 68, '86, 222, '88, 413, '98, 70.
 — *alticola*, *Mex.*, *meas.* 1900, 266*.
 — *hippocrepis*, *W. I.*, '86, 222, '90, 192, '91, 294, '92, 272.—*meas.*, *syn.* '86, 222; *plm.* '86, 222, '91, 189 (alb.).
 — *defilippii*, *Urug.*, *hbt.* '83, 136.
 — *hoopesi* (Rio Grande Meadow Lark, ^b *mexicana*), *Ariz.* '85, 198^b; *C. R.* '92, 250^b; *Fla.* '88, 273^b, '89, 320^b, '92, 213^b?; *g. dist.* '99, 113, 342; *Tex.* '78, 152^b, '80, 90^b.—*meas.* '88, 273^b; *nst.* '89, 329^b; *plm.* '88, 273^b, '89, 320, '99, 342; *syn.* '98, 70, '99, 113, 342.
 — *inexpectata* (^b *mexicana*), *C. R.* '90, 334^b; *Honduras*, '89, 172.—*syn.* '90, 192^b.
 — *magna* (^a Meadowlark, ^b *ludoviciana*), *Ala.* '79, 9; *Conn.* '95, 302; *D. C.* '88, 22; *Fla.* '91, 138?; '95, 365; *Ga.* '82, 99^a, '96, 213; *G. Br.* '80, 73; *g. dist.* '93, 133; *Ia.* '80, 53, '95, 121, 236; *Ill.* '78, 164; *Ind.* '89, 24; *Kan.* '94, 215^a; *Ky.* '89, 314; *La.* '82, 163, '87, 302^a; *Man.* '86, 453, '93, 50^a; *Mass.* '84, 6^a, '88, 388^a, 389, '89, 44, '98, 76; *Mich.* '93, 225; *Minn.* '84, 245^a; *Miss.* '82, 92; *Mo.* '79, 145^a, '95, 219^a, 221^a, '96, 222, 258; *N. B.* '82, 176^a, '85, 266^a; *N. C.* '86, 106, 179^a, 310^a, 314, '87, 242; *N. J.* '79, 82^a, '83, 126, '92, 204, '94, 138; *N. S.* '85, 266^a; *N. Y.* '79, 36, '81, 230, '82, 188, '85, 250, '89, 203, '93, 53^a, '95, 313; *O.* '95, 242; *Ont.* '83, 144^a, '88, 211, '90, 80; *Pa.* '89, 142^a, '92, 136, '93, 37, 39, 43, 44, '96, 283, 294; *P. E. I.* '85, 266^a?; *S. C.* '79, 215, '87, 76^a, '92, 30^a, 38^a, '94, 35^a, '99, 198; *Tenn.* '86, 318; *Tex.* '82, 166, '87, 290, '92, 237, 1900, 345; *Vt.* '83, 182, '95, 311^a; *Wis.* '82, 188.—*fd.* '88, 211, '96, 336^a, '97, 421^a; *hbt.* '82, 166; *meas.* '88, 273; *mig.* '80, 152^a, '87, 342^a, '88, 211, '89, 142^a, 175^a, 203, '92, 30^a, 38^a, '94, 35^a, 103^a, '95, 121, 236, 242, '99, 144^a, 198; *nst.* '90, 84^a; *plm.* '76, 22 (alb.), '83, 126 (melan.), '95, 313 (alb.); *song.* '85, 250, '90, 199, '96, 258, 1900, 305^a, 403^a; *syn.* '81, 170^a, '90, 192; *misc.* '80, 12^a, '87, 188^a, '90, 82^a, 1900, 110^a.
 — *meridionalis*, *Venez.* '97, 364.

neglecta (^a Western Meadow Lark), *Ariz.* '87, 22, '90, 49, 257; *Cal.* '86, 181, 453, '89, 220, '98, 234^a, 1900, 305; *Colo.* '79, 94, '80, 230, '81, 139, '83, 193, '85, 13, 16, 142, '87, 124, '95, 153^a; *g. dist.* '93, 134; *Ia.* '80, 53; *Ida.* '98, 14; *Ill.* '80, 53, '90, 76; *L. Cal.* '95, 140; *Man.* '86, 322; *Mass.* '98, 333?; *Mich.* '79, 123, '80, 54, '95, 192; *Minn.* '80, 15, 53; *Mo.* '96, 258; *Mont.* '82, 62, '88, 15^a, '94, 305, '95, 215; *Mo. River.* '95, 229^a; *N. M.* '92, 364, '98, 309; *Ore.* '79, 165, '86, 162, 167, '88, 262; *S. D.* '85, 282; *Tex.* '82, 40, '87, 290, '92, 237, 1900, 345; *Wash.* '81, 128, '82, 227, '92, 355, '97, 177, 1900, 244; *Wis.* '95, 302.—*anat.* '88, 329, 413; *fd.* '92, 237; *nst.* '80, 15, 230, '87, 290; *song.* '80, 230, '81, 145–150, '90, 199^a, '94, 70^a, '95, 229^a, '96, 29, 258, '98, 56, 1900, 305, 403; *syn.* '90, 77, 192, '98, 70, 1900, 305.

Sturnia, '94, 233.

Sturnide, '81, 31, 35, 1900, 189.

Sturniformes, '91, 90.

Sturnus vulgaris (^a Starling), *Helg.* '95, 324; *N. Y.* (introduced), '98, 55, '99, 192, 295^a; *Mass.* (introd.), '99, 85.—*fd.* '97, 9, 13^a, '98, 56, '99, 295^a; *hbt.* '83, 236, '98, 55; *misc.* '96, 252^a, '97, 105^a, 1900, 397^a.

Sturtevant, Edward.

Seaside Sparrow (*Ammodramus maritimus*) at Middletown, R. I. '97, 322.

Carolina Wren breeding in Rhode Island, '99, 284.

Sturtevant, E., and Howe, R. H., Jr. see Howe and Sturtevant.

Stuttering-bird, see *Ægialitis wilsonia*.
stygius (Asio), see Asio.

— (Nyctalops), see Asio.

— (Otus), see Asio.

subalaris (*Amblyornis*), see *Amblyornis*.
subarcticus (*Bubo*), see *B. arcticus* or *pacificus*.

— (*Pelidna*), see *Tringa ferruginea*.

— (*Tringa*), see *T. ferruginea*.

subarquatus (*Ancyllochilus*), see *Tringa ferruginea*.

subbuteo (*Falco*), see Falco.

subcærulea (*Ictinia*), see *I. mississippiensis*.

subcærulus (*Psittovius*), see *Broteros jugularis*.

subcinerea (*Tanagra*), see Tanagra.

subcristata (*Serpophaga*), see Serpophaga.

— (Siptornis), see *Synallaxis*.
 — (Synallaxis), see *Synallaxis*.
suberistatus (*Lophotriccus*), see *Lophotriccus*.
subelegans (*Melanerpes*), see *Centurus*
terricolor.
subflavescens (*Cyclorhis*), see *Cyclorhis*.
subfurcatus (*Cypselus*), see *Cypselus*.
 — (*Micropus*), see *Cypselus*.
subis (*Hirundo*), see *Progne*.
 — (*Progne*), see *P. subis* or *hesperia*.
Sublegatus glaber, *I'cnez*, '97, 365.
subleucoptera (*Hydrochelidon*), see *H. leucoptera*.
submaculatus (*Pipilo*), see *P. maculatus*.
submexicanus (*Colaptes*), see *C. mexicanoides*.
subpagana (*Elenia*), see *Elenia*.
subrufescens (*Momotus*), see *Momotus*.
subruficollis (*Tringa*), see *Tryngites*.
 — (*Tryngites*), see *Tringa*.
 Subspecies (new), see New Species.
subulatus (*Todus*), see *Todus*.
subvirgatus (*Ammodramus*), see *A. subvirgatus*.
subviridis (*Muscicapa*), see *Empidonax virescens*.
Suchetet, André.
Oiseaux hybrides (rev.), '92, 382.
 '95, 384.
Des hybrides à l'état sauvage (rev.), '97, 424.
Sucker, see *Colaptes auratus* or *luteus*.
suckleyi (*Æsalon*), see *Falco*.
 — (*Cerorhina*), see *Cerorhinca monocerata*.
 — (*Chimerina*), see *Cerorhinca monocerata*.
 — (*Falco*), see *Falco*.
 — (*Larus*), see *L. brachyrhynchus*.
suecia (*Cyanecula*), see *Cyanecula*.
Sula, '84, 144, '85, 96, '88, 71, '93, 99,
 '94, 337, 339.
 — *bassana* (^a *Gannet*), *Engl.*, '85,
 '98^a; *g. dist.*, '88, 129–135^a, 278^a, 282^a,
 '93, 125; *Helg.*, '95, 327; *N. Am.*, *W. coast*, '77, 96^b; *N. S.*, '79, 128; *N. Y.*, '80, 190, '81, 235, '83, 175 [not '*Graculus carbo*' see '83, 178]; *Que.*, '82, 240, '84, 380, '89, 146.—*anat.*, '91, 386; *nst.*, '88, 129–135^a, '89, 146; *plm.*, '91, 387^a.
 — *brewsteri* (^a *Brewster's Booby*), *L. Cal.*, '88, 241^a, 242^a, '89, 67; *Revill. Is.*, '98, 314, 316, 317^a.—*hbt.*, *plm.*, '89, 67; *meas.*, '88, 243; *nst.*, '88, 242, '98, 314.
 — *cyanops* (^a *Blue-faced Booby* or

Gannet, ^b *dactylatra*), *Jamaica*, '91, 363; *Revill. Is.*, '98, 314, 316, 317; *W. I.*, '81, 155, '88, 71, '89, 31, 32.—*anat.*, '91, 386; *meas.*, *syn.*, '88, 72; *nst.*, '98, 314, 317; *plm.*, '88, 72, '91, 386.
 — *gossi*, '88, 241^a, see *nebouxii*.
nebouxii (*Blue-footed Booby*, ^b *gossi*), *Galap. Is.*, '90, 273^b; *L. Cal.*, '88, 241^{b*}, '89, 67^b.—*meas.*, *nst.*, '88, 242^b; *plm.*, '89, 67^b; *syn.*, '97, 124, 232.
piscator (^a *Red-footed Booby*, or *Cory's Gannet*, ^b *coryi*), *Bahamas*, '91, 386^b; *Jamaica*, '91, 362; *W. I.*, '87, 181, 181, '88, 72, 232.—*anat.*, '91, 386^b; *meas.*, '88, 73; *plm.*, '88, 72, '91, 387^a.
 — *sula* (*Booby* or *Booby Gannet*, ^b *fiber*, ^c *leucogastra*, ^d *fusca*), *Cal.*, '77, 96^b?; *Fla.*, '90, 307; *g. dist.*, '93, 141; *Jamaica*, '91, 363; *Mass.*, '79, 191^b; *N. E.*, '76, 72^b, '77, 14^b, 46^b; *N. Y.*, '93, 270; *W. I.*, '80, 169^b, '81, 155^a, '88, 72, '92, 229.—*anat.*, '91, 386; *meas.*, *plm.*, '88, 72; *syn.*, '80, 178^c, '88, 72.
 — *websteri*, *Revill. I.*, '98, 287, 314, 316, 317.—*fd.*, '98, 316; *hbt.*, '98, 314; 317.
sula (*Dysporus*), see *Sula*.
 — (*Pelecanus*), see *Sula*.
 — (*Sula*), see *Sula*.
sulcirostris (*Crotophaga*), see *Crotophaga*.
sulfurascens (*Sciurus*), see *Sciurus*.
Sulidae (^a *Gannets*), '77, 64^a, '93, 78^a, 106, '94, 337.
sulphurascens (*Henicocichla*), see *Sciurus noveboracensis*.
 — (*Sciurus*), see *S. noveboracensis*.
 — (*Tyrannus*), see *Tyrannus*.
sulphuratus (*Pitangus*), see *Pitangus*.
sulphurescens (*Rhynchoscyclus*), see *Rhynchoscyclus*.
sulphureus (*Myiozetetes*), see *Myiozetetes*.
sulphurifera (*Synallaxis*), see *Siptornis*.
Sultana, see *Ionornis martinica*.
sumatrana (*Myrtha*), see *Syrnium myrtha*.
sumatranus (*Coracias*), see *Corydon*.
 — (*Corvus*), see *Corvus*.
sumichrasti (*Aphelocoma*), see *Aphelocoma*.
 — (*Arremonops*), see *Arremonops*.
 — (*Catherpes*), see *Hylocichlus*.
 — (*Embernagra*), see *Arremonops*.
 — (*Hylocichlus*), see *Hylocichlus*.
 — (*Platyparis*), see *Platyparis*.

Sundevall, Carl Jacob.

Tentamen [Nicholson's translation, 1889] (rev.), '91, 227.

sundevalli (*Certhiola*), see *C. dominicana*?

Sunny South Öölogist (magazine), titles (Nos. 1487-1507), '90, 79.

superba (*Menura*), see *Menura*.

superbus (*Cardinalis*), see *Cardinalis*, *superciliaris* (*Centurus*), see *Centurus*.

— (*Colaptes*), see *Centurus*.

— (*Eumomota*), see *Eumomota*.

— (*Habirura*), see *H. pectoralis*.

— (*Leistes*), see *Leistes*.

— (*Leptopogon*), see *Leptopogon*.

— (*Picus*), see *Centurus*.

— (*Rallus*), see *Porzana flaviventris*.

— (*Sterna*), see *S. antillarum*.

— (*Thryophilus*), see *Thryophilus*.

— (*Vireo*), see *Vireo*.

— (*Zebripicus*), see *Centurus*.

superciliosa (*Aimophila*), see *Aimophila*.

— (*Ceryle*), see *Ceryle*.

— (*Cyanocitta*), see *Aphelocoma californica*.

— (*Dendroica*), see *D. dominica*.

— (*Parra*), see *Metopidius indicus*.

superciliosus (*Colaptes*), see *Centurus superciliaris*.

— (*Myiozetetes*), see *M. texensis*.

— (*Phylloscopus*), see *Phylloscopus*.

— (*Trochilus*), see *Glaucis hirsuta*.

— (*Tyrannus*), see *Myiozetetes texensis*.

Surber, Thaddeus.

Capture of Golden Eagle at Covington, Virginia, '94, 77.

Two species new to list of birds found in West Virginia, '98, 61.

Surf Bird, see *Aphriza virgata*.

surinam (*Hydrochelidon*), see *H. surinamensis*.

surinamensis (*Certhia*), see *Cereba caerulea*.

— (*Hydrochelidon*), see *Hydrochelidon*.

— (*Pelodes*), see *Hydrochelidon*.

— (*Sterna*), see *Hydrochelidon*.

Surnia caparoch (^a American Hawk Owl, ^b *hudsonia*, ^c *funerea*, ^d *ulila*), *Alas.* '81, 6^a; '84, 79^d; *Cal.* '90, 215^a; *D. C.* '90, 91 [= *Asio accipitrinus*, see '90, 400]; *G. Br.* '80, 74; *g. dist.* '93, 126; *Hud. B.* '90, 322; *Man.* '86, 155, 329; *Mass.* '85, 220^c; '83, '88, 390; *Mc.* '77, 78^b; '85, 96^a; '86, 272^a; *Minn.* '84, 246^a; *Miss.* '85, 31^c; *Mont.* '94, 301; *N. B.* '86, 272^a; *N. E.* '85,

108^a; *N. H.* '86, 272^a; *N. Y.* '78, 54^b, 232^c; '83, 174^b; '93, 275, '95, 181, '99, 195; *Ont.* '84, 85^a; *Que.* '82, 237^c; *I't.* '86, 272^a; *Wis.* '91, 107.—*mig.* '83, 245^a, '85, 108^a; *nst.* '91, 107; *syn.* '80, 67^c, 178^a; '84, 362^a; *misc.* '83, 5 (fig.), '97, 396^a (fig.).

ulula (Hawk Owl, ^b *nisoria*), *Alas.* '78, 38; '80, 91; '84, 79, '88, 410; *G. Br.* '80, 74; *Helg.* '95, 330.—*mig.* '87, 156^b; *nst.* '89, 329; *syn.* '80, 67, '84, 363.

Surniculus, '94, 234, 235.

susurrans (*Dendrocopas*), see *Dendroornis*.

— (*Dendornis*), see *Dendroornis*.

Swain, John Merton.

Prairie Horned Larks nesting in Maine, 1900, 387.

Swainson, William.

[Letter to J. J. Audubon], '98, 11-13.

swainsoni (*Buteo*), see *Buteo*.

— (*Circus*), see *Circus*.

— (*Gampsomyx*), see *Gampsomyx*.

— (*Helinaia*), see *Helinaia*.

— (*Helminthotherus*), see *Helinaia*.

— (*Helmitherus*), see *Helinaia*.

— (*Helonæa*), see *Helinaia*.

— (*Hylocichla*), see *Hylocichla*.

— (*Momotus*), see *Momotus*.

— (*Ornismya*), see *Sporadinus elegans*.

— (*Ptilopus*), see *Ptilopus*.

— (*Sylvia*), see *Helinaia*.

— (*Turdus*), see *Hylocichla*.

— (*Vireo*), see *V. gilvus*.

— (*Vireosylvia*), see *Vireo gilvus*.

Swallow, Alaskan Barn, see *Hirundo funalischkensis* [= *erythrogaster*].

American Bank, see *Clivicola riparia*.

American Barn, see *Hirundo erythrogaster*.

Bahaman, see *Callichelidon cyanoviridis*.

Bank, see *Clivicola riparia*.

Barn, see *Hirundo erythrogaster*.

Cave, see *Petrochelidon fulva*.

Chimney, see *Chaetura pelasgica*.

Cliff, see *Petrochelidon lunifrons*.

Crescent, see *Petrochelidon lunifrons*.

Cuban Cliff, see *Petrochelidon fulva*.

Eave, see *Petrochelidon lunifrons*.

European, see *Hirundo rustica*.

European Chimney, see *Hirundo rustica*.

Golden, see *Tachycineta euchrysea*.

Great Blue, see *Progne dominicensis*.

- Rough-winged, see *Stelgidopteryx serripennis*.
 Sand, see *Clivicola riparia*.
 Saw-winged, see *Stelgidopteryx serripennis*.
 Sea, see *Sterna hirundo*.
 Tree, see *Tachycineta bicolor*.
 Violet-green, see *Tachycineta thalassina*.
 White-bellied, see *Tachycineta bicolor*.
 White-breasted, see *Tachycineta bicolor*.
Swallow, C. W.
 Bird notes from Clatrop Co., Oregon, '91, 396.
Swallows, see *Hirundinidae*.
Swamp-angel, see *Hylocichla mustelina*.
Swamp-robin, see *Hylocichla ustulata* or *mustelina*.
Swan, American, see *Olor columbianus*. Common, see *Olor columbianus*. Trumpeter, see *Olor buccinator*. Whistling, see *Olor columbianus*. Whooping, see *Olor cygnus*.
Swann, H. Kirke.
 A concise handbook of British birds (rev.), '96, 328.
Swans, see *Cygninae*.
Sweden.
 Dalgleish, J. J., '80, 69, 72, 74, 143, 145, 147, 149, 215-216, 221.
Sweeper, Chimney, see *Chætura pelagica*.
Swift, Black, see *Cypseloides borealis*. Cayenne, see *Panyptila cayennensis*. Chimney, see *Chætura pelagica*. Cloud, see *Cypseloides niger*. European, see *Cypselus apus*. Northern Rufous-collared, see *Cypselus griseifrons*. Palm, see *Cypselus phœnicobius*. Pied, see *Aëronautæ melanoleucus*. Vaux's, see *Chætura vauxii*. White-collared, see *Hemiprocne zonaris*. White-throated, see *Aëronautæ melanoleucus*.
Swift, Edward.
 Capture of Brown-headed Nuthatch near Elmira, N. Y. '88, 432.
Swifts, see *Cypseli*.
Swinburne, John.
 Breeding of Evening Grosbeak (*Coccothraustes vespertina*) in White Mts. of Arizona, '88, 113.
 Occurrence of Chestnut-collared Longspur (*Calcarius ornatus*) and Maccown's Longspur (*Rhynco-*
- phanes maccownii*) in Apache Co., Arizona, '88, 321.
 Nest and eggs of *Regulus calendula*, '90, 97.
 Swiss Cross (magazine), '87, 175.
 Switching-neck, see *Ardea ruficollis*.
Switzerland.
 Dalgleish, J. J. '80, 68, 143, '81, 63.
Sycalis, see *Sicalis*.
sygropa (*Otus*), see *Asio stygius*.
Sylvania, see *Wilsonia*.
sylvatica (*Geotrygon*), see *G. cristata*.
sylvestris (*Meleagris*), see *M. fera*.
Sylvia, '83, 100, '86, 405.
 atricapilla, *Hclg.* '95, 332.
 curruca, *Hclg.* '95, 332.
 nisoria, *Hclg.* '95, 332.
 orpheus (a Pettichaps), *Hclg.* '95, 332.—*hbt.* '97, 412.
 cinerea, *Hclg.* '95, 332.
Sylvicola, see *Compsothlypis*.
Sylviidae, '81, 28, 34.
Sylviine, '83, 100.
sylvioides (*Sittasomus*), see *Sittasomus*.
Symphemia, '82, 245, '87, 316, '93, 108.
 inornata (Western Willet, ^b semi-palmata), *Cal.* '84, 393^b, '87, 91^b; *Colo.* '83, 198^b, '85, 18^b; *Fla.* '88, 185, '89, 158, '92, 212; *Ga.* '96, 215; *g. dist.* '87, 145^a, '88, 395, '93, 134; *Man.* '87, 152^b; *Mont.* '94, 302, '95, 213; *Ore.* '88, 145; *S. D.* '85, 286^b; *Tex.* 1900, 341.—*meas.* '87, 146; *syn.* '88, 423, '97, 103, '99, 230.
 semipalmata (a Willet, ^b Totanus), *Bahamas*, '91, 76, 297, 351, '92, 48, 1900, 286; *Del.* '85, 298; *Europe*, '80, 147^b; *Fla.* '81, 18^b, 19^b, '87, 137^a, 138^a, '88, 185^a, '89, 158, '91, 133^a, 137, '92, 212; *France*, '77, 107; *Ga.* '83, 42; *g. dist.* '93, 133; *Ill.* '96, 180; *Ind.* '98, 62; *Jamaica*, '92, 14; *Ky.* '89, 312; *La.* '97, 288; *Mass.* '96, 88; *Minn.* '80, 18^b; *N. C.* '80, 134^a; *N. E.* '83, 162^a, 163^a; *N. J.* '79, 225^b, 308; *Sweden*, '77, 107; *Tex.* '82, 222^b; *Va.* '76, 26^b; *I't.* '92, 149; *W.* '81, 128, '87, 316, '90, 374, '91, 47.—*hbt.* '80, 181^b, '90, 388, '93, 293, 293, '98, 62; *meas.* '87, 146, 1900, 286; *mig.* '80, 134^a; *nest.* '76, 26^b, '81, 18^b, '83, 42, '85, 298, '90, 328; *plm.* '81, 19, '87, 146, 1900, 286, 370 (mlt.); *syn.* '87, 146, 316, '88, 424, '99, 230^b.
Synallaxis albescens, *Urug.* '83, 207; *Venz.* '99, 365.—*hbt.*, *nest.*, *song*, '83, 207.

carri, *Trinidad*, '97, 363.
cinnamomea, *Braz.* '91, 26.
coryi, *Venez.*, *meas.* '88, 458*.
fuliginosa, *Colom.* '88, 459.
griseiventris, *Braz.* '90, 382.
guianensis, *Braz.* '91, 26.
hudsoni, *Urug.*, *hbt.* '83, 209.
maluroides, *Urug.*, *nst.*, *song*, '83, 208.
mustelina, *Braz.* '91, 26.
phryganophila, *Urug.*, *nst.* '83, 207.
pudica, *Nicar.* '95, 20.
rutilans, *Braz.* '91, 26.
sordida, *Urug.*, *nst.* '83, 208.
striaticeps, *Urug.*, *hbt.* '83, 208.
striaticeps, *Venez.* 1900, 185.
subcristata (^b *Siptornis*), *Venez.* '97, 365^b, 369^b.—*syn.* '97, 369^b.
sulphurifera, *Urug.* '83, 208.

syndactyla (*Bleda*), see *Bleda*.

Synonymy and Nomenclature.

Allen, J. A., '84, 338, '90, 1, '96, 187, 191, '98, 298, '99, 46, 338.
 Brewster, W., '97, 80.
 Cooke, W. W., '84, 242.
 Coues, E., '77, 29, '78, 140, '80, 95, '84, 49, 140, '84, 320, '97, 39.
 Elliot, D. G., '98, 294, '99, 38, '99, 226.
 Gill, T. N., '99, 20.
 Hoffman, W. J., '85, 7.
 Ingersoll, E., '83, 72.
 Merriam, A. C., '84, 36.
 Miller, G. S., Jr., '97, 427.
 Oberholser, H. C., '96, 190.
 Richmond, C. W., '99, 323, 325, 1900, 166.
 Ridgway, R., '79, 129, '80, 36, 77.
 Stejneger, L., '84, 114, 145, 166, 225, 358, '85, 43, 178, 377.
 Stone, W., '96, 183.

Synthliboramphus

'80, 127.
antiquus (*Ancient Murrelet*), *Alas.* '85, 159, '95, 270–278; *Cal.* '96, 168, '98, 197; *g. dist.* '93, 125; *Wash.* '93, 16; *Wis.* '84, 98–100, '85, 388.—*hbt.* '95, 270–278; *meas.* '84, 99, '95, 278; *nst.* '95, 270, 272, 274; *plm.* '84, 99, '87, 155; *song*, '95, 270, 275; *syn.* '84, 386, '88, 401.

wumizusume, *syn.* '87, 155, '88, 401.

Synthliboramphus, see *Synthliboramphus*.

Syphonorhis, see *Siphonorhis*.

Syrichta, see *Contopus*.

Syrigma, '78, 183.

Syrnium allenii (^a *Florida Barred Owl*, ^b *Strix*, ^c *helvoleum*), *Fla.* '80, 178^b,

'81, 18^b, 38^a, '88, 271, '89, 248, 275, '91, 137, '92, 212, '95, 364; *Ga.* '96, 212; *La.* '88, 324, '92, 205; *S. C.* '91, 240; *Tex.* '86, 281, '92, 234, '99, 291^c, 341^c, 1900, 343^c.—*hbt.* '91, 130; *meas.* '99, 342^c; *plm.* '80, 178^b, '99, 291^c; *song*, '81, 38^a, '91, 130; *syn.* '99, 291^c, 341^c; *misc.* '89, 275.

aluco (^b *Strix*), *Holg.* '95, 329; *syn.* 1900, 66^b.

caurinum (*Northern Spotted Owl*), *g. dist.*, *syn.* '99, 109; *Wash.*, *meas.* '98, 40*.

maingayi, *misc.* '88, 201.

myrtha, *Borneo*, *meas.*, *plm.*, *syn.* '91, 12.

nebulosum (^a *Barred Owl*, ^b *Strix*), *Cal.* '77, 94 [*occidentale?*]; *Colo.* 1900, 298; *D. C.* '88, 20; *Europe*, '80, 66^b; *g. dist.* '93, 133; *Ind.* '82, 18^a, 21^b, '88, 350; *Ky.* '89, 313; *Man.* '86, 155, 329; *Mass.* '85, 100^a, 389; *Mc.* '82, 150^a; *Mich.* '93, 224; *Minn.* '84, 246^b; *Mo.* '79, 146, '96, 222; *N. B.* '84, 88; *N. C.* '86, 103, 104; *N. J.* '79, 85^a, '90, 328; *Norway*, '80, 74; *N. Y.* '79, 31, '80, 185^b, '81, 232^b, '90, 231, 1900, 70; *Pa.* '92, 135, '96, 293; *P. E. I.* '85, 266^a; *Que.* '82, 237^b; *R. I.* '83, 183; *S. C.* '79, 216, '85, 189^b; *S. D.* '85, 284^b; *Sweden.* '80, 74; *Tex.* '82, 172, '87, 189, '89, 237.—*anat.* '82, 87; *fd.* '80, 185^b, '82, 172, '88, 248, '90, 101^a, 102^a, 1900, 70; *hbt.* '82, 172, 184^a, '88, 248, '90, 101–114^a, 286; *nst.* '80, 114^a, '82, 172, '85, 100^a, '90, 231, 1900, 298; *plm.* '76, 22^b (alb.); *syn.* '78, 105^b; *misc.* '91, 108^a, '97, 396^a (fig.).

occidentale (*Spotted Owl*, ^b *Strix*), *B. C.* 1900, 105 [*caurinum?*]; *Cal.* '77, 94 [*'nebulosum?*], '87, 88, '92, 392, '96, 265, '98, 39; *Colo.* '86, 284; *g. dist.* '93, 134; *N. M.* '86, 79, '98, 308; *Wash.* '93, 17 [*caurinum?*].—*fd.*, *hbt.*, *song*, '92, 392; *nst.* '83, 234^b.

sartorii, *Mer.* '95, 357.

uralense, *anat.* '82, 87.

virgatum, *C. R.* '92, 327.

Syrrhaptes paradoxus, *Holg.* '95, 337.—*plm.* '96, 251.

T

Tachornis, '96, 83.

gracilis, *anat.* '95, 157, '96, 114.

Tachycineta (^b *Iridoprocne*), '80, 92^b, '86, 57, 446, '87, 172, '93, 111, 131.

albilinea, *C. R.* '95, 87.

albiventris, *Braz.* '90, 266.

bicolor (^a Tree or White-bellied or White-breasted Swallow, ^b Hirundo, ^c Iridoprocne), *Alas.* '81, 5^a, '87, 13, '98, 129; *Ariz.* '82, 146, '88, 31; *Cal.* '86, 183, '89, 222; *Colo.* '79, 93, '81, 88^c, 115^c, '83, 160, '85, 15; *Conn.* '95, 83; *D. C.* '88, 19; *Engl.* '77, 107^b; *Fla.* '88, 275, '89, 325, '90, 312, '91, 138, '92, 213, '95, 183, 187, 365; *g. dist.* '93, 126; *G. Br.* '80, 70^b; *Hud. B.* '90, 322; *Ia.* '95, 122, 235; *Ida.* '98, 17; *Ill.* '88, 433^a, 434; *Ind.* '89, 26; *Ky.* '89, 315; *La.* '87, 304, '92, 206, 1900, 393; *Man.* '86, 325; *Mass.* '84, 6^a, '88, 389, '89, 40, 102, '93, 370; *Mc.* '82, 110, 1900, 208^a; *Mich.* '93, 226; *Miss.* '82, 91; *Mo.* '79, 142; *Mont.* '88, 16^a, '94, 306, '95, 217; *N. B.* '82, 110, '89, 118; *N. C.* '94, 33^a; *N. H.* '88, 150, 152, '98, 194; *N. J.* '79, 223, '81, 115, '89, 199, 303, '94, 139, 1900, 67; *N. S.* '85, 94^a, '87, 15^a, 16; *N. Y.* '81, 229, '83, 177^a, '84, 325^b, '89, 130, 201; *Ore.* '79, 164, '86, 170, '88, 360; *Pa.* '92, 138; *P. E. I.* '93, 6^a, 12; *Que.* '82, 235^c; *S. C.* '79, 213, '85, 189^c, '94, 33^a, '95, 184; *S. D.* '85, 278; *Tenn.* '86, 317; *Tex.* '82, 11, '92, 340, 1900, 347; *I'a.* '97, 408; *Wash.* '92, 46, '97, 170, 1900, 356; *W. I.* '86, 57; *Wis.* '82, 187.—*anat.* '87, 171, '96, 114 (fig.); *fd.* '89, 199, '95, 184; *hbt.* '92, 286, '98, 194^a, 271, '99, 287^a; *mig.* '85, 98^a, '88, 433^a, 434, '89, 130, 201, '91, 387^b, '94, 33^a, '95, 83, 122, 184, 235, '99, 275, 1900, 67; *nst.* '81, 115^c, '84, 185^a, '85, 94^a, '86, 170, '93, 12, '94, 135^a, 332^a, '97, 408, '98, 17, 20^a, 129; *plm.* '76, 21 (all.), '78, 63, '79, 46, '82, 146, '95, 283^a, 374 (mlt.); *song.* '81, 115^c, '84, 325^b; *syn.* '86, 57; *misc.* '95, 183, 187, 375^a.
euchrysea, *Jamaica*, '86, 58, '93, 181.—*meas.*, *plm.*, *syn.* '86, 58.
thalassina (^a Violet-green Swallow), *Ariz.* '82, 146, '85, 354, '88, 31, '90, 49, 260; *Cal.* '80, 55^a, '86, 183, '89, 222; *Colo.* '79, 93, '80, 228, '81, 88, '83, 160, '85, 15, 141, '94, 269; *C. R.* '95, 87; *g. dist.* '93, 126; *L. Cal.* '95, 142; *Mex.* '99, 358; *Mont.* '88, 16^a, '94, 301; *N. M.* '85, 333, '92, 367, '98, 310; *Ore.* '86, 170, '88, 360; *S. D.* '85, 279; *Tex.* '87, 294; *Wash.* '92, 46, 356, '97, 179.—*anat.* '87, 171, 265, '90, 279; *hbt.* '81, 88, '86, 492, '87, 170; *nst.* '81, 88, '85, 333, '86, 170, '90, 260, '98, 310; *plm.* '80, 228,

'82, 146, '95, 374 (mlt.); *song.* '80, 228.

leucorrhoa (^b Hirundo), *Urug.*, *hbt.*, *mig.*, *nst.*, *song.* '83, 89^b.

Tachypetes, '84, 58.

Tachyphonus cristatus, *Braz.* '90, 267.

luctuosus, *Braz.* '90, 267, '97, 364; *ruberifrons*, *syn.* '94, 169.

rufus (^b melaleucus), *Braz.* '90, 267^b; *Venez.* '97, 364; *W. I.* '93, 220^b.

Taczanowski, Ladislas.

Obituary of, '90, 218.

taczanowskii (*Columba*), see *Columba*.—(*Sicalis*), see *Sicalis*.

Tadorna damiatica (^b cornuta), *Helg.* '95, 326^b.—*nst.* '97, 247^b; *syn.* '82, 170, '96, 164^b.

tadorna (*Tadorna*), see *T. damiatica*.

Tænoptera coronata, *Urug.*, *hbt.* '83, 138.

dominicana, *Urug.*, *hbt.*, *mig.* '83, 139.

irupuro, *Urug.*, *nst.*, *plm.* '83, 139; *nengeta* (^b *Tyrannus cinereus*), *Braz.* '90, 269; *Urug.*, *fd.*, *hbt.*, *mig.* '83, 137; *syn.* '93, 186^b.

tænoptera (*Thryophilus*), see *Thryophilus*.

tahitiensis (*Numenius*), see *Numenius*.

Talbot, Daniel H.

Swallow-tailed Kite in Dakota, '82, 59.

Gray-crowned Finch in confinement, '83, 240–242.

Night Herons and Rails in Dakota, '84, 96.

Harlan's Hawk, '90, 285.

[Bird collection of], '91, 124.

Talegalla, '96, 173.

Tallow-head, see *Perisoreus capitalis*.

talpacoti (*Columbigallina*), see *Columbi-gallina*.

tamatia (*Bucco*), see *Bucco*.

Tamaulipas, Mexico.

Nelson, E. W., '97, 75, '99, 26, 30, 31.

tamaulipensis (*Merula*), see *Merula*.

Tanager, Cooper's, see *Piranga cooperi*.

Crimson-headed, see *Piranga ludoviciana*.

Gray's, see *Piranga rubriceps*.

Hepatic, see *Piranga hepatica*.

Liver-colored, see *Piranga hepatica*.

Louisiana, see *Piranga ludoviciana*.

Oaxaca, see *Phœnicothraupis affinis*.

Scarlet, see *Piranga erythromelas*.

Summer, see *Piranga rubra*.

Western, see *Piranga ludoviciana*.

Tanagers, see *Tanagridæ*.

- Tanagra striata**, *Urug.*, *fd.*, *hbt.* '83, 91.
cana, *C. R.*, *fd.*, *hbt.*, *plm.* '92, 25.
cyanoptera, *Urug.*, *inst.* '83, 91.
episcopus, *Braz.* '90, 132, 267.
melanoptera, *Braz.*, *plm.* '90, 267;
syn. '94, 171.
palmarum, *Braz.* '90, 132; *syn.* '94, 171.
sclateri, *Venez.* '97, 364; *W. I.* '93, 220.
subcinerea, *Venez.* '97, 364.
Tanagridae ("Tanagers"), '81, 28, 34, 156^a, '87, 149, 150, '88, 411, '93, 111, '94, 142^a, '96, 334, '97, 341, '98, 223.
tanagrinus (*Lampropsar*), see *Molothrus atronitens*.
Tangeux, see *Plautus impennis*.
tanneri (*Geothlypis*), see *Geothlypis*.
—— (*Troglodytes*), see *Troglodytes*.
Tantalus, '81, 78, 79, 156, '84, 83, '87, 320, '93, 107.
loculator (^aWood Ibis), *Argent.* '84, 272; *Ariz.* '83, 36, '86, 385; *Cal.* '87, 90; *Colo.* '79, 114, '85, 18; *Fla.* '89, 16, '92, 211, '93, 337, '95, 364; *Ill.* '76, 43, '81, 124; *Ind.* '89, 186; *Jamaica*, '92, 9; *Kan.* '85, 311; *Ky.* '89, 312; *Mass.* '83, 185 [by error '187^a], '96, 341; *Md.* '93, 91, '97, 208; *Mo.* '80, 191; *N. C.* '93, 243; *Neb.* '96, 254; *N. Y.* '76, 96, '85, 221, '93, 266; *Pa.* '76, 96; *Tex.* '82, 222; *Urug.* '84, 272; *Va.* '97, 208; *W. I.* '87, 320; *W. Va.* '85, 213^a. — *fd.* '89, 186; *hbt.* '80, 181^a, 191, '81, 124, '84, 272, '87, 90, '89, 186; *inst.* '89, 16; *plm.* '96, 341; *syn.* '87, 320.
Tanygnathus, '94, 238.
everetti, *P. I.* '94, 238.
luconensis, *P. I.* '94, 238.
tao (*Tinamus*), see *Tinamus*.
tapera (*Progne*), see *Progne*.
tarda (*Otis*), see *Otis*.
Tatler, Bartramian, see *Bartramia longicauda*.
Semipalmated, see *Symphearia semipalmata*.
Solitary, see *Helodromas solitarius*.
Wandering, see *Heteractitis incanus*.
Wood, see *Helodromas solitarius*.
Taxonomy, or Classification.
Selater, *P. L.*, '81, 28-37, 73-84.
Shufeldt, *R. W.*, '93, 158, '94, 337.
Taylor, Alexander O'Driscoll.
Occurrence of Black Gyrfalcon in Rhode Island, '92, 300.
Taylor, H. H.

- Baird's Sandpiper on Long Island Sound, N. Y. '95, 179.
Carolina Wren in Connecticut, '96, 84.
Taylor, W. Edgar.
Catalogue of Nebraska birds (rev.), '89, 332.
taylori (*Pitangus*), see *Pitangus*.
—— (*Tyrannus*), see *Pitangus*.
Teal, Blue-winged, see *Querquedula discors*.
Cinnamon, see *Querquedula cyanoptera*.
English, see *Nettion crecca*.
European, see *Nettion crecca*.
Green-winged, see *Nettion carolinensis*.
Red-breasted, see *Querquedula cyanoptera*.
tecclata (*Troglodytes*), see *Troglodytes*.
tectus (*Bucco*), see *Bucco*.
Tegetmeier, William Bernhard.
Pheasants,—their natural history and practical management (rev.), '97, 246.
tegimae (*Pericrocotus*), see *Pericrocotus*.
telephonus (*Cuculus*), see *Cuculus*.
Tell-tail-willy, see *Symphearia semipalmata*.
Telitate, Greater, see *Totanus melanoleucus*.
Lesser, see *Totanus flavipes*.
temmincki (*Tringa*), see *T. temmincki* or *minutilla*.
Temnotrogon, '86, 360.
roseigaster (^b*rhodogaster*), *W. I.* '81, 185^b, '86, 360, '95, 279.—*meas.*, *plm.*, *syn.* '86, 361.
temminurus (*Priotelus*), see *Priotelus*.
—— (*Priotelus*), see *Priotelus*.
—— (*Trogon*), see *Priotelus*.
tenebrosa (*Chelidoptera*), see *Chelidoptera*.
tenellus (*Trogon*), see *Trogon*.
tengmalmi (*Nyctala*), see *Nyctala*.
—— (*Nyctale*), see *Nyctala richardsoni*.
Tennessee.
Fox, W. H., '82, 191-192, '86, 315-320, '87, 164.
Hay, O. P., '82, 89-94.
Langdon, F. W., '87, 125-133.
Pindar, L. O., '86, 481, '89, 311, 314.
Ragsdale, G. H., '79, 238-239.
Rhoads, S. N., '96, 181, 244.
Smith, G. S., '81, 48, 56-57, '85, 96.
Tenuirostres, '81, 35.

- tenuirostris (*Acanthorhynchus*), see *Acanthorhynchus*.
 — (*Ægialeus*), see *Ægilialis nivosa*.
 — (*Ægilialis*), see *Æ. nivosa*.
 — (*Dendrocolaptes*), see *Dendrocnis spixii*.
 — (*Mitrephanes*), see *Mitrephanes*.
 — (*Numenius*), see *Numenius*.
 — (*Picoides*), see *P. arcticus*.
 — (*Priocella*), see *P. glacialoides*.
 — (*Puffinus*), see *Puffinus*.
 — (*Rallus*), see *Rallus*.
 — (*Seurus*), see *S. noveboracensis*.
tephrocotis (*Leucosticte*), see *Leucosticte*.
- Tepic**, Mexico.
 Nelson, E. W., 1900, 262, 269.
- Teretistris**, '86, 45, 1900, 217.
fernandinae (^b *Geothlypis*), *Cuba*, 1900, 217^b; *W. I.* '86, 45, '92, 273.—*meas.* '86, 45; *plm.* '86, 45, 1900, 217^b; *syn.* '86, 45.
fornsi (^b *Geothlypis*), *Cuba*, 1900, 217^b; *W. I.* '86, 45.—*meas.* '86, 45; *plm.* '86, 45, 1900, 217^b; *syn.* '86, 45.
- Teretristsis**, see *Teretistris*.
- Tern**, *Aleutian*, see *Sterna aleutica*.
Arctic, see *Sterna paradisea*.
Black, see *Hydrochelidon surinamensis*.
Bridled, see *Sterna anæthetus*.
Cabot's, see *Sterna acutifrons*.
Caspian, see *Sterna caspia*.
Common, see *Sterna hirundo*.
Elegant, see *Sterna elegans*.
Forster's, see *Sterna forsteri*.
Gull-billed, see *Gelochelidon nilotica*.
Least, see *Sterna antillarum*.
Little, see *Sterna minuta*.
Marsh, see *Gelochelidon nilotica*.
Noddy, see *Anous stolidus*.
Roseate, see *Sterna dougalli*.
Royal, see *Sterna maxima*.
Sandwich, see *Sterna acuflavida*.
Short-tailed, see *Hydrochelidon surinamensis*.
Smaller Sooty, see *Sterna anæthetus*.
Sooty, see *Sterna fuliginosa*.
Trudeau's, see *Sterna trudeau*.
White-winged Black, see *Hydrochelidon leucoptera*.
Wilson's, see *Sterna hirundo*.
Terns, see *Sterninae*.

Terpsiphone affinis, *Borneo*, *hbt.*, *syn.* '90, 353, 354.

terrestris (*Columbigallina*), see *Columbigallina*.
 — (*Phyllostrephus*), see *Phyllostrephus*.

- terricolor* (*Centurus*), see *Centurus*.
 — (*Melanerpes*), see *Centurus*.
tersa (*Procnias*), see *Procnias*.
tetricula (*Phaleris*), see *Simorphynchus cristatellus*.
tetraculus (*Simorphynchus*), see *S. cristatellus*.
Tetragonops, see *Semnornis*.

Tetrao urogallus (^a *Capercaille*), *Scotland*, '80, 110, '81, 46^a.—*misc.* '94, 70^a, 71^a, 1900, 110^a.

Tetraonidae (^a *Grouse*), '78, 16, 17, '79, 111^a, '81, 80, '82, 44, 115^a, '83, 56, '94, 167, '99, 181^a, 205^a, 1900, 34, 36.

Tetraoninae, '93, 109.

tetrax (*Otis*), see *Otis*.
tetrix (*Lyrurus*), see *Lyrurus*.
texana (*Pyrrhuloxia*), see *Pyrrhuloxia*.
texanus (*Ortyx*), see *Colinus*.
 — (*Colinus*), see *Colinus*.

Texas.

Allen, J. A., '77, 76–77, 109–110, '78, 188–189, '80, 89, 90, 91, 111, '81, 109, 187, '88, 286–287, '91, 316, '99, 341–342, 344.

Attwater, H. P., '92, 229–238, 303, 337–345.

Beckham, C. W., '88, 112.

Brewer, T. M., '78, 152, '79, 123.

Brewster, W., '79, 75–80, '86, 139, '87, 147–148.

Brown, N. C., '82, 26, 33–42, 127, '84, 120–124.

Buckley, S. B., '81, 49, 112.

Carroll, J. J., 1900, 337–348.

Chadbourne, A. P., '86, 248–249.

Chapman, F. M., '94, 252.

Coale, H. K., '94, 222.

Coues, E., '77, 26, 82, '88, 37.

Deane, R., '79, 58–59.

Fisher, A. K., '94, 327, '95, 297.

Frazar, M. A., '81, 250–252.

Hallock, C., '85, 213.

Hancock, J. L., '87, 251.

Hasbrouck, E. M., '89, 236–241, '92, 286.

Henshaw, H. W., '84, 266.

Kumlien, L., '77, 75.

Lloyd, W., '87, 181–193, 289–299.

McCauley, C. A. H., '77, 76–77.

Merriam, C. H., '88, 119.

Merrill, J. C., '76, 88–89, '77, 26, 87, '78, 99, '79, 50–52.

Nehrling, H., '81, 109, '82, 6–13, 117, 117, 166–175, 222–225, '83, 171.

Oberholser, H. C., '98, 32–36.

Purdie, H. A., '79, 60.

Ragsdale, G. H., '78, 92, '79, 116, '80,

- 239, '81, 61-62, 114, 187, '82, 122, '85, 299, '86, 281, '87, 259-260, '90, 401-402, '91, 312-313, '92, 73.
 Ridgway, R., '79, 218-222, '81, 54-55, '87, 347, '91, 115, 1900, 28.
 Sennett, G. B., '78, 144, '80, 45, 111, '84, 93, '86, 135, '87, 24-28, 28-30, '88, 40-42, 43-46, 110, 319, '89, 263-265, 276, '90, 57-60, '92, 167-169.
 Singley, J. A., '90, 80, 80, 82, 83, '91, 108.
 Small, E. A., '83, 235.
 Stone, W., '94, 177.
 Wells, C. S., '92, 287.
texensis (Chordeiles), see Chordeiles.
 — (Myiozetetes), see Myiozetetes.
 — (Parus), see Parus.
 — (Tyrannula), see Myiozetetes.
 Text-figures, see Plates.
Thalassāétus pelagicus (^b *Haliaéetus*).
Alas., '77, 94^{?b}.—*misc.*, '80, 88^a, '84, 82.
Thalassidroma lineata, *syn.* '86, 334.
 melanogaster, *syn.* '99, 102.
thalassina (*Ibis*), see *Plegadis guarauna*.
 — (Petasophora), see Petasophora.
 — (Tachycineta), see Tachycineta.
thalassinoïdes (*Stoparola*), see *Stoparola*.
thalassinus (*Falcinellus*), see *Plegadis guarauna*.
 — (Lampornis), see prevosti.
Thalassogerón chlororhyncha (^b *Diodemea*), *Ore.* '77, 96^{?b}.—*misc.* '80, 88^b.
 culminatus (Yellow-nosed Albatross), *Cape Horn*, '87, 3; *N. Am.*, *W. coast*, '77, 97^{?b}; *Que.* '88, 107, 318.—*syn.* '84, 385.
 eximius, *Gough I.*, '95, 288.
 layardi, *syn.* '96, 161.
Thalassoica antarctica, *Cape Horn*, *hbt.* '87, 4.
thalassoides (*Glaucomyias*), see *Stoparola*.
Thalassornis insularis, *Madagascar*, '97, 417.
Thalurania, '86, 352.
 bicolor, *W. I.* '86, 353, '87, 96.—*meas.*, *plm.*, *syn.* '86, 353.
 furcataoides, *Braz.* '91, 30.
 glaucopsis, *Braz.* '91, 30.
 refulgens, *Venez.* '97, 366.
 ridgwayi, *Mex.*, *meas.* 1900, 262^a.
 townsendi, *Honduras*, '89, 171.
Thamnobiæ, '84, 278.
Thamnocharis, '90, 380.

- Thamnophilus**, '76, 51.
 albicrissus, *Venez.* '97, 365, 370; *W. I.* '92, 175.
 bridgesi, *C. R.*, *hbt.*, *nst.*, *plm.*, *song.*, *syn.* '93, 279.
 cærulescens, *Argent.*, *Urug.*, *hbt.*, *nst.* '84, 21.
 cirrhatus (^b *Lanius atricapillus*, ^c *trinitatis*), *Trinidad*, '92, 175^c; *Venez.* '97, 365, 370.—*syn.* '97, 370; *misc.* '96, 266^b.
 doliatus (^b *intermedius*, ^c *mexicana*), *Braz.* '90, 384^c; *C. R.* '92, 250; *Honduras*, '89, 172^b; *Venez.* '97, 365; *W. I.* '93, 220.—*syn.* '90, 384^c.
 inornatus, *Braz.* '91, 28.
 luctuosus, *Braz.* '91, 28.
 melanurus, *Braz.* '91, 28.
 murinus, *British Guiana*, '91, 28.
 nævius, *Braz.* '91, 28.
 nigricristatus, *Braz.* '91, 28.
 nigrocinereus, *Braz.* '91, 28.
 punctatus, *C. R.*, *syn.* '93, 279.
 puncticeps, *syn.* '90, 380.
 ruficapillus (^b *argentinus*), *Argent.*, *Urug.*, *hbt.*, *nst.* '84, 21^b.
tharus (*Polyborus*), see *P. tharus* or cheriway.
Thayer, Abbott Henderson.
 The law which underlies protective coloration, '96, 124-129 (fig., 9 photos).
 Further remarks on law which underlies protective coloration, '96, 318-320 (fig.).
 [Exhibition illustrating protective coloration], '98, 46-47.
 A protest [against egg collecting], '99, 210.
 Arguments against the banner mark theory, 1900, 108-113.
Thayer, Gerald Henderson.
 Chuck-will's-widow on shipboard, '99, 273-276.
 European Linnet in Westchester Co., N. Y. 1900, 388.
Theristicus melanopis, *Argent.*, *Urug.*, *hbt.* '84, 272.
thilius (*Agelaius*), see *Agelaius*.
Thinocoridae, '81, 81.
Thinocorus, '97, 417.
Thinocorythidae, '97, 102.
 Thistle-bird, see *Astragalinus tristis*.
thomensis (*Phaeospiza*), see *Phaeospiza*.
Thompson, D'Arcy Wentworth.
 Systematic position of *Hesperornis* (rev.), '91, 304.
 Characteristic points in cranial osteology of Parrots (rev.), 1900, 84.

- Thompson**, Ernest Seton.
 Nest and habits of Connecticut Warbler (*Oporornis agilis*), '84, 192.
 Manitoban notes, '85, 21-24.
 Swallow-tailed Flycatcher in Manitoba and at York Factory, '85, 218.
 Notes on Manitoban birds, '85, 267-271.
 Nest and eggs of Philadelphia Vireo, '85, 305.
 Western Grebe in Manitoba, '85, 314.
 Popular names of birds, '85, 316.
 Interesting records from Toronto, Canada, '85, 334-337.
 Birds of western Manitoba, '86, 145-156, 320-329, 453.
 Evening Grosbeak at Toronto, Canada, '87, 256.
 see Downs, A., 'birds of Nova Scotia' (rev.), '89, 64.
 Evening and Pine Grosbeaks in Ontario, '90, 211.
 Birds of Manitoba (rev.), '91, 301.
 Additions to list of Manitoban birds, '93, 49.
 Hybrid *Pinicola enucleator* + *Carpodacus purpureus*, '94, 1-3 (col. pl.).
 Studies in art anatomy of animals (rev.), '97, 106.
 Directive coloration of birds, '97, 395-396 (photo).
 Wild animals I have known (rev.), '99, 289.
- Thompson**, Frank J.
 Breeding of Wild Pigeon in Confinement, '81, 122.
 Water Thrush in confinement, '83, 57.
 Black Vulture in Ohio, '85, 109.
Ædicnemus dominicensis in confinement, '85, 110.
 thoracica (Ægialitis), see Ægialitis.
 thoracicus (Dactylorhynx), see Dactylorhynx.
- Thorndike**, A.
 Note on *Mareca americana*, '82, 185.
- Thorne**, Platte Marvin.
 Eastern Bluebird at Fort Lyon, Colorado, '86, 489.
 Addition to Drew's list of birds of Colorado, '87, 264.
 Olivaceous Flycatcher and Phoebe in Colorado, '89, 276.
Phalaropus lobatus and *Phalaropus tricolor*, '89, 336.
 Abnormal plumage of *Xanthocephalus xanthocephalus*, '88, 112.
 List of birds observed in vicinity of Fort Keogh, Montana, '95, 211-219.
 Obituary of, '97, 254.
- Thrasaëtus**, '84, 41.
 harpyia (* Harpy Eagle), *N. Am.* '81, 171; *C. R.* '92, 328.—*anat.* '86, 134^a.
- Thrasher**, Bendire's, see Harporhynchus bendirei.
 Brown, see Harporhynchus rufus.
 Californian, see Harporhynchus redivivus.
 Crissal, see Harporhynchus crissalis.
 Curve-billed, see Harporhynchus curvirostris.
 Desert, see Harporhynchus arenicola.
 Eastern, see Harporhynchus rufus.
 Leconte's, see Harporhynchus lecontei.
 Mearns's, see Harporhynchus mearnsi.
 Palmer's, see Harporhynchus palmeri.
 Pasadena, see Harporhynchus pasadenensis.
 Red-vented, see Harporhynchus crissalis.
 Sage, see Oroscoptes montanus.
 Saint Lucas, see Harporhynchus cineurus.
 Sonora, see Harporhynchus maculatus.
 Texas, see Harporhynchus sennetti.
 Yuma, see Harporhynchus lecontei.
- Thripoxanax**, '94, 234.
 javensis, *Bornco*, syn. '91, 7.
- Thrush**, '83, 72.
 Alice's, see Hylocichla aliciae.
 Alma's, see Hylocichla [almae =] swainsoni.
 Audubon's Hermit, see Hylocichla auduboni.
 Bicknell's, see Hylocichla bicknelli.
 Bicknell's Gray-cheeked, see Hylocichla bicknelli.
 Brown, see Harporhynchus rufus.
 Dwarf, see Hylocichla aonalaschkae.
 Dwarf Hermit, see Hylocichla aonalaschkae.
 European Song, see *Turdus musicus*.
 Ferruginous, see Harporhynchus rufus.
 Fox-colored, see Harporhynchus rufus.
 Golden-crowned, see *Seiurus aurocapillus*.
 Gray-cheeked, see Hylocichla aliciae.
 Henry's, see Harporhynchus crissalis.
 Hermit, see Hylocichla pallasii.
 Little, see Hylocichla fuscescens or swainsonii.

- Migratory, see *Merula migratoria*.
 Mimic, see *Mimus polyglottos*.
 Missel, see *Turdus viscivorus*.
 Olive-backed, see *Hylocichla swainsoni*.
 Orange-crowned, see *Seiurus aurocapillus*.
 Oregon, see *Hylocichla ustulata*.
 Plumbeus, see *Mimocichla plumbea*.
 Red, see *Harporrynchus rufus*.
 Red-bellied, see *Merula rufiventris*.
 Red-breasted, see *Merula migratoria*.
 Red-legged, see *Mimocichla rubripes*.
 Red-winged, see *Turdus iliacus*.
 Robin, see *Merula migratoria*.
 Rocky Mountain Hermit, see *Hylocichla auduboni*.
 Rufous-tailed, see *Harporrynchus rufus*, or *Hylocichla pallasi*.
 Russet-backed, see *Hylocichla ustulata*.
 Solitary, see *Hylocichla pallasi*.
 Song, see *Hylocichla mustelina*.
 Swainson's, see *Hylocichla swainsoni*.
 Table-land, see *Catharus fulvescens*.
 Tawny, see *Hylocichla fuscescens* or *mustelina*.
 Varied, see *Hesperocichla naevia*.
 Water, see *Water-Thrush*.
 Willow, see *Hylocichla salicicola*.
 Wilson's, see *Hylocichla fuscescens*.
 Wood, see *Hylocichla mustelina*.
 Thrushes, see *Turdidae*.
Thryomanes, '99, 90, 124.
bewickii (^a Bewick's Wren, ^b *Thryothorus*) *Ala.* '78, 171^b; *Colo.* '87, 265^b [*leucogaster*?]; *D. C.* '90, 291^b, '92, 307^b; *Fla.* '95, 365^b, 367^b; *g. dist.* '77, 73^a, '93, 133^b, 135^b, '99, 89, 90; *Ill.* '78, 163; *Ind.* '82, 19; *Ky.* '89, 316^b; *N. C.* '86, 99^a, 176^b, 310^a, 314^b, '89, 121^b, '93, 244^b; *N. J.* '77, 74^a; *O.* '85, 99^a; *Pa.* '92, 385^b, '99, 313; *S. C.* '79, 211^b, '88, 324^b, '90, 130^b, '91, 172^b, 333^b, '92, 29^a, 30^a, 36^a, '94, 34^a; *Tenn.* '86, 316^b; *Tex.* '82, 8^b; *Va.* '82, 253, '86, 158^b—*hbt.* '86, 158^b, 176^b; *meas.* '77, 61; *mig.* '92, 29^a, 30^a, 36^a, '94, 34^a, 36^a; *nst.* '82, 8^b, '85, 99^a; *plm.* '87, 350^b; *song.* '86, 176^b, '95, 367^b; *syn.* '77, 60, 62, '87, 349^b, '99, 90, 124.
brevicaudus (*Guadalupe Wren*), *g. dist.* '99, 90.—*hbt.* '77, 64; *meas.* '77, 61; *syn.* '77, 60, 62, 66, '99, 90, 125.
cerroensis (^b *Thryothorus*), *L. Cal.* '97, 166^{**}, '99, 90.—*meas.* '97, 167^b; *syn.* '99, 90, 132^b.
insularis (^b *Troglodytes*), *Socorro*

- I.* '98, 317^b, '99, 90.—*hbt.* '92, 288^b.
leucogaster (^a Baird's or Western Bewick's Wren, ^b *Thryothorus bairdi*, ^c *Thryothorus*, ^d *Thryothorus muriinus*, ^e *cryptus*, ^f *cremophilus*), *Ariz.* '82, 52, 53^e, 82, '88, 163^d, '90, 48^b, '94, 220^a; *Colo.* '85, 140, '87, 263^b; ^f *bewickii* []; *g. dist.* '99, 90, 90^a, 90^f, 344^e, 345^f; *Kan.* '86, 115^b; *N. M.* '92, 368^b, '98, 310; *Tex.* '82, 35, '87, 297^b, '89, 240^b, '92, 343^b, 1900, 348^b—*hbt.* '82, 82; *meas.* '86, 115^b, '87, 350^d, '97, 409^c, '99, 344^e, 345^f; *nst.* '82, 52^c, '86, 115^b, '87, 297^b, '88, 163^d, '92, 343^b; *plm.* '77, 63, '87, 350^d, '88, 163^d, '99, 344^e, 345^f; *song.* '89, 240^b; *syn.* '81, 175^b, '87, 349^a, '88, 402^b; '96, 345^c, '97, 131^b, 409^c, '98, 60 [^f *Hemimura*]. '99, 90, 124, 132^e, 132^f, 344^e, 345^f.

leucophrys (*San Clemente Wren*, ^b *Thryothorus*, ^c *nesophilus*), *Cal.* '95, 52^{**}, 166^b; *g. dist.* '99, 90, 350^c—*meas.* '95, 52^b, '97, 167^b, '99, 350^c; *plm.* '99, 350^c; *syn.* '95, 166^b, '99, 125, 132^c, 350^c.

murinus, *Mex.* '99, 90.

percnus, *Mex.* '99, 90.

- spilurus* (*Vigor's Wren*, ^b *Thryothorus*, ^c *charienturus*, ^d *drymiceus*, ^e *calophonus*, ^f *nesophilus*), *Cal.* '78, 65, '86, 162^b, 185^b, '87, 330^b?; '96, 121^b, '98, 234^b, 236^b; *g. dist.* '99, 90, 90^b, 90^c, 90^d, 90^e, 346^e, 347^d, 348^e; *L. Cal.* '95, 143^b, '97, 167^b; *Ore.* '86, 171^b; *Wash.* '92, 357^b, 1900, 357.—*meas.* '97, 167^b, '99, 347^c, 348^d, 348^e, 350^f; *nst.* '92, 288^a, '96, 121^b; *plm.* '77, 63, '87, 330, 350^b, '99, 346^c, 347^d, 348^e, 350^f; *song.* '92, 357^b; *syn.* '99, 90, 124, 132^c, 132^d, 132^e, 346^c, 347^d, 348^e, 350^f; *misc.* '78, 193^a.

Thryophilus, '83, 104.

cineraceus, *Mex.*, *meas.* '89, 96^{*}.

cumanensis, *Venez.* '97, 363, 367.

—*plm.*, *syn.* '97, 367.

leucopogon, *Ecuador*, 1900, 81.

leucotis, *syn.* '90, 265.

modestus, *C. R.*, *plm.*, *song.* '91, 275.

rufalbus (^b *Thryothorus*), *syn.* '89, 172^b.

sinaloa, *Mex.*, *plm.*, *nst.* '88, 97.

superciliosus, *Puna I.* '90, 265.

tænioptera, *Braz.* '89, 172, '90, 266.—*syn.* '90, 266.

zeledoni, *C. R.* '80, 42.

Thryothorus, '83, 81, 104, '84, 48, '86, 23, '89, 172, '93, 112, '96, 244.
albinucha, *syn.* '87, 350.
berlandieri, *meas.* '90, 59; *syn.* '81, 175.
cerroensis, '97, 66*, see Thryomanes.
coraya (^b *oyapicensis*, ^c *Formicivora griseigula*), *Guiana*, '84, 387^c, '89, 172^b.—*syn.* '90, 385^c.
felix, *Mex.*, *meas.*, *plm.* '78, 11.
genibarbis, *syn.* '90, 384.
grandis, *Mex.*, *meas.* 1900, 269*.
guadeloupensis, '86, 381*, see Troglodytes.
herberti, *Braz.*, '87, 172, '90, 266.
laetus, *Colombia*, '98, 339.
lawrencii, *Mex.*, *meas.* '78, 10*.
leucophrys, '86, 381*, see Thryomanes.
lomitensis (*Lomita Wren*, ^b *berlandieri*), *Tex.* '77, 109^b, '90, 58*, 64.—*syn.* '90, 64.
longipes, *Ecuador*, '90, 384.
macrurus, *Colom.*, '90, 384.
magdalenæ, *Mex.* '98, 340.
mystacalis, *syn.* '90, 384.
ludovicianus (^a *Carolina Wren*), *Ala.* '78, 171; *Ark.* '82, 90; *Colo.* '87, 265; *Conn.* '79, 61, '83, 120, '84, 286^a, '86, 442, 489, '93, 89^a, '96, 84, '98, 192, 274; *D. C.* '88, 24, '90, 291; *Fla.* '81, 40^{a?}, '88, 277, '91, 127^a, 138, '95, 365; *Ga.* '83, 38, '96, 214; *g. dist.* '93, 133, 135; *Ind.* '85, 98^a, '89, 29; *Ky.* '89, 316; *La.* '82, 161, '87, 301^a; *Mass.* '76, 76, '78, 193, '84, 91, '92, 73; *Miss.* '82, 90; *Mo.* '79, 141, '96, 219; *Mont.* '95, 218; *N. C.* '86, 176, 309^a, 314, '89, 120; *N. E.* '86, 400; *N. H.* '81, 54; *N. J.* '82, 116^a, '85, 86^a, '88, 421, '89, 305, '92, 204, '93, 87^a, '94, 140; *N. Y.* '78, 129, '79, 183, '84, 137, '86, 442, '88, 183, '93, 87^a, '95, 314, '97, 97, 224; *Pa.* '94, 330; *R. I.* '80, 237, '99, 83, 284; *S. C.* '79, 211, '85, 72^a, '90, 130, '91, 333, '99, 198^a; *Tenn.* '86, 316, '87, 133; *Tex.* '82, 8, 35, '87, 297, '89, 240, '92, 343; *W. Va.* '98, 60.—*hbt.* '86, 309, 442; *meas.* '79, 211, '90, 59, 117; *mig.* '99, 198^a; *nst.* '77, 50, '79, 183, '82, 8, 161, '83, 38, '88, 24, '90, 130, '91, 106^a, '97, 97, '98, 60; *plm.* '78, 21, '88, 277; *song.* '79, 211, '84, 137, '86, 442, '87, 301^a, '97, 97; *syn.* '83, 81; *misc.* '85, 210^a.
miamensis (*Florida Wren*), *Fla.* '80, 89, '88, 187, '90, 115, '92, 214.—

meas. '90, 59, 116; *plm.* '90, 115; *syn.* '80, 89, '83, 81.
pallidus, *Mex.* '99, 296.
rutilus, *Venez.* '97, 363; *W. I.* '93, 220.
 Thunder-pumper, see Botaurus lentiginosus.
Thurber, Eugene Carleton.
Helminthophila leucobronchialis in New Jersey, '86, 411, '87, 349.
 List of birds of Morris Co., New Jersey (rev.), '88, 421.
Callipepla squamata in northeastern New Mexico, '90, 89.
 Southern California bird notes, '96, 265.
 Obituary of, '96, 349.
 thurberi (Junco), see Junco.
thyroideus (*Sphyrapicus*), see Sphyrapicus.
Tichodroma muraria, *misc.* '88, 423.
 Tick-bird, see Crotaphaga ani.
Tiga, '94, 233, 234.
tigrina (*Dendroica*), see Dendroica.
 — (*Motacilla*), see Dendroica tigrina or *Seiurus aurocapillus*.
 — (*Perissoglossa*), see Dendroica.
 — (*Sylvia*), see *Seiurus noveboracensis*.
Tigrisoma, '83, 172.
brasiliense, *Braz.* '91, 161.
excellens, *Honduras*, '89, 172.
Timaliæ, '84, 279.
Timaliidae, '81, 34, '83, 104, '84, 278.
timidus (*Empidonax*), see Empidonax.
Tinamidae, '81, 82.
 Tinamou, Brown-backed, see *Crypturus inornatus*.
Tinamus, '86, 449.
guttatus, *Braz.*, *plm.* '91, 163.
tao, *Braz.* '91, 163.
 Tinnunculus, see Falco.
tinnunculus (*Falco*), see Falco.
tirica (*Brotogeris*), see Brotogeris.
tiriri (*Tyrannus*.) see *T. dominicensis*.
 Tit, see also Titmouse.
 Banded, see *Chamaea fasciata*.
 Blue, see *Parus caeruleus*.
 British Marsh, see *Parus dresseri*.
 Chestnut-backed, see *Parus neglectus*.
 Coal, see *Parus ater*.
 Long-tailed, see *Acredula caudata*.
 Wren, see *Wren-Tit*.
Titlark, see *Anthus pensylvanicus*.
 Meadow, see *Anthus pratensis*.
 Missouri, see *Anthus spraguei*.
 Prairie, see *Anthus pensylvanicus*.
 Titmice (or Tits), see Paridae.
 Titmouse, '83, 76.

Ashy, see *Parus cineraceus*.
 Black-capped, see *Parus atricapillus*.
occidentalis or *atricristatus*.
 Black-crested, see *Parus atricristatus*.
 Bridled, see *Parus wollweberi*.
 Carolina, see *Parus carolinensis*.
 Chestnut-crowned, see *Psaltriparus minimus*.
 Chestnut-fronted, see *Parus [castaneifrons =] atricristatus*.
 Crested, see *Parus bicolor*.
 Gray, see *Parus griseus* or *inornatus*.
 Great, see *Parus major*.
 Hudson's Bay, see *Parus hudsonicus*.
 Hudsonian, see *Parus hudsonicus*.
 Lead-colored, see *Psaltriparus plumbeus*.
 Least, see *Psaltriparus minimus* or *californicus*.
 Mountain, see *Parus gambeli*.
 Pallid Ground, see *Chamaea henshawi*.
 Plain, see *Parus inornatus*.
 Swamp, see *Parus palustris*.
 Texan Tufted, see *Parus texensis*.
 Tufted, see *Parus bicolor*.
 Wollweber's, see *Parus wollweberi*.
 Yellow-headed, see *Auriparus flaviceps*.
 Tits, see *Paridae*.
Tityra, '90, 381.
albitorques, *Braz.* '91, 25; *Ecuador*, '88, 287.
cayana, *Braz.* '91, 25; *Venez.* '97, 365.—*plm.* '88, 288.
griseiceps, *Mex.* '88, 263*.
inquisitoria, *plm.* '88, 287.
nigriceps, *Ecuador*, '88, 287*.—*syn.* '90, 381.
personata, *C. R.* '92, 322; *Ecuador*, '88, 287, 288.—*fd.*, *meas.*, *nst.* '92, 322; *plm.* '88, 288; *syn.* '90, 381.
semifasciata, *Braz.* '91, 25.
 titys (*Ruticilla*), see *Ruticilla*.
tixierus (*Coturniculus*), see *Ammodramus savannarum*.
tobaci (*Agyrtria*), see *Agyrtria*.
tobagensis (*Troglodytes*), see *Troglodytes*.
Tobago Island, West Indies.
 Cory, C. B., '93, 220.
 Lawrence, G. N., '88, 404.
Toccus, '81, 31.
Todd, Louis Moore.
 Song Sparrow wintering in eastern Maine, '87, 260.
 Westerly trend of certain fall migrants in eastern Maine, '87, 351.
Todd, Walter Edmond Clyde.

Breeding of *Dendroica maculosa* in western Pennsylvania, '91, 116.
 Breeding of *Totanus solitarius* and *Otocoris alpestris praticola* in western Pennsylvania, '91, 236.
 Nesting of Cerulean Warbler (*Dendroica cerulea*) in Beaver Co., Pennsylvania, '91, 238.
 Notes on the occurrence of uncommon species at Beaver, Pa. '91, 240.
 Further note on *Otocoris alpestris praticola*, '91, 395.
 Notes on *Mniotilidae* of western Pennsylvania, '91, 397—399.
 Summer birds of Indiana and Clearfield counties, Pennsylvania, '93, 35—46, 305.
 Wintering of *Regulus calendula* at Washington, D. C. '93, 206.
 Occurrence in summer of certain Warblers at Beaver, Pennsylvania, '93, 209.
Todidae, '81, 29, 74, 75, '93, 68.
Todiostrom, '81, 31.
cinereum, *Braz.* '90, 269; *C. R.* '90, 233, '92, 250; *Nicar.* '95, 20; *Venez.* '97, 365.—*meas.* '90, 234; *nst.* '90, 233; *song.* '95, 20.
maculatum, *Braz.* '90, 269.
Todus, '81, 31, '86, 369.
angustirostris, *W. I.*, *meas.*, *plm.*, *syn.* '86, 360.
hypochondriacus, *W. I.*, *meas.*, *plm.*, *syn.* '86, 371.
multicolor, *W. I.* '86, 372, '92, 272.—*meas.*, *plm.*, *syn.* '86, 372.
pulcherrimus, *W. I.* '86, 371, '92, 275.—*meas.*, *plm.*, *syn.* '86, 371.
subulatus (^b*dominicensis*), *W. I.* '81, 154^b, '86, 370.—*hbt.* '81, 154^b; *meas.*, *plm.*, *syn.* '86, 370, '81, 154^b.
viridis, *W. I.* '86, 369, '92, 274, 373, '94, 124.—*fd.* '92, 274, 374; *hbt.* '92, 274, 373; *meas.* '86, 369, '92, 374; *nst.* '92, 275, 373, '94, 124; *plm.* '86, 369, '92, 275; *syn.* '86, 369.
 Tody, Green, see *Todus viridis*.
 Sharpe's, see *Todus pulcherrimus*.
togata (*Bonasa*), see *Bonasa*.
tolimae (*Speotyto*), see *Speotyto*.
tolmiei (*Geothlypis*), see *Geothlypis*.
 — (*Sylvia*), see *Geothlypis*.
 Tom-fool, see *Myiarchus validus*.
 Little, see *Myiarchus stolidus*.
 Tomtit, see *Cistothorus palustris* or *Parus carolinensis*.
 topiltzin (*Trochilus*), see *Coligena clemenciae*.

Toppan, George Lunt.

- Myadestes townsendii* in Nebraska, '90, 408.
 torda (Alca), see Alca.
 — (Utamania), see Alca.
 torquata (Alcedo), see Ceryle.
 — (Ceryle), see *C. torquata* or *stictipennis*.
 — (Chamaeospiza), see Chamaeospiza.
 — (Hemiprocnæ), see *H. zonaris*.
 — (Merula), see *Turdus*.
 — (Poospiza), see Poospiza.
 — (Procellaria), see *Æstrelata brevipes*.
 — (Pulsatrix), see Pulsatrix.
 — (Rhopoterpe), see Rhopoterpe.
 — (Sylvia), see *Compsothlypis usneæ*.
torquatus (*Asyndesmus*), see Melanerpes.
 — (*Colymbus*), see *Gavia imber*.
 — (*Histrionicus*), see *H. histrionicus*.
 — (*Lybius*), see *Lybius*.
 — (*Melanerpes*), see *Melanerpes*.
 — (*Phasianus*), see *Phasianus*.
 — (*Picus*), see *Melanerpes*.
 — (*Pteroglossus*), see *Pteroglossus*.
 — (*Turdus*), see *Turdus*.
 — (*Turtur*), see *Turtur*.
 — (*Urinator*), see *Gavia imber*.
torqueola (*Spermophila*), see Sporophila.
 — (*Sporophila*), see *Sporophila*.
torquilla (*Yunx*), see *Iynx*.
 — (*lynx*), see *lynx*.

Torrey, Bradford.

- Birds in the bush (rev.), '86, 129.
 Revival of sexual passion in birds in autumn, '86, 141.
 Second instance of breeding of White-throated Sparrow in eastern Massachusetts, '88, 426.
 The 'booming' of the Bittern, '89, 1-8.
 Bicknell's Thrush breeding in Vermont, '89, 194.
 Killdeer Plover (*Egialitis vocifera*) wintering on New England coast, '89, 274.
 Bluebird wintering near Boston, '91, 239.
 Foot path way (rev.), '93, 74.
 Field Sparrow wintering in Massachusetts, '93, 205.
 Virginia notes, '96, 179.
 A world of green hills (rev.), '99, 86.
torridus (*Selasphorus*), see *Selasphorus*.
Tortola Island, West Indies.
 Cory, C. B., '90, 374-375.

Tortoise-shell Bird, see Ardetta exilis.
Totanus, '82, 245, '87, 317, '88, 330, 331, '93, 99, '96, 66, '97, 211.

ater (^a Spotted Redshank, ^b fuscus), *Helg.* '95, 338^b.—*milt.* '96, 151^a.

cinnamomeus, '90, 377^a, see *Helodromas*.

eurhinus, *Asia*, 1900, 304.

flavipes (^a Yellow-legs, Lesser Telltale or Summer Yellow-legs, ^b Gambetta), *Alas.* '87, 12; *Argent.* '84, 315; *Bahamas*, '91, 337, 338, 350, '92, 48, 49; *B. C.* '93, 291, 384; *Cal.* '77, 95^b?; *Colo.* '85, 18, 143; *Colom.* 1900, 364; *Conn.* '92, 284; *g. dist.* '93, 125; *Engl.* '77, 107^b; *Fla.* '88, 270, '89, 158, '92, 212, '93, 337; *Ga.* '96, 215; *G. Br.* '80, 147; *Hud. B.* '90, 321; *Ill.* '77, 68; *Ind.* '88, 349; *Jamaica*, '92, 13, '94, 123; *La.* '97, 288; *Man.* '86, 152; *Mass.* '81, 127, '91, 119, '97, 213; *Mo.* '95, 9; *Mont.* '94, 301, '95, 213; *N. C.* '92, 389, '99, 246^a; *N. F.* 1900, 71; *N. J.* '79, 225; *N. S.* '87, 16; *N. Y.* '79, 33, '80, 157, '81, 234, '91, 394, '95, 313; *O.* '89, 328; *Ore.* '77, 95^b; *Pa.* '96, 291^a, '99, 310; *Que.* '82, 239; *S. C.* '79, 217, '85, 189; *S. D.* '85, 286; *Tex.* '92, 232, 1900, 340; *Va.* '94, 325; *Wash.* '93, 17, 291, 384; *W. I.* '80, 169, '86, 502, '87, 317, '90, 374, '91, 47, 48; *W. Is.* '88, 327?—*anat.* '88, 330, 331; *hbt.* '93, 293, 293; *mig.* '88, 327, '91, 119, '93, 248, '97, 213; *nst.* '89, 328, '91, 394; *plm.* '81, 162, 1900, 379 (milt.); *syn.* '87, 317; *misc.* '93, 294, 294.

glareola (^a Wood Sandpiper), *Helg.* '95, 339.—*milt.* '96, 151^a.

melanoleucus (^a Greater Yellowlegs or Telltale, ^b Gambetta), *Argent.* '84, 315; *Ariz.* '86, 386; *Cal.* '86, 92, '89, 223; *Colo.* '85, 18; *Fla.* '89, 157, '91, 133^a, 137, '92, 212; *Ga.* '82, 101^a, '96, 215; *g. dist.* '93, 125; *Hud. B.* '90, 321; *Ida.* '97, 351; *Ill.* '77, 68; *Ind.* '88, 349; *Jamaica*, '92, 13, '94, 122; *La.* '97, 288; *Man.* '86, 152; *Mass.* '81, 127, '89, 258, '91, 119, '93, 294, '97, 213; *Mont.* '94, 302, '95, 213; *N. C.* '93, 243, '99, 246^a; *N. F.*, *Grand Banks*, '79, 128; *N. J.* '79, 225; *N. S.* '95, 90; *N. Y.* '79, 33, '81, 234, '84, 177^a, 178, '89, 200, '98, 51; *Ore.* '79, 197^b; '88, 145; *Pa.* '99, 310; *Que.* '82, 239, '84, 380, '89, 146; *S. C.* '85, 192; *S. D.* '85, 286; *Tex.* '82, 42, '87, 186, '88, 110, '92, 232, 1900, 340; *Ft.* '92, 149; *Wash.* '92, 354,

'97, 181; *W. I.* '80, 169, '87, 317, '91, 47; *Wis.* '88, 327?.—*anat.* '88, 330, 331; *fd.* '98, 51; *hbt.* '93, 293, 293, '98, 51; *mig.* '84, 177^a, 178, '88, 327, '89, 200, '91, 119, '93, 248, '97, 213; *nst.* '77, 69, '85, 99; *plm.* '81, 162, '94, 302, 1900, 370, 371, 372 (mlt.); *syn.* '87, 317.

nebularius (^a Green-shank, ^b canescens), *Helg.* '95, 338^b.—*syn.* '82, 179, '84, 384, '95, 168, '99, 130.—*misc.* '97, 335^a.

stagnatilis (^a Marsh Sandpiper), *Helg.* '95, 338.—*mlt.* '96, 151^a.

totanus (^b calidris), *g. dist.* '97, 212, '99, 128; *Helg.* '95, 338^b.—*syn.* '99, 128.

totanus (Totanus), see Totanus.

Toucan, '97, 237.

Touraco, '97, 237, 1900, 167.

Touyou, 1900, 167.

tovi (*Psittovius*), see *Brotogeris jugularis*.

Towhee, see *Pipilo erythrophthalmus*.

Abert's, see *Pipilo aberti*.

Anthony's, see *Pipilo senicula*.

Arctic, see *Pipilo arcticus*.

Barranca, see *Pipilo potosini*.

Brown, see *Pipilo fuscus*.

Californian, see *Pipilo crissalis*.

California Brown, see *Pipilo crissalis*.

Cañon, see *Pipilo mesoleucus*.

Carman's, see *Pipilo carmani*.

Chestnut-crowned, see *Oreospiza chlorura*.

Green, see *Oreospiza chlorura*.

Green-tailed, see *Oreospiza chlorura*.

Guadalupe, see *Pipilo consobrinus*.

Long-clawed, see *Pipilo megalonyx*.

Lower Californian, see *Pipilo senicula*.

Northern, see *Pipilo arcticus*.

Northern Brown, see *Pipilo [carolæ =] crissalis*.

Oregon, see *Pipilo oregonus*.

Red-eyed, see *Pipilo erythrophthalmus*.

Saint Lucas, see *Pipilo albogularis*.

San Clemente, see *Pipilo clementæ*.

San Diego, see *Pipilo [atratus =] megalonyx*.

Socorro, see *Pipilo carmani*.

Spurred, see *Pipilo megalonyx*.

White-eyed, see *Pipilo allenii*.

Towhee-Bunting, see *Pipilo erythrophthalmus*.

Townsend, Charles Haskins.

Remarkable plumage of Orchard Oriole, '82, 181.

Note on Long-tailed Duck, '82, 251.
Description of a hybrid Sparrow *Zonotrichia albicollis* + *Junco hiemalis*), '83, 78–80.

Some albinos in museum of Philadelphia Academy, '83, 126.

Birds of Westmoreland Co., Pennsylvania (rev.), '84, 184.

Occurrence of Catbird (*Mimus carolinensis*) on Farallone Islands, '85, 215.

Four rare birds in northern California, '86, 490.

List of midsummer birds of Kowak River, Alaska, '87, 11–13.

Field-notes on mammals, birds and reptiles of northern California (rev.), '88, 104.

Birds from coasts of western North America and adjacent islands (rev.), '91, 305.

Birds from Cocos and Malpelo Is. (rev.), '96, 75.

Townsend, Charles Wendell.

Chondestes grammica and *Vireo philadelphicus* in Massachusetts, '80, 53.

Evidence of former existence of Wild Turkey at Mount Desert I., Maine, '81, 60.

Breeding of Mockingbird near Boston, Massachusetts, '84, 192.

Black-throated Bunting in Maine, '85, 106.

townsendi (*Camarhynchus*), see *Camarhynchus*.

— (*Dendroica*), see *Dendroica*.

— (*Emberiza*), see *Spiza*.

— (*Euspiza*), see *Spiza*.

— (*Haematopus*), see *H. ater*.

— (*Junco*), see *Junco*.

— (*Lagopus*), see *Lagopus*.

— (*Myadestes*), see *Myadestes*.

— (*Oceanodroma*), see *O. melania*.

— (*Passerella*), see *P. unalascheensis*.

— (*Passerina*), see *Passerina*.

— (*Phalacrocorax*), see *P. mexicanus*.

— (*Plectrophenax*), see *Passerina*.

— (*Spindalis*), see *Spindalis*.

— (*Spiza*), see *Spiza*.

— (*Thalurania*), see *Thalurania*.

tracheolopyrrhus (*Ceophlebus*), see *Ceophlebus*.

Trachophone, '81, 29, 32, 33, 34, 36, '90, 379.

trachyrhynchus (*Pelecanus*), see *P. erythrorynchos*.

- traillii (Empidonax), see E. traillii or alnorum.
 — (Muscicapa), see Empidonax.
- Treat**, Willard Ellery.
 Capture of three rare birds at Hartford, Conn. '87, 78.
Xanthoccephalus xanthocephalus in Connecticut, '87, 256.
Spizella pusilla wintering near Hartford, Conn. '87, 259.
Helminthophila cclata in Connecticut, '88, 323.
 A fishing Screech Owl, '89, 189.
 Mortality among Bank Swallows, '90, 96.
Anas crecca in Connecticut, '91, 112.
Eremopterix occidentalis in Connecticut, '92, 389.
 Unusual habits of Lincoln's Sparrow, '93, 206.
Phalaropus lobatus—a correction, '94, 74.
 Brünnich's Murre (*Uria lomvia*) in Connecticut, '95, 177.
 Tree-duck, Black-bellied, see *Dendrocygna autumnalis*.
 Fulvous, see *Dendrocygna fulva*.
 Tree-pecker, see *Colaptes auratus* or *leuteus*.
tremulus (*Formicarius*), see *Cinclotrichia ruficauda*.
 — (*Ramphocinclus*), see *Cinclotrichia ruficauda*.
 Trenton Natural History Society. Journal, titles (Nos. 2307–2308), '92, 195.
Treron, '94, 233.
 nasica, *Bornco*, syn. '91, 13.
 permagna, *Japan*, '87, 250.
 Treronidae, '94, 61, '99, 319.
tresmarie (*Amazona*), see *Amazona*.
 Tres Marias Islands, Mexico.
 Nelson, E. W., '99, 296. 1900, 256.
 Ridgway, R., '79, 10–11.
triangularis (*Dendronnis*), see *Dendronnis*.
trichas (*Geothlypis*), see *G. trichas*, *ignota* or *occidentalis*.
 — (*Sylvia*), see *Geothlypis*.
 — (*Turdus*), see *Geothlypis*.
Trichoglossus, '96, 111.
trichopsis (*Megascops*), see *M. trichopsis*, *cineracea* or *mccallii*.
 — (*Scops*), see *Megascops*.
tricolor (*Agelaius*), see *Agelaius*.
 — (*Ara*), see *Ara*.
 — (*Aracanga*), see *Ara*.
 — (*Arara*), see *Ara*.
 — (*Ardea*), see *A. ruficollis*.
- (*Centurus*), see *C. wagleri*.
 — (*Certhiola*), see *Cereba*.
 — (*Cereba*), see *Cereba*.
 — (*Hydranassa*), see *Ardea ruficollis*.
 — (*Lobipes*), see *Steganopus*.
 — (*Macrocerus*), see *Ara*.
 — (*Phalaropus*), see *Steganopus*.
 — (*Primolinus*), see *Ara*.
 — (*Psittacus*), see *Ara*.
 — (*Sittace*), see *Ara*.
 — (*Steganopus*), see *Steganopus*.
 — (*Zanthopygia*), see *Zanthopygia*.
tridactyla (*Loxia*), see *Lybius*.
 — (*Rissa*), see *Rissa*.
- Tridactylus**, 1900, 167.
tridactylus (*Larus*), see *Rissa*.
 — (*Lybius*), see *Lybius*.
 — (*Picoides*), see *Picoides*.
trigonostigma (*Certhia*), see *Dicæum*.
 — (*Dicæum*), see *Dicæum*.
trigrina (*Dendroica*), see *D. tigrina*.
Tringa (^b *Ancylorhynchus*, ^c *Arquataella*,
^d *Pelidna*, ^e *Heteropygia*, ^f *Limonites*,
^g *Actodromas*), '82, 245, '82, 245^g,
'84, 142^e, '87, 313, '88, 331, '93, 99,
'96, 65, 66, '97, 103^b, 103^c, 103^d, 103^e,
103^f.
acuminata (^a Sharp-tailed Sandpiper, ^b *Actodromas*), *Alas.* '83, 231^b,
'84, 78^b, 219^a; *g. dist.* '93, 123; *N. Am.* '81, 171^b; *Siberia*, '84, 219^a.
alpina (^a Dunlin, ^b *Pelidna*), *g. dist.* '88, 307; *Helg.* '95, 339; *N. Y.* '93, 78, '95, 70.—*meas.*, *syn.* '88, 307;
plm. '88, 307, '90, 321, '96, 69^a, 164
(milt.), 1900, 370, 381–383 (milt.);
misc. '80, 162^b.
bairdii (^a Baird's Sandpiper, ^b *Actodromas*), *Alas.* '85, 63^b, '98, 126
[= *Actitis macularia*]; *B. C.* 1900,
104; *Cal.* '98, 51; *Canada*, '82, 113;
Colo. '85, 18^b; *Conn.* '89, 189, '90,
89; *C. R.* '95, 87; *g. dist.* '93, 123;
Ill. '96, 180; *Ind.* '97, 199, 227; *Man.* '86, 151; *Mass.* '78, 140, '83, 233^a;
Mc. '76, 19, '77, 28, '81, 60, '83, 113^b,
243^b, '96, 80; *Mich.* '96, 174, 255,
1900, 390; *Mo.* '98, 27; *Mont.* '94,
301, '95, 213; *N. H.* '81, 61; *N. Y.* '82, 60, 123^a, '85, 273, 384^b, '89, 68,
'90, 230, '95, 179, '96, 80, '99, 191,
194, 1900, 178; *O.* '92, 397; *Pa.* '91,
240; *Tex.* '82, 42^b, '87, 186, '92, 345;
Va. '94, 325.—*hbt.* '81, 60, '93, 293;
mig. '85, 63^b; *plm.* '81, 60; *misc.* '82,
113 (corr.).
canutus (^a Knot), *Alas.* '85, 63;
Arctic Am. '78, 86, '85, 312; *Argentina*, '99, 292; *Cal.* '87, 88?; *Fla.*

'81, 19, '87, 219, 276, 279^a, '89, 156, 196, '92, 212; g. dist. '93, 123; *Gozo I.* '77, 70; *Helg.* '95, 339; *Ill.* '77, 68; *Ind.* '97, 199, 227, '98, 62; *Jamaica*, '87, 315, '92, 13; *La.* '97, 288; *Malta*, '77, 70; *Man.* '86, 151, 329; *Mass.* '90, 294, '92, 147, 306, '93, 25-35; *Mich.* 1900, 391; *N. J.* '79, 225; *N. Y.* '82, 256, '94, 163, '99, 194; *O.* '92, 397; *Ont.* '97, 411; *Que.* '84, 295, '92, 148; *Tex.* '88, 110; *Va.* '94, 259; *Wash.* '93, 17; *W. I.* '92, 290.—*fd.* '93, 25, 27; *hbt.* '93, 25-35, 293, 293; *meas.* '85, 313; *mig.* '85, 63, '87, 219, 276, 279^a, '93, 25, 247, '96, 91, '99, 292; *nst.* '85, 312, 375, '92, 289^a, '93, 25; *plm.* '80, 29 (alb.), '93, 25, 31, '96, 86, 165^a (milt.), 1900, 370, 371, 372 (mlt.); *song*, '93, 25, 27; *syn.* '87, 315, '96, 65; *misc.* '82, 113 (corr.), '87, 276^a.

cousesi (Aleutian Sandpiper, ^bArquatale), *Alas.* '80, 160^b, 163^b, '84, 77^b; g. dist. '93, 123; *Sibcria*, '88, 197.—*mcas.*, *plm.* '80, 163^b; *syn.* '80, 160^b, '97, 103, 133, '99, 130.

crassirostris, *misc.* '93, 25.

damacensis (Long-toed Stint), *Alas.* '86, 275, '88, 394.

ferruginea (^a Curlew Sandpiper, ^b subarquata, ^c *Pelidna subarquata*), *Alas.* '85, 63^c; *Gozo I.* '77, 70^b; *Grecln.* '79, 190^b, '80, 109^b; *Helg.* '95, 339^b; *Malta*, '77, 70^b; *Mass.* '76, 51^b; *Mc.* '82, 124^c, '83, 177^a; *N. E.* '79, 124^a; *N. Y.* '84, 32^c; *W. I.* '87, 315.—*hbt.* '93, 293; *meas.* '79, 190^b; *mig.* '85, 63^c; *nst.* '79, 190^b, '80, 109^b; *syn.* '87, 315; *misc.* '93, 296.

fuscicollis (^a White-rumped or Bonaparte's Sandpiper, ^b *Actodromus bonapartei*, ^c *bonapartei*, ^d *Actodromus*), *Alas.* '85, 63^d; *Argent.* '84, 314; *Cal.* '87, 79; *Engl.* '77, 107^c; *Fla.* '81, 19^c, '89, 157, '92, 212; *France*, '77, 107^c; *G. Br.* '80, 147^c; g. dist. '93, 123; *Jamaica*, '92, 13; *Man.* '86, 151; *Mass.* '81, 127; *Me.* '82, 191^d; *Minn.* '89, 340, '93, 290; *N. Am.*, *W. coast*, '77, 95^b; *N. C.* '99, 246^a; *N. J.* '79, 225^c; *N. Y.* '94, 163, '99, 194, 285; *Que.* '82, 239^b; *S. D.* '85, 286^b; *Tex.* 1900, 340; *Va.* '94, 259, 1900, 172; *W. I.* '80, 169, '81, 128, '87, 314.—*hbt.* '93, 293; *mig.* '85, 63^d; *plm.* '87, 79, 1900, 370, 371, 374 (mlt.); *syn.* '87, 314.

maculata (^a Pectoral Sandpiper, ^b *Actodromas*), *Alas.* '84, 218^b, '85,

63^b, 157, '86, 123; *Argent.* '84, 314; *Bahamas*, '92, 48; *Colo.* '85, 18^b; *Colom.* 1900, 364; *Conn.* '89, 189; *C. R.* '90, 332, '92, 329; *Engl.* '77, 107, '85, 374; *Europe*, '80, 146; *Fla.* '89, 157, '92, 212; g. dist. '93, 123; *Gozo I.* '77, 70; *Ia.* '95, 235; *Ida.* '97, 351; *Ill.* '95, 393^a, 394^a; *Ind.* '88, 349; *Jamaica*, '92, 13; *Ky.* '89, 312; *La.* '97, 288; *Malta*, '77, 70; *Man.* '86, 151; *Minn.* '80, 18; *Mo.* '95, 3^a, 9, 10^a, '98, 27; *N. C.* '93, 243; *N. J.* '79, 225; *N. M.* '92, 360; *N. Y.* '89, 136^a; *Que.* '82, 239^b; *R. I.* '87, 73; *S. C.* '79, 217, '94, 32^a; *S. D.* '85, 286^b; *Tex.* '82, 42, 222, '87, 186, '92, 232; *Va.* '94, 325; *W. I.* '86, 502, '87, 96, 314, '91, 48.—*anat.* '84, 218^b; *hbt.* '84, 218-221, '93, 293, 293, '96, 90; *meas.* '99, 179; *mig.* '84, 218^b, '85, 63^b, '94, 32^a, '95, 235, '96, 90; *nst.* '84, 218^b, '86, 123; *plm.* 1900, 370, 371 (mlt.); *song*, '84, 218^b; *syn.* '87, 314; *misc.* '93, 294.

maritima (^a Purple Sandpiper, ^b Arquatella), *Fla.* '88, 184, '89, 156, '92, 212; g. dist. '80, 162^b, '93, 123; *Gozo I.* '77, 70; *Grecln.* '89, 217; *Helg.* '95, 326; *Ill.* '77, 68, '96, 180; *Malta*, '77, 70; *N. B.* '93, 26; *N. Y.* '81, 126, '87, 341, '88, 178; *Siberia*, 1900, 309^a.—*hbt.* '88, 178, '93, 293; *mcas.*, *plm.* '80, 162^b; *syn.* '80, 162^b, '97, 103.

minuta, *Helg.* '95, 339.—*nst.* 1900, 307.

minutilla (^a Least Sandpiper, ^b *Actodromas*), *Alas.* '79, 53^a, '87, 12, '98, 126; *Ariz.* '86, 386; *Bahamas*, '91, 351, '92, 48, 49, 1900, 286; *B. C.* 1900, 104; *Cal.* '86, 91, '89, 223, '98, 51; *Colo.* '85, 18^b; *Colom.* 1900, 364; *Fla.* '87, 219, '89, 157, '90, 308, '92, 212; *Ga.* '96, 215; g. dist. '93, 125; *Ia.* '95, 124; *Ida.* '97, 351; *Ill.* '77, 68, '95, 394; *Ind.* '88, 349; *Jamaica*, '92, 13, '94, 123; *La.* '97, 288; *Man.* '86, 151; *Mass.* '81, 127; *Mich.* '85, 376, '93, 223; *Mo.* '98, 27; *Mont.* '94, 301, '95, 213; *N. B.* '83, 9^b; *N. C.* '99, 246^a; *N. J.* '79, 225; *N. M.* '92, 360; *N. S.* '87, 16, '95, 377, 378; *N. Y.* '79, 32, '82, 256^b, '90, 230; *Ore.* '88, 366; *Pa.* '99, 310; *Que.* '82, 239^b, '89, 146; *S. C.* '85, 192^b; *S. D.* '85, 286^b; *Siberia*, '88, 308 [= *ruficollis*]; *Tex.* '82, 222, '87, 186, '92, 232, 1900, 340; *Wash.* '92, 354, '97, 172; *W. I.* '80, 169, '86, 502, '87, 313, '91,

48.—*hbt.* '93, 293; *mig.* '83, 9^b, '86, 132, '87, 219, '94, 98^a, 122, '95, 124; *plm.* '91, 190 (alb.), 1900, 370, 375 (mlt.); *syn.* '87, 313.

pacifica (^a Red-backed Sandpiper or American Dunlin, ^b *americana*, ^c *Pelidna americana*, ^d *alpina*), *Alas.* '79, 53^a, '85, 63^c; *Ariz.* '86, 386; *Colo.* '85, 18^c; *D. C.* '86, 140^d; *Fla.* '81, 19^b, '87, 219^a, 276, 279^a, '89, 157, '92, 212; *g. dist.* '88, 307, '93, 123; *Hud. B.* '90, 321; *La.* '97, 288; *Man.* '86, 151; *Mass.* '92, 147; *Minn.* '93, 290; *N. C.* '99, 246^a; *N. J.* '79, 225^b; *N. Y.* '82, 256^c, '93, 78; *Que.* '83, 245^b; *Tex.* '87, 186^a, 1900, 340; *Wash.* '92, 43, 354.—*hbt.* '93, 293; *meas.* '88, 307, 308, '90, 321; *mig.* '85, 63^a, '87, 219^a, 276, 279^a, '89, 157, '92, 149; *plm.* '88, 307, '90, 321, '96, 164 (mlt.), 1900, 370, 374, 381–383 (mlt.); *syn.* '88, 307, '97, 103, 133.

ptilocnemis (Prybilof Sandpiper, ^b Arquatella), *Alas.* '80, 160^b, 163^b; *g. dist.* '93, 123.—*meas.*, *plm.* '80, 163^b; *syn.* '80, 162^b, '97, 103, '99, 130.

ruficollis, *Siberia*, *plm.* '88, 308 [not 'minutilla'].

temmincki, *Helg.* '95, 339; *Japan*, '93, 346.—*plm.* '88, 308.

Tringoides, see Actitis.

Trinidad Island, West Indies.

Brewster, W., '95, 201–211.

Chapman, F. M., '93, 342–343, '94, 173, '95, 201–211.

Ridgway, R., '94, 67.

trinitatis (*Cyclorhis*), see *Cyclorhis*.
— (*Euphonia*), see *Euphonia*.
— (*Formicarius*), see *Formicarius*.
— (*Ramphocænus*), see *Ramphocænus*.

— (*Sporophila*), see *Sporophila*.

— (*Thamnophilus*), see *T. cirratus*.

tristis (*Astragalinus*), see *Astragalinus*.
— (*Blacicus*), see *Myiarchus barbirostris*.

— (*Chrysomitris*), see *Astragalinus tristis* or *salicamans*.

— (*Fringilla*), see *Astragalinus*.

— (*Merula*), see *Merula*.

— (*Myiobius*), see *Myiarchus barbirostris*.

— (*Phylloscopus*), see *Phylloscopus*.

— (*Spinus*), see *Astragalinus tristis*, *salicamans* or *pallidus*.

tristrami (*Amydrus*), see *Amydrus*.

— (*Oceanodroma*), see *Oceanodroma*.

trivialis (*Anthus*), see *Anthus*.

trochila (*Chamaepelia*), see *Columbigalina passerina*.

Trochili (^a Hummingbirds), '81, 163, '83, 188^a; '86, 414, 473^a, 492, '87, 80, 170^a, 171^a, 255^a, 265^a, 270^a, 339^a, '90, 279, '92, 172^a, 376^a, '93, 66, 110^a, 132^a, 311^a, 345^a, 376^a, '94, 143^a, '97, 105^a, 338^a.

Trochilidae, '79, 230–232, '81, 29, 36, 37, 75, '85, 212, '86, 404, 414, '89, 334, '95, 156.

Trochilus, '86, 353, 404, 444–451, '93, 62, '98, 318, '99, 297.

alexandri (Black-chinned Hummingbird), *Ariz.* '82, 210, '86, 430, '90, 255; *Cal.* '85, 310, '86, 180, '87, 86, '96, 118; *Colo.* '85, 17; *g. dist.* '93, 134; *Ida.* '97, 355, 1900, 244; *N. M.* '92, 363, '93, 314, '98, 308; *Ore.* '79, 195?; *Tex.* '79, 60, '84, 123, '87, 183, 192, '92, 235, 1900, 344; *Wash.* '97, 175.—*anat.* '86, 404, 446; *fd.* '93, 314; *hbt.* '96, 118; *nest.* '82, 210, '85, 310, '86, 430, '87, 192, '96, 118; *plm.* '88, 169.

columbris (^a Ruby-throated Hummingbird), *Alas.* '79, 11; *C. R.* '90, 333, '92, 324; *D. C.* '88, 21, '92, 308, '93, 314; *Fla.* '88, 272, '89, 252, '90, 310, '91, 138, '92, 213, '93, 314, '95, 365; *Ga.* '82, 102^a, '83, 40, '96, 213; *Ia.* '95, 124, 235; *Ind.* '82, 17, '89, 23, '94, 253; *Ky.* '89, 314; *La.* '82, 163, '87, 303^a, '92, 205; *Man.* '86, 320; *Mass.* '89, 44, 99, '90, 206^a; *Me.* '82, 150; *Mer.* '93, 314; *Mich.* '93, 224, '95, 191; *Minn.* '84, 246; *Miss.* '82, 92; *Mo.* '79, 146; *N. B.* '82, 150; *N. C.* '86, 105, '87, 242, '89, 121; *N. H.* '88, 151, 154, '89, 77; *N. J.* '94, 137; *N. S.* '95, 89; *N. Y.* '79, 31, '81, 231, '82, 188, '85, 256; *O.* '82, 46, '95, 241; *Ont.* '93, 314; *Pa.* '92, 136, '93, 39, 44, 314, '96, 282, 293; *P. E. I.* '93, 9; *S. C.* '79, 215, '90, 38, '91, 328; *S. D.* '85, 283; *Tenn.* '86, 319, '87, 130; *Tex.* '82, 169, '87, 191, '92, 235, 1900, 344; *Va.* '89, 53^a; *W. I.* '86, 353; *Wis.* '82, 188, '85, 218.—*anat.* '86, 445, '88, 329, '89, 177^a; *fd.* '85, 218, '93, 312, 314, '94, 253, '95, 191; *hbt.* '83, 175, '84, 189^a, '85, 218, '90, 206^a, 286^a, 391, 393, '91, 109^a, 262^a, 270^a, 389^a, '94, 253; *mig.* '94, 253, '95, 124, 235, 241; *nest.* '83, 40, '85, 299, '87, 191, '88, 21, '90, 85, 206^a, 286^a, '92, 195, '93, 74, '94, 253, '96, 282; *plm.* '80, 28 (alb.),

'81, 160; *song.* '85, 256; *syn.* '86, 353; *misc.* '81, 188, '89, 180^a, '90, 84^a, '92, 191, 386, 386, '97, 333^a.
violajugulum (Violet-throated Hummingbird). *Cal.* '88, 168^a, 396, '89, 223.—*plm.* '92, 377.
trochilus (*Phylloscopus*), see *Phylloscopus*.
Troglodytes, '84, 48, 400, '89, 172, '99, 369.
aēdon (^a House Wren, ^b *domesticus*). *Ariz.* '82, 82 [*faztecus?*]; *Colo.* '83, 155 [*faztecus?*]; *D. C.* '88, 24, '92, 307; *Fla.* '88, 277, '90, 117, '92, 214, '95, 365; *Ga.* '96, 214; *g. dist.* '88, 164, '93, 133, 135; *Ia.* '95, 122, 235; *Ill.* '88, 434; *Ind.* '82, 19, '89, 29; *Ky.* '89, 316; *La.* '87, 306; *Mass.* '84, 6^a, '89, 42^a, 46, 105; *Md.* '81, 115; *Mich.* '93, 229; *Minn.* '84, 244; *Mo.* '79, 141^b; *N. B.* '82, 109; *N. H.* '88, 155; *N. J.* '94, 140; *N. Y.* '79, 32, '81, 227, '82, 187, '84, 137, '90, 232, '94, 164; *O.* '95, 242; *Pa.* '89, 76, 339, '92, 140, '93, 46, '96, 280^a, 285, 296; *S. C.* '91, 173; *S. D.* '85, 278; *Tex.* '82, 8, '92, 343; *Ia.* '88, 24; *Wis.* '88, 326; *W. Ia.* '98, 137.—*fd.* '97, 421^a; *hbt.* '84, 85^a; *meas.* '82, 82; *mig.* '85, 98^a, '88, 326, 434, '95, 122, 235; *nst.* '77, 78, '81, 115, '82, 180^a, '88, 24, '89, 76, 339, '90, 83^a, 84^a, '92, 319, '98, 137; *plm.* '78, 21, '81, 160, '82, 82, '83, 155, '84, 137, '88, 164; *song.* '84, 137; *syn.* '82, 82, '83, 155, '88, 164; *misc.* '94, 69.
aztecus (^a Western House Wren, ^b *parkmani*; ^c *aēdon*, ^d *mariannæ*). *Ariz.* '85, 351^a*; '88, 163^d, '90, 49, 262, '94, 219; *Cal.* '90, 297 [*parkmani*?]; *Colo.* '85, 15^b, 140^c, '94, 269; *g. dist.* '88, 164, 400; *Ida.* '98, 19^b; *Ill.* '83, 179^b; *Kan.* '83, 120^b, '86, 115^a; *Man.* '86, 327^b, '87, 353^a; *Minn.* '80, 13^b; *Mont.* '88, 16^a, '94, 307, '95, 218; *N. M.* '92, 368, '98, 310; *S. D.* '85, 278^b; *Tex.* '87, 298, '92, 343, 343^b—*hbt.*, *meas.* '85, 351^d; *nst.* '80, 13^b, '94, 307; *plm.* '88, 163^b, 164, 164^b; *syn.* '82, 82^b, '83, 155^b, '85, 351^a, '88, 163^b, 163^d, 164, 164^a.
beani, *Yucatan.* '85, 294.
borealis, *syn.* '85, 94.
brunneicollis, *Mex.* '95, 358.—*syn.* '89, 172.
cahooni, *Mex.*, *meas.* '88, 94*.
fumigatus, *Japan.* '90, 276.—*syn.* '85, 94.
furvus, *Braz.* 1900, 299.

grenadensis (^b *Thryothorus*), *W. I.* '79, 49^b, 229^b, '86, 25^b.—*meas.*, *plm.*, *syn.* '86, 25^b.
guadeloupensis (^b *Thryothorus*), *W. I.* '86, 381^{b*}, '88, 157^b, '91, 49^b.
intermedius, *C. R.*, *meas.*, *nst.*, *plm.* '91, 275–277.
kurilensis, *Japan.* '90, 276.
mariannæ, '85, 35*; see *aztecus*.
martinicensis (^b *Thryothorus*), *W. I.* '79, 229^b, '86, 23^b, '87, 95^b.—*meas.*, *plm.*, *syn.* '86, 23^b.
mesoleucus (^b *Thryothorus*), *W. I.* '80, 164^b, 166^b, '86, 25^b.—*meas.*, *plm.*, *syn.* '86, 25^b.
monticola, *Colom.* 1900, 82.
musicus (^b *Thryothorus*), *W. I.* '79, 49^b, '86, 24^b.—*meas.*, *plm.*, *syn.* '86, 24^b.
ochraceus, *C. R.* '83, 168.
pallescens, *syn.* '85, 94.
parkmani (^a Parkman's Wren, ^b *aztecus*, ^c *americana*). *Ariz.* '88, 163; *Cal.* '86, 185, '89, 221, '96, 122^b; *g. dist.* '88, 164; *Ore.* '79, 163, '86, 171, '88, 362; *Tex.* '92, 343 [*faztecus?*]; *Wash.* '97, 180^b—*nst.* '76, 79, '86, 185, '96, 122^b; *plm.* '88, 164, 362; *syn.* '88, 163, 164, 362; *misc.* '80, 87^c, '97, 107^a.
platensis, *Urug.*, *hbt.*, *nst.*, *song.* '83, 86.
rufescens (^b *Thryothorus*), *W. I.* '79, 48^b, '86, 24^b.—*meas.*, *plm.*, *syn.* '86, 24^b.
rufulus, *U. r. enez.* '97, 363.
tanneri, *Clarion I.* '91, 305, '98, 318.—*nst.* '98, 318.
tecellata, *syn.* '89, 172.
tobagensis, *W. I.* '88, 404*, '93, 220.
troglodytes (*Anorthura*), see *Anorthura*.
Troglodytidae (^a Wrens), '76, 50, '81, 28, 34, '90, 276^a, 277^a, '92, 187, '93, 112.
Troglodytinæ, '82, 216, '83, 104.
Trogon, '81, 75, '86, 448, '93, 99.
ambiguus (Coppery-tailed Tropic), *Ariz.* '86, 425, '87, 161, '88, 195.—*misc.* '93, 141.
atricollis, *syn.* '93, 60.
caligatus, *syn.* '93, 60.
chrysomelas, *Nicar.* '94, 171.
collaris (^b *curucui*), *Boliv.* '90, 382; *W. I.* '93, 220.—*misc.* '96, 266^b.
ferrugineus, *misc.* '96, 266.
flammeus, *misc.* '96, 266.
goldmani, *Mex.* '98, 340.
haemorrhoidalis, *misc.* '96, 266.

- melanurus, *Braz.* '91, 158.
 meridionalis, *Braz.* '91, 158.
 mexicanus, *misc.* '80, 88.
tenellus, *syn.* '93, 69.
viridis, *Braz.* '91, 158.—*misc.* '96, 266.
- Trogon, Coppery-tailed, see Trogon ambiguus.
- Resplendent, see *Pharomachrus mocinno*.
- Trogones, '93, 68.
- Trogonidae ("Trogons"), '81, 29, 75, 188, '90, 279^a, '96, 112^a, 266, '97, 105^a.
- Trogonoidæ, '86, 406.
- Trogons, see Trogonidae.
- troile (*Lomvia*), see Uria.
 — (Uria), see Uria.
- Trombley**, Jerome.
 Swallow-tailed Kite (*Elanoides forficatus*) taken in southern Michigan, '82, 250.
- Tropic Bird, Red-billed, see *Phaethon aethereus*.
 Red-tailed, see *Phaethon rubricaudus*.
 Yellow-billed, see *Phaethon americanus*.
tropica (*Thalassidroma*), see *T. melanogaster*.
- Trotter**, Spencer.
 Capture of a second specimen of *Helminthophaga leucobronchialis*, '77, 79.
 A third specimen of *Helminthophaga leucobronchialis*, '78, 44.
 Description of a hybrid (*Hirundo horcori-lunifrons*) between two North American Swallows, '78, 135.
 Some light on history of a rare bird (*Helminthophaga leucobronchialis*), '79, 59.
 Notes on occurrence of certain rare or uncommon birds at Philadelphia, '79, 235.
 Capture of Prothonotary Warbler (*Protonotaria citrea*) near Philadelphia, '80, 115.
 Breeding of Snowbird (*Junco hyemalis*) in mountains of Pennsylvania, '80, 121.
 Significance of certain phases in genus *Helminthophila*, '87, 307–310.
- Troupial**, see *Icterus icterus*.
 Yellow-headed, see *Xanthocephalus xanthocephalus*.
- Trowbridge**, Charles Christopher.
 Hawk flights in Connecticut, '95, 259–270 (2 maps).
- Occurrence of *Tryngites subruficollis* in New England states, '97, 209.
- Trowbridge**, W. P.
 Discovery by C. C. Trowbridge regarding purpose of emargination in wing-feathers (rev.), '88, 418.
- Trowbridge**, W. P., and others.
 Mechanism of flight in soaring birds (rev.), '88, 418.
- Trumbull**, Gurdon.
 Names and portraits of birds which interest gunners (rev.), '88, 414–418.
- Our Scoters, '92, 153–160, '93, 165–176 (pl.).
- trudeau (Phætusa), see *Sterna*.
 — (*Sterna*), see *S. trudeau*.
- Trupialis** *militaris*, *Cal.* '77, 92?—*misc.* '80, 88.
- Tryngites**, '87, 319, '93, 108.
subruficollis ("Buff-breasted Sandpiper, "rufescens), *Alas.* '85, 63^b; *Colom.* 1900, 364; *Conn.* '97, 210; *C. R.* '90, 332, '92, 329; *Cuba*, '87, 319; *Engl.* '77, 107^b; *France*, '77, 107^b, '80, 150^b; *G. Br.* '80, 149^b; *g. dist.* '93, 125; *Gozo I.* '77, 70^b; *Helg.* '77, 107^b, '80, 150^b; '91, 300, '95, 339; *Ill.* '96, 180, '99, 276; *La.* '97, 288; *Malta*, '77, 70^b; *Man.* '86, 152; *Mass.* '92, 389, '97, 210; *Ncb.* '81, 62^b; *N. Y.* '81, 126^b, '89, 136, '97, 210, '99, 194; *Que.* '83, 245^b, '97, 210; *S. D.* '85, 286, '86, 270^a; *Tex.* '81, 61^b, '87, 186—*hbt.* '80, 181^b, '81, 61^b, '92, 390, '93, 293; *mig.* '85, 63^b; *flm.* 1900, 370 (mlt.); *syn.* '87, 319; *misc.* '93, 296.
- tschegrava (Sterna), see *S. caspia*.
 tuberculifer (*Myiarchus*), see *Myiarchus*.
- Tubinares, '81, 82, 83, 163, '84, 383, '89, 333, '93, 106, '96, 160, 161.
- Tuelon**, James A.
 List of birds observed near Bradford, Pa. (rev.), '83, 171.
- Tufts**, Harold Z.
 Wilson's Snipe in Nova Scotia in winter, '96, 341.
- tui (Brotogeris), see *Brotogeris*.
 tuipara (Brotogeris), *Brotogeris*.
 tukki (Meiglyptes), see *Meiglyptes*.
 — (*Picus*), see *Meiglyptes*.
 tumulus (*Megapodius*), see *M. duperreyii*.
 turati (*Picus*), see *Dryobates gairdneri*.
 turcosa (*Irena*), see *I. crinigera*.
Turdampelis, '84, 182.
Turdidae ("Thrushes"), '81, 24, 28, 34,

- 53^a, 156^a, '82, 216^a, '83, 99, 117^a, 237^a, '84, 181, 298, '89, 277^a, '93, 113, '96, 96.
- Turdinae, '83, 100, '84, 181.
- Turdiulus granti*, Siam, 1900, 305.
- Turdinus atrigularis*, Borneo, syn, '90, 350.
- turdoides (Acrocephalus), see Acrocephalus.
- Turdus*, '80, 172, 188, '82, 245, '83, 100, 101, '86, 1, '88, 195, '90, 194, '93, 113, '98, 304.
- alpestris, syn. '87, 60, 157, 249.
 - atrigularis, Helg. '95, 331.
 - dauma, Helg. '95, 331.
 - fuscatus, Helg. '95, 331.
 - iliacus, Engl. '87, 163; Helg. '95, 331.
 - jouyi, Japan, '88, 195.
 - musicus (^a European Song Thrush), Helg. '95, 331.—hbt. '86, 400^a; syn. '96, 327.
 - pilaris, Helg. '95, 331.
 - propinquus, '77, 9*, see Merula.
 - ruficollis, Helg. '95, 331.
 - torquatus (^b Merula), Helg. '95, 331.—syn. '87, 60, 157, 249; misc. '85, 129^b.
 - varius, Helg. '95, 331.
 - viscivorus, Engl. '87, 163; Helg. '95, 331.—syn. '96, 327.
- Turkestan.**
- Allen, J. A., '90, 77-78.
 - Turkey, Florida, see Meleagris osceola.
 - Merriam's, see Meleagris [merriami] == gallopavo.
 - Mexican, see Meleagris gallopavo.
 - Ocellated, see Agriocharis ocellata.
 - Rio Grande, see Meleagris intermedia.
 - Water, see Anhinga anhinga or Cinclus mexicanus.
 - Wild, see Meleagris fera.
- Turner, Lucien McShan.**
- Lagopus mutus* and its allies (rev.), '83, 232.
 - Birds of the Nearer Is., Alaska, '85, 154-159.
 - List of birds of Labrador (rev.), '85, 368.
 - Familiar Chipping Sparrows, '85, 380.
 - Turner's list of birds of Labrador [letter], '86, 140.
 - Contributions to natural history of Alaska (rev.), '88, 409.
- Turner, Melvin Hart.**
- Vireo philadelphicus* in Adirondack region, '84, 291.
 - turneri (Parus), see P. septentrionalis.
 - Turnicidae, '81, 80.
- Turnix, see Colinus.
- Turnstone, see Arenaria interpres.
- Black, see Arenaria melanocephala.
 - Black-breasted, see Arenaria melanoccephala.
 - Black-headed, see Arenaria melanoccephala.
- Turtur**, '94, 236.
- abbotti, Seychelles I. '96, 332.
 - risorius, Helg. '95, 337; Jamaica, '92, 125 (cage); W. I. '87, 120 (cage).—syn. '91, 101.
 - humilis, syn. '91, 101.
 - picturatus, syn. '96, 332.
 - stimpsoni, Japan, '88, 196.
 - torquatus, syn. '91, 99.
 - turtur (^a Turtle Dove), Germany, '96, 310^a; Helg. '95, 337.—syn. '94, 61.
- turtur** (Columba), see Turtur.
- (Prion), see Prion.
 - (Turtur), see Turtur.
- Tuttle, Carl.**
- Some uncommon and rare birds of Erie Co., Ohio, '95, 190.
- Two-penny-chick**, see Merula aurantia.
- Tylas**, '94, 58.
- Tyler, Martha G.**
- Barn Owl (*Strix pratincola*) in northern Vermont, '94, 253.
- Tympانuchus** (^a Cupidonias), '83, 167^b, '85, 372, '93, 109, 130.
- americanus* (^a Prairie Hen, Prairie Chicken or Pinnated Grouse, ^b Cupidonias cupido, ^c Cupidonias pinnata), Colo. '85, 17^b; D. C. '86, 139^b; g. dist. '85, 82^{a*}, '93, 133; Ia. '95, 133^a, 236; Ind. '88, 349; Man. '86, 153, '93, 50^a; Mass. '94, 69^a; Minn. '80, 18^a, '84, 247^b; Mo. '79, 147^b; N. C. '83, 236^a; N. Y. '95, 69; Ohio, '79, 62^b; S. D. '85, 285^b; Tex. '82, 175^b; Ia. '87, 67^b.—anal. '93, 281; hbt. '91, 110^a, 391, '92, 386; meas. '85, 82^a, '93, 283; mig. '92, 66^a, '94, 68^a, '95, 133^a, 236; nst. '83, 236^a; plm. '76, 22^b (alb.), '77, 66^b (hyb.), '82, 50^b, '84, 391^b (hyb.), '89, 48, '93, 281, '95, 99 (col. pl.), 1900, 163 (mlt.); syn. '86, 132; mis. '79, 111^a, '82, 115^a, '83, 172^b, '87, 340^a, '91, 390^a, '94, 68, 68^b, 69, 1900, 110^a.
 - attwateri* (^a Attwater's Prairie Hen or Prairie Chicken), Tex. '92, 231^a, 1900, 341; g. dist. '94, 46, 130, 132.—fd. meas. '94, 131; plm. '94, 130, 132, 1900, 163 (mlt.); syn. '94, 46, '99, 130; misc. '94, 70.
 - cupido* (^a Heath Hen, ^b Cupidonias

cupido, *g. dist.* '93, 133; *Mass.* '76, 53^b, 56^b, '83, 119^b, '85, 80-84^a, 82*, '92, 67, 67, 203, 1900, 197^a; *N. E.* '76, 73^b; *N. J.* '95, 171; *N. Y.* '93, 272-274; *Pa.* '95, 171.—*fd.* '92, 203; *meas.* '85, 82^a, 83^b, '92, 203; *plm.* '85, 82^b, 1900, 163 (mlt.); *syn.* '86, 132, '88, 402; *misc.* '94, 69^a.

pallidicinctus (Lesser Prairie Hen), *g. dist.* '93, 134; *Mo.* '77, 52; *Tex.* '87, 187; *Ore.* '91, 367 (fossil), '93, 344 (fossil).—*mlt.* 1900, 163.

typica (*Chrysopogon*), see *Buarremont* *gutturalis*.

Tyrannus (^a Flycatchers), '76, 62, '81, 29, 31, 36, 163, '89, 267, '93, 110, '96, 85^a, 159, '97, 105^a.

Tyranniscus parvus, *C. R.* '92, 250.

Tyrannulus reguloides, *Braz.* '89, 172, '90, 270.—*syn.* '90, 270.

tyrannulus (*Myiarchus*), see *Myiarchus*.

Tyrannus, '80, 41, '86, 242, 1900, 167; *albogularis*, *Braz.* *plm.*, *syn.* '91, 271; *misc.* '80, 42.

apolites, *misc.* '80, 42.

aurantio-atro-crystatus, *Urug.* *hbt.*, *nst.* '83, 202; *misc.* '80, 42.

couchii (Couch's Kingbird), *Tex.* *meas.*, *nst.* '84, 93; *syn.* '80, 40.

crassirostris, *misc.* '80, 42.

cubensis, '98, 330*. see *magnirostris*.

dominicensis (Gray Kingbird), *Bahamas*, '91, 72, 296, 339, 350, 350, 351, 351, 352, '92, 48, 1900, 288; *Fla.* '87, 141, 277^a, '89, 318, '90, 311 '92, 213; *Ga.* '83, 39; *g. dist.* '93, 133; *Jamaica*, '93, 177, '94, 126; *S. C.* '94, 178; *W. I.* '81, 153, '86, 244, 502, '87, 7, '89, 31, 32, '90, 373, 375, '91, 46, 47, 47, 48, 49.—*meas.* '83, 39, '86, 245, '91, 72; *mig.* '94, 14; *nst.* '83, 39, '89, 318, '91, 72, '94, 126, 178; *plm.*, *syn.* '86, 244; *misc.* '80, 42, '87, 277^a.

magnirostris, *W. I.* '86, 243, '91, 297, '92, 272.—*meas.*, *plm.* '86, 243; *syn.* '86, 243, '98, 330; *misc.* '80, 42.

melancholicus, *Braz.* '90, 270; *Urug.* '83, 202; *W. I.* '86, 243, '93, 220.—*nst.* '83, 202; *meas.*, *plm.*, *syn.* '86, 243; *misc.* '80, 42, 88.

niveigularis, *misc.* '80, 42.

rostratus, *W. I.* 167, '86, 242.—*meas.*, *plm.*, *syn.* '86, 242; *misc.* '80, 42.

satrapa, *C. R.* '92, 251; *Venez.* '97, 365.—*plm.* '92, 251; *misc.* '80, 42.

sulphurascens, *W. I.* '86, 245?

tyrannus (^a Kingbird or Bee Martin, ^b*carolinensis*, ^c*vexator*), *Ala.* '79, 10^b; *Ark.* '82, 92^b; *Colo.* '83, 195^b, '85, 17^b, 142^b; *Colom.* 1900, 364; *D. C.* '88, 21, '92, 308; *Fla.* '88, 272, '89, 318, '90, 311, 340, '91, 138, '92, 213, '95, 365, '98, 178*; *Ga.* '83, 40^b; *g. dist.* '93, 133; *Ia.* '95, 123, 235; *Ida.* '97, 355; *Ill.* '88, 433; *Ind.* '82, 17^b, '89, 23; *Ky.* '89, 314; *La.* '82, 163^b, '87, 303^a, '92, 205; *Labrador*, '85, 369; *Man.* '86, 320; *Mass.* '84, 6^a, '88, 389, '89, 44, 100, '90, 368^a, '98, 268; *Me.* '82, 149^b; *Mich.* '81, 196^a, '93, 225; *Minn.* '80, 15^b, '84, 245^b; *Miss.* '82, 92^b; *Mo.* '79, 145^b; *Mont.* '94, 304, '95, 215; *N. B.* '82, 149^b, '85, 108^a, '89, 117; *N. C.* '86, 105, '89, 120; *N. H.* '88, 149, 151, 154, '89, 77, 78; *N. J.* '90, 328, '94, 137; *N. S.* '87, 15^a, 16; *N. Y.* '79, 31^b, '81, 231^b, '82, 188^b, '85, 253^b, '89, 202; *O.* '95, 241; *Pa.* '92, 136, '93, 39, 44, '96, 282, 291^a, 293; *P. E. I.* '93, 9; *Que.* '82, 236^b, '89, 147; *S. C.* '79, 215^b, '90, 38; *S. D.* '85, 283^b; *Tenn.* '86, 319, '87, 130; *Tex.* '82, 168^b, '84, 122^b, '87, 192, '92, 236, 1900, 345; *Va.* '76, 25^b, '86, 161^a, '89, 53^a; *Wash.* '97, 176; *W. I.* '86, 245, '87, 180; *W. Is.* '82, 188*—*anat.* '81, 7^b, '87, 354, 356 (fig.), '88, 121; *fd.* '84, 87^a, '96, 86, '99, 362^a; *hbt.* '83, 176^a, '85, 108^a, '90, 340, 368^a, '98, 268; *meas.* '98, 178^c; *mig.* '88, 433, '91, 135, '95, 123, 128^a, 235, 241, '98, 174^a, 268; *nst.* '79, 24^b, '80, 15^b, 40^b, '82, 168^b, '83, 40^b, '98, 268; *plm.* '76, 22^b (alb.), '78, 176^b, '81, 160^b, '83, 126^b (alb.), '87, 69^a (4 items); *song.* '85, 253^b; *syn.* '86, 245, '98, 178^c, 179^a, '99, 131^c; *misc.* '80, 42^b, '81, 196^a, '87, 69^a, '88, 200^b, '91, 109, '92, 68^a.

verticalis (^a Arkansas Kingbird or Flycatcher), *Ariz.* '82, 202, '85, 356, '87, 16; *Cal.* '86, 180, '89, 223, '96, 85; *Canada*, '82, 113; *Colo.* '83, 195, '85, 17, 143, '87, 122; *g. dist.* '93, 134; *Ida.* '97, 355; *Man.* '93, 49; *Mc.* '76, 73; *Minn.* '80, 12, 15, '93, 290; *Mont.* '95, 215; *Mo. River*, '95, 229^a; *N. M.* '92, 363, '98, 309; *N. Y.* '79, 60; *Ore.* '79, 195, '88, 257; *S. D.* '85, 283; *Tex.* '87, 192, '92, 236; *Wash.* '97, 176.—*anat.* '90, 279; *fd.* '96, 85, 86; *hbt.* '78, 83; *nst.* '80, 15, '86, 180, '87, 16, '95, 215, '97, 176; *plm.* '79, 42; *misc.* '78, 193, '80, 42.

vexator, '98, 178*, see tyrannus.
 vociferans (Cassin's Kingbird),
Ariz. '82, 202, '85, 356, '87, 17, '90,
 255; *Cal.* '82, 203, '86, 180, '89, 223,
 '94, 219, '96, 85, 119; *Colo.* '83, 195,
 '85, 17, '87, 122; *g. dist.* '93, 134; *N.*
M. '92, 363, '99, 189; *Ore.* '86, 166.—
fd. '96, 85; *hbt.* '96, 119, '99, 189;
nst. '86, 180, '87, 17, '96, 119; *plm.*
 '82, 202 (molt.) : *misc.* '80, 42.

tyrannus (*Lanius*), see Tyrannus.
 — (*Milvulus*), see Milvulus.
 — (*Muscivora*), see Muscivora.
 — (*Tyrannus*), see Tyrannus.
 tyrianthina (Metallura), see Metallura.
 tzacatl (*Amazilia*), see *A. fuscicaudata*.
 — (*Amazilis*), see *Amazilia fuscicaudata*.
 — (*Trochilus*), see *Amazilia fuscicaudata*.

U

ultramarina (*Aphelocoma*), see *Aphelocoma*.
 — (*Cyanocitta*), see *Aphelocoma*.
 Uula, see *Scotiaptex*.
 ulula (*Surnia*), see *S. ulula* or *caparoch*.
 umbelloides (*Bonasa*), see *Bonasa*.
 umbellus (*Bonasa*), see *B. umbellus* or
togata.
 unalascae (*Hylocichla*), see *H. aona-*
laschkae.
 — (*Turdus*), see *Hylocichla aona-*
laschkae.
 unalascensis (*Emberiza*), see *Melo-*
spiza cinerea.
 — (*Passerella*), see *Passerella*.
 unalashkensis (*Collocahia*), see *Hirun-*
do erythrogaster.
 — (*Hirundo*), see *H. erythrogaster*.
 unalashkæ (*Hylocichla*), see *H. aona-*
laschkae.
 uncinatus (*Cymindis*), see *Regerhinus*
uncinatus or *wilsoni*.
 — (*Falco*), see *Regerhinus*.
 — (*Leptodon*), see *Regerhinus*.
 — (*Regerhinus*), see *Regerhinus*.
 — (*Rostrhamus*), see *Regerhinus*.
 undatus (*Lybius*), see *Lybius*.
 — (*Melizophilus*), see *Melizophilus*.
 — (*Picus*), see *Picus*.
 undosa (*Tridactyla*), see *Picoides ameri-*
canus.
 undosus (*Picus*), see *Picoides ameri-*
canus.

ungava (*Parus*), see *P. hudsonicus*.
 unicolor (*Myadestes*), see *Myadestes*.
 — (*Sterna*), see *Anous stolidus*.
 United Ornithologists of Maine, '97,
 257, '98, 216.

United States, Dept. Agriculture.
 Div. Economic Ornith. and Mammal-
 ogy, '86, 416, 496, '87, 174, 340,
 '88, 447, '89, 284, '90, 414, '91,
 122, '95, 98.

United States, Fish Commission, Bulle-
 tin, titles (No. 814), '85, 212, (No.
 977) '85, 373.

United States, National Museum, '84,
 403, '86, 416.

Upucerthia dumetoria, *Patagonia*, '90,
 274; *Urug.*, *hbt.* '83, 205.

Upupa, '81, 30, 31.
epops, *Helg.* '95, 337.

Upupidae (* Hoopoes), '81, 31, 32^a, 74,
 75, '93, 66.

Upupoideae, '86, 406.
uralense (*Syrnium*), see *Syrnium*.

Uranomitra elliotti, *Patagonia*, '90, 274.
urbica (*Chelidon*), see *Hirundo*.

(*Hirundo*), see *Hirundo*.
Uria, '80, 127, '81, 156, '89, 333, '92,
 173, '93, 99, '99, 202.

arra (Pallas's or Pacific Murres,
^b *Lomvia*), *Alas.* '85, 63^b, 159; *Cal.*
 '86, 126 [*californica?*].—*mig.* '85,
 63^b; *nst.* 1900, 76^a; *syn.* '84, 385.

californica (* California Murres),
Alas. '98, 125; *B. C.* '93, 17; *Cal.*
 '86, 88, 126 [*'arra'*], '87, 86, '94,
 95^a; *Wash.* '93, 17.—*mig.* '94, 95^a,
 96^a, 97^a; *nst.* '98, 125; *syn.* '84, 385;
mig. '96, 329^a.

lomvia (* Brünnich's Murres or
 Guillemots, ^b *Alca bruennichi*, ^c *Lom-*
via brünnichii), *Arctic Am.* '78, 86^b;
Arctic Ocean, 1900, 307^a, 308^a; *Conn.*
 '91, 307, '95, 177, 310; *D. C.* '97,
 312; *Greenl.* '89, 213, 1900, 185^a;
Helg. '95, 341; *Ind.* '97, 197-199,
 228; *Mass.* '82, 251^c, '97, 100; *Mc.*
 '82, 191^c, 251^c, '87, 158; *Mich.* '95,
 387; *N. C.* '97, 202; *N. H.* '82, 251^c,
 1900, 176; *N. J.* '92, 68, '97, 202^a; *N.*
Y. '85, 38^c, '95, 177, 290, 312, '97,
 202, 226, '99, 193; *Ont.* '97, 410, '98,
 183; *Que.* '89, 145, '94, 175; *R. I.*
 '86, 270^a; *S. C.* '97, 203; *Va.* '96,
 171, '97, 202; *Vt.* '95, 311.—*anat.*
 '88, 331; *hbt.* '85, 38^c, '89, 213; *mig.*
 '89, 213; *syn.* '84, 385; *misc.* '98,
 214.

snowi, *syn.* 1900, 80.
troile (* Murres, ^b *Lomvia*, ^c *ring-*
via), *Helg.* '95, 325; *Mc.* '82, 191^b,
 '87, 158; *N. B.* '83, 9^b; *Que.* '82,
 241^b, '83, 238^b, '88, 129-135^a, 281^a,
 382^a, '89, 145.—*hbt.* '82, 241^b, '88,
 129-135^a, 281^a; *nst.* '83, 238^b, '88.

- 131^a, 135^a, 281^a, '89, 145; plm. '76,
23^b (alb.), '83, 238^c, '89, 145^c; syn.
'84, 385, '80, 88^c.
urichi (Mecocerculus), see Mecocercu-
lus.
urile (Phalacrocorax), see Phalacroco-
rax.
Urinator, see Gavia.
Urinatores, '83, 232.
Urinatoridae, '93, 105, '97, 312, '99, 97.
Urococcyx, '92, 184.
urogallus (Tetrao), see Tetrao.
urophasianus (Anas), see Paeclonitta
bahamensis.
— (Centrocercus), see Centrocercus.
— (Dafila), see Paeclonitta bahamen-
sis.
Uropsila, see Hemiura.
uropygialis (Centurus), see Melanerpes.
— (Cereba), see Cereba.
— (Limosa), see L. baueri.
— (Mecocerculus), see Mecocerculus.
— (Melanerpes), see Melanerpes.
— (Pachyramphus), see Pachyram-
phus.
— (Stelgidopteryx), see Stelgidop-
teryx.
Urubitinga, '84, 140, '87, 42, '93, 132.
anthracina (Mexican Black Hawk),
Ariz., '80, 91, '86, 60-63, 69-73, '90,
48; C. R. '91, 272, '92, 328; Jamaica,
'92, 127; W. I., '87, 42.—fd., hbt.,
meas., nst., plm., song, '86, 69-73;
syn. '86, 69, '87, 42.
ridgwayi, C. R. '92, 328.
urubitinga, Braz. '91, 161.
urubitinga (Cathartes), see Cathartes.
— (Morphus), see Urubitinga an-
thracina.
— (Urubitinga), see Urubitinga.
urubu (Catharista), see Catharista.
— (Vultur), see Catharista.
Uruguay.
Barrows, W. B., '83, 82-94, 129-143,
198-212, '84, 20-30, 109-113,
270-278, 313-319.
Dalgleish, J. J., '84, 289.
usnea (Compsothlypis), see Compsoth-
lypis.
ustulata (Hylocichla), see Hylocichla.
ustulatus (Turdus), see Hylocichla ustu-
lata or cedica.
ustus (Megascops), see Megascops.
— (Scops), see Megascops.
Utah.
Henshaw, H. W., '84, 224.
Merriam, C. H., '95, 54-60.

- vagans (Porzana), see Porzana.
validus (Megapicus), see Xylolepes.
— (Myiarchus), see Myiarchus.
— (Myionax), see Myiarchus.
— (Picus), see Xylolepes.
— (Xylolepes), see Xylolepes.
vallicola (Callipepla), see Lophortyx.
vallicolus (Lophortyx), see Lophortyx.
vallisneria (Æthyia), see Aythya.
— (Anas), see Aythya.
— (Aythya), see Aythya.
— (Aythyaia), see Aythya.
— (Fuligula), see Aythya.
— (Nyroca), see Aythya.
Van Denburg, John.
Notes on some birds of Santa Clara
Co., California (rev.), 1900, 305.
Vanello-chetusia, '85, 339.
Vanellus, '84, 141, '85, 338, '88, 290.
cayennensis, Argent., Urug., hbt.,
nst., '84, 278; Braz. '91, 163.
chilensis, syn. '88, 290.
vanellus (^a Lapwing, ^b cristatus),
Barbados, '92, 289; Helg. '95, 338;
N. Y. '86, 438; N. S. '98, 195.—nst.
'83, 236^b; plm. '81, 162^b; syn. '82,
179^b, '84, 384^b; misc. '97, 335^a.
vanellus (Vanellus), see Vanellus.
Van Fleet, Walter.
Rough-winged Swallow (*Hirundo*
serripennis) in Pennsylvania, '76,
9-11.
varia (Mniotilta), see Mniotilta.
— (Motacilla), see Mniotilta.
— (Sylvicola), see Mniotilta.
variabilis (Asarcia), see Jacana spinosa.
— (Parra), see Jacana spinosa.
variegata (Ortygodes), see Ortygodes.
variegatus (Chasmorhynchus), see Chas-
morhynchus.
— (Limnopardalus), see L. macula-
tus.
— (Pardirallus), see Limnopardalus
maculatus.
— (Rallus), see Limnopardalus macu-
latus.
Varieties (new), see New Species.
varius (Empidonotus), see Empidono-
mus.
— (Picus), see Sphyrapicus.
— (Sphyrapicus), see Sphyrapicus.
— (Turdus), see Turdus.
Vassar Brothers Institute, Transactions,
titles (No. 813), '85, 212, (No.
2310) '92, 195.
Vaughan, Clifford Wheaton.
Baird's Sandpiper at East Hampton,
Long Island, N. Y. '96, 80.

- vauxii (*Chætura*), see *Chætura*.
 Veery, see *Hylocichla fuscescens*.
 vegæ (*Larus*), see *Larus*.
 velata (*Geothlypis*), see *G. cucullatus*.
 velatus (*Hypphantornis*), see *Hyphantornis*.
 veliei (*Contopus*), see *C. richardsoni*.
 velox (*Accipiter*), see *Accipiter*.
 — (*Falco*), see *Accipiter*.
 velvetina (*Melanetta*), see *Oidemia deglandi*.
 — (*Oidemia*), see *Oidemia deglandi*.
Venezuela.
 Allen, J. A., '94, 66, '99, 369-370,
 1900, 184-185.
 Berlepsch, H. von, '88, 457-460.
 Phelps, W. H., '97, 357-371.
 Richmond, C. W., '95, 367-371.
 Ridgway, R., '85, 291, '86, 333, '94,
 66, '98, 228.
 Stone, W., '91, 347.
venezuelensis (*Arremonops*), see *Arremonops*.
 — (*Molothrus*), see *Molothrus*.
 — (*Xiphorhynchus*), see *Xiphorhynchus*.
Venner, Henry George.
 Our birds of prey, or the Eagles,
 Hawks, and Owls of Canada (rev.),
 '77, 24.
 Obituary of, '84, 306.
ventralis (*Amazona*), see *Amazona ventralis* or *sallaei*.
 — (*Phylloscartes*), see *Phylloscartes*.
venusta (*Pitta*), see *Pitta*.
venustissimus (*Trochilus*), see *Eulampris jugularis*.
venustus (*Brachyurus*), see *Pitta*.
Vera Cruz, Mexico.
 Chapman, F. M., '97, 311, '98, 279.
 Clark, J. H., 1900, 294.
 Nelson, E. W., '94, 39-40, '97, 45-46,
 48, 49, 52, 58, 61, 64, 73, 1900,
 256, 259, 267.
 Palmer, T. S., '94, 39-40.
 Ridgway, R., '98, 227, '99, 256.
verærernis (*Centurus*), see *Centurus*.
 — (*Melanerpes*), see *Centurus*.
Verdin, see *Auriparus flaviceps*.
veredus (*Charadrius*), see *Eudromias*.
 — (*Eudromias*), see *Eudromias*.
Verein zum Schutze der Vogelwelt.
 Monatsberichte, titles (Nos. 238-240), '83, 171.
vermiculatus (*Megascops*), see *M. guatemalteca*.
vermivora (*Motacilla*), see *Helmitherus*.
vermivorus (*Helinaia*), see *Helmitherus*.

- (*Helmitheros*), see *Helmitherus*.
 — (*Helmitherus*), see *Helmitherus*.
 — (*Helminthotherus*), see *Helmitherus*.
Vermont.
 Allen, F. H., '96, 345.
 Allen, J. A., '89, 274.
 Batchelder, C. F., '82, 113-114, '84,
 97-98.
 Brewer, T. M., '78, 195, '79, 237.
 Brewster, W., '84, 7.
 Clark, H. L., '87, 256.
 Cooke, W. W., '90, 210.
 Deane, R., '79, 121.
 Faxon, W., '90, 407-408.
 Gould, A. C., '93, 296.
 Graham, C. W., '86, 271.
 Herrick, F. H., '85, 210, 211.
 Hitchcock, F. H., '89, 193, '90, 403.
 Jencks, F. T., '86, 271, 272, 272.
 Knowlton, F. H., '80, 57, '82, 63-64,
 113-114, '83, 120, 182, '84, 390.
 Richardson, J., '89, 273-274.
 Titcomb, J. W., '94, 68.
 Torrey, B., '89, 194.
 Tracy, C. O., '83, 237, 237, '85, 99,
 100.
 Tyler, M. G., '94, 253.
 Witherby, W. C., '94, 68.
 Woodworth, N. H., '95, 311-312.
vernans (*Osmotreron*), see *Osmotreron*.
verreauxi (*Homoptila*), see *Leptotila*.
 — (*Engyptila*), see *Leptotila*.
 — (*Leptotila*), see *Leptotila*.
Verrill, Addison Emory.
 Golden Eagle (*Aquila chrysaetos*)
 taken near New Haven, Conn. '97,
 89.
Verrill, Alpheus Hyatt.
 Winter birds in Connecticut, '93, 207.
 Connecticut notes, '93, 305, 371.
Verrill, George Elliot.
Carduelis elegans in Connecticut, '92,
 301.
 Notes on fauna of island of Dominica
 (rev.), '94, 246.
 Notes on birds and eggs from the
 islands of Gough, Kerguelen, and
 South Georgia (rev.), '95, 288.
verrillorum (*Mimocichla*), see *Mimocichla*.
Verrulia, '97, 215.
versicolor (*Amazona*), see *Amazona*.
 — (*Calliste*), see *Calliste*.
 — (*Chrysotis*), see *Amazona*.
 — (*Cyanospiza*), see *Cyanospiza*.
 — (*Ergaticus*), see *Ergaticus*.
 — (*Enochrus*), see *Amazona*.
 — (*Passerina*), see *Cyanospiza*.

- (Psittacus), see Amazona.
 — (Querquedula), see Querquedula.
 — (Quiscalus), see Q. quiscula.
 — (Spiza), see Cyanospiza.
 verticalis (Arremonops), see Arremo-
 nops.
 — (Embernagra), see Arremonops.
 — (Tyrannus), see Tyrannus.
 — (Vireolanius), see Vireolanius.
 vespertina (Coccothraustes), see C. ves-
 pertinus or montanus.
 — (Hesperophona), see Coccothraus-
 tes vespertinus or montanus.
 — (Falco), see Falco.
 vetula (Coccygus), see Saurothera.
 — (Cuculus), see Saurothera.
 — (Harpornynchus), see H. curviro-
 tris.
 — (Ortalida), see Ortalis macallii.
 — (Saurothera), see S. vetula or ba-
 hamensis.
 vexator (Tyrannus), see T. tyrannus.
 vicinior (Vireo), see Vireo.
 vicinus (Contopus), see Contopus.
 — (Horizopus), see Contopus.
 viduata (Anas), see Dendrocygna.
 — (Dendrocygna), see Dendrocygna.
 vieilloti (Dendroica), see D. vieilloti or
 rufigula.
 — (Lybius), see Lybius.
 — (Saurothera), see Saurothera.
 — (Trochilus), see Mellisuga minima.
 vigilantis (Limnopardalus), see Limno-
 pardalus.
 vigorsii (Dendroica), see Dendroica.
 — (Phasianurus), see Paecilonitta ba-
 hamensis.
 — (Sylvia), see Dendroica.
 vigua (Phalacrocorax), see Phalacro-
 corax.
 villosus (Dryobates), see D. villosus or
 auduboni.
 — (Picus), see Dryobates villosus, au-
 duboni or insularis.
 vinaceicollis (Chrysotis), see Amazona
 collaria.
 — (Pionus), see Amazona collaria.
 — (Psittacus), see Amazona collaria.
 vinaceifulva (Engyptila), see Leptotila.
 — (Leptotila), see Leptotila.
 vinaceigularis (Prionops), see Prionops.
 vinaceiventris (Engyptila), see Lepto-
 tila.
 — (Leptotila), see Leptotila.
 vinaceo-rufa (Zenaidura), see Zenai-
 dura.
 vinaceus (Megascops), see Megascops.
 violacea (Ardea), see Nycticorax.
 — (Euphonia), see Euphonia.
- (Jacana), see J. spinosa.
 — (Loxia), see Pyrrhulagra.
 — (Loxigilla), see Pyrrhulagra.
 — (Nyctiardea), see Nycticorax.
 — (Parra), see Jacana spinosa.
 — (Pyrrhula), see Pyrrhulagra.
 — (Pyrrhulagra), see Pyrrhulagra.
 — (Spermophila), see Pyrrhulagra.
 — (Topaza), see Eulampis jugularis.
 violaceus (Graculus), see Phalacroco-
 rax robustus.
 — (Icterus), see Molothrus bonari-
 ensis.
 — (Nyctherodius), see Nycticorax.
 — (Nycticorax), see Nycticorax.
 — (Phalacrocorax), see P. pelagicus.
 — (Pionus), see Pionus.
 — (Trochilus), see Eulampis jugu-
 laris.
 violajugulum (Trochilus), see Trochi-
 lus.
 violicea (Lampornis), see L. nigri-
 collis.
 viosae (Columba), see Columba.
 virens (Contopus), see Contopus.
 — (Dendroica), see Dendroica.
 — (Horizopus), see Contopus.
 — (Icteria), see Icteria.
 — (Motacilla), see Dendroica.
 — (Muscicapa), see Contopus.
 — (Myiarchus), see Contopus.
 — (Sylvicola), see Dendroica.
 — (Rhiamphus), see Dendroica.
 Vireo, '81, 34, '82, 245, '84, 280, '85,
 116, '86, 187, 448.
 agilis, Braz., '90, 266; Columbia
 River, '77, 91?; Venez., '97, 364.—
 syn., '77, 91.
 allenii, W. I., '86, 500*, 501, '88,
 157, '89, 31.
 alticola (Mountain Solitary Vireo),
 Fla., '88, 275, '92, 213, '92, 338; N. C.
 '86, 111*, '88, 399, '89, 122; S. C.
 '86, 410, '88, 324, '89, 197, '90, 126,
 '91, 329-331; Tenn., '86, 317 Inot
 'solitarius,' see '87, 164], '87, 128,
 131, 164; Ia., '89, 52.—hbt., '86, 111,
 '91, 329; meas., '86, 112, '90, 127, '91,
 330; plm., '87, 131, '90, 126, '91, 169;
 song, '86, 111, '91, 169, 329.
 approximans, W. I., '85, 291, '87,
 180.
 atricapillus (* Black capped Vireo),
 Cal., '90, 215?; g. dist., '93, 135; Kan.
 '85, 274, '86, 114, 115; Tex., '79, 58,
 '90, '80, 239, '82, 37, '84, 121?, '87,
 295, '92, 340, 341?—hbt., '79, 58, 99-
 103, '85, 274; meas., '79, 103, '85,
 275; nst., '79, 99-103, 193 (col. pl.),

'85, 274, '87, 295; *plm.* '80, 239, '85, 274, 276; *song.* '79, 58, '85, 274, '87, 295; *misc.* '79, 193.

bairdi, *Yucatan*, '85, 295.

barbadensis (^b *Vireosylvia dominicana*), *W. I.* '80, 166^b.

barbatulus (^a Black-whiskered Vireo), *Bahamas*, '91, 70, 335, 351, 1900, 288; *Fla.* '87, 133, 216, 219^a, '88, 186, '90, 14, 312, '91, 90, '92, 213; *g. dist.* '93, 141; *W. I.* '81, 152, '86, 190, '87, 7.—*mig.* '91, 69; *nst.* '88, 186; *plm.* 1900, 288; *song.* '90, 14, '91, 70; *syn.* '86, 190, '91, 90, 1900, 288.

bellii (^a Bell's Vireo), *Cal.* '87, 93, '90, 215 [*pusillus?*]; *Colo.* '87, 264; *g. dist.* '93, 135; *Ia.* '95, 124, 235; *Ill.* '76, 42; *Ky.* '89, 315; *Mo.* '79, 143; *Tex.* '82, 11, '87, 190, 295, '89, 240, '92, 340, 1900, 347.—*mig.* '92, 236^a, '95, 124, 129^a, 235; *nst.* '82, 11, '87, 93, 295, '91, 107^a, '92, 237^a; *misc.* '85, 101, '87, 295, '90, 80^a, 85.

calidris, *W. I.* '86, 189, '87, 95, '91, 47, 47, 48, 49, '93, 70, '94, 127, 246.—*nst.* '94, 127; *meas.*, *plm.*, *syn.* '86, 189; *misc.* '94, 14.

californicus, '90, 159*, see *vicinior*.
canescens (^b *Vireosylvia*), *W. I.* '87, 178^{b*}, 181^b.

carmioli, *C. R.* '85, 291.

cassinii (^a Cassin's Vireo, ^b Lani-vireo), *Ariz.* '82, 142, '88, 32, '94, 220; *Cal.* '78, 66^b, '87, 88, '89, 223, '99, 159^a; *Ida.* '98, 18; *N. M.* '85, 332, '92, 367; *Ore.* '79, 164, '86, 170, '88, 258^a, 360; *Wash.* '93, 17, '97, 179.—*meas.*, *plm.* '82, 142; *mig.* '85, 332; *nst.* '86, 170, '88, 360, '98, 139; *song.* '86, 170; *syn.* '80, 105^a.

caymanensis, *W. I.* '87, 7*, '88, 157, '89, 31.

chivi, *W. I.* '93, 220.

cinereus (^b *Vireosylvia*), *Yucatan*, '85, 295^b.

crassirostris, *Bahamas*, '86, 188, '91, 70, 294, 295, 296, 297, 297, 298, 334, 335, 336, 336, 338, 350, 350, 351, 351, '92, 48, 49, '93, 70, 1900, 289.—*meas.*, *syn.* '86, 188; *plm.* '86, 188, '87, 148, 1900, 289.

flavescens, *W. I.* '88, 157, '91, 336, 338, 339, 339.

flavifrons (^a Yellow-throated Vireo, ^b *Lanivireo*), *Colom.* 1900, 366; *C. R.* '90, 335, '92, 23; *Cuba*, '86, 189; *D. C.* '88, 23; *Fla.* '88, 275, '90, 15, 312, '91, 127^a, 138, '92, 213, '93, 338,

'95, 365; *Ga.* '83, 38^b; *g. dist.* '93, 133; *Ia.* '95, 124 ['flaviventris' is a misprint], 235; *Ind.* '82, 16^b, '89, 26; *Kan.* '84, 124–126^b; *Ky.* '89, 315; *La.* '80, 136^a, '87, 304; *Man.* '86, 325; *Mass.* '84, 6^a, '90, 217, '95, 89; *Mich.* '93, 227; *Mo.* '79, 143, '95, 350^a; *N. C.* '86, 99^a, 173; *N. E.* '76, 73; *N. H.* '89, 77; *N. Y.* '81, 228^b, '84, 176^b, 322; *O.* '86, 400^b, '95, 241; *S. C.* '79, 213, '90, 126, '91, 329, '92, 31^a, 35^a; *Tenn.* '86, 317, '87, 131; *Tex.* '82, 11^b, 37^b, '92, 340, 1900, 347; *Vt.* '79, 237; *Wis.* '82, 188.—*fd.* '99, 362^a; *hbt.*, *meas.* '84, 125^b; *mig.* '80, 136^a, '84, 176^b, '91, 135, '92, 31^a, 35^a, 192, '95, 129^a, 235, 241; *nst.* '82, 11^b, '83, 38^b, '84, 124^b, '86, 400^b, '88, 23, '92, 340, '93, 338; *plm.* '76, 62, '78, 115; *song.* '84, 322, '86, 173; *syn.* '86, 189.

flavoviridis (Yellow-green Vireo), *Cal.* '88, 210; *C. R.* '90, 329, 335, '92, 22; *g. dist.* '93, 141; *Neb.* '96, 263 [=olivaceus, see '97, 323]; *Que.* '83, 213, 244; *Tex.* '78, 152, '80, 89.—*hbt.* '90, 329, '92, 288; *meas.* '83, 213, '90, 330; *nst.* '90, 329; *plm.* '83, 213; *misc.* '80, 88.

gilvus (^a Warbling Vireo, ^b *Vireosylvia swainsoni*, ^c *swainsoni*, ^d *Vireosylvia*), *Ariz.* '82, 142, '85, 354^a, '88, 32^c, '90, 49^c, 260^c; *B. C.* '93, 21–23^c; *Cal.* '78, 66^b, '86, 184, '89, 223; *Colo.* '79, 93^c, '80, 229^b, '81, 89^b, '83, 160, '85, 15^b, 141^d; *D. C.* '88, 23, '92, 307; *Fla.* '90, 15, '92, 213; *g. dist.* '88, 399^c; *Ia.* '95, 124, 235; *Ida.* '98, 18; *Ind.* '82, 17^d, '89, 26; *Ky.* '89, 315; *La.* '82, 162^d, '87, 302^a; *L. Cal.* '95, 142; *Man.* '86, 325; *Mass.* '84, 6^a, '88, 389, '89, 45, 102, '90, 217; *Mich.* '93, 227; *Minn.* '80, 14; *Mo.* '79, 143, '95, 357^a; *Mont.* '82, 62^c, '94, 307, '95, 218; *N. C.* '86, 173; *N. E.* '76, 73, 92, '77, 15; *Neb.* '85, 279; *N. H.* '88, 150, 152, '89, 79; *N. M.* '85, 332^c; *N. Y.* '81, 228^d, '84, 218, '96, 87; *O.* '82, 46, '95, 241; *Ore.* '86, 170, '88, 258^a, 360^c; *Pa.* '93, 40, '96, 284; *S. D.* '85, 279; *Tex.* '82, 11^d, '87, 295; *Vt.* '79, 237; *Wash.* '92, 46, '93, 21–23^c, '97, 179; *Wis.* '82, 187, '88, 327.—*fd.* '99, 362^a; *hbt.* '86, 170; *meas.* '93, 22, 22^c; *mig.* '88, 327, '95, 124, 129^a, 235, 241; *nst.* '80, 14, 229^b, '88, 32^c, '98, 139; *plm.* '76, 61, '78, 115, '82, 142, '88, 32^c, '97, 259 (col. pl.); *song.* '80,

229^b, '84, 218, '96, 87; *syn.* '82, 142, '87, 336^c, '88, 32^c, '93, 21^c, '94, 50^c; *misc.* '89, 24^a.

grandior (^bVireosylvia), *W. I.* '85, 291^b, '87, 180^b.—*plm.* '87, 178^b.

gundlachi, *W. I.* '86, 188, '92, 273. *meas.*, *plm.*, *syn.* '86, 188.

huttoni (Hutton's Vireo), *Cal.* '78, 68, '82, 144, '86, 184, '87, 93, '89, 221, '93, 238; *g. dist.* '93, 135, 241.—*meas.* '78, 68, '82, 143, 144, '93, 240; *nst.* '78, 68; *syn.* '82, 143, '93, 238.

insularis, '93, 239*, see *obscurus*. *latimeri*, *W. I.* *meas.*, *plm.*, *syn.* '86, 187.

lucasanus (Saint Lucas Solitary Vireo), *L. Cal.* '91, 147*, '92, 106.—*meas.* '91, 148; *syn.* '92, 106.

maynardi (Key West Vireo), *Fla.* '87, 148*, '88, 187, 399, '90, 15, '92, 213.—*meas.* '87, 148; *nst.* '88, 187; *syn.* '90, 312.

micrus, *Mex.*, *meas.* '99, 30*.
modestus, *W. I.* '86, 187, '93, 339, '94, 127.—*nst.* '94, 127; *meas.*, *plm.*, *syn.* '86, 187.

nanus, *Mex.* '98, 340.
noveboracensis (^aWhite-eyed Vireo), *Ala.* '79, 7; *Ark.* '82, 91; *Bermuda*, '96, 238; *Cuba*, '86, 188; *D. C.* '88, 23; *Fla.* '88, 275, '90, 15, 312, '91, 138, '92, 213, '95, 365; *Ga.* '82, 99^a, '83, 38, '96, 214; *g. dist.* '93, 133; *Ind.* '82, 17; *Ky.* '89, 315; *La.* '82, 162, '87, 302^a; *Mass.* '84, 6^a, '89, 40^a, 45, '90, 217; *Me.* '83, 165^a?; *Minn.* '93, 289; *Miss.* '82, 91; *Mo.* '79, 143, '95, 117^a; *N. B.* '82, 104; *N. C.* '86, 173, '89, 120; *N. E.* '76, 73, '77, 15, 47; *N. F.* 1900, 72; *N. J.* '94, 139; *N. Y.* '79, 175, '84, 176, 179, 323; *S. C.* '79, 214, '85, 72^a, '90, 127, '92, 31^a; *Tenn.* '86, 317, '87, 132; *Tex.* '82, 11, 37, '87, 295, '92, 340, 1900, 347; *W. I.* '87, 181.—*fd.* '99, 362^a; *mig.* '84, 176, 179, '92, 31^a; *nst.* '83, 38; *plm.* '78, 116, '87, 295; *song.* '84, 323; *syn.* '86, 188.

obscurus (Dusky Vireo, ^b*insularis*), *B. C.* '93, 16, 23, 239^b; *g. dist.* '95, 165; *Orc.* '93, 239, 239^{*b}; *Wash.* '93, 16, 23, '98, 138.—*hbt.*, *meas.*, *nst.*, '98, 139; *syn.* '92, 288, '94, 51, 51^b, '95, 165.

olivaceus (^aRed-eyed Vireo, ^bVireosylvia), *Ala.* '79, 7; *Ark.* '82, 91^b; *Bahamas*, '92, 48, 49; *B. C.* '92, 395, 1900, 107; *Colo.* '87, 264; *Colom.* 1900, 366; *C. R.* '90, 329,

335, '92, 22; *D. C.* '88, 23, '92, 308; *Fla.* '81, 39, '88, 275, '90, 15, 312, '91, 127^a, 138, '92, 213, '95, 365; *Ga.* '83, 38^b, '96, 214; *G. Br.* '80, 71^b; *Ia.* '95, 123, 235; *Ida.* '98, 18; *Ill.* '88, 434; *Ind.* '82, 17^b, 18^b, '89, 26; *Ky.* '89, 315; *La.* '87, 302^a; *Man.* '86, 325; *Mass.* '84, 6^a, '88, 389, '89, 45, 102, '90, 217; *Me.* '82, 111; *Mich.* '85, 65, '93, 227; *Minn.* '80, 14; *Miss.* '82, 91^b; *Mo.* '79, 143, '95, 350^a; *Mont.* '95, 218; *N. B.* '82, 111, '83, 11^a, '89, 118; *N. C.* '86, 173, '89, 120; *Neb.* '96, 263 [not *flavoviridis*, see '97, 323]; *N. H.* '87, 102^a, 105, '88, 150, 152, 154, '89, 77, 78, '94, 335; *N. J.* '94, 139; *N. S.* '87, 16, '91, 165, '94, 334; *N. Y.* '79, 32, '81, 228^b, '84, 176^b, 177^b, 178^b, 217; *O.* '82, 46, '95, 241; *Ont.* '87, 247^a; *Pa.* '92, 138, '93, 37^a, 40, 45, '96, 284, 295; *P. E. I.* '93, 5^a, 12; *S. C.* '79, 213, '90, 125, '91, 329, '92, 36^a, 37^a; *S. D.* '85, 279; *Tenn.* '86, 317, '87, 131; *Tex.* '82, 11^b, '87, 295, '92, 340, 1900, 347; *T. a.* '89, 74^a; *Wash.* '92, 395; *W. I.* '86, 190; *Wis.* '82, 187, '88, 327.—*fd.* '97, 412^a, '99, 362^a; *hbt.* '90, 107^a, '93, 12, '97, 412^a, 1900, 100^a, 102^a; *mig.* '84, 176^b, 177^b, 178^b, '85, 65, 98^a, '88, 327, 434, '91, 135, '92, 36^a, 37^a, '95, 123, 128^a, 235, 241; *nst.* '78, 95, '82, 18, '82, 38^b, '87, 247^a, 295, '98, 18; *plm.* '78, 97, 115, '86, 173, '87, 131; *song.* '84, 65^a, 217, '92, 283; *syn.* '86, 190; *misc.* '89, 24^a.

perquisitor, *Mex.*, *meas.* 1900, 267*.

philadelphicus (^aPhiladelphia Vireo), *Conn.* '94, 181, '95, 311; *C. R.* '90, 335, '92, 23; *g. dist.* '80, 1-7, '93, 127, '97, 259-272 (col. pl.); *Ind.* '89, 26; *Ky.* '88, 115, '89, 315; *Man.* '85, 305, '86, 325; *Mass.* '76, 19, '80, 53, '81, 56, '95, 84; *Mich.* '85, 65, '93, 227; *Mo.* '95, 116^a; *N. B.* '82, 111; *N. E.* '76, 74; *Neb.* '85, 279; *N. H.* '77, 78, '88, 152, '89, 42; *N. J.* '81, 56; *N. Y.* '78, 46, '80, 239, '84, 291, '85, 272, '98, 333; *Ont.* '98, 191; *Pa.* '79, 235, '92, 138; *S. D.* '85, 279?; *T. a.* '89, 74; *T. t.* '90, 403; *W. Va.* '99, 359.—*fd.* '93, 227; *hbt.* '80, 1-7, '97, 259-272, '98, 191; *mig.* '85, 65; *nst.* '85, 305, '86, 325, '97, 259, 269 (mlt.), '98, 191; *plm.* '76, 61, '97, 269; *song.* '80, 1, 3, '97, 266; *misc.* '88, 115.

plumbeus (^a Plumbeous Vireo, ^b Lanivireo), *Ariz.* '88, 32, '90, 49, 260; *Cal.* '87, 88 [cassini?]; *Colo.* '80, 229, '81, 89, '83, 160, '85, 15^b, 141^b, '94, 269; *N. M.* '85, 332, '92, 367, '98, 310; *N. Y.* '94, 79.—*meas.* '94, 79; *plm.* '88, 32; *song.* '80, 229; *syn.* '80, 105.

pusillus (Least Vireo), *Ariz.* '78, 93, '82, 144, '85, 321, '88, 33; *Cal.* '86, 184, '90, 215 ['belli?]; *L. Cal.* '95, 142; *Mex.* '85, 197; *N. M.* '78, 93; *Ont.* '83, 55 [belli?].—*meas.* '82, 145; *nst.* '82, 144, '88, 33; *plm.* '82, 144, '85, 197; *syn.* '82, 143.

solitarius (^a Blue-headed or Solitary Vireo, ^b Lanivireo), *Ala.* '79, 7; *Cal.* '78, 65^b [cassini?]; *Conn.* '93, 371, '96, 343; *Cuba.* '86, 190; *Fla.* '86, 410, '88, 275, '90, 15, '91, 127^a, 138, '92, 213, '95, 365; *g. dist.* '93, 133, 135; *Ga.* '86, 410, '96, 214; *Ind.* '82, 20^b, '89, 26; *Man.* '86, 325; *Mass.* '87, 251, '88, 389, '89, 40^a, 45, 102; *Me.* '82, 111; *Mich.* '85, 65, '93, 227; *Minn.* '97, 223; *Mo.* '79, 143; *N. B.* '89, 118; *N. C.* '86, 98 [alticola?]; *N. H.* '88, 152, '89, 77, 78; *N. S.* '91, 165; *N. Y.* '81, 228^b, '84, 176^b, 323, '90, 231; *O.* '87, 132; *Pa.* '92, 133^a, 138, '96, 291^a, 292, 295, '99, 312; *P. E. I.* '93, 13; *S. C.* '79, 213, '86, 410, '91, 169, '92, 37^a, 39^a, '99, 198; *S. D.* '85, 279; *Tenn.* '86, 317 [= alticola, see '87, 164]; *Tex.* '82, 11^b, '84, 122^b, '92, 340; *W. Va.* '98, 136.—*hbt.* '90, 110^a, 200; *meas.* '86, 112; *mig.* '84, 176^b, '85, 65, '92, 37^a, 39^a, '99, 198; *nst.* '96, 343; *plm.* '78, 116, '86, 111, '91, 169, '92, 138; *song.* '84, 323; *syn.* '80, 105, '86, 190.

sordidus, *Mex.* '98, 340.
stephensi (Stephen's Vireo), *Ariz.* '82, 142, 258, '85, 197, 354, '88, 32, '89, 173; *g. dist.* '93, 239, 241; *N. M.* '82, 142*, 258, '98, 310.—*meas.* '82, 143, 144, '93, 240; *nst.* '89, 173; *plm.* '85, 197; *syn.* '82, 143, '93, 239.

strenuus, *Mex.*, *meas.* 1900, 268*. **superciliosus**, *C. R.* '92, 173.
vicinior (Gray Vireo, ^b californicus), *Ariz.* '82, 145, '85, 321, '88, 33; *Cal.* '78, 42, '90, 159^b, 215; *g. dist.* '93, 135; *N. M.* '78, 93, '92, 367.—*hbt.* '78, 42, '85, 321; *meas.* '82, 145, '85, 324^a; *nst.* '85, 321–326, '86, 83, '90, 159^b; *plm.* '82, 145; *song.* '78, 42, 93, '85, 321; *syn.* '91, 89^b, '92, 108^b, '93, 62^b.

Vireo, Anthony's, see Vireo obscurus. Arizona, see Vireo vicinior.

Bell's, see Vireo bellii.

Black-capped, see Vireo atricapillus. Black-whiskered, see Vireo barbatulus.

Blue-headed, see Vireo solitarius.

Cassin's, see Vireo cassini.

Chiapas, see Vireo strenuus.

Dusky, see Vireo obscurus.

Gray, see Vireo vicinior.

Hutton's, see Vireo huttoni.

Key West, see Vireo maynardi.

Large-billed, see Vireo crassirostris.

Least, see Vireo pusillus.

Mountain Solitary, see Vireo alticola.

Philadelphia, see Vireo philadelphicus.

Plumbeous, see Vireo plumbeus.

Red-eyed, see Vireo olivaceus.

Saint Lucas Solitary, see Vireo lucanus.

Solitary, see Vireo solitarius.

Small White-eyed, see Vireo micrus.

Stephens's, see Vireo stephensi.

Vera Cruz, see Vireo perquisitor.

Warbling, see Vireo gilvus.

White-eyed, see Vireo noveboracensis.

Yellow-green, see Vireo flavoviridis.

Yellow-throated, see Vireo flavifrons.

Vireolanius pulchellus, *plm.* '89, 48.
verticalis, *C. R.* '85, 293.

Vireonidae (^a Vireos), '76, 61, '81, 28, 34, 156^a, '93, 111^a, 1900, 101^a.

Vireos, see Vireonidae.

Vireosylvia, see Vireo.

canescens, '87, 178*, see Vireo.

virescens (*Ardea*), see Ardea.

— (*Brotogeris*), see Brotogeris.

— (*Butorides*), see Ardea.

— (*Empidonax*), see Empidonax.

— (*Herodias*), see Ardea.

— (*Icterus*), see *I. hypomelas*.

— (*Myiozetetes*), see Myiozetetes.

— (*Ocniscus*), see Ardea.

— (*Platyrhynchos*), see Empidonax.

— (*Pseudoleistes*), see Pseudoleistes.

— (*Psittacus*), see Amazona agilis.

— (*Sublegatus*), see Myiozetetes.

— (*Vireo*), see *V. agilis*.

virgata (*Aphriza*), see Aphriza.

— (*Drymophila*), see Drymophila.

virgatum (*Syrnium*), see Syrnium.

Virgin Gorda Island, West Indies.

Cory, C. B., '90, 375.

virginalis (*Lampornis*), see *L. virginalis* or dominicus.

Virginia.

Allen, W. T., '83, 174.

- Bailey, H. B., '76, 24-28.
 Baily, W. L., 1900, 293.
 Batchelder, C. F., '91, 105-106.
 Beckham, C. W., '85, 110.
 Braislin, W. C., 1900, 172.
 Brewster, W., '80, 57-58, '82, 48, 126.
 Brown, E. J., '93, 204, '94, 259.
 Coues, E., '77, 74.
 Coues, E. B., '88, 405-408.
 Daniel, J. W., Jr., 1900, 296-297.
 Deane, R., '80, 126.
 De Haven, I. N., '96, 171.
 Fisher, A. K., '90, 96, '95, 307.
 Freke, P. E., '82, 48.
 Henshaw, H. W., '79, 243-244.
 Jouy, P. L., '81, 57-58.
 Lawrence, N. T., '78, 98.
 Mearns, E. A., '90, 88.
 Miller, P., '84, 186.
 Norris, J., '88, 316.
 Palmer, W., '85, 304, '89, 71, 74, '94, 325, 333-334, '96, 83, 84, '97, 208-209, 322, 408.
 Pearsall, R. F., '81, 63.
 Richmond, C. W., '88, 18-24, '89, 339.
 Ridgway, R., '80, 53, 221, 223, '81, 118, '82, 250, '83, 59, '87, 67.
 Rives, W. C., '85, 103-104, '86, 156-161, '89, 50-53, '92, 193, '97, 88.
 Robinson, W., '89, 194-195.
 Sennett, G. B., '87, 67.
 Shoemaker, G., '81, 113-114.
 Smith, H. M., '86, 278, '87, 346.
 Smyth, E. A., Jr., '93, 361-362.
 Strother, W. A., '88, 314.
 Surber, T., '94, 77.
 Torrey, B., '96, 179.
 Trotter, S., '82, 115.
 Webster, F. S., '87, 158.
 Whittaker, W. L., '97, 202.
 Wise, J. S., '88, 312.
virginiacus (*Charadrius*), see *C. dominicus*.
virginiae (*Helminthophila*), see *Helminthophila*.
virginiana (*Ortyx*), see *Colinus virginianus* or *cubanensis*.
virginianus (*Bubo*), see *B. virginianus* or *arcticus*.
 —— (*Caprimulgus*), see *Chordeiles*.
 —— (*Cardinalis*), see *C. cardinalis*, *caniculus* or *floridanus*.
 —— (*Charadrius*), see *C. dominicus*.
 —— (*Chordeiles*), see *Chordeiles*.
 —— (*Chordiles*), see *Chordeiles*.
 —— (*Colinus*), see *Colinus*.
 —— (*Rallus*), see *Rallus*.
 —— (*Tetrao*), see *Colinus*.

- virginicus* (*Charadrius*), see *C. dominicus*.
virgo (*Anthropoides*), see *Anthropoides*.
viridianus (*Phylloscopus*), see *Phylloscopus*.
viridescens (*Attila*), see *Attila*.
 —— (*Empidonax*), see *Empidonax*.
viridis (*Agyrtria*), see *Lampornis*.
 —— (*Chalybura*), see *Lampornis*.
 —— (*Cyclorhis*), see *C. viridis* or *ochrocephala*.
 —— (*Galbula*), see *Galbula*.
 —— (*Gecinus*), see *Gecinus*.
 —— (*Icteria*), see *I. virens*.
 —— (*Lampornis*), see *Lampornis*.
 —— (*Phyllornis*), see *Chloropsis zosterops*.
 —— (*Parra*), see *Jacana nigra*.
 —— (*Picus*), see *Gecinus*.
 —— (*Proenias*), see *P. teres*.
 —— (*Todus*), see *T. viridis*, *hypochondriacus* or *subulatus*.
 —— (*Trochilus*), see *Lampornis*.
 —— (*Trogon*), see *Trogon*.
viscivorus (*Turdus*), see *Turdus*.
vitellina (*Dendroica*), see *Dendroica*.
vittata (*Amazona*), see *Amazona*.
 —— (*Chrysotis*), see *Amazona*.
vittatum (*Hapaloderma*), see *Hapaloderma*.
vittatus (*Psittacus*), see *Amazona*.
vitticaudus (*Cymindis*), see *Regerhinus uncinatus*.
 —— (*Falco*), see *Regerhinus uncinatus*.
vivida (*Psittacula*), see *Psittacula*.
 —— (*Xanthoura*), see *Xanthoura*.
v-nigra (*Somateria*), see *Somateria*.
vocifera (*Ægilialis*), see *Ægilialis*.
vociferans (*Tyrannus*), see *Tyrannus*.
vociferus (*Antrostomus*), see *A. vociferus* or *cubanensis*.
 —— (*Caprimulgus*), see *Antrostomus*, *vociferus* or *cubanensis*.
 —— (*Charadrius*), see *Ægilialis*.
 —— (*Oxyechus*), see *Ægilialis*.
 —— (*Oxyechus*), see *Ægilialis*.
 —— (*Psilorhinus*), see *Psilorhinus*.
 —— (*Totanus*), see *T. melanoleucus*.
Vogt, M. C.
 The second fossil *Archæopteryx* (rev.), '81, 107-109.
Volatinia jacarina, *W. I.* '88, 158 [= *splendens*, see '89, 218].
spendens, *C. R.* '92, 27; *Venez.* '97, 364; *W. I.* '89, 218, '93, 220.— *plm.* '89, 219; *syn.* '89, 218.
Volucres, '81, 30.
Voorhees, Clark Greenwood.

Third specimen of Lawrence's Warbler, '88, 427.
 Occurrence and breeding of Kentucky Warbler in Connecticut, '93, 86.
 Connecticut notes, '94, 259.
vulcani (*Junco*), see *Junco*.
 — (*Zonotrichia*), see *Junco*.
vulgaris (*Buteo*), see *B. buteo*.
 — (*Coccothraustes*), see *C. coccothraustes*.
 — (*Francolinus*), see *Francolinus*.
 — (*Icterus*), see *I. icterus*.
 — (*Lagopus*), see *L. mutus*.
 — (*Nycticorax*), see *N. nævius*.
 — (*Polyborus*), see *P. cheriway*.
 — (*Sturnus*), see *Sturnus*.
Vultur '80, 79, 80.
 — *pernix*, *anat.* '82, 47.
Vulture, Black, see *Cathartes urubu*.
 California, see *Pseudogryphus californianus*.
 King, see *Gyparchus papa*.
 Turkey, see *Cathartes aura*.
 Vultures, see *Sarcophamphidae*.
Vulturidae, '77, 70, '78, 77.

W

Waders, see *Limicole*.
wagleri (*Centurus*), see *Centurus*.
 — (*Eucorystes*), see *Eucorystes*.
 — (*Hylocharis*), see *Thalurania bicolor*.
 — (*Icterus*), see *Icterus*.
 — (*Ornismya*), see *Thalurania bicolor*.
 — (*Thalurania*), see *T. bicolor*.
 Wagner Free Institute of Science, Transactions, title (Nos. 2311), '92, 195.
 Wagtail, see *Anthus pensylvanicus*.
 Pied, see *Motacilla lugubris*.
 Siberian Yellow, see *Budytès leucocephalus*.
 Swinhoe's, see *Motacilla ocularis*.
 White, see *Motacilla alba*.
 Wahquoit's, see *Tringa canutus*.
 Wake-up, see *Colaptes luteus*.
 Wales.
 Seeböhm, H., '85, 373.
Walford, W. L.
 Albinism in Bohemian Waxwing, '80, 183.
Walker, Mary L.
 Quadrat bone in birds (rev.), '90, 198.
Wall, Edward.
 Gambel's Partridge at San Bernardino, California, '93, 204.
Wallace, Alfred Russel.

Palearctic and nearctic regions compared as regards mammalia and birds (rev.), '94, 318.
wallacei (*Dendrochelidon*), see *Dendrochelidon*.
 Walloon, see *Gavia imber*.
 Wamp, see *Somateria dresseri*.
 Warbler, Alaskan Yellow, see *Dendroica rubiginosa*.
 Antillean Yellow, see *Dendroica petechia*.
 Arrow-headed, see *Dendroica phartria*.
 Audubon's, see *Dendroica auduboni*.
 Aurora, see *Dendroica ea*.
 Bachman's, see *Helminthophila bachmani*.
 Bahama Pine, see *Dendroica achrusteria*.
 Bay-breasted, see *Dendroica castanea*.
 Bell's, see *Basileuterus belli*.
 Black-and-white, see *Mniotilla varia*.
 Black-and-yellow, see *Dendroica maculosa*.
 Blackburnian, see *Dendroica blackburniae*.
 Black-capped, see *Dendroica striata*.
 Black-capped Flycatching, see *Wilsonia pusilla*.
 Black-capped Yellow, see *Wilsonia pusilla*.
 Black-fronted, see *Dendroica nigrifrons*.
 Black-poll, see *Dendroica striata*.
 Black-throated Blue, see *Dendroica caerulescens*.
 Black-throated Gray, see *Dendroica nigrescens*.
 Black-throated Green, see *Dendroica virens*.
 Blue, see *Dendroica rara*.
 Blue Golden-winged, see *Helminthophila chrysoptera*.
 Blue Mountain, see *Dendroica montana*.
 Blue-throated, see *Cyanecula suecica*.
 Blue-winged, see *Helminthophila pinus*.
 Blue-winged Yellow, see *Helminthophila pinus*.
 Blue Yellow-backed, see *Compsophylis picta americana* or *usneae*.
 Brasher's, see *Basileuterus culicivorus*.
 Brewster's, see *Helminthophila leucobronchialis*.
 Cærulean, see *Dendroica rara*.
 Cairn's, see *Dendroica cairnsi*.

- Calaveras, see *Helminthophila gutturalis*.
 Canada, see *Wilsonia canadensis*.
 Canada Flycatching, see *Wilsonia canadensis*.
 Canadian, see *Wilsonia canadensis*.
 Cape May, see *Dendroica tigrina*.
 Carbonated, see *Dendroica carbonata*.
 Cerulean, see *Dendroica rara*.
 Chapman's, see *Dendroica flavivertex*.
 Chestnut-headed, see *Dendroica castaneiceps*.
 Chestnut-headed Yellow, see *Dendroica castaneiceps*.
 Chestnut-sided, see *Dendroica pensylvanica*.
 Cincinnati, see *Helminthophila cincinnatensis*.
 Connecticut, see *Geothlypis agilis*.
 Dusky, see *Helminthophila sordida*.
 Golden, see *Protonotaria citrea*.
 Golden-cheeked, see *Dendroica chrysoparia*.
 Golden Swamp, see *Protonotaria citrea*.
 Golden-winged, see *Helminthophila chrysoptera*.
 Goldman's, see *Dendroica goldmani*.
 Grace's, see *Dendroica gracie*.
 Grayson's, see *Compsothlypis graysoni*.
 Green Black-capped Flycatching, see *Wilsonia pusilla*.
 Guatemalan, see *Basileuterus scitulus*.
 Hermit, see *Dendroica occidentalis*.
 Hooded, see *Wilsonia mitrata*.
 Hooded Flycatching, see *Wilsonia mitrata*.
 Hoover's, see *Dendroica [hooveri ==] coronata*.
 Kennicott's Willow, see *Phylloscopus borealis*.
 Kentucky, see *Geothlypis formosa*.
 Kirtland's, see *Dendroica kirtlandii*.
 Lawrence's, see *Helminthophila lawrencei*.
 Lucy's, see *Helminthophila luciae*.
 Lutescent, see *Helminthophila lutescens*.
 Macgillivray's, see *Geothlypis tolmiei*.
 Magnolia, see *Dendroica maculosa*.
 Mangrove, see *Dendroica castaneiceps*.
 Mourning, see *Geothlypis philadelphica*.
 Myrtle, see *Dendroica coronata*.
 Nashville, see *Helminthophila rubricapilla*.
- Northern Parula, see *Compsothlypis usneae*.
 Olive, see *Dendroica olivacea*.
 Olive-headed, see *Dendroica olivacea*.
 Orange-crowned, see *Helminthophila celata*.
 Palm, see *Dendroica palmarum*.
 Parula, see *Compsothlypis americana*.
 Pileolated, see *Wilsonia pileolata*.
 Pine, see *Dendroica vigorsii*.
 Pine-creeping, see *Dendroica vigorsii*.
 Prairie, see *Dendroica discolor*.
 Prothonotary, see *Protonotaria citrea*.
 Red, see *Ergaticus ruber*.
 Red-faced, see *Cardellina rubrifrons*.
 Red-fronted, see *Cardellina rubrifrons*.
 Red-poll, see *Dendroica palmarum*.
 Reed, see *Cistothorus palustris*.
 Sennett's, see *Compsothlypis nigriflora*.
 Small-headed, see *Wilsonia microcephala*.
 Sonora Yellow, see *Dendroica sonorana*.
 Summer, see *Dendroica aestiva*.
 Swainson's, see *Helinaia swainsonii*.
 Sycamore, see *Dendroica albilara*.
 Tennessee, see *Helminthophila peregrina*.
 Townsend's, see *Dendroica townsendi*.
 Virginia's, see *Helminthophila virginiae*.
 Western Green Black-capped Flycatching, see *Wilsonia pileolata*.
 Western Mourning, see *Geothlypis tolmiei*.
 Western Orange-crowned, see *Helminthophila lutescens*.
 Western Yellow, see *Dendroica sonorana*.
 White-browed Warbler, see *Dendroica albilara*.
 White-browed Yellow-throated, see *Dendroica albilara*.
 White-cheeked, see *Helminthophila leucobronchialis*.
 White-throated, see *Helminthophila leucobronchialis*.
 Wilson's, see *Wilsonia pusilla*.
 Wilson's Black-capped Flycatching, see *Wilsonia pusilla*.
 Worm-eating, see *Helmitherus vermivorus*.
 Yellow, see *Dendroica aestiva* or *rufinosa*.
 Yellow-bellied Red-poll, see *Dendroica hypochrysea*.

- Yellow-headed, see *Geothlypis flaviceps*.
 Yellow Palm, see *Dendroica hypochrysea*.
 Yellow Red-poll, see *Dendroica hypochrysea*.
 Yellow-rumped, see *Dendroica coronata*.
 Yellow-throated, see *Dendroica dominica*.
 Warblers, see *Mniotillidae*.
Ward, Charles Willis.
 Notes on *Ardea wardi*, '84, 161-163.
wardi (*Ardea*), see *Ardea*.
 Ward's Natural Science Bulletin, titles
 (Nos. 259-266), '83, 172.
 War-loon, see *Gavia imber*.
Warren, Benjamin Harry.
 Report on birds of Pennsylvania
 (rev.), '89, 170, 284, '91, 101-103.
 How to collect, skin, preserve and
 mount birds, etc., 2d ed. (rev.),
 '96, 334.
Warren, Jesse.
 Nesting of Golden-winged Warbler
 (*Helminthophaga chrysoptera*) in
 Massachusetts, '76, 6-8.
Warren, Oscar Bird.
 Some corrections, '98, 193.
 A chapter in the life of the Canada
 Jay, '99, 13-19 (4 figs.).
Calcarius lapponicus in winter at Pal-
 mer, Marquette Co., Mich., '94, 180.
 Notes from upper peninsula of Michi-
 gan, '95, 191.
 Warrior, Black, see *Buteo harlani*.
Washburn, Frederick Leonard.
 Recent capture of Kirtland's Warb-
 ler in Michigan, and other notes,
 '89, 279.
Washington.
 Allen, J. A., '81, 128, '99, 349.
 Anthony, A. W., '93, 87.
 Batchelder, C. F., '92, 395-396, '93,
 290-292.
 Bendire, C. E., '81, 185, '82, 58, '83,
 236.
 Bowles, C. W., '98, 138-140.
 Bowles, J. H., '98, 138-140.
 Brewer, T. M., '80, 50.
 Brewster, W., '82, 225-233, '91, 140.
 Cones, E., '95, 178, 179.
 Dawson, W. L., '97, 87, 92, 93, 95-
 96, 168-182.
 Edson, J. M., '94, 73.
 Gormley, M. H., '88, 424-425.
 Goss, N. S., '84, 163-165, '85, 222.
 Kobbé, W. H., 1900, 8-15, 349-358.
- Lawrence, R. H., '92, 39-47, 301, 352-
 357, 385, 393-394.
 Lum, S. K., '81, 52, 52.
 Merriam, C. H., '98, 39-40.
 Oberholser, H. C., '99, 257.
 Palmer, T. S., '92, 308-310.
 Rhoads, S. N., '91, 310-312, '93, 16-
 24.
 Ridgway, R., '99, 36, 255.
 Snyder, J. O., 1900, 242-245.
 Washington Biological Society, Proceed-
 ings, titles (Nos. 2312-2317), '92,
 195.
washingtoni (*Haliaetus*), see *H. leucocephalus*.
 Waterhen, see *Gallinula chloropus*.
 Least, see *Porzana jamaicensis*.
Waterhouse, Frederick Hershel.
 Index generum avium (rev.), '90, 71-
 73.
 Water-Thrush, see *Seiurus noveboracensis*.
 Grinnell's, see *Seiurus notabilis*.
 Large-billed, see *Seiurus motacilla*.
 Long-billed, see *Seiurus motacilla*.
 Louisiana, see *Seiurus motacilla*.
 Northern, see *Seiurus noveboracensis*.
 Small-billed, see *Seiurus noveboracensis*.
Watling Island, West Indies.
 Brewster, W., '88, 83-84.
 Cory, C. B., '92, 48-49.
 Nye, W., Jr., '99, 273.
 Ridgway, R., '86, 336, '91, 337.
Watkins, L. Whitney
 Cory's Least Bittern in Michigan, '95,
 77.
 [Bird protection in Michigan], '98,
 94.
Watson, Amelia Montague.
 Taming a Chipping Sparrow (*Spizella socialis*), '94, 256.
 Wavy, see *Chen rossii*.
 Horned, see *Chen rossii*.
 Waxwing, see *Ampelis cedrorum*.
 Bohemian, see *Ampelis garrulus*.
 Cedar, see *Ampelis cedarum*.
 Northern, see *Ampelis garrulus*.
 Waxwings, see *Ampelidae*.
Wayne, Arthur Trezevant.
Helminthophila celata in South Caro-
 lina, '86, 138.
Phainopeplus ruber in South Caro-
 lina, '87, 72.
 American Crossbill (*Loxia curvirostris minor*) in large numbers in
 South Carolina, '87, 287-289.

- Habits of Purple Gallinule (*Ionornis martinica*), '88, 109.
- Loxia curvirostris minor* again at Yemassee, S. C. '88, 115, 208.
- Ammodramus leconteii* at Yemassee, S. C. '88, 210.
- Ammodramus henslowii* wintering in large numbers at Yemassee, S. C. '88, 210.
- Early date of rare bird in North Carolina, '90, 88.
- Curious specimen of Yellow-throated Warbler (*Dendroica dominica*), '90, 97.
- Spotted eggs of Swainson's Warbler, '90, 403.
- Green Heron (*Ardea virescens*) wintering in South Carolina, '91, 232.
- Marian's Marsh Wren (*Cistothorus marianae*), on coast of South Carolina, '91, 239.
- Sandhill Crane (*Grus mexicana*) in South Carolina, '91, 308.
- Abnormal specimen of Nonpareil (*Passerina ciris*), '91, 395.
- Late breeding of *Columbigallina passerina*, '92, 72.
- A belated migrant, '92, 72.
- Whippoorwill wintering near Charleston, South Carolina, '92, 201.
- American Woodcock (*Philohela minor*) in great numbers at Mount Pleasant, South Carolina, '93, 204.
- Antrostomus vociferus* in South Carolina in winter, '93, 205.
- Horned Lark (*Otocoris alpestris*) near Charleston, South Carolina, '93, 205.
- Additional notes on birds of the Suwanee River, '93, 336-338.
- Sprague's Pipit (*Anthus spraguccii*) on coast of South Carolina, '94, 80.
- Effect of great cyclone of August 26, upon certain species of birds, '94, 85.
- Notes on capture of Gray Kingbird (*Tyrannus dominicensis*) near Charleston, South Carolina, '94, 178.
- Notes on distribution of Bobolink in South Carolina, '94, 179.
- Leconte's Sparrow (*Ammodramus leconteii*) in large numbers near Charleston, South Carolina, '94, 256.
- Sandhill Crane (*Grus mexicana*).—a correction, '94, 324.
- Rough-winged Swallow (*Stelgidopteryx serripennis*) and Tree Swallow (Tachycineta bicolor) wintering in South Carolina, '95, 184.
- Old Squaw (*Clangula hyemalis*) on coast of South Carolina, '95, 293.
- Lark Bunting in South Carolina, '95, 305.
- Notes on birds of the Waccassee and Aucilla River regions of Florida, '95, 362-367.
- Cape May Warbler (*Dendroica tigrina*) in maritime portions of South Carolina, '96, 84.
- Red-breasted Nuthatch (*Sitta canadensis*) on Long Island, South Carolina, '96, 84.
- Remarkable nest of Tufted Titmouse (*Parus bicolor*), '97, 98.
- Destruction of birds by great cold wave of February 13 and 14, 1899, '99, 197.
- Notes on Marian's Marsh Wren, *Cistothorus marianae* and Worthington's Marsh Wren, *Cistothorus palustris griseus*, '99, 361.
- waynei (Rallus), see R. crepitans.
- Weaver-bird, Masked, see *Hyphantornis velatus*.
- Social, see *Philetaerus socius*.
- Weaver-birds, see *Ploceidae*.
- Webber, Herbert John.
- Studies on dissemination and leaf reflexions of *Yucca aloifolia* and other species (rev.), '96, 167.
- Webster, Ellen E.
- Ring-billed Gull in New Hampshire, 1900, 169.
- White-winged Crossbills and Brünnich's Murres in central New Hampshire, 1900, 175.
- Webster, Frederic Smith.
- A fern-eating Woodcock, '87, 73.
- Capture of Razor-billed Auk in Virginia, '87, 158.
- Saw-whet Owl in District of Columbia, '87, 161.
- websteri (Sula), see *Sula*.
- weddelli (Dendronnis), see *Dendronnis*.
- Weed, Clarence Moores.
- Winter-food of Chickadee (rev.), '99, 206.
- Feeding habits of Chipping Sparrow (rev.), '99, 206.
- welchi (Lagopus), see *Lagopus*.
- Wells, John Grant, and Lawrence, G. N. Catalogue of birds of Grenada (rev.), '87, 250.
- wellsi (Certhiola), see *Cereba*.
- (Cereba), see *Cereba*.
- (Engyptila), see *Leptotila*.

- (Leptotila), see Leptotila.
Welsh, Frank R.
 Odd nesting-site of a Great-crested Flycatcher, '84, 391.
West Chester [Pa.] Local News, title (No. 978), '85, 373.
Western Ornithologist, '85, 320.
Western Pennsylvania Ornithological Association, '92, 207, '94, 191.
West Indies (see also separate islands).
 Cory, C. B., '86, 1-59, 187-245, 337-381, 454-472, '87, 37-51, 66, 108-120, 223-232, 311-328, '88, 48-82, 155-159, '91, 37-49, '93, 69-70.
 Coues, E., '80, 179.
 Fielden, H. W., '92, 289 (4 items), 290.
 Lawrence, G. N., '79, 228-230.
 Marsden, H. W., '92, 289.
 Ober, F. A., '80, 178.
 Ridgway, R., '85, 291.
West Virginia.
 Batchelder, C. F., '90, 197.
 Brewster, W., '76, 31, 72.
 Jacobs, J. W., '98, 60.
 McLain, R. B., '99, 359.
 Rives, W. C., '97, 88, '98, 13.
 Scott, W. [E.] D., '76, 31.
 Surber, T., '91, 106, '98, 61.
 Wall, A., '85, 213.
 Whale-bird, see *Crymophilus fulicarius* or *Prion turtur*.
Wharton, Henry T.
 Obituary of, '96, 97.
 Wheatear, see *Saxicola oenanthe*.
Wheaton, John Maynard.
 Ruff and Purple Gallinule in Ohio, '77, 83.
 Kirtland's Warbler again in Ohio, '79, 58.
 Occurrence of birds rare to Columbus, Ohio, '79, 62.
 Report on birds of Ohio (rev.), '83, 110-112.
 Obituary of, '87, 174.
 [Collection of], '87, 272.
 Whimbrel, see *Numenius phaeopus*.
 Whip-poor-will, see *Antrostomus vociferus*.
 Dutch, see *Antrostomus carolinensis*.
 Eared, see *Otophanes meleodii*.
 Oaxaca, see *Antrostomus oaxacae*.
 Ridgway's, see *Antrostomus ridgwayi*.
 Stephens', see *Antrostomus macromystax*.
 Whip-tail, see *Stercorarius parasiticus* or *longicauda*.
 Whiskey-Jack, see *Perisoreus canadensis*.
 Rocky Mountain, see *Perisoreus capitalis*.
 Whistler, see *Clangula americana*.
White, Francis Beach.
 [Letter concerning memorial of Frank Bolles], '94, 184.
 Turkey Vulture in eastern Massachusetts, '94, 250.
White, George Rivers.
 Capture of specimen of *Somateria dresseri* in vicinity of Ottawa, Canada, '90, 204.
 Dowitcher at Ottawa, '90, 400.
Coccyzus americanus breeding at Ottawa, '91, 114.
Porzana norrboreaccensis near Ottawa, Canada, '96, 173.
 Brünnich's Murre, *Uria lomvia*, at Ottawa, Canada, '98, 183.
White, G. R., and **Scott**, W. L.
 Birds of Ottawa (rev.), '83, 55, 115.
White, Harry Gordon.
 Migration of Red Phalarope (*Crymophilus fulicarius*), '91, 233-235.
White, Stewart Edward.
 Birds observed on Mackinac I., Michigan, '93, 221-230.
 White-belly, see *Enyptila jamaicensis*.
 White-head, see *Perisoreus canadensis*.
 whiteheadi (Sitta), see Sitta.
 whiteyana (Spermophila), see Sporophila.
 — (Sporophila), see Sporophila.
Whitfield, Robert Parr.
 Former abundance of Wild Pigeon in central and eastern New York, '90, 284.
 Food of wild Ducks, '94, 323.
 whitii (Zonotrichia), see Zonotrichia.
 Whiting, see *Tringa canutus*.
Whitlock, F. B.
 Migration of birds (rev.), '97, 422-424.
Whitman, Charles Huntington.
 Birds of Old English literature (rev.), '99, 207.
Whitman, Charles Otis.
 Animal behavior (rev.), 1900, 87.
 whitneyi (Micrathene), see Micropallas.
 — (Micropallas), see Micropallas.
Whittaker, William Lincoln.
 Brünnich's Murre and King Eider at Cape Charles, Virginia, '97, 202.
Whyte, James.
 Object of Shrike in impaling prey, '87, 77.
Wicks, Morie Langley, Jr.

- Nesting of Short-eared Owl in southern California, '97, 404.
- Partnership nesting of Valley Partridge and Long-tailed Chat, '97, 404.
- Widgeon, see Mareca penelope or americana.
- European, see Mareca penelope.
- Widmann, Otto.**
Notes on birds of St. Louis, Mo. '80, 191.
- Cuckoos laying in nests of other birds, '82, 56.
- Coturniculus lecontei* and *Dendracitta kirtlandi* at St. Louis, Missouri, '85, 381.
- A winter Robin roost in Missouri, and other ornithological notes, '95, 1-11.
- Swainson's Warbler an inhabitant of the swampy woods of southeastern Missouri, '95, 112-117.
- An hour with Baird's and Leconte's Sparrows near St. Louis, Missouri, '95, 219-225.
- Brown Creeper nesting in cypress swamp of southeastern Missouri, '95, 350-355.
- Peninsula of Missouri as a winter home for birds, '96, 216-222.
- Bachman's Warbler (*Helminthophila bachmani*) in Green Co., Arkansas, '96, 264.
- Summer home of Bachman's Warbler no longer unknown, '97, 305-309.
- Great roosts of Gabberet I. opposite North St. Louis, Mo., '98, 22-27.
[Bird protection in Missouri], '98, 106, '99, 69.
- wiedii (*Cyclorhis*), see C. viridis.
- (*Pteroglossus*), see Pteroglossus.
- Wiglesworth, L. W., and Meyer, A. B., see Meyer and Wiglesworth.
- Wilcox, Timothy Erastus.**
Introduced game birds in Oregon and Idaho, '85, 315.
- Wilde, Mark Leighton Coleman.**
Nesting of Parula Warbler (*Compsophylis americana*) in Cape May County, New Jersey, '97, 289-294.
- Willard, Samuel L.**
List of birds of central New York (rev.), '78, 83.
- Willard, Samuel Wells.**
Eagles attempting rescue of wounded companion, '81, 122.
- Velvet Scoter at Green Bay, Wisconsin, '81, 187.
- Migration of our winter birds, '84, 221-223.
- Food of Hummingbird (*Trochilus columbris*), '85, 218.
- Occurrence of *Chroicocephalus franklini* in Wisconsin, '85, 222.
- Birds of Brown and Outagamie counties, Wisconsin (rev.), '85, 289.
- Evening Grosbeak in Wisconsin, '86, 487.
- Willet, see *Sympenias semipalmata*.
- Western, see *Sympenias inornata*.
- Williams, Henry Smith.**
Peculiar nest of Baltimore Oriole, '81, 182.
- Williams, H. S., and Keyes, C. R., see Keyes and Williams.
- Williams, John Bickerton.**
The color of certain birds in relation to inheritance, '99, 318-322.
- Flicker wintering in Montreal, 1900, 174.
- Williams, Robert Statham.**
Blue Gray Gnatcatcher and Sanderling in Minnesota, '79, 182.
- Notes on some birds of Belt Mountains, Montana, '82, 61-63.
- Description of nest of Water Ouzel, '82, 118.
- White-throated Swift breeding on Belt River, Montana, '82, 122-123.
- Calliope Hummingbird and Pygmy Owl in Montana, '83, 59.
- Chen rossii* east of Rocky Mts. '86, 274.
- Upper Missouri River birds, '88, 14-18.
- Spotted eggs of *Parus gambeli*, '88, 118.
- Myadestes townsendii* wintering in Montana, '90, 98.
- Breeding ranges and songs of three Thrushes in Montana, '90, 292.
- Williams, William John Babcock.**
Yellow-breasted Chat in Oneida Co., N. Y. '98, 331.
- williamsoni (*Sphyrapicus*), see S. thryroideus.
- Williston, Samuel Wendell.**
Mocking-bird in western Kansas and Northern Phalarope in southern Wyoming, '83, 240.
- Wilson, Alexander.**
[Letter to, from John L. Gardiner], '95, 359-362.
[Relatives of], '95, 396.
- Wilson, A., and Bonaparte, C. L.**
American Ornithology [edition of

- 1878] (rev.), '79, 53.
Wilson, Bertha L.
 [Bird protection in Minnesota], '98, 100.
Wilson, Scott Barchard.
 Aves hawaiienses (rev.), '92, 63.
Wilson, Sidney Stuart.
 Harris's Sparrow in spring dress in autumn, '96, 176.
 Additional New Mexican birds, '99, 188.
Wilson, T. J.
 Ornithological [remarks] (rev.), '78, 85.
 Wilson Ornithological Chapter of Agassiz Association, '95, 286.
wilsoni (*Actodromas*), see *Tringa minutilla*.
 —— (*Cymindis*), see *Regerhinus*.
 —— (*Gallinago*), see *G. delicata*.
 —— (*Leptodon*), see *Regerhinus*.
 —— (*Merula*), see *Hylocichla fuscescens*.
 —— (*Oceanites*), see *O. oceanicus*.
 —— (*Oreomyza*), see *Oreomyza*.
 —— (*Phalaropus*), see *Steganopus tricolor*.
 —— (*Procellaria*), see *Oceanites oceanicus*.
 —— (*Ptilorhis*), see *P. magnifica*.
 —— (*Regerhinus*), see *Regerhinus*.
 —— (*Schlegelia*), see *Schlegelia*.
 —— (*Scolopax*), see *Gallinago delicata*.
 —— (*Sialia*), see *S. sialis*.
 —— (*Steganopus*), see *S. tricolor*.
 —— (*Sterna*), see *S. hirundo*.
 —— (*Thalassidroma*), see *Oceanites oceanicus*.
 —— (*Tringa*), see *T. minutilla*.
 —— (*Turdus*), see *Hylocichla fuscescens*.
Wilsonia (^b *Sylvania*), '80, 95, 183, '84, 229, 230, '85, 372^b, '86, 46^b, '97, 223^b, 224, '99, 123.
canadensis (^a Canadian Warbler or Canada Flycatching Warbler, ^b *Myiodioctes*, ^c *Sylvania*, ^d *Myiodioctes bonapartii*). *Colo.* 1900, 298; *Conn.* '89, 46^e; *C. R.* '90, 337^e, '92, 22^e; *Fla.* '97, 247^e; *g. dist.* '95, 283^a, '93, 127^e; *Ind.* '82, 20^b, '89, 28; *Kan.* '81, 246^b; *Ky.* '89, 316^e; *Man.* '86, 326^e; *Mass.* '78, 139^b, '84, 15^b, '87, 269^e, '88, 389^e, 392^e, '89, 41^a, 43^a, 46^e, 104^e; *Me.* '82, 110^b; *Mich.* '85, 65^b, '93, 229^e; *Mo.* '95, 115^a; *N. B.* '82, 110^b, '89, 119^a; *N. C.* '86, 175^e; *N. H.* '87, 102^a, 106^e, '88, 151^e, 153^e; *N. S.* '95, 90^e; *N. Y.* '78, 53^b, '81, 228^b, '84, 175^b, 217^b, '89, 332^a, '95, 70^e, '96, 179^e; *Pa.* '87, 349^e, '91, 399^e, '92, 132^a, 133^a, 134^e, 139^e, '93, 42^a, 43^e, 46^e, '94, 182^e, '95, 189^e, '96, 285^e, 291^a, 292^e, 296^e; *P. E. I.* '93, 5^a, 14^e; *Que.* '82, 235^b; *S. C.* '79, 212^b, '91, 172^e, '94, 27^a; *Tenn.* '87, 128^e, 132^e; *Tex.* '82, 10^b, '87, 297^e, '92, 342^e; *Va.* '86, 160^b, '89, 52^e?; *Wis.* '83, 67^b, 71^b; *W. Va.* '98, 137^e, —*mig.*, '83, 67^b, 71^b, '84, 178^b, '85, 65^b, '87, 269^e, '94, 27^a, 29^a; *lst.* '86, 175^e, '87, 349^e, '88, 392^e, '93, 229^e, '94, 182^e, '95, 189^e, '96, 179^e; *plm.* '78, 60^b; *song.* '84, 217^b; *syn.* '80, 95, 183, '84, 231^a, '99, 123; *misc.* '80, 87^a, '81, 188^b.
microcephala (Small-headed Warbler, ^b *Myiodictes minutus*, ^c *Sylvania*), *Ky.* '94, 244^e; *N. E.* '76, 73^b, '77, 14^b, 46^b; *syn.* '85, 371^e; *misc.* '81, 167^b, '88, 401^e.
mitrata (^a Hooded Warbler, ^b *Myiodictes*, ^c *Sylvania*), *Ala.* '78, 174^b; *Conn.* '77, 21^b, '83, 174^a, '93, 90^a, '99, 360, 1900, 389; *Fla.* '88, 276^e, '90, 22^e, 314^e, '91, 138, '92, 214^e, '95, 365^e; *Ga.* '82, 69^a, '83, 38^b, '96, 214^e; *Gulf. of Mex.* '81, 251^a; *g. dist.* '93, 133^e; *Ill.* '76, 42^b, '78, 163^b, 164^b; *Ind.* '82, 17^b, 20^b, '89, 28^e; *La.* '80, 136^a, '82, 162^b, '87, 300^a; *Mass.* '80, 117^b, '90, 407^a, '97, 327^e; *Miss.* '82, 91^b; *Mo.* '95, 117^a; *N. C.* '86, 175^e, '93, 244^e; *N. E.* '76, 73^b, '77, 16^b, 46^e; *N. J.* '94, 140^e, '98, 272^e; *N. Y.* '78, 56^b, 130^b, '79, 7^b, 116^a, 175^b, '82, 119^a, '84, 216^b, '89, 139^e, 199^e, '92, 306^e, '93, 277^e, '94, 84^e, '96, 179^e, 1900, 178; *O.* '95, 191^e; *Ont.* '84, 85^a; *Pa.* '88, 116^e, '91, 399^e, '93, 209^a, '95, 190^e, '96, 280^a, 285^e, '99, 313^e; *S. C.* '85, 72^a, 190^b, '90, 129^e, '91, 172^e, 332^e; *Tenn.* '86, 317^e, '87, 132^e; *Tex.* '82, 10^b, '92, 303^e, 342^e, 1900, 348; *Va.* '94, 282–291^e; *W. I.* '86, 46^e, '93, 341.—*htb.* '82, 119^a; *meas.* '82, 120^a; *mig.* '80, 136^a, '81, 251^a, '89, 139^e, '91, 135^e, '92, 235^a, '99, 275; *lst.* '79, 116^a, '82, 119^a, '83, 38^b, 174^a, 234^a, '87, 300^a, '93, 209^e, '96, 179^e; *plm.* '78, 71^b, '79, 116^a, '94, 282–291^e (figs.); *song.* '82, 119^a, '84, 216^b, '87, 132^e, 300^a; *syn.* '80, 95, 183, '84, 231^a, '86, 46^e, '99, 123; *misc.* '83, 177^a, '91, 107^a.
pileolata (^a Pileolated Warbler, ^b *Myiodictes*, ^c *Sylvania*), *Alas.* '81, 4^a, '98, 129^e; *Ariz.* '82, 139^b, '88, 36^e,

- '90, 48^c; *B. C.* '93, 23^c; *Cal.* '86, 185^c, '89, 223^a; *Colo.* '80, 228^b, '83, 159^b, '87, 123^c; *C. R.* '90, 337^c, '92, 22^c; *g. dist.* '93, 127^c; *Ida.* '98, 19^c; *Mont.* '94, 307^c; *Ore.* '79, 164^b, '86, 171^c, '88, 362^c; *Wash.* '92, 46^c, 357, '93, 23, '97, 180^c, 1900, 357.—*hbt.*, *song.* '80, 228^b; *meas.* '80, 228^b, '82, 140^b; *mig.* '88, 36^c; *nst.* '80, 228^b, '86, 185^c, 1900, 357; *flm.* '79, 40^b, 164^b, '82, 139^b, '93, 23^c; *syn.* '80, 95, '82, 139^b, '93, 23^c, 292^c, '99, 123.
pusilla (^a Wilson's or Black-capped Flycatching Warbler, ^b *Myiodictes*, ^c *Sylvania*), *Alas.* '80, 35^b, '81, 4^c, '87, 13^c; *Ariz.* '94, 220^a; *Colo.* '81, 88^b, '85, 15^c, '94, 269^c; *Conn.* '94, 181^c; *g. dist.* '93, 127^c; *Ia.* '95, 124^c, '95, 235^c; *Ill.* '88, 433^c; *Ind.* '82, 20^c, '89, 28^c; *L. Cal.* '95, 142^c; *Man.* '86, 326^c; *Mass.* '87, 260^c, '99, 196^a; *Mc.* '82, 110^b; *Mich.* '93, 229^c; *Mo.* '79, 142^b; *Mont.* '95, 218^c; *N. B.* '82, 110^b; *N.F.* 1900, 72^c; *N.M.* '85, 330^b?; 332^b?; '92, 367^c; *N. S.* '87, 16^c, '91, 165^c; *N. Y.* '81, 228^b, '83, 71^b, '84, 217^b, '99, 196^c; *Ont.* '88, 323^c; *P. E. I.* '93, 5^a, 14^c; *Que.* '82, 235^b; *S. C.* '91, 172^c; *S. D.* '85, 278^b; *Tex.* '82, 10^b, '87, 297^c, '92, 342^c; *Wis.* '82, 185^b—*hbt.*, '82, 110^b; *mig.* '83, 71^b, '87, 269^c, 297^c, '88, 433^c, '95, 124^c, 132^c, 235^c, '99, 196^a; *nst.* '83, 176^b; *flm.* '83, 236; *song.* '84, 217^b, '99, 196^a; *syn.* '80, 95, '84, 231, '93, 23^c, '94, 50^c, '99, 123.
wilsonia (*Ægialitis*), see *Ægialitis*.
wilsonianus (*Ammodramus*), see *A. savanna*.
—— (*Asio*), see *Asio*.
—— (*Charadrius*), see *Ægialitis*.
—— (*Ochthodromus*), see *Ægialitis*.
—— (*Otus*), see *Asio*.
Winge, Herluf.
Birds at Danish lighthouses, 1885–1897 (rev.), '97, 415–417.
Wintle, Ernest Douglas.
Loggerhead Shrike (*Lanius ludovicianus*), '84, 193.
Evening Grosbeak at Montreal, '90, 209.
Helminthophila celata at Montreal, '90, 200.
Yellow Palm Warbler (*Dendroica palmarum hypochrysea*), '91, 396.
Birds of Montreal (rev.), '97, 112.
Wisconsin.
Allen, J. A., '80, 48, '85, 289–290.
Cherrie, G. K., '96, 79.

- Cooke, W. W., '81, 186, '85, 32, 33, '84, 188.
-
- Deane, R., '90, 390, '96, 81, '98, 184.
-
- Grundtvig, F. L., '83, 65–72.
-
- Hatch, D., '85, 97.
-
- Hobart, S. D., '89, 176.
-
- Hollister, N., '96, 259–260, 341.
-
- Hoy, P. R., '92, 196, 196.
-
- Ingersoll, E., '81, 184.
-
- Keeler, C. A., '90, 82, 84.
-
- King, F. H., '82, 185, 186–189.
-
- Kumlien, F., '88, 434–435.
-
- Kumlien, L., '88, 325–328, 435.
-
- Mead, G. S., '95, 302–303.
-
- Nehrling, H., 1900, 294.
-
- Sennett, G. B., '84, 98–100.
-
- Tarrant, W. P., '85, 96.
-
- Widmann, O., '84, 188.
-
- Willard, S. W., '81, 122–123, 187, '86, 487, '92, 196.
-
- Wisconsin Academy of Sciences, Arts and Letters, Transactions, titles (Nos. 2318–2319), '92, 196.
-
- Wisconsin Journal of Education, titles (Nos. 966–967), '85, 373.
-
- Wisconsin Natural History Society, titles (No. 2320), '92, 196.
-
- Witchell**
- , Charles A.
-
- Evolution of bird song (rev.), '96, 249.
-
- Wobble, see Plautus impennis.
-
- Wolcott**
- , Robert Henry.
-
- Proceedings of Nebraska Ornithologists' Union (rev.), 1900, 311.
-
- Wolf**
- , Joseph.
-
- Obituary of, '99, 301.
-
- wolfi**
- (
- Cyanecula*
-), see
- Cyanecula*
- .
-
- wollweberi**
- (
- Lophophanes*
-), see
- Parus*
- .
-
- (
- Parus*
-), see
- Parus*
- .
-
- Wood**
- , Augustus.
-
- Uala cinerea*
- in Steuben Co., New York, '88, 110.
-
- Wood**
- , John Claire.
-
- Brief Michigan notes, 1900, 390.
-
- Wood**
- , Norman Asa.
-
- Swainson's Hawk in Michigan, '97, 216.
-
- Wood**
- , William.
-
- [Ornithological collections of], '97, 115.
-
- Obituary of, '85, 391.
-
- Woodchuck, see
- Melanerpes carolinus*
- .
-
- Woodcock, see
- Philohela minor*
- ; also
- Ceophleus pileatus*
- .
-
- American, see
- Philohela minor*
- .
-
- European, see
- Scolopax rusticola*
- .
-
- Wood-grouse, Gray-breasted, see
- Dendrocygnis fgriseippectus*
- =]
- macrourus*
- .

Guerrero, see *Dendrotyx [striatus ==] macrourus*.
 Oaxaca, see *Dendrotyx [oaxacæ ==] macrourus*.
 Wood-hewer, Broadly-striped, see *Picoides laptes insignis*.
 Large-billed, see *Dendrocygnus megarrhynchus*.
woodhousei (*Aphelocoma*), see *Aphelocoma*.
 Woodpecker, Alaskan Three-toed, see *Picoides alascensis*.
 Alpine Three-toed, see *Picoides dorsalis*.
 American Three-toed, see *Picoides americanus*.
 Ant-eating, see *Melanerpes formicivorus*.
 Arctic Three-toed, see *Picoides arcticus*.
 Arizona, see *Dryobates arizonæ*.
 Bahaman Hairy, see *Dryobates maynardi*.
 Baird's, see *Dryobates bairdi*.
 Banded, see *Picoides dorsalis*.
 Banded-backed Three-toed, see *Picoides americanus*.
 Batchelder's, see *Dryobates honorus*.
 Big Guinea, see *Dryobates villosus*.
 Black-backed, see *Picoides arcticus*.
 Black-backed Three-toed, see *Picoides arcticus*.
 Black-breasted, see *Sphyrapicus thyroideus*.
 Brown-headed, see *Sphyrapicus thyroideus*.
 Cabanis's, see *Dryobates hyloscopus*.
 Californian, see *Melanerpes bairdi*.
 Checkered, see *Melanerpes carolinus*.
 Chiapas, see *Centurus frontalis* or
 Dryobates sanctorum.
 Downy, see *Dryobates medianus*, pu-
 bescens, nelsoni or honorus.
 English, see *Colaptes auratus* or *lu-
 teus*.
 Gairdner's, see *Dryobates gairdnerii*.
 Gila, see *Melanerpes uropygialis*.
 Golden-fronted, see *Melanerpes auri-
 frons*.
 Golden-winged, see *Colaptes auratus*
 or *luteus*.
 Hairy, see *Dryobates villosus*.
 Harris's, see *Dryobates harrisii* or
 monticola.
 Imperial Ivory-billed, see *Campephilus imperialis*.
 Ivory-billed, see *Campephilus principalis*.
 Lewis's, see *Melanerpes torquatus*.

Little Guinea, see *Dryobates medi-
 anus*.
 Maynard's, see *Dryobates maynardi*.
 Mountain Downy, see *Dryobates
 homorus*.
 Narrow-fronted, see *Melanerpes an-
 gustifrons*.
 Northern Hairy, see *Dryobates leu-
 comelas*.
 Northern Pileated, see *Ceophleus pi-
 leatus*.
 Nelson's Downy, see *Dryobates nel-
 soni*.
 Nuchal, see *Sphyrapicus nuchalis*.
 Nuttall's, see *Dryobates nuttallii*.
 Pigeon, see *Colaptes luteus*.
 Pileated, see *Ceophleus pileatus*.
 Radiolated, see *Centurus radiolatus*.
 Red, see *Chrysocolaptes xanthocepha-
 lus*.
 Red-bellied, see *Melanerpes carolinus*.
 Red-cockaded, see *Dryobates bore-
 alis*.
 Red-headed, see *Melanerpes erythro-
 cephalus*.
 Red-naped, see *Sphyrapicus nuchalis*.
 Red-shafted, see *Colaptes cafer*.
 Rocky Mountain Hairy, see *Dryo-
 bates monticola*.
 Saint Lucas, see *Dryobates lucasanus*.
 Southern Downy, see *Dryobates pu-
 bescens*.
 Southern Hairy, see *Dryobates audu-
 bonii*.
 Smoky-breasted, see *Centurus fumo-
 sus*.
 Strickland's, see *Dryobates arizone*.
 Striped-backed, see *Picoides dorsalis*.
 Tableland, see *Dryobates intermedius*.
 Texan, see *Dryobates bairdi*.
 White-headed, see *Xenopicus albolar-
 vatus*.
 Williamson's, see *Sphyrapicus thy-
 roideus*.
 Yellow-bellied, see *Sphyrapicus va-
 rius*.
 Yellow-naped, see *Melanerpes auri-
 frons*.
 Yellow-shafted, see *Colaptes auratus*
 or *luteus*.
 Woodpeckers, see *Pici*.
Woodruff, Frank Morley.
 Raven in Illinois, '96, 83.
 Birds reported as rare in Cook Co.,
 Illinois, '96, 179-181.
 Lake Michigan bird notes, '97, 227.
 Lake Michigan notes, '98, 61.
Woodruff, Lewis Bartholomew.

- Baird's Sandpiper at New Haven, Connecticut, '90, 89.
 Bird notes from Litchfield, Connecticut, '92, 202.
 Woodstar, Bahama, see Doricha evelynae.
 Woodwall, see Colaptes auratus or luteus.
Woodworth, Nelly Hart.
 Bird notes from St. Albans, Vermont, '95, 311.
 Wood-wren, Gray-crowned, see Henicorhina capitalis.
 Mexican, see Henicorhina mexicana.
Woolsey, George.
 Worm-eating Warbler (*Helmintherus vermivorus*) breeding in southern Connecticut, '80, 116.
 Capture of Connecticut Warbler (*Oporornis agilis*) in spring at New Haven, Conn., '80, 117.
 Ipswich Sparrow (*Passerculus princeps*) at New Haven, Conn., '80, 121.
Worcester, Dean Conant, and **Bourns**, Frank S.
 Contributions to Philippine ornithology (rev.), '98, 284.
 Preliminary notes on birds and mammals collected by Menage expedition to Philippine Is. (rev.), '95, 173.
worcesteri (*Loriculus*), see *L. hartlaubii*.
 World's Congress Auxilliary [on Ornithology], Chicago meeting, '93, 386, '94, 89, '95, 317.
wortheni (*Spizella*), see *Spizella*.
Worthington, Willis Woodford.
 Ipswich Sparrow in Georgia, '90, 211.
 King Eider (*Somateria spectabilis*) at Brunswick, Ga., '90, 284.
 Golden Eagle at Shelter Island, New York, '91, 113.
 Short-eared Owl nesting on Plum Island, New York, '93, 301.
 Cape May Warbler at Shelter Island, New York, '93, 303.
 Another Harlequin Duck record for Long Island, '96, 78.
 Rare birds on eastern Long Island, '99, 85.
 Rare record [*Xema sabini*] for eastern Long Island, 1900, 63.
wrangeli (*Brachyrhampus*), see *B. marmoratus*.
Wray, Richard Spaulding.
 Obituary of, '89, 206.

- Wren, '83, 77.
 Alaskan, see *Anorthura alascensis*.
 Ashy, see *Thryophilus cinereus*.
 Baird's, see *Thryomanes leucogaster*.
 Berlandier's, see *Thryothorus lomitensis*.
 Bewick's, see *Thryomanes bewickii*.
 Black-tailed, see *Heleodytes nigri-caudatus*.
 Bryant's Cactus, see *Heleodytes bryanti*.
 Cactus, see *Heleodytes brunneicapillus*.
 Cahoon's, see *Troglodytes cahooni*.
 California House, see *Troglodytes parkmani*.
 Cañon, see *Catherpes conspersus*.
 Carolina, see *Thryothorus ludovicianus*.
 Cerros Island, see *Thryomanes cerroensis*.
 Chancol Rock, see *Salpinctes neglectus*.
 Colima, see *Heleodytes occidentalis*.
 Dotted Cañon, see *Catherpes punctulatus*.
 Florida, see *Thryothorus miamensis*.
 Golden-crested, see *Regulus satrapa*.
 Guadalupe, see *Thryothorus brevicaudus*.
 Guadalupe Rock, see *Salpinctes guadeloupensis*.
 Guerrero, see *Heleodytes rufus*.
 House, see *Troglodytes aëdon*.
 Island, see *Thryomanes insularis*.
 Lomita, see *Thryothorus lomitensis*.
 Long-billed Marsh, see *Cistothorus palustris*.
 Long-tailed House, see *Thryomanes bewickii*.
 Marian's, see *Troglodytes [marianæ] [=] aztecus*.
 Marian's Marsh, see *Cistothorus mari-anæ*.
 Morelos, see *Thryothorus grandis*.
 Mountain, see *Heleodytes alticulus*.
 Pacific, see *Hemiura pacifica*.
 Parkman's, see *Troglodytes parkmani*.
 Punctulated, see *Catherpes punctulatus*.
 Rock, see *Salpinctes obsoletus*.
 Ruby-crested, see *Regulus calendula*.
 Ruby-crowned, see *Regulus calendula*.
 Saint Lucas Cactus, see *Heleodytes affinis*.
 San Clemente, see *Thryomanes leucophrys*.

- San Nicolas Rock, see *Salpinctes*
[*pulverius* =] *obsoletus*.
Short-billed Marsh, see *Cistothorus stellaris*.
Spruce, see *Anorthura hiemalis*.
Tanner's, see *Troglodytes tanneri*.
Tawny-throated, see *Troglodytes brunneicollis*.
Texas Bewick's, see *Thryomanes leucogaster*.
Tulé, see *Cistothorus paludicola*.
Vigors's, see *Thryothorus spilurus*.
Water, see *Cinclus mexicanus*.
Western Bewick's, see *Thryomanes leucogaster*.
Western House, see *Troglodytes aetecus* or *parkmanii*.
Western Marsh, see *Cistothorus plebeius*.
Western Winter, see *Anorthura pacifica*.
White-bellied, see *Thryomanes leucogaster*.
White-throated, see *Catherpes albifrons*.
Willow, see *Phylloscopus trochilus*.
Winter, see *Anorthura hiemalis*.
Wood, see *Phylloscopus sibilatrix*.
Worthington's Marsh, see *Cistothorus griseus*.
Wrens, see *Troglodytidae*.
Wren-Tit, see *Chamaea fasciata*.
Pallid, see *Chamaea henshawi*.
Wright, John Shepard.
Notes on Crow roosts of western Indiana and eastern Illinois (rev.), '99, 91.
Wright, Mabel Osgood.
The friendship of nature (rev.), '94, 314.
Bird craft (rev.), '95, 281; 2d ed. '98, 66.
Wabeno the magician (rev.), 1900, 86.
Wright, M. O., and **Coues**, E.
Citizen bird (rev.), '97, 413.
wrightii (*Empidonax*), see *Empidonax*.
wuerdemanni (*Ardea*), see *A. occidentalis*.
wumizusume (*Synthliboramphus*), see *S. antiquus*.
Wyatt, Claude W., and **Sharpe**, R. B., see *Sharpe* and *Wyatt*.
Wyoming.
Bond, F., '89, 193-194, 341, '94, 258-259, '95, 309, '99, 351.
Brackett, A. S., '77, 76.
Coues, E., 1900, 69.
Goss, N. S., '84, 18-20.

- Lakes, A., '81, 48.
Merrill, J. C., '81, 203-207.
Pickett, W. D., '90, 388.
Shufeldt, R. W., '81, 177-178, '82, 180, '92, 384.
Williston, S. W., '80, 45, '83, 240.
wyvilliana (*Anas*), see *Anas*.

X

- Xanthocephalus**, '86, 222, '88, 413, '93, 111, 131.
xanthocephalus (a Yellow-headed Blackbird, "icterocephalus"), *Ariz.* '87, 22, '90, 49, 257, '94, 221^a; *B. C.* 1900, 106; *Cal.* '77, 92^a? [*Icterus* ?], '86, 181, '89, 220, '96, 120; *Colo.* '79, 94^a, '80, 230^b, '81, 143^b, '83, 193^b, '85, 16^b, 142^b, '88, 112; *Conn.* '87, 256; *Cuba*, '86, 222; *D. C.* '93, 92; *g. dist.* '93, 134; *Ill.* '82, 166^b; *Kan.* '85, 112^b; *Man.* '86, 321; *Me.* '87, 256, '93, 302, '94, 78; *Mich.* '95, 191 [= *Agelaius phoeniceus*, see '98, 193]; *Minn.* '80, 15^b, '84, 245^b; *Mo.* '79, 145^b; *Mont.* '95, 215; *Mo. River.* '95, 227^c; *N. D.* '99, 162^a; *N. E.* '76, 73^b; *N. M.* '92, 364; *Ont.* '85, 334^b; *Ore.* '79, 165^b, '88, 262, 362^a; *Pa.* '99, 312; *Que.* '81, 246^b, '82, 236^b, '84, 88^a; *S. C.* '84, 293^b, '85, 192^b; *S. D.* '85, 282^b; *Tex.* '77, 85^a, '82, 166^b, '87, 290, '92, 237, 1900, 345.—*anat.* '87, 266 (fig.), 356 (fig.), '88, 414; *hbt.* '95, 215; *mig.* '86, 137^a; *nest.* '88, 262; *plm.* '76, 22^b (alb.), '83, 177^a, '88, 112; *song*, '80, 230^b; *misc.* '82, 117^b, '87, 22, '94, 78 (corr.).
xanthocephalus (*Chrysocolaptes*), see *Chrysocolaptes*.
— (*Xanthocephalus*), see *Xanthocephalus*.
xanthochilus (*Charadrius*), see *Eudromias veredus*.
xanthogaster (*Spinus*), see *Spinus*.
xanthogastra (*Chrysomitris*), see *Spinus*.
xanthogenius (*Conurus*), see *C. pertinax*.
Xantholæma, '94, 234.
 duvauceli, *Bornco.* syn. '91, 8.
 intermedia, syn. '92, 184.
xantholemus (*Conurus*), see *C. pertinax*.
xanthomus (*Hyphantes*), see *Agelaius*.
— (*Icterus*), see *I. portoricensis*.
— (*Icterus*), see *Agelaius*.
xanthonotus (*Oriolus*), see *Oriolus*.
Xanthopygia, '94, 233.
xanthopygus (*Myiobius*), see *Myiobius*.

- (Platyrhynchus), see Myiobius.
 — (Pycnonotus), see Pycnonotus.
 xanthornus (Icterus), see Icterus.
 xanthonrhous (Ptilopus), see Ptilopus.
 xanthosceles (Merula), see Merula.
Xanthoura, '93, 110, '96, 158.
cæruleocephala, Venz. '97, 364.—
 syn. 1900, 28.
cyanodorsalis, g. dist. 1900, 27.
galeata, Colom., meas. 1900, 27*.
glaucescens, Tex., meas. 1900, 28*.
guatemalensis, g. dist., plm. 1900,
 29; syn. '90, 192, 1900, 29.
luxuosa (Green Jay), g. dist. '93,
 141; Mex. 1900, 28; Tex. '76, 89.—
 meas. '76, 89; nst. '76, 89.
speciosa, Mex., meas. 1900, 265*.
vivida, g. dist., meas. 1900, 28*.
yncas, g. dist., meas., plm. 1900,
 27.
Xanthura, see Xanthoura.
xantusi (Basilinna), see Basilinna.
 — (Pyrgisoma), see Pyrgisoma.
xavieri (Bleda), see Bleda.
Xema, '78, 186.
sabinii (^a Sabine's Gull, ^b Larus),
Alas. '79, 53^a; '80, 35, '85, 63; *Arctic
Ocean*, 1900, 310; *B. C.* 1900, 104;
Colo. '79, 114, '85, 18; *Engl.* '85,
 374^a; *Europe*, '77, 107, '80, 66^b; g.
 dist. '93, 123; *Greenl.* '91, 320
 [^c Zema ?]; *Helg.* '91, 300, '95, 340;
Ia. '99, 86; *Ill.* '76, 41, '95, 379;
Ireland, '85, 375; *Mass.* '76, 30, '90,
 227; *M.* '78, 195; *Neb.* '96, 245?;
N. Y. 1900, 63; *Orc.* '91, 366 (fossil),
 '93, 344 (fossil).—*fd.* 1900, 63; *mig.*
 '85, 63.
Xenicidae, '89, 267.
Xenocichla, see Bleda.
Xenopus, '93, 130.
albolarvatus (^a White-headed
 Woodpecker, ^b Picus), *Cal.* '80, 56^b,
 '87, 88, '96, 85, '99, 159^a; g. dist.
 '93, 134; *Ida.* '97, 354; *Orc.* '88, 240,
 253; *Wash.* '97, 174.—*anat.*, *hbt.*,
plm. '88, 253; *fd.* '88, 253, '96, 85;
meas. '80, 56^b; *nst.* '80, 56^b, '97, 174,
 '99, 159^a.
Xenopirostris, '94, 58.
Xenopsis, see Pachyramphus.
xicotencal (Trochilus), see Basilinna
 leucotis.
Xiphidiopicus, '86, 376.
percussus, *W. I.* '86, 376, '92, 272.
 —*meas.*, syn. '86, 376; *plm.* '86, 376,
 '91, 189.
Xiphocolaptes, '90, 271.
albicollis, syn. '92, 175.

- procurvus*, syn. '92, 175.
Xiphorhynchus, '90, 274.
pusillus, *C. R.* '92, 250.
venezuelensis, *Venez.* '97, 365.
Xylolepes validus, *Borneo*, syn. '91, 7.

Y

- Yaffle**, see Colaptes luteus.
yarrelli (Chrysomitriss), see Spinus.
 — (Motacilla), see M. lugubris.
 — (Spinus), see Spinus.
Yellow-bird, see Astragalinus tristis.
Summer, see Dendroica aestiva.
Yellow-hammer, see Colaptes auratus or
 luteus or cafer.
European, see Emberiza citrinella.
Yellow-legs, see Totanus flavipes.
Greater, see Totanus melanoleucus.
Lesser, see Totanus flavipes.
Summer, see Totanus flavipes.
Winter, see Totanus melanoleucus.
Yellow-rump, see Dendroica coronata.
Western, see Dendroica auduboni.
Yellow-tail, see Gymnostinops monte-
 zuma.
Yellow-throat, Bahama, see Geothlypis
 [restricta ==] trichas.
Belding's, see Geothlypis beldingi.
Cory's, see Geothlypis coryi.
Florida, see Geothlypis ignota.
Greater, see Geothlypis rostrata.
Maryland, see Geothlypis trichas.
Mirador, see Geothlypis [palpebralis
 ==] ralphi.
Nassau, see Geothlypis rostrata.
Northern, see Geothlypis [brachydac-
 tyla ==] trichas.
Rio Grande, see Geothlypis ralphi.
San Blas, see Geothlypis modestus.
Southern, see Geothlypis ignota.
Western, see Geothlypis occidentalis.
yaltoniensis (Melanocorypha), see Me-
 lanocorypha.
yncas (Xanthoura), see Xanthoura.
Young, Curtis Clay.
Tringa alpina on Long Island, New
 York, '93, 78.
Empidonax flaviventris on Long
 Island, N. Y. '94, 78.
Chats reared by Song Sparrows, '95,
 82.
Young, Charles John.
 Notes on certain birds observed on
 voyage from Liverpool to Quebec,
 '84, 398.
Philadelphia Vireo (*Vireo philadel-
 phicus*), '98, 191.
Young, Robert T.
 Summer birds of the anthracite coal

- regions of Pennsylvania, '96, 278-285, '97, 102.
- Young Oologist, The (magazine), '85, 115; titles (Nos. 1519-1635), '90, 81.
- Young Ornithologist (magazine), '85, 224, '90, 219.
- ypecaha (Aramides), see Aramides.
- Yucatan**, Mexico.
- Allen, J. A., '86, 268-269, 270, '87, 156, '91, 303.
 - Berlepsch, H. von, '88, 451, 454-456.
 - Cahot, S., '86, 144.
 - Gaumer, G. F., '85, 211.
 - Lawrence, G. N., '85, 290, '86, 268.
 - Ridgway, R., '85, 294-295, '86, 269, '98, 320.
 - Stone, W., '92, 195.
 - yucatanensis (Amazilia), see Amazilia.
 - (Cyclorhis), see Cyclorhis.
 - (Icterus), see Icterus.
 - (Myiarchus), see Myiarchus.
 - (Myiarchus), see M. mexicanus.
 - (Zenaidura), see Zenaidura.
 - yucatanica (Chaetura), see C. gaumeri.
 - Yucker, see Colaptes auratus or luteus.
 - yukonensis (Sayornis), see S. saya.
 - Yungipicus**, '94, 234.
kizuki, syn. '94, 170.
 - seebohmi, syn. '94, 170.
 - Yunx torquila**, plm. '88, 212.
 - juracarium (Gymnostinops), see Gymnostinops.
- Z**
- Zamelodia** (^b *Habia*), '80, 98, '84, 366-367, '86, 202^b, '88, 412^b, 440^b, '90, 72^b, '96, 113^b, '97, 39, 41, 130.
- ludoviciana** (^a Rose-breasted Grosbeak, ^b *Guiraca*, ^c *Goniaphea*, ^d *Habia*, *Bahamas*, '92, 48^d; *Cal.* '98, 190; *Colom.* 1900, 365; *Conn.* '92, 302^d, '93, 207^a; *C. R.* '90, 334^a, '92, 27^d; *D. C.* '82, 186^a, '92, 308^d; *Ecuador*, '90, 381^a; *Fla.* '89, 324, '92, 213^d; *g. dist.* '93, 133^d; *Ia.* '95, 123^d, 235^d; *Ill.* '90, 243^d; *Ind.* '82, 17, 21, '89, 25^d; *Jamaica*, '93, 179^a; *Ky.* '89, 315^d; *Labrador*, '96, 159^a; *Man.* '86, 324^d; *Mass.* '84, 8^a, '85, 299^a, '88, 389^a, '89, 45^d, 101^d, '95, 87^a; *Me.* '82, 148; *Mich.* '92, 240^a, '93, 226^d; *Minn.* '84, 245^a; *Mo.* '79, 144^a; *N. B.* '82, 105, 148, '85, 266^a; *N. C.* '86, 99^a, 110^d, '89, 122^a, '94, 332^d; *N. H.* '88, 150^d, 152^d, 154^d, '89, 77^d; *N. J.* '97, 323^a; *N. S.* '85, 266^a, '87, 15^a, 16^d, '91, 165^d; *N. Y.* '79, 32^b, '81, 230, '85, 151, '89, 191^d; *O.* '89, 201^d, '95, 241^d; *Pa.* '92, 138^d, '93, 40^d, 45^d, '96, 292^d, 295^d; *P. E. I.* '85, 266^a?; *R. I.* 1900, 77^a; *S. C.* '85, 192, '90, 410^a, '91, 168^d, '94, 27^a; *S. D.* '85, 281; *Tex.* '92, 339^d; *W. I.* '86, 202^d; *Wis.* '88, 327^d.—*fd.* '97, 421^a, '99, 362^a; *hbt.* '89, 191^d, '97, 323^a; *meas.* '92, 302^d; *mig.* '82, 186^a, '88, 327^d, '94, 27^a, 29^a, '95, 123^d, 128^a, 132^a, 235^d, 241^d; *nst.* '89, 191^a, '97, 323^a; *plm.* '80, 28^e (alb.), '81, 160^e, 173^e, 180^a, '92, 302^d, '96, 241^a (mlt.), '99, 305-308 (col. pl., mlt.); *song.* '85, 151, '86, 110^d; *syn.* '80, 98^e, '84, 367^d, '86, 202^d, '97, 41, 130; *misc.* '83, 177^a, 236^a, '85, 100^a, 1900, 109^a.
 - melanocephala** (^a Black-headed Grosbeak, ^b *Goniaphea*, ^c *Fringilla maculata*, ^d *Habia*), *Ariz.* '82, 199, '87, 205^d, '90, 49^d, 260^d; *Cal.* '85, 100^a, '86, 182^d, '96, 120^d; *Colo.* '80, 230, '83, 176, 191, '85, 16, 142, '94, 269^a, '95, 153^a; *Cuba*, '86, 203^d; *g. dist.* '93, 135^d; *Ida.* '98, 17; *Kan.* '85, 112; *L. Cal.* '95, 141^d; *Mont.* '94, 306^d, '95, 217^d; *Mo. River*, '95, 231^a; *N. M.* '92, 366^d, '98, 310; *Ore.* '88, 359^d, '77, 92^c?; *S. D.* '85, 281; *Tex.* '87, 393^d; *Wash.* '97, 178.—*anat.* '88, 438-444^d (figs.); *fd.* '87, 205^d; *hbt.* '80, 230, '85, 99, '87, 205^d; *meas.* '82, 199; *nst.* '85, 100^a, 142, '98, 17; *plm.* '79, 41^b, '82, 199, '87, 205^d (alb.); *song.* '80, 230, '85, 142, '96, 120^d; *syn.* '80, 98, '84, 367^d, '97, 41, 130.
 - Zanclostomus javanicus**, *Bornco*, syn. '91, 11.
 - Zanthopygia narcissina**, mlt. '96, 240. tricolor, mlt. '96, 241.
 - Zapornia, see Porzana.
 - Zebrilus pumilus**, *Braz.* '91, 161.
 - Zeitschrift für die gesammte Ornithologie (magazine), '84, 304, '86, 398.
 - Zeledon**, José Cástulo. Catalogue of birds of Costa Rica (rev.), '85, 370.
 - zeledoni** (Cancroma), see Cancroma.
 - (Cyanocorax), see Cyanocorax.
 - (Lophotriccus), see Lophotriccus.
 - (Pittasoma), see Pittasoma.
 - (Thryophilus), see Thryophilus.
 - zena** (Fringilla), see Eutheia bicolor or Spindalis zena.
 - (Phonipara), see Eutheia bicolor.
 - (Spindalis), see S. zena or pretrei.
 - (Tanagra), see Spindalis pretrei, zena or nigricephala.

- zenoides (*Tanagra*), see *Spindalis nigriceps*.
- Zenæda, see Zenaida.
- Zenadura, see Zenaidura.
- Zenaida, '77, 64, '84, 141, '87, 113.
bogotensis, '85, 358*, see *ruficauda*.
jessiae, *Braz.* '89, 172, '91, 162.
maculata, *Argent.*, *Urug.*, *hbt.* '84, 275.
martinicana, *W. I.* '80, 169, '87, 114, '91, 48, 48.—*meas.*, *plm.* '87, 114; *syn.* '87, 114, '93, 70.
richardsoni, '87, 7*, see *zenaida*.
rubripes, '85, 357*, see *vinaceorufa*.
ruficauda (^b*bogotensis*), *Colom.* '85, 358*; *W. I.* '85, 291.
spadicea, *W. I.* '86, 498*, 502, '87, 114.—*meas.*, *plm.*, *syn.* '87, 114.
vinaceo-rufa (^b*rubripes*), *W. I.* '85, 357*, '91, '87, 115*—*hbt.*, *meas.* '85, 357*; *syn.* '87, 115*.
zenaida (Zenaida Dove, ^bZenaidura amabilis, ^crichardsoni), *Bahamas*, '91, 76, 336, 337, 337, 338, 351, 352, 1900, 286; *g. dist.* '93, 141; *Jamaica*, '92, 123, '94, 123; *W. I.* '87, 7*, 113, 114*, '89, 32*, '90, 375, 375, '91, 47, 47.—*hbt.* '92, 123; *meas.* '87, 114; *nst.* '92, 123, '94, 123; *plm.* '87, 113, 114*, '92, 123; *syn.* '87, 113, '93, 70, 70*, '94, 61.
zenaida (*Columba*), see *Zenaida*.
 — (Zenaida), see *Zenaida*.
- Zenaidura, '80, 99, 100, '84, 141, '87, 112, '93, 109.
clarionensis, *Clarion I.* '91, 305, '98, 318.—*nst.* '98, 318.
graysoni, *Socorro I.* '98, 316.
macroura (^aMourning or Carolina Dove, ^bcarolinensis), *Ala.* '79, 12*; *Ariz.* '82, 53*, '83, 32*, '86, 421, '90, 53, '93, 220*, 1900, 33*; *Ark.* '82, 93*; *Bahamas*, '91, 350, 1900, 286; *Cal.* '86, 92, '87, 329, '89, 221, '90, 297, '98, 234; *Colo.* '79, 96*, '81, 141*, '83, 197*, '85, 17*, 143*, '87, 121, '93, 267, '95, 153*; *Conn.* 1900, 389; *C. R.* '90, 333, '92, 329; *Cuba*, '92, 272; *D. C.* '88, 20; *Fla.* '88, 270, '89, 246, '91, 137, '92, 212, '95, 364; *Ga.* '83, 41*, '96, 215; *Gulf of Mex.* '81, 252*; *Ia.* '84, 293*, '95, 121, 236; *Ida.* '97, 352; *Ind.* '82, 21*, '88, 349; *Ky.* '89, 313; *La.* '82, 165*, '87, 303*; '92, 204; *L. Cal.* '95, 137; *Man.* '86, 153, 329, '93, 40, 50*; *Mass.* '88, 389, '89, 40*, 44, '97, 228; *Mich.* '93, 223; *Minn.* '80, 17*, '84, 247*; *Miss.* '82, 93*; *Mo.* '79, 147*; *Mont.* '88, 17*, '93, 302, '95, 214; *N. B.* '82, 105*; 1900, 177; *N. C.* '86, 103, 314; *N. E.* '76, 73*, 92*, '77, 15*; *N. J.* '79, 85*, '94, 136; *N. M.* '92, 360, '98, 307; *N. Y.* '79, 37*, 175*, '81, 233*, '82, 188*, '90, 230; *O.* '82, 46*, '95, 242; *Ore.* '79, 196*, '86, 164, '88, 145; *Pa.* '89, 142*, '92, 135, '93, 39, 44, '96, 281; *Que.* '82, 238*, '83, 245*; *S. C.* '79, 217*, '90, 36, '99, 198; *S. D.* '85, 285*; *Tenn.* '86, 319, '87, 120*; *Tex.* '82, 41*, 174*, '87, 187, '88, 119*, '89, 237, '92, 233, 1900, 341; *Va.* '86, 161*, '89, 53*; *Wash.* '82, 227*, '97, 173, 1900, 243; *W. I.* '81, 154*, '87, 112; *Wis.* '82, 188*—*fd.* '97, 228; *hbt.* '78, 23*, '79, 12*, '87, 187*, '88, 119*; *mig.* '81, 252*, '82, 174*, '89, 142*, '95, 121, 236, 242, '99, 198; *nst.* '78, 23*, '79, 12*, '81, 233*, '82, 174*, '83, 41*, 197*, '84, 293*, '87, 187, 190, 264, '88, 20, 349, '89, 53*, '91, 390, '92, 69*, 360, '95, 214; *plm.* '91, 190 (alb.), '93, 194; *song.* '86, 319; *syn.* '85, 371, '87, 112; *misc.* '82, 21*, 53*, '87, 303*, '90, 82*, 82*.
yucatanensis, *syn.* '84, 96.
Zecephus, '94, 234.
Zerega, Louis Augustus di.
 Capture of Fish Crow (*Corvus ossifragus*) near Seabright, Monmouth Co., New Jersey, '79, 239.
 Notes on northern range of Fish Crow (*Corvus ossifragus*), with account of its habits, '80, 205–208.
 Capture of Snowy Heron (*Garzetta candidissima*) on Long Island [N. Y.], '81, 248.
Zoe (magazine), titles (Nos. 2396–2425), '92, 287.
zombæ (*Lybius*), see *Lybius*.
zonaris (*Acanthyllis*), see *Hemiprocne*.
 — (*Chætura*), see *Hemiprocne*.
 — (*Hemiprocne*), see *Hemiprocne*.
 — (*Hirundo*), see *Hemiprocne*.
zonata (*Dichrozona*), see *Dichrozona*.
zonatus (*Campylorhynchus*), see *Heleodutes*.
 — (*Heleodutes*), see *Heleodutes*.
zonocercus (*Buteo*), see *B. abbreviatus*.
zonorhynchus (*Larus*), see *L. argentatus*.
Zonotrichia, '84, 43, 387, '88, 440, 441, 442, '90, 193.
albicollis (^aWhite-throated Sparrow or Peabody-bird), *Ala.* '79, 9;

Cal. '92, 302, '96, 260, '97, 221; *Canada*, '82, 113; *Colo.* '87, 122; *Fla.* '88, 274, '93, 337, '95, 365; *Ga.* '82, 95^a, '96, 214; *G. Br.* '80, 72; *g. dist.* '93, 126; *Hud. B.* '90, 322; *Ia.* '95, 122, 236; *Ill.* '88, 434, '90, 241; *Ind.* '82, 20, '89, 25; *I. T.* '84, 335; *Ky.* '89, 315; *La.* '82, 162, '87, 302^a; *Man.* '86, 323; *Mass.* '80, 52, '82, 122, '83, 151^a, '84, 12^a, 15, '88, 388^a, 389, 390, 426, '89, 43^a, 101, 183^a, '95, 87^a, 88, '96, 178, '97, 406; *Me.* '79, 107, '82, 148, '86, 277^a; *Mich.* '85, 65, '93, 226; *Minn.* '79, 153^a, '97, 223^a; *Miss.* '99, 268; *Mo.* '79, 144, '96, 217; *Mont.* '88, 17^a; *N. B.* '82, 148, '83, 7^a, '89, 118; *N. C.* '86, 101^a, 308^a, 311^a, 314; *N. F.* 1900, 72; *N. H.* '83, 13^a, '87, 102^a, 103^a, 105, '88, 149^a, 150, 152, 154, '89, 78, '94, 335; *N. S.* '87, 16; *N. Y.* '78, 53, '79, 36, '81, 230, '83, 52^a, '84, 175, 331, '86, 443^a, '90, 295, '99, 283^a; *O.* '95, 242; *Pa.* '94, 182^a?; *P. E. I.* '93, 5^a, 11; *Que.* '82, 236, '89, 148; *S. C.* '79, 214, '92, 33^a, '95, 306^a; *S. D.* '85, 281; *Tenn.* '86, 318; *Tex.* '82, 12, '84, 122, '92, 338.—*hbt.* '84, 331, 335, '93, 11; *meas.* '83, 79; *mig.* '84, 175, '85, 65, '88, 434, '92, 33^a, '95, 122, 236, 242, '99, 268; *nst.* '80, 52, '88, 426, '89, 148, '97, 406; *plm.* '76, 21 (alb.), '78, 121, '83, 46, 78–80 (hyb.), '84, 287^a (hyb.), '93, 213 (col. pl., hyb.); *song.* '84, 12^a, 331, '87, 67^a, '93, 11; *misc.* '81, 179^a, '82, 113 (corr.), '96, 159.

coronata (Golden-crowned Sparrow, ^b*Emberiza atricapilla*), *Alas.* '81, 5; *Cal.* '77, 92^b?, '86, 182, '89, 221, '96, 260, '98, 235; *g. dist.* '93, 126; *Ore.* '79, 165, '86, 168, '88, 358; *Wash.* '92, 356, '97, 178, 1900, 355.—*anat.* '88, 440, 442, 444; *hbt.* '81, 5; *meas.* '78, 43; *nst.* '78, 42; *song.* '92, 356.

gambelii (^aGambel's Sparrow, ^b*mittalli*), *Alas.* '81, 2^a, 5^a; *Cal.* '86, 182, '89, 221, '94, 219; *g. dist.* '93, 126, '99, 36^a; *Ore.* '86, 168; *Wash.* '92, 309, 356, '99, 37, 1900, 355.—*hbt.* '81, 5^a; *nst.* '86, 168, 1900, 355; *syn.* '80, 106, '89, 333, '90, 65, 96, '99, 36^a.

intermedia (^aIntermediate or Ridgway's Sparrow), *Alas.* '85, 63, '87, 12; *Ariz.* '87, 200, '94, 218^a, 219; *B. C.* '92, 310; *Cal.* '89, 221, '90,

296, '98, 235; *Colo.* '85, 16, 141, '87, 124; *g. dist.* '93, 126; *Ida.* '98, 16; *Kan.* '84, 100, '86, 114; *I. Cal.* '95, 141; *Man.* '86, 323; *Minn.* '79, 153, '93, 290; *Mont.* '88, 17^a, '94, 306, '95, 217; *Neb.* '89, 333; *N. M.* '85, 124, '86, 74, '92, 365, '99, 189; *N. W. T.* 1900, 182?; *Ore.* '88, 358; *Tex.* '82, 12, 38, '84, 121, '87, 292; *Wash.* '81, 128, '82, 227, '92, 45, 356, '97, 178, 1900, 244.—*hbt.* '85, 141; *mig.* '85, 63; *plm.*, *song.* '87, 124; *syn.* '80, 106, '89, 333, '90, 65, 96, '99, 37.

leucophrys (^aWhite-crowned Sparrow), *Ariz.* '87, 200, '90, 49, 259; *Cal.* '78, 66; *Colo.* '79, 94, '80, 229, '81, 138, '83, 191, '85, 16, 141; *Conn.* '93, 90, 207; *Cuba*, '92, 273; *g. dist.* '93, 126; *Hud. B.* '90, 322; *Ia.* '95, 123; *Ill.* '80, 30, '88, 434, '90, 241, '95, 395?; *Ind.* '82, 20, '89, 25; *I. T.* '84, 335; *Ky.* '89, 314; *La.* '99, 266; *Man.* '86, 323; *Mass.* '82, 253^a, '99, 196^a; *Me.* '76, 95^a, '82, 148^a; *Mich.* '85, 65, '93, 226; *Mo.* '79, 144; *Mont.* '89, 152^a, '95, 217; *N. C.* '87, 241, '93, 243; *N. M.* '86, 74, '92, 365; *N. Y.* '81, 126, 230, '84, 175, 330, '85, 272, '88, 181, '98, 58; *O.* '95, 241; *Ore.* '79, 165, '88, 139; *Que.* '82, 236; *S. D.* '85, 281; *Tex.* '82, 12, 38, '87, 292, '92, 338, 1900, 346; *Vt.* '78, 195.—*fd.* '99, 355; *hbt.* '99, 355; *mig.* '82, 148^a, '84, 175, '85, 65, '88, 434, '95, 123, 241, '98, 58, '99, 196^a; *nst.* '78, 195, '80, 229, '81, 138, '83, 238^a; *plm.* '78, 121, '92, 273 (alb.); *song.* '80, 229, '81, 138, '84, 330, '99, 355; *syn.* '78, 105, '80, 106, '90, 96.

querula (^aHarris's Sparrow), *B. C.* '93, 16, '95, 76, 182, 305^a, 1900, 107; *Colo.* '87, 122, '94, 183; *g. dist.* '84, 332, '93, 126; *Ia.* '95, 129^a, 236; *Ill.* '80, 30, '90, 241, '95, 395; *Kan.* '79, 144, '94, 215; *Man.* '86, 323; *Minn.* '79, 154; *Mo.* '79, 144, '96, 176; *Mont.* '89, 150, '95, 217; *Mo. River.* '95, 226^a, 227^a; *S. D.* '85, 281; *Tex.* '82, 38, '87, 291, '92, 338; *Wash.* '93, 16; *Wis.* '84, 106.—*hbt.* '79, 144, '84, 332, '85, 281; *meas.*, *nst.* '89, 151; *mig.* '79, 154, '84, 332–337, '95, 129, 236, 237^a; *plm.* '79, 144 (mlt.), 154, '84, 332, 334, '95, 226^a, '96, 176; *song.* '79, 144, 154, '84, 332, 335; *misc.* '90, 82.

whitii, *syn.* '88, 412.

Zoological Society, New York, '97, 344. Zoologische Garten, Der (magazine),

- '84, 404; titles (Nos. 1063-1068),
 '86, 477.
 Zoölogist, The (magazine), '97, 256;
 titles (Nos. 979-1002), '85, 373,
 (Nos. 2426-2451) '92, 289.
 Zosteropidae, 1900, 189.
- Zosterops, '94, 235.
 aldabrensis, *Aldabra I.* '95, 71.
 gloriae, *Gloriosa I.* '95, 71.
 zosterops (Chloropsis), see Chloropsis.
 Zygodactylæ, '81, 75.
 Zygodactyli, '85, 212.
-

ERRATA.

Page 13, column 2, line 47, for zoologisches read zoologischer.

- " 16, " 2, " 54, for Torry read Torrey.
- " 62, " 1, " 45, for brachyphonus read brachyphorus.
- " 64, " 2, " 39, after Petrels insert (rev.).
- " 64, " 2, " 40, for Ogilvie-Grant, W. R., read Grant, W.
- " 64, " 2, " 41, after Gozo insert (rev.).
- " 80, " 2, " 15, for Callipepla read **Callipepla**.
- " 110, " 2, " 42, after *plm.* insert '87, 109.
- " 123, " 2, " 38, after and Rood insert E.
- " 123, " 2, " 42, after 240 insert '83, 161-164.
- " 141, " 2, " 40, for brachyphonus read brachyphorus.
- " 197, " 2, last line, for gastræ read gaster.
- " 202, " 1, line 47, for semichrasti read sumichrasti.
- " 242, " 1, " 8, after 251 add *syn.* '98, 330.

Q

w

